

별첨 2

배제문헌

문헌배제사유

1. 악안면 교정수술(양악수술)을 수행하지 않은 경우
2. 안전성 관련 지표가 보고되지 않은 경우
3. 다른 치치법이 혼용되어 악안면 교정수술로 인한 안전성 결과인지 여부를 구별하기 곤란
4. 동물 실험(non-human) 및 전임상시험 연구(pre-clinical studies)
5. 원저가 아닌 연구(체계적 문헌고찰, 리뷰문헌, 가이드라인, 사설, 의견 등)
6. 회색문헌(초록만 발표된 연구, 학위논문 등)
7. 한국어 및 영어로 출판되지 않은 연구
8. 중복문헌
9. 기능개선, 의료적 목적으로 양악수술을 수행한 경우

연번	서지정보	배제 사유
1	Abe Y, Chiba M, Yaklai S, Pechayco RS, Suzuki H, Takahashi T. Increase in bone metabolic markers and circulating osteoblast-lineage cells after orthognathic surgery. <i>Sci</i> . 2019;9(1):20106.	4
2	Abotaleb B, Bi R, Telha W, Zhao W, Li Y, Zhu S. Treatment measures of hemimandibular hyperplasia and associated facial deformities. <i>Journal of Cranio-Maxillo-Facial Surgery</i> . 2021;49(2):126-34.	2
3	Abrahamsson C, Henrikson T, Bondemark L, Ekberg E. Masticatory function in patients with dentofacial deformities before and after orthognathic treatment—a prospective, longitudinal, and controlled study. <i>European Journal of Orthodontics</i> . 2015;37(1):67-72.	2
4	Abrahamsson C, Henrikson T, Nilner M, Sunzel B, Bondemark L, Ekberg EC. TMD before and after correction of dentofacial deformities by orthodontic and orthognathic treatment. <i>Int J Oral Maxillofac Surg</i> . 2013;42(6):752-8.	2
5	Abukawa H, Ogawa T, Kono M, Koizumi T, Kawase-Koga Y, Chikazu D. Intravenous Dexamethasone Administration Before Orthognathic Surgery Reduces the Postoperative Edema of the Masseter Muscle: A Randomized Controlled Trial. <i>J Oral Maxillofac Surg</i> . 2017;75(6):1257-62.	3
6	Agbaje JO, Sun Y, Lambrichts I, Politis C. Problems during orthognathic surgery resulting from errors in diagnostic wax bite. <i>Journal of Craniofacial Surgery</i> . 2013;24(3):999-1001.	2
7	Ahmad Z, Breeze J, Williams R. Numbness of the lower lip does not adversely affect quality of life or patients' satisfaction after mandibular orthognathic surgery. <i>Br J Oral Maxillofac Surg</i> . 2018;56(5):421-4.	2
8	Ahn HW, Seo DH, Kim SH, Lee BS, Chung KR, Nelson G. Correction of facial asymmetry and maxillary canting with corticotomy and 1-jaw orthognathic surgery. <i>Am J Orthod Dentofacial Orthop</i> . 2014;146(6):795-805.	3
9	Akbulut N, Kursun S, Aksoy S, Kurt H, Orhan K. Evaluation of foramen tympanicum using cone-beam computed tomography in orthodontic malocclusions. <i>Journal of Craniofacial Surgery</i> . 2014;25(2):e105-9.	1

10	Al-Ahmad HT, Al-Bitar ZB. The effect of temporomandibular disorders on condition-specific quality of life in patients with dentofacial deformities. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> . 2014;117(3):293-301.	2
11	Al-Ahmad HT, MW MS, Hussein AM. Evaluation of an innovative computer-assisted sagittal split ramus osteotomy to reduce neurosensory alterations following orthognathic surgery: a pilot study. <i>Int J Med Robot</i> . 2013;9(2):134-41.	2
12	Alam MK, Alhabib S, Alzarea BK, Irshad M, Faruqi S, Sghaireen MG, et al. 3D CBCT morphometric assessment of mental foramen in Arabic population and global comparison: imperative for invasive and non-invasive procedures in mandible. <i>Acta Odontologica Scandinavica</i> . 2018;76(2):98-104.	2
13	Al-Bazie SA. Orthognathic Surgery in a Patient with Multiple Sclerosis. <i>J Contemp Dent Pract</i> . 2015;16(6):507-11.	9
14	Al-Hadi N, Chegini S, Klontzas ME, McKenny J, Heliotis M. Patient expectations and satisfaction following orthognathic surgery. <i>Int J Oral Maxillofac Surg</i> . 2019;48(2):211-6.	2
15	Al-Hiyali A, Ayoub A, Ju X, Almuzian M, Al-Anezi T. The Impact of Orthognathic Surgery on Facial Expressions. <i>J Oral Maxillofac Surg</i> . 2015;73(12):2380-90.	2
16	Allam KA, Wan DC, Khwanngern K, Kawamoto HK, Tanna N, Perry A, et al. Treatment of apert syndrome: a long-term follow-up study. <i>Plast Reconstr Surg</i> . 2011;127(4):1601-11.	2
17	Allareddy V. Orthognathic Surgeries in Patients With Congenital Craniofacial Anomalies: Profile and Hospitalization Outcomes. <i>Cleft Palate-Craniofacial Journal</i> . 2015;52(6):698-705.	1
18	Ansari L, Bohluli B, Mahaseni H, Valaei N, Sadr-Eshkevari P, Rashad A. The effect of endotracheal tube cuff pressure control on postextubation throat pain in orthognathic surgeries: a randomized double-blind controlled clinical trial. <i>Br J Oral Maxillofac Surg</i> . 2014;52(2):140-3.	3
19	Aristizabal JF, Smit RM. Orthodontic treatment in a patient with unilateral open-bite and Becker muscular dystrophy. A 5-year follow-up. <i>Dental Press J</i> . 2014;19(6):37-45.	1
20	Assis GLC, Sousa CS, Turrini RNT, Poveda VB, Silva R. Proposal of nursing diagnoses, outcomes and interventions for postoperative patients of orthognathic surgery. <i>Rev Esc Enferm USP</i> . 2018;52:e03321.	2
21	Atakan A, Ozcipcici AA, Pamukcu H, Bayram B. Does Le Fort I osteotomy have an influence on nasal cavity and septum deviation? <i>Nigerian Journal of Clinical Practice</i> . 2020;23(2):240-5.	2
22	Avelar RL, de Souza MSM, Soares ECS, Tavares RN. Use positional screws for Le Fort I osteotomy fixation: technical note. <i>Oral Maxillofac Surg</i> . 2017;21(3):347-9.	2
23	Avelar RL, Sa CD, Esses DF, Becker OE, Soares EC, de Oliveira RB. Unusual complication after genioplasty. <i>Journal of Craniofacial Surgery</i> . 2014;25(2):e180-2.	9
24	Aydil B, Ozer N, Marsan G. Facial soft tissue changes after maxillary impaction and mandibular advancement in high angle class II cases. <i>Int J Med Sci</i> . 2012;9(4):316-21.	2
25	Azenha MR, Yamaji MA, Avelar RL, de Freitas QE, Laureano Filho JR, de Oliveira Neto PJ. Retropharyngeal and cervicofacial subcutaneous emphysema after maxillofacial trauma. <i>Oral Maxillofac Surg</i> . 2011;15(4):245-9.	9
26	Baeg SW, Hong YP, Cho DH, Lee JK, Song SI. Evaluation of Sinonasal Change After Lefort I Osteotomy Using Cone Beam Computed Tomography Images. <i>Journal of Craniofacial Surgery</i> . 2018;29(1):e34-e41.	2
27	Baek JS, Kim KH, Lee JH, Choi HS. Ophthalmologic Complications Associated With Oculofacial Plastic and Esthetic Surgeries. <i>Journal of Craniofacial Surgery</i> . 2018;29(5):1208-11.	3
28	Baker SB, Goldstein JA, Seruya M. Outcomes in computer-assisted surgical simulation for orthognathic surgery. <i>Journal of Craniofacial Surgery</i> . 2012;23(2):509-13.	2
29	Balaji P, Balaji SM. Open reduction and internal fixation: Screw injury - Retrospective study. <i>Indian Journal of Dental Research</i> . 2017;28(3):304-8.	9
30	Balaji SM, Balaji P. Epiphora drainage by DCR - Long-term results. <i>Indian Journal of Dental Research</i> . 2019;30(3):337-41.	9
31	Baronos S, Fong W, Saggese NP, Luke J, Ahmed K, Yarmush J. Asystole in Orthognathic Surgery: A Case Report. <i>A A Pract</i> . 2019;12(7):249-51.	3
32	Barrabe A, Meyer C, Bonomi H, Weber E, Sigaux N, Louvrier A. Surgically assisted rapid palatal expansion in class III malocclusion: Our experience. <i>J Stomatol Oral Maxillofac Surg</i> . 2018;119(5):384-8.	1
33	Benech A, Mazzanti C, Arcuri F, Giarda M, Brucoli M. Simultaneous Le Fort I osteotomy and computer-guided implant placement. <i>Journal of Craniofacial Surgery</i> . 2011;22(3):1042-6.	5

34	Bergamo AZ, Andruccioli MC, Romano FL, Ferreira JT, Matsumoto MA. Orthodontic-surgical treatment of Class III malocclusion with mandibular asymmetry. <i>Braz Dent J.</i> 2011;22(2):151-6.	2
35	Bertin H, Mercier J, Cohen A, Giordanetto J, Cohen N, Lee SH, et al. Surgical correction of mandibular hypoplasia in hemifacial microsomia: A retrospective study in 39 patients. <i>Journal of Cranio-Maxillo-Facial Surgery.</i> 2017;45(6):1031-8.	2
36	Bertossi D, Albanese M, Nocini PF, D'Agostino A, Trevisiol L, Procacci P. Sliding genioplasty using fresh-frozen bone allografts. <i>JAMA Facial Plast Surg.</i> 2013;15(1):51-7.	9
37	Bertossi D, Nocini R, Luciano U, Galzignato PF, Ricciardi G, Lucchese A, et al. Piezoelectric surgery inserts vs conventional burst: a clinical investigation. <i>J Biol Regul Homeost Agents.</i> 2018;32(2 Suppl. 2):15-9.	9
38	Bhamrah G, Ahmad S, NiMhurchadha S. Internet discussion forums, an information and support resource for orthognathic patients. <i>Am J Orthod Dentofacial Orthop.</i> 2015;147(1):89-96.	5
39	Bianchi A, Badiali G, Piersanti L, Marchetti C. Computer-assisted piezoelectric surgery: a navigated approach toward performance of craniomaxillofacial osteotomies. <i>Journal of Craniofacial Surgery.</i> 2015;26(3):867-72.	1
40	Bilge S, Kaba YN, Demirbas AE, Kutuk N, Kilic E, Alkan A. Evaluation of the Pterygomaxillary Separation Pattern in Le Fort I Osteotomy Using Different Cutting Instruments. <i>J Oral Maxillofac Surg.</i> 2020;78(10):1820-31.	2
41	Bjorklund KA, Billmire DA. Mandibular Body Resection and Setback for Severe Malocclusion in Lymphatic Malformations. <i>Journal of Craniofacial Surgery.</i> 2016;27(3):724-6.	2
42	Blockhaus M, Kochel J, Hartmann J, Stellzig-Eisenhauer A, Meyer-Marcotty P. Three-dimensional investigation of facial surface asymmetries in skeletal malocclusion patients before and after orthodontic treatment combined with orthognathic surgery. <i>J Orofac Orthop.</i> 2014;75(2):85-95.	2
43	Bosio JA, Justus R. Treatment and retreatment of a patient with a severe anterior open bite. <i>Am J Orthod Dentofacial Orthop.</i> 2013;144(4):594-606.	2
44	Bouchard C, Chiniara G, Valcourt AC. Intraoperative hypertensive crisis secondary to an undiagnosed pheochromocytoma during orthognathic surgery: a case report. <i>J Oral Maxillofac Surg.</i> 2014;72(4):672-5.	1
45	Bourdiol P, Soulier-Peigue D, Lachaze P, Nicolas E, Woda A, Hennequin M. Only severe malocclusion correlates with mastication deficiency. <i>Arch Oral Biol.</i> 2017;75:14-20.	2
46	Bradley E, Shelton A, Hodge T, Morris D, Bekker H, Fletcher S, et al. Patient-reported experience and outcomes from orthodontic treatment. <i>J Orthod.</i> 2020;47(2):107-15.	1
47	Brasileiro BF, Van Sickels JE. Nasal Alar Pressure Ulcer After Orthognathic Surgery: Clinical Presentation and Preventive Recommendations. <i>Journal of Craniofacial Surgery.</i> 2019;30(6):e533-e5.	5
48	Brockmeyer P, Hahn W, Fenge S, Moser N, Schliephake H, Gruber RM. Reduced somatosensory impairment by piezosurgery during orthognathic surgery of the mandible. <i>Oral Maxillofac Surg.</i> 2015;19(3):301-7.	2
49	Brunso J, Franco M, Constantinescu T, Barbier L, Santamaria JA, Alvarez J. Custom-Machined Miniplates and Bone-Supported Guides for Orthognathic Surgery: A New Surgical Procedure. <i>J Oral Maxillofac Surg.</i> 2016;74(5):1061.e1-.e12.	2
50	Burstein F, Soldanska M, Granger M, Berhane C, Schoemann M. Initial Experience With a New Intraoral Midface Distraction Device. <i>Journal of Craniofacial Surgery.</i> 2015;26(4):1224-8.	1
51	Butt FM, Guthua SW, Nganga P, Edalia M, Dimba EA. One-stage treatment of acquired facial deformity caused by severe unilateral condylar hyperplasia. <i>Journal of Craniofacial Surgery.</i> 2011;22(5):1966-8.	2
52	Bykowski MR, Hill A, Garland C, Tobler W, Losee JE, Goldstein JA. Ruptured Pseudoaneurysm of the Maxillary Artery and Its Branches Following Le Fort I Osteotomy: Evidence-Based Guidelines. <i>Journal of Craniofacial Surgery.</i> 2018;29(4):998-1001.	5
53	Cabrejo R, DeSesa CR, Sawh-Martinez R, Steinbacher DM. Does Fat Grafting Influence Postoperative Edema in Orthognathic Surgery? <i>Journal of Craniofacial Surgery.</i> 2017;28(8):1906-10.	2
54	Cabrejo R, Sawh-Martinez R, Steinbacher DM. Effect of Fat Grafting on Postoperative Edema After Orthognathic Surgery. <i>Journal of Craniofacial Surgery.</i> 2019;30(3):698-702.	2
55	Cai M, Shen G, Fang B, Zhu M, Mao LX. Treatment of severe skeletal open bite deformity in	2

	patients with Mobius syndrome: a report of 3 cases. <i>J Oral Maxillofac Surg.</i> 2012;70(6):e389-99.	
56	Cai M, Shen G, Lu X, Wang X. Two mandibular surgical ciliated cysts after Le Fort I osteotomy and genioplasty. <i>Br J Oral Maxillofac Surg.</i> 2015;53(10):1040-2.	3
57	Calabria F, Sellek L, Gugole F, Trevisiol L, Bertolasi L, D'Agostino A. The use of sensory action potential to evaluate inferior alveolar nerve damage after orthognathic surgery. <i>Journal of Craniofacial Surgery.</i> 2013;24(2):514-7.	2
58	Camargo IB, Van Sickels JE, Curtis WJ. Simultaneous Removal of Third Molars During a Sagittal Split Does Not Increase the Incidence of Bad Splits in Patients Aged 30 Years or Older. <i>J Oral Maxillofac Surg.</i> 2015;73(7):1350-9.	2
59	Camargo IB, Van Sickels JE, Laureano Filho JR, Cunningham LL. Root contact with maxillomandibular fixation screws in orthognathic surgery: incidence and consequences. <i>Int J Oral Maxillofac Surg.</i> 2016;45(8):980-4.	2
60	Canellas JV, Barros HL, Medeiros PJ, Ritto FG. Effects of surgical correction of class III malocclusion on the pharyngeal airway and its influence on sleep apnoea. <i>Int J Oral Maxillofac Surg.</i> 2016;45(12):1508-12.	2
61	Carlson ER, Fleisher KE, Ruggiero SL. Metastatic cancer identified in osteonecrosis specimens of the jaws in patients receiving intravenous bisphosphonate medications. <i>J Oral Maxillofac Surg.</i> 2013;71(12):2077-86.	2
62	Cedro M, Moles DR, Hodges S. Adult orthodontics in the absence of orthognathic treatment: a hospital perspective. <i>J Orthod.</i> 2012;39(4):292-302.	2
63	Cervelli D, Gasparini G, Moro A, Pelo S, Foresta E, Grussu F, et al. Lipofilling as refinement procedure in maxillo-mandibular malformations. <i>Acta Otorhinolaryngol Ital.</i> 2016;36(5):368-72.	3
64	Chahed H, Hachicha H, Bachraoui R, Marrakchi J, Mediouni A, Zainine R, et al. Paranasal sinus osteomas: Diagnosis and treatment. <i>Rev Stomatol Chir Maxillofac Chir Orale.</i> 2016;117(5):306-10.	9
65	Chang CS, Swanson J, Yu J, Taylor JA. Early, Computer-Aided Design/Computer-Aided Modeling Planned, Le Fort I Advancement With Internal Distractors to Treat Severe Maxillary Hypoplasia in Cleft Lip and Palate. <i>Journal of Craniofacial Surgery.</i> 2017;28(4):931-4.	9
66	Chang TS, Chiang RP. Total analysis of clinical factors for surgical success of adenotonsillectomy in pediatric OSAS. <i>European Archives of Oto-Rhino-Laryngology.</i> 2017;274(1):561-6.	1
67	Chatzistavrou E, Kolokitha OE, Topouzelis N. A severe open bite case treated with orthodontics and tongue reduction surgery: 13-year followup. A case report. <i>Aust Orthod J.</i> 2012;28(1):94-103.	1
68	Chau H, Soma M, Massey S, Hewitt R, Hartley B. Anterior tongue reduction surgery for paediatric macroglossia. <i>J Laryngol Otol.</i> 2011;125(12):1247-50.	1
69	Chen WL, Liao JK, Zhou B, Chen R, Yuan KF. Comprehensive treatment of massive macroglossia due to venous and lymphatic malformations. <i>Int J Oral Maxillofac Surg.</i> 2020;49(7):874-81.	3
70	Cheng E, Schaefer E, Charous S. Delayed Pharyngeal Migration of a Mandibular Fixation Screw 30 Years After Orthognathic Surgery. <i>J Oral Maxillofac Surg.</i> 2019;77(3):640.e1-.e5.	9
71	Chepla KJ, Cachecho C, Hans MG, Gosain AK. Use of intraoral miniplates to control postoperative occlusion after high condylectomy for the treatment of condylar hyperplasia. <i>Journal of Craniofacial Surgery.</i> 2012;23(2):406-9.	5
72	Chiarini L, Albanese M, Anesi A, Galzignato PF, Mortellaro C, Nocini P, et al. Surgical treatment of unilateral condylar hyperplasia with piezosurgery. <i>Journal of Craniofacial Surgery.</i> 2014;25(3):808-10.	2
73	Choi BK, Lee W, Lo LJ, Yang EJ. Is injury to the inferior alveolar nerve still common during orthognathic surgery? Manual twist technique for sagittal split ramus osteotomy. <i>Br J Oral Maxillofac Surg.</i> 2018;56(10):946-51.	2
74	Choi GJ, Baek CW, Kang H, Park YH, Yang SY, Shin HY, et al. Emergence agitation after orthognathic surgery: a randomised controlled comparison between sevoflurane and desflurane. <i>Acta Anaesthesiologica Scandinavica.</i> 2015;59(2):224-31.	3
75	Chrcanovic BR, Toledo GL, Amaral MB, Custodio AL. Assessment of hematologic parameters before and after bimaxillary orthognathic surgery. <i>Oral Maxillofac Surg.</i> 2016;20(1):35-43.	2
76	Christensen E, Hurewitz D, Sullivan S. Successful hereditary angioedema prophylaxis with C1 inhibitor in orthognathic surgery. <i>J Oral Maxillofac Surg.</i> 2012;70(6):1456-8.	1

77	Chung J, Lim J, Park H, Yoo A, Kim S, Koo Y. Correlation Between Speech Outcomes and the Amount of Maxillary Advancement After Orthognathic Surgery (Le Fort I Conventional Osteotomy and Distraction Osteogenesis) in Patients With Cleft Lip and Palate. <i>Journal of Craniofacial Surgery</i> . 2019;30(6):1855-8.	2
78	Chung K, Richards T, Nicot R, Vieira AR, Cruz CV, Raoul G, et al. ENPP1 and ESR1 genotypes associated with subclassifications of craniofacial asymmetry and severity of temporomandibular disorders. <i>Am J Orthod Dentofacial Orthop</i> . 2017;152(5):631-45.	2
79	Chung S, Park S. Correction of a Long Face: Simultaneous Reduction of the Upper Lip Using a Modified Endonasal Technique and Le Fort I Osteotomy Superior Impaction. <i>Journal of Craniofacial Surgery</i> . 2016;27(8):1937-42.	3
80	Cifuentes J, Palisson F, Valladares S, Jerez D. Life-threatening complications following orthognathic surgery in a patient with undiagnosed hereditary angioedema. <i>J Oral Maxillofac Surg</i> . 2013;71(4):e185-8.	5
81	Cleveland EC, Zampell J, Avraham T, Lee ZH, Hirsch D, Levine JP. Reconstruction of Congenital Mandibular Hypoplasia With Microvascular Free Fibula Flaps in the Pediatric Population: A Paradigm Shift. <i>Journal of Craniofacial Surgery</i> . 2017;28(1):79-83.	1
82	Coscia G, Coscia V, Peluso V, Addabbo F. Augmented corticotomy combined with accelerated orthodontic forces in class III orthognathic patients: morphologic aspects of the mandibular anterior ridge with cone-beam computed tomography. <i>J Oral Maxillofac Surg</i> . 2013;71(10):1760.e1-9.	2
83	Cousin AS, Bouletreau P, Gai J, Ibrahim B, Louvrier A, Sigaux N. Severity and long-term complications of surgical site infections after orthognathic surgery: a retrospective study. <i>Sci</i> . 2020;10(1):12015.	3
84	Cullati F, Rusconi FME, Mapelli A, Zago M, Beltramini GA, Gianni AB, et al. Three-dimensional longitudinal evaluation of facial mimicry in orthognathic class III surgery. <i>Int J Oral Maxillofac Surg</i> . 2019;48(3):355-63.	2
85	da Costa FH, Herrera PA, Pereira-Stabile CL, Vitti Stabile GA. Postoperative Delirium Following Orthognathic Surgery in a Young Patient. <i>J Oral Maxillofac Surg</i> . 2017;75(2):284.e1-.e4.	3
86	da Silva de Menezes JD, Moura LB, Martins RP, Hochuli-Vieira E. Porous Polyethylene Implant as Aesthetic Complement in Orthognathic Surgery. <i>Journal of Craniofacial Surgery</i> . 2016;27(8):e790-e1.	3
87	da Silva Felix Junior W, Kluppel LE, da Costa DJ, Fernandes A, Scariot R, Rebellato NLB. Radiographic evaluation of condylar positioning in patients undergoing orthognathic surgery. <i>Oral Maxillofac Surg</i> . 2017;21(4):419-23.	2
88	D'Agostino A, Trevisiol L, Favero V, Gunson MJ, Pedica F, Nocini PF, et al. Hydroxyapatite/Collagen Composite Is a Reliable Material for Malar Augmentation. <i>J Oral Maxillofac Surg</i> . 2016;74(6):1238.e1-.e15.	1
89	Dang RR, Padwa BL, Resnick CM. Velopharyngeal Insufficiency After Le Fort I Osteotomy in a Patient With Undiagnosed Occult Submucous Cleft Palate. <i>Journal of Craniofacial Surgery</i> . 2017;28(3):752-4.	9
90	Davis CM, Gregoire CE, Davis I, Steeves TW. Prevalence of Surgical Site Infections Following Orthognathic Surgery: A Double-Blind, Randomized Controlled Trial on a 3-Day Versus 1-Day Postoperative Antibiotic Regimen. <i>J Oral Maxillofac Surg</i> . 2017;75(4):796-804.	3
91	De Moraes Filho EF, Forte Oliveira FA. Effect of laser acupuncture in the treatment of facial paresthesia post orthognathic surgery: a case report. <i>Acupunct Med</i> . 2020;38(2):123-5.	2
92	de Oliveira RF, da Silva AC, Simoes A, Youssef MN, de Freitas PM. Laser Therapy in the Treatment of Paresthesia: A Retrospective Study of 125 Clinical Cases. <i>Photomed Laser Surg</i> . 2015;33(8):415-23.	2
93	de Queiroz SB, Curioso PA, Carvalho FS, de Lima VN. Submandibular-space abscess from loss of a bonded molar tube during orthognathic surgery. <i>Am J Orthod Dentofacial Orthop</i> . 2013;143(5):735-7.	3
94	Demura N, Honjo M, Segami N. Bilateral craniofacial microsomia: orthognathic treatment for an advanced dentofacial deformity. <i>Am J Orthod Dentofacial Orthop</i> . 2013;143(3):404-11.	5
95	Denadai R, Chou PY, Lin YY, Yao CF, Chen YA, Huang CS, et al. Type of maxillary segment mobilization affects three-dimensional nasal morphology. <i>J Plast Reconstr Aesthet Surg</i> . 2021;74(3):592-604.	2
96	Dergin G, Aktop S, Varol A, Ugurlu F, Garip H. Complications related to surgically assisted rapid palatal expansion. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> .	1

	2015;119(6):601-7.	
97	Derton N, Gracco A, Procopio O. Surgical and orthodontic treatment of skeletal Class III featuring severe transversal and sagittal discrepancy. <i>International Orthodontics</i> . 2012;10(2):148-64.	2
98	Diaz-Siso JR, Gibson TL, Plana NM, Yue OY, Flores RL. Zygomatic Rotation-Advancement: A New Concept for the Correction of Exorbitism in Patients With Syndromic Craniosynostosis. <i>Journal of Craniofacial Surgery</i> . 2020;31(1):178-82.	2
99	Dibbs R, Raghuram A, Roy MG, Kaufman MG, Monson LA. Orthognathic Surgical Treatment in a Patient With Hyperimmunoglobulin E Syndrome. <i>Journal of Craniofacial Surgery</i> . 2020;31(3):e251-e4.	9
100	Dietrich EM, Griessinger N, Neukam FW, Schlittenbauer T. Consultation with a specialized pain clinic reduces pain after oral and maxillofacial surgery. <i>Journal of Cranio-Maxillo-Facial Surgery</i> . 2017;45(2):281-9.	3
101	Diniz JA, Siqueira ADS, Torres LHS, Faro TF, Rodrigues EDR, Laureano Filho JR. Virtual Surgical Planning and One-Stage Treatment of Active Hemimandibular Hyperplasia. <i>Journal of Craniofacial Surgery</i> . 2019;30(7):e679-e81.	2
102	Discacciati JA, Lemos de Souza E, Vasconcellos WA, Costa SC, Barros Vde M. Increased vertical dimension of occlusion: signs, symptoms, diagnosis, treatment and options. <i>J Contemp Dent Pract</i> . 2013;14(1):123-8.	2
103	Dogan MS, Callea M, Yavuz I, Aksoy O, Clarich G, Gunay A, et al. An evaluation of clinical, radiological and three-dimensional dental tomography findings in ectodermal dysplasia cases. <i>Medicina Oral, Patologia Oral y Cirugia Bucal</i> . 2015;20(3):e340-6.	2
104	Dreiseidler T, Bergmann J, Zirk M, Rothamel D, Zoller JE, Kreppel M. Three-dimensional fracture pattern analysis of the Obwegeser and Dal Pont bilateral sagittal split osteotomy. <i>Int J Oral Maxillofac Surg</i> . 2016;45(11):1452-8.	2
105	Drozdowski PH, Latkowski I, Zachara MG, Wojcicki P. Binder syndrome: Clinical findings and surgical treatment of 18 patients at the Department of Plastic Surgery in Polanica Zdroj. <i>Adv</i> . 2017;26(3):427-37.	9
106	Du W, Yang M, Liu H, Ji H, Xu C, Luo E. Treatment of hemimandibular hyperplasia by computer-aided design and computer-aided manufacturing cutting and drilling guides accompanied with pre-bent titanium plates. <i>Journal of Cranio-Maxillo-Facial Surgery</i> . 2020;48(1):1-8.	3
107	Dua G, Navin Kumar A, Roy ID, Roy SK. Maxillary distraction osteogenesis in cleft lip and palate cases with midface hypoplasia using rigid external distractor: an alternative technique. <i>Journal of Craniofacial Surgery</i> . 2014;25(3):746-51.	9
108	Duruel O, Erduran NE, Tozum TF. A Modification for Treatment of Excessive Gingival Display: Tooth-Based Lip-Repositioning Technique. <i>Int J Periodontics Restorative Dent</i> . 2020;40(3):457-61.	1
109	Dyer C. Hospital trust reviews care provided to 88 patients by oral and maxillofacial surgeon. <i>Bmj</i> . 2014;348:g2816.	5
110	Edler RJ, Wertheim D, Greenhill D, Jaisinghani A. Quantitative use of photography in orthognathic outcome assessment. <i>Br J Oral Maxillofac Surg</i> . 2011;49(2):121-6.	2
111	Eliason MJ, Capra G, LaBanc A, Braxton J, Hamersley E, Radabaugh JP. A Pilot Study Assessing the Incidence of Chronic Sinusitis Following Le Fort I Osteotomy in Maxillofacial Surgery. <i>Journal of Craniofacial Surgery</i> . 2019;30(6):1845-9.	2
112	El-Karmi A, Hassfeld S, Bonitz L. Development of swelling following orthognathic surgery at various cooling temperatures by means of hilotherapy—a clinical, prospective, monocentric, single-blinded, randomised study. <i>Journal of Cranio-Maxillo-Facial Surgery</i> . 2018;46(9):1401-7.	2
113	Engelmann J, Fischer C, Nkenke E. Quality assessment of patient information on orthognathic surgery on the internet. <i>Journal of Cranio-Maxillo-Facial Surgery</i> . 2020;48(7):661-5.	2
114	Ertas U, Atal M, Kiki A, Ugurlu M. Orthognathic surgery with two-segment le fort i and sagittal split ramus osteotomies of open bite deformity in an amelogenesis imperfecta patient via virtual planning: A case report. <i>Nigerian Journal of Clinical Practice</i> . 2020;23(4):577-80.	2
115	Etoz M, Demirbas AE, Topsakal KG, Etoz OA, Kaya MO, Alkan A. Sonoelastographic evaluation of the masseter muscle before and after mandibular setback surgery. <i>Nigerian Journal of Clinical Practice</i> . 2020;23(8):1095-102.	2
116	Ettinger KS, Nathan J, Guerrero LM, Salinas TJ, Arce K. Microvascular Reconstruction of Total Maxillary Avascular Necrosis as a Complication of Routine Orthognathic Surgery. <i>J Oral</i>	3

	Maxillofac Surg. 2020;78(10):1846-58.	
117	Falter B, Abeloo J, De Clercq C, Neyt N, Lamoral P, Swennen GR. Transoral Fixation of Bicortical Screws Is Safe and Feasible for Lower Jaw Osteotomies. <i>J Oral Maxillofac Surg.</i> 2016;74(11):2285.e1-e8.	3
118	Farina R, Salinas F, Zurbuchen A, Hinojosa A, Barreda M. Corticotomy-Assisted Le Fort I Osteotomy: An Alternative to Segmentation of the Maxilla in Orthognathic Surgery. <i>Journal of Craniofacial Surgery.</i> 2015;26(4):1316-20.	2
119	Faro TF, de Oliveira ESED, Campos GJ, Duarte NM, Caetano AMM, Laureano Filho JR. Effects of throat packs during orthognathic surgery: a double-blind randomized controlled clinical trial. <i>Int J Oral Maxillofac Surg.</i> 2021;50(3):349-55.	3
120	Fattah AY, Caro C, Khechoyan DY, Tompson B, Forrest CR, Phillips JH. Cephalometric outcomes of orthognathic surgery in hemifacial microsomia. <i>Journal of Craniofacial Surgery.</i> 2014;25(5):1734-9.	2
121	Fernandes M, Eufrazio A, Bonifacio J, Marcelino J. Airway management in a patient with Crouzon syndrome proposed to orthognathic surgery. <i>BMJ Case Reports.</i> 2018;30:30.	5
122	Findikcioglu K, Sibar S, Gulsen A. Treatment Approach to Severe Microgenia Cases: Combined Use of Osseous and Implant Genioplasty. <i>Journal of Craniofacial Surgery.</i> 2018;29(2):e175-e9.	3
123	Foltan R, Hoffmannova J, Pavlikova G, Hanzelka T, Klima K, Horka E, et al. The influence of orthognathic surgery on ventilation during sleep. <i>Int J Oral Maxillofac Surg.</i> 2011;40(2):146-9.	2
124	Galbiati G, Maspero C, Giannini L, Guenza GC, Zanoni F, Farronato G. Orthodontic--surgical treatment and respiratory function: rhinomanometric assessment. <i>Minerva Stomatologica.</i> 2017;66(3):91-7.	2
125	Gallego-Romero D, Llamas-Carrera JM, Torres-Lagares D, Paredes V, Espinar E, Guevara E, et al. Long-term stability of surgical-orthodontic correction of class III malocclusions with long-face syndrome. <i>Medicina Oral, Patologia Oral y Cirugia Bucal.</i> 2012;17(3):e435-41.	2
126	Gasparini G, Rodrigues de Siqueira IC, Rezende Costa L. Does low-level laser therapy decrease swelling and pain resulting from orthognathic surgery? <i>Int J Oral Maxillofac Surg.</i> 2014;43(7):868-73.	1
127	Gennaro P, Giovannoni ME, Pini N, Aboh IV, Gabriele G, Iannetti G, et al. Relationship Between the Quantity of Nerve Exposure During Bilateral Sagittal Split Osteotomy Surgery and Sensitive Recovery. <i>Journal of Craniofacial Surgery.</i> 2017;28(5):1375-9.	3
128	Ghafari JG. Centennial inventory: the changing face of orthodontics. <i>Am J Orthod Dentofacial Orthop.</i> 2015;148(5):732-9.	5
129	Ghantous Y, Araidy S, Yaffe V, Mirochnik R, El-Raziq MA, El-Naaj IA. The efficiency of extended postoperative antibiotic prophylaxis in orthognathic surgery: A prospective, randomized, double-blind, placebo-controlled clinical trial. <i>Journal of Cranio-Maxillo-Facial Surgery.</i> 2019;47(2):228-32.	3
130	Gilles R, Couvreur T, Dammous S. Ultrasonic orthognathic surgery: enhancements to established osteotomies. <i>Int J Oral Maxillofac Surg.</i> 2013;42(8):981-7.	3
131	Godoy F, Laureano Filho JR, Rosenblatt A, O'Ryan F. Prevalence of banding and bonding molar brackets in orthognathic surgery cases. <i>J Oral Maxillofac Surg.</i> 2011;69(3):911-6.	2
132	Gomes LT, de Almeida Barros Mourao CF, Braga CL, de Almeida LFD, de Mello-Machado RC, Calasans-Maia MD. Anatomic evaluation of the incisive canal with cone beam computed tomography and its relevance to surgical procedures in the mental region: a retrospective study in a Brazilian population. <i>Oral Maxillofac Surg.</i> 2018;22(4):379-84.	1
133	Grybauskas S, Locs J, Salma I, Salms G, Berzina-Cimdina L. Volumetric analysis of implanted biphasic calcium phosphate/collagen composite by three-dimensional cone beam computed tomography head model superimposition. <i>Journal of Cranio-Maxillo-Facial Surgery.</i> 2015;43(1):167-74.	1
134	Guarda-Nardini L, Concheri G, Ferronato G, Manfredini D. Spring-bite: a new device for jaw motion rehabilitation. A case report. <i>Stomatologija.</i> 2013;15(2):54-7.	2
135	Gulses A, Aydintug YS, Sencimen M, Bayar GR, Acikel CH. Evaluation of neurosensory alterations via clinical neurosensory tests following anterior maxillary osteotomy (Bell technique). <i>Int J Oral Maxillofac Surg.</i> 2012;41(11):1353-60.	3
136	Ham SY, Kim JE, Park C, Shin MJ, Shim YH. Dexmedetomidine does not reduce emergence agitation in adults following orthognathic surgery. <i>Acta Anaesthesiologica Scandinavica.</i> 2014;58(8):955-60.	3
137	Hammoudeh JA, Goel P, Wolfswinkel EM, Fahradyan A, Vartanian E, Garg R, et al.	9

	Simultaneous Midface Advancement and Orthognathic Surgery: A Powerful Technique for Managing Midface Hypoplasia and Malocclusion. <i>Plast Reconstr Surg.</i> 2020;145(6):1067e-72e.	
138	Han YS, Jung YE, Song IS, Lee SJ, Seo BM. Three-Dimensional Computed Tomographic Assessment of Temporomandibular Joint Stability After Orthognathic Surgery. <i>J Oral Maxillofac Surg.</i> 2016;74(7):1454-62.	3
139	Harikrishnan P, Madivanan I. Supplemental Internal Wire Suspension in Orthognathic Surgery Fixation. <i>Journal of Craniofacial Surgery.</i> 2019;30(2):e97.	5
140	Hartwig S, Boettner A, Doll C, Voss JO, Hertel M, Preissner S, et al. Drill-related root injury caused by intraoperative intermaxillary fixation: an analysis of 1067 screw applications. <i>Dent Traumatol.</i> 2017;33(1):45-50.	1
141	Hasebe D, Kobayashi T, Hasegawa M, Iwamoto T, Kato K, Izumi N, et al. Changes in oropharyngeal airway and respiratory function during sleep after orthognathic surgery in patients with mandibular prognathism. <i>Int J Oral Maxillofac Surg.</i> 2011;40(6):584-92.	2
142	Hazani R, Rao A, Ford R, Yaremchuk MJ, Wilhelmi BJ. The safe zone for placement of chin implants. <i>Plast Reconstr Surg.</i> 2013;131(4):869-72.	2
143	Hemmatpour S, Kadkhodaei Oliadarani F, Hasani A, Rakhshan V. Frontal-view nasolabial soft tissue alterations after bimaxillary orthognathic surgery in Class III patients. <i>J Orofac Orthop.</i> 2016;77(6):400-8.	2
144	Hernandez-Alfaro F, Arenaz Bua J, Serra Serrat M, Mareque Bueno J. Orthognathic surgery in pycnodyostosis: a case report. <i>Int J Oral Maxillofac Surg.</i> 2011;40(1):110-3.	2
145	Hernandez-Alfaro F, Guijarro-Martinez R, Masia-Gridilla J, Valls-Ontanon A. Jawline Contouring Through an Intraoral Approach in the Context of Bilateral Sagittal Split Osteotomy: A Proof-of-Concept Report. <i>J Oral Maxillofac Surg.</i> 2019;77(1):174-8.	3
146	Hernandez-Alfaro F, Nieto MJ, Ruiz-Magaz V, Valls-Ontanon A, Mendez-Manjon I, Guijarro-Martinez R. Inferior subapical osteotomy for dentoalveolar decompensation of class III malocclusion in 'surgery-first' and 'surgery-early' orthognathic treatment. <i>Int J Oral Maxillofac Surg.</i> 2017;46(1):80-5.	5
147	Ho SY, Liao HT, Chen CH, Chen YC, Chen YR, Chen CT. The radiographic and functional outcome of bilateral mandibular condylar head fractures: a comparison between open and closed treatment. <i>Annals of Plastic Surgery.</i> 2015;74 Suppl 2:S93-8.	1
148	Holzinger D, Willinger K, Millesi G, Schicho K, Breuss E, Wagner F, et al. Changes of temporomandibular joint position after surgery first orthognathic treatment concept. <i>Sci.</i> 2019;9(1):2206.	5
149	Hong SO, Baek SH, Choi JY. Physical Therapy for Smile Improvement After Orthognathic Surgery. <i>Journal of Craniofacial Surgery.</i> 2017;28(2):422-6.	2
150	Hong SO, Chung JY, Lee DW. Quick and accurate measures in negative pressure pulmonary edema: a guideline for orthognathic surgeons. <i>Journal of Craniofacial Surgery.</i> 2014;25(5):e433-5.	5
151	Hourfar J, Kinzinger GSM, Feifel H, Vehr VM, Lisson JA. Effects of combined orthodontic-orthognathic treatment for class II and III correction on posterior airway space : Comparison of mono- and bignathic osteotomies. <i>J Orofac Orthop.</i> 2017;78(6):455-65.	2
152	Hsu CT, Shih CK, Chau SW, Tseng KY, Chen MK, Cheng KI. Modified glove fingers as an aid for safely navigating endotracheal tube through the nasal cavity and nasopharynx in difficult nasotracheal intubation. <i>Acta Anaesthesiol Taiwan.</i> 2011;49(3):119-21.	5
153	Hsu HA, Chang YC, Lee SP, Chen YW. Myofascial pain syndrome may interfere with recovery of facial nerve palsy after orthognathic surgery--a case report. <i>J Oral Maxillofac Surg.</i> 2012;70(11):e653-6.	2
154	Humphries LS, Shakir A, Figueroa AA, Mercuri LG, Dianiskova S, Reid RR, et al. Custom Alloplastic Temporomandibular Joint Reconstruction: Expanding Reconstructive Horizons. <i>Journal of Craniofacial Surgery.</i> 2020;31(6):1651-8.	3
155	Hwang DS, Choi HS, Kim UK, Song JM. Complications Following Orthognathic Surgery for Patients With Cleft Lip/Palate. <i>Journal of Craniofacial Surgery.</i> 2019;30(6):1815-9.	9
156	Ishikawa S, Matsumura H, Tomitsuka S, Yusa K, Sato Y, Iino M. Comparison of Complications With Semisolid Versus Liquid Diet Via Nasogastric Feeding Tube After Orthognathic Surgery. <i>J Oral Maxillofac Surg.</i> 2019;77(2):410.e1-e9.	3
157	Islam S, Uwadiae N, Ormiston IW. Orthognathic surgery in the management of obstructive sleep apnoea: experience from maxillofacial surgery unit in the United Kingdom. <i>Br J Oral Maxillofac Surg.</i> 2014;52(6):496-500.	2

158	Iyengar RJ, Gabrick K, Bruckman K, Steinbacher DM. Fat Grafting in Orthognathic Surgery. <i>Journal of Craniofacial Surgery</i> . 2019;30(3):639-43.	3
159	Jaeger F, Chiavaioli GM, de Toledo GL, Freire-Maia B, Amaral MBF, Mesquita RA. High-power diode laser in the circumvestibular incision for Le Fort I osteotomy in orthognathic surgery: a prospective case series study. <i>Lasers Med Sci</i> . 2018;33(1):51-6.	2
160	Jaeger F, Chiavaioli GMO, de Toledo GL, Freire-Maia B, Amaral MBF, de Abreu M, et al. Efficacy and safety of diode laser during circumvestibular incision for Le Fort I osteotomy in orthognathic surgery: a triple-blind randomized clinical trial. <i>Lasers Med Sci</i> . 2020;35(2):395-402.	3
161	Jeon HJ, Lee JS, Lee JW, Yang JD, Chung HY, Cho BC, et al. Stability of lingual plate osteotomy in orthognathic surgery for patients with severe facial asymmetry: A retrospective analysis with 1-year follow-up. <i>Journal of Cranio-Maxillo-Facial Surgery</i> . 2020;48(2):156-61.	3
162	Jeong WS, Choi JW, Kim DY, Lee JY, Kwon SM. Can a surgery-first orthognathic approach reduce the total treatment time? <i>Int J Oral Maxillofac Surg</i> . 2017;46(4):473-82.	2
163	Jeong WS, Kim YC, Chung YS, Lee CY, Choi JW. Change in Posterior Pharyngeal Space After Counterclockwise Rotational Orthognathic Surgery for Class II Dentofacial Deformity Diagnosed With Obstructive Sleep Apnea Based on Cephalometric Analysis. <i>Journal of Craniofacial Surgery</i> . 2017;28(5):e488-e91.	2
164	Jeong WS, Lee JY, Choi JW. Large-Scale Study of Long-Term Vertical Skeletal Stability in a Surgery-First Orthognathic Approach Without Presurgical Orthodontic Treatment: Part II. <i>Journal of Craniofacial Surgery</i> . 2018;29(4):953-8.	2
165	Ji H, Du W, Xu C, Zhao Q, Ye B, Luo E. Computer-assisted osteotomy guides and pre-bent titanium plates improve the planning for correction of facial asymmetry. <i>Int J Oral Maxillofac Surg</i> . 2019;48(8):1043-50.	1
166	Jiang WH, Wang XD, Shen GF. Emergency removal of a grinding wheel embedded in the midface via modified Le Fort I osteotomy. <i>Int J Oral Maxillofac Surg</i> . 2011;40(4):438-40.	5
167	Jodeh DS, Nguyen ATH, Rottgers SA. Le Fort 1 and Bimaxillary Osteotomies Increase the Length of Stay but not Postoperative Morbidity Compared to Mandibular Osteotomies and Single Jaw Procedures. <i>Journal of Craniofacial Surgery</i> . 2020;31(6):1734-8.	2
168	Jung MH. Quality of Life and Self-Esteem of Female Orthognathic Surgery Patients. <i>J Oral Maxillofac Surg</i> . 2016;74(6):1240.e1-7.	2
169	Jung MH, Baik UB, Ahn SJ. Treatment of anterior open bite and multiple missing teeth with lingual fixed appliances, double jaw surgery, and dental implants. <i>Am J Orthod Dentofacial Orthop</i> . 2013;143(4 Suppl):S125-36.	2
170	Jung SK, Kim TW. Treatment of unilateral posterior crossbite with facial asymmetry in a female patient with transverse discrepancy. <i>Am J Orthod Dentofacial Orthop</i> . 2015;148(1):154-64.	2
171	Kalmar CL, Humphries LS, Zimmerman CE, Vu GH, Swanson JW, Bartlett SP, et al. Orthognathic Hardware Complications in the Era of Patient-Specific Implants. <i>Plast Reconstr Surg</i> . 2020;146(5):609e-21e.	3
172	Kato C, Ono T. Anterior open bite due to temporomandibular joint osteoarthritis with muscle dysfunction treated with temporary anchorage devices. <i>Am J Orthod Dentofacial Orthop</i> . 2018;154(6):848-59.	2
173	Kawase-Koga Y, Shibata K, Kimoto A, Watanabe M, Chikazu D. Simple Technique for Reducing the Buccal Fat Pad During Mandibular Orthognathic Surgery. <i>Journal of Craniofacial Surgery</i> . 2018;29(4):e404-e5.	5
174	Keyhan SO, Fallahi HR, Adham G, Cheshmi B. Concomitant Dorsal Preservation Rhinoplasty and Orthognathic Surgery: A Technical Note. <i>J Oral Maxillofac Surg</i> . 2020;78(9):1630.e1-.e10.	3
175	Khan MN, Asim MA, Shah I. Management of Obstructive Sleep Apnea Syndrome Associated with Severe Micrognathia. <i>J Coll Physicians Surg Pak</i> . 2018;28(9):S184-S6.	5
176	Khanna S, Schwartz MH, Ruggiero SL. Factor VII deficiency resulting in acute hemorrhage in orthognathic surgery: a case report. <i>J Oral Maxillofac Surg</i> . 2012;70(1):e92-4.	3
177	Kikuta S, Iwanaga J, Nakamura K, Hino K, Nakamura M, Kusakawa J. The retromolar canals and foramina: radiographic observation and application to oral surgery. <i>Surg Radiol Anat</i> . 2018;40(6):647-52.	1
178	Kim BJ, Bae HS, Lee Y. One-Stage Treatment for Adult Patients With Crouzonoid Appearance by Orthognathic and Face Contouring Surgery. <i>Journal of Craniofacial Surgery</i> . 2017;28(5):e441-e4.	9

179	Kim EJ, Palomo JM, Kim SS, Lim HJ, Lee KM, Hwang HS. Maxillofacial characteristics affecting chin deviation between mandibular retrusion and prognathism patients. <i>Angle Orthodontist</i> . 2011;81(6):988–93.	2
180	Kim H. Sudden arrhythmia followed by bradycardia during sagittal split ramus osteotomy: trigeminocardiac reflex. <i>BMJ Case Reports</i> . 2019;12(12):02.	2
181	Kim HH, Ha HR, Ahn HW, Kim SJ. Anterior Decompensation Using Segmental Osteotomy for Patients With Mandibular Asymmetry. <i>J Oral Maxillofac Surg</i> . 2015;73(7):1392.e1–22.	2
182	Kim JH, Kim HJ, Kang JW. Bilateral benign paroxysmal positional vertigo: an unusual complication of orthognathic surgery. <i>Br J Oral Maxillofac Surg</i> . 2013;51(8):e291–2.	5
183	Kim JW, Kim HY, Kim SY, Kim SJ. Impaired osseointegration of dental implants associated with orthognathic surgery: Possible regional acceleratory phenomenon. <i>Clin Implant Dent Relat Res</i> . 2019;21(4):531–7.	3
184	Kim JW, Kim JC, Jeong CG, Cheon KJ, Cho SW, Park IY, et al. The accuracy and stability of the maxillary position after orthognathic surgery using a novel computer-aided surgical simulation system. <i>BMC Oral Health</i> . 2019;19(1):18.	2
185	Kim JY, Park JH, Jung HD, Jung YS. Safety and Stability of Postponed Maxillomandibular Fixation After Intraoral Vertical Ramus Osteotomy. <i>Journal of Craniofacial Surgery</i> . 2018;29(8):2226–30.	2
186	Kim NK, Nam W, Kim HJ. Comparison of miniplates and biodegradable plates in reconstruction of the mandible with a fibular free flap. <i>Br J Oral Maxillofac Surg</i> . 2015;53(3):223–9.	9
187	Kim SH, Kim I, Jeong DM, Chung KR, Zadeh H. Corticotomy-assisted decompensation for augmentation of the mandibular anterior ridge. <i>Am J Orthod Dentofacial Orthop</i> . 2011;140(5):720–31.	3
188	Kim YK, Kim SG, Kim JH. Altered sensation after orthognathic surgery. <i>J Oral Maxillofac Surg</i> . 2011;69(3):893–8.	3
189	Kim YK, Moon SW, Yun PY, Lee YS, Larson BE, Lee NK. Evaluation of Soft Tissue Changes Around the Lips After Mandibular Setback Surgery With Minimal Orthodontics Using Three-Dimensional Stereophotogrammetry. <i>J Oral Maxillofac Surg</i> . 2016;74(5):1044–54.	2
190	Kisnisci RS, Iseri H. Dentoalveolar transport osteodistraction and canine distalization. <i>J Oral Maxillofac Surg</i> . 2011;69(3):763–70.	3
191	Kita S, Oshima M, Shimazaki K, Iwai T, Omura S, Ono T. Computational Fluid Dynamic Study of Nasal Respiratory Function Before and After Bimaxillary Orthognathic Surgery With Bone Trimming at the Inferior Edge of the Pyriform Aperture. <i>J Oral Maxillofac Surg</i> . 2016;74(11):2241–51.	2
192	Knobloch LA, Larsen PE, Saponaro PC, L'Homme-Langlois E. Early implant placement for a patient with ectodermal dysplasia: Thirteen years of clinical care. <i>Journal of Prosthetic Dentistry</i> . 2018;119(5):702–9.	3
193	Kobayashi T, Izumi N, Kojima T, Sakagami N, Saito I, Saito C. Progressive condylar resorption after mandibular advancement. <i>Br J Oral Maxillofac Surg</i> . 2012;50(2):176–80.	2
194	Kommers SC, van den Bergh B, Boffano P, Verweij KP, Forouzanfar T. Dysocclusion after maxillofacial trauma: a 42 year analysis. <i>Journal of Cranio-Maxillo-Facial Surgery</i> . 2014;42(7):1083–6.	2
195	Kormi E, Snall J, Tornwall J, Thoren H. A Survey of the Use of Perioperative Glucocorticoids in Oral and Maxillofacial Surgery. <i>J Oral Maxillofac Surg</i> . 2016;74(8):1548–51.	3
196	Kovalenko A, Slabkovskaya A, Drobysheva N, Persin L, Drobyshev A, Maddalone M. The association between the psychological status and the severity of facial deformity in orthognathic patients. <i>Angle Orthodontist</i> . 2012;82(3):396–402.	2
197	Kuehle R, Berger M, Saure D, Hoffmann J, Seeberger R. High oblique sagittal split osteotomy of the mandible: assessment of the positions of the mandibular condyles after orthognathic surgery based on cone-beam tomography. <i>Br J Oral Maxillofac Surg</i> . 2016;54(6):638–42.	2
198	Kufta K, Peacock ZS, Chuang SK, Inverso G, Levin LM. Components of Patient Satisfaction After Orthognathic Surgery. <i>Journal of Craniofacial Surgery</i> . 2016;27(1):e102–5.	2
199	Kuhlefelt M, Laine P, Suominen AL, Lindqvist C, Thoren H. Smoking as a significant risk factor for infections after orthognathic surgery. <i>J Oral Maxillofac Surg</i> . 2012;70(7):1643–7.	2
200	Kunkel R, Kim E, Tuncer FB, Siddiqi F, Gociman B. Maxillary Distraction Osteogenesis in a Patient With Osteogenesis Imperfecta. <i>Journal of Craniofacial Surgery</i> . 2019;30(8):2530–2.	3
201	Kuroda H, Kawamura G, Soya M, Kitamura T, Ichinohe T, Yamada Y. Impact of Epinephrine	3

	Contained in Local Anesthetic Solution on Serum Lactate Level During Orthognathic Surgery. <i>J Oral Maxillofac Surg.</i> 2017;75(8):1637-42.	
202	Kuroiedova VD, Sokolohorska-Nykina YK, Proskurin OS, Yukrovskiy YV. The condition of skeletal system in pupils with hearing impairment. <i>Wiad Lek.</i> 2019;72(10):1912-6.	2
203	Larsen MK, Thygesen TH. Orthognathic Surgery: Outcome in a Facebook Group. <i>Journal of Craniofacial Surgery.</i> 2016;27(2):350-5.	5
204	Lateef TA, Al-Anee AM, Agha MTF. Evaluation the Efficacy of Hilotherm Cooling System in Reducing Postoperative Pain and Edema in Maxillofacial Traumatized Patients and Orthognathic Surgeries. <i>Journal of Craniofacial Surgery.</i> 2018;29(7):e697-e706.	3
205	Lee B, Kim EJ, Song J, Jung YS, Koo BN. A randomised trial evaluating the effect of intraoperative iron administration. <i>Sci.</i> 2020;10(1):15853.	2
206	Lee BS, Ohe JY, Kim BK. Differences in bone remodeling using demineralized bone matrix in bilateral sagittal split ramus osteotomy: a study on volumetric analysis using three-dimensional cone-beam computed tomography. <i>J Oral Maxillofac Surg.</i> 2014;72(6):1151-7.	3
207	Lee DE, Hur SW, Lee JH, Kim YH, Seul JH. Central Lip Lift as Aesthetic and Physiognomic Plastic Surgery: The Effect on Lower Facial Profile. <i>Aesthetic Surgery Journal.</i> 2015;35(6):698-707.	2
208	Lee JY, Kim YK, Yun PY, Lee NK, Kim JW, Choi JH. Evaluation of stability after orthognathic surgery with minimal orthodontic preparation: comparison according to 3 types of fixation. <i>Journal of Craniofacial Surgery.</i> 2014;25(3):911-5.	2
209	Lee KC, Berg ET, Jazayeri HE, Chuang SK, Eisig SB. Online Patient Education Materials for Orthognathic Surgery Fail to Meet Readability and Quality Standards. <i>J Oral Maxillofac Surg.</i> 2019;77(1):180.e1-e8.	1
210	Lee KT, Lim SY, Mun GH, Bang SI, Oh KS, Pyon JK. Haematic cyst formation after orthognathic surgery. <i>J Plast Reconstr Aesthet Surg.</i> 2012;65(3):384-6.	9
211	Lee SW, Ahn SH, Myung Y. Secondary Genioplasties for the Treatment of Chin Deformities After Orthognathic Surgery in Asian Women: Defining the Aesthetic Importance of Managing the Chin Shape in Orthognathic Surgery. <i>Annals of Plastic Surgery.</i> 2016;76(3):301-5.	2
212	Lee TS, Park S. Surgical Tip for Prevention of Lip Injury During Orthognathic and Facial Bone Contouring Surgery. <i>Journal of Craniofacial Surgery.</i> 2017;28(7):e667-e8.	5
213	Lee TYC, Curtin JP. The effects of melatonin prophylaxis on sensory recovery and postoperative pain following orthognathic surgery: a triple-blind randomized controlled trial and biochemical analysis. <i>Int J Oral Maxillofac Surg.</i> 2020;49(4):446-53.	3
214	Lee UL, Lee EJ, Seo HY, Han SH, Choi WC, Choi YJ. Prevalence and risk factors of tooth discolouration after orthognathic surgery: a retrospective study of 1455 patients. <i>Int J Oral Maxillofac Surg.</i> 2016;45(11):1464-70.	3
215	Liaqat S, Baig AM, Bukhari SG, Ahmed W. Distraction osteogenesis of a unilateral hypoplastic mandible. <i>J Ayub Med Coll Abbottabad.</i> 2011;23(2):174-6.	5
216	Liebrechts J, Baan F, van Lierop P, de Koning M, Berge S, Maal T, et al. One-year postoperative skeletal stability of 3D planned bimaxillary osteotomies: maxilla-first versus mandible-first surgery. <i>Sci.</i> 2019;9(1):3000.	2
217	Lietz-Kijak D, Kijak E, Krajczyk M, Bogacz K, Luniewski J, Szczegielniak J. The Impact of the Use of Kinesio Taping Method on the Reduction of Swelling in Patients After Orthognathic Surgery: A Pilot Study. <i>Med Sci Monit.</i> 2018;24:3736-43.	3
218	Lim L, Heggie AA. Versatile facial osteotomies. <i>Australian Dental Journal.</i> 2018;63 Suppl 1:S48-S57.	5
219	Lin HH, Kim SG, Kim HY, Niu LS, Lo LJ. Higher Dose of Dexamethasone Does Not Further Reduce Facial Swelling After Orthognathic Surgery: A Randomized Controlled Trial Using 3-Dimensional Photogrammetry. <i>Annals of Plastic Surgery.</i> 2017;78(3 Suppl 2):S61-S9.	3
220	Lin LO, Kalmar CL, Vu GH, Zimmerman CE, Humphries LS, Swanson JW, et al. Value-Based Analysis of Virtual Versus Traditional Surgical Planning for Orthognathic Surgery. <i>Journal of Craniofacial Surgery.</i> 2020;31(5):1238-42.	3
221	Lin Y, Chen H, Yu D, Zhang Y, Yuan W. A predictive bone drilling force model for haptic rendering with experimental validation using fresh cadaveric bone. <i>Int.</i> 2017;12(1):91-8.	1
222	Lindenblatt N, van Hulle A, Verpaele AM, Tonnard PL. The Role of Microfat Grafting in Facial Contouring. <i>Aesthetic Surgery Journal.</i> 2015;35(7):763-71.	3
223	Little M, Langford RJ, Bhanji A, Farr D. Plate removal following orthognathic surgery. <i>Journal of Cranio-Maxillo-Facial Surgery.</i> 2015;43(9):1705-9.	2

224	Liu H, Zhang X, Liu L, Chen Q, Shao J, Luo E. Combined Bimaxillary Distraction Osteogenesis Associated with Orthognathic Surgery for Hemifacial Microsomia in Adults. <i>Aesthetic Plastic Surgery</i> . 2017;41(3):650–60.	3
225	Liu Y, Du W, Hu J, Liao C, Fei W, Luo E. Surgical correction without bone grafts of maxillofacial asymmetric deformities in patients treated for unilateral temporomandibular joint ankylosis. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> . 2016;122(5):555–63.	2
226	Lopez PE, Guerrero CA, Mujica EV. Mandibular basal osteotomy: new designs and fixation techniques. <i>J Oral Maxillofac Surg</i> . 2011;69(3):786–97.	2
227	Lu C, He D, Yang C, Huang D, Ellis E, 3rd. Computer-assisted surgical planning and simulation for unilateral condylar benign lesions causing facial asymmetry. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> . 2017;123(4):453–8.	2
228	Luchi GH, Conci RA, Tomazi FH, Berticelli RD, Guarenti MM, Fritscher GG, et al. Assessment of the Postoperative Stability of Mandibular Orthognathic Surgery for Correction of Class III Skeletal Malocclusion. <i>Journal of Craniofacial Surgery</i> . 2017;28(1):151–6.	2
229	Luo E, Yang S, Du W, Chen Q, Liao C, Fei W, et al. Bimaxillary Orthognathic Approach to Correct Skeletal Facial Asymmetry of Hemifacial Microsomia in Adults. <i>Aesthetic Plastic Surgery</i> . 2016;40(3):400–9.	9
230	Lutz JC, Assouline Vitale LS, Graillon N, Foletti JM, Schouman T. Standard and Customized Alloplastic Facial Implants Refining Orthognathic Surgery: Outcome Evaluation. <i>J Oral Maxillofac Surg</i> . 2020;78(10):1832.e1–.e12.	3
231	Madsen C, Lough D, Lim A, Harshbarger RJ, 3rd, Kumar AR. Cleft and Craniofacial Care During Military Pediatric Plastic Surgery Humanitarian Missions. <i>Journal of Craniofacial Surgery</i> . 2015;26(4):1097–101.	9
232	Madsen DE, Ingerslev J, Sidelmann JJ, Thorn JJ, Gram J. Intraoperative blood loss during orthognathic surgery is predicted by thromboelastography. <i>J Oral Maxillofac Surg</i> . 2012;70(10):e547–52.	2
233	Makdissi J. Cone beam CT in orthodontics: the current picture. <i>International Orthodontics</i> . 2013;11(1):1–20.	5
234	Maleux O, da Costa Senior O, Politis C, Maleux G. Glue embolisation of a bleeding pseudoaneurysm related to surgically-assisted rapid palatal expansion. <i>Br J Oral Maxillofac Surg</i> . 2019;57(6):597–9.	9
235	Manikandhan R, Anantanarayanan P, Mathew PC, Kumar JN, Narayanan V. Incidence and consequences of bur breakage in orthognathic surgery: a retrospective study with discussion of 2 interesting clinical situations. <i>J Oral Maxillofac Surg</i> . 2011;69(9):2442–7.	2
236	Manosudprasit M, Wangsrimongkol T, Danthumrongkul S. The final orthodontic treatment outcome evaluation in patients with cleft lip and palate at Khon Kaen University Cleft Lip and Palate Center: a pilot study. <i>Journal of the Medical Association of Thailand</i> . 2011;94 Suppl 6:S21–6.	2
237	Marcussen L, Stokbro K, Aagaard E, Torkov P, Thygesen T. Changes in Upper Airway Volume Following Orthognathic Surgery. <i>Journal of Craniofacial Surgery</i> . 2017;28(1):66–70.	2
238	Matsuura N, Okamura T, Ide S, Ichinohe T. Remifentanyl Reduces Blood Loss During Orthognathic Surgery. <i>Anesth Prog</i> . 2017;64(1):3–7.	3
239	McLeod NM, Gruber EA. Consent for orthognathic surgery: a UK perspective. <i>Br J Oral Maxillofac Surg</i> . 2012;50(2):e17–21.	5
240	Mehra P, Arya V, Henry C. Temporomandibular Joint Condylar Osteochondroma: Complete Condylectomy and Joint Replacement Versus Low Condylectomy and Joint Preservation. <i>J Oral Maxillofac Surg</i> . 2016;74(5):911–25.	1
241	Michelogiannakis D, Vorrasi JS, Kotsailidi EA, Rossouw PE. Interdisciplinary Management of a Class III Anterior Open Bite Malocclusion in a Patient With Cerebral Palsy. <i>J Oral Maxillofac Surg</i> . 2018;76(12):2648.e1–.e15.	2
242	Mishima S, Yamaguchi T, Watanabe T, Komatani T, Nakao K, Takahashi K, et al. Maxillary Hypoplasia With Congenital Oligodontia Treated by Maxillary Distraction Osteogenesis. <i>Journal of Craniofacial Surgery</i> . 2018;29(4):e411–e4.	2
243	Mladenovic I, Dodic S, Stosic S, Petrovic D, Cutovic T, Kozomara R. TMD in class III patients referred for orthognathic surgery: psychological and dentition-related aspects. <i>Journal of Cranio-Maxillo-Facial Surgery</i> . 2014;42(8):1604–9.	2
244	Mohlhenrich SC, Kamal M, Peters F, Fritz U, Holzle F, Modabber A. Bony contact area and displacement of the temporomandibular joint after high-oblique and bilateral sagittal split	2

	osteotomy: a computer-simulated comparison. <i>Br J Oral Maxillofac Surg.</i> 2016;54(3):306-11.	
245	Morice A, Galliani E, Kadlub N, Tomat C, Vazquez MP, Picard A, et al. Dynamic orthognathic surgical procedure (DOSP) in asymmetric maxillomandibular dysmorphism secondary to unilateral micrognathia: Outcomes of 12 consecutive cases. <i>Journal of Cranio-Maxillo-Facial Surgery.</i> 2021;49(2):75-83.	2
246	Moro A, Gasparini G, Marianetti TM, Boniello R, Cervelli D, Di Nardo F, et al. Hilothersm efficacy in controlling postoperative facial edema in patients treated for maxillomandibular malformations. <i>Journal of Craniofacial Surgery.</i> 2011;22(6):2114-7.	2
247	Moure C, Qassemyar Q, Dunaud O, Neiva C, Testelin S, Devauchelle B. Skeletal stability and morbidity with self-reinforced P (L/DL) LA resorbable osteosynthesis in bimaxillary orthognathic surgery. <i>Journal of Cranio-Maxillo-Facial Surgery.</i> 2012;40(1):55-60.	2
248	Movahed R, Teschke M, Wolford LM. Protocol for concomitant temporomandibular joint custom-fitted total joint reconstruction and orthognathic surgery utilizing computer-assisted surgical simulation. <i>J Oral Maxillofac Surg.</i> 2013;71(12):2123-9.	5
249	Munoz F, Wilcko T, Acuna S, Gracia B, Sanhueza V, Palacios S, et al. Periodontally Accelerated Osteogenic Orthodontics (PAOO) technique in cleft patients: A complement to orthognathic surgery in dentoalveolar expansion. A case series report. <i>Journal of Cranio-Maxillo-Facial Surgery.</i> 2020;48(11):1028-34.	9
250	Munoz R, Gajos G, Bladimir J, Carvajal D, Luis A, Del Valle Speranza G. Protocol for mandibular reconstruction with zygomatic implants (zygomatic mandibular implant). <i>Oral Maxillofac Surg.</i> 2018;22(1):39-44.	1
251	Nagadia R, Tay AB, Chan LL, Chan ES. The spatial location of the mandibular canal in Chinese: a CT study. <i>Int J Oral Maxillofac Surg.</i> 2011;40(12):1401-5.	2
252	Nakano H, Mishima K, Matsushita A, Suga H, Miyawaki Y, Mano T, et al. Orthognathic surgery in an acromegalic patient with obstructive sleep apnea syndrome. <i>Sleep Breath.</i> 2013;17(1):29-32.	2
253	Naujokat H, Rohnen M, Lichtenstein J, Birkenfeld F, Gerle M, Florke C, et al. Computer-assisted orthognathic surgery: evaluation of mandible registration accuracy and report of the first clinical cases of navigated sagittal split ramus osteotomy. <i>Int J Oral Maxillofac Surg.</i> 2017;46(10):1291-7.	5
254	Nevzatoglu S, Kucukkeles N, Guzel Z. Long-term stability of intra-oral maxillary distraction in unilateral cleft lip and palate: a case report. <i>Aust Orthod J.</i> 2013;29(2):200-8.	2
255	Nguyen PD, Caro MC, Smith DM, Tompson B, Forrest CR, Phillips JH. Long-term orthognathic surgical outcomes in Treacher Collins patients. <i>J Plast Reconstr Aesthet Surg.</i> 2016;69(3):402-8.	9
256	Nicot R, Schlund M, Konopnicki S, Ferri J. Spasmodic torticollis after orthognathic surgery. <i>J Stomatol Oral Maxillofac Surg.</i> 2017;118(6):393-6.	5
257	Nishimura A, Tabuchi Y, Kikuchi M, Masuda R, Goto K, Iijima T. The Amount of Fluid Given During Surgery That Leaks Into the Interstitium Correlates With Infused Fluid Volume and Varies Widely Between Patients. <i>Anesth Analg.</i> 2016;123(4):925-32.	3
258	Noel JE, Teo NW, Divi V, Nayak JV. Use of Pedicled Nasoseptal Flap for Pathologic Oroantral Fistula Closure. <i>J Oral Maxillofac Surg.</i> 2016;74(4):704.e1-6.	5
259	Nogami K, Taniguchi S. Stellate Ganglion Block, Compared With Xenon Light Irradiation, Is a More Effective Treatment of Neurosensory Deficits Resulting From Orthognathic Surgery, as Measured by Current Perception Threshold. <i>J Oral Maxillofac Surg.</i> 2015;73(7):1267-74.	3
260	Nogami S, Yamauchi K, Satomi N, Yamaguchi Y, Yokota S, Abe Y, et al. Risk factors related to aggressive condylar resorption after orthognathic surgery for females: retrospective study. <i>Cranio.</i> 2017;35(4):250-8.	2
261	Noh K, Kwon KR, Ahn H, Paek J, Pae A. Prosthetic rehabilitation of a cleidocranial dysplasia patient with vertical maxillofacial deficiency: a clinical report. <i>J Prosthodont.</i> 2014;23(1):64-70.	2
262	Noh MK, Kim YJ, Chung KR, Kim SH, Nelson G. Corticotomy With a Palatal Bone-Borne Retractor for Correcting Severe Bimaxillary Protrusion. <i>Journal of Craniofacial Surgery.</i> 2018;29(1):e64-e8.	1
263	Norholt SE, Pedersen TK, Herlin T. Functional changes following distraction osteogenesis treatment of asymmetric mandibular growth deviation in unilateral juvenile idiopathic arthritis: a prospective study with long-term follow-up. <i>Int J Oral Maxillofac Surg.</i> 2013;42(3):329-36.	2
264	Nova I, Kallus S, Berger M, Ristow O, Eisenmann U, Freudlsperger C, et al. Computer assisted positioning of the proximal segment after sagittal split osteotomy of the mandible:	2

	Preclinical investigation of a novel electromagnetic navigation system. <i>Journal of Cranio-Maxillo-Facial Surgery</i> . 2017;45(5):748-54.	
265	Nuzzolese E, Cirulli N. Orthodontic surgery and professional liability: the homozygote twin case. <i>J Forensic Sci</i> . 2012;57(4):1114-7.	3
266	O TM, Kwak R, Portnof JE, Berke DM, Lipari B, Waner M. Analysis of skeletal mandibular abnormalities associated with cervicofacial lymphatic malformations. <i>Laryngoscope</i> . 2011;121(1):91-101.	2
267	Odom EB, Woo AS, Mendonca DA, Huebener DV, Nissen RJ, Skolnick GB, et al. Long-Term Incisal Relationships After Palatoplasty in Patients With Isolated Cleft Palate. <i>Journal of Craniofacial Surgery</i> . 2016;27(4):867-70.	9
268	Ohba S, Kawasaki T, Hashimoto M, Yoshida N, Ashina I. A Patient With Aspiration Pneumonia After Mandibular Osteotomy With Genioplasty. <i>Journal of Craniofacial Surgery</i> . 2016;27(4):e356-8.	3
269	Ohka S, Nishizawa D, Hasegawa J, Takahashi K, Nakayama K, Ebata Y, et al. Association between rs2275913 single-nucleotide polymorphism of the interleukin-17A gene and perioperative analgesic use in cosmetic orthognathic surgery. <i>Neuropsychopharmacol</i> . 2018;38(2):67-74.	2
270	Ohtani J, Hoffman WY, Vargervik K, Oberoi S. Team management and treatment outcomes for patients with hemifacial microsomia. <i>Am J Orthod Dentofacial Orthop</i> . 2012;141(4 Suppl):S74-81.	2
271	Okada W, Fukui T, Saito T, Ohkubo C, Hamada Y, Nakamura Y. Interdisciplinary treatment of an adult with complete bilateral cleft lip and palate. <i>Am J Orthod Dentofacial Orthop</i> . 2012;141(4 Suppl):S149-58.	2
272	Oliveira GQV, Rossi MA, Vasconcelos TV, Neves FS, Crusoe-Rebello I. Cone beam computed tomography assessment of the pterygomaxillary region and palatine canal for Le Fort I osteotomy. <i>Int J Oral Maxillofac Surg</i> . 2017;46(8):1017-23.	2
273	Omura S, Iwai T, Honda K, Shibutani N, Fujita K, Yamashita Y, et al. U-shaped Osteotomy Around the Descending Palatine Artery to Prevent Posterior Osseous Interference for Superior/Posterior Repositioning of the Maxilla in Le Fort I Osteotomy. <i>Journal of Craniofacial Surgery</i> . 2015;26(5):1613-5.	5
274	Omura S, Iwai T, Honda K, Shibutani N, Fujita K, Yamashita Y, et al. Vital staining of palatal soft tissue in horseshoe Le Fort I osteotomy for superior repositioning of the maxilla. <i>Journal of Craniofacial Surgery</i> . 2015;26(3):911-3.	5
275	On SW, Kim HJ, Kim J, Choi JW, Jung YW, Song SI. Effect of Osteoporosis on Bone Density of Orthognathic Osteotomy Sites in Maxillofacial Region. <i>Journal of Craniofacial Surgery</i> . 2016;27(7):e678-e83.	2
276	Oncul AM, Cimen E, Kucukyavuz Z, Cambazoglu M. Postoperative analgesia in orthognathic surgery patients: diclofenac sodium or paracetamol? <i>Br J Oral Maxillofac Surg</i> . 2011;49(2):138-41.	3
277	Ooi K, Yura S, Inoue N, Totsuka Y. Factors related to the incidence of anterior disc displacement without reduction and bony changes of the temporomandibular joint in patients with anterior open bite. <i>Oral Maxillofac Surg</i> . 2014;18(4):397-401.	2
278	Osterberg M, Holmlund A, Sunzel B, Traanaeus S, Twetman S, Lund B. Knowledge Gaps in Oral and Maxillofacial Surgery: A Systematic Mapping. <i>Int J Technol Assess Health Care</i> . 2017;33(1):93-102.	5
279	Oth O, Louryan S, Van Sint Jan S, Rooze M, Glineur R. Impact of the mandibular divergence on the position of the inferior alveolar nerve and mylohyoid nerve: a computed tomography study and its relevance to bilateral sagittal split osteotomy. <i>Surg Radiol Anat</i> . 2013;35(3):241-7.	2
280	Paeng JY, Hong J, Kim CS, Kim MJ. Comparative study of skeletal stability between bicortical resorbable and titanium screw fixation after sagittal split ramus osteotomy for mandibular prognathism. <i>Journal of Cranio-Maxillo-Facial Surgery</i> . 2012;40(8):660-4.	3
281	Pagnoni M, Amodeo G, Fadda MT, Brauner E, Guarino G, Viriciglio P, et al. Juvenile idiopathic/rheumatoid arthritis and orthognathic surgery without mandibular osteotomies in the remittent phase. <i>Journal of Craniofacial Surgery</i> . 2013;24(6):1940-5.	2
282	Park HM, Yang IH, Choi JY, Lee JH, Kim MJ, Baek SH. Postsurgical Relapse in Class III Patients Treated With Two-Jaw Surgery: Conventional Three-Stage Method Versus Surgery-First Approach. <i>Journal of Craniofacial Surgery</i> . 2015;26(8):2357-63.	2

283	Park JH, Kim M, Kim SY, Jung HD, Jung YS. Three-dimensional analysis of maxillary stability after Le Fort I osteotomy using hydroxyapatite/poly-L-lactide plate. <i>Journal of Cranio-Maxillo-Facial Surgery</i> . 2016;44(4):421-6.	2
284	Park JW, Choung PH, Kho HS, Kim YK, Chung JW. A comparison of neurosensory alteration and recovery pattern among different types of orthognathic surgeries using the current perception threshold. <i>Oral Surg Oral Med Oral Pathol Oral Radiol Endod</i> . 2011;111(1):24-33.	2
285	Park WB, Kim YJ, Han JY, Kang P. Successful Management of Dental Implants in Postoperative Maxillary Cyst: A Case Report With a 13-Year Follow-Up. <i>J Oral Implantol</i> . 2020;46(2):133-8.	1
286	Park Y, Hobar PC, Sinn DP, Peanchitlertkajorn S. Patient with Pfeiffer's syndrome treated by midfacial distraction and comprehensive orthodontics. <i>Am J Orthod Dentofacial Orthop</i> . 2011;139(2):260-70.	1
287	Paya-Argoud M, Tardieu C, Cheynet F, Raskin A, Borel L. Impact of orthognathic surgery on the body posture. <i>Gait Posture</i> . 2019;67:25-30.	2
288	Pfaff MJ, De Leon F, Le L, Haveles C, Liu C, Berthiaume E, et al. Long-Term Orthognathic Considerations in the Pierre Robin Sequence Patient. <i>Plast Reconstr Surg</i> . 2020;146(5):599e-606e.	2
289	Piancino MG, Cannavale R, Dalmasso P, Tonni I, Garagiola U, Perillo L, et al. Cranial structure and condylar asymmetry of patients with juvenile idiopathic arthritis: a risky growth pattern. <i>Clin Rheumatol</i> . 2018;37(10):2667-73.	2
290	Pingarron Martin L, Arias Gallo LJ, Lopez-Arcas JM, Chamorro Pons M, Cebrian Carretero JL, Burgueno Garcia M. Fibroscopic findings in patients following maxillary osteotomies in orthognathic surgery. <i>Journal of Cranio-Maxillo-Facial Surgery</i> . 2011;39(8):588-92.	2
291	Politis C, Kunz S, Schepers S, Vrielinck L, Lambrichts I. Obstructive airway compromise in the early postoperative period after orthognathic surgery. <i>Journal of Craniofacial Surgery</i> . 2012;23(6):1717-22.	5
292	Politis C, Van De Vyvere G, Agbaje JO. Condylar Resorption After Orthognathic Surgery. <i>Journal of Craniofacial Surgery</i> . 2019;30(1):169-74.	2
293	Polley JW, Giroto JA, Fahrenkopf MP, Dietze-Fiedler ML, Kelley JP, Taylor JC, et al. Salvage or Solution: Alloplastic Reconstruction in Hemifacial Microsomia. <i>Cleft Palate-Craniofacial Journal</i> . 2019;56(7):896-901.	9
294	Posnick JC, Adachie A, Singh N, Choi E. "Silent" Sleep Apnea in Dentofacial Deformities and Prevalence of Daytime Sleepiness After Orthognathic and Intranasal Surgery. <i>J Oral Maxillofac Surg</i> . 2018;76(4):833-43.	9
295	Posnick JC, Choi E, Adachie A, Troost T. Correction of Symptomatic Chronic Nasal Airway Obstruction in Conjunction With Bimaxillary Orthognathic Surgery: Does It Complicate Recovery and Is It Effective? <i>J Oral Maxillofac Surg</i> . 2016;74(3):620.e1-11.	3
296	Posnick JC, Choi E, Chang RP. Osseous genioplasty in conjunction with bimaxillary orthognathic surgery: a review of 262 consecutive cases. <i>Int J Oral Maxillofac Surg</i> . 2016;45(7):904-13.	3
297	Posnick JC, Choi E, Chavda A. Operative Time, Airway Management, Need for Blood Transfusions, and In-Hospital Stay for Bimaxillary, Intranasal, and Osseous Genioplasty Surgery: Current Clinical Practices. <i>J Oral Maxillofac Surg</i> . 2016;74(3):590-600.	2
298	Posnick JC, Choi E, Chavda A. Method of osteotomy fixation and need for removal following bimaxillary orthognathic, osseous genioplasty, and intranasal surgery: a retrospective cohort study. <i>Int J Oral Maxillofac Surg</i> . 2017;46(10):1276-83.	3
299	Posnick JC, Kinard BE. Challenges in the Successful Reconstruction of Cleft Lip and Palate: Managing the Nasomaxillary Deformity in Adolescence. <i>Plast Reconstr Surg</i> . 2020;145(3):591e-603e.	5
300	Posnick JC, Radulescu M, Kinard BE. Redo orthognathic surgery: a report of 10 cases. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> . 2019;127(6):477-89.	1
301	Posnick JC, Sami A. Is It Safe and Effective to Lengthen a Chin With Interpositional Allogenic (Iliac) Graft? <i>J Oral Maxillofac Surg</i> . 2015;73(8):1583-91.	3
302	Pozzer L, Olate S, Cavalieri-Pereira L, Navarro P, de Albergaria Barbosa JR. Mechanical stability of 2-plate versus 4-plate osteosynthesis in advancement Le Fort I osteotomy. An in vitro study. <i>J Stomatol Oral Maxillofac Surg</i> . 2017;118(1):2-4.	4
303	Prazeres LD, Muniz YV, Barros KM, Gerbi ME, Laureano Filho JR. Effect of infrared laser in the prevention and treatment of paresthesia in orthognathic surgery. <i>Journal of Craniofacial</i>	2

	Surgery. 2013;24(3):708-11.	
304	Promerat A, Touzet-Roumazielle S, Schlund M, Ferri J. Assessing Quality of Life After Orthognathic Surgery in Disabled Patients. <i>Journal of Craniofacial Surgery</i> . 2019;30(8):2404-7.	9
305	Pulijala Y, Ma M, Ju X, Benington P, Ayoub A. Efficacy of three-dimensional visualization in mobile apps for patient education regarding orthognathic surgery. <i>Int J Oral Maxillofac Surg</i> . 2016;45(9):1081-5.	3
306	Puricelli E, Ponzoni D, Artuzi FE, Martins GL, Calcagnotto T. Clinical management of angioneurotic oedema patient post-orthognathic surgery. <i>Int J Oral Maxillofac Surg</i> . 2011;40(1):106-9.	9
307	Raffaini M, Cocconi R, Spinelli G, Agostini T. Simultaneous Rhinoseptoplasty and Orthognathic Surgery: Outcome Analysis of 250 Consecutive Patients Using a Modified Le Fort I Osteotomy. <i>Aesthetic Plastic Surgery</i> . 2018;42(4):1090-100.	3
308	Raffaini M, Magri AS, Giuntini V, Nieri M, Pantani C, Conti M. How to Prevent Mandibular Lower Border Notching After Bilateral Sagittal Split Osteotomies for Major Advancements: Analysis of 168 Osteotomies. <i>J Oral Maxillofac Surg</i> . 2020;78(9):1620-6.	3
309	Raffaini M, Perello R, Conti M, Hernandez-Alfaro F, Agostini T. A New Hybrid Technique for Performing a Safer Bilateral Sagittal Split Osteotomy: Combining Reciprocating Saw and Piezoelectric Devices. <i>Facial Plastic Surgery</i> . 2018;34(4):419-22.	5
310	Raffaini M, Pisani C, Conti M. Orthognathic surgery "again" to correct aesthetic failure of primary surgery: Report on outcomes and patient satisfaction in 70 consecutive cases. <i>Journal of Cranio-Maxillo-Facial Surgery</i> . 2018;46(7):1069-78.	3
311	Rahman F, Celebi AA, Louis PJ, Kau CH. A comprehensive treatment approach for idiopathic condylar resorption and anterior open bite with 3D virtual surgical planning and self-ligated customized lingual appliance. <i>Am J Orthod Dentofacial Orthop</i> . 2019;155(4):560-71.	9
312	Rahpeyma A, Khajehahmadi S. Effects of bimax and segmental surgeries for correction of bimaxillary dentoalveolar protrusion class I on soft tissue parameters: upper lip thickness and curvature, nasolabial angle and nasal prominence. <i>J Contemp Dent Pract</i> . 2013;14(6):1087-93.	2
313	Ramaraj PN, Singh R, Sharma M, Patil V, Arjun KR, Roy B. Clinical evaluation of submental intubation as an alternative airway management technique in midface osteotomy. <i>J Stomatol Oral Maxillofac Surg</i> . 2019;120(5):410-3.	3
314	Rana M, Gellrich NC, Joos U, Piffko J, Kater W. 3D evaluation of postoperative swelling using two different cooling methods following orthognathic surgery: a randomised observer blind prospective pilot study. <i>Int J Oral Maxillofac Surg</i> . 2011;40(7):690-6.	3
315	Rana M, Warraich R, Kokemuller H, Lemound J, Essig H, Tavassol F, et al. Reconstruction of mandibular defects - clinical retrospective research over a 10-year period. <i>Head Neck Oncol</i> . 2011;3:23.	9
316	Raschke R, Hazani R, Yaremchuk MJ. Identifying a safe zone for midface augmentation using anatomic landmarks for the infraorbital foramen. <i>Aesthetic Surgery Journal</i> . 2013;33(1):13-8.	2
317	Rice S, Serrant P, Laverick S, McIntyre G. Preoperative removal of lower third molars and bilateral sagittal split osteotomy in the UK. <i>Br J Oral Maxillofac Surg</i> . 2016;54(5):515-9.	3
318	Riekert M, Kreppel M, Schier R, Zoller JE, Rempel V, Schick VC. Postoperative complications after bimaxillary orthognathic surgery: A retrospective study with focus on postoperative ventilation strategies and posterior airway space (PAS). <i>Journal of Cranio-Maxillo-Facial Surgery</i> . 2019;47(12):1848-54.	3
319	Rioux E, Decker A, Deffrennes D. Therapeutic thoughts on the treatment of sequellae of labial-alveolar-palatal clefts in adult patients-part 2. <i>International Orthodontics</i> . 2012;10(4):404-21.	9
320	Ross BM. Changes in oral trace gas concentrations following orthognathic surgery and intermaxillary fixation: a case study using selected ion flow tube mass spectrometry. <i>International Journal of Oral Science</i> . 2011;3(3):160-4.	2
321	Roychoudhury A, Yadav P, Alagarsamy R, Bhutia O, Goswami D. Outcome of Stock Total Joint Replacement With Fat Grafting in Adult Temporomandibular Joint Ankylosis Patients. <i>J Oral Maxillofac Surg</i> . 2021;79(1):75-87.	3
322	Ruckman P, 3rd, Schlieve T, Borba AM, Miloro M. External Reference Nasal Pin for Orthognathic Maxillary Positioning: What Is the Proper Method of Placement? <i>J Oral Maxillofac Surg</i> . 2016;74(2):399.e1-9.	3
323	Rustemeyer J, Gregersen J. Quality of Life in orthognathic surgery patients: post-surgical improvements in aesthetics and self-confidence. <i>Journal of Cranio-Maxillo-Facial Surgery</i> .	2

	2012;40(5):400-4.	
324	Rustemeyer J, Martin A. Soft tissue response in orthognathic surgery patients treated by bimaxillary osteotomy: cephalometry compared with 2-D photogrammetry. <i>Oral Maxillofac Surg.</i> 2013;17(1):33-41.	2
325	Sadat-Marashi Z, Scolozzi P, Antonarakis GS. Perceptions of Young Adults Having Undergone Combined Orthodontic and Orthognathic Surgical Treatment: A Grounded Theory Approach. <i>J Oral Maxillofac Surg.</i> 2015;73(12):2391-8.	2
326	Sahin T, Garreau E, Komakli Y, Nicot R, Sciote JJ, Ferri J. Mandibular anterior segmental subapical osteotomy for incisor axis correction. <i>J Stomatol Oral Maxillofac Surg.</i> 2017;118(5):271-8.	1
327	Sahoo NK, Issar Y, Thakral A. Mandibular Distraction Osteogenesis. <i>Journal of Craniofacial Surgery.</i> 2019;30(8):e743-e6.	5
328	Sandler PJ, Madahar AK, Murray A. Anterior open bite: aetiology and management. <i>Dent Update.</i> 2011;38(8):522-4, 7-8, 31-2.	5
329	Sankar D, Krishnan R, Veerabahu M, Vikraman B. Evaluation of the efficacy of tranexamic acid on blood loss in orthognathic surgery. A prospective, randomized clinical study. <i>Int J Oral Maxillofac Surg.</i> 2012;41(6):713-7.	3
330	Sant'Anna EF, Cury-Saramago Ade A, Lau GW, Polley JW, Figueroa AA. Treatment of midfacial hypoplasia in syndromic and cleft lip and palate patients by means of a rigid external distractor (RED). <i>Dental Press J.</i> 2013;18(4):134-43.	5
331	Schendel S, Powell N, Jacobson R. Maxillary, mandibular, and chin advancement: treatment planning based on airway anatomy in obstructive sleep apnea. <i>J Oral Maxillofac Surg.</i> 2011;69(3):663-76.	5
332	Schulte-Geers M, Kater W, Seeberger R. Root trauma and tooth loss through the application of pre-drilled transgingival fixation screws. <i>Journal of Cranio-Maxillo-Facial Surgery.</i> 2012;40(7):e214-7.	3
333	Schultz KP, Braun TL, Hernandez C, Wilson KD, Moore EE, Wirthlin JO, et al. Speech Outcomes After LeFort I Advancement Among Cleft Lip and Palate Patients. <i>Annals of Plastic Surgery.</i> 2019;82(2):174-9.	2
334	Schwaiger M, Echlin K, Atherton D, Haers P. The use of Medpor implants for midface contouring in cleft patients. <i>Int J Oral Maxillofac Surg.</i> 2019;48(9):1177-84.	1
335	Scolozzi P. Computer-aided design and computer-aided modeling (CAD/CAM) generated surgical splints, cutting guides and custom-made implants: Which indications in orthognathic surgery? <i>Rev Stomatol Chir Maxillofac Chir Orale.</i> 2015;116(6):343-9.	3
336	Scolozzi P, Wandeler PA, Courvoisier DS. Can clinical factors predict postoperative temporomandibular disorders in orthognathic patients? A retrospective study of 219 patients. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology.</i> 2015;119(5):531-8.	2
337	Scomparin L, Soares MQ, Rubira CM, Yaedu RY, Imada TS, Centurion BS, et al. CBCT location of the fusion between the buccal and lingual cortical in the mandibular ramus: importance to sagittal split osteotomy. <i>Medicina Oral, Patologia Oral y Cirugia Bucal.</i> 2017;22(4):e500-e5.	2
338	Seah TE, Bellis H, Ilankovan V. Orthognathic patients with nasal deformities: case for simultaneous orthognathic surgery and rhinoplasty. <i>Br J Oral Maxillofac Surg.</i> 2012;50(1):55-9.	3
339	Semper-Hogg W, Fuessinger MA, Dirlewanger TW, Cornelius CP, Metzger MC. The influence of dexamethasone on postoperative swelling and neurosensory disturbances after orthognathic surgery: a randomized controlled clinical trial. <i>Head Face Med.</i> 2017;13(1):19.	3
340	Seth V, Kamath P, Vaidya N. Cone beam computed tomography: third eye in diagnosis and treatment planning. <i>Int J Orthod Milwaukee.</i> 2012;23(2):17-22.	5
341	Shaeran TAT, Samsudin AR. Temporomandibular Joint Ankylosis Leading to Obstructive Sleep Apnea. <i>Journal of Craniofacial Surgery.</i> 2019;30(8):e714-e7.	9
342	Sharma AP, Stringer DE. Autogenous Mandibular Bone Graft for Maxillary Le Fort I Osteotomy Interpositional Gap in Orthognathic Surgery: A Technique Case Series. <i>J Oral Maxillofac Surg.</i> 2019;77(5):1068.e1-e36.	2
343	Sharma U, Narain S. Unusual facial pain secondary to inferior alveolar nerve compression caused by impacted mandibular second molar. <i>J Indian Soc Pedod Prev Dent.</i> 2014;32(2):164-7.	1
344	Shetty V, Mohan A. A prospective, randomized, double-blind, placebo-controlled clinical trial comparing the efficacy of systemic enzyme therapy for edema control in orthognathic surgery	3

	using ultrasound scan to measure facial swelling. <i>J Oral Maxillofac Surg.</i> 2013;71(7):1261-7.	
345	Shim BK, Shin HS, Nam SM, Kim YB. Real-time navigation-assisted orthognathic surgery. <i>Journal of Craniofacial Surgery.</i> 2013;24(1):221-5.	2
346	Shokirov S, Wangerin K. Transantral distraction devices in correction of severe maxillary deformity in cleft patients. <i>Stomatologija.</i> 2011;13(1):25-32.	9
347	Sondeijker CFW, Apperloo RC, Kalaykova SI, Baan F, Maertens JKM. Combined orthodontic and surgical treatment for a patient with Hallermann-Streiff-Francois syndrome, severe obstructive sleep apnea, and history of antiresorptive medication. <i>Am J Orthod Dentofacial Orthop.</i> 2021;159(1):97-107.	9
348	Song G, Zong X, Guo X, Zhao J, Jin X. Single-Stage Mandibular Curved Osteotomy on Affected Side Combined with Bilateral Outer Cortex Grinding for Correction of Facial Asymmetry: Indications and Outcomes. <i>Aesthetic Plastic Surgery.</i> 2019;43(3):733-41.	1
349	Song IS, Choi J, Baik UB, Ryu JJ, Lim JW, Choi YJ, et al. Recovery pattern following bimaxillary orthognathic surgery: Differences between sexes. <i>Journal of Cranio-Maxillo-Facial Surgery.</i> 2019;47(1):138-42.	2
350	Spinelli G, Lazzeri D, Conti M, Agostini T, Mannelli G. Comparison of piezosurgery and traditional saw in bimaxillary orthognathic surgery. <i>Journal of Cranio-Maxillo-Facial Surgery.</i> 2014;42(7):1211-20.	2
351	Spinelli G, Valente D, Mannelli G, Raffaini M, Arcuri F. Surgical management of ankyloses of the temporomandibular joint by a piezoelectric device. <i>Journal of Cranio-Maxillo-Facial Surgery.</i> 2017;45(4):441-8.	9
352	Steinbacher DM, Kontaxis KL. Does Simultaneous Third Molar Extraction Increase Intraoperative and Perioperative Complications in Orthognathic Surgery? <i>Journal of Craniofacial Surgery.</i> 2016;27(4):923-6.	3
353	Stokbro K, Thygesen T, Marcussen L. Inferior Maxillary Repositioning Remains Stable 1 Year After Surgery but Entails a High Risk of Osteosynthesis Failure. <i>J Oral Maxillofac Surg.</i> 2020;78(1):118-26.	2
354	Stoor P, Apajalahti S. Osteotomy Site Grafting in Bilateral Sagittal Split Surgery With Bioactive Glass S53P4 for Skeletal Stability. <i>Journal of Craniofacial Surgery.</i> 2017;28(7):1709-16.	2
355	Stoor P, Hodzic Z, Arte S. Surgical Treatment of Dentofacial Deformities Caused by Juvenile Idiopathic Arthritis. <i>Journal of Craniofacial Surgery.</i> 2018;29(1):e51-e7.	2
356	Sukegawa S, Kanno T, Manabe Y, Matsumoto K, Sukegawa-Takahashi Y, Masui M, et al. Is the removal of osteosynthesis plates after orthognathic surgery necessary? Retrospective long-term follow-up study. <i>Int J Oral Maxillofac Surg.</i> 2018;47(12):1581-6.	3
357	Sun AH, Steinbacher DM. Orthognathic Surgery and Rhinoplasty: Simultaneous or Staged? <i>Plast Reconstr Surg.</i> 2018;141(2):322-9.	3
358	Sun Y, Luebbbers HT, Agbaje JO, Schepers S, Vrielinck L, Lambrichts I, et al. Accuracy of upper jaw positioning with intermediate splint fabrication after virtual planning in bimaxillary orthognathic surgery. <i>Journal of Craniofacial Surgery.</i> 2013;24(6):1871-6.	2
359	Suojanen J, Jarvinen S, Kotaniemi KV, Reunanen J, Palotie T, Stoor P, et al. Comparison between patient specific implants and conventional mini-plates in Le Fort I osteotomy with regard to infections: No differences in up to 3-year follow-up. <i>Journal of Cranio-Maxillo-Facial Surgery.</i> 2018;46(10):1814-7.	3
360	Susarla SM, Mundinger GS, Kapadia H, Fisher M, Smartt J, Derderian C, et al. Subcranial and orthognathic surgery for obstructive sleep apnea in achondroplasia. <i>Journal of Cranio-Maxillo-Facial Surgery.</i> 2017;45(12):2028-34.	9
361	Susarla SM, Tveit M, Dodson TB, Kaban LB, Hopper RA, Egbert MA. What are the defining characteristics of the most cited publications in orthognathic surgery? <i>Int J Oral Maxillofac Surg.</i> 2018;47(11):1411-9.	5
362	Syed N, Chiu GA, Korczak P. Should patients take vitamin D before mandibular operations? <i>Br J Oral Maxillofac Surg.</i> 2017;55(8):841-3.	5
363	Tabrizi R, Eftekharian HR, Langner NJ, Ozkan BT. Comparison of the effect of 2 hypotensive anesthetic techniques on early recovery complications after orthognathic surgery. <i>Journal of Craniofacial Surgery.</i> 2012;23(3):e203-5.	3
364	Tabrizi R, Pakshir H, Nasehi B. Does the Type of Maxillomandibular Deformity Influence Complication Rate in Orthognathic Surgery? <i>Journal of Craniofacial Surgery.</i> 2015;26(7):e643-7.	3
365	Tahiri Y, Taylor JA. In support of using computer-aided design and modeling for periorbital osteotomies. <i>Journal of Craniofacial Surgery.</i> 2015;26(1):100-3.	2

366	Takeshita N, Ishida M, Watanabe H, Hashimoto T, Daimaruya T, Hasegawa M, et al. Improvement of asymmetric stomatognathic functions, unilateral crossbite, and facial esthetics in a patient with skeletal Class III malocclusion and mandibular asymmetry, treated with orthognathic surgery. <i>Am J Orthod Dentofacial Orthop.</i> 2013;144(3):441-54.	5
367	Tan SK, Lo J, Zwahlen RA. Are postoperative intravenous antibiotics necessary after bimaxillary orthognathic surgery? A prospective, randomized, double-blind, placebo-controlled clinical trial. <i>Int J Oral Maxillofac Surg.</i> 2011;40(12):1363-8.	3
368	Tanaka OM, Guariza-Filho O, Carlini JL, Oliveira DD, Pithon MM, Camargo ES. Glossectomy as an adjunct to correct an open-bite malocclusion with shortened maxillary central incisor roots. <i>Am J Orthod Dentofacial Orthop.</i> 2013;144(1):130-40.	2
369	Teerijoki-Oksa T, Jaaskelainen SK, Soukka T, Virtanen A, Forssell H. Subjective sensory symptoms associated with axonal and demyelinating nerve injuries after mandibular sagittal split osteotomy. <i>J Oral Maxillofac Surg.</i> 2011;69(6):e208-13.	2
370	Tehranchi A, Badiie M, Kalantar Motamec MS, Tahmasbi S. Gulossectomy and Skeletal Anchorage as Aajuncts to Orthodontic Correction of a Severe Open Bite Case. <i>Int J Orthod Milwaukee.</i> 2016;27(4):19-24.	1
371	Tepecik T, Ertas U, Akgun M. Effects of bimaxillary orthognathic surgery on pharyngeal airway and respiratory function at sleep in patients with class III skeletal relationship. <i>Journal of Cranio-Maxillo-Facial Surgery.</i> 2018;46(4):645-53.	2
372	Tong H, Liu L, Tang X, Song T, Yin N, Zhang Z, et al. Midface Distraction Osteogenesis Using a Modified External Device With Elastic Distraction for Crouzon Syndrome. <i>Journal of Craniofacial Surgery.</i> 2017;28(6):1573-7.	9
373	Torres HM, Valladares-Neto J, Torres EM, Freitas RZ, Silva MA. Effect of Genioplasty on the Pharyngeal Airway Space Following Maxillomandibular Advancement Surgery. <i>J Oral Maxillofac Surg.</i> 2017;75(1):189.e1-.e12.	3
374	Torres JN. Compensatory orthodontic treatment of Angle Class II malocclusion with posterior open bite. <i>Dental Press J.</i> 2013;18(5):140-6.	5
375	Toure G. Distribution of the maxillary artery in the deep regions of the face and the maxilla: Clinical applications. <i>J Plast Reconstr Aesthet Surg.</i> 2019;72(6):1020-4.	1
376	Tran Duy TD, Chen MC, Wen-Ching Ko E, Chen YR, Huang CS. Does Sleep Quality Affect Temporomandibular Joint With Degenerative Joint Changes? <i>J Oral Maxillofac Surg.</i> 2019;77(8):1594-601.	2
377	Tsumiyama S, Umeda G, Ninomiya K, Miyawaki T. Use of Unsintered Hydroxyapatite and Poly-L-lactic Acid Composite Sheets for Management of Orbital Wall Fracture. <i>Journal of Craniofacial Surgery.</i> 2019;30(7):2001-3.	3
378	Turgut HC, Alkan M, Atac MS, Altundag SK, Bozkaya S, Simsek B, et al. Neutrophil lymphocyte ratio predicts postoperative pain after orthognathic surgery. <i>Nigerian Journal of Clinical Practice.</i> 2017;20(10):1242-5.	2
379	Turri de Castro Ribeiro T, Petri Feitosa MC, Almeida Penhavel R, Zanda RS, Janson G, Mazzottini R, et al. Extreme maxillomandibular discrepancy in unilateral cleft lip and palate: Longitudinal follow-up in a patient with mandibular prognathism. <i>Am J Orthod Dentofacial Orthop.</i> 2018;154(2):294-304.	2
380	Turvey TA, Proffit WP, Phillips C. Biodegradable fixation for craniomaxillofacial surgery: a 10-year experience involving 761 operations and 745 patients. <i>Int J Oral Maxillofac Surg.</i> 2011;40(3):244-9.	2
381	Ueki K, Marukawa K, Okabe K, Moroi A, Nakagawa K, Yamamoto E, et al. Esthetic improvement using conventional orthodontic devices after segmental osteotomy in treatment of malpositioned implants. <i>J Oral Maxillofac Surg.</i> 2011;69(3):939-43.	2
382	Uesugi T, Kobayashi T, Hasebe D, Tanaka R, Ike M, Saito C. Effects of orthognathic surgery on pharyngeal airway and respiratory function during sleep in patients with mandibular prognathism. <i>Int J Oral Maxillofac Surg.</i> 2014;43(9):1082-90.	2
383	Valls-Ontanon A, Ascencio-Padilla RDJ, Vela-Lasagabaster A, Sada-Malumbres A, Haas-Junior OL, Masia-Gridilla J, et al. Relevance of 3D virtual planning in predicting bony interferences between distal and proximal fragments after sagittal split osteotomy. <i>Int J Oral Maxillofac Surg.</i> 2020;49(8):1020-8.	2
384	van der Vlis M, Dentino KM, Vervloet B, Padwa BL. Postoperative swelling after orthognathic surgery: a prospective volumetric analysis. <i>J Oral Maxillofac Surg.</i> 2014;72(11):2241-7.	2
385	van Loon B, Verhamme L, Xi T, de Koning MJ, Berge SJ, Maal TJ. Three-dimensional	2

	evaluation of the alar cinch suture after Le Fort I osteotomy. <i>Int J Oral Maxillofac Surg.</i> 2016;45(10):1309-14.	
386	Verlinden CR, Tuinzing DB, Forouzanfar T. Symptomatic venous thromboembolism in orthognathic surgery and distraction osteogenesis: a retrospective cohort study of 4127 patients. <i>Br J Oral Maxillofac Surg.</i> 2014;52(5):401-4.	3
387	Vieira BB, Sanguino AC, Moreira MR, Morizono EN, Matsumoto MA. Surgical-orthodontic treatment of Class III malocclusion with agenesis of lateral incisor and unerupted canine. <i>Dental Press J.</i> 2013;18(3):94-100.	2
388	Vieira GM, Franco EJ, da Rocha DF, de Oliveira LA, Amorim RF. Alternative treatment for open bite Class III malocclusion in a child with Williams-Beuren syndrome. <i>Dental Press J.</i> 2015;20(1):97-107.	2
389	Wakasugi Y, Matsuura N, Ichinohe T. Intraoperative Blood Loss During Orthognathic Surgery: A Comparison of Remifentanyl-Based Anesthesia With Sevoflurane or Isoflurane. <i>J Oral Maxillofac Surg.</i> 2015;73(12):2294-9.	2
390	Walters W, Collins T, Evans A. Additional cost in personal protective equipment to NHS services during COVID-19: a review of the expense incurred by Aneurin Bevan Healthboards Maxillofacial unit over a one-year period to meet current clinical guidelines. <i>Br J Oral Maxillofac Surg.</i> 2020;58(10):e320-e2.	1
391	Wan DC, Taub PJ, Allam KA, Perry A, Tabit CJ, Kawamoto HK, et al. Distraction osteogenesis of costochondral rib grafts and treatment algorithm for severely hypoplastic mandibles. <i>Plast Reconstr Surg.</i> 2011;127(5):2005-13.	9
392	Wang J, Veiszenbacher E, Waite PD, Kau CH. Comprehensive treatment approach for bilateral idiopathic condylar resorption and anterior open bite with customized lingual braces and total joint prostheses. <i>Am J Orthod Dentofacial Orthop.</i> 2019;156(1):125-36.	5
393	Wang Y, Zhang Y, Zhang Z, Li X, Pan J, Li J. Reconstruction of Mandibular Contour Using Individualized High-Density Porous Polyethylene (Medpor(sup) R(sup)) Implants Under the Guidance of Virtual Surgical Planning and 3D-Printed Surgical Templates. <i>Aesthetic Plastic Surgery.</i> 2018;42(1):118-25.	3
394	Wang Y, Zhang Z, Liu Y, Ye B, Luo E, Li J. Virtual Surgical Planning Assisted Management for Cleft-Related Maxillary Hypoplasia. <i>Journal of Craniofacial Surgery.</i> 2019;30(6):1745-9.	2
395	Watanabe T, Yamashita K, Bessho K. Orthognathic Surgery in Hereditary Angioedema With Normal C1 Inhibitor: A Clinical Response to Concentrated C1 Inhibitor Against Angioedema Attack. <i>J Oral Maxillofac Surg.</i> 2021;79(2):463-70.	9
396	Watanabe Y, Sasaki R, Matsuno I, Akizuki T. Surgery-First Orthognathic Surgery for Severe Facial Asymmetry Combined With Mandibular Distraction Osteogenesis Using a Three-Dimensional Internal Distractor. <i>Journal of Craniofacial Surgery.</i> 2019;30(1):39-46.	3
397	Watts GD, Antonarakis GS, Forrest CR, Tompson BD, Phillips JH. Single versus segmental maxillary osteotomies and long-term stability in unilateral cleft lip and palate related malocclusion. <i>J Oral Maxillofac Surg.</i> 2014;72(12):2514-21.	2
398	Weinspach K, Staufienbiel I, Gunay H, Geurtsen W, Schwestka-Polly R, Demling AP. Influence of orthognathic surgery on periodontal tissues: short-term results. <i>J Orofac Orthop.</i> 2011;72(4):279-89.	2
399	Wermker K, Kleinheinz J, Jung S, Dirksen D. Soft tissue response and facial symmetry after orthognathic surgery. <i>Journal of Cranio-Maxillo-Facial Surgery.</i> 2014;42(6):e339-45.	2
400	Widar F, Afshari M, Rasmusson L, Dahlin C, Kashani H. Incidence and risk factors predisposing plate removal following orthognathic surgery. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology.</i> 2017;124(3):231-9.	3
401	Wiggman K, Larson M, Larson O, Semb G, Brattstrom V. The influence of the initial width of the cleft in patients with unilateral cleft lip and palate related to final treatment outcome in the maxilla at 17 years of age. <i>European Journal of Orthodontics.</i> 2013;35(3):335-40.	2
402	Wijey R. Orthognathic surgery: the definitive answer? <i>Int J Orthod Milwaukee.</i> 2014;25(4):67-8.	2
403	Wohlwender I, Daake G, Weingart D, Brandstatter A, Kessler P, Lethaus B. Condylar resorption and functional outcome after unilateral sagittal split osteotomy. <i>Oral Surg Oral Med Oral Pathol Oral Radiol Endod.</i> 2011;112(3):315-21.	2
404	Wolford LM, Dhameja A. Planning for combined TMJ arthroplasty and orthognathic surgery. <i>Atlas Oral Maxillofac Surg Clin North Am.</i> 2011;19(2):243-70.	2
405	Wolford LM, Perez D, Stevao E, Perez E. Airway space changes after nasopharyngeal	3

	adenoidectomy in conjunction with Le Fort I osteotomy. <i>J Oral Maxillofac Surg.</i> 2012;70(3):665–71.	
406	Wolford LM, Rodrigues DB, Limoeiro E. Orthognathic and TMJ surgery: postsurgical patient management. <i>J Oral Maxillofac Surg.</i> 2011;69(11):2893–903.	5
407	Wollina U, Goldman A. Botulinum toxin A and/or soft tissue fillers for facial rehabilitation. <i>Wien Med Wochenschr.</i> 2017;167(3–4):92–5.	1
408	Wong L, Currie A, Abu-Serriah M. Unusual cause of iatrogenic anterior open bite after bilateral sagittal split mandibular advancement osteotomy. <i>Br J Oral Maxillofac Surg.</i> 2014;52(8):767–8.	2
409	Worasakwutiphong S, Chuang YF, Chang HW, Lin HH, Lin PJ, Lo LJ. Nasal changes after orthognathic surgery for patients with prognathism and Class III malocclusion: analysis using three-dimensional photogrammetry. <i>Journal of the Formosan Medical Association.</i> 2015;114(2):112–23.	2
410	Xie F, Teng L, Jin X, Zheng J, Xu J, Lu J, et al. Systematic analysis of clinical outcomes of anterior maxillary and mandibular subapical osteotomy with preoperative modeling in the treatment of bimaxillary protrusion. <i>Journal of Craniofacial Surgery.</i> 2013;24(6):1980–6.	2
411	Yaedy RYF, Mello MAB, Tucunduva RA, da Silveira JSZ, Takahashi M, Valente ACB. Postoperative Orthognathic Surgery Edema Assessment With and Without Manual Lymphatic Drainage. <i>Journal of Craniofacial Surgery.</i> 2017;28(7):1816–20.	3
412	Yaghmaei M, Ejlali M, Nikzad S, Sayyedi A, Shafaeifard S, Pourdanesh F. General anesthesia in orthognathic surgeries: does it affect horizontal jaw relations? <i>J Oral Maxillofac Surg.</i> 2013;71(10):1752–6.	3
413	Yamamoto S, Miyachi H, Fujii H, Ochiai S, Watanabe S, Shimozato K. Intuitive Facial Imaging Method for Evaluation of Postoperative Swelling: A Combination of 3–Dimensional Computed Tomography and Laser Surface Scanning in Orthognathic Surgery. <i>J Oral Maxillofac Surg.</i> 2016;74(12):2506.e1–e10.	2
414	Yamashita Y, Otsuka T, Shigematsu M, Goto M. A long-term comparative study of two rigid internal fixation techniques in terms of masticatory function and neurosensory disturbance after mandibular correction by bilateral sagittal split ramus osteotomy. <i>Int J Oral Maxillofac Surg.</i> 2011;40(4):360–5.	3
415	Yang HC, Kang SH, Yoon SH, Cho HH. Transnasal endoscopic removal of bilateral postoperative maxillary cysts after aesthetic orthognathic ssurgery: Differences from that of Caldwell–Luc operations. <i>Auris Nasus Larynx.</i> 2018;45(3):608–12.	2
416	Yang HJ, Hwang SJ. Postoperative stability following maxillary downward movement with Le Fort I inclined osteotomy at the lateral nasal cavity wall. <i>Journal of Cranio–Maxillo–Facial Surgery.</i> 2012;40(8):793–8.	2
417	Yang HJ, Hwang SJ. Relapse related to pushing and rebounding action in maxillary anterior downgraft with mandibular setback surgery. <i>Journal of Cranio–Maxillo–Facial Surgery.</i> 2018;46(8):1336–42.	2
418	Yao CF, Denadai R, Pascasio DCG, Chen YC, Chen YR. The Medial Subcoronoid Process Region as a Novel Source of Bone Grafts in Orthognathic Surgery and Genioplasty. <i>Journal of Craniofacial Surgery.</i> 2020;31(2):564–7.	3
419	Yoshida K, Nishizawa D, Ichinomiya T, Ichinohe T, Hayashida M, Fukuda K, et al. Prediction formulas for individual opioid analgesic requirements based on genetic polymorphism analyses. <i>PLoS ONE.</i> 2015;10(1):e0116885.	2
420	Yu CC, Chen YR, Lin JC. Line Laser as an Assistance for Facial and Dental Midlines Evaluation in Single–Splint Orthognathic Surgery. <i>Journal of Craniofacial Surgery.</i> 2017;28(7):1786–8.	3
421	Yu HB, Li B, Zhang L, Shen SG, Wang XD. Computer-assisted surgical planning and intraoperative navigation in the treatment of condylar osteochondroma. <i>Int J Oral Maxillofac Surg.</i> 2015;44(1):113–8.	2
422	Zaoui K, Kuehle R, Baumann I, Schuessler DL, Ristow O, Plath M, et al. Impact of Le–Fort I osteotomy on anatomical and functional aspects of the nasal airway and on quality of life. <i>European Archives of Oto–Rhino–Laryngology.</i> 2019;276(4):1065–73.	2
423	Zhai Y, Han JJ, Jung S, Kook MS, Park HJ, Oh HK. Changes in the temporomandibular joint clicking and pain disorders after orthognathic surgery: Comparison of orthodontics–first approach and surgery–first approach. <i>PLoS ONE.</i> 2020;15(9):e0238494.	2
424	Zhang RS, Lin LO, Hoppe IC, Swanson JW, Taylor JA, Bartlett SP. Early Mandibular	2

	Distraction in Craniofacial Microsomia and Need for Orthognathic Correction at Skeletal Maturity: A Comparative Long-Term Follow-Up Study. <i>Plast Reconstr Surg.</i> 2018;142(5):1285-93.	
425	Zhao J, Jin X, Teng L, Gui L. Strategy to minimize oral mucosal tear and lip injury in facial contouring and orthognathic surgery. <i>Journal of Craniofacial Surgery.</i> 2013;24(5):e485-6.	2
426	Zhu S, Chen Z. Association between gingival recession and proclination of maxillary central incisors near the cleft in patients with unilateral cleft lip and palate: A retrospective case-control study. <i>Am J Orthod Dentofacial Orthop.</i> 2013;143(3):364-70.	2
427	Zhu S, Li J, Luo E, Feng G, Ma Y, Hu J. Two-stage treatment protocol for management of temporomandibular joint ankylosis with secondary deformities in adults: our institution's experience. <i>J Oral Maxillofac Surg.</i> 2011;69(12):e565-72.	2
428	Abbas AAR, Abed RAK, Issa SAA, Jamil N. The Efficacy of self-tapping and self-drilling Inter-Maxillary fixation Screw in maxillofacial surgery. <i>Annals of Tropical Medicine and Public Health.</i> 2020;23 (16) (no pagination)(SP231634).	3
429	Abbate V, Orabona GDA, Solari D, Bonavolonta P, Iaconetta G, Califano L. Mandibular Surgical Navigation: An Innovative Guiding Method. <i>The Journal of craniofacial surgery.</i> 2017;28(8):2122-6.	2
430	Abd-Elaal AZ, El-Mekawii HA, Saafan AM, El Gawad LA, El-Hawary YM, Abdelrazik MA. Evaluation of the effect of low-level diode laser therapy applied during the bone consolidation period following mandibular distraction osteogenesis in the human. <i>International Journal of Oral and Maxillofacial Surgery.</i> 2015;44(8):989-97.	2
431	Abdelkarim A, Jerrold L. Litigation and Legislation. Risk management strategies in orthodontics. Part 1: Clinical considerations. <i>American journal of orthodontics and dentofacial orthopedics : official publication of the American Association of Orthodontists, its constituent societies, and the American Board of Orthodontics.</i> 2015;148(2):345-9.	5
432	Abdullakutty A, Kichenaradjou A, Newman L. Gillies lift induced Asystole! <i>International Journal of Oral and Maxillofacial Surgery.</i> 2011;40 (10):1156-7.	6
433	Abdullakutty A, Madhavarajan S, Collyer J, Sneddon K. Uses of PEEK in maxillofacial reconstruction: A 6 year review of cases. <i>British Journal of Oral and Maxillofacial Surgery.</i> 2012;1):S39-S40.	6
434	Abdulrazaq SS, Issa SA, Abdulrazzak NJ. Evaluation of the Trepine Method in Harvesting Bone Graft From the Anterior Iliac Crest for Oral and Maxillofacial Reconstructive Surgery. <i>The Journal of craniofacial surgery.</i> 2015;26(8):e744-e6.	3
435	Abel JS. The feasibility of 23-hour hospital admission for orthognathic surgery. <i>Journal of Oral and Maxillofacial Surgery.</i> 2011;1):e-78.	6
436	Abell D, Saju S, Wadhvani RN. Throat pack and associated complications: Not just about retention of packs after procedure. <i>British Journal of Oral and Maxillofacial Surgery.</i> 2013;51(2):180-1.	5
437	Abrahamsson C. Masticatory function and temporomandibular disorders in patients with dentofacial deformities. <i>Swed Dent J.</i> 2013;Supplement.(231):9-85.	5
438	Abramowicz S, Goudy SL, Mitchell CE, Prickett K, Marchica C, Austin TM, et al. A Protocol for Resection and Immediate Reconstruction of Pediatric Mandibles Using Microvascular Free Fibula Flaps. <i>Journal of Oral and Maxillofacial Surgery.</i> 2021;79(2):475-82.	3
439	Abramowicz S, Kim S, Prahalad S, Chouinard AF, Kaban LB. Juvenile arthritis: Current concepts in terminology, etiopathogenesis, diagnosis, and management. <i>International Journal of Oral and Maxillofacial Surgery.</i> 2016;45(7):801-12.	1
440	Adachie AO, Choi E, Posnick JC. Segmental maxillary osteotomies in conjunction with bimaxillary orthognathic and intranasal surgery: Indications - Safety - Outcome. <i>Journal of Oral and Maxillofacial Surgery.</i> 2015;73 (9 Supplement 1):e26-e7.	6
441	Adam SI, Bulsara KR, Lowlicht R, Judson BL. Transcervical double mandibular osteotomy approach to the infratemporal fossa. <i>Journal of Neurological Surgery, Part B: Skull Base Conference: 22nd Annual Meeting North American Skull Base Society Las Vegas, NV United States Conference Publication:.</i> 2012;73(SUPPL. 1).	6
442	Adawi H, Hengjeerajaras P, Froum SJ, Bagheri Z. A less-invasive window design for lateral wall maxillary sinus augmentations. <i>International Journal of Periodontics and Restorative Dentistry.</i> 2019;39(6):855-61.	1
443	Adeyemo WL, Ogunlewe MO, Desalu I, Akanmu ON, Ladeinde AL. Submental / Transmylohyoid intubation in maxillofacial surgery: Report of two cases. <i>Nigerian Journal of</i>	3

	Clinical Practice. 2011;14(1):98-101.	
444	Agarwal P, Ariga P, Jain AR. Efficacy of custom-made mandibular advancement appliance on patients with obstructive sleep apnea: A prospective clinical trial. <i>Drug Invention Today</i> . 2018;10(6):864-9.	2
445	Agbaje JO, Salem AS, Lambrichts I, Braem M, Politis C. Possible association between mandibular repositioning device for sleep apnea and osseous lytic lesion with fracture of the coronoid process of the mandible: A case report. <i>Quintessence international (Berlin, Germany : 1985)</i> . 2016;47(2):141-5.	3
446	Agbaje JO, Sun Y, De Munter S, Schepers S, Vrielinck L, Lambrichts I, et al. CBCT-based predictability of attachment of the neurovascular bundle to the proximal segment of the mandible during sagittal split osteotomy. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2013;42(3):308-15.	2
447	Agbaje JO, Sun Y, Lambrichts I, Vrielinck L, Schepers S, Politis C. Safe surgical access to the mandibular nerve at the infratemporal fossae. <i>The Journal of craniofacial surgery</i> . 2014;25(4):1454-7.	2
448	Ahiskalioglu A, Ince I, Aksoy M, Yalcin E, Ahiskalioglu EO, Kilinc A. Effects of a single-dose of pre-emptive pregabalin on postoperative pain and opioid consumption after double-jaw surgery: A randomized controlled trial. <i>Journal of Oral and Maxillofacial Surgery</i> . 2016;74(1):53.e1-e7.	3
449	Ahn HW, Cho IS, Cho KC, Choi JY, Chung JW, Baek SH. Surgical treatment modality for facial esthetics in an obstructive sleep apnea patient with protrusive upper lip and acute nasolabial angle. <i>Angle Orthodontist</i> . 2013;83(2):355-63.	2
450	Ahn HW, Lee BS, Kim SW, Kim SJ. Stability of modified maxillomandibular advancement surgery in a patient with preadolescent refractory obstructive sleep apnea. <i>Journal of Oral and Maxillofacial Surgery</i> . 2015;73(9):1827-41.	1
451	Ahn SY, Kim NH, Kim S, Karabucak B, Kim E. Computer-aided Design/Computer-aided Manufacturing-guided Endodontic Surgery: Guided Osteotomy and Apex Localization in a Mandibular Molar with a Thick Buccal Bone Plate. <i>Journal of endodontics</i> . 2018;44(4):665-70.	3
452	Aizezi N, Nagasao T, Morotomi T, Tamai M, Imajo K. Separation patterns of orbital wall and risk of optic canal injury in Le Fort 3 osteotomy. <i>Journal of Cranio-Maxillofacial Surgery</i> . 2018;46(5):795-801.	2
453	Akakpo K, Iobst C, Old M, Grischkan J. Long-term follow-up with mention of complications in pediatric microvascular mandibular reconstruction. <i>International Journal of Pediatric Otorhinolaryngology</i> . 2018;105:154-7.	1
454	Akbari M, Prabhu R, Khanna S, Turner MD. Resident Commentary: Is There a Significant Difference in Relapse and Complication Rate of Surgically Assisted Rapid Palatal Expansion Using Tooth-Borne, Bone-Borne, and Orthodontic Mini-Implant-Borne Appliances (Ploder et al, 2020)? <i>Journal of Oral and Maxillofacial Surgery</i> . 2021;79(1):e1-e3.	5
455	Akcay H, Kalabalik F, Tatar B, Ulu M. Location of the mandibular lingula: Comparison of skeletal Class I and Class III patients in relation to ramus osteotomy using cone-beam computed tomography. <i>J Stomatol Oral Maxillofac Surg</i> . 2019;120(6):504-8.	2
456	Akita S, Mitsukawa N, Komiyama M, Mori C, Satoh K. Anatomical study using cadavers for imaging of life-threatening complications in Le Fort III distraction. <i>Plastic and reconstructive surgery</i> . 2013;131(1):19e-27e.	4
457	Al Kharafi L, Alhajery D, Andersson L. Orthognathic surgery: Pretreatment information and patient satisfaction. <i>Medical Principles and Practice</i> . 2014;23(3):218-24.	2
458	Al Mashaiki A, Bakathir A, Al Nabhani M. Osteosynthesis removal post orthognathic surgery. an omani experience. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2019;48 (Supplement 1):37.	6
459	Al Riyami Y, Al Amri K, Al Jahdhami S, Al Azri A. Analysis of complications related to secondary bone grafting in patients with alveolar clefts: A retrospective study. <i>Oman Medical Journal</i> . 2020;35 (1):46.	6
460	Al Shetawi AH, Golden L, Turner M. Anesthetic complication during maxillofacial trauma surgery: A case report of intraoperative tension pneumothorax. <i>Cranio-maxillofacial Trauma and Reconstruction</i> . 2015;9(3):251-4.	9
461	Al-Ahmad HT, M.W MS, Hussein AM. Evaluation of an innovative computer-assisted sagittal split ramus osteotomy to reduce neurosensory alterations following orthognathic surgery: A pilot study. <i>International Journal of Medical Robotics and Computer Assisted Surgery</i> .	3

	2013;9(2):134-41.	
462	Al-Ahmady HH, Abd Elazeem AF, Bellah Ahmed NEM, Shawkat WM, Elmasry M, Abdelrahman MA, et al. Combining autologous bone marrow mononuclear cells seeded on collagen sponge with Nano Hydroxyapatite, and platelet-rich fibrin: Reporting a novel strategy for alveolar cleft bone regeneration. <i>Journal of Cranio-Maxillofacial Surgery</i> . 2018;46(9):1593-600.	1
463	Alamillos FJ, Dean A, Heredero S, Sanjuan A, Estero M, Rios S, et al. Computer-assisted and navigated piezoelectric surgery (CANPS): a new surgical technique to improve safety and accuracy and minimize surgical approaches. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2019;48 (Supplement 1):151.	6
464	Allasseri N, Alasraj A. Patient-specific implants for maxillofacial defects: challenges and solutions. <i>Maxillofacial and Plastic Reconstructive Surgery</i> . 2020;42 (1) (no pagination)(15).	3
465	Albanese M, Ricciardi G, Luciano U, Donadello D, Lucchese A, Gelpi F, et al. Alveolar splitting with Piezosurgery ^(sup) , bone bank grafts and NobelActive implants as an alternative to major bone grafting for maxillary reconstruction. <i>Minerva Stomatologica</i> . 2019;68(1):3-10.	3
466	Albert MG, Babchenko OO, Lalikos JF, Rothkopf DM. Inpatient versus outpatient cleft lip repair and alveolar bone grafting: a cost analysis. <i>Annals of plastic surgery</i> . 2014;73(Supplement 2):S126-S9.	2
467	Aldelayme R, AlKen M, Hamdoon Z, Jerjis W. Skeletal and dental relapses following skeletal class III deformity correction surgery: Single-jaw versus double-jaw procedures. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2013;42 (10):1324.	6
468	Aldridge T, Gulati A, Baker N. Theories of acquired blindness following Le Fort 1 osteotomy. <i>British Journal of Oral and Maxillofacial Surgery</i> . 2013;51 (6):e86.	6
469	Al-Ibrahim HA, Al-Hadlaq SM, Abduljabbar TS, Al-Hamdan KS, Abdin HA. Surgical and implant-supported fixed prosthetic treatment of a patient with ectodermal dysplasia: A case report. <i>Special Care in Dentistry</i> . 2012;32(1):1-5.	3
470	Aljawad H, Kook MS, Han JJ, Lee KC. Postsurgical changes of mandible based on vertical dimension increase in Skeletal Class III deformities. <i>Journal of Cranio-Maxillofacial Surgery</i> . 2020;48(12):1100-5.	2
471	Alkharafi L, Alhajery D, Andersson L. Orthognathic surgery: Pretreatment information and patient satisfaction. <i>Medical Principles and Practice</i> . 2014;23(3):218-24.	2
472	Allareddy V. Use of human recombinant bone morphogenetic protein is associated with increased hospital charges in children with cleft lip and palate having bone graft procedures. <i>Journal of Oral and Maxillofacial Surgery</i> . 2014;72(12):2531-8.	9
473	Allen RJ, Nelson JA, Polanco TO, Shamsunder MG, Ganly I, Boyle J, et al. Short-Term Outcomes following Virtual Surgery-Assisted Immediate Dental Implant Placement in Free Fibula Flaps for Oncologic Mandibular Reconstruction. <i>Plastic and reconstructive surgery</i> . 2020;146(6):768e-76e.	1
474	Almasri M. Reconstruction of the alveolar cleft: Effect of preoperative extraction of deciduous teeth at the sites of clefts on the incidence of postoperative complications. <i>British Journal of Oral and Maxillofacial Surgery</i> . 2012;50(2):154-6.	5
475	Almeida B, Silva A, Pereira M, Silva M, Nunes S. Case report of a dilated odontome in the posterior mandible. <i>International Journal of Surgery Case Reports</i> . 2016;20:14-6.	1
476	Al-Namnam NMN, Hariri F, Rahman ZAA. Distraction osteogenesis in the surgical management of syndromic craniosynostosis: a comprehensive review of published papers. <i>British Journal of Oral and Maxillofacial Surgery</i> . 2018;56(5):353-66.	5
477	AlOtaibi M. Mandibular unilateral sagittal split osteotomy-case report. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2019;48 (Supplement 1):108-9.	6
478	Alperovich M, Golinko M, LeBlanc E, Flores R. Treacher collins syndrome: Longterm outcomes of cleft palate repair. <i>Cleft Palate-Craniofacial Journal</i> . 2016;53 (4):e130.	6
479	Alshafai NS, Gunness VRN. The high cervical anterolateral retropharyngeal approach. <i>Acta Neurochirurgica, Supplementum</i> . 2019;125:147-9.	5
480	Al-Shayyab MH. A simple method to locate mandibular foramen with cone-beam computed tomography and its relevance to oral and maxillofacial surgery: a radio-anatomical study. <i>Surgical and Radiologic Anatomy</i> . 2018;40(6):625-34.	2
481	Alshehri SZ, Alkindi MG, Ibraheim OA, Ababtain RA, Alfortawi R. Gossypiboma during orthognathic surgery: A case report. <i>International Journal of Surgery Case Reports</i> . 2020;75:429-32.	5

482	Alstad V, Abtahi J. Surgical removal of keratocystic odontogenic tumours via a Le Fort I osteotomy approach: a retrospective study of the recurrence rate. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2017;46(4):434-9.	2
483	Ambrose E, Sokoya M, Eustaquio M. Pseudoaneurysm Following Endoscopic-Assisted Repair of Subcondylar Fracture. <i>Cranio-maxillofacial Trauma and Reconstruction</i> . 2018;11(4):302-4.	1
484	Amin K, Khor WS, Rosich-Medina A, Beale V. Alveolar bone grafting: Donor site review of 100 consecutive cases in cleft lip and palate. <i>Cleft Palate-Craniofacial Journal</i> . 2017;54(2):137-41.	6
485	Amora-Silva BF, Ribeiro SC, Vieira CL, Mendes FR, Vieira-Neto AE, Abdon APV, et al. Clinical efficacy of new alpha-bisabolol mouthwashes in postoperative complications of maxillofacial surgeries: a randomized, controlled, triple-blind clinical trial. <i>Clinical oral investigations</i> . 2019;23(2):577-84.	3
486	An P, Zhao J. Advance in Functional Restoration of Injured Nerve with Low Level Laser and its Utilization in the Dental and Maxillofacial Region. <i>Chinese Medical Sciences Journal</i> . 2020;35(3):272-7.	5
487	Andersen K, Norholt SE, Knudsen J, Kuseler A, Jensen J. Donor site morbidity after reconstruction of alveolar bone defects with mandibular symphyseal bone grafts in cleft patients - 111 consecutive patients. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2014;43(4):428-32.	9
488	Andreoli F, Leone N, Lonardi R, Scinica G, Covic T, Silingardi R. Autologous Micro-fragmented Adipose Tissue for the Treatment of Diabetic Foot Minor Amputations: A Randomized Controlled Single-Center Clinical Trial (MiFrAADif). <i>European Journal of Vascular and Endovascular Surgery</i> . 2019;58 (6 Supplement 3):e643-e4.	6
489	Anitua E, Duran-Cantolla J, Almeida GZ, Alkhraisat MH. Minimizing the mandibular advancement in an oral appliance for the treatment of obstructive sleep apnea. <i>Sleep Medicine</i> . 2017;34:226-31.	1
490	Anitua E, Padilla S, Alkhraisat MH. Transalveolar Osteotomy of the Mandibular Canal Wall for the Treatment of Severely Atrophied Posterior Mandible. <i>Journal of Oral and Maxillofacial Surgery</i> . 2017;75(7):1392-401.	2
491	Anlatıcı R, Ozerdem G, Demiralay S, Ozerdem OR. Face-neck lifting and ancillary procedures: A series of 203 cases. <i>Medicine (United States)</i> . 2018;97 (39) (no pagination)(e12333).	1
492	Anquetil M, Mercier J, Leveau S, Mrabet S, Durand T, Salagnac JM, et al. Evaluation of vertical ramus osteotomy for the surgical correction of unilateral mandibular posterior vertical insufficiency: Long-term follow-up results. <i>Journal of Cranio-Maxillofacial Surgery</i> . 2020;48(4):349-56.	2
493	Anver TD, Mirzai L, Li P, Powell KK, Waite PD. Long-Term Postoperative Cone-Beam Computed Tomography Analysis of Secondary Bone Grafting in 79 Patients With Unrepaired Alveolar Clefts. <i>Journal of Oral and Maxillofacial Surgery</i> . 2020;78(7):1164-70.	2
494	Aoki Y, Yoshida K, Nishizawa D, Kasai S, Ichinohe T, Ikeda K, et al. Factors that affect intravenous patient-controlled analgesia for postoperative pain following orthognathic surgery for mandibular prognathism. <i>PLoS ONE</i> . 2014;9 (6) (no pagination)(e98548).	3
495	Apipan B, Rummasak D, Narainthonsaene T. The effect of different dosage regimens of tranexamic acid on blood loss in bimaxillary osteotomy: a randomized, double-blind, placebo-controlled study. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2018;47(5):608-12.	3
496	Arcas A, Vendrell G, Cuesta F, Bermejo L. Advantages of performing mentoplasties with customized guides and plates generated with 3D planning and printing. Results from a series of 23 cases. <i>Journal of Cranio-Maxillofacial Surgery</i> . 2018;46(12):2088-95.	2
497	Arepen SAMD, Mohamad H, Nik Hassan NFH. Cervical arocele: A rare delayed complication of tracheostomy. <i>Oman Medical Journal</i> . 2018;33(6):520-2.	1
498	Aronovich S. Skeletal reconstruction of craniofacial deformities with alloplastic total joint components and orthognathic surgery. <i>Cleft Palate-Craniofacial Journal</i> . 2016;53 (4):e101-e2.	6
499	Arslan ZI, Turkyilmaz N. Which nostril should be used for nasotracheal intubation with airtraq nt: The right or left? a randomized clinical trial. <i>Turkish Journal of Medical Sciences</i> . 2019;49(1):116-22.	5
500	Arya V, Mehra P. TMJ condylar osteochondroma: Complete condylectomy and joint replacement vs. low condylectomy and joint preservation. <i>Journal of Oral and Maxillofacial Surgery</i> . 2015;73 (9 Supplement 1):e18-e9.	6

501	Arzi B, Verstraete FJ, Huey DJ, Cissell DD, Athanasiou KA. Regenerating Mandibular Bone Using rhBMP-2: Part 1-Immediate Reconstruction of Segmental Mandibulectomies. <i>Veterinary surgery</i> : VS. 2015;44(4):403-9.	4
502	Ascha M, Swanson MA, Massie JP, Evans MW, Chambers C, Ginsberg BA, et al. Nonsurgical Management of Facial Masculinization and Feminization. <i>Aesthetic Surgery Journal</i> . 2019;39(5):NP123-NP37.	5
503	Ashith MV, Mangal U, Lohia A, Mithun K. Role of an orthodontist in the management of cleft maxilla with anterior maxillary segmental distraction (AMD)A clinical overview. <i>Biomedical and Pharmacology Journal</i> . 2019;12(4):1899-906.	2
504	Aslam A, Saleem MM, Shah A. Distraction osteogenesis with a primarily vertical vector in facial deformity: A case series. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2017;46 (Supplement 1):225.	6
505	Assiri ZA, Salma RG, Almajid EA, Alfadhel AK. Retrospective radiological evaluation to study the prevalence and pattern of maxillofacial fracture among Military personal at Prince Sultan Military Medical City [PSMMC], Riyadh: An institutional study. <i>Saudi Dental Journal</i> . 2020;32(5):242-9.	9
506	Atherton D, Haers P. Midfacial augmentation in teenage cleft patients using malar and paranasal Medpor implants. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2014;43(7):824-6.	1
507	Attali V, Vecchierini MF, Collet JM, D'Ortho M P, Goutorbe F, Kerbrat JB, et al. Efficacy and tolerability of a custom-made Narval mandibular repositioning device for the treatment of obstructive sleep apnea: ORCADES study 2-year follow-up data. <i>Sleep Medicine</i> . 2019;63:64-74.	1
508	Augello M, Baetscher C, Segesser M, Zeilhofer HF, Cattin P, Juergens P. Performing partial mandibular resection, fibula free flap reconstruction and midfacial osteotomies with a cold ablation and robot-guided Er:YAG laser osteotome (CARLO ^(sup) / _(sup)) – A study on applicability and effectiveness in human cadavers. <i>Journal of Cranio-Maxillofacial Surgery</i> . 2018;46(10):1850-5.	2
509	Avelar RL, Becker OE, Dolzan ADN, Goelzer JG, Haas OLJ, De Oliveira RB. Correction of facial asymmetry resulting from hemimandibular hyperplasia: Surgical steps to the esthetic result. <i>Journal of Craniofacial Surgery</i> . 2012;23(6):1898-900.	9
510	Aykan A, Ozturk S, Ugurlutan R, Zor F. Mandibular distraction osteogenesis with newly designed electromechanical distractor. <i>European Surgical Research</i> . 2013;1):134.	6
511	Azarisamani A, Petrisor D, Wright J, Ghali GE. Metastatic Melanotic Neuroectodermal Tumor of Infancy: Report of a Case and Review of the Literature. <i>Journal of Oral and Maxillofacial Surgery</i> . 2016;74(12):2431-40.	5
512	Badenoch-Jones E, White B, Lynham A. The Australian litigation landscape-oral and maxillofacial surgery and general dentistry (oral surgery procedures): A review of litigation cases. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2015;1):e189.	6
513	Baek KW, Deibel W, Marinov D, Griessen M, Bruno A, Zeilhofer HF, et al. Clinical applicability of robot-guided contact-free laser osteotomy in cranio-maxillo-facial surgery: In-vitro simulation and in-vivo surgery in minipig mandibles. <i>British Journal of Oral and Maxillofacial Surgery</i> . 2015;53(10):976-81.	4
514	Baik UB, Han KH, Yoo SJ, Park JU, Kook YA. Combined multisegmental surgical-orthodontic treatment of bialveolar protrusion and chin retrusion with severe facial asymmetry. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> . 2013;143(4 SUPPL):S148-S60.	3
515	Bakathir A, Al Hashmi A, Al Saadi N, Al Azri F. Maxillofacial pseudoaneurysm as a complication of facial bone fractures: Report of two rare cases. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2015;1):e190.	6
516	Balaji SM. Bilateral pediatric mandibular distraction for micrognathia with temporomandibular joint ankylosis and sleep apnea. <i>Indian journal of dental research : official publication of Indian Society for Dental Research</i> . 2017;28(5):588-91.	2
517	Balakrishnan, Ebenezer V, Prakash. Buccal & palatal advancement flap in post extraction. <i>European Journal of Molecular and Clinical Medicine</i> . 2020;7(5):1585-8.	1
518	Balakrishnan R, Ebenezer V. Steroids – An effective drug in pre operative and post operative maxillofacial surgeries. <i>Biosciences Biotechnology Research Asia</i> . 2014;11(2):947-51.	5
519	Balasubramanya K, Nayak K. Condylar positioning in orthognathic surgery-a pilot study. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2015;1):e34.	6

520	Bansal V, Singh S, Garg N, Dubey P. Transport distraction osteogenesis as a method of reconstruction of the temporomandibular joint following gap arthroplasty for post-traumatic ankylosis in children: A clinical and radiological prospective assessment of outcome. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2014;43(2):227-36.	1
521	Bao T, He J, Yu C, Zhao W, Lin Y, Wang H, et al. Utilization of a pre-bent plate-positioning surgical guide system in precise mandibular reconstruction with a free fibula flap. <i>Oral Oncology</i> . 2017;75:133-9.	1
522	Barak M, Yoav L, Abu El-Naaj I. Hypotensive anesthesia versus normotensive anesthesia during major maxillofacial surgery: A review of the literature. <i>Scientific World Journal</i> . 2015;2015 (no pagination)(480728).	5
523	Bari S, Girod S, Theunissen T, Hopkins E. Minimally invasive midface distraction for maxillary hypoplasia during growth. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2011;40(10):e9.	6
524	Barnes S, Vega L, Lin S. Clear Aligner Orthognathic Splints for Surgery-First or Surgery-Only Cases: A Preliminary Report of a Novel Technique. <i>Journal of Oral and Maxillofacial Surgery</i> . 2020;78 (10 Supplement):e78-e9.	6
525	Barrera JE. Skeletal Surgery for Obstructive Sleep Apnea. <i>Sleep Medicine Clinics</i> . 2018;13(4):549-58.	5
526	Bartella AK, Lemmen S, Burnic A, Kloss-Brandstatter A, Kamal M, Breisach T, et al. Influence of a strictly perioperative antibiotic prophylaxis vs a prolonged postoperative prophylaxis on surgical site infections in maxillofacial surgery. <i>Infection</i> . 2018;46(2):225-30.	3
527	Bartzela TN. Treatment approaches to syndromes affecting craniofacial and dental structures. <i>Journal of the World Federation of Orthodontists</i> . 2019;8(4):131-7.	5
528	Basa S. Intraoperative challenges and management strategies in orthognathic surgery. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2017;46 (Supplement 1):8.	6
529	Basheer SA, Govind RJ, Daniel A, Sam G, Adarsh VJ, Rao A. Comparative Study of Piezoelectric and Rotary Osteotomy Technique for Third Molar Impaction. <i>The journal of contemporary dental practice</i> . 2017;18(1):60-4.	2
530	Basile FV, Basile AR. Prospective Controlled Study of Chin Augmentation by Means of Fat Grafting. <i>Plastic and reconstructive surgery</i> . 2017;140(6):1133-41.	1
531	Bastidas N, Mackay DD, Taylor JA, Bartlett SP. Analysis of the long-term outcomes of nonsyndromic bicoronal synostosis. <i>Plastic and reconstructive surgery</i> . 2012;130(4):877-83.	1
532	Bauer RE, Ochs MW. Maxillary orthognathic surgery. <i>Oral and maxillofacial surgery clinics of North America</i> . 2014;26(4):523-37.	5
533	Baughan S, Maguire C. An audit investigating BMI and the prevalence of obesity in orthognathic patients: Are we putting patients at risk? <i>British Journal of Oral and Maxillofacial Surgery</i> . 2017;55 (10):e168.	6
534	Bayat M, Badri A, Momen-Heravi F, Garajei A, Asgarian A. Transverse displacement and angulation of the proximal segment after mandibular setback by means of bilateral intraoral vertico-sagittal ramus osteotomy. <i>Journal of Oral and Maxillofacial Surgery</i> . 2011;69(3):906-10.	2
535	Bayoumi S, Bocca A, Sugar A. Sagittal split mandibular osteotomies: A 5 year review of complications and incidence of hardware removal. <i>British Journal of Oral and Maxillofacial Surgery</i> . 2011;1):S32.	6
536	Bayram B, Deniz K, Aydin E, Uckan S. Is auditory function affected after le Fort i osteotomy? <i>International Journal of Oral and Maxillofacial Surgery</i> . 2012;41(6):709-12.	2
537	Becker OE, Avelar RL, Goelzer JG, Haas OL, Dolzan A, De Oliveira RB, et al. Embolization of pseudoaneurysm of the sphenopalatine artery after orthognathic surgery. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2011;40 (10):1192-3.	6
538	Behnia H, Esmaeelinejad M, Eslamian L, Motamedian SR. New technique for midpalatal osteotomy in surgically-assisted rapid palatal expansion. <i>British Journal of Oral and Maxillofacial Surgery</i> . 2017;55(5):556-7.	2
539	Bell RB. A History of Orthognathic Surgery in North America. <i>Journal of Oral and Maxillofacial Surgery</i> . 2018;76(12):2466-81.	5
540	Bendrihem R, Vacher C, Fohlen A, Pelage JP. Anatomic basis of Le Fort 1 impaction osteotomy: a radiological study. <i>Surgical and Radiologic Anatomy</i> . 2017;39(11):1209-14.	2
541	Bengtsson M, Korduner M, Campbell V, Fransson P, Becktor J. Mandibular Access Osteotomy for Tumor Ablation: Could a More Tissue-Preserving Technique Affect Healing Outcome? <i>Journal of Oral and Maxillofacial Surgery</i> . 2016;74(10):2085-92.	1

542	Bennett SC, Goonewardene MS. Hemimandibular hyperplasia: a rare case of vertical facial asymmetry. A case report. <i>Aust Orthod J.</i> 2012;28(1):86–93.	2
543	Benoist LBL, van Maanen JP, de Vries N. Hyoid suspension: Hyothyroid and hyomandibular options. <i>Operative Techniques in Otolaryngology – Head and Neck Surgery.</i> 2015;26(4):178–82.	5
544	Bergeron M, Pan B, Babiker HE, Ishman SL. Preliminary assessment of maxillo-mandibular advancement for patients with down syndrome and refractory obstructive sleep apnea. <i>Otolaryngology – Head and Neck Surgery (United States).</i> 2018;159 (1 Supplement 1):P327.	6
545	Berkowitz RL, Gruber RP. Management of the Nasal Dorsum: Construction and Maintenance of a Barrel Vault. <i>Clinics in Plastic Surgery.</i> 2016;43(1):59–72.	5
546	Berkowitz S. Letter to the editor. <i>Cleft Palate–Craniofacial Journal.</i> 2016;53(3):377–9.	5
547	Berridge N, Mills C, Ayliffe P. A unique case of multiple carotid artery aneurysms in a 10-year old child. <i>British Journal of Oral and Maxillofacial Surgery.</i> 2016;54 (10):e92.	6
548	Bertin H, Huon JF, Praud M, Fauvel F, Salagnac JM, Perrin JP, et al. Bilateral sagittal split osteotomy training on mandibular 3-dimensional printed models for maxillofacial surgical residents. <i>British Journal of Oral and Maxillofacial Surgery.</i> 2020;58(8):953–8.	3
549	Bertossi D, Albanese M, Farronato G, Grendene E, Picozzi V, Lucchese A, et al. STABLE: An innovative device for three-part maxillary osteotomy. <i>Minerva Stomatologica.</i> 2013;62(Supplement 4):51–61.	5
550	Bertossi D, Albanese M, Mortellaro C, Malchiodi L, Kumar N, Nocini R, et al. Osteotomy in Genioplasty by Piezosurgery. <i>The Journal of craniofacial surgery.</i> 2018;29(8):2156–9.	3
551	Bertossi D, Giampaoli G, Dell’Acqua I, Verner I, Pirayesh A, Nocini R, et al. Nonsurgical genioplasty. <i>Dermatologic Therapy.</i> 2019;32 (3) (no pagination)(e12874).	5
552	Bertrand A, Dang B, Hu A, Chan C, Lee J. Early mandibular distraction reduces relapse in orthognathic surgery for craniofacial microsomia. <i>Cleft Palate–Craniofacial Journal.</i> 2020;57 (4 Supplement):111.	6
553	Besnainou G. The mandibular advancement device. <i>Medecine du Sommeil.</i> 2016;13(3):130–4.	5
554	Best DL, Chadha S, Wang C, Harriman E, Aronovich S. Surgical Outcomes of Maxillomandibular Advancement to Treat Obstructive Sleep Apnea in an Adolescent Population. <i>Journal of Oral and Maxillofacial Surgery.</i> 2020;78 (10 Supplement):e4–e5.	6
555	Bethge LS, Ballon A, Mack M, Landes C. Intraoperative condyle positioning by sonographic monitoring in orthognathic surgery verified by MRI. <i>Journal of Cranio-Maxillofacial Surgery.</i> 2015;43(1):71–80.	2
556	Beydoun HA, Beydoun MA, Cheng H, Khan A, Eid SM, Alvarez-Garriga C, et al. Complications associated with surgical treatment of sleep-disordered breathing among hospitalized U.S. adults. <i>Journal of Cranio-Maxillofacial Surgery.</i> 2018;46(8):1303–12.	1
557	Bezak BJ, Arce K, Jacob A. Orthognathic surgery in patients with congenital myopathies and congenital muscular dystrophies: Case series and review of literature. <i>Journal of Oral and Maxillofacial Surgery.</i> 2013;1:e64–e5.	6
558	Bhaskaran MK, Lijo J, Shenoy A, Rao CV. Intraoperative Use of C-Arm Fluoroscope for Location of Foreign Body in Maxillofacial Surgery: Series of Cases. <i>Craniomaxillofacial Trauma and Reconstruction Open.</i> 2019;3(1):E6–E8.	5
559	Bhat S, Periasamy S, Arun M. Subjective perception and evaluation of neurosensory disturbance of the lower lip after genioplasty procedures. <i>International Journal of Pharmaceutical Research.</i> 2020;12(2):2887–93.	1
560	Bhatia S, Bocca A, Jones J, Sugar AW. Le Fort I advancement osteotomies of 1 cm or more. How safe or stable? <i>British Journal of Oral and Maxillofacial Surgery.</i> 2016;54(3):346–50.	9
561	Bhatia S, Sugar AW. Re: Re: Le Fort I advancement osteotomies of 1 cm or more. How safe or stable? <i>British Journal of Oral and Maxillofacial Surgery.</i> 2017;55(7):742–3.	5
562	Bhatt R, Goswami D, Roychoudhury A. Comparison of the efficacy of dexmedetomidine and clonidine infusions to produce hypotensive anaesthesia in patients undergoing orthognathic surgery: A randomised controlled trial. <i>Anaesthesia.</i> 2019;74 (Supplement 4):92.	6
563	Bhoriwal S, Dhall K, Yadav M, Deo SV. Cavernous sinus thrombosis: a late complication of head and neck surgery. <i>BMJ case reports.</i> 2021;14(2).	1
564	Bhuskute AA, Tollefson TT. Cleft Lip Repair, Nasoalveolar Molding, and Primary Cleft Rhinoplasty. <i>Facial Plastic Surgery Clinics of North America.</i> 2016;24(4):453–66.	5
565	Bianchi B, Ferri A, Varazzani A, Bergonzani M, Sesenna E. Microsurgical Decompression of Inferior Alveolar Nerve After Endodontic Treatment Complications. <i>The Journal of craniofacial</i>	5

	surgery. 2017;28(5):1365-8.	
566	Bittermann GKP, van Es RJJ, de Ruiter AP, Frank MH, Bittermann AJN, van der Molen ABM, et al. Incidence of complications in secondary alveolar bone grafting of bilateral clefts with premaxillary osteotomy: a retrospective cohort study. <i>Clinical oral investigations</i> . 2020;24(2):915-25.	9
567	Blatter J, May L, De Buys Roessingh A, Medinger L, Broome M. The Mandibular Ramus: An Alternative Donor Site for Secondary Alveolar Bone Grafting in Clefts of the Alveolus. <i>The Journal of craniofacial surgery</i> . 2019;30(8):2590-2.	5
568	Blumen MB, Vezina JP, Pigot JL, Chabolle F. Maxillomandibular advancement for obstructive sleep apnea syndrome. <i>Operative Techniques in Otolaryngology – Head and Neck Surgery</i> . 2012;23(1):60-6.	5
569	Bocchialini G, Ferrari L, Burlini D. A massive haemorrhage developing during deciduous tooth extraction in a young child: A case report. <i>International Journal of Surgery Case Reports</i> . 2017;31:237-40.	9
570	Bockmann R, Schon P, Neuking K, Meyns J, Kessler P, Eggeler G. In vitro comparison of the sagittal split osteotomy with and without inferior border osteotomy. <i>Journal of Oral and Maxillofacial Surgery</i> . 2015;73(2):316-23.	4
571	Bolm I, Goetze E, Kammerer PW, Sader R, Klos M, Landes C, et al. Self-drilling and self-tapping miniscrews for osteosynthesis fixture after LeFort I osteotomy: An ex vivo trial for primary stability and a randomized clinical study. <i>Journal of Surgical Research</i> . 2017;212:246-52.	4
572	Bonitz L, El-Karmi A, Linssen J, Abel D, Hassfeld S, Bicsak A. A randomized, prospective trial to assess the safety and efficacy of hilotherapy in patients after orthognathic surgery. <i>Oral and maxillofacial surgery</i> . 2021;05.	3
573	Borba AM, Borges AH, Da Silva CSV, Brozski MA, Naclerio-Homem MDG, Miloro M. Predictors of complication for alveolar cleft bone graft. <i>British Journal of Oral and Maxillofacial Surgery</i> . 2014;52(2):174-8.	1
574	Borzabadi-Farahani A. Orthodontic considerations in restorative management of hypodontia patients with endosseous implants. <i>The Journal of oral implantology</i> . 2012;38(6):779-91.	5
575	Bouaoud J, Joly A, Picard A, Thierry B, Arnaud E, James S, et al. Severe macroglossia after posterior fossa and craniofacial surgery in children. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2018;47(4):428-36.	1
576	Bouchard C, Mansouri M. Open Reduction with Internal Fixation of Mandibular Angle Fractures: A Retrospective Study. <i>Journal (Canadian Dental Association)</i> . 2017;83:h3.	9
577	Bouguila J, Guiga B, Ayad M, Omezzine M, Mani R, Moatemri R, et al. Submental endotracheal intubation: Another route for intubation in facial surgery. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2015;1(1):e192.	6
578	Bowe DC, Gruber EA, McLeod NMH. Nerve injury associated with orthognathic surgery. Part 1: UK practice and motor nerve injuries. <i>British Journal of Oral and Maxillofacial Surgery</i> . 2016;54(4):362-465.	5
579	Boyd SB, Chigurupati R, Cillo JE, Eskes G, Goodday R, Meisami T, et al. Maxillomandibular Advancement Improves Multiple Health-Related and Functional Outcomes in Patients With Obstructive Sleep Apnea: A Multicenter Study. <i>Journal of Oral and Maxillofacial Surgery</i> . 2019;77(2):352-70.	1
580	Boyd SB, Walters AS, Waite P, Harding SM, Song Y. Long-term effectiveness and safety of maxillomandibular advancement for treatment of obstructive sleep apnea. <i>Journal of Clinical Sleep Medicine</i> . 2015;11(7):699-708.	1
581	Bradford PS, Shaffrey EC, Le P, Hoard M, Black JS. The Impact of Palatal Fistulae on the Success of Alveolar Bone Grafting. <i>The Journal of craniofacial surgery</i> . 2021;32(2):e182-e4.	1
582	Bradley PJ, Bradley PT, Olsen KD. Update on the management of parapharyngeal tumours. <i>Current Opinion in Otolaryngology and Head and Neck Surgery</i> . 2011;19(2):92-8.	5
583	Brancher GQB, Cavalieri-Pereira L, Altafin L, Mirandola C, Silva FBNN, Pedroso-Oliveira G, et al. Correction of facial asymmetry associated with mandibular condylar hyperplasia – case report. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2019;48 (Supplement 1):259-60.	6
584	Brancher GQB, Cavalieri-Pereira L, Macedo CJO, Andrade FA, Silva FBNN, Pedroso-Oliveira G, et al. Reconstruction of atrophic maxilla through Le Fort I Osteotomy and Calvarial Bone grafting – two case reports. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2019;48 (Supplement 1):208.	6

585	Brecher E, Viswanath A, Finkelman M, Papageorge M. Is age a risk factor for orthognathic surgery complications? <i>International Journal of Oral and Maxillofacial Surgery</i> . 2019;48 (Supplement 1):247.	6
586	Brookes CD, Berry J, Rich J, Golden BA, Turvey TA, Blakey G, et al. Multimodal protocol reduces postoperative nausea and vomiting in patients undergoing le fort i osteotomy. <i>Journal of Oral and Maxillofacial Surgery</i> . 2015;73(2):324–32.	3
587	Brosh Y, Joachim M, El-Naaj IA. Surgical complications of orthognathic surgery: past experience, prevalence and probability. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2019;48 (Supplement 1):111.	6
588	Brown JS, Barry C, Ho M, Shaw R. A new classification for mandibular defects after oncological resection. <i>The Lancet Oncology</i> . 2016;17(1):e23–e30.	5
589	Brown S, Yao A, Taub PJ. Antifibrinolytic Agents in Plastic Surgery: Current Practices and Future Directions. <i>Plastic and reconstructive surgery</i> . 2018;141(6):937e–49e.	5
590	Brown Z, Rushing DC, Perez DE. Alloplastic Temporomandibular Joint Reconstruction for Patients With Juvenile Idiopathic Arthritis. <i>Journal of Oral and Maxillofacial Surgery</i> . 2020;78(9):1492–8.	9
591	Brunault P, Battini J, Potard C, Jonas C, Zagala-Bouquillon B, Chabut A, et al. Orthognathic surgery improves quality of life and depression, but not anxiety, and patients with higher preoperative depression scores improve less. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2016;45(1):26–34.	2
592	Bruneder S, Wallner J, Weiglein A, Kmecova L, Egger J, Pils U, et al. Anatomy of the Le Fort I segment: Are arterial variations a potential risk factor for avascular bone necrosis in Le Fort I osteotomies? <i>Journal of Cranio-Maxillofacial Surgery</i> . 2018;46(8):1285–95.	2
593	Bruneder S, Zemmann W, Weiglein A. Vascular variations responsible for insufficient le fort I operation. <i>Surgical and Radiologic Anatomy</i> . 2019;41:1259.	6
594	Brunzini A, Gracco A, Mazzoli A, Mandolini M, Manieri S, Germani M. Preliminary simulation model toward the study of the effects caused by different mandibular advancement devices in OSAS treatment. <i>Computer Methods in Biomechanics and Biomedical Engineering</i> . 2018;21(13):693–702.	1
595	Buckley M, Carlson E, Heidel E, McNally M, Hodge A, Fahmy M, et al. Double Mandibular Osteotomy for Access to High-Carotid Pathology. <i>Annals of Vascular Surgery</i> . 2021;70:202–12.	1
596	Bucknor A, Chattha A, Wu W, Egeler S, Ultee K, Afshar S, et al. The Impact of Surgical Volume on Outcomes and Cost in Cleft Repair: A Kids' Inpatient Database Analysis. <i>Annals of plastic surgery</i> . 2018;80(4 Supplement 4):S174–S7.	1
597	Bueno D, Pinheiro CC, Tanikawa D, Martins R, Rocha D, Reis LF. New perspectives to perform bone tissue engineering for alveolar bone graft to cleft lip and palate patients using non-invasive sources of stem cells. <i>Cleft Palate-Craniofacial Journal</i> . 2014;51 (3):e39.	6
598	Bueno DF, Tanikawa D, Rocha DL, Pinheiro C, Andrade MA, Reis LL. Bone tissue engineering for cleft lip and palate patients using non-invasive sources of stem cells. <i>Tissue Engineering – Part A</i> . 2014;1(1):S89–S90.	6
599	Buijs GJ, Van Bakelen NB, Jansma J, De Visscher JGAM, Hoppenreijts TJM, Bergsma JE, et al. A randomized clinical trial of biodegradable and titanium fixation systems in maxillofacial surgery. <i>Journal of Dental Research</i> . 2012;91(3):299–304.	3
600	Buiret G, Bechara M, Plouin-Gaudon I, Bavozet F, Dancea O, Pujo K, et al. Predictive Factors for Efficacious Oral Appliance Therapy in Moderate to Severe Obstructive Sleep Apnea Patients. <i>Laryngoscope</i> . 2021.	1
601	Buller M, Jodeh DS, Rottgers SA. Maxillomandibular Advancement for the Treatment of Obstructive Sleep Apnea in Patients With Normal or Class I Malocclusion. <i>The Journal of craniofacial surgery</i> . 2020;31(3):716–9.	9
602	Burgaz I, Zengin M, Uckan S. Radiographic assessment of the response of teeth following trauma during screw placement for maxillo-mandibular fixation. <i>Dental traumatology : official publication of International Association for Dental Traumatology</i> . 2021;27.	3
603	Burstein FD, Maurice SM, Granger M, Williams JK. Maxillary advancement in patients with severe maxillary hypoplasia: Role of adjuvant stabilization techniques and materials. <i>Journal of Craniofacial Surgery</i> . 2012;23(3):812–6.	6
604	Byrd R, Papaconstantinou B, Zhang B, Lee J, Bradley J. Osseous genioplasty: Prevention of witch's chin deformity with custom-milled plates. <i>Cleft Palate-Craniofacial Journal</i> . 2019;56 (1 Supplement):13.	6

605	Byun SH, Kim SH, Cho S, Lee H, Lim HK, Lee UL, et al. Tissue expansion improves the outcome and predictability for alveolar bone augmentation: Prospective, multicenter, randomized controlled trial. <i>Journal of Clinical Medicine</i> . 2020;9 (4) (no pagination)(1143).	1
606	Calis M, Ustun GG, Ozturk M, Gunaydin RO, Kulak Kayikci ME, Ozgur F. Comparison of the Speech Results After Correction of Submucous Cleft Palate With Furlow Palatoplasty and Pharyngeal Flap Combined With Intravelar Veloplasty. <i>The Journal of craniofacial surgery</i> . 2018;29(1):e100–e3.	9
607	Callen AL, Badiie RK, Phelps A, Potigailo V, Wang E, Lee S, et al. Facial Feminization Surgery: Key CT Findings for Preoperative Planning and Postoperative Evaluation. <i>AJR American journal of roentgenology</i> . 2020;30.	1
608	Camacho M, Liu SY, Certal V, Capasso R, Powell NB, Riley RW. Large maxillomandibular advancements for obstructive sleep apnea: An operative technique evolved over 30 years. <i>Journal of Cranio-Maxillofacial Surgery</i> . 2015;43(7):1113–8.	1
609	Caminiti MF, Marko JV, Metaxas A. TAD retained acrylic palatal expander for SARPE. <i>Journal of Oral and Maxillofacial Surgery</i> . 2017;75 (10 Supplement 1):e349–e50.	6
610	Cangemi Jr CF. Administration of general anesthesia for outpatient orthognathic surgical procedures. <i>Journal of Oral and Maxillofacial Surgery</i> . 2011;69(3):798–807.	5
611	Canpolat DG, Kaba YN, Yasli SO, Demirbas AE. Using Intravenous Ibuprofen for Preventive Analgesia in Orthognathic Surgery. <i>Journal of Oral and Maxillofacial Surgery</i> . 2021;79(3):551–8.	3
612	Cansiz E, Arslan YZ, Turan F, Atalay B. Computer-assisted design of patient-specific sagittal split osteotomy guide and soft tissue retractor. <i>Journal of Medical and Biological Engineering</i> . 2014;34(4):363–7.	2
613	Carlino F. Too Deep Labio-Mental Fold after Large Advancement Genioplasty: A Proposal for its Effective Correction. <i>Journal of Oral and Maxillofacial Surgery</i> . 2020;78 (10 Supplement):e81.	6
614	Carlos E, Monnazzi MS, Castiglia YMM, Gabrielli MFR, Passeri LA, Guimaraes NC. Orthognathic surgery with or without induced hypotension. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2014;43(5):577–80.	3
615	Carlson ER, Schlott BJ. Anti-resorptive osteonecrosis of the jaws: facts forgotten, questions answered, lessons learned. <i>Oral and maxillofacial surgery clinics of North America</i> . 2014;26(2):171–91.	5
616	Carlwig K, Fransson P, Bengtsson M, Gebre-Medhin M, Sjovall J, Greiff L. Mandibulotomy access to tumour sites: fewer complications for postoperative compared with preoperative radiotherapy. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2020.	9
617	Cassetta M, Pandolfi S, Giansanti M. Minimally invasive corticotomy in orthodontics: A new technique using a CAD/CAM surgical template. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2015;44(7):830–3.	1
618	Castellano-Navarro JM, Castellano-Reyes JJ, Hirdina-Castilla M, Suarez-Soto A, Bocanegra-Perez S, Vicente-Barrero M. Neurosensory issues after lateralisation of the inferior alveolar nerve and simultaneous placement of osseointegrated implants. <i>British Journal of Oral and Maxillofacial Surgery</i> . 2019;57(2):169–73.	1
619	Castro VA, Trindade Neto AI, Zanetta-Barbosa D, Prado CJ. Clinical and magnetic resonance findings in TMJ discs of patients before and after orthognathic surgery with counterclockwise rotation associated or not to TMJ disc repositioning using bone anchors. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2015;1):e44–e5.	6
620	Catherine Z, Scolozzi P. Mandibular Sagittal Split Osteotomy for Removal of Impacted Mandibular Teeth: Indications, Surgical Pitfalls, and Final Outcome. <i>Journal of Oral and Maxillofacial Surgery</i> . 2017;75(5):915–23.	9
621	Cavallier Z, Prevost A, Diakite C, Delanoe F, Dekeister C, Lauwers F. Outpatient orthognathic surgery (AMBOST): a one year prospective study. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2019;48 (Supplement 1):123.	6
622	Cavallo LM, De Divitiis O, Solari D. Transnasal and transoral approaches to the craniocervical junction: Two routes for a variable destination. <i>World Neurosurgery</i> . 2011;76(1–2):74–5.	5
623	Chae MS, Lee M, Choi MH, Park JU, Park M, Kim YH, et al. Preemptive intravenous iron therapy versus autologous whole blood therapy for early postoperative hemoglobin level in patients undergoing bimaxillary orthognathic surgery: a prospective randomized noninferiority trial. <i>BMC Oral Health</i> . 2021;21(1):16.	3
624	Chagas-Junior O, Damin G, Da Pieve G, Cassal C, Guimaraes I, Gonzatti C, et al. Vitamin D	6

	deficiency as complication risk factor in orthognathic surgery: case report. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2019;48 (Supplement 1):248–9.	
625	Chan C, Garg R, Wlodarczyk JR, Yen S, Urata MM. Simultaneous LeFort III and LeFort I Osteotomies in Craniometaphyseal Dysplasia. <i>Cleft Palate Craniofacial Journal</i> . 2021.	9
626	Chan JYW, Wei WI. Critical appraisal of maxillary swing approach for nasopharyngeal carcinoma. <i>Expert Opinion on Therapeutic Targets</i> . 2012;16(SUPPL. 1):S111–S7.	9
627	Chang B, Magee L, Fox J, Maguire M, Ross K, Rakow C, et al. The rock (Reducing Opioid Use In Cleft Kids) protocol: A multidisciplinary quality improvement effort to reduce perioperative opioid use in patients undergoing any stage of cleft lip or palate repair. <i>Cleft Palate–Craniofacial Journal</i> . 2018;55 (1 Supplement):75–6.	6
628	Chang BL, Wilson AJ, Chin BC, Friedman C, Jackson OA. Influence of Standardized Orientation on Patient Perception of Perioperative Care Following Alveolar Cleft Repair: A Survey Based Study of Patients Treated in a Large Academic Medical Center. <i>Cleft Palate–Craniofacial Journal</i> . 2017;54(3):287–94.	6
629	Chang C, Hsu YT, Ting CK, Tsou MY, Teng WN. Mandibular advancement devices shorten desaturation duration in patients at high risk for obstructive sleep apnea syndrome during intravenous propofol sedation in the decubitus position. <i>Journal of the Chinese Medical Association</i> . 2021;84(2):221–6.	3
630	Chang CS, Kang GCW. Achieving Ideal Lower Face Aesthetic Contours: Combination of Tridimensional Fat Grafting to the Chin with Masseter Botulinum Toxin Injection. <i>Aesthetic Surgery Journal</i> . 2016;36(10):1093–100.	1
631	Chang EI, Boukavalas S, Liu J, Largo RD, Hanasono MM, Garvey PB. Reconstruction of Posterior Mandibulectomy Defects in the Modern Era of Virtual Planning and Three-Dimensional Modeling. <i>Plastic and reconstructive surgery</i> . 2019;144(3):453e–62e.	2
632	Chang PC. Computer-assisted planning and 3D printing-assisted modeling for chin augmentation. <i>Aesthetic Surgery Journal</i> . 2018;38(1):1–10.	1
633	Chao JW, Lee JC, Chang MM, Kwan E. Alloplastic augmentation of the asian face: A review of 215 patients. <i>Aesthetic Surgery Journal</i> . 2016;36(8):861–8.	5
634	Chegini S, Dhariwal DK. Review of evidence for the use of steroids in orthognathic surgery. <i>British Journal of Oral and Maxillofacial Surgery</i> . 2012;50(2):97–101.	5
635	Chen CM, Liang SW, Chou ST, Hwang DS, Kim UK, Tseng YC. Importance in the occurrence rate of shortest buccal bone marrow distance (<1 mm) for sagittal split ramus osteotomy. <i>Journal of the Formosan Medical Association</i> . 2021;Part 3. 120(1):697–704.	2
636	Chen FM, Gao LN, Tian BM, Zhang XY, Zhang YJ, Dong GY, et al. Treatment of periodontal intrabony defects using autologous periodontal ligament stem cells: A randomized clinical trial. <i>Stem Cell Research and Therapy</i> . 2016;7 (1) (no pagination)(33).	1
637	Chen H, Su Z, Tian J. "Zipper" Concept for Designing Expanded Forehead Flap in Facial–Cervical Reconstruction. <i>The Journal of craniofacial surgery</i> . 2021;25.	1
638	Chen K, Sun X, Wang L, Ni S, Wu Z, Gao Y, et al. A Modified Cosmetic Genioplasty Can Affect Airway Space Positively in Skeletal Class II Patients: Studying Alterations of Hyoid Bone Position and Posterior Airway Space. <i>Aesthetic plastic surgery</i> . 2020;44(5):1639–55.	2
639	Chen KJ, Chen MYC. Piezo sagittal split ramus osteotomy. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2017;46 (Supplement 1):321.	6
640	Chen S, Zhang Y, An JG, He Y. One-stage technique for sagittal split ramus osteotomy combined with mandibular angle osteotomy. <i>Sci</i> . 2018;8(1):1731.	3
641	Chen TJ, Travers C, Williams J. Cleft care variations in the United States: Analysis of the kids' inpatient database. <i>Cleft Palate–Craniofacial Journal</i> . 2018;55 (1 Supplement):8.	6
642	Chen WL, Fan S, Huang ZQ, Zhang DM. Endoscopy–Assisted Transoral Versus Endoscopy–Assisted Transcervical Minimal Incision Plus Mandibular Osteotomy Approach in Resection of Large Parapharyngeal Space Tumors. <i>The Journal of craniofacial surgery</i> . 2017;28(4):976–9.	9
643	Chen WL, Wang WJ, Huang ZQ, Zhang DM. Osteotomy in the vertical ramus outside the mandibular foramen for tumours in the parapharyngeal space. <i>Journal of Cranio–Maxillofacial Surgery</i> . 2014;42(3):e29–e32.	9
644	Chen Y, Zhang J, Han Y, Ferraro N, August M. Interaction analysis of risk factors for long-term skeletal relapse following mandibular advancement with bilateral sagittal split osteotomy. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2020;49(3):350–5.	2
645	Chen YA, Rivera–Serrano CM, Chen C, Chen YR. Pre-surgical regional blocks in orthognathic	3

	surgery: Prospective study evaluating their influence on the intraoperative use of anaesthetics and blood pressure control. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2016;45(6):783–6.	
646	Cheng A. Genioglossus and Genioplasty Advancement. <i>Atlas of the oral and maxillofacial surgery clinics of North America</i> . 2019;27(1):23–8.	5
647	Cheng L, Zimmermann F, Parker G. Piezo-electric surgery for re-ankylosis of temporomandibular joints on the Mercy Ships in West Africa. <i>British Journal of Oral and Maxillofacial Surgery</i> . 2017;55 (10):e185.	6
648	Cho HS, Yang HS, Lee SY, Kim KS. The Significance of Rhinologic Evaluation and Pretreatment for Patients Undergoing Two-Jaw Surgery Through Nasotracheal Intubation. <i>The Journal of craniofacial surgery</i> . 2016;27(1):74–7.	3
649	Choi KY, Yang JD, Chung HY, Cho BC. Current concepts in the mandibular condyle fracture management part II: Open reduction versus closed reduction. <i>Archives of Plastic Surgery</i> . 2012;39(4):301–8.	5
650	Choi NR, Shin SH, Kim SS, Sandor G, Kim YD. Healing pattern of intentional pterygoid plate fracture after posterior movement of maxilla through Le Fort I osteotomy. <i>Journal of Cranio-Maxillofacial Surgery</i> . 2018;46(10):1828–33.	2
651	Choi WS. The value of tranexamic acid in orthognathic surgery. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2015;1):e3.	6
652	Choi WS, Yang W, Leung MY, Su Y. Application of three-dimensional printed plates in Le Fort III osteotomy. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2019;48 (Supplement 1):113.	6
653	Choi YR, Kim MG, Kim DS, Kim JY, Huh JK, Park KH. Anatomic difference of the pterygoid plate and descending palatine artery in relation to the maxillary growth pattern. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2015;1):e200.	6
654	Chrcanovic BR, Freire-Maia B. Risk factors and prevention of bad splits during sagittal split osteotomy. <i>Oral and Maxillofacial Surgery</i> . 2012;16(1):19–27.	5
655	Christabel A, Anantanarayanan P, Subash P, Soh CL, Ramanathan M, Muthusekhar MR, et al. Comparison of pterygomaxillary dysjunction with tuberosity separation in isolated Le Fort I osteotomies: a prospective, multi-centre, triple-blind, randomized controlled trial. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2016;45(2):180–5.	2
656	Chu F, De Berardinis R, Tagliabue M, Zorzi S, Bandi F, Ansarin M. The Role of Transoral Robotic Surgery for Parapharyngeal Space: Experience of a Tertiary Center. <i>The Journal of craniofacial surgery</i> . 2020;31(1):117–20.	1
657	Chu F, Tagliabue M, Giugliano G, Calabrese L, Preda L, Ansarin M. From transmandibular to transoral robotic approach for parapharyngeal space tumors. <i>American Journal of Otolaryngology – Head and Neck Medicine and Surgery</i> . 2017;38(4):375–9.	1
658	Chu YY, Chang FCS, Lu TC, Lee CH, Chen PKT. Surgical outcomes of secondary alveolar bone grafting and extensive gingivoperiosteoplasty performed at mixed dentition stage in unilateral complete cleft lip and palate. <i>Journal of Clinical Medicine</i> . 2020;9 (2) (no pagination)(576).	2
659	Chummun S, McLean NR, Anderson PJ, Nieuwenhoven C, Mathijssen I, David DJ. The Craniofacial and Upper Limb Management of Nager Syndrome. <i>The Journal of craniofacial surgery</i> . 2016;27(4):932–7.	9
660	Chung CJ, Hwang S, Choi YJ, Kim KH. Treatment of skeletal open-bite malocclusion with lymphangioma of the tongue. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> . 2012;141(5):627–40.	5
661	Chung H, Kim Y, Kim J, Kim S, Lee M. Preoperative autologous blood donation for orthognathic surgery. <i>Vox Sanguinis</i> . 2018;113 (Supplement 1):324.	6
662	Chung JY, Cangialosi TJ, Eisig SB. Treacher Collins syndrome: a case study. <i>American journal of orthodontics and dentofacial orthopedics : official publication of the American Association of Orthodontists, its constituent societies, and the American Board of Orthodontics</i> . 2014;146(5):665–72.	9
663	Chung SW, Park KR, Jung YS, Park HS. Fracture of the clivus as an unusual complication of LeFort I osteotomy: Case report. <i>British Journal of Oral and Maxillofacial Surgery</i> . 2014;52(5):467–9.	5
664	Cifuentes J, Valladares S, Barrera A, Jerez D. Life threatening complication posterior to orthognathic surgery in a patient with an undiagnosed hereditary angioedema. <i>International</i>	6

	Journal of Oral and Maxillofacial Surgery. 2011;40 (10):1196.	
665	Cillo JE, Dattilo DJ. Oral Functional Behavior and Neurosensation After Adult Maxillomandibular Advancement for Obstructive Sleep Apnea in the Long-Term. Journal of Oral and Maxillofacial Surgery. 2020;78(2):255–60.	1
666	Cimen E, Tuzuner–Oncul AM, Yazicioglu D, Senol A, Ozdiler E, Sayan NB. Orthognathic surgery in cleidocranial dysplasia. International Journal of Oral and Maxillofacial Surgery. 2011;40 (10):1193.	6
667	Claus JDP. Vertico–sagittal osteotomy – A safe option to avoid neurosensory disturbances during orthognathic procedures. International Journal of Oral and Maxillofacial Surgery. 2017;46 (Supplement 1):13.	6
668	Coeugniet E, Pellerin P, Wolber A, Dhellemmes P, Vinchon M. Fifteen years of experience with the midfacial distraction without maxillary osteotomy protocol. Child's Nervous System. 2014;30(4):681–8.	1
669	Cohen A, Rice J, Dattilo DJ, Cillo JE. Multivariate Analysis of Factors Associated with Postoperative Complications from Adult Maxillomandibular Advancement for Obstructive Sleep Apnea. Journal of Oral and Maxillofacial Surgery. 2019;77 (9 Supplement):e1–e2.	6
670	Cohen–Levy J, Petelle B, Vieille E, Dumitrache M, Fleury B. Changes in facial profile after maxillomandibular advancement surgery for obstructive sleep apnea syndrome. [French, English]. International Orthodontics. 2013;11(1):71–92.	9
671	Colbert S, Ilankovan V, Seah TE. Simultaneous orthognathic surgery and rhinoplasty. International Journal of Oral and Maxillofacial Surgery. 2011;40 (10):1081.	6
672	Colbert S, Ilankovan V, Seah TE. An alternative option to conventional genioplasty: Box genioplasty. International Journal of Oral and Maxillofacial Surgery. 2011;40 (10):1081.	6
673	Colbert S, Seah TE, Ilankovan V, Bellis H. Simultaneous orthognathic surgery and rhinoplasty. British Journal of Oral and Maxillofacial Surgery. 2011;1):S43.	6
674	Colletti G, Autelitano L, Rabbiosi D, Bazzacchi R, Marelli S, Bardazzi A, et al. Sinus lift access in partial maxillectomies. Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology. 2014;117(3):e233–e7.	1
675	Collier J, Dawood A, Grant W, Bast F. Perioperative assessment and management of maxillary sinus function around the time of maxillofacial surgical procedures. British Journal of Oral and Maxillofacial Surgery. 2017;55 (10):e78–e9.	6
676	Compton RA, Rebeiz EE. Endoscopic coil as a foreign body in the maxillary sinus: A complication of endoscopic embolization for epistaxis. Journal of Neurological Surgery, Part B: Skull Base Conference: 28th Annual Meeting North American Skull Base Society United States. 2018;79(Supplement 1).	6
677	Conley RS. Evidence for dental and dental specialty treatment of obstructive sleep apnoea. Part 1: The adult OSA patient and Part 2: The paediatric and adolescent patient. Journal of Oral Rehabilitation. 2011;38(2):136–56.	5
678	Contreras A, Altschiller J, Gantz A, Barrera A, Yanine N, Cosmelli R, et al. Evaluation of condylar positioning in bimaxillary orthognathic surgery using intraoperative cone–beam computed tomography. International Journal of Oral and Maxillofacial Surgery. 2017;46 (Supplement 1):322.	6
679	Cooper H, Sole P, Sole F, Robano A, Zivov A, Campos P. Systemic inflammatory response syndrome in orthognathic surgery. International Journal of Oral and Maxillofacial Surgery. 2011;40 (10):1186.	6
680	Coppey E, Mommaerts MY. Early Complications From the Use of Calcium Phosphate Paste in Mandibular Lengthening Surgery. A Retrospective Study. Journal of Oral and Maxillofacial Surgery. 2017;75(6):1274.e1–.e10.	3
681	Corns S, Tahim A, Ali N, Millwaters M, Sharma P. Benefits of early orthognathic surgery – A case series. British Journal of Oral and Maxillofacial Surgery. 2016;54 (10):e137.	6
682	Cortese A, Caggiano M, Borri A, Pantaleo G, Claudio PP. A new technique for palatal reconstruction using a local flap with screw fixation after ablative surgery. Dental Cadmos. 2019;87(1):40–9.	3
683	Cortese A, Savastano G, Amato M, Cantone A, Boschetti C, Claudio PP. New palatal distraction device by both bone–borne and tooth–borne force application in a paramedian bone anchorage site: surgical and occlusal considerations on clinical cases. The Journal of craniofacial surgery. 2014;25(2):589–95.	5
684	Cortese A, Savastano M, Cantone A, Claudio PP. A new palatal distractor device for bodily	3

	movement of maxillary bones by rigid self-locking miniplates and screws system. The Journal of craniofacial surgery. 2013;24(4):1341-6.	
685	Cota R, Goto A. Surgical treatment for dentofacial deformities: class III patient with mandibular laterodeviation and anterior open bite. International Journal of Oral and Maxillofacial Surgery. 2019;48 (Supplement 1):191.	6
686	Couldwell WT. Infraorbital nerve as a surgical landmark. Journal of Neurosurgery. 2017;127(5):1201.	5
687	Crescente B, Andriola F, Menucci A, Fritscher G. Customized fixation guide associated with bio-graft to promote bone union and skeletal stability in mentoplasty. International Journal of Oral and Maxillofacial Surgery. 2019;48 (Supplement 1):250.	6
688	Cristoforetti A, De Stavola L, Fincato A, Mase M, Ravelli F, Nollo G, et al. Assessing the accuracy of computer-planned osteotomy guided by stereolithographic template: A methodological framework applied to the mandibular bone harvesting. Computers in Biology and Medicine. 2019:114 (no pagination)(103435).	1
689	Cubuk S, Kaya B, Bayram B. Plate removal following orthognathic surgery. International Journal of Oral and Maxillofacial Surgery. 2019;48 (Supplement 1):114.	6
690	Cubuk S, Kaya B, Sahinoglu Z, Ates U, Ozcirpici A, Uckan S. Success rate of symphyseal miniplate anchorage system. International Journal of Oral and Maxillofacial Surgery. 2017;46 (Supplement 1):106.	6
691	Culebras A, Anwar S. Sleep Apnea Is a Risk Factor for Stroke and Vascular Dementia. Current Neurology and Neuroscience Reports. 2018;18 (8) (no pagination)(53).	5
692	da Silva MB, Chrvanowski Pereira CE, Vasconcelos Macedo D, Del Santo LM. Treatment of osteomyelitis as a complication of orthognathic surgery. International Journal of Oral and Maxillofacial Surgery. 2019;48 (Supplement 1):249.	6
693	Dahake S, Kuthe A, Kulkarni S, Mawale M. Finite element analysis of customized implant in mandibular reconstruction after tumor resection with and without using customized surgical osteotomy guide. International Journal of Medical Robotics and Computer Assisted Surgery. 2018;14 (1) (no pagination)(e1854).	1
694	Daif ET. Soft-tissue profile changes associated with anterior maxillary osteotomy for severe maxillary protrusion. Journal of Craniofacial Surgery. 2013;24(1):e80-e3.	2
695	Daif ET. Segment tilting associated with surgically assisted rapid maxillary expansion. International Journal of Oral and Maxillofacial Surgery. 2014;43(3):311-5.	2
696	Dakshinkar P, Borle R, Bholra N, Mishra A. Comparison of poliglecaprone 25 (monofilament) and polyglactin 910 (multifilament) suture material in terms of soft tissue healing of surgical wound after cleft alveolar bone grafting. European Journal of Molecular and Clinical Medicine. 2020;7(2):2091-7.	3
697	Dallan I, Cristofani-Mencacci L, Seccia V, Cambi C, Fiacchini G, Berrettini S, et al. Transoral robotic tongue base reduction and supraglottoplasty combined with maxillomandibular advancement: a new option for selected sleep apnea patients? Preliminary report. European Archives of Oto-Rhino-Laryngology. 2019;276(12):3543-8.	1
698	Dammous S, Gilles R. Use of ultrasonic straight blade in orthognathic surgery: Review of 75 patients. International Journal of Oral and Maxillofacial Surgery. 2011;40 (10):1082.	6
699	Danda AK. Response to letter to the editor from dr zwahlen et al. Journal of Oral and Maxillofacial Surgery. 2012;70(9):2024-5.	5
700	Dantas JFC, Nogueira Neto JN, Sarmento VA, Campos PSF. Temporomandibular joint reconstruction after condylar fracture complication related to osteosynthesis material. International Journal of Oral and Maxillofacial Surgery. 2018;47(1):137-9.	5
701	Dao AM, Goudy SL. Cleft Palate Repair, Gingivoperiosteoplasty, and Alveolar Bone Grafting. Facial Plastic Surgery Clinics of North America. 2016;24(4):467-76.	5
702	Dasmah A, Thor A, Ekestubbe A, Sennerby L, Rasmusson L. Marginal Bone-Level Alterations at Implants Installed in Block versus Particulate Onlay Bone Grafts Mixed with Platelet-Rich Plasma in Atrophic Maxilla. A Prospective 5-Year Follow-Up Study of 15 Patients. Clinical Implant Dentistry and Related Research. 2013;15(1):7-14.	3
703	D'Avila R P, Espinola LVP, de Freitas PM, Silva AC, Landes C, Luz JGC. Longitudinal evaluation of the effects of low-power laser phototherapy on mandibular movements, pain, and edema after orthognathic surgery. Journal of Cranio-Maxillofacial Surgery. 2019;47(5):758-65.	3
704	Davis C, Gregoire C. Orthognathic surgery and postoperative antibiotic use: 1-day vs. 3-day	6

	prospective trial. <i>Journal of Oral and Maxillofacial Surgery</i> . 2015;73 (9 Supplement 1):e24–e5.	
705	Dazla M, Yilmaz M, Karaloglu F, Karamert R, Goksu VC, Kahraman SA, et al. Maxillomandibular advancement for obstructive sleep apnea. <i>Nigerian journal of clinical practice</i> . 2018;21(6):716–20.	1
706	De Almeida JR, Genden EM. Robotic assisted reconstruction of the oropharynx. <i>Current Opinion in Otolaryngology and Head and Neck Surgery</i> . 2012;20(4):237–45.	5
707	de Campos CG, Francischone CE, Assis NMSP, Devito KL, Sotto-Maior BS. Neurosensory function and implant survival rate following implant placement with or without an interposed bone graft between the implant and nerve: Prospective clinical trial. <i>International Journal of Oral and Maxillofacial Implants</i> . 2019;34(6):1450–6.	1
708	De Kock L, Van Camp P, Politis C. Orthognathic surgery in a patient with Diamond Blackfan Anemia. <i>Oral and Maxillofacial Surgery Cases</i> . 2019;5 (4) (no pagination)(100126).	9
709	De La Sen Corcuera O, Falahat F, Fernandez Martin E, Colon De Carvajal I, Sanchez Gutierrez J, Berguer A. Orthognathic surgery. Results of a satisfaction survey in the last 10 years. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2013;42 (10):1326.	6
710	De Los Santos MA, Jokhio S. Under pressure. Barotrauma as a complications of positive airway pressure: A review of published cases. <i>Sleep</i> . 2013;1):A148.	6
711	De Lourdes Rabelo Guimaraes M, Hermont AP, Guimaraes TM, Dal-Fabbro C, Bittencourt L, Junior CMC. Severe obstructive sleep apnea treatment with mandibular advancement device: A case report. <i>Sleep Science</i> . 2018;11(2):118–22.	1
712	De Mello-Filho FV, Araujo FCF, Marques Netto PB, Pereira-Filho FJF, De Toledo-Filho RC, Faria AC. Resection of a juvenile nasoangiofibroma by le Fort i osteotomy: Experience with 40 cases. <i>Journal of Cranio-Maxillofacial Surgery</i> . 2015;43(8):1501–4.	9
713	de Moraes ATL, Quaresma MCA, Silva TF, Sousa NWA, Menezes SAF, Ribeiro ALR, et al. Traumatic enucleation of the left globe after a road traffic accident – A case report of an uncommon occurrence in maxillofacial trauma. <i>International Journal of Surgery Case Reports</i> . 2021;78:133–9.	9
714	de Oliveira RS, Ballesterio MFM, Santos MV, Marques Netto PBM, Gondim GGP, Elias FM. Midface distraction osteogenesis using a modified external device and 3D virtual simulation: technical note. <i>Child's Nervous System</i> . 2020;36(8):1781–4.	9
715	de Oliveira Ruellas AM, Peruzzo DC, Napimoga MH. Managing bisphosphonate-related osteonecrosis of the jaws with xenografts: a case report. <i>Clinical Case Reports</i> . 2017;5(8):1395–400.	9
716	de Ruiter MHT, Apperloo RC, Milstein DMJ, de Lange J. Assessment of obstructive sleep apnoea treatment success or failure after maxillomandibular advancement. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2017;46(11):1357–62.	9
717	De Santana Santos T, Albuquerque KM, Maciel Santos MES, Laureano Filho JR. Survey on complications of orthognathic surgery among oral and maxillofacial surgeons. <i>Journal of Craniofacial Surgery</i> . 2012;23(5):e423–e30.	2
718	de Santis D, Trevisiol L, D'Agostino A, Cucchi A, de Gemmis A, Nocini PF. Guided bone regeneration with autogenous block grafts applied to Le Fort I osteotomy for treatment of severely resorbed maxillae: A 4- to 6-year prospective study. <i>Clinical Oral Implants Research</i> . 2012;23(1):60–9.	3
719	De Souza Fernandes AC, Cardoso PM, Fernandes IS, De Moraes M. Anatomic study for the horizontal cut of the sagittal split ramus osteotomy. <i>Journal of Oral and Maxillofacial Surgery</i> . 2013;71(7):1239–44.	5
720	Debelmas A, Lanciaux S, Schouman T. A case of epistaxis. <i>J Stomatol Oral Maxillofac Surg</i> . 2017;118(6):383–4.	9
721	Dediol E, Cvriljevic I, Dobranic M, Uglesic V. Comparative study between lag screw and miniplate fixation for straight midline mandibular osteotomy. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2014;43(4):399–404.	3
722	Dehghani N, Abbasi H, Heidari O, Imani MM. Effect of location of genioplasty osteotomy line on hard-and soft-tissue contour of the chin and related complications. <i>Open Access Macedonian Journal of Medical Sciences</i> . 2020;8(D):82–7.	2
723	Delmotte C, Depeyre A, Barthelemy I, Ferri J. Postoperative Visual Loss: A Report of One Patient With Unilateral Blindness After Orthognathic Surgery. <i>The Journal of craniofacial surgery</i> . 2019;30(1):223–5.	5
724	Demirbas AE, Bilge S, Celebi S, Kutuk N, Alkan A. Is Ultrasonic Bone Scalpel Useful in Le	3

	Fort I Osteotomy? Journal of Oral and Maxillofacial Surgery. 2019.	
725	Denadai R, Pai BC, Lo LJ. Balancing the dental occlusion and facial aesthetic features in cleft orthognathic surgery: Patient-centered concept for computer-aided planning. Biomedical Journal. 2020;43(2):143-5.	2
726	Dentino KM, Sierra-Vasquez D, Padwa BL. Inferior Turbinate Asymmetry Is a Feature of the Unilateral Complete Cleft Lip and Palate Nasal Deformity. Journal of Oral and Maxillofacial Surgery. 2016;74(4):797-803.	9
727	Dermarkarian CR, Herce H, Allen RC. Sudden-onset diplopia after LeFort I advancement. Canadian Journal of Ophthalmology. 2020;55(2):e64-e6.	5
728	Deshpandey G, Alnazeh A, Khalid I, Dubey A, Gorantla VR, Mujoo S, et al. Transport distraction osteogenesis for closure of alveolar clefts – A clinical experience. European Journal of Molecular and Clinical Medicine. 2021;8(2):2259-69.	9
729	Dewey EH, Roche AM, Lazarus CL, Urken ML. Total lower lip and chin reconstruction with radial forearm free flap: A novel approach. American Journal of Otolaryngology – Head and Neck Medicine and Surgery. 2017;38(5):618-25.	5
730	Dhariwal D, Currie A, Saeed N, Anand P. Two surgeon operating for RTT (return to theatre) in orthognathic surgery – A new gold standard. British Journal of Oral and Maxillofacial Surgery. 2017;55 (10):e77.	6
731	Dhurwe R, Sharma JP, Saigal S, Rai A. Brainstem infarct after Le Fort I osteotomy: a morbid complication. British Journal of Oral and Maxillofacial Surgery. 2017;55(6):641-3.	5
732	Di Blasio C, Di Blasio A, Pedrazzi G, Anghinoni M, Sesenna E. How does the mandible grow after early high condylectomy? The Journal of craniofacial surgery. 2015;26(3):764-71.	1
733	Di Curzio P, Carboni A, Perugini M, Matteini C, Saponaro G, Iannetti G. Fifteen years of experience with porous polyethylene: A retrospective study. European Journal of Plastic Surgery. 2013;36(9):539-44.	3
734	Dicus Brookes CC, Boyd SB. Controversies in Obstructive Sleep Apnea Surgery. Oral and maxillofacial surgery clinics of North America. 2017;29(4):503-13.	5
735	Dicus C, Arbon J, Turvey T, Blakey G, Phillips C. Evaluation of post-operative and post-discharge nausea and vomiting in orthognathic surgery patients. Journal of Oral and Maxillofacial Surgery. 2011;1):e-25.	6
736	Dilaver E, Suzen M, Demir O, Iric S, Ayhan AO, Uckan S. Changes of Stress Distributions Around Pterygomaxillary Junction With Different Osteotome Angulations. The Journal of craniofacial surgery. 2020;31(6):1560-2.	1
737	D'Ippolito S, Ursini R, Giuliante L, Deli R. Correlations between mandibular asymmetries and temporomandibular disorders (TMD). International orthodontics / College europeen d'orthodontie. 2014;12(2):222-38.	2
738	Dissaux C, Bodin F, Grollemund B, Bridonneau T, Kauffmann I, Mattern JF, et al. Evaluation of success of alveolar cleft bone graft performed at 5 years versus 10 years of age. Journal of Cranio-Maxillofacial Surgery. 2016;44(1):21-6.	5
739	Dobbs TD, Watt-Smith SR, Wall SA, Johnson D. A novel use of the rigid external distraction frame: acute on-table distraction with autologous bone grafting. The Journal of craniofacial surgery. 2014;25(5):1843-5.	1
740	Dobrzynskin M, Miskow K, Dowgierd K. Selected palatal suture expansion techniques in the treatment of transvers emaxillary narrowings–literature review. Polish Annals of Medicine. 2013;20(2):160-3.	5
741	Dodson TB. Complications of Orthognathic Surgery Articles. Journal of Oral and Maxillofacial Surgery. 2021;79(4):e18.	5
742	Doganay O, Houle A, Han MD, Miloro M. Do positional changes of the inferior alveolar canal after sagittal split mandibular osteotomy affect neurosensory recovery? International Journal of Oral and Maxillofacial Surgery. 2020;49(11):1421-9.	3
743	Dolwick MF, Widmer CG. Orthognathic Surgery as a Treatment for Temporomandibular Disorders. Oral and maxillofacial surgery clinics of North America. 2018;30(3):303-23.	5
744	Dominiak M, Dominiak S, Targonska S, Gedrange T. Three-Dimensional Bone Block Planning for Mandibular Sagittal Bone Defect Reconstruction. Journal of Healthcare Engineering. 2020;2020 (no pagination)(8829288).	5
745	Dongyul K. The effect of lengthened mandibular ramus on relapse after orthognathic surgery. Journal of Oral and Maxillofacial Surgery. 2014;1):e137-e8.	6
746	Dorairaj JJ, Murray D, Ryder M. Orthognathic surgery outcomes: A single unit experience.	6

	Irish Journal of Medical Science. 2013;5):S147-S8.	
747	Doshi UH, Bhad-Patil WA. Speech defect and orthodontics: a contemporary review. Orthodontics : the art and practice of dentofacial enhancement. 2011;12(4):340-53.	5
748	Doucet JC, Morrison AD, Davis BR, Gregoire CE, Goodday R, Precious DS. The presence of mandibular third molars during sagittal split osteotomies does not increase the risk of complications. Journal of Oral and Maxillofacial Surgery. 2012;70(8):1935-43.	3
749	Doucet JC, Morrison AD, Davis BR, Robertson CG, Goodday R, Precious DS. Concomitant removal of mandibular third molars during sagittal split osteotomy minimizes neurosensory dysfunction. Journal of Oral and Maxillofacial Surgery. 2012;70(9):2153-63.	3
750	Doumit G, Gharb BB, Rampazzo A, Papay F, Siemionow MZ, Zins JE. Pediatric vascularized composite allotransplantation. Annals of plastic surgery. 2014;73(4):445-50.	5
751	Dowgierd K. Transverse maxillary distraction - Preliminary reports. International Journal of Oral and Maxillofacial Surgery. 2011;40 (10):1193.	6
752	Drysdale D, Moranzoni L, Johnson P. Theatre revisited: A study into the volume of orthognaphic patients, which required a further unplanned visit back to the operating table. British Journal of Oral and Maxillofacial Surgery. 2011;1):S50.	6
753	Du F, Wu H, Li H, Cai L, Wang Q, Liu X, et al. Bone Marrow Mononuclear Cells Combined with Beta-Tricalcium Phosphate Granules for Alveolar Cleft Repair: A 12-Month Clinical Study. Sci. 2017;7(1):13773.	9
754	Du H, Zhang D, Zhao J, Jin X. Effectiveness of subspinal Le Fort I osteotomy in preventing postoperative nasal deformation. Journal of Plastic, Reconstructive and Aesthetic Surgery. 2020;73(9):1775-84.	5
755	Du W, Chen G, Bai D, Xue C, Fei W, Luo E. Treatment of skeletal open bite using a navigation system: CAD/CAM osteotomy and drilling guides combined with pre-bent titanium plates. International Journal of Oral and Maxillofacial Surgery. 2019;48(4):502-10.	3
756	Du Y, Zhou W, Pan Y, Tang Y, Wan L, Jiang H. Block iliac bone grafting enhances osseous healing of alveolar reconstruction in older cleft patients: A radiological and histological evaluation. Medicina Oral Patologia Oral y Cirugia Bucal. 2018;23(2):e216-e24.	2
757	Dunham J. Temporomandibular joint surgery. Journal of Oral and Maxillofacial Surgery. 2012;70(11):e204-e31.	5
758	Dunham J. Cosmetic maxillofacial surgery. Journal of Oral and Maxillofacial Surgery. 2012;70(11):e310-e30.	5
759	Dunphy L, Uppal N, Rennie A, Sharp I. Outcomes of secondary alveolar bone grafting in the west midlands: A retrospective review. British Journal of Oral and Maxillofacial Surgery. 2014;52 (8):e53-e4.	6
760	During K. Mechanical splinting of the nasal and velopharyngeal airway for patency of the upper airway in OSA. Sleep and Breathing. 2018;22 (3):881-2.	6
761	Dyalram-Silverberg D, Siavash H, Nasir S, Zhang T, Ord R, Lubek J. Complications of the lip split mandibulotomy: The university of maryland experience. Journal of Oral and Maxillofacial Surgery. 2011;1):e-109.	6
762	Ebenezer V, Ahamed W. Submental intubation an alternative to tracheostomy-A review. European Journal of Molecular and Clinical Medicine. 2020;7(4):1578-83.	5
763	Ebenezer V, Balakrishnan R, Swarna Priya R, Muthiah NS, Elumalai M. Efficacy of corticosteroids after orthognathic surgery. Biosciences Biotechnology Research Asia. 2013;10(1):339-43.	5
764	Ebenezer V, Ramalingam B. Oroantral communication - Surgical treatment with buccal mucosal advancement flap-A case report. European Journal of Molecular and Clinical Medicine. 2020;7(4):1541-4.	5
765	Ebrahimzadeh P, Almodovar K, Tablizo MA. A treatment of lacrimal duct air regurgitation in a patient intolerant to PAP therapy. Sleep. 2019;42 (Supplement 1):A419.	6
766	Eisemann B, Eisemann M, Rizvi M, Urata MM, Lypka MA. Defining the role for submental intubation. Journal of Clinical Anesthesia. 2014;26(3):238-42.	5
767	El Azem A, Benington PCM, Khambay BS, Ayoub AF. Evaluation of an interactive multi-media device for delivering information on le Fort i osteotomy. Journal of Cranio-Maxillofacial Surgery. 2014;42(6):885-9.	3
768	Encinas Bascones A, Garcia T, Roson S, Colmenero Ruiz C. Description of six trigeminal neurinomas with different location and extension. Analyze of differents surgical approaches. International Journal of Oral and Maxillofacial Surgery. 2013;42 (10):1355.	6

769	Engel M, Berger M, Hoffmann J, Kuhle R, Ruckschloss T, Ristow O, et al. Midface correction in patients with Crouzon syndrome is Le Fort III distraction osteogenesis with a rigid external distraction device the gold standard? <i>Journal of Cranio-Maxillofacial Surgery</i> . 2019;47(3):420-30.	9
770	Eppley BL. Chin Reshaping in Profileplasty: Augmentative and Reductive Strategies. <i>Facial plastic surgery : FPS</i> . 2019;35(5):499-515.	5
771	Erbek SS, Koycu A, Buyuklu F. Endoscopic modified medial maxillectomy for treatment of inverted papilloma originating from the maxillary sinus. <i>The Journal of craniofacial surgery</i> . 2015;26(3):e244-e6.	1
772	Ergun G, Nagas IC, Yilmaz D, Ozturk M. Prosthetic rehabilitation of edentulous ridges following alveolar distraction osteogenesis: clinical report of three cases. <i>The Journal of oral implantology</i> . 2011;37 Spec No:183-91.	9
773	Esen A, Dolanmaz E, Dolanmaz D. Evaluation of stress distribution in critical anatomic regions following the Le Fort I osteotomy by three-dimensional finite element analysis. <i>Journal of Cranio-Maxillofacial Surgery</i> . 2019;47(3):431-7.	2
774	Eser C, Gencel E. Alveolar Bone, Upper Lip and Columellar Reconstruction With Composite Abbe Flap. <i>The Journal of craniofacial surgery</i> . 2016;27(2):e113.	9
775	Eshghpour M, Shaban B, Ahrari F, Erfanian M, Shadkam E. Is Low-Level Laser Therapy Effective for Treatment of Neurosensory Deficits Arising From Sagittal Split Ramus Osteotomy? <i>Journal of Oral and Maxillofacial Surgery</i> . 2017;75(10):2085-90.	3
776	Espitalier F, Remerand F, Dubost AF, Laffon M, Fuscuardi J, Goga D. Mandibular nerve block can improve intraoperative inferior alveolar nerve visualization during sagittal split mandibular osteotomy. <i>Journal of Cranio-Maxillofacial Surgery</i> . 2011;39(3):164-8.	3
777	Ettinger RE, Hopper RA, Sandercoe G, Kifle Y, Saltzman B, Chen M, et al. Quantitative computed tomographic scan and polysomnographic analysis of patients with syndromic midface hypoplasia before and after Le Fort III distraction advancement. <i>Plastic and reconstructive surgery</i> . 2011;127(4):1612-9.	2
778	Faber J, Faber C, Faber AP. Obstructive sleep apnea in adults. <i>Dental Press J</i> . 2019;24(3):99-109.	5
779	Falk-Delgado A, Lang A, Hakelius M, Skoog V, Nowinski D. The Skoog Lip Repair for Unilateral Cleft Lip Deformity: The Uppsala Experience. <i>Plastic and reconstructive surgery</i> . 2018;141(5):1226-33.	9
780	Fallico N, Rahman S, Ferguson L, Atherton D, Timoney N. A simple but effective way to protect the oral commissures during cleft surgery. <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> . 2020;73(10):1897-916.	5
781	Fang S, Xu H, Zhu Y, Jiang H. Continuous veno-venous hemofiltration for massive rhabdomyolysis after malignant hyperthermia: report of 2 cases. <i>Anesth Prog</i> . 2013;60(1):21-4.	9
782	Farber SJ, Runyan CM, Stern MJ, Massie JP, Alperovich M, Flores RL. Outpatient Alveolar Bone Grafting. <i>The Journal of craniofacial surgery</i> . 2016;27(7):1661-4.	1
783	Farid Shehab M, Hamid NMA, Askar NA, Elmardenly AM. Immediate mandibular reconstruction via patient-specific titanium mesh tray using electron beam melting/CAD/rapid prototyping techniques: One-year follow-up. <i>International Journal of Medical Robotics and Computer Assisted Surgery</i> . 2018;14 (3) (no pagination)(e1895).	3
784	Farina R, Valladares S, Raposo A, Silva F. Modified Le Fort III osteotomy: A simple solution to severe midfacial hypoplasia. <i>Journal of Cranio-Maxillofacial Surgery</i> . 2018;46(5):837-43.	9
785	Farina Sirandoni R, Perez Araya J. Orthognathic surgery in a patient with osteogenesis imperfecta: A case study. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2011;40 (10):1205.	6
786	Farmah S, Ali Z, Rao J, Clark S. Survey of mortality rates and consent practices for orthognathic surgery in UK OMFS units. <i>British Journal of Oral and Maxillofacial Surgery</i> . 2013;51 (6):e127.	6
787	Faro TF, Filho JRL, Caetano AMM, Duarte NMC, Vieira CL, Campos GJL. Postoperative complication after orthognathic surgery - case report. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2019;48 (Supplement 1):253.	6
788	Farouki R, Savage J, Dhariwal D. Deformity Surgery: return to Theatre and Complications, an Oxford experience. <i>British Journal of Oral and Maxillofacial Surgery</i> . 2019;57 (10):e26.	6
789	Farrell BB, Tucker MR. Orthognathic surgery in the office setting. <i>Oral and maxillofacial surgery clinics of North America</i> . 2014;26(4):611-20.	5

790	Farronato M, Lucchina AG, Mortellaro C, Fama A, Galbiati G, Farronato G, et al. Bilateral Hyperplasia of the Coronoid Process in Pediatric Patients: What is the Gold Standard for Treatment? <i>The Journal of craniofacial surgery</i> . 2019;30(4):1058-63.	5
791	Farrow E, Nicot R, Wiss A, Laborde A, Ferri J. Cleidocranial Dysplasia: A Review of Clinical, Radiological, Genetic Implications and a Guidelines Proposal. <i>The Journal of craniofacial surgery</i> . 2018;29(2):382-9.	5
792	Fassio A, Bertoldo F, Idolazzi L, Viapiana O, Rossini M, Gatti D. Drug-induced osteonecrosis of the jaw: The state of the art. <i>Reumatismo</i> . 2017;69(1):9-15.	5
793	Fattah A, Khechoyan D, Phillips JH, Forrest CR. Paediatric craniofacial fibrous dysplasia: The Hospital for Sick Children experience and treatment philosophy. <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> . 2013;66(10):1346-55.	9
794	Fay M, Doucet JC. Prospective evaluation of perioperative steroid dosing on postsurgical edema in orthognathic surgery. <i>Cleft Palate-Craniofacial Journal</i> . 2019;56 (1 Supplement):70-1.	6
795	Fay MB, Goodday R. The emergence of central sleep apnea after maxillo-mandibular advancement surgery for obstructive sleep apnea. <i>Journal of Oral and Maxillofacial Surgery</i> . 2015;73 (9 Supplement 1):e60.	6
796	Fee P, Siddiqui A, Morrison R, Ryan M. Adult exceptional aesthetic referral protocol and its implications on the consent for Orthognathic surgery. <i>British Journal of Oral and Maxillofacial Surgery</i> . 2015;53 (10):e88-e9.	6
797	Felice P, Checchi L, Pistilli R, Barausse C, Spinato S. The modified "sandwich" technique: a novel surgical approach to regenerative treatment of horizontal bone defects in the posterior atrophic mandible. A case report. <i>Implant dentistry</i> . 2014;23(3):232-8.	3
798	Fernandez-Ranvier G, Meknat A, Guevara D, Taye A, Suh H, Inabnet WB. Transoral Endoscopic Thyroidectomy Vestibular Approach: A Single-institution Experience of the First 50 Cases. <i>Surgical Innovation</i> . 2020;27(5):439-44.	2
799	Ferreira S, Faverani LP, Santos GMD, Martins EP, Garcia Junior IR. Clear cell odontogenic carcinoma of the mandible: a treatment strategy. <i>Journal of applied oral science : revista FOB</i> . 2018;26:e20160645.	9
800	Ferri J, Druelle C, Schlund M, Bricout N, Nicot R. Complications in orthognathic surgery: A retrospective study of 5025 cases. <i>International orthodontics</i> . 2019;17(4):789-98.	5
801	Ferri J, Nicot R, Maes JM, Raoul G, Lauwers L. Condylar resorptions and orthodontic-surgical treatment: State of the art. <i>International orthodontics</i> . 2016;14(4):503-27.	5
802	Ferri J, Schlund M, Roland-Billecart T, Nicot R. Modified Mandibular Sagittal Split Osteotomy. <i>The Journal of craniofacial surgery</i> . 2019;30(3):897-9.	5
803	Fevrier E, Vandersteen C, Castillo L, Savoldelli C. Silent sinus syndrome: A traumatic case. <i>J Stomatol Oral Maxillofac Surg</i> . 2017;118(3):187-90.	9
804	Fife CE, Gkotsoulis E. On the Origin of Intraoperative Pressure Injury: An Angiosomal Theory of Pressure Injury Formation. <i>Advances in Wound Care</i> . 2019;8(11):580-4.	2
805	Fivez S, Politis C, Dormaar JT, Cadenas de Llano-Perula M. Surgical and Orthodontic Approach to Temporomandibular Joint Ankylosis After Ear Infection: A Case Series. <i>Journal of Oral and Maxillofacial Surgery</i> . 2020;78(12):2235-46.	9
806	Follmar KE, Yuan N, Pendleton CS, Dorafshar AH, Kolk CV, Redett RJ. Velopharyngeal Insufficiency Rates After Delayed Cleft Palate Repair: Lessons Learned From Internationally Adopted Patients. <i>Annals of plastic surgery</i> . 2015;75(3):302-5.	9
807	Foltan R, Sedy J. The influence of orthognathic surgery on upper airway function is still unknown. <i>Oral surgery, oral medicine, oral pathology, oral radiology, and endodontics</i> . 2011;111(1):3; author reply -4.	5
808	Foraster JB. Nasal Dorsum Reduction Simultaneous to Orthognathic Surgery: A Proof-of-Concept Report. <i>Facial plastic surgery : FPS</i> . 2021;11.	3
809	Franco AA, Miguel JAM. Class II surgical-orthodontic treatment of a patient with severe coronary disease: 5 years of follow-up. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> . 2013;143(6):855-66.	3
810	Franco PB, Farrell BB. Inverted L osteotomy: A new approach via intraoral access through the advances of virtual surgical planning and custom fixation. <i>Oral and Maxillofacial Surgery Cases</i> . 2016;2(1):1-9.	2
811	Francoisse C, Sescliefer A, Tyson C, Plikaitis C. Efficacy of demineralized bone matrix (DBX) for alveolar bone grafting in patients previously treated with bone morphogenic protein 2 (BMP2). <i>Cleft Palate-Craniofacial Journal</i> . 2020;57 (4 Supplement):91-2.	6

812	Frapier L, Garcia C, Pic E, Morant F, Belguendouz S, Gauthier A, et al. Successful orthodontic–surgical treatment: aiming for esthetics and function. Analysis of some clinical cases. <i>International orthodontics / College europeen d'orthodontie</i> . 2013;11(4):357–88.	5
813	Frischia M, Petrocelli M, Sbordone C, Corvino R, Maglitto F, Cassandro FM, et al. Retained upper third molars during Le Fort I osteotomy with downfracture. <i>Annali italiani di chirurgia</i> . 2017;88(no pagination).	3
814	Frisenda JL, Nassif PS. Correction of the Lower Face and Neck. <i>Facial plastic surgery : FPS</i> . 2018;34(5):480–7.	5
815	Fu X, Qiao J, Girod S, Niu F, Liu JF, Lee GK, et al. Standardized Protocol for Virtual Surgical Plan and 3–Dimensional Surgical Template–Assisted Single–Stage Mandible Contour Surgery. <i>Annals of plastic surgery</i> . 2017;79(3):236–42.	3
816	Fu X, Rui L, Liu J, Hirche C, Niu F, Chen Y, et al. Long–term changes in the masseter muscle following reduction gonioplasty. <i>The Journal of craniofacial surgery</i> . 2014;25(4):1309–12.	1
817	Fuenzalida C, Farina R, Alister JP, Uribe F, Barreda M, Torrealba R, et al. Segmentary distraction in cleft patients. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2013;42(10):1197.	6
818	Fujii H, Kuroyanagi N, Kanazawa T, Yamamoto S, Miyachi H, Shimozato K. Three-dimensional finite element model to predict patterns of pterygomaxillary dysjunction during Le Fort I osteotomy. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2017;46(5):564–71.	2
819	Fukuta K, Kurita K, Goto M, Nakayama A, Maeda M, Watanabe H. Invasiveness of Tibial Bone Graft Harvesting for Secondary Alveolar Bone Grafting: Can Harvesting Be Performed at the Age of Less Than 10 Years Without Complications? <i>Journal of Oral and Maxillofacial Surgery</i> . 2017;75(12):2628–37.	1
820	Gabric Panduric D, Blaskovic M, Brozovic J, Susic M. Surgical treatment of excessive gingival display using lip repositioning technique and laser gingivectomy as an alternative to orthognathic surgery. <i>Journal of Oral and Maxillofacial Surgery</i> . 2014;72(2):404.e1–.e11.	1
821	Gada D, Padhye M, Venkateshwar G. Expectations and experiences of patients undergoing orthognathic surgery—a retrospective survey of 115 patients. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2017;46 (Supplement 1):156.	6
822	Gagnadoux F, Pepin JL, Vielle B, Bironneau V, Chouet–Girard F, Launois S, et al. Impact of mandibular advancement therapy on endothelial function in severe obstructive sleep apnea. <i>American Journal of Respiratory and Critical Care Medicine</i> . 2017;195(9):1244–52.	1
823	Gahona O, barreda M, Letelier C, Diaz A, Farina R, Pantoja R. Surgical management of a severe dento–skeletal class II as sequela of temporomandibular joint ankylosis. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2019;48 (Supplement 1):118.	6
824	Galie M, Candotto V, Elia G, Clauser LC. Piezosurgery: A new and safe technique for distraction osteogenesis in Pierre Robin sequence review of the literature and case report. <i>International Journal of Surgery Case Reports</i> . 2015;6(1):269–72.	5
825	Galindo DF, Butura CC. Immediately loaded mandibular fixed implant prostheses using the all–on–four protocol: a report of 183 consecutively treated patients with 1 year of function in definitive prostheses. <i>The International journal of oral & maxillofacial implants</i> . 2012;27(3):628–33.	1
826	Gallet P, Gangloff P, Mastronicola R, Cortese S, Phulpin B, Mecellem H, et al. Combined transoral and suprahyoid approach for oropharyngeal cancers: An alternative to mandibulotomy. <i>Revue de Laryngologie Otologie Rhinologie</i> . 2011;132(2):95–102.	9
827	Galletti C, Deffrennes D. One–step surgery and correction of the transverse dimension of the maxilla using the lingual technique: an original assisted transverse surgery method. <i>International orthodontics / College europeen d'orthodontie</i> . 2014;12(3):345–57.	5
828	Galligan N, Desai K. A regional audit of orthodontic timelines and surgical complications of orthognathic surgery. <i>British Journal of Oral and Maxillofacial Surgery</i> . 2013;51 (6):e87.	6
829	Game SN, Goss AN. Surgically–assisted rapid maxillary expansion of narrowed maxillae: a case–cohort study. <i>Aust Orthod J</i> . 2013;29(1):21–7.	1
830	Ganry L, Quilichini J, Bandini CM, Leyder P, Hersant B, Meningaud JP. Three-dimensional surgical modelling with an open–source software protocol: study of precision and reproducibility in mandibular reconstruction with the fibula free flap. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2017;46(8):946–57.	3
831	Ganske IM, Irwin T, Langa O, Upton J, Tan WH, Mulliken JB. Cleft Lip and Palate in	9

	Ectodermal Dysplasia. <i>Cleft Palate–Craniofacial Journal</i> . 2021;58(2):237–43.	
832	Garcia J, Colmenero–Ruiz C, Roson–Gomez S, Encinas–Bascones A. Inverted Losteotomy. Indications and techniques. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2013;42(10):1327.	6
833	Garcia L, Johns A. Advance health care directives for young adults in craniofacial care. <i>Cleft Palate–Craniofacial Journal</i> . 2017;54 (3):e40.	6
834	Garcia M, Trindade–Suedam I. Ideal vs late secondary alveolar bone graft surgery: Long-term clinical follow–up and tomographic assessment. <i>Cleft Palate–Craniofacial Journal</i> . 2018;55 (1 Supplement):21.	6
835	Garcia MA, Yatabe M, Fuzer TU, Calvo AM, Trindade–Suedam IK. Ideal versus late secondary alveolar bone graft surgery: A bone–thickness cone–beam computed tomographic assessment. <i>Cleft Palate–Craniofacial Journal</i> . 2018;55(3):369–74.	2
836	Garcia NM, Blaya F, Urquijo EL, Heras ES, D’Amato R. Oral appliance for Obstructive Sleep Apnea: Prototyping and Optimization of the Mandibular Protrusion Device. <i>Journal of Medical Systems</i> . 2019;43 (5) (no pagination)(107).	9
837	Garcia Recuero I, Fernandez A, Romance A, Redondo M, Sanchez G. The use of computer–aided design/computer–aided manufacturing temporomandibular joint prosthesis and orthognathic surgery in patients with craniofacial anomalies. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2017;46 (Supplement 1):229.	6
838	Garcia–Pina J, Coceancig P. Inter–molar mandibular distraction osteogenesis (IMDO), why and when to do it. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2019;48 (Supplement 1):118.	6
839	Garg RK, Afifi AM, Sanchez R, King TW. Obstructive Sleep Apnea in Adults: The Role of Upper Airway and Facial Skeletal Surgery. <i>Plastic and reconstructive surgery</i> . 2016;138(4):889–98.	5
840	Garreau E, Wojcik T, Rakotomalala H, Raoul G, Ferri J. Symphyseal distraction in the context of orthodontic treatment: a series of 35 cases. <i>International orthodontics / College europeen d’orthodontie</i> . 2015;13(1):81–95.	1
841	Gasparini G, Torroni A, Di Nardo F, Pelo S, Foresta E, Boniello R, et al. OSAS surgery and postoperative discomfort: Phase I surgery versus phase II surgery. <i>BioMed Research International</i> . 2015;2015 (no pagination)(439847).	2
842	Gasperini G, De Siqueira ICR, Costa LR. Lower–level laser therapy improves neurosensory disorders resulting from bilateral mandibular sagittal split osteotomy: A randomized crossover clinical trial. <i>Journal of Cranio–Maxillofacial Surgery</i> . 2014;42(5):e130–e3.	3
843	Gassling V, Purcz N, Braesen JH, Will M, Gierloff M, Behrens E, et al. Comparison of two different absorbable membranes for the coverage of lateral osteotomy sites in maxillary sinus augmentation: A preliminary study. <i>Journal of Cranio–Maxillofacial Surgery</i> . 2013;41(1):76–82.	1
844	Gateno J, Ferraz F, Alfi D. Bad split: Anatomic or technical problem? <i>Journal of Oral and Maxillofacial Surgery</i> . 2015;73(6):1023–4.	5
845	Gatti GL, Freda N, Giacomina A, Montemagni M, Sisti A. Cleft Lip and Palate Repair. <i>The Journal of craniofacial surgery</i> . 2017;28(8):1918–24.	9
846	Gautam P, Zhao L, Patel P. Determining the osteotomy pattern in surgically assisted rapid maxillary expansion in a unilateral palatal cleft : A finite element model approach. <i>Angle Orthodontist</i> . 2011;81(3):410–9.	9
847	Gauthier C, Voyer R, Paquette M, Rompre P, Papadakis A. Periodontal effects of surgically assisted rapid palatal expansion evaluated clinically and with cone–beam computerized tomography: 6–month preliminary results. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> . 2011;139(4 SUPPL.):s117–s28.	2
848	Gavrilovici AM, Jivanescu A, Negruaiu ML. Bone Augmentation and Bilateral Sinus Elevation at a Female Patient with Type 2 Diabetes. <i>Romanian Journal of Diabetes, Nutrition and Metabolic Diseases</i> . 2018;25(3):313–9.	9
849	Ge J, Yang C, Zheng J, Qian W. Piezosurgery for the lingual split technique in lingual positioned impacted mandibular third molar removal a retrospective study. <i>Medicine (United States)</i> . 2016;95 (12) (no pagination)(e3192).	1
850	Gehrke SA, Mate Sanchez de Val JE, Ramirez Fernandez MP, Shibli JA, Rossetti PH, Calvo Guirado JL. Stability and Crestal Bone Behavior Following Simultaneous Placement of Multiple Dental Implants (Two or More) with the Bone Splitting Technique: A Clinical and Radiographic Evaluation. <i>Clinical implant dentistry and related research</i> . 2017;19(1):123–30.	3

851	Gelesko S, Markiewicz MR, Weimer K, Bell RB. Computer-Aided Orthognathic Surgery. Atlas of the Oral and Maxillofacial Surgery Clinics of North America. 2012;20(1):107-18.	5
852	Gellrich NC, Rana M, Piffko J, Kater W. Evaluation of surgically assisted rapid maxillary expansion with piezosurgery versus oscillating saw and chisel osteotomy – a randomized prospective trial. Trials. 2013;14 (1) (no pagination)(49).	3
853	Gencay I, Vargel I, Buyukkocak U, Yazc I, Apan A. Anesthetic risks associated with antley-bixler syndrome. Journal of Craniofacial Surgery. 2013;24(1):e21-e3.	9
854	Gerber B, Dhariwal D. Orthognathic Surgery in the Older patient – Are the complications higher? British Journal of Oral and Maxillofacial Surgery. 2017;55 (10):e170.	6
855	Gharb BB, Rampazzo A, Doumit G, Bernard S, Siemionow M, Papay F, et al. Skeletal Changes of an Osteomyocutaneous Facial Allograft Five Years Following Transplantation. The Journal of craniofacial surgery. 2017;28(2):352-8.	3
856	Gharpure AS, Bhatavadekar NB. Clinical Efficacy of Tooth-Bone Graft: A Systematic Review and Risk of Bias Analysis of Randomized Control Trials and Observational Studies. Implant dentistry. 2018;27(1):119-34.	5
857	Giannasi L, Gomes M, Oliveira L, Nacif S, Oliveira E, Rezende T, et al. Impact of treatment with mandibular advancement oral appliance on respiratory parameters, sleep and cardiometabolic risk factors of CPAP non-adherent patients with severe obstructive sleep apnea. Sleep. 2020;43 (SUPPL 1):A251.	6
858	Giannasi LC, Gomes MF, Araujo DO, Oliveira LVF. Patients who refused CPAP have a safe option to treat severe obstructive sleep apnea: Pilot study. Sleep Science. 2020;13 (Supplement 1):74.	6
859	Giannoudis PV, Faour O, Goff T, Kanakaris N, Dimitriou R. Masquelet technique for the treatment of bone defects: Tips-tricks and future directions. Injury. 2011;42(6):591-8.	5
860	Gibson T, Grayson B, Shetye P. Prevalence of dental anomalies in unilateral cleft lip and palate after gingivoperiosteoplasty. Cleft Palate-Craniofacial Journal. 2018;55 (1 Supplement):77.	6
861	Gibson TL, Grayson BH, McCarthy JG, Shetye PR. Proptosis Correction in Pre-Adolescent Patients With Syndromic Craniosynostosis by Le Fort III Distraction Osteogenesis. The Journal of craniofacial surgery. 2018;29(6):1535-41.	2
862	Gill M, Pathak HC, Singh P, Sharma AK, Sharma M. Surgical management of petroclival lesions: Last 3 years of experience at army hospital (research and referral), New Delhi. Journal of Neurological Surgery, Part B: Skull Base Conference: 23rd Annual Meeting North American Skull Base Society Miami, FL United States Conference Publication:. 2013;74(SUPPL. 1).	6
863	Gilles R, Dammous S. Use of ultrasonic straight blade in orthognathic surgery. Journal of Oral and Maxillofacial Surgery. 2011;1):e-23.	6
864	Giltner CL, Bobenchik AM, Uslan DZ, Deville JG, Humphries RM. Ciprofloxacin-resistant aeromonas hydrophila cellulitis following leech therapy. Journal of Clinical Microbiology. 2013;51(4):1324-6.	5
865	Girgis S, Shah S, Glen P, Oliver G, Knevil G. Assessing the utility of postoperative radiographs following orthognathic surgery. British Journal of Oral and Maxillofacial Surgery. 2019;57 (10):e16.	6
866	Girish Rao S, Sudhakara Reddy K, Sampath S. Le Fort I access for juvenile nasopharyngeal angiofibroma (JNA): a prospective series of 22 cases. Journal of cranio-maxillo-facial surgery : official publication of the European Association for Cranio-Maxillo-Facial Surgery. 2012;40(2):e54-8.	9
867	Gjerde K, Lehmann S, Berge ME, Johansson AK, Johansson A. Oral appliance treatment in moderate and severe obstructive sleep apnoea patients non-adherent to CPAP. Journal of oral rehabilitation. 2016;43(4):249-58.	9
868	Glen P, Aurora F, Thomas S, Kissun D. Orthognathic surgery in COVID-19 times, is it safe? British Journal of Oral and Maxillofacial Surgery. 2021.	3
869	Goetze E, Gielisch M, Moergel M, Al-Nawas B. Accelerated workflow for primary jaw reconstruction with microvascular fibula graft. 3D Printing in Medicine. 2017;3 (1) (no pagination)(3).	1
870	Goh YH, Tan W, Abdullah VJ, Kim SW. Advances in Box Surgery for Obstructive Sleep Apnea: Genioglossus Advancement, Hyoid Suspension, and Maxillomandibular Advancement. Advances in oto-rhino-laryngology. 2017;80:99-108.	5

871	Golaszewski B, Munoz R, Diaz A. Mandibular basal osteotomy (wing genioplasty). A case report. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2011;40 (10):1192.	6
872	Golaszewski J, Munoz R, Barazarte D, Perez L. Surgical ciliated cyst after maxillary orthognathic surgery: a literature review and case report. <i>Oral and maxillofacial surgery</i> . 2019;23(3):281-4.	5
873	Goldstein JA, Paliga JT, Taylor JA, Bartlett SP. Complications in 54 frontofacial distraction procedures in patients with syndromic craniosynostosis. <i>The Journal of craniofacial surgery</i> . 2015;26(1):124-8.	9
874	Gomes K, Macedo P, Melo K, Goncalvez E, Resende Z, Sousa B, et al. Recommendation of reconstruction of temporomandibular joints with prototipated total prosthesis is guarantee of resolution? case report. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2019;48 (Supplement 1):170-1.	6
875	Gomes LR, Soares Cevidanes LH, Gomes MR, Carlos de Oliveira Ruellas A, Obelenis Ryan DP, Paniagua B, et al. Three-dimensional quantitative assessment of surgical stability and condylar displacement changes after counterclockwise maxillomandibular advancement surgery: Effect of simultaneous articular disc repositioning. <i>American journal of orthodontics and dentofacial orthopedics : official publication of the American Association of Orthodontists, its constituent societies, and the American Board of Orthodontics</i> . 2018;154(2):221-33.	1
876	Gonzalez C, Martinez A, Martinez H, Coceancing P. UVA clinic protocol for mandibular anterior hypoplasia: IMDO. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2019;48 (Supplement 1):13.	6
877	Gonzalez LV, Lopez JP. Endoscopic Support and Virtual Surgical Planning as an Alternative to Repair Orbital Wall Fractures. <i>The Journal of craniofacial surgery</i> . 2020;31(7):e744-e7.	5
878	Gonzalez-Garcia R. Endoscopically-assisted subcondylar and vertical ramus osteotomies for the treatment of symmetrical mandibular prognathism. <i>Journal of Cranio-Maxillofacial Surgery</i> . 2012;40(5):393-5.	5
879	Goodson A, Parmar S, Williams M. UK Surgeons' use and perceptions of 3D-printed patient-specific titanium implants for common CMF procedures: results from the South Wales pilot study. <i>British Journal of Oral and Maxillofacial Surgery</i> . 2019;57 (10):e41-e2.	6
880	Goodson AMC, Parmar S, Ganesh S, Zakai D, Shafi A, Wicks C, et al. Printed titanium implants in UK craniomaxillofacial surgery. Part II: perceived performance (outcomes, logistics, and costs). <i>British Journal of Oral and Maxillofacial Surgery</i> . 2020.	1
881	Goodson AMC, Payne KFB, Tahim A, Colbert S, Brennan PA. Review of orthognathic surgery and related paper spublished in the <i>British Journal of Oral and Maxillofacial Surgery</i> 2011-2012. <i>British Journal of Oral and Maxillofacial Surgery</i> . 2015;53(4):e13-e7.	5
882	Goulart DR, Huentequeo-Molina C, Alister JP, Olate S. Three-Dimensional Planning and Surgical Technique for Modified Le Fort I and Le Fort III Osteotomy in Non-Syndromic Patients. <i>The Journal of craniofacial surgery</i> . 2020;31(6):e614-e7.	3
883	Goulart DR, Huentequeo-Molina C, Alister JP, Olate S. 3D Planning and Surgical Technique for Modified Le Fort I and Le Fort III Osteotomy in Non-Syndromic Patients. <i>The Journal of craniofacial surgery</i> . 2020;10.	3
884	Grammer R, Wang J, Lahey E. Rhabdomyolysis After Prolonged Surgery: Report of 2 Cases and Review of Literature. <i>Journal of Oral and Maxillofacial Surgery</i> . 2018;76(7):1424-30.	5
885	Gravvanis A, Anterriotis D, Kakagia D. Mandibular Condyle Reconstruction With Fibula Free-Tissue Transfer: The Role of the Masseter Muscle. <i>The Journal of craniofacial surgery</i> . 2017;28(8):1955-9.	1
886	Gray R, Lee J, Deschamps-Braly J, Bastidas N, Bradley J. Osseous transformation with facial feminization surgery: Improved anatomic accuracy with virtual planning. <i>Cleft Palate-Craniofacial Journal</i> . 2019;56 (1 Supplement):126.	6
887	Gray R, Nguyen K, Lee JC, Deschamps-Braly J, Bastidas N, Tanna N, et al. Osseous Transformation with Facial Feminization Surgery: Improved Anatomical Accuracy with Virtual Planning. <i>Plastic and reconstructive surgery</i> . 2019;144(5):1159-68.	1
888	Gray S, West LM. Herbal medicines--a cautionary tale. <i>The New Zealand dental journal</i> . 2012;108(2):68-72.	5
889	Greenstein G, Greenstein B, Desai RN. Using drill stops on twist drills to promote safety and efficiency when creating osteotomies for dental implants. <i>Journal of the American Dental Association (1939)</i> . 2014;145(4):371-5.	1
890	Griffitts TM, Tandon R, Herford AS, Dean J. Computer assisted surgical simulation versus	6

	model surgery in orthognathic surgery: A postoperative comparison of surgical outcomes. <i>Journal of Oral and Maxillofacial Surgery</i> . 2013;1):e18.	
891	Guarini D, Gracia B, Ramirez-Lobos V, Noguera-Pantoja A, Sole-Ventura P. Laser Biophotomodulation in Patients with Neurosensory Disturbance of the Inferior Alveolar Nerve After Sagittal Split Ramus Osteotomy: A 2-Year Follow-Up Study. <i>Photomed Laser Surg</i> . 2018;36(1):3-9.	3
892	Gudka D, Lee N, Lloyd T. An evaluation of OMFS views on treating patients with a bleeding diathesis for orthognathic surgery. <i>British Journal of Oral and Maxillofacial Surgery</i> . 2011;1):S61-S2.	6
893	Guerra SI, Cunha A, Vale J, Reis A, Santos C, Sousa C, et al. Maxillo-mandibular advancement surgery role in obstructive sleep apnea syndrome treatment: Case series. <i>Journal of Sleep Research Conference: 25th Congress of the European Sleep Research Society, ESRS</i> . 2020;29(SUPPL 1).	6
894	Guerrero C, Henriquez M, Del Valle S, Mujica E. Mandibular sub-apical osteotomy as adjunctive in maxillary rehabilitation with dental implants. <i>Journal of Oral and Maxillofacial Surgery</i> . 2011;1):e-26.	6
895	Gulsas A, Gierloff M, Altug HA, Kilic C, Ayna M, Sencimen M, et al. Assessment of the lateral pterygoid plate fractures during Le Fort I osteotomies regarding the angulation of the osteotome. <i>Stomatologija / issued by public institution "Odontologijos studija"</i> 2014;[et al.]. 16(2):61-4.	3
896	Gulsas A, Oren C, Altug HA, Ilica T, Sencimen M. Radiologic assessment of the relationship between the maxillary artery and the lateral pterygoid muscle. <i>Journal of Craniofacial Surgery</i> . 2012;23(5):1465-7.	2
897	Gunson MJ, Arnett GW. Treating severe condylar resorption patients with orthognathic surgery and tumor necrosis factor alpha inhibitors. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2011;40 (10):1087.	6
898	Gunson MJ, Arnett GW, Milam SB. Pathophysiology and pharmacologic control of osseous mandibular condylar resorption. <i>Journal of Oral and Maxillofacial Surgery</i> . 2012;70(8):1918-34.	5
899	Guo J, Li C, Zhang Q, Wu G, Deacon SA, Chen J, et al. Secondary bone grafting for alveolar cleft in children with cleft lip or cleft lip and palate. <i>Cochrane Database of Systematic Reviews</i> . 2011;2011 (6) (no pagination)(CD008050).	5
900	Gupta A, Rai B, Nair MA, Bhut MK. Keratocystic odontogenic tumor with impacted maxillary third molar involving the right maxillary antrum: An unusual case report. <i>Indian Journal of Dental Research</i> . 2011;22(1):157-60.	9
901	Gupta RJ, Silva R, Connelly ST. Bilateral Temporomandibular Joint Reconstruction and Maxillomandibular Advancement for Concomitant Temporomandibular Joint Degeneration and Obstructive Sleep Apnea. <i>Atlas of the oral and maxillofacial surgery clinics of North America</i> . 2019;27(1):43-52.	3
902	Gurler G, Delilbasi C, Garip H, Tufekcioglu S. Comparison of alveolar ridge splitting and autogenous onlay bone grafting to enable implant placement in patients with atrophic jaw bones. <i>Saudi Medical Journal</i> . 2017;38(12):1207-12.	1
903	Gurunluoglu R, Gatherwright J. Microsurgical reconstruction of complex maxillofacial gunshot wounds: Outcomes analysis and algorithm. <i>Microsurgery</i> . 2019;39(5):384-94.	9
904	Haas Junior OL, da Silva Meirelles L, Scolari N, Emmel Becker O, Fernandes Santos Melo M, Belle de Oliveira R. Bone grafting with granular biomaterial in segmental maxillary osteotomy: A case report. <i>International Journal of Surgery Case Reports</i> . 2016;25:238-42.	3
905	Hacquebard JP, Origer P, Pastijn I, Boutremans E, Rey SM, Kapessidou P. Creatine kinase and myoglobin elevation after prolonged orthognathic surgery under controlled hypotension in healthy young patients. <i>European Journal of Anaesthesiology</i> . 2014;52):54.	6
906	Hadad H, Mendes BC, Lima VN, Ferraz FWDS, Souza FA, Magro Filho O. Strategy for Optimizing Airway Volume With Genioglossal Advancement Using Cutting Guide in the Treatment of Obstructive Sleep Apnea. <i>The Journal of craniofacial surgery</i> . 2020;31(2):558-61.	1
907	Haghighat A, Khosravi S, Tamizifar A, Haghighat M. Does Low-Level Laser Photobiomodulation Improve Neurosensory Recovery After Orthognathic Surgery? A Clinical Trial With Blink Reflex. <i>Journal of Oral and Maxillofacial Surgery</i> . 2021;79(3):685-93.	3
908	Halimi A, Zaoui F. Surgical-orthodontic treatment of patients suffering from severe periodontal disorders-A clinical case study. [French, English]. <i>International Orthodontics</i> . 2013;11(3):314-32.	9

909	Hamdan H, Jaumally BA, Chan T, Munn L, Khawaja IS, Bernardo EJ, et al. Hypoglossal nerve stimulation for treatment of patient with severe obstructive sleep apnea (OSA) complicated by severe bruxism. <i>Sleep</i> . 2018;41 (Supplement 1):A412.	6
910	Hammoudeh JA, Fahradyan A, Gould DJ, Liang F, Imahiyerobo T, Urbinelli L, et al. A Comparative Analysis of Recombinant Human Bone Morphogenetic Protein-2 with a Demineralized Bone Matrix versus Iliac Crest Bone Graft for Secondary Alveolar Bone Grafts in Patients with Cleft Lip and Palate: Review of 501 Cases. <i>Plastic and reconstructive surgery</i> . 2017;140(2):318e-25e.	9
911	Han J, Keller E, Grothe R. Postoperative stress-induced gastrointestinal bleeding in healthy adolescent patients following orthognathic surgery: Report of two cases and review of literature. <i>Journal of Oral and Maxillofacial Surgery</i> . 2012;2(2):e-62.	6
912	Han JJ, Hong DH, Hwang SJ. Maxillary Expansion and Mandibular Setback Surgery With and Without Mandibular Anterior Segment Osteotomy to Correct Mandibular Prognathism With Obstructive Sleep Apnea. <i>The Journal of craniofacial surgery</i> . 2017;28(3):723-30.	9
913	Han K, Jeong W, Yeo H, Choi J, Kim J, Son D, et al. Long-term results of secondary alveolar bone grafting using a technique to harvest pure calvarial cancellous bone: Evaluation based on plain radiography and computed tomography. <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> . 2017;70(3):352-9.	1
914	Han M. Laser-assisted indocyanine green imaging for perioperative maxillary perfusion assessment in lefort i osteotomies—a preliminary study. <i>Journal of Oral and Maxillofacial Surgery</i> . 2017;75 (10 Supplement 1):e351-e2.	6
915	Han MD, Miloro M, Markiewicz MR. Laser-Assisted Indocyanine Green Imaging for Assessment of Perioperative Maxillary Perfusion During Le Fort I Osteotomy: A Pilot Study. <i>Journal of Oral and Maxillofacial Surgery</i> . 2018;76(12):2630-7.	2
916	Hanafy M, Abou-Elfetouh A, Mounir RM. Quality of life after different approaches of orthognathic surgery: A randomized controlled study. <i>Minerva Stomatologica</i> . 2019;68(3):112-7.	2
917	Hanasono MM, Skoracki RJ. Computer-assisted design and rapid prototype modeling in microvascular mandible reconstruction. <i>Laryngoscope</i> . 2013;123(3):597-604.	3
918	Hansen D, Pollan LD, Fernando H. Fulminant clostridium difficile colitis: A complication of perioperative antibiotic prophylaxis. <i>Journal of Oral and Maxillofacial Surgery</i> . 2013;71(11):1880-5.	3
919	Hanzelka T, Foltan R. Role of chisels in BSSO? <i>Journal of Cranio-Maxillofacial Surgery</i> . 2013;41(2):87.	5
920	Haq J, Lo M, Collier J. Five-year experience of SARPE in a craniofacial setting: Outcomes, complications and learning points. <i>British Journal of Oral and Maxillofacial Surgery</i> . 2017;55 (10):e75-e6.	6
921	Hara S, Mitsugi M, Kanno T, Nomachi A, Kawakami S, Tatemoto Y. Endoscopically assisted intraoral modified le fort II type midfacial advancement using piezoelectric surgery and an intraoperative RED system. <i>Journal of Oral and Maxillofacial Surgery</i> . 2013;71(2):e93-e103.	3
922	Hara S, Mitsugi M, Kanno T, Nomachi A, Wajima T, Tatemoto Y. Three-dimensional virtual operations can facilitate complicated surgical planning for the treatment of patients with jaw deformities associated with facial asymmetry: A case report. <i>International Journal of Oral Science</i> . 2013;5(3):176-82.	2
923	Hara S, Mitsugi M, Tatemoto Y. Variation of plate fixation for mandibular advancement with intraoral vertical ramus osteotomy using endoscopicallyassisted intraoral rigid or semi-rigid internal fixation: Postoperative condylar seating control for mandibular advancement. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2017;46 (Supplement 1):158.	6
924	Hara S, Mitsugi M, Tatemoto Y. Endoscopically assisted intraoral modified Le Fort II type midfacial advancement using piezoelectric surgery and an intraoperative red system. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2017;46 (Supplement 1):157.	6
925	Hariri F, Abdul Rahman ZA, Bahuri NFA, Azmi MN, Abdullah NA, Ganesan D. Crouzon Syndrome: A Case Series of Craniomaxillofacial Distraction Osteogenesis for Functional Rehabilitation. <i>Journal of Oral and Maxillofacial Surgery</i> . 2018;76(3):646.e1-.e12.	9
926	Hariri F, Rahman ZA, Mahdah S, Mathaneswaran V, Ganesan D. A Novel Technique Using Customized Headgear for Fixation of Rigid External Distraction Device in an Infant With Crouzon Syndrome. <i>The Journal of craniofacial surgery</i> . 2015;26(8):e740-e4.	9
927	Harshitha KR, Srinath N, Christopher S, Nanda Kumar H. Evaluation of soft and hard tissue changes after anterior segmental osteotomy. <i>Journal of Clinical and Diagnostic Research</i> .	2

	2014;8(9):ZC07-ZC10.	
928	Hassan SAEH, Mohamed FI. Distraction osteogenesis in the management of mandibular hypoplasia secondary to temporomandibular joint ankylosis. Long term follow up. Journal of Cranio-Maxillofacial Surgery. 2019;47(10):1510-20.	3
929	Hassani ME, Karimi H, Hassani H, Hassani A. Bilateral mandibular distraction in micrognathism or hypoplasia of mandible, hazrat fatemeh hospital. Journal of Acute Disease. 2014;3(4):296-9.	2
930	Hasse C. Rapid correction of dento-facial deformities combining accelerated osteogenic orthodontics (AOO) and orthognathic surgery. International Journal of Oral and Maxillofacial Surgery. 2013;42 (10):1329.	6
931	Hauer L, Jambura J, Hrusak D, Chalupova M, Posta P, Rusnak S, et al. Surgical therapy for medication-related osteonecrosis of the jaw in osteoporotic patients treated with antiresorptive agents. Biomedical papers of the Medical Faculty of the University Palacky, Olomouc, Czechoslovakia. 2020;164(1):100-7.	9
932	Havron AG, Aronovich S, Shelgikar AV, Kim HL, Conley RS. 3D Airway changes using CBCT in patients following mandibular setback surgery +/- maxillary advancement. Orthod Craniofac Res. 2019;22(Supplement 1):30-5.	2
933	Hayes JA, Forrest CR, Walsh W, Petroz GC, Adeli K, Bissonnette B. Continuous bupivacaine infusion post-iliac crest bone graft harvesting in pediatric cleft surgery: Role and comparison with ketorolac. Cleft Palate-Craniofacial Journal. 2011;48(5):532-7.	9
934	He D, Du W, Li J, Liu L, Luo E. Clinical feasibility and efficiency of a 3-dimensional printed surgical template for mandibular angle osteotomy and mandibular angle splitting osteotomy. British Journal of Oral and Maxillofacial Surgery. 2018;56(7):594-9.	3
935	Heffernan CB, Calabrese CE, Resnick CM. Does Mandibular Distraction Change the Laryngoscopy Grade in Infants With Robin Sequence? Journal of Oral and Maxillofacial Surgery. 2019;77(2):371-9.	1
936	Hegab AF. Outcome of Surgical Protocol for Treatment of Temporomandibular Joint Ankylosis Based on the Pathogenesis of Ankylosis and Re-Ankylosis. A Prospective Clinical Study of 14 Patients. Journal of Oral and Maxillofacial Surgery. 2015;73(12):2300-11.	9
937	Heggie A, Robertson K, Shand J. Avascular necrosis in cleft maxillary repositioning: a review of cases and introduction of the 'delayed maxillary flap'. International Journal of Oral and Maxillofacial Surgery. 2021;50(2):185-90.	9
938	Heidenreich R, Kaba SCP, Lemos JBD, Bauer HC. Retrospective analysis of incidence of maxillary pseudoarthrosis after orthognathic surgery: a review of 382 patients. International Journal of Oral and Maxillofacial Surgery. 2019;48 (Supplement 1):121.	6
939	Heitz C, Weber A, Dini L, Louzada GP, Lombardo E. Juvenile Nasopharyngeal Angiofibroma With Sphenoid Sinus Invasion and Protrusion: Treatment Approach With Le Fort I Osteotomy. The Journal of craniofacial surgery. 2018;29(4):e405-e8.	9
940	Hellal US, Fayed N, Elsharkawy R, Abdelrahmen M. Rapid Anterior Segmental Maxillary Retraction by Compression Osteogenesis. The Journal of craniofacial surgery. 2018;29(2):315-21.	3
941	Henkelman E, Liu E, Matic D. Recovery time and complications after iliac crest bone graft harvest for alveolar cleft bone grafting. Cleft Palate-Craniofacial Journal. 2015;52 (4):e153.	6
942	Hennig M, Schneider D, Bschorer M, Goppold K, Schon G, Bschorer R. Distraction of the mandible—a safe procedure in mild to moderate cases. Journal of Oral and Maxillofacial Surgery. 2017;75 (10 Supplement 1):e386-e7.	6
943	Herbert G, Flannagan N, Dodd M. An audit of patient satisfaction following orthognathic treatment. British Journal of Oral and Maxillofacial Surgery. 2015;53 (10):e81.	6
944	Hereman V, Cadenas De Llano-Perula M, Willems G, Coucke W, Wyatt J, Verdonck A. Associated parameters of canine impaction in patients with unilateral cleft lip and palate after secondary alveolar bone grafting: a retrospective study. European journal of orthodontics. 2018;40(6):575-82.	9
945	Herford AS, Tandon R, Pivetti L, Cicciu M. Closure of large palatal defect using a tongue flap. The Journal of craniofacial surgery. 2013;24(3):875-7.	5
946	Hernandez-Alfaro F, Guijarro-Martinez R, Biosca Gomez De Tejada MJ, Ferres-Padro E. "Surgery first" approach in orthognathic surgery: Report of 15 consecutive cases. International Journal of Oral and Maxillofacial Surgery. 2011;40 (10):e10.	6
947	Hernandez-Alfaro F, Rosemberg V, Masia-Gridilla J, Valls-Ontanon A. Improving accuracy of the intermediate splint in substantial intermaxillary sagittal discrepancies using an extra	5

	anterior anchorage point: Technical note. <i>Medicina Oral Patologia Oral y Cirugia Bucal</i> . 2021;26(2):e151-e5.	
948	Hernandez-Alfaro F, Sancho-Puchades M, Guijarro-Martinez R. Total reconstruction of the atrophic maxilla with intraoral bone grafts and biomaterials: a prospective clinical study with cone beam computed tomography validation. <i>The International journal of oral & maxillofacial implants</i> . 2013;28(1):241-51.	3
949	Hettinger PC, Hanson PR, Denny AD. Le Fort III distraction using rotation advancement of the midface in patients with cleft lip and palate. <i>Plastic and reconstructive surgery</i> . 2013;132(6):1532-41.	9
950	Hewson I, Syme D, Bruscano-Raiola F. Radical surgical treatment of bisphosphonate related osteonecrosis of the jaw. <i>Australian Dental Journal</i> . 2012;57(2):227-30.	9
951	Hibi H, Ueda M. Supraperiosteal transport distraction osteogenesis for reconstructing a segmental defect of the mandible. <i>Journal of Oral and Maxillofacial Surgery</i> . 2011;69(3):742-6.	5
952	Hierl T, Hemprich A, Huempfer-Hierl H. Reactivation of distraction length using external distractors. <i>Journal of Oral and Maxillofacial Surgery</i> . 2012;70(6):e400-e2.	5
953	Hindin DI, Muetterties CE, Lee JC, Kumar A, Kawamoto HK, Bradley JP. Internal Distraction Resulted in Improved Patient-Reported Outcomes for Midface Hypoplasia. <i>The Journal of craniofacial surgery</i> . 2018;29(1):139-43.	2
954	Hingsammer L, Grillenberger M, Schagerl M, Michael M, Stefan H. Biomechanical testing of zirconium dioxide osteosynthesis system for Le Fort I advancement osteotomy fixation. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> . 2018;77:34-9.	5
955	Hixon K, Rhea L, Standley J, Canady FJ, Canady JW, Dunnwald M. Interferon regulatory factor 6 controls proliferation of keratinocytes from children with Van Der Woude syndrome. <i>Cleft Palate-Craniofacial Journal</i> . 2017;54(3):281-6.	1
956	Ho LI, Fung SC. Maxillomandibular-chin surgical advancement for patients with obstructive sleep apnoea-review of 13 patients. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2017;46 (Supplement 1):368.	6
957	Ho LI, Leung YY. Skeletal Advancement Surgery in Patients with Moderate-to-Severe Obstructive Sleep Apnea. <i>Current Sleep Medicine Reports</i> . 2020;6(2):61-6.	5
958	Hodge A, Fahmy M, McNally MM, Arnold J, Grandas O, Carlson E, et al. Clinical Outcomes of Double Mandibular Osteotomy For Exposure Of Skull Base Carotid Artery Pathology. <i>Annals of Vascular Surgery</i> . 2020;63:27-8.	6
959	Hoffman D, Puig L. Complications of TMJ surgery. <i>Oral and maxillofacial surgery clinics of North America</i> . 2015;27(1):109-24.	5
960	Holmlund A, Lund B, Weiner CK. Mandibular condylectomy with osteoarthrectomy with and without transfer of the temporalis muscle. <i>British Journal of Oral and Maxillofacial Surgery</i> . 2013;51(3):206-10.	9
961	Holzle F, Bauer F, Kesting MR, Mucke T, Deppe H, Wolff KD, et al. Single-stage implantation in the atrophic alveolar ridge of the mandible with the Norian skeletal repair system. <i>British Journal of Oral and Maxillofacial Surgery</i> . 2011;49(7):542-5.	5
962	Hopper RA. New trends in cranio-orbital and midface distraction for craniofacial dysostosis. <i>Current Opinion in Otolaryngology and Head and Neck Surgery</i> . 2012;20(4):298-303.	5
963	Hopper RA. Discussion: Retrospective Review of the Complication Profile Associated with 71 Subcranial and Transcranial Midface Distraction Procedures at a Single Institution. <i>Plastic and reconstructive surgery</i> . 2019;143(2):531-2.	5
964	Hopper RA, Al-Mufarrej F. Gingivoperiosteoplasty. <i>Clinics in Plastic Surgery</i> . 2014;41(2):233-40.	5
965	Hopper RA, Prucz RB, lamphongsai S. Achieving differential facial changes with Le Fort III distraction osteogenesis: the use of nasal passenger grafts, cerclage hinges, and segmental movements. <i>Plastic and reconstructive surgery</i> . 2012;130(6):1281-8.	3
966	Horowitz G, Warshavsky A, Fridman O, Yanko R, Raiser V, Gur E, et al. Balsa wood for precise intra-operative bone contouring in fibula free-flap mandible reconstruction. <i>European Archives of Oto-Rhino-Laryngology</i> . 2019;276(8):2339-43.	1
967	Hou HY, Li CH, Chen MC, Lin PY, Liu WC, Cathy Tsai YW, et al. A novel 3D-printed computer-assisted piezocision guide for surgically facilitated orthodontics. <i>American journal of orthodontics and dentofacial orthopedics : official publication of the American Association of Orthodontists, its constituent societies, and the American Board of Orthodontics</i> . 2019;155(4):584-91.	5

968	Hourfar J, Kinzinger GSM, Feifel H, Vehr VM, Lisson JA. Effekte kieferorthopädisch-kieferchirurgischer Kombinationsbehandlungen bei Klasse II und III auf den extrathorakalen Luftraum : Vergleich zwischen mono- und bignathen Osteotomien, Effects of combined orthodontic-orthognathic treatment for class II and III correction on posterior airway space : Comparison of mono- and bignathic osteotomies. Journal of orofacial orthopedics = Fortschritte der Kieferorthopädie : Organ/official journal Deutsche Gesellschaft für Kieferorthopädie. 2017;78(6):455-65.	7
969	Hsieh TY, Dedhia R, Tollefson TT. Cleft Rhinoplasty: Strategies for the Multiply Operated Nose. Facial plastic surgery : FPS. 2018;34(3):290-7.	1
970	Hsieh YJ, Chen YC, Chen YA, Liao YF, Chen YR. Effect of bimaxillary rotational setback surgery on upper airway structure in skeletal class III deformities. Plastic and reconstructive surgery. 2015;135(2):361e-9e.	2
971	Hsu HJ, Chen YS, Chen PH, Chen HS, Chen CM. The correlation between surgical reference points: antilingula, lingula, and mandibular foramen. Journal of stomatology, oral and maxillofacial surgery. 2020;08.	1
972	Hsu SSP, Lin CH. Computer aided surgical simulation in maxillomandibular advancement for obstructive sleep apneics. Sleep Medicine. 2019;64 (Supplement 1):S160.	6
973	Hu A, Chan C, Liu C, Lambi A, Lee N, Dang B, et al. Regrafting and psychosocial outcomes in early alveolar bone grafting for cleft lip and palate patients. Cleft Palate-Craniofacial Journal. 2020;57 (4 Supplement):90.	6
974	Hu H, Shao Z, Ye L, Jin H. Application of mixed reality technology in surgery. International Journal of Clinical and Experimental Medicine. 2019;12(4):3107-13.	5
975	Hu J, Jiang Y, Wang D, Guo S, Li S, Jiang H, et al. Comparison of cost-effectiveness and benefits of surgery-first versus orthodontics-first orthognathic correction of skeletal class III malocclusion. International Journal of Oral and Maxillofacial Surgery. 2021;50(3):367-72.	2
976	Hu J, Song Y, Wang D, Yuan H, Jiang H, Cheng J. Patterns of lingual split and lateral bone cut end and their associations with neurosensory disturbance after bilateral sagittal split osteotomy. International Journal of Oral and Maxillofacial Surgery. 2020;49(5):595-601.	3
977	Huang A, Liu A, Wlodarczyk J, Fahradyan A, Hammoudeh J, Urata M. How Far Is Far Enough: Long-Term Efficacy of Mandibular Distraction Osteogenesis in Treating OSA Infants with Micrognathia. Journal of Oral and Maxillofacial Surgery. 2020;78 (10 Supplement):e77-e8.	6
978	Huang CS, Jia-Syuan Syu J, Ko EWC, Chen YR. Quantitative evaluation of cortical bone thickness in mandibular prognathic patients with neurosensory disturbance after bilateral sagittal split osteotomy. Journal of Oral and Maxillofacial Surgery. 2013;71(12):2153.e1-e10.	2
979	Huang SF, Lo LJ, Lin CL. Biomechanical interactions of different mini-plate fixations and maxilla advancements in the Le Fort I Osteotomy: a finite element analysis. Computer Methods in Biomechanics and Biomedical Engineering. 2016;19(16):1704-13.	2
980	Huang TT, Cheng KH, Chang CJ, Chen KC, Liu JK, Wong TY. Transoral vertical ramus osteotomy fixed with Kirschner pins. British Journal of Oral and Maxillofacial Surgery. 2018;56(9):841-6.	3
981	Huang WB, Wong STS, Chan JYW. Role of surgery in the treatment of osteoradionecrosis and its complications after radiotherapy for nasopharyngeal carcinoma. Head and Neck. 2018;40(2):369-76.	9
982	Hudak K, Hettinger P, Denny A. Cranial bone grafting for alveolar clefts: A 25-year review of outcomes. Cleft Palate-Craniofacial Journal. 2014;51 (3):e38.	6
983	Huggins RJ, Mendelson BC. The use of hydroxyapatite for augmentation of the facial skeleton. International Journal of Oral and Maxillofacial Surgery. 2015;1):e82.	6
984	Hughes PJ, Heggie AA. Hypotensive anaesthesia techniques in orthognathic surgery. International Journal of Oral and Maxillofacial Surgery. 2017;46(10):1352.	5
985	Huh JW, Lee YB, Jung YS, Jung HD. Mandibular step osteotomy using CAD/CAM-derived surgical splint: case report. British Journal of Oral and Maxillofacial Surgery. 2017;55(5):542-5.	2
986	Humber CC, Lanigan DT, Hohn FI. Retrograde hemorrhage (Hemolacria) from the lacrimal puncta after a le fort i osteotomy: A report of 2 cases and a review of the literature. Journal of Oral and Maxillofacial Surgery. 2011;69(2):520-7.	5
987	Huo L, Chen MJ, Yang C, Zhang SY, Zheng JS, Chen Y. Digital cutting guide and endoscopically-assisted vertical ramus osteotomy to treat condylar osteochondroma: a long-term study. British Journal of Oral and Maxillofacial Surgery. 2018;56(6):505-9.	2
988	Hussain SA, Vijayakumar C. A Technical Innovation in Midface Advancement With the External	1

	Frame Distraction Device. <i>Cleft Palate–Craniofacial Journal</i> . 2019;56(5):670–3.	
989	Hwang DS, Kim YI, Park SB, Lee JY. Midfacial soft tissue changes after leveling Le Fort I osteotomy with differential reduction: Cone–beam computed tomography volume superimposition. <i>Angle Orthodontist</i> . 2012;82(3):424–31.	2
990	Hwang HS, Jiang T, Sun L, Lee KM, Oh MH, Biao Y, et al. Condylar head remodeling compensating for condylar head displacement by orthognathic surgery. <i>Journal of Cranio–Maxillofacial Surgery</i> . 2019;47(3):406–13.	2
991	Hwang K, Kim HJ, Lee HS. Airway obstruction after orthognathic surgery. <i>Journal of Craniofacial Surgery</i> . 2013;24(5):1857–8.	5
992	Hynes SL, Jansen LA, Brown DR, Courtemanche DJ, Boyle JC. Bilateral temporomandibular joint dislocation with locked mandibular impaction. <i>Journal of Oral and Maxillofacial Surgery</i> . 2012;70(2):e116–e8.	9
993	Ibrahim A, Balakrishnan R, Ebenezer V, Padmanabhan A, Muthlingam V. Combating nasal septum deviation in Le Fort 1 Orthognathic surgery complications, with submental intubation. <i>Journal of Clinical and Diagnostic Research</i> . 2014;8(6):ZC46–ZC8.	3
994	Igelbrink S, Zanettini LMS, Bohner L, Kleinheinz J, Jung S. Three–Dimensional Planning of the Mandibular Margin in Hemifacial Microsomia Using a Printed Patient–Specific Implant. <i>The Journal of craniofacial surgery</i> . 2020;31(8):2297–301.	3
995	Iloreta AMC, Anderson K, Miles BA. Mandibular osteotomy for expanded transoral robotic surgery: A novel technique. <i>Laryngoscope</i> . 2014;124(8):1836–42.	5
996	Imaizumi A, Ishida K, Nishizeki O. An extended transcaruncular approach for naso–orbito–ethmoid and Le Fort II fracture repair. <i>Journal of Cranio–Maxillofacial Surgery</i> . 2016;44(12):1922–8.	9
997	Imamura E, Kuzusako J, Shigehara S, Kawashima N, Matoba Y, Akaike T, et al. Clinical evaluation of rapid prototyping using salt for maxillofacial surgical planning. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2011;40 (10):e26.	6
998	Imwinkelried T, Beck S, Schaller B. Pre-clinical testing of human size magnesium implants in miniature pigs: Implant degradation and bone fracture healing at multiple implantation sites. <i>Materials science & engineering</i> . 2020;C, Materials for biological applications. 108:110389.	4
999	Inacio R, Saura C, Amaro S, Teresa E, Alexandre G, Ribeiro J, et al. Maxillary and mandibular nerve block for orthognathic surgery postoperative analgesia–case report. <i>Regional Anesthesia and Pain Medicine</i> . 2016;41 (5 Supplement 1):e55.	6
1000	Inchingolo F, Ballini A, Mura SA, Farronato D, Cirulli N, Pettini F, et al. Use of platelet rich fibrin and Bio–OSS/SINT–Oss for implant–prosthetic rehabilitation in maxillary atrophy with sinus pathology: A 48–month follow–up. <i>European Journal of Inflammation</i> . 2015;13(1):58–65.	1
1001	Irby A. Orthognathic surgery risk factors and complications in patients with increasing age. <i>Journal of Oral and Maxillofacial Surgery</i> . 2016;74 (9 Supplement 1):e66–e7.	6
1002	Ishikawa K, Yamamoto Y, Furukawa H, Ohiro Y, Satoh A, Hayashi T. Long–Term Changes in Bone Height After Mandibular Reconstruction Using a Free Fibula Graft in an Elderly Population. <i>Journal of Oral and Maxillofacial Surgery</i> . 2017;75(12):2682–8.	1
1003	Ivanov AL, Starikova NV, Evtekhova NI, Reshetnyak EI, Gorbonosov VA, Anashkina DU, et al. Challenges in cleft patients rehabilitation and the ways to overcome it. <i>Congenital Anomalies</i> . 2019;59 (6):A17–A8.	6
1004	Iwai T, Matsui Y, Omura S, Tohna I. Le fort i osteotomy under navigational guidance for posterior repositioning of the maxilla. <i>Journal of Craniofacial Surgery</i> . 2012;23(6):1854–5.	5
1005	Iwai T, Omura S, Honda K, Shibutani N, Fujita K, Yamashita Y, et al. U–shaped osteotomy around the descending palatine artery to prevent posterior osseous interference for superior/posterior repositioning of the maxilla in Le Fort I osteotomy. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2015;1):e230.	6
1006	Iwaki LC, Tolentino ES, Lustosa RM, Jacomacci WP, Casaroto AR, Leite PC, et al. Le Fort I osteotomy for the removal of a rare unicystic ameloblastoma lesion in the maxillary sinus. <i>Gen Dent</i> . 2016;64(3):16–9.	9
1007	Iwanaga J, Kikuta S, Kusukawa J, Tomaszewski KA, Walocha JA, Tubbs RS. Anatomic Study of Accessory Infraorbital Nerves and Foramina: Application for a Better Understanding of Complications of Le Fort Fractures and Osteotomy. <i>Journal of Oral and Maxillofacial Surgery</i> . 2020;78(5):717–23.	4
1008	Iwasaki K, Yamamoto Y, Masuda M, Kimura T, Kadomatsu K, Maki K. A 20–year follow–up of facial growth of patients with unilateral cleft lip and palate following modified	6

	veau-wardill-kilner palatoplasty. <i>Cleft Palate-Craniofacial Journal</i> . 2018;55 (1 Supplement):86.	
1009	Iyer S, Chatni S, Kuriakose MA. Free tensor fascia lata-iliac crest osteomusculocutaneous flap for reconstruction of combined maxillectomy and orbital floor defect. <i>Annals of plastic surgery</i> . 2012;68(1):52-7.	1
1010	Jackson O, Stransky CA, Jawad AF, Basta M, Solot C, Cohen M, et al. The Children's Hospital of Philadelphia modification of the Furlow double-opposing Z-palatoplasty: 30-year experience and long-term speech outcomes. <i>Plastic and reconstructive surgery</i> . 2013;132(3):613-22.	1
1011	Jain AR, Bhagat MJA, Nallaswamy D, Narayanan V, Ariga P. Prosthognathic rehabilitation of a patient with underlying skeletal discrepancy-a case report. <i>Journal of Clinical and Diagnostic Research</i> . 2014;8(3):269-71.	3
1012	Jain NK. Specific application of antibiotic use in oral and maxillofacial surgery. <i>Research Journal of Pharmaceutical, Biological and Chemical Sciences</i> . 2016;7(4):517-22.	5
1013	Jakobsone G, Stenvik A, Espeland L. Soft tissue response after Class III bimaxillary surgery: Impact of surgical change in face height and long-term skeletal relapse. <i>Angle Orthodontist</i> . 2013;83(3):533-9.	2
1014	Jayavelu P, Shrutha SP, Vinit GB. Temperomandibular joint ankylosis in children. <i>Journal of Pharmacy and Bioallied Sciences</i> . 2014;6(SUPPL. 1):S178-S81.	9
1015	Jazayeri HE, Xu T, Khavanin N, Dorafshar AH, Peacock ZS. Is There a July Effect in Orthognathic Surgery? <i>Journal of Oral and Maxillofacial Surgery</i> . 2019;77 (9 Supplement):e88-e9.	6
1016	Jedrzejewski M, Smektala T, Sporniak-Tutak K, Olszewski R. Preoperative, intraoperative, and postoperative complications in orthognathic surgery: a systematic review. <i>Clinical oral investigations</i> . 2015;19(5):969-77.	5
1017	Jensen J, Kuseler A, Klit Pedersen T, Norholt S. Premaxillary osteotomy and bone grafting for secondary bclp repair - Long-term evaluation of growth. <i>Journal of Oral and Maxillofacial Surgery</i> . 2011;1):e16-e7.	6
1018	Jensen SWC, Stevens K. Tooth Resorption Following an Alveolar Bone Graft in a Patient With Complete Unilateral Cleft Lip and Palate. <i>Cleft Palate Craniofacial Journal</i> . 2020.	9
1019	Ji YD, Dodson TB, Donoff RB, He P. Medical Malpractice Litigation Associated With Anesthesia in Oral and Maxillofacial Surgery. <i>Journal of Oral and Maxillofacial Surgery</i> . 2018;76(8):1606-10.	1
1020	Jiang Y, Yang B, Yang F, Li B, Ma H, Huang Q, et al. One-Half Wedge Osteotomy Genioplasty for Correction of Chin Deviation Based on Three-Dimensional Computed Tomography Measurements and Simulation. <i>The Journal of craniofacial surgery Publish Ahead of Print</i> . 2021:07.	1
1021	Jodeh D, Nguyen AT, Rottgers SA. The outcomes of orthognathic surgery: An analysis utilizing the pediatric health information system (PHIS) database. <i>Cleft Palate-Craniofacial Journal</i> . 2019;56 (1 Supplement):102.	6
1022	Jodeh D, Nguyen AT, Rottgers SA. Administration of steroids in patients undergoing orthognathic surgery is associated with 90-day-all cause readmissions. <i>Cleft Palate-Craniofacial Journal</i> . 2020;57 (4 Supplement):33.	6
1023	Johnson KG, Johnson DC. Cognitive dysfunction: another reason to treat obstructive sleep apnea in stroke patients. <i>Sleep Medicine</i> . 2017;33:191-2.	5
1024	Johnston A, Thaete K. My changing face: Preparing teens for orthognathic surgery. <i>Cleft Palate-Craniofacial Journal</i> . 2020;57 (4 Supplement):58.	6
1025	Jones J, Lypka M. Prosthetic temporomandibular joint replacement in a cohort of adolescent patients with juvenile idiopathic arthritis. <i>Arthritis and Rheumatology</i> . 2020;72 (Supplement 1):111-3.	6
1026	Jose A, Nagori SA, Virkhare A, Bhatt K, Bhutia O, Roychoudhury A. Piezoelectric osteoarthrectomy for management of ankylosis of the temporomandibular joint. <i>British Journal of Oral and Maxillofacial Surgery</i> . 2014;52(7):624-8.	9
1027	Judson BL, Adam SI, Lowlicht R, Bulsara KR. Transcervical double mandibular osteotomy approach to the infratemporal fossa. <i>World Neurosurgery</i> . 2012;78(6):715E1-E5.	5
1028	Juergens P, Augello M, Baek K, Deibel W, Baetscher C, Segesser M, et al. Execution of midfacial osteotomies with a cold ablation robot-guided laser osteotome. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2017;46 (Supplement 1):205.	6
1029	Jung S, Shin S, Lee K, Cho J, Kim S. Anatomical analyses of mandibular structure using	6

	threedimensional facial CT for effectiveness and prevention of complications in genioglossus advancement. <i>Sleep Medicine</i> . 2013;1(1):e163.	
1030	Kaariainen M, Kuuskeri M, Gremoutis G, Kuokkanen H, Miettinen A, Laranne J. Utilization of Three-Dimensional Computer-Aided Preoperative Virtual Planning and Manufacturing in Maxillary and Mandibular Reconstruction with a Microvascular Fibula Flap. <i>Journal of Reconstructive Microsurgery</i> . 2016;32(2):137-41.	1
1031	Kablan F, Abu-Sobeh A, Lorean A, Levin L. Spontaneous mandibular fracture as a complication of inferior alveolar nerve transposition and placement of endosseous dental implants in the atrophic mandible: A review of the literature and a report of two cases and their nonsurgical conservative management. <i>Quintessence International</i> . 2020;51(3):230-7.	5
1032	Kaewpradub P, Apipan B, Rummasak D. Does tranexamic acid in an irrigating fluid reduce intraoperative blood loss in orthognathic surgery? A double-blind, randomized clinical trial. <i>Journal of Oral and Maxillofacial Surgery</i> . 2011;69(6):e186-e9.	3
1033	Kageyama-Iwata A, Haraguchi S, Iida S, Aikawa T, Yamashiro T. Maxillary anterior segmental distraction osteogenesis to correct maxillary deficiencies in a patient with cleft lip and palate. <i>Cleft Palate-Craniofacial Journal</i> . 2017;54(4):465-73.	9
1034	Kalabalik F, Akcay H, Tatar B. Morphometric analysis of mandibular corpus relevance to sagittal split osteotomy: Comparison of dentoskeletal Class I and Class III patients. <i>J Stomatol Oral Maxillofac Surg</i> . 2020;121(6):615-20.	2
1035	Kamiya N, Kuroyanagi N, Miyachi H, Fujii H, Yamamoto S, Nagao T, et al. The evaluation of clinical and anatomical characteristics for the development of neurosensory disturbance after sagittal split-ramus osteotomy. <i>Journal of Oral and Maxillofacial Surgery</i> . 2014;1(1):e141-e2.	6
1036	Kamra S, Khandavilli H, Banerjee P. Submandibular intubation in awake patient of panfacial trauma. <i>Saudi Journal of Anaesthesia</i> . 2016;10(4):446-8.	9
1037	Kanack M, Jaffurs D, Daly L, Laurence V. Trends in alveolar bone grafting and use of recombinant bone morphogenic protein (RhBMP) in the United States. <i>Cleft Palate-Craniofacial Journal</i> . 2018;55 (1 Supplement):108-9.	6
1038	Kanazawa T, Kuroyanagi N, Miyachi H, Ochiai S, Kamiya N, Nagao T, et al. Factors predictive of pterygoid process fractures after pterygomaxillary separation without using an osteotome in the Le Fort I osteotomy. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> . 2013;115(3):310-8.	2
1039	Kandziora F, Scholz M, Pingel A, Schleicher P, Yildiz U, Kluger P, et al. Treatment of Atlas Fractures: Recommendations of the Spine Section of the German Society for Orthopaedics and Trauma (DGOU). <i>Global Spine Journal</i> . 2018;8(2_suppl):5S-11S.	5
1040	Kang DW, Yun PY, Choi YH, Kim YK. Sinus bone graft and simultaneous vertical ridge augmentation: case series study. <i>Maxillofacial and Plastic Reconstructive Surgery</i> . 2019;41 (1) (no pagination):36.	5
1041	Kang DY, Choi SH, Jung YS, Hwang CJ. Interdisciplinary treatment for an adult patient with anterior open bite, severe periodontitis, and intellectual disability. <i>The Journal of craniofacial surgery</i> . 2015;26(3):e240-e4.	2
1042	Kang NH. Current methods for the treatment of Alveolar cleft. <i>Archives of Plastic Surgery</i> . 2017;44(3):188-93.	5
1043	Kang SH. Use of polydioxanone suture to secure the final occlusal wafer in orthognathic surgery. <i>British Journal of Oral and Maxillofacial Surgery</i> . 2020;58(2):244-5.	5
1044	Kanji F, Bhatti N, Ali N. A rare complication of Le Fort I maxillary advancement surgery. <i>British Journal of Oral and Maxillofacial Surgery</i> . 2016;54 (10):e136.	6
1045	Kantar RS, Cammarata MJ, Rifkin WJ, Plana NM, Diaz-Siso JR, Flores RL. Outpatient versus Inpatient Primary Cleft Lip and Palate Surgery: Analysis of Early Complications. <i>Plastic and reconstructive surgery</i> . 2018;141(5):697e-706e.	9
1046	Kanth A, Awad A, Watman O, Adetayo O. Efficacy of staged oronasal fistula reconstruction to improve bone graft survival in cleft patients. <i>Cleft Palate-Craniofacial Journal</i> . 2019;56 (1 Supplement):98.	6
1047	Kao JH. Highlights. <i>Journal of the Formosan Medical Association</i> . 2019;118(2):539-41.	5
1048	Karian LS, Phillips BZ, Morrison CS, Klinge PM, Sullivan SR, Taylor HO. Technology to minimize the morbidity of Le Fort III osteotomies. <i>Plastic and reconstructive surgery</i> . 2012;130(1):210e-2e.	2
1049	Karsy M, Moores N, Siddiqi F, Brockmeyer DL, Bollo RJ. Bilateral sagittal split mandibular osteotomies for enhanced exposure of the anterior cervical spine in children: Technical note.	5

	Journal of Neurosurgery: Pediatrics. 2017;19(4):464–71.	
1050	Kasahara K, Yamamura T, Sugahara K, Takano M, Shibahara T. Systemic inflammatory response syndrome and postoperative complications after orthognathic surgery. Journal of Oral and Maxillofacial Surgery. 2014;1):e139–e40.	6
1051	Kasemsiri P, Carrau RL, Prevedello DM, Otto BA, Ditzel L. Principles of anterior skull base resection: Open and endoscopic techniques. Operative Techniques in Otolaryngology – Head and Neck Surgery. 2013;24(4):197–207.	5
1052	Kaura AS, Srinivasa DR, Kasten SJ. Optimal Timing of Alveolar Cleft Bone Grafting for Maxillary Clefts in the Cleft Palate Population. The Journal of craniofacial surgery. 2018;29(6):1551–7.	5
1053	Kawai T, Kumazawa Y, Asaumi R, Mizutani M, Yamaguchi A, Yosue T. The location of the mandibular canal in the posterior mandible of the jaw deformity patients: Observed with pre-surgical MDCT images. International Journal of Computer Assisted Radiology and Surgery. 2016;1):S281.	6
1054	Kaya B, Bayram B, Akdeniz SS, Cubuk S. Maxillary distraction osteogenesis for correction of maxillary retrognathia in cleft lip and palate patients: A case series. International Journal of Oral and Maxillofacial Surgery. 2017;46 (Supplement 1):65.	6
1055	Kayser SC, Ingels KJAO, Van Den Hoogen FJA. Perioral gustatory sweating: Case report. Journal of Laryngology and Otology. 2012;126(5):532–4.	9
1056	Kazachkov M. Respiratory consequences of neuromuscular disease. Pediatric Pulmonology. 2018;53 (Supplement 1):S72–S4.	6
1057	Kennedy C, Varley I, Ricardo MA, Lee N. The use of synthetic P–tricalcium phosphate bone substitute in cranio–maxillofacial surgery—a three years retrospective review. British Journal of Oral and Maxillofacial Surgery. 2015;53 (10):e73.	6
1058	Keyser BR, Banda AK, Mercuri LG, Warburton G, Sullivan SM. Alloplastic total temporomandibular joint replacement in skeletally immature patients: a pilot survey. International Journal of Oral and Maxillofacial Surgery. 2020;49(9):1202–9.	5
1059	Khalid MAFB, Lazim NM, Gazali NB. Sphenopalatine pseudoaneurysm post-endoscopic turbinoplasty. Journal of Pakistan Medical Students. 2013;3(2):72–5.	5
1060	Khalifa GA, Mohamed FI. Aesthetic outcomes and morphological changes in chin parameters after mandibular distraction and subsequent advancement genioplasty in patients with mandibular micrognathia. International Journal of Oral and Maxillofacial Surgery. 2018;47(12):1572–80.	1
1061	Khan S. Anaesthetic management of submental intubations for maxillofacial surgeries. Anaesthesia. 2018;73 (Supplement 3):104.	6
1062	Khanna JN, Natrajan S, Galinde J. Skull base tumors: A kaleidoscope of challenge. Journal of Neurological Surgery Reports. 2014;75(1):e11–e21.	9
1063	Khanna S, Dagum AB. A critical review of the literature and an evidence–based approach for life–threatening hemorrhage in maxillofacial surgery. Annals of plastic surgery. 2012;69(4):474–8.	5
1064	Kharade P, Islam S, Verma M, Sharma S, Bodh R. Fibular Graft-Effective Panorama for Prosthetic Rehabilitation of Resected Mandible. The Journal of craniofacial surgery. 2017;28(8):e735–e7.	3
1065	Khatib B, Cuddy K, Cheng A, Patel A, Sim F, Amundson M, et al. Functional Anatomic Computer Engineered Surgery Protocol for the Management of Self-Inflicted Gunshot Wounds to the Maxillofacial Skeleton. Journal of Oral and Maxillofacial Surgery. 2018;76(3):580–94.	2
1066	Kido K, Toda S, Shindo Y, Miyashita H, Sugino S, Masaki E. Effects of low-dose ketamine infusion on remifentanyl-induced acute opioid tolerance and the inflammatory response in patients undergo orthognathic surgery. Journal of Pain Research. 2019;12:377–85.	3
1067	Kilinc H, AYTEKIN AH. Prelaminated calvarial osteofascial flap for palatal reconstruction. The Journal of craniofacial surgery. 2014;25(4):e365–e8.	9
1068	Kim BC, Padwa BL, Park HS, Jung YS. Stability of maxillary position after the Le Fort I osteotomy using self-reinforced biodegradable poly-70L/30DL-lactide miniplates and screws. Journal of Oral and Maxillofacial Surgery. 2011;69(5):1442–6.	3
1069	Kim H, Son TG, Cho H, Shim E, Hwang BY, Lee JW, et al. Automated maxillofacial reconstruction software: development and evaluation. Computer Methods in Biomechanics and Biomedical Engineering: Imaging and Visualization. 2020;8(2):115–25.	1
1070	Kim HG, Kim YH, Park JC, Kang MS, Son YH, Yoon JY, et al. Changes in the angle of	6

	inferior turbinate after inferior turbinate outfracture in superior repositioning Le Fort I osteotomy. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2015;1):e245.	
1071	Kim HS, Son JH, Chung JH, Kim KS, Choi J, Yang JY. Intraoperative blood loss and surgical time according to the direction of maxillary movement. <i>Archives of Plastic Surgery</i> . 2020;47(5):411-8.	2
1072	Kim JW, Chin BR, Park HS, Lee SH, Kwon TG. Cranial nerve injury after Le Fort I osteotomy. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2011;40(3):327-9.	9
1073	Kim JW, Kwon TG. Why most patients do not exhibit obstructive sleep apnea after mandibular setback surgery? <i>Maxillofacial and Plastic Reconstructive Surgery</i> . 2020;42 (1) (no pagination)(7).	5
1074	Kim JY. Postoperative prophylactic antibiotics duration and the rate of postoperative complications in Le Fort I osteotomy patients. <i>Journal of Oral and Maxillofacial Surgery</i> . 2015;73 (9 Supplement 1):e64-e5.	6
1075	Kimia R, Jackson O, Scott M. Single versus two-stage secondary alveolar bone grafting (SABG) in patients with repaired bilateral cleft lip and palate. <i>Cleft Palate-Craniofacial Journal</i> . 2020;57 (4 Supplement):21.	6
1076	Kimura T, Ohba S, Yoshimura H, Fujita S, Imamura Y, Kitagawa Y, et al. Keratocystic odontogenic tumor arising at the mandibular ramus with an impacted tooth: a case report and mimic lesions. <i>Cranio : the journal of craniomandibular practice</i> . 2016;34(1):58-63.	9
1077	Kiran J, Isaac A, Shanthraj R, Madannagowda S. Surgical-orthodontic treatment of Class I malocclusion with maxillary vertical excess--a case report. <i>International journal of orthodontics (Milwaukee, Wis)</i> . 2012;23(2):57-62.	2
1078	Kirli Topcu SI, Palancioglu A, Yaltirik M, Koray M. Piezoelectric Surgery Versus Conventional Osteotomy in Impacted Lower Third Molar Extraction: Evaluation of Perioperative Anxiety, Pain, and Paresthesia. <i>Journal of Oral and Maxillofacial Surgery</i> . 2019;77(3):471-7.	3
1079	Klein G, Ribeiro-Junior PD, Laskarides C, Babadopulos CANF. Clinical evaluation of a single plate for sagittal split ramus osteotomy fixation. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2019;48 (Supplement 1):120.	6
1080	Klein KP, Kaban LB, Masoud MI. Orthognathic Surgery and Orthodontics: Inadequate Planning Leading to Complications or Unfavorable Results. <i>Oral and maxillofacial surgery clinics of North America</i> . 2020;32(1):71-82.	5
1081	Klug C, Cede J. Technical Modifications for Intraoral Quadrangular Le Fort II Osteotomy. <i>Journal of Oral and Maxillofacial Surgery</i> . 2017;75(2):402.e1-.e16.	2
1082	Knackstedt R, Bassiri Gharb B, Papay F, Rampazzo A. Comparison of Complication Rate Between LeFort III and Monobloc Advancement With or Without Distraction Osteogenesis. <i>The Journal of craniofacial surgery</i> . 2018;29(1):144-8.	5
1083	Koba A, Tanoue R, Kikuta S, Hirashima S, Miyazono Y, Kusakawa J. The usefulness of piezoelectric surgery in sagittal split ramus osteotomy. <i>Kurume Medical Journal</i> . 2017;64(3):57-63.	2
1084	Kobayashi S, Fukawa T, Yasumura K, Satake T, Maegawa J. Perinasal Osteotomy With Distraction Osteogenesis for a Mild Syndromic Craniosynostosis. <i>The Journal of craniofacial surgery</i> . 2019;30(1):50-2.	9
1085	Kobayashi S, Fukawa T, Yasumura K, Yabuki Y, Satake T, Maegawa J. Overcorrected Midface Advancement to Improve Airway Problems in Severe Pfeiffer Syndrome Types II and III. <i>The Journal of craniofacial surgery</i> . 2019;30(1):53-6.	9
1086	Kobayashi S, Nishiouri T, Maegawa J, Hirakawa T, Fukawa T. A novel craniofacial osteogenesis distraction system enabling control of distraction distance and vector for the treatment of syndromic craniosynostosis. <i>Journal of Craniofacial Surgery</i> . 2012;23(2):422-5.	1
1087	Koca CG, Guvenc IS. Surgically-assisted rapid maxillary expansion under local anesthesia. <i>Journal of the College of Physicians and Surgeons Pakistan</i> . 2019;29(Supplement2):S129-S31.	5
1088	Kocdor P, Froymovich O, Mickelson S. Tongue base suspension procedures for obstructive sleep apnea syndrome. <i>Operative Techniques in Otolaryngology - Head and Neck Surgery</i> . 2015;26(4):187-92.	9
1089	Kochar GD, Londhe S, Jayan B, Chopra SS, Kohli S, Verma M, et al. Management of Tooth Size Arch Size Discrepancy (TSASD) in Patients with Sleep Disorder Breathing. <i>International journal of orthodontics (Milwaukee, Wis)</i> . 2016;27(2):9-13.	5
1090	Koh KS, Kim DY, Oh TS. Clinical features and management of a median cleft lip. <i>Archives of Plastic Surgery</i> . 2016;43(3):242-7.	9

1091	Koh KS, Kim H, Oh TS, Kwon SM, Choi JW. Treatment algorithm for bilateral alveolar cleft based on the position of the premaxilla and the width of the alveolar gap. <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> . 2013;66(9):1212–8.	9
1092	Kokat AM, Ercocen AR, Karayazgan-Saracoglu B. Simultaneous Implant Placement in a Mandibular Defect Reconstructed With a Free Fibula Graft and Fabrication of a Fixed Metal Porcelain Prosthesis. <i>The Journal of craniofacial surgery</i> . 2018;29(5):1307–11.	3
1093	Konopnicki S, Nicot R, Schlund M, Ferri J. Total Mandibular subapical osteotomy to correct Class II with inferior alveolar retrusion. <i>International orthodontics</i> . 2019;17(1):114–22.	2
1094	Korfage A, Stellingsma K, Jansma J, Vissink A, Raghoobar GM. Oral rehabilitation with implant-based prostheses of two adult patients treated for childhood rhabdomyosarcoma. <i>Supportive Care in Cancer</i> . 2011;19(9):1477–80.	9
1095	Koshy SJ, Madhulaxmi M, Sivakumar M. Age and gender related distribution of patients undergoing maxillary third molar extractions. <i>International Journal of Pharmaceutical Research</i> . 2021;13(1):1146–52.	1
1096	Kotlarek KJ, Perry JL, Fang X. Morphology of the Levator Veli Palatini Muscle in Adults With Repaired Cleft Palate. <i>The Journal of craniofacial surgery</i> . 2017;28(3):833–7.	1
1097	Kreppel M, Kauke M, Grandoch A, Safi AF, Nickenig HJ, Zoller J. Evaluation of Fronto-Orbital Advancement Using Titanium-Based Internal Fixation for Corrective Pediatric Craniofacial Surgery. <i>The Journal of craniofacial surgery</i> . 2018;29(6):1542–5.	1
1098	Kriegbaum RK, Hillerup S. Fibrodysplasia ossificans progressiva (FOP): Report of a case with extra-articular ankylosis of the mandible. <i>Journal of Cranio-Maxillofacial Surgery</i> . 2013;41(8):856–60.	1
1099	Kroeker A, Edwards S, Sullivan S, McKean EM. Cerebrospinal fluid leak following lefort I osteotomies. <i>Otolaryngology – Head and Neck Surgery (United States)</i> . 2012;2):P243.	6
1100	Ktenidis K, Lioupis A, Megalopoulos A, Antoniadis K, Kiskinis D. New exposure technique for management of giant internal carotid artery aneurysm. <i>Journal of Vascular Surgery</i> . 2011;54(2):522–5.	3
1101	Kubota K, Miyamoto T, Inoue T, Fukayama H. Alternating Current Iontophoresis for Control of Postoperative Pain. <i>Anesth Prog</i> . 2018;65(2):106–10.	3
1102	Kucuker I, Cukurluoglu O, Eryilmaz T, Tuncer S, Ozmen S. Unusual cause of refractory infection in head and neck surgery; Retained surgical sponges. <i>Journal of Experimental and Clinical Medicine (Turkey)</i> . 2016;33(3):179–82.	1
1103	Kufta K, Melean LP, Grady MS, Panchal N. Massive Middle Cerebral Artery Infarction After Surgically Assisted Rapid Palatal Expansion: A Case Report. <i>Journal of Oral and Maxillofacial Surgery</i> . 2017;75(7):1529.e1–e8.	1
1104	Kulkarni M, Ram SM. Role of oral appliances in obstructive sleep apnea as a treatment modality. <i>Indian Journal of Public Health Research and Development</i> . 2019;10(8):825–9.	5
1105	Kumar B, Nair S. Maxilla in SFOA. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2019;48 (Supplement 1):110.	6
1106	Kumar BS, Dakir A, Krishnan B, Ebenezer V, Muthumani, Kumar K, et al. Surgery preceding orthodontics in bimaxillary cases. <i>Journal of Pharmacy and Bioallied Sciences</i> . 2015;7(Supplement 1):S101–S6.	5
1107	Kupfer P, Abbott MM, Abramowicz S, Meara JG, Padwa BL. Cost differences between the anterior and posterior approaches to the iliac crest for alveolar bone grafting in patients with cleft lip/palate. <i>Journal of Oral and Maxillofacial Surgery</i> . 2012;70(3):685–9.	9
1108	Kurihara Y, Kamoshida S, Asama Y, Yamaguchi T, Maki K, Shirota T. Application of reference antenna attached to the silicone pad and registration splint for surgical navigation system. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2017;46 (Supplement 1):160–1.	6
1109	Kuroyanagi N. Increased Surgical Splitting Time is Related to Neurosensory Alterations of the Lower Lip and Chin in Sagittal Split Ramus Osteotomy. <i>Journal of Oral and Maxillofacial Surgery</i> . 2019;77 (9 Supplement):e87.	6
1110	Kuroyanagi N, Miyachi H, Kamiya N, Nagao T, Shimozato K. Morphological features of the mandibular ramus associated with increased blood loss in sagittal split-ramus osteotomy. <i>Journal of Oral and Maxillofacial Surgery</i> . 2014;1):e134–e5.	6
1111	Kuroyanagi N, Nagao T, Sakuma H, Miyachi H, Ochiai S, Kimura Y, et al. Risk of surgical glove perforation in oral and maxillofacial surgery. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2012;41(8):1014–9.	3
1112	Kurt SN, Ustun Y, Erdogan O, Evlice B, Yoldas O, Oztunc H. Outcomes of periradicular	3

	surgery of maxillary first molars using a vestibular approach: A prospective, clinical study with one year of follow-up. <i>Journal of Oral and Maxillofacial Surgery</i> . 2014;72(6):1049-61.	
1113	Kuvat SV, Keklik B, Ozden BC, Ucar A, Cizmeci O. Major donor area complication after a mandibular reconstruction with an osseous fibular free flap: Pseudo-compartment syndrome. <i>Journal of Craniofacial Surgery</i> . 2012;23(2):499-501.	3
1114	Kwon TG. Maxillofacial surgery beyond the perfect storm of COVID-19. <i>Maxillofacial and Plastic Reconstructive Surgery</i> . 2021;43 (1) (no pagination)(7).	5
1115	Kwon TG, Han MD. Current status of surgery first approach (part II): precautions and complications. <i>Maxillofacial and Plastic Reconstructive Surgery</i> . 2019;41 (1) (no pagination)(23).	5
1116	La Padula S, Hersant B, Chatel H, Aguilar P, Bosc R, Roccaro G, et al. One-step facial feminization surgery: The importance of a custom-made preoperative planning and patient satisfaction assessment. <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> . 2019;72(10):1694-9.	1
1117	Lai C, Pan Q, Jin X. Retrospective Review of the Complication Profile Associated with 71 Subcranial and Transcranial Midface Distraction Procedures at a Single Institution. <i>Plastic and reconstructive surgery</i> . 2019;144(6):1117e-8e.	5
1118	Lampert RC, Braidly HF, Zweig BE, Krutyansky A, Chuang SK. Intraoral autogenous vs allogeneic block grafts in preparation for Dental implants placement: A retrospective cohort study. <i>Journal of Oral and Maxillofacial Surgery</i> . 2015;73 (9 Supplement 1):e30-e1.	6
1119	Lange F, Botti A, Almeida J, Junior JP, Omir F, Ribeiro F, et al. Maxillomandibular advancement treatment of obstructive sleep apnea syndrome: case report. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2019;48 (Supplement 1):277.	6
1120	Laskin DM, Abubaker AO, Strauss RA. Accuracy of predicting the duration of a surgical operation. <i>Journal of Oral and Maxillofacial Surgery</i> . 2013;71(2):446-7.	2
1121	Lassus P, Lindford A, Vuola J, Back L, Suominen S, Mesimaki K, et al. The Helsinki Face Transplantation: Surgical aspects and 1-year outcome. <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> . 2018;71(2):132-9.	9
1122	Latimer NJ, Tandon R, Herford AS, Thakker JS. Surgical correction of hemifacial microsomia: Simultaneous orthognathic and distraction osteogenesis treatment. a case report on how this hybrid technique can correct severe facial asymmetries. <i>Journal of Oral and Maxillofacial Surgery</i> . 2014;1):e144-e5.	6
1123	Lavigne GJ, Herrero Babiloni A, Beetz G, Dal Fabbro C, Sutherland K, Huynh N, et al. Critical Issues in Dental and Medical Management of Obstructive Sleep Apnea. <i>Journal of dental research</i> . 2020;99(1):26-35.	5
1124	Laviv A, Jensen OT, Tarazi E, Casap N. Alveolar sandwich osteotomy in resorbed alveolar ridge for dental implants: A 4-year prospective study. <i>Journal of Oral and Maxillofacial Surgery</i> . 2014;72(2):292-303.	3
1125	Le J, Chaiyasate K, Donev K, Fahim DK. A rare case of giant cell tumor involving the clivus resected through the Fort i Osteotomy and median maxillotomy. <i>Surgical Neurology International</i> . 2015;6 (1) (no pagination)(26).	1
1126	Leal CR, Calvo AM, De Souza Faco RA, Da Cunha Bastos JC, Yaedu RYF, Da Silva Dalben G, et al. Evolution of postoperative edema in alveolar graft performed with bone morphogenetic protein (rhBMP-2). <i>Cleft Palate-Craniofacial Journal</i> . 2015;52(5):e168-e75.	9
1127	Lee A. Loss of reflex tearing after maxillary orthognathic surgery. <i>Neuroradiology</i> . 2014;1):181.	6
1128	Lee H, Kim ES, Chung IH. Orthognathic surgical refinements to correct discrepancies in patients having undergone camouflage facial contouring surgeries. <i>Journal of Oral and Maxillofacial Surgery</i> . 2014;1):e140-e1.	6
1129	Lee JB, Han JW, Park JH, Min KH. Lower facial contouring surgery using a novel method: M-genioplasty. <i>Archives of Plastic Surgery</i> . 2018;45(6):572-7.	1
1130	Lee JC, Slack GC, Walker R, Graves L, Yen S, Woo J, et al. Maxillary hypoplasia in the cleft patient: contribution of orthodontic dental space closure to orthognathic surgery. <i>Plastic and reconstructive surgery</i> . 2014;133(2):355-61.	9
1131	Lee JS, Choi HI, Lee H, Ahn SJ, Noh G. Biomechanical effect of mandibular advancement device with different protrusion positions for treatment of obstructive sleep apnoea on tooth and facial bone: A finite element study. <i>Journal of oral rehabilitation</i> . 2018;45(12):948-58.	1
1132	Lee JW, Lee DW, Ohe JY, Kwon YD. Accurate genial tubercle capturing method using computer-assisted virtual surgery for genioglossus advancement. <i>British Journal of Oral and Maxillofacial Surgery</i> . 2017;55(1):92-3.	1

1133	Lee KC, Chintalapudi N, Halepas S, Chuang SK, Selvi F. The healthcare burden and associated adverse events from total alloplastic temporomandibular joint replacement: a national United States perspective. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2021;50(2):236-41.	1
1134	Lee LM, Zhang DD, Zhu YM, Cheng HN, Yao W, Liang X, et al. Outcomes of treatment with genioplasty and temporomandibular joint anchorage surgery. <i>Journal of Cranio-Maxillofacial Surgery</i> . 2021;49(3):177-83.	1
1135	Lee MB. The tridimensional orthognathic gauge: An external intraoperative device for the verification of virtual surgical planning. <i>Journal of Oral and Maxillofacial Surgery</i> . 2013;1):e66-e7.	6
1136	Lee SH, Kim DG, Shin HS. How to approach orthognathic surgery in patients who refuse blood transfusion. <i>Archives of Plastic Surgery</i> . 2020;47(5):404-10.	5
1137	Lee TS, Park S. Contouring the Mandible for Aesthetic Enhancement in Asian Patients. <i>Facial plastic surgery : FPS</i> . 2020;36(5):602-12.	5
1138	Lee UL, Kwon JS, Woo SH, Choi YJ. Simultaneous Bimaxillary Surgery and Mandibular Reconstruction With a 3-Dimensional Printed Titanium Implant Fabricated by Electron Beam Melting: A Preliminary Mechanical Testing of the Printed Mandible. <i>Journal of Oral and Maxillofacial Surgery</i> . 2016;74(7):1501.e1-e15.	9
1139	Lee YC. A novel method for proximal segment management: Correct condyle head repositioning and better proximal segment placement. <i>Journal of Oral and Maxillofacial Surgery</i> . 2014;1):e141.	6
1140	Lee YH, Hwang K, Choi JH. Rib Bone Graft Adjusted to Fit the Facial Asymmetry: A Frame Structure Graft. <i>The Journal of craniofacial surgery</i> . 2015;26(7):2160-2.	3
1141	Leotard A, Lesgoirres M, Daabek N, Lebret M, Bailly S, Verain A, et al. Adherence to CPAP with a nasal mask combined with mandibular advancement device versus an oronasal mask: a randomized crossover trial. <i>Sleep and Breathing</i> . 2019;23(3):885-8.	9
1142	Leyder P, Altounian G, Quilichini J. Adjustable selective maxillary expansion combined with one-stage maxillomandibular surgery: A prospective study of osseous widening in fifty-five consecutive patients. <i>Journal of Cranio-Maxillofacial Surgery</i> . 2018;46(9):1408-20.	1
1143	Li K, Li J, Du W, Xu C, Ye B, Luo E. Computer-Aided Design and Manufacturing Cutting and Drilling Guides with Prebent Titanium Plates Improve Surgical Accuracy of Skeletal Class III Malocclusion. <i>Plastic and reconstructive surgery</i> . 2020;145(5):963e-74e.	3
1144	Li Q, Gao B, Li K, Xie F, Zhu H, Yu LG. A Novel Technique for Reduction Malarplasty by Inward Displacement of Infractured Zygomatic Arch Without Fixation. <i>Journal of Oral and Maxillofacial Surgery</i> . 2017;75(12):2658-66.	1
1145	Li Y, Jiang Y, Ye B, Hu J, Chen Q, Zhu S. Treatment of Dentofacial Deformities Secondary to Osteochondroma of the Mandibular Condyle Using Virtual Surgical Planning and 3-Dimensional Printed Surgical Templates. <i>Journal of Oral and Maxillofacial Surgery</i> . 2016;74(2):349-68.	1
1146	Li Y, Teng L, Xu J, Lu J, Ding B, Zhang C, et al. Systematic Analysis of Clinical Outcomes of Bilateral Sagittal Split Ramus Osteotomy With Preoperative Modeling and Postoperative Orthodontic in the Treatment of Mandibular Protrusion. <i>The Journal of craniofacial surgery</i> . 2017;28(8):2083-7.	2
1147	Li Y, Yi B. Premaxillary osteotomy in treatment of bilateral cleft lip and palate. <i>Congenital Anomalies</i> . 2019;59 (6):A42.	6
1148	Liao L, Hsu Y, Hu J, Li X, Li H, Li J. Correction of asymmetric facial deformity by contouring: indications and outcomes. <i>The Journal of craniofacial surgery</i> . 2015;26(2):e94-e8.	2
1149	Liao YF, Huang CS. Presurgical and postsurgical orthodontics are associated with superior secondary alveolar bone grafting outcomes. <i>Journal of Cranio-Maxillofacial Surgery</i> . 2015;43(5):717-23.	1
1150	Lim D, Ma BC, Parumo R, Shanmuhasuntharam P. Thirty years of submental intubation: a review. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2018;47(9):1161-5.	5
1151	Lim WTW, Soong PL. Facial palsy complicated by arteriovenous fistula after bilateral sagittal split osteotomy: a case report. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2019;48 (Supplement 1):256-7.	6
1152	Lima FN, Pinto CMSDA, Freitas MRD, Lima IMR, Bruin PFCD, Nogueira RLM. Surgical treatment of apnea-hypopnea in a patient with proteus syndrome. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2011;40 (10):1191.	6
1153	Lin CH, Chin WC, Huang YS, Wang PF, Li KK, Pirelli P, et al. Objective and subjective long term outcome of maxillomandibular advancement in obstructive sleep apnea. <i>Sleep Medicine</i> .	1

	2020;74:289–96.	
1154	Lin HH, Denadai R, Sato N, Hung YT, Pai BCJ, Lo LJ. Avoiding Inferior Alveolar Nerve Injury during Osseous Genioplasty: A Guide for the Safe Zone by Three-Dimensional Virtual Imaging. <i>Plastic and reconstructive surgery</i> . 2020;146(4):847–58.	1
1155	Lin JAJ, Loh CYY, Tsai CH, Chang KP, Wu JCH, Kao HK. Free Flap Outcomes of Microvascular Reconstruction after Repeated Segmental Mandibulectomy in Head and Neck Cancer Patients. <i>Sci</i> . 2019;9(1):7951.	3
1156	Lin L, Fan B, Yu Z, Xu L, Yuan J, Wu J, et al. Application of computer-assisted navigation in mandibular angle osteotomy. <i>Journal of International Medical Research</i> . 2019;47(7):3160–70.	3
1157	Lin S, Chen C, Chen YR. Re: Comparison of different hypotensive anaesthesia techniques in orthognathic surgery with regard to intraoperative blood loss, quality of the surgical field, and postoperative nausea and vomiting. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2017;46(10):1352–3.	5
1158	Lin S, Chen C, Yao CF, Chen YA, Chen YR. Comparison of different hypotensive anaesthesia techniques in orthognathic surgery with regard to intraoperative blood loss, quality of the surgical field, and postoperative nausea and vomiting. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2016;45(12):1526–30.	3
1159	Liou EJW, Chen PH, Wang YC, Yu CC, Huang CS, Chen YR. Surgery-first accelerated orthognathic surgery: Postoperative rapid orthodontic tooth movement. <i>Journal of Oral and Maxillofacial Surgery</i> . 2011;69(3):781–5.	2
1160	Lisboa CO, Borges MS, Medeiros PJD, Motta AT, Mucha JN. Orthodontic-surgical retreatment of facial asymmetry with occlusal cant and severe root resorption: A 3-year follow-up. <i>American journal of orthodontics and dentofacial orthopedics : official publication of the American Association of Orthodontists, its constituent societies, and the American Board of Orthodontics</i> . 2017;152(2):268–80.	2
1161	Liu SR, Yi HL, Yin SK, Guan J, Chen B, Meng LL, et al. Primary maxillomandibular advancement with concomitant revised uvulopalatopharyngoplasty with uvula preservation for severe obstructive sleep apnea-hypopnea syndrome. <i>Journal of Craniofacial Surgery</i> . 2012;23(6):1649–53.	1
1162	Liu SYC, Guilleminault C, Huon LK, Yoon A. Distraction Osteogenesis Maxillary Expansion (DOME) for Adult Obstructive Sleep Apnea Patients with High Arched Palate. <i>Otolaryngology – Head and Neck Surgery (United States)</i> . 2017;157(2):345–8.	9
1163	Liu Z, Qian Y, Zhang Y, Fan Y. The biomechanical effects of bilateral sagittal split ramus osteotomy on temporomandibular joint. <i>Journal of Orthopaedic Research Conference</i> . 2016;34(Supplement 1).	6
1164	Liu Z, Xu X, Zhang Y, Song J. Comparative study of morphological parameters of TMJ between mandibular prognathism patients and asymptomatic subjects. <i>Journal of Orthopaedic Research Conference</i> . 2016;34(Supplement 1).	6
1165	Lonic D, Yamaguchi K, Chien-Jung Pai B, Lo LJ. Reinforcing the Mucoperiosteal Pocket with the Scarpa Fascia Graft in Secondary Alveolar Bone Grafting: A Retrospective Controlled Outcome Study. <i>Plastic and reconstructive surgery</i> . 2017;140(4):568e–78e.	9
1166	Lonskaya E, Kurakin K, Drobyshev A, Drobysheva N, Kolchin S, Sorvin V. Simultaneous face fat-grafting to enhance the aesthetic outcome of orthognathic surgery. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2017;46 (Supplement 1):162–3.	6
1167	Lopes L, Portugalyan M. Bilateral maxillary and mandibular nerve blocks for post-operative pain management in maxillofacial surgery for treacher-collins syndrome: A case-report. <i>Regional Anesthesia and Pain Medicine</i> . 2018;43 (7 Supplement 1):e204–e5.	6
1168	Lopez MM, Zech D, Linton JL, Blackwell SJ. Dexmedetomidine decreases postoperative pain and narcotic use in children undergoing alveolar bone graft surgery. <i>Cleft Palate-Craniofacial Journal</i> . 2018;55(5):688–91.	3
1169	Lou Z, Lou ZH. Laryngopharyngeal reflux is a potential cause of nasal congestion and obstructive sleep apnea syndrome. <i>European Archives of Oto-Rhino-Laryngology</i> . 2018;275(9):2409–11.	5
1170	Lu TC, Chen PKT, Chu YY. Surgical outcome of secondary alveolar bone grafting or gingivoperiosteoplasty in unilateral cleft lip and palate (UCLP): A prospective, randomized single-blinded study. <i>Cleft Palate-Craniofacial Journal</i> . 2018;55 (1 Supplement):11–2.	6
1171	Ludovichetti FS, De Biagi M, Bacci C, Bressan E, Sivoletta S. Healing of human critical-size alveolar bone defects secondary to cyst enucleation: A randomized pilot study with 12 months	1

	follow-up. <i>Minerva Stomatologica</i> . 2018;67(4):148-55.	
1172	Lui DW, Chou J, Carrasco L. Nasolabial volumetric symmetry following sarpe. <i>Journal of Oral and Maxillofacial Surgery</i> . 2011;1):e27-e8.	6
1173	Luo E. Treatment of hemimandibular hyperplasia by CAD/CAM drilling guides and prebent titanium plates. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2019;48 (Supplement 1):123-4.	6
1174	Luo E, Du W, Zhu S, Li J, Hu J. Guideline for the Treatment of Condylar Osteochondroma Combined With Secondary Dentofacial Deformities. <i>The Journal of craniofacial surgery</i> . 2016;27(5):1156-61.	5
1175	Luo E, Li J, Zhu S, Hu J. Orthognathic approach to correct skeletal facial asymmetry of hemifacial microsomia in adults. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2015;1):e106.	6
1176	Luo H, Tang X, Xiong Y, Meng L, Yi H, Yin S. Efficacy and mechanism of mandibular advancement devices for persistent sleep apnea after surgery: a prospective study. <i>Journal of Otolaryngology – Head and Neck Surgery</i> . 2016;45(1):1-8.	1
1177	Luo X, Ren X, Li T, Li Y, Ye B, Zhu S. Ipsilateral sagittal split ramus osteotomy to facilitate reconstruction of the temporomandibular joint after resection of condylar osteochondroma. <i>British Journal of Oral and Maxillofacial Surgery</i> . 2017;55(6):604-8.	9
1178	Luque-Martin E, Tobella-Camps ML, Rivera-Baro A. Alveolar graft in the cleft lip and palate patient: Review of 104 cases. <i>Medicina Oral, Patología Oral y Cirugía Bucal</i> . 2014;19(5):e531-e7.	1
1179	Lutz JC, Schouman T, Meyer C, Savoldelli C, Louvrier A. Chin wing osteotomy using customised guide and implants: an improvement for a safer and swifter procedure: technical note. <i>British Journal of Oral and Maxillofacial Surgery</i> . 2021;59(1):129-31.	5
1180	Luzzi V, Brunori M, Terranova S, Di Paolo C, Ierardo G, Voza I, et al. Difficult-to-treat OSAS: Combined continuous positive airway pressure (CPAP) and mandibular advancement devices (MADs) therapy. A case report. <i>Cranio : the journal of craniomandibular practice</i> . 2020;38(3):196-200.	9
1181	Lypka M, Hendricks H. An Alternative Internal Le Fort I Distractor: Early Results With a New Trans-Nasal Device. <i>The Journal of craniofacial surgery</i> . 2020;31(4):1125-8.	9
1182	Lypka M, Shah K, Jones J. Prosthetic temporomandibular joint reconstruction in a cohort of adolescent females with juvenile idiopathic arthritis. <i>Pediatric Rheumatology</i> . 2020;18 (1) (no pagination)(68).	9
1183	Ma L, Hou Y, Liu G, Zhang T. Effectiveness of presurgical orthodontics in cleft lip and palate patients with alveolar bone grafting: A systematic review. <i>J Stomatol Oral Maxillofac Surg</i> . 2021;122(1):13-7.	5
1184	Ma L, Qi X, Qin J, Zhong S, Zhang B, Zhang Y, et al. Effects of the closing and opening muscle groups on jaw condyle biomechanics after prominent mandibular angle osteotomy. <i>Journal of Cranio-Maxillofacial Surgery</i> . 2013;41(5):408-11.	9
1185	Mabongo M, Chokoe N. Facial asymmetry: A long-term complication of otitis media: A case report. <i>Oral and Maxillofacial Surgery Cases</i> . 2018;4(4):151-3.	9
1186	Machado Junior AJ, Pauna HF, Crespo AN. Oral appliance in obstructive sleep apnea syndrome. <i>Sleep Medicine</i> . 2017;34:232-3.	5
1187	Macho P, Bohac M, Fekiacova D, Fedeles J. Impact of cleft lip and/or palate in children on family quality of life before and after reconstructive surgery. <i>Bratislavske lekarske listy</i> . 2017;118(6):370-3.	2
1188	Macintosh RB, Shivapuja PK, Naqvi R. Scleroderma and the temporomandibular joint: Reconstruction in 2 variants. <i>Journal of Oral and Maxillofacial Surgery</i> . 2015;73(6):1199-210.	9
1189	Madaree A, Moyeni N, Le Roux PAJ, Pillay T. Use of Stock Titanium Mesh Plates in Cranioplasty. <i>The Journal of craniofacial surgery</i> . 2019;30(8):2341-4.	9
1190	Madsen DE, Sidelmann JJ, Ingerslev J, Thorn JJ, Gram J. Prediction of intraoperative blood loss during orthognathic surgery using preoperative thrombelastography. <i>Journal of Thrombosis and Haemostasis</i> . 2012;10 (6):e7.	6
1191	Maeda-Iino A, Furukawa M, Kwon S, Marutani K, Nakagawa S, Fuchigami T, et al. Evaluation of maxillary central incisors on the noncleft and cleft sides in patients with unilateral cleft lip and palate-Part 2: Relationship between root resorption, horizontal tooth movement, and quantity of grafted autogenous bone. <i>The Angle orthodontist</i> . 2017;87(6):863-70.	9
1192	Mahendru S, Jain R, Aggarwal A, Aulakh HS, Jain A, Khazanchi RK, et al. CAD-CAM vs	2

	conventional technique for mandibular reconstruction with free fibula flap: A comparison of outcomes. <i>Surgical Oncology</i> . 2020;34:284–91.	
1193	Mahmood H, Siddique I, McKechnie A. Antiplatelet drugs: a review of pharmacology and the perioperative management of patients in oral and maxillofacial surgery. <i>Annals of the Royal College of Surgeons of England</i> . 2020;102(1):9–13.	5
1194	Malagon-Hidalgo HO, Vilchis-Lopez R, Gonzalez-Chapa DR, Silva-Suarez RA, Garcia-Cano E, Lastiri-Barrios JL, et al. Le Fort II Osteotomy and Modified Technique Presentation. <i>The Journal of craniofacial surgery</i> . 2018;29(6):1406–11.	1
1195	Malhotra A, Shapiro C, Pepin JL, Hedner J, Ahmed M, Foldvary-Schaefer N, et al. Long-term study of the safety and maintenance of efficacy of solriamfetol (JZP-110) in the treatment of excessive sleepiness in participants with narcolepsy or obstructive sleep apnea. <i>Sleep</i> . 2020;43 (2) (no pagination)(zsz220).	1
1196	Malkawi Z, Al-Omiri MK. Reasons for removal of bone plates after orthognathic surgery. <i>Jordan Medical Journal</i> . 2011;45(2):167–73.	2
1197	Maluf G, Caldas RJ, Fregnani ER, Da Silva Santos PS. Leukocyte- And platelet-rich fibrin as an adjuvant to the surgical approach for osteoradionecrosis: A case report. <i>Journal of the Korean Association of Oral and Maxillofacial Surgeons</i> . 2020;46(2):150–4.	4
1198	Mamidi SK, Klutcharch K, Rao S, Souza JCM, Mercuri LG, Mathew MT. Advancements in temporomandibular joint total joint replacements (TMJR). <i>Biomedical Engineering Letters</i> . 2019;9(2):169–79.	5
1199	Mampilly MO, Rao LP, Sequiera J, Sripathi Rao BH, Chandra J, Rai G. Rehabilitation of edentulous atrophic anterior mandible – the role of vertical alveolar distraction osteogenesis. <i>Journal of Clinical and Diagnostic Research</i> . 2014;8(11):ZR01–ZR3.	1
1200	Mandelbaum R, Martins D, Dubina E, Park S, Bradley J, Lee J. Long term outcomes of craniofacial microsomia treatment: Mandibular reconstruction. <i>Cleft Palate–Craniofacial Journal</i> . 2015;52 (4):e159.	6
1201	Manfredini M, Puviani M. Ameloblastoma of the skin: When safe handling of needles is not enough. <i>Journal of the Dermatology Nurses' Association Conference: 24th World Congress of Dermatology Italy</i> . 2020;12(2).	6
1202	Manikandhan R, Parameswaran R, Krishnan AM, Kiruba GA, Monisha M. A rare complication of the non–union of maxilla after lefort i osteotomy. <i>Medico–Legal Update</i> . 2020;20(4):2395–400.	5
1203	Mansfield DR, Antic NA, McEvoy RD. How to assess, diagnose, refer and treat adult obstructive sleep apnoea: A commentary on the choices. <i>Medical Journal of Australia</i> . 2013;199(8 Supplement):S21–S6.	5
1204	Mansour HH, Badr A, Osman AH, Atef M. Anterior maxillary sandwich osteotomy technique with simultaneous implant placement: A novel approach for management of vertical deficiency. <i>Clinical implant dentistry and related research</i> . 2019;21(1):160–8.	9
1205	Marchiori EC, Barber JS, Williams WB, Bui PQ, O’Ryan FS. Neuropathic pain following sagittal split ramus osteotomies of the mandible: Prevalence, risk factors, and clinical course. <i>Journal of Oral and Maxillofacial Surgery</i> . 2013;1):e17–e8.	6
1206	Margulies IG, Greenberg AM, Taub PJ. Surgical Management of Lateral Orbital Contour Following Le Fort III Distraction. <i>The Journal of craniofacial surgery</i> . 2020;31(1):286–8.	2
1207	Marhic A, Guerlain J, Benmoussa N, Breuskin I, Honart JF, Janot F, et al. Replacement of lip-split mandibulotomy by pull-through approach for T3–4 oral carcinomas. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2021.	5
1208	Martin K, Nathwani S, Bunyan R. Dental manifestations and surgical management of craniometaphyseal dysplasia: A case report. <i>British Journal of Oral and Maxillofacial Surgery</i> . 2016;54 (10):e99.	6
1209	Martinez F, Cifuentes J, Yanine N, Barrera A, Contreras A, Cristi E, et al. Antiphospholipid syndrome and perioperative management in orthognathic surgery. Case report. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2019;48 (Supplement 1):257.	6
1210	Martinez-Garza A, Martinez-Ramirez H. UVA clinic face architects virtual surgical planning protocol in orthognathic surgery: A practical method for outpatient surgery. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2017;46 (Supplement 1):163.	6
1211	Martinho J, Ferreira H, Paulo S, Paula A, Marto CM, Carrilho E, et al. Oculo-facio-cardio-dental syndrome: A case report about a rare pathological condition. <i>International Journal of Environmental Research and Public Health</i> . 2019;16 (6) (no pagination)(928).	2

1212	Maruoka Y, Kanaya F, Hoshino A, Imura T, Imai H, Otsuka R, et al. Study of the relations between progressive/idiopathic condylar resorption and impaired bone/cartilage metabolism caused by chemokine receptor disorder. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2011;40 (10):1148-9.	6
1213	Massarelli O, Gobbi R, Biglio A, Soma D, Tullio A. Chimeric lateral supramalleolar artery perforator fibula free flap in the reconstruction of composite head and neck defects. <i>Plastic and reconstructive surgery</i> . 2014;133(1):130-6.	1
1214	Mathew PC, Kanitkar R, Ramaiah A. Gossypiboma after Le Fort I osteotomy that manifested as a lesion of the maxillary sinus. <i>British Journal of Oral and Maxillofacial Surgery</i> . 2019;57(7):706-7.	5
1215	Matros E, Albornoz CR, Rensberger M, Weimer K, Garfein ES. Computer-assisted design and computer-assisted modeling technique optimization and advantages over traditional methods of osseous flap reconstruction. <i>Journal of Reconstructive Microsurgery</i> . 2014;30(5):289-96.	1
1216	Matsushita K, Inoue N, Totsuka Y. In vitro biomechanical evaluation of the effect of an additional L-shaped plate on straight or box plate fixation in sagittal split ramus osteotomy using a bioabsorbable plate system. <i>Oral and Maxillofacial Surgery</i> . 2011;15(3):139-46.	4
1217	Matsushita K, Yamaguchi HO, Koshikawa-Matsuno M, Inoue N. Evaluation of a three-stage method for improving mandibular retrognathia with labially inclined incisors using genioplasty, segmental osteotomy, and two-jaw surgery. <i>Case Reports in Medicine</i> . 2014;2014 (no pagination)(314179).	2
1218	Matsushita Y, Nakakuki K, Kosugi M, Kurohara K, Harada K. Does intraoral miniplate fixation have good postoperative stability after sagittal splitting ramus osteotomy? Comparison with intraoral bicortical screw fixation. <i>Journal of Oral and Maxillofacial Surgery</i> . 2016;74(1):181-9.	2
1219	McComb RW, Marrinan EM, Nuss RC, Labrie RA, Mulliken JB, Padwa BL. Predictors of velopharyngeal insufficiency after le Fort I maxillary advancement in patients with cleft palate. <i>Journal of Oral and Maxillofacial Surgery</i> . 2011;69(8):2226-32.	2
1220	McDowell MM, Hanft SJ, Greenberg SA, Rahmati R, Carrao V, Eisig S, et al. Resection of an upper cervical aneurysmal bone cyst and spinal reconstruction using a midline mandibular osteotomy in a pediatric patient: Case report. <i>Journal of Neurosurgery: Pediatrics</i> . 2014;13(6):622-5.	2
1221	McIntyre J, Schoenbrunner A, Ore CD, Jones M, Gosman A. Challenges in cleft outcomes research: Lessons learned after 35 years of follow-up. <i>Cleft Palate-Craniofacial Journal</i> . 2016;53 (4):e103.	6
1222	McLeod NMH, Bowe DC. Nerve injury associated with orthognathic surgery. Part 3: Lingual, infraorbital, and optic nerves. <i>British Journal of Oral and Maxillofacial Surgery</i> . 2016;54(4):372-5.	2
1223	McLeod NMH, Gruber EA. Consent for orthognathic surgery: A survey of practice in the United Kingdom. <i>British Journal of Oral and Maxillofacial Surgery</i> . 2011;1):S80.	6
1224	Meara DJ, Knoll MR, Holmes JD, Clark DM. Fixation of le Fort I osteotomies with poly-dl-lactic acid mesh and ultrasonic welding - A new technique. <i>Journal of Oral and Maxillofacial Surgery</i> . 2012;70(5):1139-44.	3
1225	Medlin F, Zekeridou A, Renaud S, Kuntzer T. Favorable outcome of an acute complex regional pain syndrome with immunoglobulin infusions. <i>Clinical Journal of Pain</i> . 2013;29(11):e33-e4.	1
1226	Medra AM, Marei AG, Shehata EA, McGurk M, Habib A. Simultaneous and differential fronto-orbital and midface distraction osteogenesis for syndromic craniosynostosis using rigid external distractor II. <i>Journal of Craniofacial Surgery</i> . 2012;23(5):1306-13.	9
1227	Mehra P, Nadershah M, Chigurupati R. Is Alloplastic Temporomandibular Joint Reconstruction a Viable Option in the Surgical Management of Adult Patients With Idiopathic Condylar Resorption? <i>Journal of Oral and Maxillofacial Surgery</i> . 2016;74(10):2044-54.	2
1228	Mehta NR. The neck-jaw interaction revisited. <i>Cranio : the journal of craniomandibular practice</i> . 2019;37(1):4.	2
1229	Mehta P, Sagarkar RM, Mathew S. Photographic assessment of cephalometric measurements in skeletal class II cases: A comparative study. <i>Journal of Clinical and Diagnostic Research</i> . 2017;11(6):ZC60-ZC4.	2
1230	Meijer B, Moghimi M, Forouzanfar T. Facial feminisation surgery: 18 years of experience in Amsterdam. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2017;46 (Supplement 1):164.	6
1231	Merikli AF, Schaverien MV, Hanasono MM, Yu P, Largo RD, Villa MT, et al. Using a Second	3

	Free Fibula Osteocutaneous Flap after Repeated Mandibulectomy Is Associated with a Low Complication Rate and Acceptable Functional Outcomes. <i>Plastic and reconstructive surgery</i> . 2017;140(2):381-9.	
1232	Meyer RA. Prolonged Dysphagia After Orthognathic Surgery. <i>Journal of Oral and Maxillofacial Surgery</i> . 2019;77(8):1527-8.	5
1233	Meyers AB, Zei MG, Denny AD. Imaging neonates and children with Pierre Robin sequence before and after mandibular distraction osteogenesis: what the craniofacial surgeon wants to know. <i>Pediatric Radiology</i> . 2015;45(9):1392-402.	5
1234	Miao Z, Wang XD, Mao LX, Xia YH, Yuan LJ, Cai M, et al. Influence of temporomandibular joint disc displacement on mandibular advancement in patients without pre-treatment condylar resorption. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2017;46(3):328-36.	3
1235	Miceli ALC, Pereira LC, Torres TDS, Calasans-Maia MD, Louro RS. Mandibular Reconstruction with Lateral Tibial Bone Graft: An Excellent Option for Oral and Maxillofacial Surgery. <i>Craniofacial Trauma and Reconstruction</i> . 2017;10(4):292-8.	3
1236	Mickelson SA. Oral Appliances for Snoring and Obstructive Sleep Apnea. <i>Otolaryngologic Clinics of North America</i> . 2020;53(3):397-407.	5
1237	Mihai A, Moraru DC, Pieptu D, Ghetu N, Dobreanu CN. Tongue reconstruction using VRAM flap after staged neck dissection and subtotal glossectomy for squamous cell carcinoma. Case report. <i>Clujul Medical</i> . 2015;88 (Supplement 2):S49.	6
1238	Miloro M, Ruckman P, Kolokythas A. Lingual nerve repair: To graft or not to graft? <i>Journal of Oral and Maxillofacial Surgery</i> . 2015;73(9):1844-50.	1
1239	Minagi HO, Okuno K, Nohara K, Sakai T. Predictors of side effects with long-term oral appliance therapy for obstructive sleep apnea. <i>Journal of Clinical Sleep Medicine</i> . 2018;14(1):119-25.	9
1240	Mistry H, Al-Rikabi A, Jones S. Conventional versus piezosurgery for orthognathic surgery: A comparative study. <i>British Journal of Oral and Maxillofacial Surgery</i> . 2015;53 (10):e119.	6
1241	Mobini A, Mehra P, Chigurupati R. Postoperative Pain and Opioid Analgesic Requirements After Orthognathic Surgery. <i>Journal of Oral and Maxillofacial Surgery</i> . 2018;76(11):2285-95.	2
1242	Mohan R, Fisher M, Dorafshar A, Sosin M, Bojovic B, Gandhi D, et al. Principles of face transplant revision: beyond primary repair. <i>Plastic and reconstructive surgery</i> . 2014;134(6):1295-304.	3
1243	Mohanty G, Das AC, Satpathy A, Panda S, Mohanty R. Minimal invasive surgical approach for treatment of excessive gingival display: A case report. <i>Indian Journal of Public Health Research and Development</i> . 2019;10(9):1593-6.	9
1244	Mohanty S. Anterior segmental osteotomies: Throw back to a timeless procedure. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2017;46 (Supplement 1):327.	6
1245	Mohanty S, Gulati U. Mandibular angle and coronoid process fracture secondary to orofacial dystonia: report of a case. <i>The International journal of orofacial myology : official publication of the International Association of Orofacial Myology</i> . 2013;39:24-30.	1
1246	Mohindra A, Parmar S, Praveen P, Martin T. The fat-fascia paddle only with a composite fibula flap: marked reduction in donor site morbidity. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2016;45(8):964-8.	1
1247	Moka E, Argyra E, Theodoraki K, Siafaka I, Vadalouca A. Persistent post-surgical pain: Still a long way to go. <i>Regional Anesthesia and Pain Medicine</i> . 2017;42 (5 Supplement 1):e27-e8.	6
1248	Molemans B, Cortellini S, Jacobs R, Teughels W, Pinto N, Quirynen M. Simultaneous sinus floor elevation and implant placement using leukocyte- and platelet-rich fibrin as a sole graft material. <i>International Journal of Oral and Maxillofacial Implants</i> . 2019;34(5):1195-201.	1
1249	Molins G, Valls A, Guijarro-Martinez R, Masia J, de Nadal M, Hernandez-Alfaro F. Simultaneous orthognathic surgery and rhinoplasty under nasotracheal intubation. <i>Journal of Clinical Anesthesia</i> . 2019;55:24-5.	5
1250	Mommaerts MY, Voisin C, Joshi Otero J, Loomans NAJ. Mandibular feminization osteotomy-preliminary results. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2019;48(5):597-600.	3
1251	Monteiro J, Lago C, Filho D, Barbosa L, Carneiro S, Porto G. Le Fort I osteotomy with midpalatal split improving access to the craniovertebral junction in a patient with Chiari malformation. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2017;46 (Supplement 1):254.	6
1252	Montesinos A, Juarez B, Perez-Gasque M. Surgical Facilitated Orthodontics for the Correction	1

	of an Over Erupted Upper First Molar. International journal of orthodontics (Milwaukee, Wis). 2015;26(4):67-70.	
1253	Moore AE, Stringer MD. Iatrogenic nerve injury. The New Zealand dental journal. 2011;107(4):138.	5
1254	Moran I, Virdee S, Sharp I, Sulh J. Postoperative complications following LeFort 1 maxillary advancement surgery in cleft palate patients: A 5-year retrospective study. Cleft Palate-Craniofacial Journal. 2018;55(2):231-7.	9
1255	Morawska-Kochman M, Nelke K, Nienartowicz J, Pawlak W, Bochnia M. Technical aspects of nasal cavity surgery through the Le Fort I down-fracture approach: An otolaryngologist's point of view based on 90 patients' experience. Advances in Clinical and Experimental Medicine. 2019;28(2):203-10.	9
1256	Moro A, Gasparini G, Foresta E, Saponaro G, Falchi M, Cardarelli L, et al. Alveolar ridge split technique using piezosurgery with specially designed tips. BioMed Research International. 2017;2017 (no pagination)(4530378).	2
1257	Morrison SD, Satterwhite T. Lower Jaw Recontouring in Facial Gender-Affirming Surgery. Facial Plastic Surgery Clinics of North America. 2019;27(2):233-42.	5
1258	Mouallem G, Vernex-Boukerma Z, Longis J, Perrin JP, Delaire J, Mercier JM, et al. Efficacy of proportional condylectomy in a treatment protocol for unilateral condylar hyperplasia: A review of 73 cases. Journal of Cranio-Maxillofacial Surgery. 2017;45(7):1083-93.	5
1259	Mounir M, Beheiri G, El-Beialy W. Assessment of marginal bone loss using full thickness versus partial thickness flaps for alveolar ridge splitting and immediate implant placement in the anterior maxilla. International Journal of Oral and Maxillofacial Surgery. 2014;43(11):1373-80.	2
1260	Mousoulea S, Kloukos D, Sampaziotis D, Vogiatzi T, Eliades T. Condylar resorption in orthognathic patients after mandibular bilateral sagittal split osteotomy: a systematic review. European journal of orthodontics. 2017;39(3):294-309.	5
1261	Movahed R, Allen W, Morales-Ryan C, Wolford LM. Hypertrophic turbinates: Prevalence, surgical indications and outcomes in orthognathic surgery patients. Journal of Oral and Maxillofacial Surgery. 2012;2):e-20.	6
1262	Mrad MA, Shah Mardan QNM, Mahabbat NA. Radicular cysts and Chin implants: An unexpected complication prompting explantation - Case report. International Journal of Surgery Case Reports. 2020;77:766-8.	1
1263	Mucke T, Koschinski J, Deppe H, Wagenpfeil S, Pautke C, Mitchell DA, et al. Outcome of treatment and parameters influencing recurrence in patients with bisphosphonate-related osteonecrosis of the jaws. Journal of Cancer Research and Clinical Oncology. 2011;137(5):907-13.	9
1264	Mukai Y, Kawahara K, Yamamoto K, Oguri T. A clinical manoeuvre to avoid anterior open bite after sagittal split mandibular ramus osteotomy. International Journal of Oral and Maxillofacial Surgery. 2017;46 (Supplement 1):164-5.	6
1265	Mulimani P, Abas ABL, Karanth L, Colombatti R, Kulkarni P. Treatment of dental and orthodontic complications in thalassaemia. Cochrane Database of Systematic Reviews. 2018;2018 (2) (no pagination)(CD012969).	5
1266	Munabi NCO, Williams M, Nagengast ES, Fahradyan A, Goel P, Gould DJ, et al. Outcomes of Intracranial Versus Subcranial Approaches to the Frontofacial Skeleton. Journal of Oral and Maxillofacial Surgery. 2020;78(9):1609-16.	3
1267	Muraleemohan C, Shetty P, Roy S, Prasad BR. Opioids in the world of oral and maxillofacial surgery - A review. Nitte University Journal of Health Science. 2018;8(3):29-33.	5
1268	Muthukrishnan A, Kumar LB, Ramalingam G. Medication-related osteonecrosis of the jaw: A dentist's nightmare. BMJ Case Reports. 2016;2016 (no pagination)(214626).	3
1269	Nagata J. Long term assessment of the effects of occlusal management and oral myofunctional therapy in cleft lip and palate patients. Congenital Anomalies. 2019;59 (6):A28-A9.	6
1270	Nair SC, Spencer NJ, Nayak KP, Balasubramaniam K. Surgical management of vascular lesions of the head and neck: A review of 115 cases. International Journal of Oral and Maxillofacial Surgery. 2011;40(6):577-83.	5
1271	Nakajima Y, Nakano H, Sumida T, Yamada T, Inoue K, Sugiyama G, et al. High Le Fort I osteotomy for correction of mid-face deformity in Crouzon syndrome. Congenital Anomalies. 2016;56(5):240-2.	2

1272	Namaki S, Maekawa N, Iwata J, Sawada K, Namaki M, Bjornland T, et al. Long-term evaluation of swallowing function before and after sagittal split ramus osteotomy. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2014;43(7):856–61.	2
1273	Naran S, Steinbacher DM, Taylor JA. Current Concepts in Orthognathic Surgery. <i>Plastic and reconstructive surgery</i> . 2018;141(6):925e–36e.	5
1274	Narita M, Takaki T, Shibahara T, Iwamoto M, Yakushiji T, Kamio T. Utilization of desktop 3D printer-fabricated "Cost-Effective" 3D models in orthognathic surgery. <i>Maxillofacial and Plastic Reconstructive Surgery</i> . 2020;42 (1) (no pagination)(24).	5
1275	Navas-Aparicio MDC, Diaz y Faz R. Submental intubation: A useful alternative for orthognathic surgery in patients with craniofacial malformations. Case report. <i>Revista Colombiana de Anestesiologia</i> . 2017;45(Supplement 1):50–4.	1
1276	Neema B, Olabu BO, Butt FMA, Idenya PM, Cheruiyot I, Misiani M. Computed Tomography Scan Assessment of the Anatomy of the Pterygomaxillary Junction and Its Relevance in Le Fort I Osteotomy. <i>The Journal of craniofacial surgery</i> . 2020;31(7):2017–20.	2
1277	Nehra K, Sharma M, Sharma V, Sinha R. A multidisciplinary approach to the management of long-face syndrome and bilateral microtia. <i>Journal of clinical orthodontics : JCO</i> . 2013;47(9):537–44; quiz 60.	1
1278	Neto JR, Sendyk M, Uchida LM, Nunes FD, De Paiva JB. Oral focal mucinosis associated with surgically assisted rapid maxillary expansion. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> . 2014;145(4):534–8.	1
1279	Neu D, Nawara G, Newell J, Styczen D, Bouchez D, Mairesse O. First successful mechanical splint for OSA with an orally administrable pharyngeal stenting device. <i>Journal of Sleep Research</i> . 2018;27 (Supplement 1):400.	6
1280	Ngadimin C, Chew KY, Kong TY. Taking the guesswork out of mandibular reconstruction: the role of computer-guided planning and 3d-printing of patient-specific implants. <i>British Journal of Surgery</i> . 2019;106 (SUPPL, 6):116.	6
1281	Nguyen EVA, Heggie AAC. Avascular necrosis of the midface secondary to disseminated intravascular coagulation. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2015;1):e116–e7.	6
1282	Nguyen TD, Freilich MM, Macpherson BA. Complications of Oral and Maxillofacial Surgery under General Anesthesia in Tube-Fed Children: A Retrospective Analysis. <i>Journal (Canadian Dental Association)</i> . 2016;82:g16.	9
1283	Niechajev I. Reduction genioplasty for mandibular prognathism and long chin. <i>Oral and maxillofacial surgery</i> . 2020;24(3):333–41.	9
1284	Nikolopoulou M, Byraki A, Ahlberg J, Heymans MW, Hamburger HL, De Lange J, et al. Oral appliance therapy versus nasal continuous positive airway pressure in obstructive sleep apnoea syndrome: a randomised, placebo-controlled trial on self-reported symptoms of common sleep disorders and sleep-related problems. <i>Journal of oral rehabilitation</i> . 2017;44(6):452–60.	9
1285	Nishiyama A, Ibaragi S, Yoshioka N, Shimo T, Sasaki A. A case of maxillary protrusion and gummy smile treated by multi-segmental horseshoe le fort i osteotomy. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2017;46 (Supplement 1):327.	6
1286	Nkenke E, Vairaktaris E, Bauersachs A, Hertrich K, Stelzle F, Scheller K. Superficial skin sensitivity impairment and skeletal stability after sagittal split ramus osteotomy. <i>Journal of Craniofacial Surgery</i> . 2012;23(6):1900–5.	3
1287	Nkenke E, Vairaktaris E, Hanke S, Hoffmann B, Schlittenbauer T. Skeletal stability and complications in transantral maxillary distraction in patients with cleft lip and palate. <i>The Journal of craniofacial surgery</i> . 2014;25(2):689–93.	9
1288	Nobre LCG, Zerbinati LPS, Junior FBP, Sobrinho ALPC, Perez AS, Marchionni AMT, et al. Management of upper and middle thirds of the face trauma sequelae with customized alloplastic implants and orthognathic surgery: case report. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2019;48 (Supplement 1):143.	6
1289	Nocini PF, Bertossi D, Albanese M, D'Agostino A, Chilosi M, Procacci P. Severe maxillary atrophy treatment with le Fort I, Allografts, and implant-supported prosthetic rehabilitation. <i>Journal of Craniofacial Surgery</i> . 2011;22(6):2247–54.	3
1290	Nooh N, Abdelhalim AA, Abdullah WA, Sheta SA. Effect of remifentanyl on the hemodynamic responses and recovery profile of patients undergoing single jaw orthognathic surgery. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2013;42(8):988–93.	3
1291	Nordin E, Stenberg M, Tegelberg A. Obstructive sleep apnoea: patients' experiences of oral	9

	appliance treatment. <i>Journal of oral rehabilitation</i> . 2016;43(6):435-42.	
1292	Nores GG, Cuzzone D, Hush S, Pandya K, Williams J, Brady C. The impact of suprazygomatic maxillary nerve blocks on postoperative narcotic use in patients undergoing orthognathic surgery. <i>Cleft Palate-Craniofacial Journal</i> . 2020;57 (4 Supplement):129.	6
1293	Norouzi A, Chi G, Shafae Fard S, Sezavar M, Sarkarat F, Rakhshan V, et al. Scleral exposure alterations following Le Fort I osteotomy (with and without maxillary impaction) in skeletal class III patients: A before-and-after clinical trial. <i>Journal of Cranio-Maxillofacial Surgery</i> . 2018;46(9):1480-3.	2
1294	Norrhem N, Marklund M. An oral appliance with or without elastic bands to control mouth opening during sleep—a randomized pilot study. <i>Sleep and Breathing</i> . 2016;20(3):929-38.	1
1295	Noy D, Rachmiel A, Emodi O, Amsalem Y, Israel Y, Nagler RM. Transarterial Embolization in Maxillofacial Intractable Potentially Life-Threatening Hemorrhage. <i>Journal of Oral and Maxillofacial Surgery</i> . 2017;75(6):1223-31.	1
1296	Odabasi O, Erkmen E, Ucok CO, Bakir MA, Keris EY, Sahin O. Morphometric Analysis of Pterygomaxillary Region by Using Cone Beam Computed Tomography. <i>Journal of stomatology, oral and maxillofacial surgery</i> . 2020;20.	2
1297	Odabasi O, Moharamnejad N, Sahin O. Selection of ideal pterygoid osteotome: A preliminary study. <i>Nigerian journal of clinical practice</i> . 2019;22(7):891-6.	2
1298	O'Dougherty G R, Fulkerson DH, Kern M, Haldar K, Calhoun B. Complications of insufficient dura and blood loss during surgical intervention in shprintzen-goldberg syndrome: A case report. <i>American Journal of Case Reports</i> . 2019;20:1159-69.	9
1299	Oh MS, Dedhia RC. Current Techniques and Role of Drug-Induced Sleep Endoscopy for Obstructive Sleep Apnea. <i>Current Sleep Medicine Reports</i> . 2017;3(3):152-63.	5
1300	Oh SM, Lee CY, Kim JW, Jang CS, Kim JY, Yang BE. Condylar repositioning in bilateral sagittal split ramus osteotomy with centric relation bite. <i>The Journal of craniofacial surgery</i> . 2013;24(5):1535-8.	3
1301	Ohba S, Kohara H, Kawasaki T, Fujimura Y, Yoshida N, Asahina I. A patient with severe maxillary gingival exposure treated with combined compression osteogenesis of the anterior alveolar bone and conventional Le Fort I osteotomy. <i>The Journal of craniofacial surgery</i> . 2013;24(6):2068-72.	2
1302	Ohba S, Nakao N, Nakatani Y, Minamizato T, Kawasaki T, Koga T, et al. The skeletal and dentoalveolar stability of the maxilla after LeFort I osteotomy for cant correction. <i>Cranio : the journal of craniomandibular practice</i> . 2016;34(1):38-42.	2
1303	Ohmann D, Hoyte-Williams PE, Chen PKT. Update on complications in cleft orthognathic surgery. <i>Current Opinion in Otolaryngology and Head and Neck Surgery</i> . 2018;26(4):260-5.	5
1304	Okeson J, Porto FB, Furquim BD, Feu D, Sato F, Cardinal L. An interview with Jeffrey Okeson. <i>Dental Press J</i> . 2018;23(6):30-9.	5
1305	Okuyama K, Yamashiro M, Kaida A, Kawamata A, Mizutani M, Michi Y, et al. Does a Vascularized Fibula Free Bone Grafted Immediately After Hemimandibulectomy in a Child Grow or Relapse During Adolescence? <i>The Journal of craniofacial surgery</i> . 2018;29(5):e444-e9.	1
1306	Olate S, Huetequeo-Molina C, Requena R, Uribe F. Patient Specific Implants to Solve Structural Facial Asymmetry After Orthognathic Surgery. <i>The Journal of craniofacial surgery</i> . 2020;06.	3
1307	Olate S, Pozzer L, Unibazo A, Huetequeo-Molina C, Martinez F, de Moraes M. LeFort I segmented osteotomy experience with piezosurgery in orthognathic surgery. <i>International Journal of Clinical and Experimental Medicine</i> . 2014;7(8):2092-5.	3
1308	Olsen JJ, Ingerslev J, Thorn JJ, Pinholt EM, Gram JB, Sidelmann JJ. Can Preoperative Sex-Related Differences in Hemostatic Parameters Predict Bleeding in Orthognathic Surgery? <i>Journal of Oral and Maxillofacial Surgery</i> . 2016;74(8):1637-42.	2
1309	Ong HS, Gokavarapu S, Cao W, Zhang CP. Mandibular osteotomy for access improves the cancer outcome of tongue cancers. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2017;46 (Supplement 1):130.	6
1310	Ong HS, Gokavarapu S, Tian Z, Li J, Cao W, Zhang CP. Does a mandibular access osteotomy improve survival in pT2 oral tongue cancers? Retrospective study at a single institution. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2018;47(3):289-95.	2
1311	Opdenakker Y, Swennen G, Pottel L, Abeloos J, Nagy K. Postoperative Respiratory Complications After Cleft Palate Closure in Patients With Pierre Robin Sequence: Operative Considerations. <i>The Journal of craniofacial surgery</i> . 2017;28(8):1950-4.	2

1312	O'Regan B, Bowman J. Unilateral blindness: Does it influence the choice of procedure used for Le Fort I (LFI) osteotomy? <i>British Journal of Oral and Maxillofacial Surgery</i> . 2014;52(8):e118.	6
1313	Orra S, Tierney WS, Capone AC, Gharb BB, Papay FA, Doumit G. Relevant Surgical Anatomy of Pterygomaxillary Dysjunction in Le Fort III Osteotomy. <i>Plastic and reconstructive surgery</i> . 2017;139(3):701-9.	2
1314	Osher J, Gillman L, Matthews NS. Contemporary management of idiopathic condylar resorption utilising virtual surgical planning and single stage, bilateral, customTMJreplacement with or without concurrent orthognathic surgery. <i>British Journal of Oral and Maxillofacial Surgery</i> . 2013;51(6):e88-e9.	6
1315	Ozcakir-Tomruk C, Arslan A. Mandibular angle fractures during third molar removal: A report of two cases. <i>Australian Dental Journal</i> . 2012;57(2):231-5.	1
1316	Ozcan EM, Civak T, Kolsuz N, Varol A, Basa S. The effects and functional outcomes of intranasal procedures in excessive maxillary impaction cases. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2017;46 (Supplement 1):165.	6
1317	Padmavati R, Kishore Kumar S. Mandibular symphyseal distraction osteogenesis-A review. <i>Indian Journal of Public Health Research and Development</i> . 2019;10(12):2441-6.	5
1318	Pagan A, Sterling D, Andrews B. Cartilage grafting outcomes in intermediate and definitive cleft rhinoplasty. <i>Cleft Palate-Craniofacial Journal</i> . 2020;57(4 Supplement):34.	6
1319	Pakvasa M, Abbasi A, Boachie-Mensah M, Chattha A, Reid RR. Predictors of Opioid Prescription After Orthognathic Surgery in Opioid Naive Adults From a Large Database. <i>The Journal of craniofacial surgery</i> . 2021;25.	2
1320	Palermo V. Risk-Stratifying Patients at an Increased Risk of Malignant Hyperthermia: Improving Safety by Expanding Beyond Classic Tenets. <i>Journal of Oral and Maxillofacial Surgery</i> . 2019;77(9 Supplement):e44.	6
1321	Paliga JT, Goldstein JA, Storm PB, Taylor JA. Monobloc minus Le Fort II for single-stage treatment of the Apert phenotype. <i>The Journal of craniofacial surgery</i> . 2013;24(4):1380-2.	9
1322	Pamuk AE, Ozer S, Suslu AE, Akgoz A, Onerci M. Juvenile nasopharyngeal angiofibroma: A single centre's 11-year experience. <i>Journal of Laryngology and Otology</i> . 2018;132(11):978-83.	9
1323	Pan B, Zhang G, Xia JJ, Yuan P, Ip HHS, He Q, et al. Prediction of soft tissue deformations after CMF surgery with incremental kernel ridge regression. <i>Computers in Biology and Medicine</i> . 2016;75:1-9.	2
1324	Papadaki ME, Kaban LB, Troulis MJ. Endoscopic vertical ramus osteotomy: A long-term prospective study. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2014;43(3):305-10.	5
1325	Parbo N, Murra NT, Andersen K, Buhl J, Kiil B, Norholt SE. Outcome of partial mandibular reconstruction with fibula grafts and implant-supported prostheses. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2013;42(11):1403-8.	3
1326	Paredes-Gallardo V, Garcia-Sanz V, Bellot-Arcis C. Miniscrew-assisted multidisciplinary orthodontic treatment with surgical mandibular advancement and genioplasty in a brachyfacial Class II patient with mandibular asymmetry. <i>American journal of orthodontics and dentofacial orthopedics</i> : official publication of the American Association of Orthodontists, its constituent societies, and the American Board of Orthodontics. 2017;152(5):679-92.	3
1327	Parise GK, Guebur MI, Ramos GHA, Groth AK, da Silva ABD, Sassi LM. Evaluation of complications and flap losses in mandibular reconstruction with microvascularized fibula flap. <i>Oral and maxillofacial surgery</i> . 2018;22(3):281-4.	3
1328	Park HJ, Park JU, Yoo W, Moon YE. Analgesic effects of nefopam in patients undergoing bimaxillary osteotomy: A double-blind, randomized, placebo-controlled study. <i>Journal of Cranio-Maxillofacial Surgery</i> . 2016;44(2):210-4.	2
1329	Park JH, Tai K, Sato Y. Management of Klippel-Feil syndrome combined with Turner syndrome: a case report. <i>International journal of orthodontics (Milwaukee, Wis)</i> . 2013;24(1):37-42.	9
1330	Parton AL, Tong DC, De Silva HL, Farella M, De Silva RK. A nine-year review of orthognathic surgery at the University of Otago. <i>The New Zealand dental journal</i> . 2011;107(4):117-20.	5
1331	Pary A, Cal-Neto JP. A simple method to treat asymmetric expansions in three-segment surgically assisted rapid maxillary expansion. <i>Journal of Oral and Maxillofacial Surgery</i> . 2013;71(12):2130-6.	2
1332	Patel AA, Hirsch DL, Levine J. Composite microvascular free tissue transfer for congenital and acquired craniofacial deformities in the pediatric population. <i>Journal of Oral and Maxillofacial</i>	6

	Surgery. 2013;1):e30-e1.	
1333	Patel K, Jenkyn I, Basyuni S, Santhanam V. Le Fort I post-operative epistaxis resulting from a true sphenopalatine artery dissection. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2019;48 (Supplement 1):259.	6
1334	Patel P, Morris D, Reisberg D, Runge M. Dentofacial skeletal reconstruction of the patient with a facial cleft. <i>Cleft Palate-Craniofacial Journal</i> . 2019;56 (1 Supplement):8-9.	6
1335	Patrocínio L, Patrocínio T, Naves M, Alves T, Pereira C. Le Fort I osteotomy with mastoid bone interpositional graft. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2013;42 (10):1334.	6
1336	Patrocínio L, Patrocínio T, Naves M, Alves T, Pereira C. Concurrent Le Fort I osteotomy and aesthetic rhinoplasty: Outcomes and complications. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2013;42 (10):1334.	6
1337	Paul G. Informed consent in orthognathic and cosmetic surgery-special considerations. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2013;42 (10):1334.	6
1338	Paul SA, Simon SS, Issac B, Kumar S. Management of severe sleep apnea secondary to juvenile arthritis with temporomandibular joint replacement and mandibular advancement. <i>Journal of Pharmacy and Bioallied Sciences</i> . 2015;7(6 Supplement 2):S687-S90.	2
1339	Pauletti RN, Missel JA, Demori P, Basualdo A, Ce LC, Kuhn-Dall'Magro A, et al. Submental intubation in maxillofacial surgery. <i>Journal of Oral and Maxillofacial Surgery</i> . 2016;74 (9 Supplement 1):e51-e2.	6
1340	Pavoni C, Cretella Lombardo E, Lione R, Bollero P, Ottaviani F, Cozza P. Effetti del trattamento ortopedico-funzionale sulle dimensioni sagittali faringee in soggetti con disturbi respiratori del sonno e malocclusione di Classe II, Orthopaedic treatment effects of functional therapy on the sagittal pharyngeal dimensions in subjects with sleep-disordered breathing and Class II malocclusion. <i>Acta otorinolaryngologica Italica : organo ufficiale della Societa italiana di otorinolaryngologia e chirurgia cervico-facciale</i> . 2017;37(6):479-85.	7
1341	Peacock ZS, Lee CCY, Klein KP, Kaban LB. Orthognathic surgery in patients over 40 years of age: Indications and special considerations. <i>Journal of Oral and Maxillofacial Surgery</i> . 2014;72(10):1995-2004.	2
1342	Peacock ZS, Lee JS. Modification of the bilateral sagittal split osteotomy for the asymmetric mandible. <i>Journal of Oral and Maxillofacial Surgery</i> . 2011;69(9):2437-41.	2
1343	Pearce C, Attard A, Monaghan A. Mandibular distraction following bisphosphonate use: What are the pitfalls? <i>British Journal of Oral and Maxillofacial Surgery</i> . 2013;51 (6):e127.	6
1344	Pektas ZO, Cubuk S, Kircelli B, Uckan S. Management of Maxillary Deformity with Segmental Osteotomy followed by Implant Insertion in beta-Thalassemia Major Patient. <i>The journal of contemporary dental practice</i> . 2015;16(8):704-7.	9
1345	Penarrocha-Oltra D, Demarchi CL, Maestre-Ferrin L, Penarrocha-Diago M. Comparison of immediate and delayed implants in the maxillary molar region: a retrospective study of 123 implants. <i>The International journal of oral & maxillofacial implants</i> . 2012;27(3):604-10.	2
1346	Pendem S, Vb KK. Synchronous correction in secondary cleft deformities: a prospective cohort study. <i>Minerva stomatologica</i> . 2020;02.	9
1347	Pennington C, De Pennington J, Horner R, Duffield K. Improving postoperative care of patients following elective orthognathic surgery. <i>Anaesthesia</i> . 2017;72 (Supplement 3):12.	6
1348	Pereira AR, Montezuma N, Oliveira L, Magalhaes M, Rosa J. Immediate Reconstruction of Large Full-Thickness Segmental Anterior Maxillary Defect with Bone Transport. <i>Craniofacial Trauma and Reconstruction</i> . 2016;9(4):305-12.	2
1349	Pereira MD, Koga AF, Prado GPR, Ferreira LM. Complications From Surgically Assisted Rapid Maxillary Expansion With HAAS and HYRAX Expanders. <i>The Journal of craniofacial surgery</i> . 2018;29(2):275-8.	3
1350	Perez D, Ellis 3rd E, Vega OA. Distraction osteogenesis for craniomaxillofacial problems. <i>Texas dental journal</i> . 2011;128(11):1159-70.	1
1351	Perez-Dosal MR, Velazquillo Martinez MC, Sanchez-Betancourt JI. Development of an osteogenic construct derived from stem cells for treatment of primary cleft palate. Stage I: Standardization of technique and II: Ex vivo studies in porcine experimental model. <i>Regenerative Medicine</i> . 2015;1):143-4.	6
1352	Perez-Gonzalez JM, Esparza-Villalpando V, Martinez-Rider R, Noyola-Frias MA, Pozos-Guillen A. Clinical and Radiographic Characteristics as Predictive Factors of Swelling and Trismus after Mandibular Third Molar Surgery: A Longitudinal Approach. <i>Pain Research and Management</i> .	2

	2018;2018 (no pagination)(7938492).	
1353	Pessoa EAM, Braune A, Casado PL, Tannure PN. Alveolar bone raft: Clinical profile and risk factors for complications in oral cleft patients. <i>Cleft Palate–Craniofacial Journal</i> . 2017;54(5):530–4.	9
1354	Pham M, Dunlop N, Pham L, Turvey T. Severe bleeding from a duodenal ulcer after orthognathic surgery: a case report. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2020;49(6):794–6.	9
1355	Philippe B. Computer designed guides and miniplates in orthognathic surgery: Accuracy, outcomes and complications. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2015;1):e123.	6
1356	Phillips C, Essick G. Inferior alveolar nerve injury following orthognathic surgery: A review of assessment issues. <i>Journal of Oral Rehabilitation</i> . 2011;38(7):547–54.	5
1357	Pieri F, Forlivesi C, Caselli E, Corinaldesi G. Short implants (6 mm) vs. vertical bone augmentation and standard-length implants (>=9 mm) in atrophic posterior mandibles: a 5-year retrospective study. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2017;46(12):1607–14.	1
1358	Pigache P, Anavekar N, Raoul G, Ferri J. Maxillary Reconstruction for Sinus Lift Complications With Oro–Antral Fistula: The Le Fort I Approach. <i>The Journal of craniofacial surgery</i> . 2016;27(2):464–8.	3
1359	Pineau M, Farrow E, Nicot R, Ferri J. Achondroplasia: Orocraniofacial Features and Orthodontic–Surgical Management Guidelines Proposal. <i>The Journal of craniofacial surgery</i> . 2018;29(8):2186–91.	5
1360	Pingarron–Martin L, Otero TG, Gallo LJA. Experience with mandibular reconstruction using transport–disc–distraction osteogenesis. <i>Craniofacial Trauma and Reconstruction</i> . 2015;8(2):117–22.	3
1361	Pizzigallo A, Mazzoni S, Tarsitano A, Badiali G, Marchetti C. CAD/CAM technology method for microvascular mandibular reconstruction. <i>European Archives of Oto–Rhino–Laryngology</i> . 2012;269 (4):1330.	6
1362	Ploder O, Winsauer H, Juengling K, Grill F, Bissinger O, Wolff KD, et al. Is There a Significant Difference in Relapse and Complication Rate of Surgically Assisted Rapid Palatal Expansion Using Tooth–Borne, Bone–Borne, and Orthodontic Mini–Implant–Borne Appliances? <i>Journal of Oral and Maxillofacial Surgery</i> . 2021;79(1):213–24.	1
1363	Plum M, Endara–Bravo A, Pfirman K. Lacrimal duct air regurgitation in a patient on continuous positive airway pressure therapy. <i>American Journal of Respiratory and Critical Care Medicine Conference: American Thoracic Society International Conference, ATS</i> . 2017;195(no pagination).	6
1364	Poets CF, Bacher M. Treatment of upper airway obstruction and feeding problems in Robin–like phenotype. <i>Journal of Pediatrics</i> . 2011;159(6):887–92.	9
1365	Polido W, Faber J, Rocha RS, Fronza B, Marini E. Anticipated benefit: A new protocol for orthognathic surgery. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2011;40 (10):1204.	6
1366	Politi M, Toro C, Sbuelz M. A giant trigeminal schwannoma of the infratemporal fossa removed by transmandibular approach and coronoidectomy. <i>Oral and Maxillofacial Surgery Cases</i> . 2016;2(1):10–3.	2
1367	Politis C, Ramirez XB, Sun Y, Lambrichts I, Heath N, Agbaje JO. Visibility of mandibular canal on panoramic radiograph after bilateral sagittal split osteotomy (BSSO). <i>Surgical and Radiologic Anatomy</i> . 2013;35(3):233–40.	2
1368	Posnick JC, Choi E, Chavda A. Surgical Site Infections Following Bimaxillary Orthognathic, Osseous Genioplasty, and Intranasal Surgery: A Retrospective Cohort Study. <i>Journal of Oral and Maxillofacial Surgery</i> . 2017;75(3):584–95.	3
1369	Posnick JC, Choi E, Liu S. Occurrence of a 'bad' split and success of initial mandibular healing: a review of 524 sagittal ramus osteotomies in 262 patients. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2016;45(10):1187–94.	5
1370	Posnick JC, Choi E, Singh N. Lingual nerve injury in association with sagittal ramus osteotomy and bicortical screw fixation: a review of 523 procedures in 262 subjects. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2016;45(11):1445–51.	5
1371	Posnick JC, Gray JA. Is It Safe to Re–Harvest the Anterior Iliac Crest to Manage Le Fort I Interpositional Defects in Young Adults With a Repaired Cleft? <i>Journal of oral and maxillofacial surgery : official journal of the American Association of Oral and Maxillofacial Surgeons</i> . 2015;73(12 Supplement):S32–S9.	9

1372	Posnick JC, Sami A. Use of allogenic (iliac) corticocancellous graft for the fort i interpositional defects: Technique and results. <i>Journal of Oral and Maxillofacial Surgery</i> . 2015;73(1):168.e1–.e12.	3
1373	Pourdanesh F, Khayampour A, Jamilian A. Therapeutic effects of local application of dexamethasone during bilateral sagittal split ramus osteotomy surgery. <i>Journal of Oral and Maxillofacial Surgery</i> . 2014;72(7):1391–4.	2
1374	Powell K, Al-Ruwaily S, Waite PD. Hemodynamic and inflammatory biomarkers of obstructive sleep apnea (OSA): Effect of maxillomandibular advancement (MMA). <i>Journal of Oral and Maxillofacial Surgery</i> . 2015;73 (9 Supplement 1):e61.	6
1375	Prinsell JR. Primary and secondary telegnathic maxillomandibular advancement, with or without adjunctive procedures, for obstructive sleep apnea in adults: A literature review and treatment recommendations. <i>Journal of Oral and Maxillofacial Surgery</i> . 2012;70(7):1659–77.	5
1376	Proothi M, Grazina VJR, Gold AR. Chronic insomnia remitting after maxillomandibular advancement for mild obstructive sleep apnea: A case series. <i>Journal of Medical Case Reports</i> . 2019;13 (1) (no pagination)(252).	1
1377	Prouse G, Mazzaccaro D, Settembrini F, Carmo M, Biglioli F, Settembrini PG. Double osteotomy of mandibula in the treatment of carotid body tumors with skull base extension. <i>Journal of Vascular Surgery</i> . 2013;58(2):486–90.	9
1378	Pucciarelli MGR, Lopes ACO, Lopes JFS, Soares S. Implant placement for patients with cleft lip and palate: A clinical report and guidelines for treatment. <i>The Journal of prosthetic dentistry</i> . 2019;121(1):9–12.	5
1379	Pundole X, Jones AL, Tetzlaff MT, Williams MD, Murphy WA, Otun A, et al. Osteonecrosis of the jaw induced by treatment with anti-PD-1 immunotherapy: a case report. <i>Immunotherapy</i> . 2020;12(17):1213–9.	2
1380	Puviani M, Farnetani F, Manfredini M. Ameloblastoma arising in the skin: when safe handling of needles is not enough. <i>JDDG – Journal of the German Society of Dermatology</i> . 2019;17(6):640–1.	5
1381	Qin L, Lin SX, Guo ZZ, Zhao N, Song YL, Xie C, et al. Influences of Schneiderian membrane conditions on the early outcomes of osteotome sinus floor elevation technique: a prospective cohort study in the healing period. <i>Clinical oral implants research</i> . 2017;28(9):1074–81.	1
1382	Qu M, Zhu S, Hu Z, Li Y, Abotaleb B, Bi R, et al. The accuracy of three-dimensional rapid prototyped surgical template guided anterior segmental osteotomy. <i>Medicina Oral Patologia Oral y Cirugia Bucal</i> . 2019;24(5):e684–e90.	3
1383	Quevedo L. T.M. joint and occlusal complications in orthognathic surgery. Why they happen and what to do. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2011;40 (10):1008.	6
1384	Quirino LC, Carvalho PHA, Santos JCD, Trento GDS, Gabrielli MAC, Pereira-Filho VA. Le Fort I Down-Fracture for Management of Midface Tumors. <i>The Journal of craniofacial surgery</i> . 2020;31(6):e608–e12.	5
1385	Rachmiel A. Management of maxillary cleft deficiency using external and internal distraction devices–long-term results. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2017;46 (Supplement 1):43.	6
1386	Rachmiel A. Management of maxillary cleft deficiency–distraction osteogenesis vs conventional orthognathic surgery. <i>Congenital Anomalies</i> . 2019;59 (6):A15–A6.	6
1387	Rachmiel A, Emodi O, Aizenbud D, Rachmiel D, Shilo D. Two-stage reconstruction of the severely deficient alveolar ridge: bone graft followed by alveolar distraction osteogenesis. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2018;47(1):117–24.	2
1388	Rachmiel A, Shilo D, Aizenbud D, Pen M, Rachmiel D, Emodi O. Three-Dimensional Reconstruction of Post-Traumatic Deficient Anterior Maxilla. <i>Journal of Oral and Maxillofacial Surgery</i> . 2017;75(12):2689–700.	2
1389	Rachmiel A, Turgeman S, Shilo D, Aizenbud D, Emodi O. Skeletal stability in patients with clefts after large maxillary advancements using intraoral distraction. <i>British Journal of Oral and Maxillofacial Surgery</i> . 2020;58(6):663–8.	2
1390	Ragaey M, Van Sickels J. A Modified Technique for Placing Prebent Plates during a Le Fort I Osteotomy: A Technical Note. <i>Cranio-maxillofacial Trauma and Reconstruction</i> . 2016;9(4):297–8.	2
1391	Ragaey M, Van Sickels JE. Prevalence of infection with the use of beta-tricalcium phosphate as a bone graft substitute during Le Fort I osteotomy. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2017;46(1):62–6.	3
1392	Rahpeyma A, Khajehahmadi S. Modified VIP-CT flap in late maxillary alveolar cleft surgery.	2

	Journal of Cranio-Maxillofacial Surgery. 2014;42(5):432-7.	
1393	Rahpeyma A, Khajehahmadi S. Alveolar antral artery: Review of surgical techniques involving this anatomic structure. Iranian Journal of Otorhinolaryngology. 2014;26(75):73-8.	5
1394	Rahpeyma A, Khajehahmadi S. Chin bone graft for maxillary alveolar cleft: indications and limitations. The Journal of craniofacial surgery. 2014;25(5):1650-2.	1
1395	Rahpeyma A, Khajehahmadi S. Reconstruction of the maxilla by submental flap. ANZ journal of surgery. 2015;85(11):873-7.	1
1396	Rahpeyma A, Khajehahmadi S. Parapharyngeal Hemangiopericytoma: the Role for Mandibular Proximal Segment Replantation-Review of Literature. Indian Journal of Surgical Oncology. 2019;10(4):708-12.	5
1397	Rahpeyma A, Khajehahmadi S, Ghasemi A. Premaxillary osteotomy fixation in bilateral cleft lip/palate: Introducing a new technique. Asian journal of surgery. 2016;39(2):90-5.	9
1398	Rahpeyma A, Khajehahmadi S, Khalife HH. Decellularized human Schneiderian membrane: Electron microscopic study as a bioscaffold and preliminary cell seeding. Pathology Research and Practice. 2014;210(12):965-70.	5
1399	Rakesh Mohan M, Prabu NP, Shanmugapriyan D, Wasim Ahamed SG, Asir VD. Evaluation of maxilla stability in cleft patients with le fort 1 maxillary advancement. Indian Journal of Public Health Research and Development. 2019;10(11):3244-7.	2
1400	Ramly EP, Kantar RS, Diaz-Siso JR, Alfonso AR, Shetye PR, Rodriguez ED. Outcomes After Tooth-Bearing Maxillomandibular Facial Transplantation: Insights and Lessons Learned. Journal of Oral and Maxillofacial Surgery. 2019;77(10):2085-103.	2
1401	Ramos AL, Pascotto RC, Filho LI, Hayacibara RM, Boselli G. Interdisciplinary treatment for a patient with open-bite malocclusion and amelogenesis imperfecta. American Journal of Orthodontics and Dentofacial Orthopedics. 2011;139(4 SUPPL.):s145-s53.	9
1402	Randerath WJ, Verbraecken J, Andreas S, Bettega G, Boudewyns A, Hamans E, et al. Non-CPAP therapies in obstructive sleep apnoea. European Respiratory Journal. 2011;37(5):1000-28.	5
1403	Rangarajan H. In reply. Journal of Oral and Maxillofacial Surgery. 2011;69(9):2282-3.	5
1404	Rao S, Nandeesh BN, Arivazhagan A, Moiyadi AV, Yasha TC. Psammomatoid juvenile ossifying fibroma: Report of three cases with a review of literature. Journal of Pediatric Neurosciences. 2017;12(4):363-6.	5
1405	Raposo-Amaral CE, Denadai R, Ghizoni E, Buzzo CL, Raposo-Amaral CA. Family of Crouzon Syndrome Represents the Evolution of the Frontofacial Monobloc Advancement Technique: From Immediate Movement to Monobloc Distraction to Monobloc Bipartition Distraction. The Journal of craniofacial surgery. 2015;26(6):1940-3.	9
1406	Raposo-Amaral CE, Denadai R, Pereira-Filho JC, Vieira PH, Ghizoni E, Raposo-Amaral CA. Serious Complications After Le Fort III Distraction Osteogenesis in Syndromic Craniosynostosis: Evolution of Preventive and Therapeutic Strategies. The Journal of craniofacial surgery. 2018;29(6):1397-401.	9
1407	Rasmusson L, Thor A, Sennerby L. Stability evaluation of implants integrated in grafted and nongrafted maxillary bone: A clinical study from implant placement to abutment connection. Clinical Implant Dentistry and Related Research. 2012;14(1):61-6.	2
1408	Ravelo J. How to manage outpatient orthognathic surgery; protocols developed after 25 years and more than 6000 cases. International Journal of Oral and Maxillofacial Surgery. 2017;46 (Supplement 1):44-5.	6
1409	Recuero IIG, Alamillos MR, Romance AI, Aniceto FMDGS. Temporomandibular joint total prosthesis reconstruction and orthognathic surgery in syndromic patients. International Journal of Oral and Maxillofacial Surgery. 2019;48 (Supplement 1):12.	6
1410	Reddy RR, Gosla Reddy S, Chilakalapudi A, Kokali S, Bronkhorst EM, Kummer AW, et al. Effect of One-Stage versus Two-Stage Palatoplasty on Hypernasality and Fistula Formation in Children with Complete Unilateral Cleft Lip and Palate: A Randomized Controlled Trial. Plastic and reconstructive surgery. 2018;142(1):42e-50e.	9
1411	Reddy S, Straker T, Susilo R, Pisklavov S, Delphin E. Accidental transection of the endotracheal tube by a surgical drill. Anaesthesia. 2019;74 (Supplement 2):58.	6
1412	Reid D, Papageorge M, Viswanath A, Boulous M, Decoteau C, Finkelman M. Blood transfusions in orthognathic surgery. International Journal of Oral and Maxillofacial Surgery. 2019;48 (Supplement 1):260.	6
1413	Reisberg D, Mahajan S, Zhao L. Volumetric analysis of allograft and autograft for alveolar bone	6

	grafting pre-and postoperatively using cone-beam computed tomography. Cleft Palate-Craniofacial Journal. 2018;55 (1 Supplement):65.	
1414	Resnick CM. Precise osteotomies for mandibular distraction in infants with Robin sequence using virtual surgical planning. International Journal of Oral and Maxillofacial Surgery. 2018;47(1):35-43.	1
1415	Resnick CM. Pediatric Sleep Surgery: Skeletal Procedures. Atlas of the oral and maxillofacial surgery clinics of North America. 2019;27(1):67-75.	5
1416	Reyneke J. Tissue morbidity in orthognathic surgery. International Journal of Oral and Maxillofacial Surgery. 2011;40 (10):1008.	6
1417	Reyneke JP. Reoperative Orthognathic Surgery. Oral and Maxillofacial Surgery Clinics of North America. 2011;23(1):73-92.	5
1418	Ribeiro Filho SA, Francischone CE, De Oliveira JC, Ribeiro LZ, Do Prado FZX, Sotto-Maior BS. Bone augmentation of the atrophic anterior maxilla for dental implants using rhBMP-2 and titanium mesh: Histological and tomographic analysis. International Journal of Oral and Maxillofacial Surgery. 2015;44(12):1492-8.	2
1419	Ribeiro PD, Cury Mendes GB, Babadopulos CNF, Silva WS. Clinical evaluation of a single plate for sagittal split ramus osteotomy fixation. Journal of Oral and Maxillofacial Surgery. 2017;75 (10 Supplement 1):e387.	6
1420	Ribeiro-Junior PD, Momesso NR, Padovan LEM, Oreadi D, Matsumoto MA. Immediate Oral Rehabilitation Using Dental Implants After Marginal Mandibulectomy: A Case Report. The Journal of oral implantology. 2020;46(1):73-9.	2
1421	Rice J, Cohen A, Dattilo DJ, Cillo JE. Time to Event Analysis of Complications from Maxillomandibular Advancement for Obstructive Sleep Apnea. Journal of Oral and Maxillofacial Surgery. 2019;77 (9 Supplement):e2-e3.	6
1422	Richardson L, Millwaters M. Audit at the Royal London Hospital to assess the proportion of orthognathic cases completed within an established time frame. International Journal of Oral and Maxillofacial Surgery. 2017;46 (Supplement 1):329.	6
1423	Ricotta F, Battaglia S, Bolognesi F, Ceccariglia F, Marchetti C, Tarsitano A. Use of cad-cam bridging mandibular prosthesis in osteonecrosis of the jaw: The experience of our school. Journal of Clinical Medicine. 2020;9(11):1-10.	9
1424	Ridgway EB, Robson CD, Padwa BL, Goumnerova LC, Mulliken JB. Meningoencephalocele and other dural disruptions: Complications of Le Fort III midfacial osteotomies and distraction. Journal of Craniofacial Surgery. 2011;22(1):182-6.	3
1425	Rismani NR. Commentary. Craniomaxillofacial Trauma and Reconstruction. 2014;7(2):110-1.	5
1426	Rivaldo EG, Montagner A, Nary H, da Fontoura Frasca LC, Branemark PI. Assessment of rehabilitation in edentulous patients treated with an immediately loaded complete fixed mandibular prosthesis supported by three implants. The International journal of oral & maxillofacial implants. 2012;27(3):695-702.	2
1427	Riyami YA, Jahdhami SA, Amri KA. Descriptive analysis of secondary bone grafting outcomes in Omani pediatric patients with unilateral & bilateral cleft lip & palate. International Journal of Oral and Maxillofacial Surgery. 2019;48 (Supplement 1):269-70.	6
1428	Robiony M, Costa F, Politi M. Ultrasound endoscopic bone cutting for rapid maxillary expansion. Journal of Oral and Maxillofacial Surgery. 2014;72(5):980-90.	1
1429	Robiony M, Gelpi F, Finotti M, Testori T. Maxillary Segmental Micro Osteotomy: A Human Cadaver Study on the Efficacy of the Technique. The Journal of craniofacial surgery. 2015;26(8):2418-20.	2
1430	Robl MT, Farrell BB, Tucker MR. Complications in orthognathic surgery: a report of 1,000 cases. Oral and maxillofacial surgery clinics of North America. 2014;26(4):599-609.	5
1431	Rocha Neto AM, Rocha PMB, Monteiro JLC, Barbosa LM, Perrelli MCG, Vasconcelos BCE, et al. Large maxillary advancement to treat a prognathic profile in an acromegalic patient with a narrow airway and a thin mandibular ramus. International Journal of Oral and Maxillofacial Surgery. 2017;46 (Supplement 1):329.	6
1432	Rodman R. Cosmetic bone contouring. Current Opinion in Otolaryngology and Head and Neck Surgery. 2017;25(4):337-40.	5
1433	Rodrigues D, Campos P, Azevedo R, Wolford LM. Morbidity of transverse expansion after segmental Le Fort I osteotomy: dental and skeletal evaluation. International Journal of Oral and Maxillofacial Surgery. 2019;48 (Supplement 1):127.	6
1434	Rodrigues D, Campos P, Wolford L, Goncalves J, Ignacio J. Three-dimensional evaluation of	6

	the interdental maxillary segmental osteotomy in orthognathic surgery. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2015;1):e131.	
1435	Rodrigues D, Oliveira G, Castro V, Sergio Flores Campos P, Rebello I. Treatment of complications in orthognathic surgery using bone morphogenetic protein-2 (rhBMP-2). <i>International Journal of Oral and Maxillofacial Surgery</i> . 2013;42 (10):1336.	6
1436	Rodrigues DB, Campos PSF, Wolford LM, Ignacio J, Goncalves JR. Maxillary Interdental Osteotomies Have Low Morbidity for Alveolar Crestal Bone and Adjacent Teeth: A Cone Beam Computed Tomography-Based Study. <i>Journal of Oral and Maxillofacial Surgery</i> . 2018;76(8):1763-71.	2
1437	Rodriguez-Lorenzo A, Rydevik Mani M, Thor A, Gudjonsson O, Marklund N, Olerud C, et al. Fibula osteo-adipofascial flap for reconstruction of a cervical spine and posterior pharyngeal wall defect. <i>Microsurgery</i> . 2014;34(4):314-8.	9
1438	Rohrich RJ, Sanniec K, Afrooz PN. Autologous Fat Grafting to the Chin: A Useful Adjunct in Complete Aesthetic Facial Rejuvenation. <i>Plastic and reconstructive surgery</i> . 2018;142(4):921-5.	1
1439	Rohrich RJ, Shanmugakrishnan RR, Mohan R. Rhinoplasty Refinements: Addressing the Pollybeak Deformity. <i>Plastic and reconstructive surgery</i> . 2020;145(3):696-9.	1
1440	Rojas FJA, Brown ZL, Rushing D, Perez DE. Outcomes of Total Joint Alloplastic Reconstruction in TMJ Ankylosis. <i>Journal of Oral and Maxillofacial Surgery</i> . 2020;78 (10 Supplement):e41-e2.	6
1441	Rojas R, Chateau R, Gaete C, Droguett C. Unusual complications of orthognathic surgery patients. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2013;42 (10):1336.	6
1442	Rojas R, Chateau R, Gaete C, Munoz C. Genioglossus muscle advancement and simultaneous sliding genioplasty in the management of sleep apnoea. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2018;47(5):638-41.	1
1443	Rojas YA, Sinnott C, Colasante C, Samas J, Reish RG. Facial Implants: Controversies and Criticism. A Comprehensive Review of the Current Literature. <i>Plastic and reconstructive surgery</i> . 2018;142(4):991-9.	5
1444	Rokutanda S, Yoshida M, Kuroe K, Yanamoto S, Yamada SI, Kawano T, et al. A case of sagittal splitting ramus osteotomy and genioplasty in a patient with congenital factor VII deficiency. <i>Acta Medica Nagasakiensia</i> . 2015;60(1):21-4.	3
1445	Rosen A, Modig M, Larson O. Orthognathic bimaxillary surgery in two patients with osteogenesis imperfecta and a review of the literature. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2011;40(8):866-86.	5
1446	Rossi DS, Romano M, Sweed AH, Baj A, Gianni AB, Beltramini GA. Use of CAD-CAM technology to improve orthognathic surgery outcomes in patients with severe obstructive sleep apnoea syndrome. <i>Journal of Cranio-Maxillofacial Surgery</i> . 2019;47(9):1331-7.	2
1447	Rougier G, Kogane N, Dallard J, Mangione F, Slimani L, Salmon B, et al. Biomechanical properties of the human mandibular cadaveric bone related to ramus sagittal osteotomy. <i>Computer Methods in Biomechanics and Biomedical Engineering</i> . 2019;22 (Supplement 1):S96-S8.	6
1448	Roul-Yvonnet F, Quilichini J, Leyder P. Split-Overlapping Genioplasty: Surgical Technique, Morphological and Radiological Long-Term Outcomes. <i>The Journal of craniofacial surgery</i> . 2017;28(8):2093-7.	1
1449	Rousseau M, Retrouvey JM, Bober M, Esposito P, Eyre DR, Gomez D, et al. Osteogenesis imperfecta: Potential therapeutic approaches. <i>PeerJ</i> . 2018;2018 (8) (no pagination)(e5464).	2
1450	Roussel LO, Myers RP, Giroto JA. Deep Venous Thrombosis in Teen With Crouzon Syndrome Post-Le Fort III Osteotomy With Rigid External Distraction. <i>The Journal of craniofacial surgery</i> . 2015;26(8):e780-e2.	9
1451	Rowland A, Benjamin F, Athanasius-Chukwudi O, Uchenna-Kevin O, Modupeola-Omotara S. Central myxoma/myxofibroma of the jaws: A clinico-epidemiologic review. <i>Iranian Journal of Otorhinolaryngology</i> . 2017;29(1):35-41.	5
1452	Roy AA, Rtshiladze MA, Stevens K, Phillips J. Orthognathic Surgery for Patients with Cleft Lip and Palate. <i>Clinics in Plastic Surgery</i> . 2019;46(2):157-71.	5
1453	Rubio Palau J. Three-dimensional planning in craniomaxillofacial surgery. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2017;46 (Supplement 1):46.	6
1454	Rubio-Bueno P, Hernando G, Capote-Moreno A, Landete P, Wix R, Penaloza A, et al. A one-arm surgical trial of obstructive sleep apnea (OSA) patients before and 12 months after Bilateral Internal Ramus Distraction of the mandible (BIRD). <i>Sleep Medicine</i> . 2021;80:57-65.	2

1455	Rullo R, Festa VM, Rullo F, Trosino O, Cerone V, Gasparro R, et al. The Use of Piezosurgery in Genioplasty. <i>The Journal of craniofacial surgery</i> . 2016;27(2):414-5.	1
1456	Rummasak D, Apipan B, Kaewpradup P. Factors that determine intraoperative blood loss in bimaxillary osteotomies and the need for preoperative blood preparation. <i>Journal of Oral and Maxillofacial Surgery</i> . 2011;69(11):e456-e60.	2
1457	Sabarinath VP, Radhakrishnan V, Hazarey PV, Sreeja R. Alternative approaches to managing the cleft alveolus. <i>Journal of Clinical Pediatric Dentistry</i> . 2013;38(1):89-93.	2
1458	Sadat SMA, Rita SN. Bimaxillary anterior segmental osteotomy with soft tissue manipulation-procedure to improve facial beauty. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2013;42 (10):1336.	6
1459	Sadesh Kannan V, Sathya Narayanan GR, Saneem Ahamed A, Velavan K, Elavarasi E, Danavel C. Anterior maxillary osteotomy: A technical note for superior repositioning: A bird wing segment. <i>Journal of Pharmacy and Bioallied Sciences</i> . 2014;6(SUPPL. 1):S107-S9.	2
1460	Safi AF, Kreppel M, Kauke M, Grandoch A, Nickenig HJ, Zoller J. Rigid External Distractor-Aided Advancement After Simultaneously Performed LeFort-III Osteotomy and Fronto-Orbital Advancement. <i>The Journal of craniofacial surgery</i> . 2018;29(1):170-4.	9
1461	Sah S. Effect of invasive blood pressure monitoring on recovery time of patients undergoing orthognathic procedures: a single surgeon's experience. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2019;48 (Supplement 1):128.	6
1462	Sahdev R, Wu BW, Anderson N, Khawaja SN, Kim S, Keith DA. A Retrospective Study of Patient Outcomes After Temporomandibular Joint Replacement With Alloplastic Total Joint Prosthesis at Massachusetts General Hospital. <i>Journal of Oral and Maxillofacial Surgery</i> . 2019;77(2):280-8.	1
1463	Sakamoto Y, Tamada I, Sakamoto T, Ishii T, Kishi K. Le Fort III Distraction Osteogenesis Without Bicoronal Incision. <i>The Journal of craniofacial surgery</i> . 2020;31(6):1753-5.	1
1464	Sakharia A, Muthusekar MR. A comparative assessment of maxillary perfusion between two different le Fort i osteotomy techniques. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2015;44(3):343-8.	2
1465	Salman S, Young M, Van Sickels JE. Osteomyelitis after bilateral sagittal split osteotomy: Case report and a review of the management. <i>Oral Surgery, Oral Medicine, Oral Pathology, Oral Radiology and Endodontology</i> . 2011;111(4):442-8.	5
1466	Salman SO, Fernandes RP, Rawal SR. Immediate Reconstruction and Dental Rehabilitation of Segmental Mandibular Defects: Description of a Novel Technique. <i>Journal of Oral and Maxillofacial Surgery</i> . 2017;75(10):2270.e1-e8.	5
1467	Salmon BA, Dawlatly A, Van Sickels JE. Dysphagia Requiring Nasogastric Feeding Following Orthognathic Surgery: An Unusual Complication, Case Report, Literature Review, and Recommendations. <i>Journal of Oral and Maxillofacial Surgery</i> . 2019;77(3):601-6.	5
1468	Saman M, Kadakia S, Ducic Y. Postoperative maxillomandibular fixation after open reduction of mandible fractures. <i>JAMA Facial Plast Surg</i> . 2014;16(6):410-3.	3
1469	Samieirad S, Sharifian-Attar A, Eshghpour M, Mianbandi V, Shadkam E, Hosseini-Abrishami M, et al. Comparison of ondansetron versus Clonidine efficacy for prevention of postoperative pain, nausea and vomiting after Orthognathic surgeries: A triple blind randomized controlled trial. <i>Medicina Oral Patologia Oral y Cirugia Bucal</i> . 2018;23(6):e767-e76.	2
1470	Samieirad S, Tohidi H, Eshghpour M, Hashemipour MA. An Unusual Case of Deep Vein Thrombosis After Orthognathic Surgery: A Case Report and Review of the Literature. <i>Journal of Oral and Maxillofacial Surgery</i> . 2018;76(12):2649.e1-e9.	5
1471	Samsudin AR, Qabbani A, Wahbi S. Le Fort I Osteotomy Complicated by Presence of Maxillary Sinus Septa. <i>The Journal of craniofacial surgery</i> . 2020:24.	2
1472	Santamaria E, Correa S, Bluebond-Langner R, Orozco H, Ortiz-Monasterio F. A shift from the osteocutaneous fibula flap to the prelaminated osteomucosal fibula flap for maxillary reconstruction. <i>Plastic and reconstructive surgery</i> . 2012;130(5):1023-30.	3
1473	Santamaria JG, Romero JP, Gridilla JM, Madrid JAH, Atin CB. Customized CAD/CAM miniplates and cutting guides as tools to improve accuracy during orthognathic surgery. <i>International Journal of Computer Assisted Radiology and Surgery</i> . 2017;12 (1 Supplement 1):S161-S2.	6
1474	Sant'Ana E, Souza DPE, Temprano AB, Shinohara EH, Faria PEP. Lingual Short Split: A Bilateral Sagittal Split Osteotomy Technique Modification. <i>The Journal of craniofacial surgery</i> . 2017;28(7):1852-4.	5

1475	Santana LJ, Torres MC, Mardones MM, Cordova LA, Bravo AR, Gunckel MR. Assessing the quality of life and satisfaction of patients with dentofacial deformities after surgery. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2019;48 (Supplement 1):107.	6
1476	Santavalimp K, Nuntanarant T, Ritthagol W. Repairing alveolar cleft defect using autologous concentrated bone marrow derived mesenchymal stem cells: A preliminary study. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2017;46 (Supplement 1):69.	6
1477	Santiago Vale D, Marotta Araujo M, Cavaliere I, Real Gabrielli M, Pessoa Santos M, Dos Santos Canellas J. Treatment of severe facial asymmetry secondary to osteochondroma of the mandibular condyle: case report. <i>Minerva stomatologica</i> . 2011;60(5):271-8.	2
1478	Santillan A, Hee Sur M, Schwarz J, Easthausen I, Behrman DA, Patsalides A. Endovascular preoperative embolization for temporomandibular joint replacement surgery. <i>Interventional Neuroradiology</i> . 2020;26(1):99-104.	3
1479	Santos AMS, Mendes BC, Lima-Neto TJ, Paiva MAF, Villarim NLS, Santos MQD, et al. Strategy for the Treatment of Zygomatic-Coronoid Ankylosis. <i>The Journal of craniofacial surgery</i> . 2020;31(3):e222-e4.	1
1480	Saruhan N, Ataol M, Temiz M. Determining the Margin of Safety for Damaging the Sphenoid Sinus with Nasal Septum Osteotome during Le Fort I Surgery in Young Adults. <i>BioMed Research International</i> . 2018;2018 (no pagination)(7465797).	3
1481	Sasaki R, Ho CY, Ando T, Chen YR, Lin CH. Segmental maxillomandibular rotational advancement in obstructive sleep apnoea: A long-term follow-up. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2017;46 (Supplement 1):330.	6
1482	Sawada H, Ogawa T, Kataoka K, Baba Y, Moriyama K. Measurement of Distraction Force in Cleft Lip and Palate Patients During Le Fort I Maxillary Advancement With Rigid External Distraction. <i>The Journal of craniofacial surgery</i> . 2017;28(2):406-12.	2
1483	Schaudy C, Vinzenz K. Osteoplastic reconstruction of severely resorbed maxilla by stack plasty: Combining sinus augmentation with lateral and vertical onlay bone grafting. <i>British Journal of Oral and Maxillofacial Surgery</i> . 2014;52(7):647-51.	3
1484	Scheller K, Scheller C. Nimodipine promotes regeneration of peripheral facial nerve function after traumatic injury following maxillofacial surgery: An off label pilot-study. <i>Journal of Cranio-Maxillofacial Surgery</i> . 2012;40(5):427-34.	3
1485	Schibler M, Meadows GA, Powell K. Long-Term Outcomes of Mandibular Distraction Osteogenesis in Older Children. <i>Journal of Oral and Maxillofacial Surgery</i> . 2020;78 (10 Supplement):e55-e6.	6
1486	Schlieve T, Carlson ER. The double mandibular osteotomy for vascular and tumor surgery of the parapharyngeal space. <i>Journal of Oral and Maxillofacial Surgery</i> . 2016;74 (9 Supplement 1):e49.	6
1487	Schlund M, Nicot R, Lauwers L, Raoul G, Ferri J. Le Fort 1 osteotomy and calvarial bone grafting for severely resorbed maxillae. <i>Journal of Cranio-Maxillofacial Surgery</i> . 2016;44(7):859-67.	3
1488	Schreuder WH, van den Berg H, Westermann AM, Peacock ZS, de Lange J. Pharmacological and surgical therapy for the central giant cell granuloma: A long-term retrospective cohort study. <i>Journal of Cranio-Maxillofacial Surgery</i> . 2017;45(2):232-43.	4
1489	Schultz KP, Dong E, Truong TA, Maricevich RS. Parry Romberg Syndrome. <i>Clinics in Plastic Surgery</i> . 2019;46(2):231-7.	5
1490	Scolozzi P, Imholz B. Completion of nonreducible Le Fort fractures by Le Fort I osteotomy: sometimes an inevitable choice to avoid postoperative malocclusion. <i>The Journal of craniofacial surgery</i> . 2015;26(1):e59-e61.	3
1491	Scomparin L, Soares MQS, Rubira CMF, Yaedu RYF, Imada TSN, Centurion BS, et al. CBCT location of the fusion between the buccal and lingual cortical in the mandibular ramus: Importance to sagittal split osteotomy. <i>Medicina Oral, Patologia Oral y Cirugia Bucal</i> . 2017;22(4):e500-e5.	2
1492	Scott R, Scott J, Stagnell S, Robinson S, Flood T. Outcomes of 44 consecutive complete bilateral cleft lip and palate patients treated with secondary alveolar bone grafting and premaxillary osteotomy. <i>Cleft Palate-Craniofacial Journal</i> . 2017;54(3):249-55.	6
1493	Seabra R. Cancellous bone volume and complications with proximal tibia graft donor in maxillofacial surgery. <i>Journal of Oral and Maxillofacial Surgery</i> . 2014;1):e184.	6
1494	Seeberger R, Asi Y, Thiele OC, Hoffmann J, Stucke K, Engel M. Neurosensory alterations and function of the temporomandibular joint after high oblique sagittal split osteotomy: An	2

	alternative technique in orthognathic surgery. <i>British Journal of Oral and Maxillofacial Surgery</i> . 2013;51(6):536-40.	
1495	Seifi S, Sohanian S, Khakbaz O, Abesi F, Aliakbarpour F, Rayani A. Ectopic ciliated cyst in the mandible secondary to genioplasty and lefort after two years: A case report and literature review. <i>Iranian Journal of Otorhinolaryngology</i> . 2016;28(5):353-6.	5
1496	Selvaraj D, Khandeparker RV, Seelan NS, Richardson S. Tooth-Borne Anterior Maxillary Distraction for Cleft Maxillary Hypoplasia: Our Experience With 147 Patients. <i>Journal of Oral and Maxillofacial Surgery</i> . 2016;74(12):2504.e1-e14.	1
1497	Sencimen M, Gulses A, Bayar GR, Akcam T. An unusual complication of genioglossus advancement surgery. <i>Stomatologija</i> . 2015;17(4):135-6.	1
1498	Sencimen M, Gulses A, Sabuncuoglu FA, Okcu KM, Olmez H. Rectangular body osteotomy for the treatment of severe mandibular prognathism. <i>Journal of Craniofacial Surgery</i> . 2012;23(3):e190-e3.	6
1499	Seo KW, Iskenderoglu NS, Hwang EH, Chung KR, Kim SH. Miniplate With a Bendable C-Tube Head Allows the Clinician to Alter Biomechanical Advantage in Extremely Complicated Anatomic Structure. <i>The Journal of craniofacial surgery</i> . 2017;28(3):817-20.	1
1500	Seo MH, Eo MY, Myoung H, Kim SM, Lee JH. The effects of pentoxifylline and tocopherol in jaw osteomyelitis. <i>Journal of the Korean Association of Oral and Maxillofacial Surgeons</i> . 2020;46(1):19-27.	2
1501	Sesenna E, Bianchi B, Ferrari S, Copelli C, Ferri T, Ferri A. Selective deep lobe parotidectomy for pleomorphic adenomas. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2013;42(9):1129-33.	1
1502	Shafer DM. The treatment of skeletal facial deformities using virtual 3-d planning and a surgery first protocol. <i>Journal of Oral and Maxillofacial Surgery</i> . 2014;1):e50.	6
1503	Shah N, Chegini S, Heliotis M. A 12 year retrospective review of outcomes in orthognathic surgery (2004-2016). <i>British Journal of Oral and Maxillofacial Surgery</i> . 2017;55 (10):e172.	6
1504	Shahla M, Lothaire P, Deniz Y, Aubert C, Van Hemelrijck Y, Brognez M, et al. Submental intubation in combined orthognathic surgery and rhinoplasty. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2019;48 (Supplement 1):128.	6
1505	Shaw RJ, Butterworth CJ, Silcocks P, Tesfaye BT, Bickerstaff M, Jackson R, et al. HOPON (Hyperbaric Oxygen for the Prevention of Osteoradionecrosis): A Randomized Controlled Trial of Hyperbaric Oxygen to Prevent Osteoradionecrosis of the Irradiated Mandible After Dentoalveolar Surgery. <i>International Journal of Radiation Oncology Biology Physics</i> . 2019;104(3):530-9.	1
1506	Shawky H, Seifeldin SA. Does platelet-rich fibrin enhance bone quality and quantity of alveolar cleft reconstruction? <i>Cleft Palate-Craniofacial Journal</i> . 2016;53(5):597-606.	6
1507	Shawky MM, El-Ghareeb TI, Hameed Abu Hummos LA. Evaluation of the three-dimensional soft tissue changes after anterior segmental maxillary osteotomy. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2012;41(6):718-26.	2
1508	Shay PL, Goldstein JA, Wink JD, Paliga JT, Solot CB, Cohen MA, et al. International Adoptees With Cleft Lip and/or Palate: Lessons Learned From a Growing Population. <i>Annals of plastic surgery</i> . 2016;77(4):377-82.	2
1509	Shaye D, Liu CC, Tollefson TT. Cleft Lip and Palate. An Evidence-Based Review. <i>Facial Plastic Surgery Clinics of North America</i> . 2015;23(3):357-72.	5
1510	Sheats RD. Management of side effects of oral appliance therapy for sleep-disordered breathing: Summary of American Academy of Dental Sleep Medicine recommendations. <i>Journal of Clinical Sleep Medicine</i> . 2020;16(5):835.	5
1511	Sheikh O, Logan G, Pabla R, Ayliffe P. Nager acrofacial dysostosis: A case series with literature review and update. <i>Journal of Oral and Maxillofacial Surgery</i> . 2013;1):e29-e30.	6
1512	Shen SGF. Aesthetic consideration in orthognathic surgery. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2017;46 (Supplement 1):51.	6
1513	Shenoy U, Peter V, Mathew P, Thomas T. Transversus abdominis plane block supplementation during iliac crest bone graft harvesting - Effect on postoperative pain. <i>Journal of Anaesthesiology Clinical Pharmacology</i> . 2018;34(4):472-7.	1
1514	Shetty V, BhanuPrakash B, Yadav A, Kishore PN, Menon A. Do Regional Nerve Blocks Before Bimaxillary Surgery Reduce Postoperative Pain? <i>Journal of Oral and Maxillofacial Surgery</i> . 2020;78(5):724-30.	3
1515	Shi L, Liu W, Yin L, Feng S, Xu S, Zhang ZY. Surgical guide assistant mandibular distraction	3

	osteogenesis and sagittal split osteotomy in the treatment of hemifacial microsomia. The Journal of craniofacial surgery. 2015;26(2):498–500.	
1516	Shi P, Hu J, Li Y, Ye B, Luo E. One-stage treatment to condylar osteochondroma combined with secondary jaw bone deformities by sliding vertical ramus osteotomy and mandibular contouring. The Journal of craniofacial surgery. 2014;25(2):367–71.	2
1517	Shibuya Y, Ishida S, Hasegawa T, Kobayashi M, Nibu K, Komori T. Evaluating the masticatory function after mandibulectomy with colour-changing chewing gum. Journal of Oral Rehabilitation. 2013;40(7):484–90.	3
1518	Shibuya Y, Yabase A, Ishida S, Kobayashi M, Komori T. Outcomes and treatments of mal fractures caused by the split-crest technique in the mandible. The Kobe journal of medical sciences. 2014;60(2):E37–E42.	2
1519	Shigeishi H, Rahman MZ, Ohta K, Ono S, Sugiyama M, Takechi M. Professional oral health care reduces the duration of hospital stay in patients undergoing orthognathic surgery. Biomedical Reports. 2016;4(1):55–8.	3
1520	Shimada J. Safe modification of anterior segmental maxillary osteotomy. International Journal of Oral and Maxillofacial Surgery. 2017;46 (Supplement 1):167.	6
1521	Shimoda H, Yonezawa K, Shinomiya H, Otsuki N, Hashikawa K, Sasaki R, et al. Modified partial maxillary swing approach for myxofibrosarcoma in pterygopalatine fossa. Head and Neck. 2016;38(12):E2519–E22.	2
1522	Shin S, Lee JW, Kim SH, Jung YS, Oh YJ. Heart rate variability dynamics during controlled hypotension with nicardipine, remifentanyl and dexmedetomidine. Acta Anaesthesiologica Scandinavica. 2014;58(2):168–76.	1
1523	Shinohara EH, Kaba SC, Ruiz MM, Horikawa FK. The use of a bite fork to help mobilize the maxilla after downfracture during the Le Fort I osteotomy. A technical note. Oral and maxillofacial surgery. 2014;18(3):311–2.	3
1524	Showkatbakhsh R, Pourdanesh F, Jamilian A, Ghorbani A, Behnaz M. Hyrax application as a tooth-borne distractor for maxillary advancement. Journal of Craniofacial Surgery. 2011;22(4):1361–6.	1
1525	Shu J, Wang Q, Ma H, Teng H, Zheng T, Liu Z. Biomechanical study on the changes of stress in temporomandibular joints after the orthognathic surgery in patients with mandibular prognathism: a 3D finite element study. Acta of bioengineering and biomechanics. 2020;22(2):155–63.	2
1526	Shu J, Zhang Y, Chong D, Liu Z. Effects on loads in temporomandibular joints for patients with mandibular asymmetry before and after orthognathic surgeries under the unilateral molar clenching. Biomechanics and Modeling in Mechanobiology. 2020;19(2):533–41.	2
1527	Shuman AG, Shah JP. Maxillary swing approach for removal of recurrent nasopharyngeal carcinoma. Operative Techniques in Otolaryngology – Head and Neck Surgery. 2014;25(3):248–53.	2
1528	Sidelmann JJ, Gram JB, Godtfredsen ACM, Thorn JJ, Ingerslev J, Pinholt EM. Orthognathic Surgery-Induced Fibrinolytic Shutdown Is Amplified by Tranexamic Acid. Journal of Oral and Maxillofacial Surgery. 2020;78(7):1183–9.	2
1529	Silva R, Gupta R, Tartaglia G, Connelly S. Benefits of using the ultrasonic BoneScalpel™ in temporomandibular joint reconstruction. Journal of Cranio-Maxillofacial Surgery. 2017;45(3):401–7.	1
1530	Simpson AM, Mehta ST, Siddiqi F, Yamashiro D, Gociman B. Modified Lefort Distraction Osteogenesis for the Treatment of Nager Syndrome-Associated Midface Hypoplasia: Technique and Review. The Journal of craniofacial surgery. 2018;29(6):e621–e3.	5
1531	Simsek B, Efeoglu C, Ozden Yuce M, Akay MC, Celen S. Biomechanical Validation of a Modified Genioplasty Distractor. Journal of stomatology, oral and maxillofacial surgery. 2021;08.	1
1532	Singhal D, Chen YC, Fanzio PM, Lin CH, Chuang DCC, Chen YR, et al. Role of free flaps in the management of craniofacial neurofibromatosis: Soft tissue coverage and attempted facial reanimation. Journal of Oral and Maxillofacial Surgery. 2012;70(12):2916–22.	1
1533	Sinha R, Suresh Menon P, Venugopal MG. A clinical evaluation of midface advancement using intraoral distractors in management of bone stock deficiencies. Medical Journal Armed Forces India. 2011;67(3):245–52.	2
1534	Sinn DP. Aesthetic complications in orthognathic surgery. International Journal of Oral and Maxillofacial Surgery. 2011;40 (10):1008.	6

1535	Sinno S, Zide BM. Chin ups and downs: Avoiding bad results in chin reoperation. <i>Aesthetic Surgery Journal</i> . 2017;37(3):257–63.	1
1536	Sinnott P, Rizvi Z, Sah S, Reid J. An audit of postoperative complications following orthognathic surgery at Mid–Yorkshire Hospitals trust. <i>British Journal of Oral and Maxillofacial Surgery</i> . 2017;55 (10):e173.	6
1537	Sinnott P, Suida MI, Sah S. Is it justifiable to admit Orthognathic surgical patients for less than 23 hours? A single surgeon’s experience. <i>British Journal of Oral and Maxillofacial Surgery</i> . 2017;55 (10):e173.	6
1538	Siska R, Lor L, Massary D, Emmeric V, Runyan C. Safety in neonatal mandibular osteotomies: Computer–aided modeling to characterize the risks of various techniques. <i>Cleft Palate–Craniofacial Journal</i> . 2019;56 (1 Supplement):71.	6
1539	Sivak WN, Macisaac ZM, Rottgers SA, Losee JE, Kumar AR. Management of failed alveolar bone grafts: improved outcomes and decreased morbidity with allograft alone. <i>Plastic and reconstructive surgery</i> . 2014;133(2):345–54.	1
1540	Skoglund LA, Vigen EC, Skjelbred P. Diclofenac sodium intramuscularly, or paracetamol intravenously? Question not answered. <i>The British journal of oral & maxillofacial surgery</i> . 2012;50(1):91.	1
1541	Sloane J, Sneddon K, Collyer J. Orthognathic surgery in older patients–indications and outcomes. <i>British Journal of Oral and Maxillofacial Surgery</i> . 2013;51 (6):e86–e7.	6
1542	Smartt JM, Campbell C, Hallac R, Alford J, Derderian CA. A Three–Dimensional Study of Midfacial Changes Following Le Fort II Distraction With Zygomatic Repositioning in Syndromic Patients. <i>The Journal of craniofacial surgery</i> . 2017;28(8):e728–e31.	9
1543	Smith JA. Fatal methicillin–resistant <i>Staphylococcus aureus</i> infection after le Fort I osteotomy: A case report. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2011;40 (10):1080.	6
1544	Smyth AG. Re: Le Fort I advancement osteotomies of 1 cm or more. How safe or stable? <i>British Journal of Oral and Maxillofacial Surgery</i> . 2017;55(7):742.	5
1545	Snape L. Re: A nine–year review of orthognathic surgery at the University of Otago. <i>ALPateletal, New Zealand Dental Journal</i> 107,4:117–120, December 2011. <i>The New Zealand dental journal</i> . 2012;108(1):39; author reply	5
1546	Soehardi A, Meijer GJ, Hoppenreijts TJM, Brouns JJA, De Koning M, Stoelinga PJW. Stability, complications, implant survival, and patient satisfaction after le Fort I osteotomy and interposed bone grafts: Follow–up of 5–18 years. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2015;44(1):97–103.	3
1547	Sole Ventura P, Moller Roth A. Using low level laser as a therapeutic treatment of disorders of the inferior alveolar nerve after sagittal ramus osteotomy. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2011;40 (10):1153–4.	6
1548	Sommerfeld R, Bergamaschi IP, Scariot R, da Costa DJ. Evaluation of Tissue Tensions in Segmental Maxillary Osteotomies by Finite Element Analysis. <i>Journal of Oral and Maxillofacial Surgery</i> . 2020;78(12):2298.e1–e9.	2
1549	Song G, Yu P, Huang G, Zong X, Du L, Yang X, et al. Simultaneous surgery of mandibular reduction and impacted mandibular third molar extraction: A retrospective study of 65 cases. <i>Medicine</i> . 2020;99(15):e19397.	3
1550	Song IS, Kwon JS, Choi YJ, Ryu JJ, Lee UL. Occlusion–Fit V–Line Guide and Gooseneck Saw for Safe and Accurate Mandibuloplasty in Asians. <i>Aesthetic plastic surgery</i> . 2017;41(4):930–7.	1
1551	Sotong JP, Zattero E, Garzino–Demo P, Bianchi FA, Ramieri G. The Le Fort I osteotomy as surgical approach of an extensive pleomorphic adenoma of the palate. <i>The Journal of craniofacial surgery</i> . 2015;26(3):e262–e4.	2
1552	Sousa CS, Turrini RNT. Complications in orthognathic surgery. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2011;40 (10):1188.	6
1553	Sousa CS, Turrini RNT. Creating and validating educational material for patients undergoing orthognathic surgery. <i>Asian Nursing Research</i> . 2012;6(4):166–72.	5
1554	Sovapark J, Sumphaongern T. Does Ultrasound–Guided Transversus Abdominis Plane Block Reduce Donor Site Pain After Harvesting Anterior Iliac Crest Bone Grafts. <i>Journal of Oral and Maxillofacial Surgery</i> . 2021;79(2):333–42.	1
1555	Soydan SS, Bayram B, Akdeniz BS, Kayhan Z, Uckan S. Changes in difficult airway predictors following mandibular setback surgery. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2015;44(11):1351–4.	2
1556	Spinelli G, Mannelli G, Zhang YX, Lazzeri D, Spacca B, Genitori L, et al. Complex craniofacial advancement in paediatric patients: Piezoelectric and traditional technique evaluation. <i>Journal</i>	2

	of Cranio-Maxillofacial Surgery. 2015;43(8):1422-7.	
1557	Spinelli G, Torresetti M, Lazzeri D, Zhang YX, Arcuri F, Agostini T, et al. Microsurgical reconstruction after bisphosphonate-related osteonecrosis of the jaw: our experience with fibula free flap. The Journal of craniofacial surgery. 2014;25(3):788-92.	9
1558	Spink M. Lowering morbidity in high Le Fort and pyramidal osteotomies with virtual treatment planning and intraoperative navigation. International Journal of Oral and Maxillofacial Surgery. 2013;42 (10):1217.	6
1559	St Hilaire C, Johnson A, Loseth C, Alipour H, Faunce N, Kaminski S, et al. Facial Fractures After Geriatric Ground-Level Falls Are a Marker of Functional Decline and Warrant Trauma Center Admission. American Surgeon. 2020;86(10):1302-6.	9
1560	Staal F, Pluijmers B, Wolvius E, Koudstaal M. Patient-specific implant for residual facial asymmetry following orthognathic surgery in unilateral craniofacial microsomia. Craniomaxillofacial Trauma and Reconstruction. 2015;9(3):264-7.	9
1561	Stark TR, Pozo-Alonso M, Daniels R, Camacho M. Pediatric Considerations for Dental Sleep Medicine. Sleep Medicine Clinics. 2018;13(4):531-48.	5
1562	Starr BW, Morrison JM, Billmire DA. Orthognathic surgery in pediatric burn patients. Journal of Burn Care and Research. 2019;40 (Supplement 1):S215.	6
1563	Steel BJ, Cope MR. Unusual and rare complications of orthognathic surgery: A literature review. Journal of Oral and Maxillofacial Surgery. 2012;70(7):1678-91.	5
1564	Stehrer R, Hingsammer L, Staudigl C, Hunger S, Malek M, Jacob M, et al. Machine learning based prediction of perioperative blood loss in orthognathic surgery. Journal of Cranio-Maxillofacial Surgery. 2019;47(11):1676-81.	2
1565	Stokbro K, Aagaard E, Torkov P, Bell RB, Thygesen T. Surgical accuracy of three-dimensional virtual planning: A pilot study of bimaxillary orthognathic procedures including maxillary segmentation. International Journal of Oral and Maxillofacial Surgery. 2016;45(1):8-18.	2
1566	Stokbro K, Borg SW, Andersen MO, Thygesen T. Patient-specific 3D printed plates improve stability of Le Fort 1 osteotomies in vitro. Journal of Cranio-Maxillofacial Surgery. 2019;47(3):394-9.	4
1567	Stoll ML, Cron RQ. Temporomandibular joint arthritis in juvenile idiopathic arthritis: The last frontier. International Journal of Clinical Rheumatology. 2015;10(4):273-85.	5
1568	Stoustrup P, Pedersen TK, Norholt SE, Resnick CM, Abramowicz S. Interdisciplinary Management of Dentofacial Deformity in Juvenile Idiopathic Arthritis. Oral and maxillofacial surgery clinics of North America. 2020;32(1):117-34.	5
1569	Stranix JT, Cuzzone D, Ly C, Topilow N, Runyan CM, Ream J, et al. Optimizing safety of iliac bone harvest using an acumed drill: A simulated radiographic study of 100 patients. Cleft Palate-Craniofacial Journal. 2017;54(6):674-9.	6
1570	Straub B, Bouletreau P, Breton P. Periodontal management in orthognathic surgery: early screening of periodontal risk and its current management for the optimization of orthodontic and surgical treatments. Rev Stomatol Chir Maxillofac Chir Orale. 2014;115(4):208-18.	5
1571	Strbac GD, Giannis K, Schnappauf A, Bertl K, Stavropoulos A, Ulm C. Guided Lateral Sinus Lift Procedure Using 3-Dimensionally Printed Templates for a Safe Surgical Approach: A Proof-of-Concept Case Report. Journal of Oral and Maxillofacial Surgery. 2020;78(9):1529-37.	1
1572	Strong AL, Ulma RM, Duncan A, Vercler CJ, Buchman SR. Achieving the Optimal Aesthetic Benefit While Correcting Midface Deficiency: Utilizing A High Winged Le Fort I in Cleft and Craniofacial Patients. The Journal of craniofacial surgery. 2021;32(1):46-50.	9
1573	Succo G, Berrone M, Battiston B, Tos P, Goia F, Appendino P, et al. Step-by-step surgical technique for mandibular reconstruction with fibular free flap: Application of digital technology in virtual surgical planning. European Archives of Oto-Rhino-Laryngology. 2015;272(6):1491-501.	1
1574	Sugahara K, Koyachi M, Odaka K, Matsunaga S, Katakura A. A safe, stable, and convenient three-dimensional device for high Le Fort I osteotomy. Maxillofacial and Plastic Reconstructive Surgery. 2020;42 (1) (no pagination):32.	2
1575	Sugawara J. Temporary skeletal anchorage devices: The case for miniplates. American Journal of Orthodontics and Dentofacial Orthopedics. 2014;145(5):559-65.	1
1576	Suhr M. Splintless orthognathic surgery. British Journal of Oral and Maxillofacial Surgery. 2012;1):S39.	6
1577	Sultana A, Sjoström M. Orthognathic surgery in a patient with osteopathia striata combined with cranial sclerosis: A case report. Oral and Maxillofacial Surgery Cases. 2020;6 (4) (no	9

	pagination)(100194).	
1578	Suojanen J, Jarvinen S, Hodzic Z, Reunanen J, Leikola J, Stoor P. No differences in infections between patient-specific implants and conventional mini-plates in mandibular bilateral sagittal split osteotomy – Up to 3-year follow-up. <i>Journal of Cranio-Maxillofacial Surgery</i> . 2019;47(8):1181-4.	3
1579	Suraseraneewong A, Nuntanaranont T, Ritthagol W. Simultaneous maxillomandibular unit distraction osteogenesis in treatment of hemifacial microsomia patients with facial using multiple internal distraction devices. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2017;46 (Supplement 1):70.	6
1580	Susarla SM, Cho DY, Ettinger RE, Dodson TB. The Low Medial Horizontal Osteotomy in Patients With Atypical Ramus Morphology Undergoing Sagittal Split Osteotomy. <i>Journal of Oral and Maxillofacial Surgery</i> . 2020;78(10):1813-9.	1
1581	Susarla SM, Ettinger RE, Egbert MA. Transmucosal Pterygomaxillary Separation in the Le Fort I Osteotomy. <i>Plastic and reconstructive surgery</i> . 2020;145(5):1262-5.	2
1582	Susarla SM, Maclsaac ZM, Swanson E, Davidson E, Kumar A. Acellular Dermal Matrix as an Adjunct Material in Cleft Le Fort I Osteotomies. <i>The Journal of craniofacial surgery</i> . 2017;28(1):225-6.	3
1583	Sutherland K, Cistulli PA. Oral appliance therapy for obstructive sleep apnoea: State of the art. <i>Journal of Clinical Medicine</i> . 2019;8 (12) (no pagination)(2121).	5
1584	Suzen M, Temiz M, Demirel O, Uckan S. Surgical Protocol for a Safe Lateral Nasal Wall Osteotomy. <i>The Journal of craniofacial surgery</i> . 2020;31(3):853-5.	2
1585	Sykes JM, Amin SH, Hatcher DC, Kim J. 3D Analysis of Dentofacial Deformities: A New Model for Clinical Application. <i>Facial Plastic Surgery Clinics of North America</i> . 2011;19(4):767-71.	5
1586	Sykes JM, Suarez GA. Chin Advancement, Augmentation, and Reduction as Adjuncts to Rhinoplasty. <i>Clinics in Plastic Surgery</i> . 2016;43(1):295-306.	5
1587	Sykes R, Sidebottom AJ, Sah S. Box genioplasty in the management of mandibular centreline chin deformity. <i>British Journal of Oral and Maxillofacial Surgery</i> . 2014;52 (8):e52.	6
1588	Tabrizi R. Should we use prophylactic tranexamic acid in orthognathic surgery to decrease blood loss? <i>International Journal of Oral and Maxillofacial Surgery</i> . 2018;47(11):1504.	5
1589	Tabrizi R, Bakrani K, Bastami F. Comparison of postoperative paresthesia after sagittal split osteotomy among different fixation methods: A one year follow-up study. <i>Journal of the Korean Association of Oral and Maxillofacial Surgeons</i> . 2019;45(4):215-9.	3
1590	Tabrizi R, Farahani Z, Barouj MD, Kheirkhahi M, Jafari M, Sadeghi HM. What Is a Safe Distance for Preservation of the Inferior Alveolar Nerve in Lower Gingival Squamous Cell Carcinoma? A Radiographic and Histopathological Study. <i>The Journal of craniofacial surgery</i> . 2019;30(4):e327-e30.	9
1591	Tai K, Park JH, Sato Y. Class III malocclusion with missing maxillary central incisor and facial asymmetry treated with orthodontics and intraoral vertical ramus osteotomy. <i>International journal of orthodontics (Milwaukee, Wis)</i> . 2012;23(1):39-45.	2
1592	Takahara N, Kabasawa Y, Sato M, Tetsumura A, Kurabayashi T, Omura K. MRI changes in the temporomandibular joint following mandibular setback surgery using sagittal split ramus osteotomy with rigid fixation. <i>Cranio : the journal of craniomandibular practice</i> . 2017;35(1):38-45.	2
1593	Takaki T, Ootake Y, Kogou T, Hirota M, Yamamoto M, Takano N, et al. Use of ultrasonic new shape blade in orthognathic surgery: Review of 138 patients. <i>Journal of Oral and Maxillofacial Surgery</i> . 2014;1):e134.	6
1594	Takaku Y, Takano M, Yamashita S, Fukuda K. Transversal width of mandibular bone and neurosensory disturbance after bilateral sagittal splitting ramus osteotomy. <i>Biomedicine Hub</i> . 2017;2 (3) (no pagination)(480289).	2
1595	Takemaru M, Sakamoto Y, Sakamoto T, Kishi K. Assessment of bioabsorbable hydroxyapatite for secondary bone grafting in unilateral alveolar cleft. <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> . 2016;69(4):493-6.	9
1596	Takeyama M, Kato C, Narimoto K, Yamaguchi A. Are tension-free vaginal mesh (TVM) procedures safe and efficient in patient sufferin g recurrent pelvic organ prolapse? <i>International Urogynecology Journal and Pelvic Floor Dysfunction</i> . 2011;2):S854-S5.	6
1597	Tamme JA, Rohnen M, Gassling V, Ciesielski R, Fischer-Brandies H, Wiltfang J, et al. Correlation of general and oral health-related quality of life in malocclusion patients treated	2

	with a combined orthodontic and maxillofacial surgical approach. <i>Journal of Cranio-Maxillofacial Surgery</i> . 2017;45(12):1971-9.	
1598	Tanashyan MM, Maksimova MY, Ivanov SY, Musaeva EM, Fedin PA. Trigeminal neuropathy following orthognathic surgery. <i>Nevrologiya, Neiropsikhiatriya, Psikhosomatika</i> . 2020;12(4):37-42.	3
1599	Tashima H, Wattanawong K, Ho CT, Wen-Ching-Ko E, Nguyen A, Lo LJ. Orthognathic surgery considerations for patients with undiagnosed type I osteogenesis imperfecta. <i>Journal of Oral and Maxillofacial Surgery</i> . 2011;69(8):2233-41.	2
1600	Taub PJ, Collins M. Piezoelectric osteotomy for distraction osteogenesis of the pediatric mandible. <i>The Journal of craniofacial surgery</i> . 2014;25(2):571-2.	1
1601	Tauro DP. Profileplasty: the role of the nose, cheek & chin in facial aesthetics. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2019;48 (Supplement 1):129-30.	6
1602	Tavares CA, Allgayer S, Calvete ES, Polido WD. Orthodontic treatment for a patient with advanced periodontal disease: 11-year follow-up. <i>American journal of orthodontics and dentofacial orthopedics : official publication of the American Association of Orthodontists, its constituent societies, and the American Board of Orthodontics</i> . 2013;144(3):455-65.	2
1603	Tawa P, Brault N, Luca-Pozner V, Ganry L, Chebbi G, Atlan M, et al. Three-Dimensional Custom-Made Surgical Guides in Facial Feminization Surgery: Prospective Study on Safety and Accuracy. <i>Aesthetic surgery journal</i> . 2021;22.	1
1604	Tay G, Ferrell J, Andersen P. Use of a midline mandibular osteotomy to improve surgical access for transoral robotic resection of the base of tongue in a patient with trismus. <i>Head and Neck</i> . 2017;39(9):E92-E5.	1
1605	Teemul T, Patel R, Shah K, Russell J. Avascular necrosis of the maxilla. <i>British Journal of Oral and Maxillofacial Surgery</i> . 2015;53 (10):e91.	6
1606	Tehranchi A, Behnia H, Ghochani MS, Younessian F. Oro-facial characteristics and the surgical correction of patients affected by beta-thalassaemia: a review of the literature and report of a case. <i>Aust Orthod J</i> . 2015;31(1):98-106.	5
1607	Teixeira AODB, Andrade ALL, Almeida RCDC, Almeida MADO. Side effects of intraoral devices for OSAS treatment. <i>Brazilian Journal of Otorhinolaryngology</i> . 2018;84(6):772-80.	9
1608	Telleman G, Raghoobar GM, Vissink A, Meijer HJA. The use of a coded healing abutment as an impression coping to design and mill an individualized anatomic abutment: A clinical report. <i>Journal of Prosthetic Dentistry</i> . 2011;105(5):282-5.	5
1609	Teng WN, Ting CK, Wang YT, Hou MC, Chang WK, Tsou MY, et al. High-flow nasal cannula and mandibular advancement bite block decrease hypoxic events during sedative esophagogastroduodenoscopy: A randomized clinical trial. <i>BioMed Research International</i> . 2019;2019 (no pagination)(4206795).	1
1610	Thakur G, Thomas S, Thayil SC, Nair PP. Accessory mental foramen: A rare anatomical finding. <i>BMJ Case Reports</i> . 2011.	2
1611	Thambar S, Gilmore M, Bhuta J, De Looze J, Webster J, Bhuta S. Bony mandibular resorption post silicone implants in a head and neck trauma patient. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2019;48 (Supplement 1):261.	6
1612	Thanaviratananich S, Stanley JJ. Cpap intolerance and recurrent otitis media. <i>Sleep</i> . 2018;41 (Supplement 1):A417-A8.	6
1613	Thastum M, Andersen K, Rude K, Norholt SE, Blomlof J. Factors influencing intraoperative blood loss in orthognathic surgery. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2016;45(9):1070-3.	2
1614	Thiele OC, Kreppel M, Bittermann G, Bonitz L, Desmedt M, Dittes C, et al. Moving the mandible in orthognathic surgery - A multicenter analysis. <i>Journal of Cranio-Maxillofacial Surgery</i> . 2016;44(5):579-83.	2
1615	Thompson KS, Owosho AA. Worth syndrome "mandibular osteosclerosis" as an incidental finding: a report of 2 cases. <i>Dento maxillo facial radiology</i> . 2018;47(8):20180171.	5
1616	Tolomeo PG, Lee JS, Caldrony SJ, Levine JP, Brecht L, Hirsch DL. Clinical outcome of jaw-in-a-day total maxillofacial reconstruction. <i>Journal of Oral and Maxillofacial Surgery</i> . 2015;73 (9 Supplement 1):e73.	6
1617	Tomasetti B, Glasgow M, Chai B, PhD, Phillips JB. Wisdom teeth - a case for early removal. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2019;48 (Supplement 1):69.	6
1618	Tomonari H, Takada H, Hamada T, Kwon S, Sugiura T, Miyawaki S. Micrognathia with temporomandibular joint ankylosis and obstructive sleep apnea treated with mandibular	9

	distraction osteogenesis using skeletal anchorage: a case report. <i>Head Face Med.</i> 2017;13(1):20.	
1619	Torikai K, Hirakawa T, Kijima T, Murashima M, Naganishi H, Omura S, et al. Ingenious techniques of closing wide alveolar cleft and palate in one stage repair of unilateral cleft lip and palate. <i>Cleft Palate-Craniofacial Journal.</i> 2016;53 (4):e104-e5.	6
1620	Torres AM, Nardis AC, Da Silva RA, Savioli C. Myositis ossificans traumatica of the medial pterygoid muscle following a third molar extraction. <i>International Journal of Oral and Maxillofacial Surgery.</i> 2015;44(4):488-90.	9
1621	Tosun E, Akkocaoglu M, Tuz HH, Avag C, Gokturk T. Complications Associated With Anterior Iliac Bone Grafting for the Reconstruction of Dentoalveolar Defects. <i>The Journal of craniofacial surgery.</i> 2019;30(4):980-4.	1
1622	Touzet-Roumazeille S, Vi-Fane B, Kadlub N, Genin M, Dissaux C, Raoul G, et al. Osseous and dental outcomes of primary gingivoperiosteoplasty with iliac bone graft: A radiological evaluation. <i>Journal of Cranio-Maxillofacial Surgery.</i> 2015;43(6):950-5.	1
1623	Tragos C, Figueroa A, Reid R, Mercuri L. Alloplastic temporomandibular joint (TMJ) prostheses for the treatment of patients with craniofacial anomalies. <i>Cleft Palate-Craniofacial Journal.</i> 2019;56 (1 Supplement):25-6.	6
1624	Treasure TE, Dean JS, Gear Jr RD. Craniofacial approaches and reconstruction in skull base surgery: Techniques for the oral and maxillofacial surgeon. <i>Journal of Oral and Maxillofacial Surgery.</i> 2013;71(12):2137-50.	2
1625	Troedhan A. Piezotome Genioplasty Reduces Postsurgical Morbidity and Enhances Patient Satisfaction: A Randomized Clinical Trial. <i>Journal of Oral and Maxillofacial Surgery.</i> 2018;76(7):1564.e1-e12.	2
1626	Tse RW, Knight R, Oestreich M, Rosser M, Mercan E. Unilateral Cleft Lip Nasal Deformity: Three-Dimensional Analysis of the Primary Deformity and Longitudinal Changes following Primary Correction of the Nasal Foundation. <i>Plastic and reconstructive surgery.</i> 2020;145(1):185-99.	2
1627	Tse RW, Siebold B. Cleft Palate Repair: Description of an Approach, Its Evolution, and Analysis of Postoperative Fistulas. <i>Plastic and reconstructive surgery.</i> 2018;141(5):1201-14.	2
1628	Tseng WC, Chen YW, Cheng CD, Cherng CH. Airway protection using a modified nasopharyngeal tube after orthognathic surgery. <i>Journal of Clinical Anesthesia.</i> 2016;31:189-90.	5
1629	Tsui WK, McGrath C, Ng JKF, Yang Y, Leung YY. Mandibular advancement for patients with obstructive sleep apnoea syndrome: A comparison of bilateral mandibular distraction osteogenesis and bilateral sagittal split osteotomy. <i>International Journal of Oral and Maxillofacial Surgery.</i> 2017;46 (Supplement 1):249-50.	6
1630	Tsui WK, Yang Y, McGrath C, Leung YY. Mandibular distraction osteogenesis versus sagittal split ramus osteotomy in managing obstructive sleep apnea: A randomized clinical trial. <i>Journal of Cranio-Maxillofacial Surgery.</i> 2019;47(5):750-7.	9
1631	Tsukamoto M, Hirokawa J, Yokoyama T. Retained Foreign Body in the Nasal Cavity After Oral Maxillofacial Surgery. <i>Anesth Prog.</i> 2018;65(2):111-2.	1
1632	Tsukamoto M, Hitosugi T, Yamanaka H, Yokoyama T. Postoperative Alopecia Following Oral Surgery. <i>Journal of Oral and Maxillofacial Surgery.</i> 2018;76(11):2318.e1-e3.	9
1633	Turin SY, Tang CJ, Gosain AK. The greater palatine "Notch": Clinical sequelae of an incomplete greater palatine foramen. <i>Cleft Palate-Craniofacial Journal.</i> 2018;55(8):1181-4.	9
1634	Ubal dini AL, Giorgi MC, Carvalho AB, Pascon FM, Lima DA, Baron GM, et al. Adhesive Restorations as An Esthetic Solution in Dentinogenesis Imperfecta. <i>Journal of dentistry for children (Chicago, Ill).</i> 2015;82(3):171-5.	9
1635	Uchida Y, Mitsukawa N, Akita S, Suzuki T, Mori C, Satoh K. An anatomical study of the pathophysiology of carotid cavernous sinus fistula associated with le Fort III osteotomy. <i>Journal of Cranio-Maxillofacial Surgery.</i> 2016;44(4):440-5.	4
1636	Ueki K, Moroi A, Yoshizawa K. Stability of the chin after advancement genioplasty using absorbable plate and screws with template devices. <i>Journal of Cranio-Maxillofacial Surgery.</i> 2019;47(10):1498-503.	2
1637	Ueki K, Okabe K, Marukawa K, Mukozawa A, Moroi A, Miyazaki M, et al. Assessment of bone healing and hyposthesia in the upper lip after le Fort i osteotomy with self-setting alpha-tricalcium phosphate and absorbable plates. <i>Journal of Cranio-Maxillofacial Surgery.</i> 2013;41(2):129-34.	2

1638	Ueki K, Yoshizawa K, Moroi A. Bone healing after Le Fort I osteotomy with SSRO, using uHA/PLLA plates and screws, in class II and III patients. <i>Journal of Cranio-Maxillofacial Surgery</i> . 2019;47(9):1338-42.	2
1639	Ueki K, Yoshizawa K, Moroi A, Iguchi R, Kosaka A, Ikawa H, et al. Condylar surface CT value in sagittal plane before and after sagittal split ramus osteotomy. <i>Oral and maxillofacial surgery</i> . 2017;21(2):159-69.	2
1640	Unuvar A, Hocaoglu E, Ozguven A, Yazar S, Devecioglu O. Successful use of recombinant activated factor VII for a major surgery in a patient with severe FXI deficiency and severe allergic reaction to fresh frozen plasma. <i>Haematologica</i> . 2012;1):512.	6
1641	Uppgaard-Penaz R, Templeton RB. Maxillomandibular advancement for obstructive sleep apnea. <i>Operative Techniques in Otolaryngology - Head and Neck Surgery</i> . 2015;26(4):197-202.	9
1642	Valstar MH, Baas EM, Te Rijdt JP, De Bondt BJ, Laurens E, De Lange J. Maxillary sinus recovery and nasal ventilation after le Fort I osteotomy: A prospective clinical, endoscopic, functional and radiographic evaluation. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2013;42(11):1431-6.	1
1643	Van Camp N, Aerden T, Politis C. Problems in the orofacial region associated with Ehlers-Danlos and Marfan syndromes: a case series. <i>British Journal of Oral and Maxillofacial Surgery</i> . 2020;58(2):208-13.	9
1644	Van Den Bergh B, Heymans MW, Duvekot F, Forouzanfar T. Treatment and complications of mandibular fractures: A 10-year analysis. <i>Journal of Cranio-Maxillofacial Surgery</i> . 2012;40(4):e108-e11.	3
1645	Van der Groen T, Lee K, Archer B. Eliminating Stone Models in Orthognathic Surgery: A Complete Digital Workflow. <i>Journal of Oral and Maxillofacial Surgery</i> . 2020;78 (10 Supplement):e79.	6
1646	van der Hee JG, Verweij JP, de Jonge HKT, Fiocco M, Mensink G, van Merkesteyn JPR. Re: re: Density of the mandibular ramus (cancellous:cortical bone volume ratio) as a predictor of the lingual fracture pattern in bilateral sagittal split osteotomy. <i>British Journal of Oral and Maxillofacial Surgery</i> . 2020;58(7):875-6.	5
1647	Van Der Mark EL, Bierenbroodspot F, Baas EM, De Lange J. Reconstruction of an atrophic maxilla: Comparison of two methods. <i>British Journal of Oral and Maxillofacial Surgery</i> . 2011;49(3):198-202.	1
1648	Van Nhan V, Van Son L, Tuan TA, Son NT, Hai TD, Lanh LD, et al. A new technique in alveolar cleft bone grafting for dental implant placement in patients with cleft lip and palate. <i>Cleft Palate-Craniofacial Journal</i> . 2018;55(2):180-8.	1
1649	Van Sickels JE, Abadi B, Attisha R. Anterior segmental distraction for a Class III maxillary prosthetic defect in a cleft palate patient. <i>The Journal of oral implantology</i> . 2011;37(4):457-61.	9
1650	van Sickels JE, Wallender A. Closure of anterior open bites with mandibular surgery: Advantages and disadvantages of this approach. <i>Oral and Maxillofacial Surgery</i> . 2012;16(4):361-7.	9
1651	Vandeputte T, Bigorre M, Tramini P, Captier G. Comparison between combined cortical and cancellous bone graft and cancellous bone graft in alveolar cleft: Retrospective study of complications during the first six months post-surgery. <i>Journal of Cranio-Maxillofacial Surgery</i> . 2020;48(1):38-42.	9
1652	Vane Swetah CS, Jayanth Kumar V. Assessment of safe zone in mandible for implant osteotomy in South Indian population: A cone-beam computed tomography study. <i>Drug Invention Today</i> . 2019;11(Special Issue 2):330-4.	2
1653	Vargo JD, Ogan WS, Tanna N, Stevens D, Andrews BT. Modified Genioglossal Advancement for Isolated Treatment of Obstructive Sleep Apnea. <i>The Journal of craniofacial surgery</i> . 2017;28(5):1274-7.	9
1654	Vartanian E, Fahradyan A, Wolfswinkel E, Khansa I, Hammoudeh J, Urata M. Simultaneous midface advancement and orthognathic surgery: A powerful technique for managing midface hypoplasia and malocclusion. <i>Cleft Palate-Craniofacial Journal</i> . 2019;56 (1 Supplement):91.	6
1655	Vasconcelos Freire FFW, Santos SE, Sousa Barros AI. Microvascular Reconstruction of Total Maxillary Avascular Necrosis as a Complication of Routine Orthognathic Surgery. <i>J Oral Maxillofac Surg</i> 78:1846-1858, 2020. <i>Journal of oral and maxillofacial surgery : official journal of the American Association of Oral and Maxillofacial Surgeons</i> . 2021;25.	5
1656	Vecchierini MF, Attali V, Collet JM, Goutorbe F, Kerbrat JB, Leger D, et al. Sex differences in mandibular repositioning device therapy effectiveness in patients with obstructive sleep apnea	9

	syndrome. <i>Sleep and Breathing</i> . 2019;23(3):837-48.	
1657	Vega O, Castellanos S, Eslava C, Amarista F, Rodriguez R, Salazar M. Epidemiological analysis of orthognathic surgery in the Bogota central military hospital, Colombia. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2015;1):e185.	6
1658	Vella JB, Tatum SA. Risk factors for velopharyngeal dysfunction following orthognathic surgery in the cleft population. <i>Current opinion in otolaryngology & head and neck surgery</i> . 2019;27(4):317-23.	5
1659	Venn PJH. Obstructive sleep apnoea and anaesthesia. <i>Anaesthesia and Intensive Care Medicine</i> . 2011;12(7):313-8.	9
1660	Vera G, Vega S, Jaramillo J. Intraoral vertical ramus osteotomy: a real surgical option for the prognatism. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2019;48 (Supplement 1):261-2.	6
1661	Verhelst PJ, Van der Cruyssen F, De Laat A, Jacobs R, Politis C. The biomechanical effect of the sagittal split ramus osteotomy on the temporomandibular joint: Current perspectives on the remodeling spectrum. <i>Frontiers in Physiology</i> . 2019;10 (AUG) (no pagination)(1021).	4
1662	Verstraete L, Van Hevele J, van Loon B, Van Camp P, Politis C. Atelectasis and bilateral pneumothorax after bimaxillary orthognathic surgery: A case report and review. <i>Oral and Maxillofacial Surgery Cases</i> . 2019;5 (1) (no pagination)(100086).	5
1663	Verweij J, Mensink G, Gooris P, Van Merkesteyn R. Bilateral sagittal split osteotomy with splitter and separators, risk factors for complications. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2017;46 (Supplement 1):333.	6
1664	Verweij JP, Hassing GJM, Fiocco M, Houppermans PNWJ, van Merkesteyn JPR. Removal of osteosynthesis material because of symptoms after Le Fort I osteotomy: A retrospective study of 158 patients. <i>Journal of Cranio-Maxillofacial Surgery</i> . 2016;44(12):1909-12.	5
1665	Verweij JP, Houppermans PNWJ, Mensink G, Van Merkesteyn JPR. Removal of bicortical screws and other osteosynthesis material that caused symptoms after bilateral sagittal split osteotomy: A retrospective study of 251 patients, and review of published papers. <i>British Journal of Oral and Maxillofacial Surgery</i> . 2014;52(8):756-60.	5
1666	Verweij JP, Van Merkesteyn JPR. Influence of osteotomy design on bilateral sagittal split osteotomy. <i>Journal of Oral and Maxillofacial Surgery</i> . 2015;73(9):1666.	5
1667	Verweij JP, van Rijssel JG, Fiocco M, Mensink G, Gooris PJJ, van Merkesteyn JPR. Are there risk factors for osseous mandibular inferior border defects after bilateral sagittal split osteotomy? <i>Journal of Cranio-Maxillofacial Surgery</i> . 2017;45(2):192-7.	2
1668	Vetter M, Chatellier A, Maltezeanu A, De Mil R, Benateau H, Veyssiere A. The benefit of bilateral inferior alveolar nerve block in managing postoperative nausea and vomiting (PONV) after mandibular osteotomy. <i>Journal of Cranio-Maxillofacial Surgery</i> . 2020;48(4):399-404.	3
1669	Vidya B, Washani M, Ramkrishna T, Washani S, Harish Kumar A, Tomar P. Assessment of accurate landmark for the horizontal cut in sagittal split ramus osteotomy: A tomographic study. <i>European Journal of Molecular and Clinical Medicine</i> . 2020;7(9):1198-209.	2
1670	Vieira Marques F, Montenegro Sa F, Lapa T, Simoes I. Infarto de miocardio postoperatorio en una cirugia ortognatica de mandibula. Postoperative myocardial infarction in an orthognathic jaw surgery. <i>Rev Esp Anesthesiol Reanim</i> . 2017;64(9):528-32.	6
1671	Vig N, Heliotis M, Rathod N. Patient-centred evaluation of satisfaction levels following orthognathic surgery: Results over a 4-year period, and implications for the futures. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2013;42 (10):1339.	6
1672	Vigario Negrato G, Andrade Ortiz J, Bianchini Mariani P. Resorbable materials complications in orthognathic surgeries. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2013;42 (10):1340.	6
1673	Vigneron A, Tamisier R, Orset E, Pepin JL, Betttega G. Maxillomandibular advancement for obstructive sleep apnea syndrome treatment: Long-term results. <i>Journal of Cranio-Maxillofacial Surgery</i> . 2017;45(2):183-91.	9
1674	Villwock JA, Suryadevara AC. Update on approaches to the craniomaxillofacial skeleton. <i>Current Opinion in Otolaryngology and Head and Neck Surgery</i> . 2014;22(4):326-31.	5
1675	Visocchi M, Di Martino A, Maugeri R, Gonzalez Valcarcel I, Grasso V, Paludetti G. Videoassisted anterior surgical approaches to the craniocervical junction: rationale and clinical results. <i>European Spine Journal</i> . 2015;24(12):2713-23.	5
1676	von Bremen J, Ruf S. Orthodontic and dentofacial orthopedic management of juvenile idiopathic arthritis: A systematic review of the literature. <i>Orthodontics and Craniofacial</i>	5

	Research. 2011;14(3):107-15.	
1677	Vonk PE, Rotteveel PJ, Ravesloot MJL, Ho JPTF, de Lange J, de Vries N. The influence of position dependency on surgical success in patients with obstructive sleep apnea undergoing maxillomandibular advancement. <i>Journal of Clinical Sleep Medicine</i> . 2020;16(1):73-80.	9
1678	Voshol IE, Van Adrichem LNA, Van Der Wal KGH, Koudstaal MJ. Influence of pharyngeal flap surgery on maxillary outgrowth in cleft patients. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2013;42(2):192-7.	9
1679	Vroegop AV, Vanderveken OM, Verbraecken JA. Drug-Induced Sleep Endoscopy: Evaluation of a Selection Tool for Treatment Modalities for Obstructive Sleep Apnea. <i>Respiration</i> . 2020;99(5):451-7.	5
1680	Vu GH, Humphries LS, Kalmar C, Zimmerman CE, Swanson JW, Bartlett SP, et al. Impact of Local Anesthesia on Operative Outcomes and Hospital Cost in Orthognathic Surgery: A Nationwide Analysis. <i>Journal of the American College of Surgeons</i> . 2020;231 (4 Supplement 1):S227-S8.	6
1681	Vural C, Yurttutan ME, Sancak KT, Tuzuner AM. Effect of chlorhexidine/benzylamine soaked pharyngeal packing on throat pain and postoperative nausea & vomiting in orthognathic surgery. <i>Journal of Cranio-Maxillofacial Surgery</i> . 2019;47(12):1861-7.	3
1682	Walborn C, Thurston T, Buchman S, Kasten S, Vercler C. Enhancement of patient care through tablet use/face time in the craniofacial clinic setting. <i>Cleft Palate-Craniofacial Journal</i> . 2016;53 (4):e157.	6
1683	Walton E. Pointing the finger at proton pump inhibitors. <i>Biomedical Journal</i> . 2014;37(4):165-8.	4
1684	Wang G, Li J, Khadka A, Hsu Y, Li W, Hu J. CAD/CAM and rapid prototyped titanium for reconstruction of ramus defect and condylar fracture caused by mandibular reduction. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> . 2012;113(3):356-61.	2
1685	Wang H, Yuan J, Zhang Y, Qi Z, Wei M. Modified nasomaxillary and hard palatine osteotomy combined nasal implantation to correct binder syndrome. <i>Journal of Craniofacial Surgery</i> . 2013;24(1):200-3.	9
1686	Wang HD, Susarla SM, Yang R, Mundinger GS, Schultz BD, Banda A, et al. Does Fracture Pattern Influence Functional Outcomes in the Management of Bilateral Mandibular Condylar Injuries? <i>Cranio-maxillofacial Trauma and Reconstruction</i> . 2019;12(3):211-20.	9
1687	Wang S, Lv C, Gui L, Liu W, Wang J. Treatment protocol and surgical techniques for macrogenia. <i>The Journal of craniofacial surgery</i> . 2013;24(4):1353-6.	1
1688	Wang T, Han JJ, Oh HK, Park HJ, Jung S, Park YJ, et al. Evaluation of Mandibular Anatomy Associated With Bad Splits in Sagittal Split Ramus Osteotomy of Mandible. <i>The Journal of craniofacial surgery</i> . 2016;27(5):e500-e4.	2
1689	Wang WH, Xu B. Maxillary reconstruction using vascularized fibular osteomyocutaneous flap and iliac bone through modified lateral lip-submandibular approach. <i>The Journal of craniofacial surgery</i> . 2013;24(4):1453-7.	1
1690	Wang X. Restoration of oral function for adult edentulous patients using zygomatic implants combined with orthognathic surgery with the assistance of surgical navigation and orthognathic templates. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2015;1):e164.	6
1691	Wang X, Shen SG. Combined virtual orthognathic surgery with endoscope-assisted intraoral condylectomy for hemimandibular hyperplasia. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2011;40 (10):1063.	6
1692	Wang Y, Huang X, Liang F, Zhou N. Nonvascularized Free Transport Distraction Osteogenesis to Reconstruct the Mandibular Defect of a Patient With an Ossifying Fibroma: A Case Report. <i>Journal of Oral and Maxillofacial Surgery</i> . 2016;74(9):1901.e1-e10.	9
1693	Wang YT, Yu JH, Lo LJ, Hsu PH, Lin CL. Developing Customized Dental Miniscrew Surgical Template from Thermoplastic Polymer Material Using Image Superimposition, CAD System, and 3D Printing. <i>BioMed Research International</i> . 2017;2017 (no pagination)(1906197).	1
1694	Wang Z, Wang P, Zhang Y, Shen G. Nasal Airway Evaluation After Le Fort I Osteotomy Combined With Septoplasty in Patients With Cleft Lip and Palate. <i>The Journal of craniofacial surgery</i> . 2017;28(1):207-11.	9
1695	Ward P, Kotecha A, Lee C, Collier J, Jin Y, Chae W. Orthognathic surgery: Development of a multidisciplinary patient pathway. <i>Trends in Anaesthesia and Critical Care</i> . 2020;30:e134.	6
1696	Watanabe K, Kuroda S, Takahashi T, Kijima T, Torikai K, Moriyama K, et al. Segmental distraction osteogenesis with modified LeFort II osteotomy for a patient with craniosynostosis. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> . 2012;142(5):698-709.	9

1697	Watanabe M, Watanabe A, Takano N, Saito C, Shibahara T. Morphologic evaluation for safe le fort I osteotomy in cleft lip and palate. <i>Cleft Palate-Craniofacial Journal</i> . 2018;55(5):728-35.	9
1698	Watts V, Portnof J. Grafting of alveolar cleft defects in preparation for endosseous dental implant placement and orthodontic tooth movement. <i>Journal of Oral and Maxillofacial Surgery</i> . 2017;75 (10 Supplement 1):e371-e2.	6
1699	Wee TH, Poon CY. Quality of life treatment outcomes of class III skeletal patients after bimaxillary osteotomies. <i>Proceedings of Singapore Healthcare</i> . 2014;23(3):183-90.	2
1700	Wehrhan F, Hyckel P, Guentsch A, Nkenke E, Stockmann P, Schlegel KA, et al. Bisphosphonate-associated osteonecrosis of the jaw is linked to suppressed TGFbeta1-signaling and increased Galectin-3 expression: A histological study on biopsies. <i>Journal of Translational Medicine</i> . 2011;9 (1) (no pagination)(102).	9
1701	Weitz J, Bauer FJM, Hapfelmeier A, Rohleder NH, Wolff KD, Kesting MR. Accuracy of mandibular reconstruction by three-dimensional guided vascularised fibular free flap after segmental mandibulectomy. <i>British Journal of Oral and Maxillofacial Surgery</i> . 2016;54(5):506-10.	2
1702	Wes AM, Mazzaferro D, Naran S, Bartlett SP, Taylor JA. Cleft-Palate Repair: Does Hospital Case-Volume Impact Outcomes or Cost? <i>Plastic and reconstructive surgery</i> . 2018;141(5):1193-200.	9
1703	White JB, Dufresne CR. Management and avoidance of complications in chin augmentation. <i>Aesthetic Surgery Journal</i> . 2011;31(6):634-42.	5
1704	Widar F, Kashani H, Alsen B, Dahlin C, Rasmusson L. The effects of steroids in preventing facial oedema, pain, and neurosensory disturbances after bilateral sagittal split osteotomy: A randomized controlled trial. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2015;44(2):252-8.	3
1705	Wiedel AP, Svensson H, Schonmeyr B, Becker M. An analysis of complications in secondary bone grafting in patients with unilateral complete cleft lip and palate. <i>Journal of plastic surgery and hand surgery</i> . 2016;50(2):63-7.	9
1706	Wilbrand JF, Schmermund D, Knitschke M, Streckbein P, Kahling C, Kerkmann H, et al. Ex corpore linguae: A cohort analysis after a unique surgical technique in oral cancer resection. <i>Journal of Cranio-Maxillofacial Surgery</i> . 2018;46(2):190-4.	4
1707	Wilhelm P, Rolinger J, Falch C, Kirschniak A, Reisenauer C. Therapy of pessary-induced rectovaginal fistula and pelvic organ prolapse in elderly patients by vaginal approach and modified LeFort colpocleisis: a case series. <i>Archives of gynecology and obstetrics</i> . 2020;302(2):283-7.	1
1708	Wilkman T, Tornwall J, Vuola J, Lassus P. The free scapular flap with latissimus muscle reduces fistulas in mandibular reconstruction. <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> . 2016;69(6):802-8.	1
1709	Williams BJD, Isom A, Laureano Filho JR, O'Ryan FS. Nasal airway function after maxillary surgery: A prospective cohort study using the nasal obstruction symptom evaluation scale. <i>Journal of Oral and Maxillofacial Surgery</i> . 2013;71(2):343-50.	2
1710	Williams M, Hills AJ, Ghaedi Y. Incision to the sagittal temporalis tendon to optimise access to the ramus. <i>British Journal of Oral and Maxillofacial Surgery</i> . 2019;57(2):190-1.	2
1711	Wilson DM. Retrospective study: Incidence of pterygoid plate fractures with le fort i osteotomies: A computer tomography scan evaluation of 87 patients. <i>Journal of Oral and Maxillofacial Surgery</i> . 2012;2):e-65.	6
1712	Winters R, Tatum SA. Craniofacial distraction osteogenesis. <i>Facial Plastic Surgery Clinics of North America</i> . 2014;22(4):653-64.	5
1713	Woerner J, Menendez S, Edwards S, Turvey T, Portnof J. Orthognathic surgery in patients with cleft lip and palate. <i>Cleft Palate-Craniofacial Journal</i> . 2019;56 (1 Supplement):25.	6
1714	Wojda M, Jurkowski P, Lewandowska A, Mierzwinska-Nastalska E, Kostrzewa-Janicka J. Mandibular Advancement Devices in Patients with Symptoms of Obstructive Sleep Apnea: A Review. <i>Advances in Experimental Medicine and Biology</i> . 2019;1153:11-7.	5
1715	Wolfe SA. Commentary on "Occlusion-Fit V-Line Guide and Gooseneck Saw for Safe and Accurate Mandibuloplasty in Asian [Patients]" by Song et al. <i>Aesthetic plastic surgery</i> . 2017;41(6):1425.	5
1716	Wolford LM. Comprehensive Post Orthognathic Surgery Orthodontics: Complications, Misconceptions, and Management. <i>Oral and maxillofacial surgery clinics of North America</i> . 2020;32(1):135-51.	5

1717	Wolford LM, Movahed R, Dhameja A, Allen WR. Low condylectomy and orthognathic surgery to treat mandibular condylar osteochondroma: A retrospective review of 37 cases. <i>Journal of Oral and Maxillofacial Surgery</i> . 2014;72(9):1704-28.	5
1718	Wolford LM, Perez DE. Surgical management of congenital deformities with temporomandibular joint malformation. <i>Oral and maxillofacial surgery clinics of North America</i> . 2015;27(1):137-54.	5
1719	Wolvius EB, Koudstaal M. Midface advancement in syndromic craniosynostosis. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2015;1):e18-e9.	6
1720	Woo SY, Lee SJ, Yoo JY, Yi WJ. Collision detection from force/torque information using a neural network. <i>International Journal of Computer Assisted Radiology and Surgery</i> . 2018;13 (Supplement 1):S264-S5.	6
1721	Wood JS, Purzycki A, Thompson J, David LR, Argenta LC. The Use of Brainlab Navigation in Le Fort III Osteotomy. <i>The Journal of craniofacial surgery</i> . 2015;26(3):616-9.	3
1722	Wu Q, Wang Y, Wang P, Xiang Z, Ye B, Li J. The inverted-L ramus osteotomy versus sagittal split ramus osteotomy in maxillomandibular advancement for the treatment of obstructive sleep apnea patients: A retrospective study. <i>Journal of Cranio-Maxillofacial Surgery</i> . 2019;47(12):1839-47.	9
1723	Wu R, Wilson A, Travieso R, Steinbacher DM. Fibrin Tissue Sealant as an Adjunct to Cleft Palate Repair. <i>The Journal of craniofacial surgery</i> . 2017;28(5):1164-6.	9
1724	Wu T, Reese P, Lee JC, Kerayechian N, Martz M, Solem RC. Orthodontic and surgical treatment of facial asymmetry in a patient with unicoronal craniosynostosis. <i>American journal of orthodontics and dentofacial orthopedics : official publication of the American Association of Orthodontists, its constituent societies, and the American Board of Orthodontics</i> . 2020;157(2):259-68.	2
1725	Xi MY, Li SS, Zhang C, Zhang L, Wang T, Yu C. Nalbuphine for Analgesia After Orthognathic Surgery and Its Effect on Postoperative Inflammatory and Oxidative Stress: A Randomized Double-Blind Controlled Trial. <i>Journal of Oral and Maxillofacial Surgery</i> . 2020;78(4):528-37.	2
1726	Xi T, Schreurs R, Van Loon B, De Koning M, Berge S, Hoppenreijts T, et al. 3D analysis of condylar remodelling and skeletal relapse following bilateral sagittal split advancement osteotomies. <i>Journal of Cranio-Maxillofacial Surgery</i> . 2015;43(4):462-8.	2
1727	Xia K, Sun W, Yu L, Huang X, Zhao Z, Liu J. Treatment of the mandibular shift in an adult woman and the diagnostic value of joint space index: a case report. <i>European Journal of Medical Research</i> . 2020;25 (1) (no pagination)(50).	1
1728	Xia Y, Feng ZC, Li C, Wu H, Tang C, Wang L, et al. Application of additive manufacturing in customized titanium mandibular implants for patients with oral tumors. <i>Oncology Letters</i> . 2020;20 (4) (no pagination)(11912).	5
1729	Xiao L, Pang W, Bi H, Han X. Cone beam CT-based measurement of the accessory mental foramina in the Chinese Han population. <i>Experimental and Therapeutic Medicine</i> . 2020;20(3):1907-16.	1
1730	Xiao W, Hu C, Chu C, Man Y. Autogenous dentin shell grafts versus bone shell grafts for alveolar ridge reconstruction: A novel technique with preliminary results of a prospective clinical study. <i>International Journal of Periodontics and Restorative Dentistry</i> . 2019;39(6):885-93.	1
1731	Xie C, De S, Selby A. Management of the airway in apert syndrome. <i>Medicine (United States)</i> . 2016;95 (3) (no pagination)(e2333).	9
1732	Xu C, Wang Y, Zhou C, Zhang Z, Xie L, Andersson K, et al. Application research of master-slave cranio-maxillofacial surgical robot based on force feedback. <i>Proceedings of the Institution of Mechanical Engineers</i> . 2021;Part H, <i>Journal of engineering in medicine</i> :954411921997568.	4
1733	Xu JJ, Teng L, Jin XL, Lu JJ, Zhang C. Iatrogenic mandibular fracture associated with third molar removal after mandibular angle osteotectomy. <i>The Journal of craniofacial surgery</i> . 2014;25(3):e263-e5.	5
1734	Xu M, Chan FC, Jin X, Xu J, Lu J, Zhang C, et al. Hemimandibular hyperplasia: classification and treatment algorithm revisited. <i>The Journal of craniofacial surgery</i> . 2014;25(2):355-8.	1
1735	Xu X, Wu JQ, Jiang JH, Liang C, Wang XE, Jing WD, et al. Periodontal effect of periodontally accelerated osteogenic orthodontics in skeletal angle class III: A nonrandomized, controlled trial. <i>International Journal of Periodontics and Restorative Dentistry</i> . 2020;40(4):E169-E77.	2

1736	Yamaguchi Y. Intraoral vertical ramus osteotomy for correction of mandibular deformity. <i>Journal of Oral and Maxillofacial Surgery</i> . 2014;1):e143.	6
1737	Yamaki KI, Akita K. Abstracts presented at the Joint meeting of the 22nd Congress of the Japanese Research Society of Clinical Anatomy and the 3rd Congress of Kurume Research Society of Clinical Anatomy. <i>Surgical and Radiologic Anatomy</i> . 2020;42(11):1393-403.	5
1738	Yamamoto N, Morikawa T, Yakushiji T, Shibahara T. Mandibular Reconstruction with Free Vascularized Fibular Graft. <i>The Bulletin of Tokyo Dental College</i> . 2018;59(4):299-311.	9
1739	Yamamoto S, Takenobu T, Kouchi I, Hirai Y, Taniike N. Application of le fort i osteotomy for post-traumatic malocclusion secondary to condylar fractures in an elderly patient: A case report. <i>Journal of Clinical and Diagnostic Research</i> . 2018;12(2):ZD04-ZD6.	9
1740	Yamamoto T, Fujii-Abe K, Fukayama H, Kawahara H. Hypoesthesia associated with mandibular movement after sagittal split ramus osteotomy. <i>Oral and maxillofacial surgery</i> . 2017;21(3):313-9.	2
1741	Yamashita K, Kibe T, Ohno S, Uchino M, Higa Y, Niiro A, et al. Time to Recovery of Feeding After Alveolar Bone Graft Is Associated With Postoperative Nausea and Vomiting Within 2 Hours in Children. <i>Clinical Medicine Insights: Pediatrics</i> . 2019;13(no pagination).	9
1742	Yamashita Y, Iwai T, Honda K, Fujita K, Imai H, Takasu H, et al. Response to the comments on 'Effectiveness of subspinal Le Fort I osteotomy in preventing postoperative nasal deformation'. <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> . 2020;73(9):1775-84.	5
1743	Yang B, Su M, Li H, Li J, Ouyang J, Han Z. Use of submandibular gland flap for repairing defects after tumor resection in the infratemporal region. <i>Journal of Cranio-Maxillofacial Surgery</i> . 2015;43(1):87-91.	9
1744	Yang BE, Oh SM, Park KN, Kim JY. How to optimally position a condylar segment in orthognathic surgery? <i>Journal of Oral and Maxillofacial Surgery</i> . 2014;1):e140.	6
1745	Yang F, Song T, Jin X. A Novel Technique Using W-Shaped Steel Wire Suspension System to Improve the Stability of Rigid External Distraction Device in a Child With Apert Syndrome. <i>The Journal of craniofacial surgery</i> . 2019;30(7):e639-e43.	9
1746	Yang HJ, Hwang SJ. Contributing factors to intraoperative clockwise rotation of the proximal segment as a relapse factor after mandibular setback with sagittal split ramus osteotomy. <i>Journal of Cranio-Maxillofacial Surgery</i> . 2014;42(4):e57-e63.	2
1747	Yang HJ, Jung YE, Kwon IJ, Lee JY, Hwang SJ. Airway changes and prevalence of obstructive sleep apnoea after bimaxillary orthognathic surgery with large mandibular setback. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2020;49(3):342-9.	9
1748	Yang R, Shakoori P, Lanni MA, Nah HD, Scott M, Swanson JW, et al. Influence of Monobloc/Le Fort III Surgery on the Developing Posterior Maxillary Dentition and Its Resultant Effect on Orthognathic Surgery. <i>Plastic and reconstructive surgery</i> . 2021;147(2):253e-9e.	2
1749	Yang RS, Salama AR, Caccamese JF. Reoperative Midface Trauma. <i>Oral and Maxillofacial Surgery Clinics of North America</i> . 2011;23(1):31-45.	5
1750	Yang S, Fan H, Du W, Li J, Hu J, Luo E. Overgrowth of costochondral grafts in craniomaxillofacial reconstruction: Rare complication and literature review. <i>Journal of Cranio-Maxillofacial Surgery</i> . 2015;43(6):803-12.	5
1751	Yang X, Hu J, Zhu S, Liang X, Li J, Luo E. Computer-assisted surgical planning and simulation for condylar reconstruction in patients with osteochondroma. <i>British Journal of Oral and Maxillofacial Surgery</i> . 2011;49(3):203-8.	1
1752	Yang X, Yin G, Hu J, Luo E. Computer-assisted condylar reconstruction in bilateral ankylosis of the temporomandibular joint using autogenous coronoid process. <i>British Journal of Oral and Maxillofacial Surgery</i> . 2011;49(8):612-7.	1
1753	Yanping L, Dedong Y, Xiaoju C, Xudong W, Guofang S, Chengtao W. Simulation and evaluation of a bone saving procedure for orthognathic surgery based on an experimental force model. <i>Journal of Biomechanical Engineering</i> . 2014;136 (3) (no pagination)(034501).	2
1754	Yen DW, Nguyen DC, Skolnick GB, Naidoo SD, Patel KB, Grames LM, et al. A Comparison of the Need for Speech Therapy After 2 Palatal Repair Techniques. <i>Annals of plastic surgery</i> . 2017;78(3):284-8.	9
1755	Yew CC, Rahman SA, Alam MK. Temporomandibular joint ankylosis in a child: An unusual case with delayed surgical intervention. <i>BMC Pediatrics</i> . 2015;15 (1) (no pagination)(169).	9
1756	Yi CR, Choi JW. Three-Dimension-Printed Surgical Guide for Accurate and Safe Mandibuloplasty in Patients With Prominent Mandibular Angles. <i>The Journal of craniofacial surgery</i> . 2019;30(7):1979-81.	1

1757	Yin J, Fan S, Wu X, Pan S, Liao L, Jin G. Intraoral Prosthetic Chin Augmentation With Vertical Incisions. <i>The Journal of craniofacial surgery</i> . 2018;29(3):774-7.	3
1758	Yoo HS, Byun IH, Ahn DK, Lee JH, Yoo WM. Multiplane Facelift Following Facial Bone Contouring for Enhanced Mobilization and Rejuvenation. <i>The Journal of craniofacial surgery</i> . 2020;31(7):1962-6.	1
1759	Yoo J, Dowthwaite SA, Fung K, Franklin J, Nichols A. A new angle to mandibular reconstruction: The scapular tip free flap. <i>Head and Neck</i> . 2013;35(7):980-6.	2
1760	Yoshinori Y, Kazuyuki N, Takeshi O, Kenichiro K, Tuyoshi K. Intraoral vertical ramus osteotomy for correction of mandibular prognathism. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2013;42 (10):1341.	6
1761	Yoshioka N, Nishiyama A, Ibaragi S, Domae S, Shimo T, Sasaki A. Clinical study of multiple segmental Le Fort I osteotomy. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2015;1):e170.	6
1762	Yoshioka N, Nishiyama A, Ibaragi S, Kishimoto K, Shimo T, Sasaki A. Postoperative stability and some tips of horseshoe Le Fort I osteotomy. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2017;46 (Supplement 1):172.	6
1763	Yu H, Chen L, Zhu Y, Qiu L. Bilamina cortical tenting grafting technique for three-dimensional reconstruction of severely atrophic alveolar ridges in anterior maxillae: A 6-year prospective study. <i>Journal of Cranio-Maxillofacial Surgery</i> . 2016;44(7):868-75.	2
1764	Yu H, Wang X, Fang B, Shen SG. Comparative study of different osteotomy modalities in maxillary distraction osteogenesis for cleft lip and palate. <i>Journal of Oral and Maxillofacial Surgery</i> . 2012;70(11):2641-7.	9
1765	Yu H, Wang X, Qiu L. Outcomes of 6.5-mm Hydrophilic Implants and Long Implants Placed with Lateral Sinus Floor Elevation in the Atrophic Posterior Maxilla: A Prospective, Randomized Controlled Clinical Comparison. <i>Clinical implant dentistry and related research</i> . 2017;19(1):111-22.	3
1766	Yu KH, Lim HJ, Kim SM, Hwang SJ. Comparison of condylar displacement after sagittal split ramus osteotomy depending on the glenoid fossa depth. <i>Journal of Cranio-Maxillofacial Surgery</i> . 2021;49(1):9-16.	2
1767	Yu P, Song G, Zong X, Yang X, Zhao J, Guo X, et al. Strategies of Mandibular Revision: A Retrospective Study of Revisional Mandibular Surgery for Unaesthetic Results of Previous Mandibular Reduction. <i>Aesthetic plastic surgery</i> . 2018;42(6):1609-17.	1
1768	Yuan N, Dorafshar AH, Follmar KE, Pendleton C, Ferguson K, Redett RJ. Effects of Cleft Width and Veau Type on Incidence of Palatal Fistula and Velopharyngeal Insufficiency After Cleft Palate Repair. <i>Annals of plastic surgery</i> . 2016;76(4):406-10.	1
1769	Zaid WY, Alshehry S, Zakhary G, Yampolsky A, Kim B. Use of Vascularized Myo- Osseous Fibula Free Flap to Reconstruct a Hemimandibular Defect With a Concomitant Skull Defect Arising From Stock Condylar Prosthesis Displacement Into the Middle Cranial Fossa. <i>Journal of Oral and Maxillofacial Surgery</i> . 2019;77(6):1316.e1-.e12.	1
1770	Zakrzewska A, Kowalczyk P, Roszkowski M. Transoral approach in children with non-traumatic pathologies of the craniocervical junction. <i>Child's Nervous System</i> . 2012;28 (5):775.	6
1771	Zamiri B, Tabrizi R, Shahidi S, Pouzesh A. Medial cortex fracture patterns after sagittal split osteotomy using short versus long medial cuts: Can we obviate bad splits? <i>International Journal of Oral and Maxillofacial Surgery</i> . 2015;44(7):809-15.	2
1772	Zandi M, Miresmaeili A, Heidari A, Lamei A. The necessity of pterygomaxillary disjunction in surgically assisted rapid maxillary expansion: A short-term, double-blind, historical controlled clinical trial. <i>Journal of Cranio-Maxillofacial Surgery</i> . 2016;44(9):1181-6.	2
1773	Zarringhalam P, Parbhoo A, Von Arx D. Accessory infra-orbital nerves-an important anatomical lesson. <i>British Journal of Oral and Maxillofacial Surgery</i> . 2014;52 (8):e118-e9.	6
1774	Zarringhalam P, Parbhoo A, Von Arx D, Tercan N. Do patients need oral antibiotics after Orthognathic Surgery-time to rationalise. <i>British Journal of Oral and Maxillofacial Surgery</i> . 2015;53 (10):e93.	6
1775	Zarringhalam P, Tercan N, Parbhoo AV, Von Arx D. Do patients need oral antibiotics after orthognathic surgery-time to rationalise. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2015;1):e173.	6
1776	Zavattero E, Fasolis M, Garzino-Demo P, Berrone S, Ramieri GA. Evaluation of plate-related complications and efficacy in fibula free flap mandibular reconstruction. <i>The Journal of craniofacial surgery</i> . 2014;25(2):397-9.	3

1777	Zhai J, Lv Y, Zheng Y, Wang B, Tong H, Yin N, et al. Surgical Planning for Cleft Lip and/or Palate-Induced Moderate-to-Severe Midfacial Hypoplasia. <i>The Journal of craniofacial surgery</i> . 2021;32(2):492-5.	9
1778	Zhang C, Teng L, Chan FC, Xu JJ, Lu JJ, Xie F, et al. Single stage surgery for contouring the prominent mandibular angle with a broad chin deformity: En-bloc Mandibular Angle-Body-Chin Curved Osteotomy (MABCCO) and Outer Cortex Grinding (OCG). <i>Journal of Cranio-Maxillofacial Surgery</i> . 2014;42(7):1225-33.	2
1779	Zhang C, Zhao L, Li CR, Shim YH, Cao D. Advancing and Lengthening Genioplasty in Contouring of the Receding and Short Chin. <i>The Journal of craniofacial surgery</i> . 2017;28(2):314-7.	1
1780	Zhang D, Lin L, Tang X, Li C, Liu J, Wang H, et al. Multidisciplinary therapy for the treatment of malocclusion in a patient with chronic periodontitis with a five-year follow-up: A case report. <i>Experimental and Therapeutic Medicine</i> . 2017;14(4):3081-7.	9
1781	Zhang R, Taylor JA. Reply: Retrospective Review of the Complication Profile Associated with 71 Subcranial and Transcranial Midface Distraction Procedures at a Single Institution. <i>Plastic and reconstructive surgery</i> . 2019;144(6):1118e-9e.	5
1782	Zhang RS, Lin LO, Hoppe IC, Bartlett SP, Taylor JA, Swanson JW. Risk Factors for Perioperative Respiratory Failure following Mandibular Distraction Osteogenesis for Micrognathia: A Retrospective Cohort Study. <i>Plastic and reconstructive surgery</i> . 2019;143(6):1725-36.	9
1783	Zhao M, Wu G. The Appropriate Retractors for Genioplasty. <i>The Journal of craniofacial surgery</i> . 2017;28(1):252-3.	1
1784	Zheng Y, Tong H, Yin N, Niu F, Zhao Z, Song T. Rigid External Distraction with Intranasal Bone-borne Traction Hooks for Midfacial Hypoplasia. <i>Sci</i> . 2018;8(1):9948.	1
1785	Zhu SS, Feng G, Li JH, Luo E, Hu J. Correction of mandibular deficiency by inverted-L osteotomy of ramus and iliac crest bone grafting. <i>International Journal of Oral Science</i> . 2013;4(4):214-7.	3
1786	Zhu Y, Zou Y, Yu Q, Sun H, Mou S, Xu S, et al. Combined surgical-orthodontic treatment of patients with cleidocranial dysplasia: Case report and review of the literature. <i>Orphanet Journal of Rare Diseases</i> . 2018;13 (1) (no pagination)(217).	5
1787	Zigterman BGR, Mommaerts MY. Slotplates revisited – A retrospective analysis. <i>Journal of Cranio-Maxillofacial Surgery</i> . 2017;45(2):171-7.	3
1788	Zotti F, Capocasale G, Lonardi F, Zambotti T, Nocini R, Albanese M. Trigeminal trophic syndrome: Strange evolution of maxillofacial surgery. <i>EXCLI Journal</i> . 2019;18:931-5.	1
1789	Zou D, Shao Y, Zhang J, Qin Z, Liu N, Huang P, et al. Pulmonary hemorrhagic infarction due to fat embolism and thromboembolism after maxillofacial plastic surgery: a rare case report. <i>Fa yi xue za zhi</i> . 2012;28(5):375-8.	3
1790	Zwetyenga N, Siberchicot F, Emparanza A. Reconstruction of large mandibular and surrounding soft-tissue defects using distraction with bone transport. <i>International Journal of Oral and Maxillofacial Surgery</i> . 2012;41(10):1215-22.	3
1791	Ahn HR, Heo JY, Kim CH, Hwang HS, Kim BJ. Full-mouth rehabilitation by immediate implantation combined with orthognathic surgery: a clinical report. <i>J Korean Acad Prosthodont</i> . 2016;54(1):57-64.	2
1792	Ahn SW, Kwon TK, Lee ST, Song JM, Kim TH, Hwang DS, et al. An Evaluation of Initial Stability after Maxillary Posterior Impaction. <i>J Korean Assoc Maxillofac Plast Reconstr Surg</i> . 2011;33(3):225-32.	2
1793	Ann HR, Jung YS, Lee KJ, Baik HS. Evaluation of stability after pre-orthodontic orthognathic surgery using cone-beam computed tomography: A comparison with conventional treatment. <i>Korean J Orthod</i> . 2016;46(5):301-9.	2
1794	Baeg S, On S, Lee J, Song S. Posterior maxillary segmental osteotomy for management of insufficient intermaxillary vertical space and intermolar width discrepancy: a case report. <i>Maxillofac Plast Reconstr Surg</i> . 2016;38(7):28.	2
1795	Baek SH, Park YH, Chung JH, Kim S, Choi JY. Orthodontic and orthopedic treatment for a growing patient with Tessier number 0 cleft. <i>Korean J Orthod</i> . 2018;48(2):113-24.	1
1796	Bang SR, Lee TE, You IC, Cho NC, Ahn M. Loss of Reflex Tearing after Maxillary Orthognathic Surgery Case Report and Literature Review. <i>J Korean Ophthalmol Soc</i> . 2019;60(12):1295-300.	5
1797	Bu YJ, Kim SM, Kim JY, Park JM, Myoung H, Lee JH, et al. Accuracy of simulation surgery	2

	of Le Fort I osteotomy using optoelectronic tracking navigation system. J Korean Assoc Oral Maxillofac Surg. 2011;37(2):114-21.	
1798	Cao H-L, Kang M-H, Lee J-Y, Park W-J, Choung H-W, Choung P-H. Quantification of three-dimensional facial asymmetry for diagnosis and postoperative evaluation of orthognathic surgery. Maxillofac Plast Reconstr Surg. 2020;42(1):17.	8
1799	Chae JM, Paeng JY. Minimum Presurgical Orthodontic Treatment with Two Jaw Surgery Combined with Anterior Segmental Osteotomy in Skeletal Class II Malocclusion: A Case Report. J Korean Assoc Maxillofac Plast Reconstr Surg. 2013;35(5):316-24.	8
1800	Cheon KY, Shin DW, Chun WB, Kim SH, Kim EG, Park HW, et al. Cephalometric Evaluation of the Midfacial Soft Tissue Changes on Smiling. J Korean Assoc Maxillofac Plast Reconstr Surg. 2012;34(6):421-5.	2
1801	Choi BJ, Kim BS, Lim JM, Jung J, Lee JW, Ohe JY. Positional change in mandibular condyle in facial asymmetric patients after orthognathic surgery: cone-beam computed tomography study. Maxillofac Plast Reconstr Surg. 2018;40(1):13.	2
1802	Choi HW, Kim B, Kim JY, Huh JK, Park KH. Three-dimensional computed tomography evaluation of craniofacial characteristics according to lateral deviation of chin. Maxillofac Plast Reconstr Surg. 2019;41(1):57.	2
1803	Choi S, Song SH, Kang NH. Modified Submental Intubation in Panfacial Bone Fracture Patients. J Korean Soc Plast Reconstr Surg. 2011;38(1):127-9.	1
1804	Choi SK, Yoon JE, Cho JW, Kim JW, Kim SJ, Kim MR. Changes of the Airway Space and the Position of Hyoid Bone after Mandibular Set Back Surgery Using Bilateral Sagittal Split Ramus Osteotomy Technique. Maxillofac Plast Reconstr Surg. 2014;36(5):185-91.	8
1805	Choi YH, Kim BK, Choi BJ, Kim YG, Lee BS, Kwon YD, et al. An Investigation of Hyoid Bone Position and Airway Space in Class III Malocclusion after Orthognathic Surgery. J Korean Assoc Maxillofac Plast Reconstr Surg. 2011;33(5):401-6.	2
1806	Choi YK, Kim YD, Park SB, Kim YI, Kim SS, Son WS. Orthognathic surgery on Skeletal Class III patients with collapsed vertical dimension: case report. J Dent Rehabil Appl Sci. 2016;32(1):70-9.	2
1807	Chung JH. Genioplasty and Orthognathic Surgery in Skeletal Class II. Arch Aesthetic Plast Surg. 2011;17(2):75-82.	2
1808	Chung NH, Yang SJ, Kang JY, Jeon YM, Kim JG. Growth observation and orthodontic treatment of a hemifacial microsomia patient treated with distraction osteogenesis. Korean J Orthod. 2020;50(2):136-44.	2
1809	Coban G, Yavuz I, Karadas B, Demirbas AE. Three-dimensional assessment of nasal changes after maxillary advancement with impaction using stereophotogrammetry. Korean J Orthod. 2020;50(4):249-57.	2
1810	de Almeida Cardoso M, de Molon RS, de Avila ED, Guedes FP, Battilani Filho VAB, Capelozza Filho L, et al. Facial and occlusal esthetic improvements of an adult skeletal Class III malocclusion using surgical, orthodontic, and implant treatment. Korean J Orthod. 2016;46(1):42-54.	8
1811	Eboh DEO. Horizontal Facial Thirds of Young Adults in Two South-South Nigerian Ethnic Groups. Anat Biol Anthropol. 2019;32(4):115-9.	2
1812	Freitas B, Freitas H, dos Santos PCF, Janson G. Correction of Angle Class II division 1 malocclusion with a mandibular protraction appliances and multiloop edgewise archwire technique. Korean J Orthod. 2014;44(5):268-77.	2
1813	Fushima K, Kobayashi M. Mixed-reality simulation for orthognathic surgery. Maxillofac Plast Reconstr Surg. 2016;38(3):13.	2
1814	Gulsen A, Sibar S, Ozmen S. Orthognathic treatment of facial asymmetry due to temporomandibular joint ankylosis. Arch Plast Surg. 2018;45(1):74-9.	5
1815	Ha J, Yoon S, Yi S, Chung K, Jung S, Kook M, et al. Intubation Granuloma after Orthognathic Surgery: Report of 3 Cases. J Korean Dent Soc Anesthesiol. 2013;13(3):133-7.	8
1816	Ha MH, Kim YI, Park SB, Kim SS, Son WS. Cone-beam computed tomographic evaluation of the condylar remodeling occurring after mandibular set-back by bilateral sagittal split ramus osteotomy and rigid fixation. Korean J Orthod. 2013;43(6):263-70.	2
1817	Heo YM, Kim HS, Paeng JY, Hong J, Kim CS. Soft Tissue Change in Frontal View after Orthognathic Surgery for Class III Malocclusion: Analysis Using Facial 'Phi' Mask. J Korean Assoc Maxillofac Plast Reconstr Surg. 2011;33(6):490-6.	2
1818	Hong M, Kim M-J, Shin HJ, Cho HJ, Baek S-H. Three-dimensional surgical accuracy between	8

	virtually planned and actual surgical movements of the maxilla in two-jaw orthognathic surgery. Korean J Orthod. 2020;50(5):293-303.	
1819	Hwang DS, Kim YI, Lee JY, Lee ST, Kim TH, Lee JM, et al. Evaluation of Skeletal Stability Following Two-jaw Surgery via Surgery First Orthodontic Treatment in Class III Malocclusion. J Korean Assoc Maxillofac Plast Reconstr Surg. 2011;33(5):407-12.	2
1820	Hwang DS, Seo JS, Choi HS. Skeletal stability after 2-jaw surgery via surgery-first approach in facial asymmetry patients using CBCT. Maxillofac Plast Reconstr Surg. 2020;42(1):11.	8
1821	Hwang HD, Choi JW, Lee ST, Lee SH, Kwon TG. Reconstruction of Hemifacial Atrophy with Lateral Arm Adipofascial Flap and Orthognathic Surgery: A Case Report. J Korean Assoc Maxillofac Plast Reconstr Surg. 2012;34(5):343-8.	2
1822	Im YH, Son SA, Park SJ, Park YH. A Case of Severe Dysphagia after Aesthetic Two-Jaw Surgery. J Korean Dysphagia Soc. 2021;11(1):67-71.	2
1823	Jang I, Jang E, Choi DS, Cha BK. Chewing performance in orthodontic patients treated with extraction of premolars. Oral Biol Res. 2019;43(3):196-201.	8
1824	Jang JH, Kim JW, Park SH, Kim MR, Kim SJ. Comparative study on the estimated blood loss following to orthognathic surgeries. J Korean Assoc Oral Maxillofac Surg. 2011;37(4):272-7.	2
1825	Jeon J, Kim Y, Kim J, Kang H, Ji H, Son W. New bimaxillary orthognathic surgery planning and model surgery based on the concept of six degrees of freedom. Korean J Orthod. 2013;43(1):42-52.	8
1826	Jeong TM, Kim YH, Song SI. Anchor Plate Efficiency in Postoperative Orthodontic Treatment Following Orthognathic Surgery via Minimal Presurgical Orthodontic Treatment. Maxillofac Plast Reconstr Surg. 2014;36(4):154-60.	2
1827	Joh Y, Park HS, Yang HJ, Hwang SJ. Horizontal change of philtrum after orthognathic surgery in patients with facial asymmetry. Maxillofac Plast Reconstr Surg. 2019;41(1):48.	2
1828	Jung GS, Kim TK, Lee JW, Yang JD, Chung HY, Cho BC, et al. The Effect of a Condylar Repositioning Plate on Condylar Position and Relapse in Two-Jaw Surgery. Arch Plast Surg. 2017;44(1):19-25.	8
1829	Jung KT, Ji IG, Kim SH. Successful application of high-flow nasal cannula in a patient with postoperative respiratory disturbance after bilateral sagittal split ramus osteotomy surgery: A case report. Anesth Pain Med. 2018;13(3):341-5.	3
1830	Jung MH. Age, extraction rate and jaw surgery rate in Korean orthodontic clinics and small dental hospitals. Korean J Orthod. 2012;42(2):80-6.	8
1831	Jung S, Choi Y, Park J-H, Jung Y-S, Baik H-S. Positional changes in the mandibular proximal segment after intraoral vertical ramus osteotomy: Surgery-first approach versus conventional approach. Korean J Orthod. 2020;50(5):324-35.	8
1832	Jung YE, Yang HJ, Hwang SJ. Unilateral bimaxillary vertical elongation by maxillary distraction osteogenesis and mandibular sagittal split ramus osteotomy: a case report. J Korean Assoc Oral Maxillofac Surg. 2011;37(6):539-44.	2
1833	Jung YE, Yang HJ, Hwang SJ. Discrepancies in Soft Tissue Profile of Patients for Orthognathic Surgery between Preoperative Lateral Facial Photograph, Lateral Cephalogram and Supine Position on Operation Table. J Korean Assoc Maxillofac Plast Reconstr Surg. 2012;34(3):180-5.	2
1834	Jung YW, On SW, Chung KR, Song SI. Simultaneous Glossectomy with Orthognathic Surgery for Mandibular Prognathism. Maxillofac Plast Reconstr Surg. 2014;36(5):214-8.	8
1835	Kang HJ, Jeong SW, Jo BH, Kim YD, Kim SS. Observation of trabecular changes of the mandible after orthognathic surgery using fractal analysis. J Korean Assoc Oral Maxillofac Surg. 2012;38(2):96-100.	8
1836	Kang HJ, Kim JR, Kim SY, Choi TS, Chang KU. Plate and Screw Removal after Orthognathic Surgery, under Intravenous Sedation with Dexmedetomidine and Pethidine. J Korean Assoc Maxillofac Plast Reconstr Surg. 2012;34(4):260-6.	3
1837	Kang SH, Kim MK, An SI, Lee JY. The effect of orthognathic surgery on the lip lines while smiling in skeletal class III patients with facial asymmetry. Maxillofac Plast Reconstr Surg. 2016;38(3):18.	8
1838	Kang SH, Lee JW, Kim MK. Use of the surface-based registration function of computer-aided design/computer-aided manufacturing software in medical simulation software for three-dimensional simulation of orthognathic surgery. J Korean Assoc Oral Maxillofac Surg. 2013;39(4):197-9.	8
1839	Kang YJ, Cha BK, Choi DS, Jang IS, Kim SG. Botulinum toxin-A injection into the anterior	5

	belly of the digastric muscle for the prevention of post-operative open bite in class II malocclusions: a case report and literature review. <i>Maxillofac Plast Reconstr Surg.</i> 2019;41(1):17.	
1840	Kim B, Lee HC, Kim SH, Kim Y, Son W, Kim SS. Hard- and soft-tissue profiles of the midface region in patients with skeletal Class III malocclusion using cone-beam computed tomography multiplanar-reconstructed image analysis. <i>Korean J Orthod.</i> 2018;48(3):143-52.	1
1841	Kim HS, Heo YM, Hong JR, Kim CS, Paeng JY. Facial Analysis of Patients with Skeletal Malocclusion Using a Facial 'Phi' Mask. <i>J Korean Assoc Maxillofac Plast Reconstr Surg.</i> 2012;34(1):26-33.	2
1842	Kim HS, Son JH, Chung JH, Kim KS, Choi J, Yang JY. Nasal airway function after Le Fort I osteotomy with maxillary impaction: A prospective study using the Nasal Obstruction Symptom Evaluation scale. <i>Arch Plast Surg.</i> 2021;48(1):61-8.	2
1843	Kim JH, Han SJ, Kim MY. New method for an evaluation of the esthetical improvements resulting from a mandibular angle reduction. <i>J Korean Assoc Oral Maxillofac Surg.</i> 2017;43(4):239-46.	2
1844	Kim JH, Lee SC, Kim CH, Kim BJ. Facial asymmetry: a case report of localized linear scleroderma patient with muscular strain and spasm. <i>Maxillofac Plast Reconstr Surg.</i> 2015;37(9):29.	1
1845	Kim JM, Cho JH, Jung HV, Choi JM, Kim JS, Kim JK. Post-Operative Maxillary Cyst after Maxillary Orthognathic Surgery: Report of an Unusual Case. <i>J Rhinol.</i> 2012;19(1):60-2.	8
1846	Kim JS, Park M, Hwang MJ, Moon WJ. Functional Magnetic Resonance Imaging to Evaluate Patient Satisfaction Following Bimaxillary Surgery: A Preliminary Study. <i>J Korean Soc Radiol.</i> 2018;78(6):412-6.	2
1847	Kim J-Y, Park H-K, Shin S-W, Park JH, Jung H-D, Jung Y-S. Three-dimensional evaluation of the correlation between lip canting and craniofacial planes. <i>Korean J Orthod.</i> 2020;50(4):258-67.	2
1848	Kim KA, Lee JW, Park JH, Kim BH, Ahn HW, Kim SJ. Targeted presurgical decompensation in patients with yaw-dependent facial asymmetry. <i>Korean J Orthod.</i> 2017;47(3):195-206.	2
1849	Kim KA, Park HS, Lee SY, Kim SJ, Baek SH, Ahn HW. Short-term changes in muscle activity and jaw movement patterns after orthognathic surgery in skeletal Class III patients with facial asymmetry. <i>Korean J Orthod.</i> 2019;49(4):254-64.	2
1850	Kim S. The present and future of craniofacial surgery in Korea. <i>J Korean Med Assoc.</i> 2011;54(6):576-80.	2
1851	Kim S, Jeon Y, Lee H, Lim JA, Park S, Kim SO. The evaluation of implementing smart patient controlled analgesic pump with a different infusion rate for different time duration on postoperative pain management. <i>J Dent Anesth Pain Med.</i> 2016;16(4):289-94.	8
1852	Kim S, Kim SY, Kim GJ, Jung HD, Jung YS. Partial Necrosis of the Mandibular Proximal Segment Following Transoral Vertical Ramus Osteotomy. <i>Maxillofac Plast Reconstr Surg.</i> 2014;36(3):131-4.	8
1853	Kim UK, Lee ST, Kim TH, Song JM, Hwang DS, Chung IK. A comparative study on the change of postoperative facial hard tissue profile after maxillary rotational surgery. <i>J Korean Assoc Oral Maxillofac Surg.</i> 2011;37(4):264-71.	2
1854	Kim YA, Jung H-D, Cha J-Y, Choi S-H. Chin Profile Changes in Skeletal Class III Following Bimaxillary Surgery with or without Advancement Genioplasty. <i>J Korean Dent Sci.</i> 2020;13(1):11-20.	8
1855	Koh KM, Yang JY, Leem DH, Baek JA, Ko SO, Shin HK. Facial Nerve Palsy after Sagittal Split Ramus Osteotomy: Follow Up with Electrodiagnostic Tests. <i>J Korean Assoc Maxillofac Plast Reconstr Surg.</i> 2011;33(2):190-7.	8
1856	Kotrashetti SM, Kale TP, Bhandage S, Kumar A. Infraorbital nerve transpositioning into orbital floor: a modified technique to minimize nerve injury following zygomaticomaxillary complex fractures. <i>J Korean Assoc Oral Maxillofac Surg.</i> 2015;41(2):74-7.	2
1857	Kwon YW, Lee JM, Kang JW, Kim CH, Park JU. Three-dimensional analysis of pharyngeal airway change of skeletal class III patients in cone beam computed tomography after bimaxillary surgery. <i>J Korean Assoc Oral Maxillofac Surg.</i> 2012;38(1):9-13.	8
1858	Kwon YW, Pyo SW, Lee W, Park JU. Soft tissue changes of upper lip and nose following posterosuperior rotation of the maxilla by Le Fort I osteotomy. <i>J Korean Assoc Oral Maxillofac Surg.</i> 2011;37(6):457-63.	2
1859	Kyung KY, Kim SM, Lee JH, Myoung H, Kim MJ. Accuracy Verification of Optical Tracking	2

	System for the Maxillary Displacement Estimation by Using of Triangulation. J Korean Assoc Maxillofac Plast Reconstr Surg. 2012;34(1):41-52.	
1860	Lee CH, Lee BS, Choi BJ, Lee JW, Ohe JY, Yoo HY, et al. Recovery of inferior alveolar nerve injury after bilateral sagittal split ramus osteotomy (BSSRO): a retrospective study. Maxillofac Plast Reconstr Surg. 2016;38(7):25.	8
1861	Lee CY, Jang CS, Kim JW, Kim JY, Yang BE. Condylar repositioning using centric relation bite in bimaxillary surgery. Korean J Orthod. 2013;43(2):74-82.	8
1862	Lee H, Eom YS, Mun G-H, Lim SY. Facial nerve palsy after orthognathic surgery caused by a hemoclip. Arch Aesthetic Plast Surg. 2020;26(1):34-7.	8
1863	Lee JH, Choi DS, Cha BK, Park YW, Jang I. Three-dimensional Assessment of Facial Soft Tissue after Orthognathic Surgery in Patients with Skeletal Class III and Asymmetry. J Korean Assoc Maxillofac Plast Reconstr Surg. 2013;35(6):360-7.	8
1864	Lee JH, Huh KH, Yi WJ, Heo MS, Lee SS, Choi SC. Bilateral postoperative maxillary cysts after orthognathic surgery: A case report. Imaging Sci Dent. 2014;44(4):321-4.	8
1865	Lee JH, Kim SH, Baek YJ, Ahn KY, Hwang DS, Kim YD, et al. Skeletal Stability after Orthognathic Surgery in Severe Skeletal Class III Malocclusion Patients according to Changes in Anteroposterior Discrepancy and Occlusal Planes. J Korean Assoc Maxillofac Plast Reconstr Surg. 2012;34(6):404-12.	2
1866	Lee JM, Kang JW, Lee JH, Kim CH, Park JU. The Vertical Changes of Lip and Perioral Soft Tissue Following Orthognathic Surgery in Skeletal Class III Patients by a Cephalometric Analysis of Cone Beam Computed Tomography. J Korean Assoc Maxillofac Plast Reconstr Surg. 2012;34(5):311-9.	2
1867	Lee JM, Seo KS, Kim HJ, Shin SY. Experience of a Bloodless Two-Jaw Surgery and Care in Jehovah's Witnesses with Anemia. J Korean Dent Soc Anesthesiol. 2012;12(1):25-31.	9
1868	Lee J-S, Kim M-K, Kang S-H. Maxillary sinus haziness and facial swelling following suction drainage in the maxilla after orthognathic surgery. Maxillofac Plast Reconstr Surg. 2020;42(1):33.	8
1869	Lee JW, Kim MK, Kang SH. Unilateral intraoral vertical ramus osteotomy based on preoperative three-dimensional simulation surgery in a patient with facial asymmetry. J Korean Assoc Oral Maxillofac Surg. 2014;40(1):32-6.	8
1870	Lee JY, Kim YI, Baek YJ, Hwang DS. Evaluation of Maxillary Sinus Using Cone-beam Computed Tomography in Patients Who Underwent Le Fort I Osteotomy. J Korean Assoc Maxillofac Plast Reconstr Surg. 2012;34(2):106-11.	2
1871	Lee SH. Study on Airway Size in Class III Malocclusion by the Gender. Korean J Phys Anthropol. 2017;30(4):145-51.	2
1872	Lee SH, Oh SS, Yi CK, Park KR, Lee SH. Development of New Orthognathic Model Surgery Technique Based on the Reference Points onto the Teeth and the Use of Occlusal Index. J Korean Assoc Maxillofac Plast Reconstr Surg. 2011;33(2):128-36.	2
1873	Lee SY, Kim SG, Kim SY, Oh JS, Moon KN, Yoon DW, et al. Evaluation of Stability Following Two-Jaw Surgery. J Korean Assoc Maxillofac Plast Reconstr Surg. 2011;33(2):137-43.	2
1874	Lee WS, Park SH, Kang SG, Tak MS, Kim CH, Lee SW. Emergency room visits for severe complications after cosmetic surgery. Arch Aesthetic Plast Surg. 2019;25(3):108-14.	8
1875	Lee WY, Park YW, Kwon KJ, Kim SG. Change of the airway space in mandibular prognathism after bimaxillary surgery involving maxillary posterior impaction. Maxillofac Plast Reconstr Surg. 2016;38(5):23.	8
1876	Lee Y, Park JH, Chang N-Y, Lee M-Y, Kim BC, Seo HY, et al. Assessment of bone density changes following two-jaw surgery using multidetector computed tomography: A pilot study. Korean J Orthod. 2020;50(3):157-69.	8
1877	Lee YS, Han SJ. Comparison of the Change in the Pharyngeal Airway Space, Tongue and Hyoid Bone Positions according to the Orthognathic Surgical Methods of Mandibular Prognathism. J Korean Assoc Maxillofac Plast Reconstr Surg. 2013;35(4):211-20.	2
1878	Lim HW, Park JH, Park HH, Lee SJ. Time series analysis of patients seeking orthodontic treatment at Seoul National University Dental Hospital over the past decade. Korean J Orthod. 2017;47(5):298-305.	8
1879	Naini FB, Cobourne MT, Garagiola U, McDonald F, Wertheim D. Mentolabial angle and aesthetics: a quantitative investigation of idealized and normative values. Maxillofac Plast Reconstr Surg. 2017;39(2):4.	2
1880	Nakamura M, Yanagita T, Matsumura T, Yamashiro T, Iida S, Kamioka H. A case of severe	9

	mandibular retrognathism with bilateral condylar deformities treated with Le Fort I osteotomy and two advancement genioplasty procedures. Korean J Orthod. 2016;46(6):395-408.	
1881	Ohara S, Nishimura A, Tachikawa S, Iijima T. Effect of remifentanyl on intraoperative fluid balance: a retrospective statistical examination of factors contributing to fluid balance. J Dent Anesth Pain Med. 2020;20(3):129-35.	2
1882	Paek SJ, Yoo JY, Lee JW, Park WJ, Chee YD, Choi MG, et al. Changes of lip morphology following mandibular setback surgery using 3D cone-beam computed tomography images. Maxillofac Plast Reconstr Surg. 2016;38(10):38.	2
1883	Paramaswamy R. Anesthesia for elective bilateral sagittal split osteotomy of the mandible and genioplasty in a young man with Klippel-Feil syndrome, Sprengel deformity, and mandibular prognathism. J Dent Anesth Pain Med. 2019;19(5):307-12.	9
1884	Park BW, Kang YH, Choi MJ, Kim SY, Kang HG, Kim JR, et al. Slimming of Lower Face by Contouring of the Mandibular Body in Orthognathic Surgery Patients. J Korean Assoc Maxillofac Plast Reconstr Surg. 2013;35(5):325-30.	8
1885	Park JH, Bae WY, Kim CH, Hong SH. A Case of Ancient Schwannoma in Retromaxillary Area Removed with Le Fort I Osteotomy Approach. J Rhinol. 2013;20(2):145-8.	9
1886	Park JH, Jeon J, Zhao S, Jeon YM, Kim JG. Strategic surgical-combined orthodontic treatment planning of patient with missing incisors on maxilla: a case report. J Dent Rehabil Appl Sci. 2019;35(4):244-52.	2
1887	Park JK-h, Kim SW. Zygomaticomaxillary complex fracture after two-jaw surgery. Arch Craniofac Surg. 2020;21(5):301-4.	8
1888	Park JW, Kim SM, Eo MY, Park JM, Myoung H, Lee JH, et al. Measurement and Algorithm Calculation of Maxillary Positioning Change by Use of an Optoelectronic Tracking System Marker in Orthognathic Surgery. J Korean Assoc Maxillofac Plast Reconstr Surg. 2011;33(3):233-40.	2
1889	Park KM, Leesungbok R, Lee SW. Implant treatment on anterior cross-bite of a patient who had orthognathic surgery 20 years ago. J Korean Acad Prosthodont. 2019;57(3):245-53.	9
1890	Piao Y, Kim SJ, Yu HS, Cha JY, Baik HS. Five-year investigation of a large orthodontic patient population at a dental hospital in South Korea. Korean J Orthod. 2016;46(3):137-45.	2
1891	Rhee CH, Choi YK, Kim YI, Kim SS, Park SB, Son WS. Correlation between skeletal and dental changes after mandibular setback surgery-first orthodontic treatment: Cone-beam computed tomography-generated half-cephalograms. Korean J Orthod. 2015;45(2):59-65.	8
1892	Ryu KS, Lee BS, Kim YG, Kwon YD, Choi BJ, Ohe JY. Surgical and Orthognathic Treatment of Skeletal Class III Featuring Severe Transversal and Sagittal Discrepancy: A Case Report. J Korean Assoc Maxillofac Plast Reconstr Surg. 2013;35(2):124-9.	2
1893	Seon S, Lee H-W, Jeong B-J, Lee B-S, Kwon Y-D, Ohe J-Y. Study of soft tissue changes in the upper lip and nose after backward movement of the maxilla in orthognathic surgery. J Korean Assoc Oral Maxillofac Surg. 2020;46(6):385-92.	8
1894	Shin H, Hsieh YJ, Liao YF, Lo LJ, Jo MS. Bony Stability and Soft Tissue Changes after Orthognathic Surgery on Patients with Cleft. Arch Craniofac Surg. 2012;13(1):4-10.	9
1895	Shin SH, Kang YJ, Kim SG. The effect of botulinum toxin-A injection into the masseter muscles on prevention of plate fracture and post-operative relapse in patients receiving orthognathic surgery. Maxillofac Plast Reconstr Surg. 2018;40(1):36.	8
1896	Shokri A, Mollabashi V, Zahedi F, Tapak L. Position of the hyoid bone and its correlation with airway dimensions in different classes of skeletal malocclusion using cone-beam computed tomography. Imaging Sci Dent. 2020;50(2):105-15.	2
1897	Son DK, Park SW, Lee JM, Kim EJ, Choi SM, Kim YW, et al. Study on Characteristics of Maxillofacial Growth in Class III Malocclusion Patients by Cranial Base Growth. J Korean Assoc Maxillofac Plast Reconstr Surg. 2011;33(6):483-9.	3
1898	Son S, Kim SS, Son WS, Kim YI, Kim YD, Shin SH. Miniscrews versus surgical archwires for intermaxillary fixation in adults after orthognathic surgery. Korean J Orthod. 2015;45(1):3-12.	8
1899	Song HS, Choi SH, Cha JY, Lee KJ, Yu HS. Comparison of changes in the transverse dental axis between patients with skeletal Class III malocclusion and facial asymmetry treated by orthognathic surgery with and without presurgical orthodontic treatment. Korean J Orthod. 2017;47(4):256-67.	8
1900	Song JM, Kim YD. Three-dimensional evaluation of lingual split line after bilateral sagittal split osteotomy in asymmetric prognathism. J Korean Assoc Oral Maxillofac Surg. 2014;40(1):11-6.	8
1901	Sugahara K, Katsumi Y, Koyachi M, Koyama Y, Matsunaga S, Odaka K, et al. Novel condylar	2

	repositioning method for 3D-printed models. <i>Maxillofac Plast Reconstr Surg.</i> 2018;40(1):4.	
1902	Suh HY, Lee SJ, Park HS. Use of mini-implants to avoid maxillary surgery for Class III mandibular prognathic patient: a long-term post-retention case. <i>Korean J Orthod.</i> 2014;44(6):342-9.	8
1903	Suh YB, Park JW, Kwon MS. Positional Changes of the Internal Reference Points Followed by Reposition of the Maxilla: A Study of a 3D Virtual Surgery Program. <i>J Korean Assoc Maxillofac Plast Reconstr Surg.</i> 2011;33(5):413-9.	1
1904	Tabrizi R, Nili M, Aliabadi E, Pourdaneh F. Skeletal stability following mandibular advancement: is it influenced by the magnitude of advancement or changes of the mandibular plane angle? <i>J Korean Assoc Oral Maxillofac Surg.</i> 2017;43(3):152-9.	2
1905	Takano M, Kasahara K, Sugahara K, Watanabe A, Yoshida S, Shibahara T. Usefulness and capability of three-dimensional, full high-definition movies for surgical education. <i>Maxillofac Plast Reconstr Surg.</i> 2017;39(4):10.	1
1906	Tominaga K, Habu M, Tsurushima H, Takahashi O, Yoshioka I. CAD/CAM splint based on soft tissue 3D simulation for treatment of facial asymmetry. <i>Maxillofac Plast Reconstr Surg.</i> 2016;38(1):4.	2
1907	Toureno L, Kook YA, Bayome M, Park JH. The effect of western adaptation of Hispanic-Americans on their assessment of Korean facial profiles. <i>Korean J Orthod.</i> 2014;44(1):28-35.	9
1908	Vaezi T, Zarch SHH, Eshghpour M, Kermani H. Two-dimensional and volumetric airway changes after bimaxillary surgery for class III malocclusion. <i>J Korean Assoc Oral Maxillofac Surg.</i> 2017;43(2):88-93.	2
1909	Vernucci RA, Aghazada H, Gardini K, Fegatelli DA, Barbato E, Galluccio G, et al. Use of an anatomical mid-sagittal plane for 3-dimensional cephalometry: A preliminary study. <i>Imaging Sci Dent.</i> 2019;49(2):159-69.	8
1910	Vieira Santos ZTB, Goulart DR, Sigua-Rodriguez EA, Pozzer L, Olate S, Albergaria-Barbosa JR. Mechanical evaluation of the use of conventional and locking miniplate/screw systems used in sagittal split ramus osteotomy. <i>J Korean Assoc Oral Maxillofac Surg.</i> 2017;43(2):77-82.	4
1911	Yang I-H, Chung JH, Yim S, Cho I-S, Kim S, Choi J-Y, et al. Treatment modalities for Korean patients with unilateral hemifacial microsomia according to Pruzansky-Kaban types and growth stages. <i>Korean J Orthod.</i> 2020;50(5):336-45.	8
1912	Yang SJ, Chung NH, Kim JG, Jeon Y-M. Surgical approach and orthodontic treatment of mandibular condylar osteochondroma. <i>Korean J Orthod.</i> 2020;50(3):206-15.	9
1913	Yim S, Yang I-H, Baek S-H. Characterization of dental phenotypes and treatment modalities in Korean patients with Parry-Romberg syndrome. <i>Korean J Orthod.</i> 2020;50(6):407-17.	8
1914	Yoo HS, Choi S, Kim J. Outcome Analysis of Extended, Long, Curved Osteotomy with Outer Cortex Grinding for Prominent Mandibular Angle and Broad Chin to Achieve V-line Contouring. <i>Arch Aesthetic Plast Surg.</i> 2014;20(2):80-4.	2
1915	Yu J, Park JH, Bayome M, Kim S, Kook YA, Kim Y, et al. Treatment effects of mandibular total arch distalization using a ramal plate. <i>Korean J Orthod.</i> 2016;46(4):212-9.	8
1916	Yu S-H, Baek S-H, Choi J-Y, Lee J-H, Kim S, On S-W. Cephalometric predictors of future need for orthognathic surgery in Korean patients with unilateral cleft lip and palate despite long-term use of facemask with miniplate. <i>Korean J Orthod.</i> 2021;51(1):43-54.	2
1917	Yu SJ. The change of frontal ramal inclination (FRI) after orthognathic surgery with laterognathism: posteroanterior cephalometric study. <i>J Korean Assoc Oral Maxillofac Surg.</i> 2011;37(1):21-9.	2
1918	Zdilla MJ. Screening for variations in anterior digastric musculature prior to correction of post-traumatic anterior open bite by injection of botulinum toxin type A: a technical note. <i>J Korean Assoc Oral Maxillofac Surg.</i> 2015;41(3):165-7.	2
1919	Sung-Goo K, Won-Jin Y, Soon-Jung H, Soon-Chul C, Sam-Sun L, Min-Suk H, et al. Development of 3D statistical mandible models for cephalometric measurements. <i>Imaging Science in Dentistry.</i> 2012;42(3):175-82.	8
1920	Hyun-Chun Park S-GKJ-SOJ-SYW-GKH-SL, Bo-Su S. Early removal of mini-plate for correction of condyle position inpatient of orthognathic surgery. <i>口腔生物學研究.</i> 2016;40(4):222-8.	8
1921	Mohammad B, Mohammad Mohsen K, Mohsen D, Fatemeh M-H. Full mouth implant rehabilitation of a patient with ectodermal dysplasia after orthognathic surgery, sinus and ridge augmentation: a clinical report. <i>The Journal of Advanced Prosthodontics.</i> 2011;3(2):96-100.	8

1922	Park J-Y, Ahn K-M, Lee J-H, Cha H-S. Full mouth rehabilitation on a bilateral condylar fractured patient using orthognathic surgery and dental implant. The Journal of Advanced Prosthodontics. 2011;3(1):51-5.	2
1923	Original Articles : Discrepancies in Soft Tissue Profile of Patients for Orthognathic Surgery between Preoperative Lateral Facial Photograph, Lateral Cephalogram and Supine Position on Operation Table. Maxillofacial Plastic Reconstructive Surgery. 2012;34(3):180-5.	2
1924	Case Reports : Slimming of Lower Face by Contouring of the Mandibular Body in Orthognathic Surgery Patients. Maxillofacial Plastic Reconstructive Surgery. 2013;35(5):325-30.	2
1925	Original Articles : Three-dimensional assessment of facial soft tissue after orthognathic surgery in patients with skeletal Class 3 and asymmetry. Maxillofacial Plastic Reconstructive Surgery. 2013;35(6):360-7.	2
1926	Case Reports : Minimum Presurgical Orthodontic Treatment with Two Jaw Surgery Combined with Anterior Segmental Osteotomy in Skeletal Class II Malocclusion: A Case Report. Maxillofacial Plastic Reconstructive Surgery. 2013;35(5):316-24.	2
1927	원저 : Necessity of miniplate removal after orthognathic surgery. 口腔生物學研究. 2013;37(1):45-8.	3
1928	Anchor Plate Efficiency in Postoperative Orthodontic Treatment Following Orthognathic Surgery via Minimal Presurgical Orthodontic Treatment. Maxillofacial Plastic Reconstructive Surgery. 2014;36(4):154-60.	8
1929	Simultaneous Glossectomy with Orthognathic Surgery for Mandibular Prognathism. Maxillofacial Plastic Reconstructive Surgery. 2014;36(5):214-8.	8
1930	Correction of Lip Canting Using Bioabsorbables during Orthognathic Surgery. Maxillofacial Plastic Reconstructive Surgery. 2014;36(4):174-9.	8
1931	Changes of the Airway Space and the Position of Hyoid Bone after Mandibular Set Back Surgery Using Bilateral Sagittal Split Ramus Osteotomy Technique. Maxillofacial Plastic Reconstructive Surgery. 2014;36(5):185-91.	8
1932	Early removal of mini-plate for correction of condyle position in patient of orthognathic surgery. 口腔生物學研究. 2016;40(4):222-8.	8
1933	ORAL BIOLOGY RESEARCH : Case Report ; Frey syndrome after orthognathic surgery: A case report. 口腔生物學研究. 2016;40(1):49-52.	3
1934	[P141] Eosinophilic pustular folliculitis occurring after orthognathic surgery. 대한피부과학회 학술발표대회집. 2017;69(1):361-.	6
1935	Changes of airway after orthognathic surgery for patients with skeletal class III malocclusion. 한국치위생학회지. 2018;18(4):525-33.	8
1936	Na-Ra S, 오지수, 신상훈, 김수관. Removal of miniplates following facial trauma and orthognathic surgery: a 3-year study. 口腔生物學研究. 2018;42(4):222-7.	8
1937	박종웅, 김성민, 어미영, 박정민, 명훈, 이종호, et al. 원저 : 악교정수술에서 광전자 포인트 마커를 이용한 상악골 위치 변화의 예측 및 계산 방법 연구. Maxillofacial Plastic Reconstructive Surgery. 2011;33(3):233-40.	2
1938	이승훈, 오성섭, 이종국, 박경란, 이상휘. 원저 : 치아 기준의 악교정 수술용 석고모형 수술, 과연 가능하고 정확한가. Maxillofacial Plastic Reconstructive Surgery. 2011;33(2):128-36.	2
1939	이정환, 김성희, 백영재, 안경용, 황대석, 김용덕, et al. 골격성 III급 부정교합 환자에서 하악골의 이동량과 교합평면의 변화에 따른 술 후 안정성. Maxillofacial Plastic Reconstructive Surgery. 2012;34(6):404-12.	2
1940	이종민, 강주완, 이종호, 김창현, 박재역. 원저 : Cone Beam Computed Tomography의 두부계측분석을 통한 골격성 제3급 부정교합 환자에서 악교정 수술 후 입술과 주위 연조직의 수직적 변화. Maxillofacial Plastic Reconstructive Surgery. 2012;34(5):311-9.	2
1941	최용하, 김배경, 최병준, 김여갑, 이백수, 권용대, et al. 원저 : 골격성 3급 부정교합 환자의 악교정 수술 후 설골의 위치와 기도변화에 관한 연구. Maxillofacial Plastic Reconstructive Surgery. 2011;33(5):401-6.	2
1942	허영민, 김홍석, 팽준영, 홍종락, 김창수. 원저 : Facial "Phi" Mask를 이용한 3급 부정교합 환자의 악교정수술 후 정면부 연조직의 변화. Maxillofacial Plastic Reconstructive Surgery. 2011;33(6):490-6.	2
1943	황희돈, 최진욱, 이성타, 이상한, 권대근. 증례보고 : 측안 지방근막 피판과 악교정수술을 통한 반안면 위축증의 재건의 치험례: 증례보고. Maxillofacial Plastic Reconstructive Surgery. 2012;34(5):343-8.	2
1944	Review Article : Postoperative stability of a LeFort I osteotomy: A Literature review. 口腔生物學研究. 2011;35(1):5-8.	5
1945	Post-operative maxillary cyst related to LeFort I osteotomy: Case report. 口腔生物學研究. 2017;41(3):187-90.	8

1946	Treatment of excessive gingival display using modified lip repositioning technique with esthetic crown lengthening: Case reports. 口腔生物學研究. 2018;42(2):90-6.	8
1947	김홍석, 허영민, 홍종락, 김창수, 팽준영. 원저 : Facial "Phi" Mask를 사용한 골격성 부정교합 환자의 안모 분석. Maxillofacial Plastic Reconstructive Surgery. 2012;34(1):26-33.	2
1948	서영빈, 박재우, 권민수. 원저 : 상악골 재위치술 시행 시 골편의 이동량에 따른 내측기준점의 변화-3차원 가상수술 프로그램을 이용한 연구. Maxillofacial Plastic Reconstructive Surgery. 2011;33(5):413-9.	2
1949	손도경, 박성원, 이재민, 김은자, 최상문, 김용운, et al. 원저 : 3급 부정교합 환자에서 두개저 성장 양상에 따른 악골 성장 특성에 관한 연구. Maxillofacial Plastic Reconstructive Surgery. 2011;33(6):483-9.	2
1950	안상욱, 권택균, 이성탁, 송재민, 김태훈, 황대석, et al. 원저 : 상악의 후상방 회전이동을 시행한 환자에서의 초기 안정성 평가. Maxillofacial Plastic Reconstructive Surgery. 2011;33(3):225-32.	2
1951	유경환, 김수관, 문성용, 오지수, 김생곤, 박진주, et al. 원저 : 골격성 3급 부정교합 환자에서 양측 상행지 시상분할 골절단술을 이용한 하악 후방이동 시 이동량에 따른 회귀현상. Maxillofacial Plastic Reconstructive Surgery. 2011;33(4):319-22.	2
1952	이승용, 김수관, 김서윤, 오지수, 문경남, 윤대웅, et al. 원저 : 양악 수술 후 안정성 평가. Maxillofacial Plastic Reconstructive Surgery. 2011;33(2):137-43.	2
1953	이운선, 한세진. 원저 : 하악 전돌증 환자에서 악교정 수술방법에 따른 설골과 혀의 위치 및 기도량 변화의 비교. Maxillofacial Plastic Reconstructive Surgery. 2013;35(4):211-20.	2
1954	정소윤, 이병효, 이승훈. 악교정수술 환자의 만족도. 의료커뮤니케이션. 2012;7(2):122-8.	2
1955	조미희, 서향단, 문미혜, 박소영, 전희안, 정인숙. 양악 악교정 수술 환자를 위한 수술 후 교육 프로그램 개발. 글로벌 건강과 간호. 2012;2(2):43-51.	2
1956	황대석, 김용일, 이재열, 이성탁, 김태훈, 이주민, et al. 원저 : 3급 부정교합에서 선수술 교정치료를 통한 양악 수술 후 안정성. Maxillofacial Plastic Reconstructive Surgery. 2011;33(5):407-12.	2
1957	장영수, 이규태, 정휘동. 종설 : 편측 구순열비의 교정술: Rotation Advancement 원칙에 근거한 Mulliken의 방법. Maxillofacial Plastic Reconstructive Surgery. 2012;34(2):133-9.	5
1958	노대원. 한국 문학의 포스트휴먼적 상상력 -2000년대 이후 사이언스 픽션 단편소설을 중심으로. 비교한국학 Comparative Korean Studies. 2015;23(2):333-60.	1
1959	Postoperative stability of a LeFort I osteotomy: A literature review. 구강생물학연구. 2011;35(1):5-8.	5
1960	Necessity of miniplate removal after orthognathic surgery. 구강생물학연구. 2013;37(1):45-8.	2
1961	Study of soft tissue changes in the upper lip and nose after backward movement of the maxilla in orthognathic surgery. 대한구강악안면외과학회지. 2020;46(6):385-92.	2
1962	편측성 구순구개열 환자의 상악 전진술을 통한 안모개선 치험례. 대한구순구개열학회지. 2020;23(2):72-81.	9
1963	구순구개열 환자의 골격 기형 수술 후 안정성: 문헌 고찰. 대한구순구개열학회지. 2020;23(2):43-51.	9
1964	안면 비대칭을 동반한 골격성 1급 환자의 수술교정 치험례. 대한치과교정학회 임상저널. 2020;10(4):274-86.	2
1965	하악골의 삼차원적, 기하형태학적 대칭성을 평가하기 위한 새로운 방법인 유사도 지수를 이용한 안면 비대칭 환자의 치험례. 대한치과교정학회 임상저널. 2020;10(3):218-27.	2
1966	Cephalometric Predictors of Future need for Orthognathic Surgery in Korean Patients with Unilateral Cleft Lip and Palate Despite Long-term Use of Facemask with Miniplate. 대한치과교정학회지. 2021;51(1):43-54.	1
1967	Comparison of feasibility, time consumption and costs of three virtual planning systems for surgical correction of midfacial deficiency. Maxillofacial Plastic and Reconstructive Surgery. 2021;43(1):2-.	2
1968	Akira S. Treatment Protocol for Cleft Lip and/or Palate Children in Kyushu University Hospital. 대한구순구개열학회지. 2012;15(2):69-82.	9
1969	Baek B-J, 백승학, 최진영. Orthodontic and Orthognathic Treatment of a Patient with Cleidocranial Dysostosis: Case Report. 대한구순구개열학회지. 2018;21(2):49-55.	9
1970	Bayat M, Khobyari Mohammad M, Dalband M, Momen-Heravi F. Full mouth implant rehabilitation of a patient with ectodermal dysplasia after orthognathic surgery, sinus and ridge augmentation: a clinical report. Journal of Advanced Prosthodontics. 2011;3(2):96-100.	3
1971	Cristina Silva S, Ruth Natalia Teresa T. Creating and Validating Educational Material for Patients Undergoing Orthognathic Surgery☆. Asian Nursing Research. 2012;6(4):166-72.	5
1972	Firoozi P, Keyhan Seied O, 김성곤, Fallahi Hamid R. Effectiveness of low-level laser therapy on recovery from neurosensory disturbance after sagittal split ramus osteotomy: a systematic review and meta-analysis. Maxillofacial Plastic and Reconstructive Surgery. 2020;42(1):41-.	5
1973	Mauricio de Almeida Cardoso AURSdMEDdAFPGVABBFLCFMACHN. Facial and occlusal esthetic improvements of an adult skeletal Class III malocclusion using surgical, orthodontic, and	2

	implant treatment. 대한치과교정학회지. 2016;46(1):42-54.	
1974	Min G-H, 유상준, 김병욱, 이원표. Treatment of excessive gingival display using modified lip repositioning technique with esthetic crown lengthening: Case reports. Oral Biology Research. 2018;42(2):90-6.	1
1975	Naini Farhad B, Messiha A, Gill Daljit S. Chair side measuring instrument for quantification of the extent of a transverse maxillary occlusal plane cant. Maxillofacial Plastic and Reconstructive Surgery. 2019;41(1):21-.	1
1976	Omran A, Wertheim D, Smith K, Liu Ching Yiu J, Naini Farhad B. Mandibular shape prediction using cephalometric analysis: applications in craniofacial analysis, forensic anthropology and archaeological reconstruction. Maxillofacial Plastic and Reconstructive Surgery. 2020;42(1):37-.	2
1977	Sohn H-W, 박인영, 박영주, 안장훈. The Reproducibility of Natural Head Position between Before and After Orthognathic Surgery. Korean Journal of Lingual Orthodontics. 2013;2(1):1-6.	2
1978	Vernucci Roberto A, Aghazada H, Gardini K, Fegatelli Danilo A, Barbato E, Galluccio G, et al. Use of an anatomical mid-sagittal plane for 3-dimensional cephalometry: A preliminary study. Imaging Science in Dentistry. 2019;49(2):159-69.	2
1979	Yau John K-P, Yiu Eric S-Y. Let TADs Talk! Non-surgical Orthodontic Treatment of Skeletal Anterior Openbite Using TADs with Fully-customized Lingual System. Korean Journal of Lingual Orthodontics. 2017;6(1):19-36.	3
1980	Yoon Kaeng-Won AUYS-JKB-CKY-HKM-S0 LJ-SPJMK. Deviation of landmarks in accordance with methods of establishing reference planes in three-dimensional facial CT evaluation. Imaging Science in Dentistry. 2014;44(3):207-12.	2
1981	Yoon S-K, 김재영, 정철희, 박정빈, 허종기, 박광호. Three-dimensional analysis of the anterior loop of the inferior alveolar nerve in relation to the growth pattern of the mandibular functional subunit. Maxillofacial Plastic and Reconstructive Surgery. 2018;40(1):30-.	2
1982	Yoon Suk-Ja AUWR-FRS-YHH-SKB-C0 LJ-SPJMDBK. Use of spherical coordinates to evaluate three-dimensional facial changes after orthognathic surgery. Imaging Science in Dentistry. 2014;44(1):15-20.	2
1983	Yun Y-S, 엄기일, 김지남, 신동혁, 최현근, 김순흠, et al. Bone and Soft Tissue Changes after Two-Jaw Surgery in Cleft Patients. Archives of Plastic Surgery. 2015;42(4):419-23.	9
1984	Zhou C, Jeon T-H, 전상호, 권종진. Evaluation of mandibular lingula and foramen location using 3-dimensional mandible models reconstructed by cone-beam computed tomography. Maxillofacial Plastic and Reconstructive Surgery. 2017;39(1):29-.	2
1985	강미현, 이은숙, 이천희, 김선숙. 비 치료목적으로 시술되고 있는 치아교정과 양악수술에 대한 일부 대학생들의 인식도에 관한 연구. 한국치위생학회지. 2012;12(6):1232-40.	2
1986	강봉진. 악교정술 후 기도폐쇄 합병증의 관리. 대한치과마취과학회지. 2014;14(3):174-9.	5
1987	강상훈, 김문기, An S-I, 이지연. The effect of orthognathic surgery on the lip lines while smiling in skeletal class III patients with facial asymmetry. Maxillofacial Plastic and Reconstructive Surgery. 2016;38(1):34-.	2
1988	강상훈, 이재원, 김문기. Use of the surface-based registration function of computer-aided design/computer-aided manufacturing software in medical simulation software for three-dimensional simulation of orthognathic surgery. 대한구강악안면외과학회지. 2013;39(4):197-9.	2
1989	강예진, 차봉근, 최동순, 장인산, 김성곤. Botulinum toxin-A injection into the anterior belly of the digastric muscle for the prevention of post-operative open bite in class II malocclusions: a case report and literature review. Maxillofacial Plastic and Reconstructive Surgery. 2019;41(1):17-.	5
1990	강현주, Jeong S-W, Jo B-H, 김용덕, 김성식. Observation of trabecular changes of the mandible after orthognathic surgery using fractal analysis. 대한구강악안면외과학회지. 2012;38(2):96-100.	2
1991	경호정, 이예슬, 박기호. 성장기 때 절종교정치로 경험이 있는 골격성 III급 부정교합 환자의 수술 교정 치험례. 대한치과교정학회 임상저널. 2019;9(3):138-50.	2
1992	고광무, 양재영, 임대호, 백진아, 고승오, 신호근. 하악지 시상분할 골절단술 후 발생한 안면신경마비: 전신신경생리 검사를 통한 경과관찰. 대한악안면성형재건외과학회지. 2011;33(2):190-7.	2
1993	곽경호, 김성식, 김용일, 박수병, 손우성. 성인에서 Hyrax 장치로 완속상악확장하여 폭경부조화를 개선한 증례. 대한치과의사협회지. 2017;55(6):400-10.	2
1994	국민석. 환자를 위한 선수술 교정 접근 방법. 대한치과의사협회지. 2017;55(4):28-34.	2
1995	권영욱, 박재역, 표성운, 이원. Le Fort I 골절단술을 통한 상악의 후상방 회전에 따른 상순과 비부의 연조직 변화. 대한구강악안면외과학회지. 2011;37(6):457-63.	2
1996	권영욱, 이종민, 강주완, 김창현, 박재역. Three-dimensional analysis of pharyngeal airway change of	2

	skeletal class III patients in cone beam computed tomography after bimaxillary surgery. 대한구강악안면외과학회지. 2012;38(1):9-13.	
1997	권태건. Surgery-first orthognathic surgery: beyond patients' satisfaction. 대한구강악안면외과학회지. 2012;38(6):319-20.	8
1998	권태건. Accuracy and reliability of three-dimensional computer-assisted planning for orthognathic surgery. Maxillofacial Plastic and Reconstructive Surgery. 2018;40(1):14-.	8
1999	권태건, Han Michael D. Current status of surgery first approach (part II): precautions and complications. Maxillofacial Plastic and Reconstructive Surgery. 2019;41(1):23-.	5
2000	길수민, 이지예, 감상철, 강경화. 교정용 미니 임플란트를 이용한 과개교합을 동반한 II급 부정교합 환자의 치험례. 대한치과교정학회 임상저널. 2019;9(4):217-25.	3
2001	김경아, 박홍식, 이수연, 김수정, 백승학, 안효원. Short-term changes in muscle activity and jaw movement patterns after orthognathic surgery in skeletal Class III patients with facial asymmetry. 대한치과교정학회지. 2019;49(4):254-64.	2
2002	김경아, 이지원, 박정호, 김병호, 안효원, 김수정. Targeted presurgical decompensation in patients with yaw-dependent facial asymmetry. 대한치과교정학회지. 2017;47(3):195-206.	2
2003	김동영, 백운봉, 전주홍. Osteogenesis imperfecta and combined orthodontics and orthognathic surgery: a case report on two siblings. 대한구강악안면외과학회지. 2020;46(1):70-7.	9
2004	김동영, 안강민. 구순 - 치조열 파열환자에서 르포씨 1형 전진 - 전방 전진의 한계점. 대한구순구개열학회지. 2017;20(1):41-8.	9
2005	김민영, 이해진, 이정은. 악교정수술 방법별 자아존중감에 대한 전·후 비교. Journal of Korean Society of Oral Health Science. 2017;5(2):40-5.	2
2006	김병호. 최소술전교정: 수술교합의 안정성이 술후 하악골 위치변화에 미치는 영향. 대한치과의사협회지. 2012;50(2):64-71.	2
2007	김보미, 이형철, 김성훈, 김용일, 손우성, 김성식. Hard- and soft-tissue profiles of the midface region in patients with skeletal Class III malocclusion using cone-beam computed tomography multiplanar-reconstructed image analysis. 대한치과교정학회지. 2018;48(3):143-52.	2
2008	김상연, 최용훈, 김영균. Postoperative malocclusion after maxillofacial fracture management: a retrospective case study. Maxillofacial Plastic and Reconstructive Surgery. 2018;40(1):27-.	3
2009	김상윤, 김영균. 악교정 수술 후 임플란트 지면 식립: 증례 보고. 대한구강악안면임플란트학회지. 2016;20(4):220-7.	3
2010	김석화. 한국 두개안면성형수술의 현재와 미래. 대한의사협회지. 2011;54(6):576-80.	2
2011	김선혜, 강경화. 반안면쇄소증 환자의 하악골 수술 및 인공 턱관절 전치환술을 동반한 수술교정 치험례. 대한치과교정학회 임상저널. 2020;10(2):113-23.	2
2012	김성근. Book review for "Orthognathic Surgery: Principles, Planning and Practice". Maxillofacial Plastic and Reconstructive Surgery. 2017;39(1):20-.	5
2013	김성구, 이원진, 황순정, 최순철, 이삼선, 허민석, et al. Development of 3D statistical mandible models for cephalometric measurements. Imaging Science in Dentistry. 2012;42(3):175-82.	2
2014	김성식, 김성훈. 악교정 수술치료 시 교정의사와 구강악안면외과 의사 간의 의사소통 - 술전 교정치료 시 전치부 위치 및 각도 설정. 대한치과교정학회 임상저널. 2018;8(4):27-40.	2
2015	김세영, 전영훈, 이현준, 임정아, 박성식, 김시오. The evaluation of implementing smart patient controlled analgesic pump with a different infusion rate for different time duration on postoperative pain management. Journal of Dental Anesthesia and Pain Medicine. 2016;16(4):289-94.	2
2016	김소미, 김상윤, Kim G-J, Jung H-D, 정영수. Partial Necrosis of the Mandibular Proximal Segment Following Transoral Vertical Ramus Osteotomy. Maxillofacial Plastic and Reconstructive Surgery. 2014;36(3):131-4.	8
2017	김소현, 이남기, 김영균, 최태현. 개방교합을 동반한 골격성 III급 부정교합 환자의 재수술 치험례. 대한치과교정학회 임상저널. 2020;10(1):1-11.	3
2018	김영균. Complications associated with orthognathic surgery. 대한구강악안면외과학회지. 2017;43(1):3-15.	5
2019	김용덕, 손우성, 최나래. 피크노디스토스토키스 환자의 악안면기형에 대한 단계적 치료. 대한구순구개열학회지. 2018;21(2):62-7.	9
2020	김욱규, 이성탁, 김태훈, 송재민, 황대석, 정인교. 하악전돌증 환자의 양악 수술 시 상악골 후상방 회전이동 여부에 따른 안면부 경조직 변화량에 대한 비교 연구. 대한구강악안면외과학회지. 2011;37(4):264-71.	2
2021	김윤아, Jung H-D, 차정열, 최성환. Chin Profile Changes in Skeletal Class III Following Bimaxillary Surgery with or without Advancement Genioplasty. Journal of Korean Dental Science. 2020;13(1):11-20.	2
2022	김윤지, 길병규, 류재준. 디지털 기술을 이용한선수술 악교정치료. 대한치과의사협회지. 2018;56(11):622-30.	2

2023	김은정, 윤지영, Woo M-N, 김철홍, 윤지욱, Jeon D-N. Damage to the pilot balloon of the nasotracheal tube during orthognathic double-jaw surgery: A case report. <i>Journal of Dental Anesthesia and Pain Medicine</i> . 2015;15(2):101-3.	2
2024	김재승, 박민아, 황문정, 문원진. Functional Magnetic Resonance Imaging to Evaluate Patient Satisfaction Following Bimaxillary Surgery: A Preliminary Study. <i>대한영상의학회지</i> . 2018;78(6):412-6.	2
2025	김재형, Lee S-C, 김철훈, 김복주. Facial asymmetry: a case report of localized linear scleroderma patient with muscular strain and spasm. <i>Maxillofacial Plastic and Reconstructive Surgery</i> . 2015;37(1):18-.	2
2026	김재훈. 성인 구순구개열환자의 교정치료 전략. <i>대한치과의사협회지</i> . 2015;53(7):450-6.	1
2027	김좌영, 박인영, 송윤정. 구개열을 동반한 저한성 외배엽형성이상 환자의 악교정수술을 포함한 치료: A Clinical report. <i>대한치과의사협회지</i> . 2019;57(2):93-9.	9
2028	김주환, 한세진, 김문영. New method for an evaluation of the esthetical improvements resulting from a mandibular angle reduction. <i>대한구강악안면외과학회지</i> . 2017;43(4):239-46.	2
2029	김준영, Park H-K, 신승우, 박진후, Jung H-D, 정영수. Three-dimensional evaluation of the correlation between lip canting and craniofacial planes. <i>대한치과교정학회지</i> . 2020;50(4):258-67.	2
2030	김지연, 송현철. 젊은 환자에서 매복 제3대구치의 예방적 외과적 발거 : 문헌 고찰. <i>대한통합치과학회지</i> . 2018;7(1):23-9.	2
2031	김충남, 김수호, 임호경, 이익석. 3차원 디지털 시스템을 이용한 턱교정 수술. <i>대한치과의사협회지</i> . 2019;57(2):100-4.	2
2032	김현영, 정승원, Jung H-D, 박형식, 정영수. Comparative analysis of the amount of postoperative drainage after intraoral vertical ramus osteotomy and sagittal split ramus osteotomy. <i>대한구강악안면외과학회지</i> . 2014;40(4):169-72.	2
2033	김홍석, 김수관, 오지수, 유재식, 신보수, 정경인. 양측 하악 상행지 시상분할 골절단술 후 발생한 안면신경 마비: 증례보고. <i>대한치과의사협회지</i> . 2017;55(8):537-40.	8
2034	김효성, 손지환, 정지혁, 김경식, 최준, 양정열. Intraoperative blood loss and surgical time according to the direction of maxillary movement. <i>Archives of Plastic Surgery</i> . 2020;47(5):411-8.	2
2035	김효성, 손지환, 정지혁, 김경식, 최준, 양정열. Nasal airway function after Le Fort I osteotomy with maxillary impaction: A prospective study using the Nasal Obstruction Symptom Evaluation scale. <i>Archives of Plastic Surgery</i> . 2021;48(1):61-8.	2
2036	김훈, 차경석. Evaluation of the stability of maxillary expansion using cone-beam computed tomography after segmental Le Fort I osteotomy in adult patients with skeletal Class III malocclusion. <i>대한치과교정학회지</i> . 2018;48(1):63-70.	2
2037	도형식, 송영일, 장환용, 이진용, 이익석, 임재식, et al. Rigid External Distraction System을 이용한 구순구개열 상악열성장의 치료 후 회귀현상. <i>대한구순구개열학회지</i> . 2013;16(1):9-18.	9
2038	마득현, 김수관, 오지수, 유재식, Jung S-Y, 김원기, et al. Comparative study of postoperative stability between conventional orthognathic surgery and a surgery-first orthognathic approach after bilateral sagittal split ramus osteotomy for skeletal class III correction. <i>대한구강악안면외과학회지</i> . 2017;43(1):23-8.	2
2039	박광만, 이성복, 이석원. 20년전 악교정수술을 받았던 환자의 심한 전치부 반대교합의 해결을 위한 임플란트 치료 증례. <i>대한치과보철학회지</i> . 2019;57(3):245-53.	1
2040	박규형, 김상화. Zygomaticomaxillary complex fracture after two-jaw surgery. <i>Archives of Craniofacial Surgery</i> . 2020;21(5):301-4.	2
2041	박민혁, 김철만, 정동영, 팽준영. Glossectomy in the severe maxillofacial vascular malformation with jaw deformity: a rare case report. <i>Maxillofacial Plastic and Reconstructive Surgery</i> . 2015;37(1):5-.	3
2042	박병호, 장원희, 이부규. An idiopathic delayed maxillary hemorrhage after orthognathic surgery with Le Fort I osteotomy: a case report. <i>대한구강악안면외과학회지</i> . 2019;45(6):364-8.	1
2043	박병욱, 강영훈, 최문정, 변준호, 김시엽, Kang H-G, et al. Slimming of Lower Face by Contouring of the Mandibular Body in Orthognathic Surgery Patients. <i>Maxillofacial Plastic and Reconstructive Surgery</i> . 2013;35(5):325-30.	2
2044	박수경, 지성인, 서광석, 김현정. Circadian variation of IV PCA use in patients after orthognathic surgery - a retrospective comparative study. <i>Journal of Dental Anesthesia and Pain Medicine</i> . 2015;15(3):141-6.	3
2045	박시연, 황대석, 송재민, 김옥규. Comparison of time and cost between conventional surgical planning and virtual surgical planning in orthognathic surgery in Korea. <i>Maxillofacial Plastic and Reconstructive Surgery</i> . 2019;41(1):35-.	2
2046	박영욱. Correction of Lip Canting Using Bioabsorbables during Orthognathic Surgery.	2

	Maxillofacial Plastic and Reconstructive Surgery. 2014;36(4):178-83.	
2047	박영욱. Bioabsorbable osteofixation for orthognathic surgery. Maxillofacial Plastic and Reconstructive Surgery. 2015;37(1):39-.	5
2048	박영욱. Biodegradable osteofixation in bimaxillary orthognathic surgery. 대한구강악안면외과학회지. 2017;43(6):361-2.	8
2049	박영욱, 강현식, 이장하. Comparative study on long-term stability in mandibular sagittal split ramus osteotomy: hydroxyapatite/poly-L-lactide mesh versus titanium miniplate. Maxillofacial Plastic and Reconstructive Surgery. 2019;41(1):8-.	2
2050	박영욱, 권광준, 김민근. Long-term follow-up of early cleft maxillary distraction. Maxillofacial Plastic and Reconstructive Surgery. 2016;38(1):32-.	9
2051	박영욱, 이우용, 권광준, 김성근, 이석근. Bimaxillary orthognathic surgery and condylectomy for mandibular condyle osteochondroma: a case report. Maxillofacial Plastic and Reconstructive Surgery. 2015;37(1):41-.	9
2052	박윤희, 백승학. 서로 다른 재발 경향을 보인 구순구개열 환자의 악교정수술 증례 비교. 대한구순구개열학회지. 2017;20(2):9-20.	9
2053	박정은, Bae S-H, 최영준, 최원철, 김혜원, 이의룡. The structural changes of pharyngeal airway contributing to snoring after orthognathic surgery in skeletal class III patients. Maxillofacial Plastic and Reconstructive Surgery. 2017;39(1):22-.	2
2054	박정은, Bae S-H, 최영준, 최원철, 김혜원, 이의룡. Correction to: The structural changes of pharyngeal airway contributing to snoring after orthognathic surgery in skeletal class III patients. Maxillofacial Plastic and Reconstructive Surgery. 2018;40(1):6-.	5
2055	박정홍, 배우용, 김철훈, 홍숙희. A Case of Ancient Schwannoma in Retromaxillary Area Removed with Le Fort I Osteotomy Approach. Journal of Rhinology. 2013;20(2):145-8.	1
2056	박종웅, 김성민, 어미영, 박정민, 명훈, 이종호, et al. 악교정수술에서 광전자 포인트 마커를 이용한 상악골 위치 변화의 계측 및 계산 방법 연구. 대한악안면성형재건외과학회지. 2011;33(3):233-40.	2
2057	박진후, 정영수, 권순모, 임재석, Jung H-D. Application of 3D Simulation Surgery to Orthognathic Surgery of Hemimandibular Hypoplasia. Journal of International Society for Simulation Surgery. 2016;3(2):69-73.	2
2058	박현정, 서요섭, 임성훈, 류지원. Assessment of the Thickness of the Roof of the Glenoid Fossa Using Cone Beam Computed Tomography in Orthognathic Surgery Patients: A Preliminary Study. Journal of Oral Medicine and Pain. 2019;44(4):154-9.	2
2059	박현춘, 김수관, 오지수, 유재식, 김원기, 임형섭, et al. Early removal of mini-plate for correction of condyle position in patient of orthognathic surgery. Oral Biology Research. 2016;40(4):222-8.	2
2060	백승학, 박윤희, 정지혁, 김석화, 최진영. Orthodontic and orthopedic treatment for a growing patient with Tessier number 0 cleft. 대한치과교정학회지. 2018;48(2):113-24.	9
2061	백형선. 악교정 수술환자의 진단과 교정치료. 대한치과의사협회지. 2012;50(2):72-82.	2
2062	부연지, 김성민, 김지연, 박정민, 명훈, 이종호, et al. 광학추적항법장치를 이용한 르포씨 제1형 골절단 가상 수술의 정확성에 대한 연구. 대한구강악안면외과학회지. 2011;37(2):114-21.	2
2063	서동욱, 김수관, 오지수, 유재식, 신보수. Post-operative maxillary cyst related to LeFort I osteotomy: Case report. Oral Biology Research. 2017;41(3):187-90.	2
2064	서희연, 이신재, 박흥식. Use of mini-implants to avoid maxillary surgery for Class III mandibular prognathic patient: a long-term post-retention case. 대한치과교정학회지. 2014;44(6):342-9.	2
2065	손시은, 김성식, 손우성, 김용일, 김용덕, 신상훈. Miniscrews versus surgical archwires for intermaxillary fixation in adults after orthognathic surgery. 대한치과교정학회지. 2015;45(1):3-12.	2
2066	손우성, 정종현, 김근령, 손시은, 이원재, 김용덕. 혀의 림프관종이 동반된 개방교합 환자의 교정 치료. 대한구순구개열학회지. 2017;20(1):1-20.	9
2067	손희원, 박세훈, 조현오, 신용준, 손장호. Epinephrine-induced lactic acidosis in orthognathic surgery: a report of two cases. 대한구강악안면외과학회지. 2016;42(5):295-300.	3
2068	송재민, 김용덕. Three-dimensional evaluation of lingual split line after bilateral sagittal split osteotomy in asymmetric prognathism. 대한구강악안면외과학회지. 2014;40(1):11-6.	2
2069	송한솔, 최성환, 차정열, 이기준, 유형석. Comparison of changes in the transverse dental axis between patients with skeletal Class III malocclusion and facial asymmetry treated by orthognathic surgery with and without presurgical orthodontic treatment. 대한치과교정학회지. 2017;47(4):256-67.	2
2070	신나라, 오지수, 신상훈, 김수관. Removal of miniplates following facial trauma and orthognathic surgery: a 3-year study. Oral Biology Research. 2018;42(4):222-7.	3
2071	신동찬, 전원배, 박경필, 이호, 이원덕. 장골이식을 동반한 3급 부정교합 구순구개열 환자의 악교정수술 - 증례 보고 및 문헌고찰. 대한구순구개열학회지. 2013;16(2):17-27.	9

2072	신선호, 강예진, 김성곤. The effect of botulinum toxin-A injection into the masseter muscles on prevention of plate fracture and post-operative relapse in patients receiving orthognathic surgery. <i>Maxillofacial Plastic and Reconstructive Surgery</i> . 2018;40(1):36-.	3
2073	신영민, 권태건. 구순구개열 환자를 위한 상악 악교정 수술. <i>대한치과의사협회지</i> . 2015;53(7):468-75.	9
2074	신혜경, Hsieh Y-J, Liao Y-F, Lo L-J, 조명수. 구순구개열 환자의 악교정 수술 후의 골조직 안정도와 연조직 변화율. <i>Archives of Craniofacial Surgery</i> . 2012;13(1):4-10.	2
2075	심유승, 최송제, 한정준, 정승곤, 국민석, 오희균, et al. 구순구개열을 가진 환자의 악교정 수술 시 고려사항. <i>대한구순구개열학회지</i> . 2020;23(1):1-5.	9
2076	안지수, 유지아, 김윤지, 박재영, 김성훈. 골격성 III급 부정교합 환자의 수술-교정 치료: Corticision을 동반한 최소술전교정치료. <i>대한통합치과학회지</i> . 2013;2(1):21-8.	3
2077	안혜림, 허지예, 김철훈, 황희성, 김복주. 악교정 수술을 동반한 임플란트 보철물을 이용한 완전구강회복 증례. <i>대한치과보철학회지</i> . 2016;54(1):57-64.	3
2078	양일형, 정지혁, 임선진, 조일식, 김석화, 최진영, et al. Treatment modalities for Korean patients with unilateral hemifacial microsomia according to Pruzansky?Kaban types and growth stages. <i>대한치과교정학회지</i> . 2020;50(5):336-45.	2
2079	양재은, 배재영, 이지나, 유대현. Correction of Eyes and Lip Canting after Bimaxillary Orthognathic Surgery. <i>Yonsei Medical Journal</i> . 2018;59(6):793-7.	2
2080	오종식, 최홍석, 김은정, 김철홍, 윤지욱, 윤지영. Pharyngeal flap damage caused by nasotracheal intubation in a patient who underwent palatoplasty and pharyngoplasty. <i>Journal of Dental Anesthesia and Pain Medicine</i> . 2016;16(4):309-12.	9
2081	오창욱. 성공적인 선 수술 교정 치료를 위한 고려사항. <i>대한치과의사협회지</i> . 2012;50(2):58-63.	2
2082	우인희, 노재찬, 김주원, 김중철, 양병은. 부분 무치악을 가진 하악 전돌증 환자에서의 virtual surgical simulation 및 customized surgical guide를 활용한 악교정 수술과 임플란트 식립: 증례보고. <i>대한치과이식임플란트학회지</i> . 2016;35(2):68-73.	2
2083	우재만, 최진영. Tonsillectomy as prevention and treatment of sleep-disordered breathing: a report of 23 cases. <i>Maxillofacial Plastic and Reconstructive Surgery</i> . 2016;38(1):5-.	9
2084	유경선, 이백수, 김여갑, 권용대, 최병준, 오주영. 심한 상하악 치열궁 부조화 환자의 수술적 해결: 증례보고. <i>Maxillofacial Plastic and Reconstructive Surgery</i> . 2013;35(2):124-9.	2
2085	유상진. Laterognathism의 술후 전방하악골상행지경사도 변화에 관한 정모두부방사선학적 연구. <i>대한구강악안면외과학회지</i> . 2011;37(1):21-9.	2
2086	유종한, 박재현, Bayome M, 김성곤, 국윤아, 김윤지, et al. Treatment effects of mandibular total arch distalization using a ramal plate. <i>대한치과교정학회지</i> . 2016;46(4):212-9.	2
2087	윤상용, 송재민, 김용덕, Chung I-K, 신상훈. Clinical changes of TMD and condyle stability after two jaw surgery with and without preceding TMD treatments in class III patients. <i>Maxillofacial Plastic and Reconstructive Surgery</i> . 2015;37(1):36-.	2
2088	윤숙자, 강병철, 이재서, 진문환, 이은주. 전후방두부계측방사선사진과 CT영상에서의 Menton 편위각도. <i>대한구강악안면병리학회지</i> . 2017;41(4):147-53.	2
2089	윤숙자, 이은주, 김성진, 강병철, 이재서. 악교정수술 전후의 하악하연 피질골 두께 비교연구. <i>대한구강악안면병리학회지</i> . 2017;41(1):37-43.	2
2090	이규형, 최인선, 오민희, 조진형, 이경민. 구개 급속 확장 장치와 적절한 고정원의 조절을 통한 성인 III급 부정교합 환자의 비수술적 교정치료. <i>대한치과교정학회 임상저널</i> . 2018;8(4):18-26.	1
2091	이규형, 황혜남, 조진형, 오민희, 이경민. 횡적 부조화를 동반한 골격성 III급 부정교합 환자의 선수술 교정치료. <i>대한치과교정학회 임상저널</i> . 2019;9(2):117-26.	2
2092	이미영, 박성진. 안면 비대칭을 동반한 과발산형 골격성 II급 부정교합 환자의 악교정 수술: 증례보고. <i>대한치과교정학회 임상저널</i> . 2019;9(1):25-33.	2
2093	이상환, 김동규, 신호성. How to approach orthognathic surgery in patients who refuse blood transfusion. <i>Archives of Plastic Surgery</i> . 2020;47(5):404-10.	2
2094	이상훈, 정동화, 차경석, 이진우, 이상민. Combination Surgery (USSRO + UIVRO)를 이용한 비대칭을 동반한 골격성 III급 부정교합의 악교정수술 치험례. <i>대한치과교정학회 임상저널</i> . 2019;9(3):178-88.	2
2095	이성탁, 산티야 아이스와리아 비노띠니 우, 권태건, 신홍인, 최소영. 제 3 대구치 발치 및 하악시상지분할골절단술 후 발생한 범람모세혈관: 증례보고. <i>대한구강악안면병리학회지</i> . 2018;42(2):39-43.	9
2096	이성탁, 최나래, 송재민, 신상훈. Three-dimensional morphometric analysis of mandibule in coronal plane after bimaxillary rotational surgery. <i>Maxillofacial Plastic and Reconstructive Surgery</i> . 2016;38(1):3-.	2
2097	이성훈, 김정은, 강종만. Alternative technique for changing from nasal to oral endotracheal tube for orthognathic and nasal surgery by using an airway exchange catheter: a case report. <i>대한마취과학회지</i> . 2014;67(1):48-51.	3

2098	이수연, 최윤지, 지성인, 김현정, 서광석. Factor XI deficiency and orthognathic surgery: a case report on anesthesia management. Journal of Dental Anesthesia and Pain Medicine. 2015;15(1):25-9.	2
2099	이승연, 모성서. A Questionnaire Study of the Motive and Effectiveness of Treatment in Patients Treated with 2-Jaw Surgery. 대한치과교정학회 임상저널. 2019;9(3):127-37.	2
2100	이승용, 김수관, 김서윤, 오지수, 문경남, 윤대웅, et al. 양악 수술 후 안정성 평가. 대한악안면성형재건외과학회지. 2011;33(2):137-43.	2
2101	이승훈. 성별에 따른 뼈대 III급 맞물림 장애 환자의 숨길에 대한 연구. 대한체질인류학회지. 2017;30(4):145-51.	2
2102	이승훈, 김정재. Changes of airway after orthognathic surgery for patients with skeletal class III malocclusion. 한국치위생학회지. 2018;18(4):525-33.	2
2103	이영주, 박재현, 장나영, 이미영, 김봉철, Seo H-Y, et al. Assessment of bone density changes following two-jaw surgery using multidetector computed tomography: A pilot study. 대한치과교정학회지. 2020;50(3):157-69.	2
2104	이영준, 장나영, 채중문. 양악 전방 분절골 절단술을 이용한 성인 과개 교합 환자의 치험례. 대한치과교정학회 임상저널. 2019;9(1):1-10.	2
2105	이왕석, 박시현, 강상규, 탁민성, 김철한, 이상원. Emergency room visits for severe complications after cosmetic surgery. Archives of Aesthetic Plastic Surgery. 2019;25(3):108-14.	3
2106	이용빈, 여기성, 정영수, Jung H-D. Accuracy of Maxillary Segmental Osteotomy using 3D Simulation: A Case Report. Journal of International Society for Simulation Surgery. 2015;2(2):71-5.	2
2107	이용찬, Sohn H-B, 김성근, Bae O-Y, 이장하. A novel method for the management of proximal segment using computer assisted simulation surgery: correct condyle head positioning and better proximal segment placement. Maxillofacial Plastic and Reconstructive Surgery. 2015;37(1):26-.	3
2108	이우용, 박영욱, 권광준, 김성근. Change of the airway space in mandibular prognathism after bimaxillary surgery involving maxillary posterior impaction. Maxillofacial Plastic and Reconstructive Surgery. 2016;38(1):29-.	2
2109	이정수, 김문기, 강상훈. Maxillary sinus haziness and facial swelling following suction drainage in the maxilla after orthognathic surgery. Maxillofacial Plastic and Reconstructive Surgery. 2020;42(1):33-.	2
2110	이정우. Maxillary Positioning Device for Intermediate Waferless Orthognathic Surgery. Journal of International Society for Simulation Surgery. 2016;3(2):87-9.	2
2111	이정혜, 이우진, 신재명, 허경희, 이원진, 허민석, et al. Three-dimensional assessment of condylar surface changes and remodeling after orthognathic surgery. Imaging Science in Dentistry. 2016;46(1):25-31.	2
2112	이제원, 김문기, 강상훈. Unilateral intraoral vertical ramus osteotomy based on preoperative three-dimensional simulation surgery in a patient with facial asymmetry. 대한구강악안면외과학회지. 2014;40(1):32-6.	2
2113	이종빈, 백수진, 김민지, 방은경. Correlation analysis of gingival recession after orthodontic treatment in the anterior region: an evaluation of soft and hard tissues. Journal of Periodontal & Implant Science. 2020;50(3):146-58.	2
2114	이진숙, 최원철, 윤경인. Human immunodeficiency virus에 감염된 환자의 악교정수술 : 증례보고. 대한치과의사협회지. 2013;51(8):451-8.	9
2115	이창연, 장창수, 김주원, 김좌영, 양병은. Condylar repositioning using centric relation bite in bimaxillary surgery. 대한치과교정학회지. 2013;43(2):74-82.	2
2116	이창훈, 최윤경, 김용일, 김성식, 박수병, 손우성. Correlation between skeletal and dental changes after mandibular setback surgery-first orthodontic treatment: Cone-beam computed tomography-generated half-cephalograms. 대한치과교정학회지. 2015;45(2):59-65.	2
2117	이호, 한윤식, 서병무. 편측성 구순구개열 환자에서의 악교정수술 치험례 - 증례보고. 대한구순구개열학회지. 2013;16(2):29-39.	9
2118	이호준, 엄예설, 문구현, 임소영. Facial nerve palsy after orthognathic surgery caused by a hemoclip. Archives of Aesthetic Plastic Surgery. 2020;26(1):34-7.	1
2119	이희진, 이승은, 이은주, 송인자, 강병철, 이재서, et al. A comparative study of the deviation of the menton on posteroanterior cephalograms and three-dimensional computed tomography. Imaging Science in Dentistry. 2016;46(1):33-8.	2
2120	임근우, 박지훈, 안정섭. 골격성 III급 부정교합 환자의 양악 Anterior Segmental Osteotomy를 동반한 양악 수술교정 치험례. 대한치과교정학회 임상저널. 2020;10(1):55-67.	2

2121	임선진, 양일형, 백승학. Characterization of dental phenotypes and treatment modalities in Korean patients with Parry-Romberg syndrome. 대한치과교정학회지. 2020;50(6):407-17.	2
2122	임정환, 김현영, 정영수, Jung H-D. Application of 3D Simulation Surgery to Orthognathic Aurgery : A Preliminary Case Study. Journal of International Society for Simulation Surgery. 2014;1(1):23-6.	2
2123	임현우, 박지훈, 박현희, 이신재. Time series analysis of patients seeking orthodontic treatment at Seoul National University Dental Hospital over the past decade. 대한치과교정학회지. 2017;47(5):298-305.	2
2124	장국원, 김철훈, 김복주, 김무성, 황희성, 전영미, et al. 성장기 외상으로 인한 상악전치부 결손 환자 악교정수술 및 임플란트 수복 케이스. 대한통합치과학회지. 2018;7(2):57-65.	2
2125	장승일, 안재명, 팽준영, 홍종락. Three-dimensional analysis of changes in airway space after bimaxillary orthognathic surgery with maxillomandibular setback and their association with obstructive sleep apnea. Maxillofacial Plastic and Reconstructive Surgery. 2018;40(1):33-.	9
2126	장인산, Jang E-H, 최동순, 차봉근. Chewing performance in orthodontic patients treated with extraction of premolars. Oral Biology Research. 2019;43(3):196-201.	2
2127	장진현, 김진우, 박성호, 김명래, 김선종. 다양한 악교정 술식 조합에 따른 실험양의 비교 연구. 대한구강악안면외과학회지. 2011;37(4):272-7.	2
2128	장진현, 최성근, 박성호, 김진우, 김선종, 김명래. Clinical evaluation of temporomandibular joint disorder after orthognathic surgery in skeletal class II malocclusion patients. 대한구강악안면외과학회지. 2012;38(3):139-44.	2
2129	전재호, 김용덕, 김종렬, 강희제, 지현진, 손우성. New bimaxillary orthognathic surgery planning and model surgery based on the concept of six degrees of freedom. 대한치과교정학회지. 2013;43(1):42-52.	2
2130	전주홍. Timing of orthognathic surgery: paradigm shift by surgery-first approach? 대한구강악안면외과학회지. 2017;43(2):61-2.	2
2131	전주홍. Digital technology in orthognathic surgery: virtual surgical planning and digital transfer. 대한구강악안면외과학회지. 2019;45(5):231-2.	2
2132	정규식, 김택균, 이정우, 양정덕, 정호윤, 조병재, et al. The Effect of a Condylar Repositioning Plate on Condylar Position and Relapse in Two-Jaw Surgery. Archives of Plastic Surgery. 2017;44(1):19-25.	3
2133	정만호. Age, extraction rate and jaw surgery rate in Korean orthodontic clinics and small dental hospitals. 대한치과교정학회지. 2012;42(2):80-6.	2
2134	정서연, 최윤진, 박중현, 정영수, 백형선. Positional changes in the mandibular proximal segment after intraoral vertical ramus osteotomy: Surgery-first approach versus conventional approach. 대한치과교정학회지. 2020;50(5):324-35.	2
2135	정세진, 김현기, 신호근. 코골이 환자의 sleep splint 착용 전후의 음향학적 및 공기역학적 연구. 대한치과의사협회지. 2011;49(4):219-26.	9
2136	정영언, 양훈주, 황순정. 상악 골신장술과 하악 상행지사상분할술을 이용한 편측 상하악골 수직 증가술: 증례보고. 대한구강악안면외과학회지. 2011;37(6):539-44.	2
2137	정영욱, 온성운, 정규림, 송승일. Simultaneous Glossectomy with Orthognathic Surgery for Mandibular Prognathism. Maxillofacial Plastic and Reconstructive Surgery. 2014;36(5):214-8.	2
2138	정지혁. 악교정술을 포함한 자가골 턱끝성형술. 대한미용성형외과학회지. 2011;17(2):75-82.	2
2139	정휘동, 정영수. 선천성 기형환자에서의 악교정수술 적용과 수술 증례 분석. 대한치과의사협회지. 2012;50(11):670-6.	9
2140	정희주, 안효원. 구순구개열 환자의 악교정 수술 시 교정 치료 전략. 대한구순구개열학회지. 2020;23(1):6-13.	9
2141	조혜민, 이용빈, 김창훈, 정영수. 최종적인 비교정 수술과 이상구 증대술의 동시 시행 - 증례보고. 대한구순구개열학회지. 2016;19(2):19-25.	2
2142	조화련, 강문호, 이진용, 박원중, Choung H-W, 정필훈. Quantification of three-dimensional facial asymmetry for diagnosis and postoperative evaluation of orthognathic surgery. Maxillofacial Plastic and Reconstructive Surgery. 2020;42(1):17-.	2
2143	지은혜, 이효설, 최형준, 김성오, 최병재, 손홍규, et al. 자폐 환자의 자해로 인한 구강 내 손상 : 증례 보고. 대한장애인지과학회지. 2012;8(1):10-4.	1
2144	진임건, 양훈주, 김대승, 이원진, 황순정. 턱교정수술에서3D simulation과 CAD/CAM의 활용. 대한치과의사협회지. 2012;50(11):660-9.	2
2145	채종문, 팽준영. Minimum Presurgical Orthodontic Treatment with Two Jaw Surgery Combined with Anterior Segmental Osteotomy in Skeletal Class II Malocclusion: A Case Report. Maxillofacial Plastic and Reconstructive Surgery. 2013;35(5):316-24.	2

2146	천강용, 신동환, 전원배, 조진웅, 이호, 김수호, et al. 두부규격 방사선 사진을 이용한 미소 시의 중앙면부 연조직의 변화량 측정. 대한악안면성형재건외과학회지. 2012;34(6):421-5.	2
2147	최강영, 조병채. Discussion: Fundamentals of Studying Orthognathic Surgery and Speech. Archives of Plastic Surgery. 2012;39(3):203-.	5
2148	최동순, Garagiola U, 김성곤. Current status of the surgery-first approach (part I): concepts and orthodontic protocols. Maxillofacial Plastic and Reconstructive Surgery. 2019;41(1):10-.	2
2149	최병준, 김병수, 임지민, 정준호, 이정우, 오주영. Positional change in mandibular condyle in facial asymmetric patients after orthognathic surgery: cone-beam computed tomography study. Maxillofacial Plastic and Reconstructive Surgery. 2018;40(1):13-.	2
2150	최성근, 윤지은, 조정원, 김진우, 김선종, 김명래. Changes of the Airway Space and the Position of Hyoid Bone after Mandibular Set Back Surgery Using Bilateral Sagittal Split Ramus Osteotomy Technique. Maxillofacial Plastic and Reconstructive Surgery. 2014;36(5):185-91.	2
2151	최윤정, 김경호, 정주령. 대구치의 자가이식을 동반한 골격성 II급 부정교합의 악교정수술 치험례. 대한구순구개열학회지. 2013;16(1):25-35.	3
2152	최은학, 박진이, 정영수, 정희동, 황중주, 차정열. 협소한 상악과 상악 전치부 선천 결손을 가진 양측성 불완전 구순구개열 환자에서 임플란트 보철 수복을 동반한 수술교정 치험례. 대한구순구개열학회지. 2019;22(2):74-80.	9
2153	최은혜, 감명환, 소은선, 최윤지, 박수경, Oh Y, et al. Effects on postoperative nausea and vomiting of nefopam versus fentanyl following bimaxillary orthognathic surgery: a prospective double-blind randomized controlled trial. Journal of Dental Anesthesia and Pain Medicine. 2019;19(1):55-66.	2
2154	최정호. CBCT를 이용한 악교정수술 계획 수립 및 평가. 대한치과의사협회지. 2014;52(1):27-36.	2
2155	최종우, 김남국. Clinical Application of Three-Dimensional Printing Technology in Craniofacial Plastic Surgery. Archives of Plastic Surgery. 2015;42(3):267-77.	5
2156	최종우, 이장렬. Current concept of the surgery-first orthognathic approach. Archives of Plastic Surgery. 2021;48(2):199-207.	2
2157	한세진. 악교정 수술과 함께하는 mandibular angle management. 대한치과의사협회지. 2012;50(11):677-81.	3
2158	한승희, 김수정, 안효원. 골격성 III급 부정교합을 동반한 성인 구순구개열 환자의 악교정수술 - 증례 보고. 대한구순구개열학회지. 2017;20(2):47-56.	9
2159	홍미희, 김명진, 신혜정, 조현재, 백승학. Three-dimensional surgical accuracy between virtually planned and actual surgical movements of the maxilla in two-jaw orthognathic surgery. 대한치과교정학회지. 2020;50(5):293-303.	2
2160	홍종락. 안면비대칭의 외과적 교정. 대한치과의사협회지. 2014;52(10):623-32.	2
2161	황대석. 턱교정수술에서 선수술접근 : 적응증과 한계. 대한치과의사협회지. 2012;50(11):682-8.	2
2162	황대석, 서정석, 최홍석. Skeletal stability after 2-jaw surgery via surgery-first approach in facial asymmetry patients using CBCT. Maxillofacial Plastic and Reconstructive Surgery. 2020;42(1):11-.	2
2163	김수경, 박은정, 강신희, 최솔지, 조애정, 한승규, et al. 성형수술(시술) 이용자 안전을 위한 가이드라인 및 기준 연구. 연구결과보고서. 2016;1(2):1-136.	5
2164	김은정, 김영은, 노현오. 보건 의료 안전이슈 모니터링 및 조기경보시스템 모형개발. 연구결과보고서. 2014;1(1):1-109.	5
2165	신터전, 박윤기, 서광석, 한효조, 김현정. 구강악안면 수술의 침습도 및 술 후 통증의 정도와의 상관성. 대한치과마취과학회지. 2011;11(1):9-15.	3
2166	이주영, 송우철, 신강재, 김정남, 이은, 신주옥, et al. 한국인 턱뼈바닥각 및 턱뼈모서리각 - 3차원재구성을 이용한 연구. 대한체질인류학회지. 2015;28(1):19-25.	2
2167	지선미, 이선희, 박은정, 박지정, 김자영. 미용성형수술의 현황 파악과 이용자 정보집 개발. 연구결과보고서. 2014;1(1):1-186.	5
2168	Orthognathic Surgery and Delayed Implant Placement: A case report. 대한구강악안면임플란트학회지 = Implantology. 2016;20(4).	8
2169	Choi K-Y, Cho B-C. Discussion: Fundamentals of Studying Orthognathic Surgery and Speech. Archives of plastic surgery : APS. 2012;39(3):203-.	8
2170	Han-Seung J. Necessity of miniplate removal after orthognathic surgery. Oral Biology Research. 2013;37(1):1-4.	8
2171	Hwang K-S, Lee J-J, Jeon Y-C, Shin S-H, Song J-M, Lee S-H, et al. Full Arch Restoration through Orthognathic Surgery after Implantation on the Patients with Mandibular Prognathism and Loss of Posterior Teeth: A Case Report. Journal of Korean dental science.	2

	2017;10(1):35-44.	
2172	Jang J-H, Choi S-K, Park S-H, Kim J-W, Kim S-J, Kim M-R. Clinical evaluation of temporomandibular joint disorder after orthognathic surgery in skeletal class II malocclusion patients. Journal of the Korean Association of Oral and Maxillofacial Surgeons. 2012;38(3):139-44.	8
2173	Jang S-I, Ahn J, Paeng JY, Hong J. Three-dimensional analysis of changes in airway space after bimaxillary orthognathic surgery with maxillomandibular setback and their association with obstructive sleep apnea. Maxillofacial plastic and reconstructive surgery. 2018;40(40):33.1-11.	9
2174	Jeon J-H. Timing of orthognathic surgery: paradigm shift by surgery-first approach? Journal of the Korean Association of Oral and Maxillofacial Surgeons. 2017;43(2):61-2.	8
2175	Jeon J-H. Digital technology in orthognathic surgery: virtual surgical planning and digital transfer. Journal of the Korean Association of Oral and Maxillofacial Surgeons. 2019;45(5):231-2.	8
2176	Jung H-D, Kim SY, Park H-S, Jung Y-S. Orthognathic surgery and temporomandibular joint symptoms. Maxillofacial plastic and reconstructive surgery. 2015;37:14.1-1.	8
2177	Jung-Soo L. Maxillary sinus haziness and facial swelling following suction drainage in the maxilla after orthognathic surgery. Maxillofacial Plastic Reconstructive Surgery. 2020;42(10):1-8.	8
2178	Kang H-J, Jeong S-W, Jo B-H, Kim Y-D, Kim S-S. Observation of trabecular changes of the mandible after orthognathic surgery using fractal analysis. Journal of the Korean Association of Oral and Maxillofacial Surgeons. 2012;38(2):96-100.	8
2179	Kang S-H, Kim M-K, An S-I, Lee J-Y. The effect of orthognathic surgery on the lip lines while smiling in skeletal class III patients with facial asymmetry. Maxillofacial plastic and reconstructive surgery. 2016;38:18.1-9.	8
2180	Kenji F. Mixed-reality simulation for orthognathic surgery. Maxillofacial Plastic Reconstructive Surgery. 2016;38(03):1-12.	8
2181	Kim D-Y, Baik U, Jeon J-H. Osteogenesis imperfecta and combined orthodontics and orthognathic surgery: a case report on two siblings. Journal of the Korean Association of Oral and Maxillofacial Surgeons. 2020;46(1):70-7.	8
2182	Kim E-J, Yoon J-Y, Woo M-N, Kim C-H, Yoon J-U, Jeon D-N. Damage to the pilot balloon of the nasotracheal tube during orthognathic double-jaw surgery: A case report. Journal of dental anesthesia and pain medicine. 2015;15(2):101-3.	8
2183	Kim NY, Yoo Y-C, Chun D-H, Lee HM, Jung Y-S, Bai S-J. The Effects of Oral Atenolol or Enalapril Premedication on Blood Loss and Hypotensive Anesthesia in Orthognathic Surgery. Yonsei medical journal. 2015;56(4):1114-21.	3
2184	Kim S-G. Book review for "Orthognathic Surgery: Principles, Planning and Practice". Maxillofacial plastic and reconstructive surgery. 2017;39(1):20.1-1.	5
2185	Kim S-Y, Kim Y-K. Orthognathic Surgery and Delayed Implant Placement: A case report. 대한구강악안면임프란트학회지 = Implantology. 2016;20(4):220-7.	2
2186	Kim Y-K. Complications associated with orthognathic surgery. Journal of the Korean Association of Oral and Maxillofacial Surgeons. 2017;43(1):3-15.	8
2187	Kwon T-G. Surgery-first orthognathic surgery: beyond patients' satisfaction. Journal of the Korean Association of Oral and Maxillofacial Surgeons. 2012;38(6):319-20.	2
2188	Kwon T-G. Accuracy and reliability of three-dimensional computer-assisted planning for orthognathic surgery. Maxillofacial plastic and reconstructive surgery. 2018;40(40):14.1-2.	2
2189	Lee J-H, Choi D-S, Cha B-K, Park Y-W, Jang I. Three-dimensional Assessment of Facial Soft Tissue after Orthognathic Surgery in Patients with Skeletal Class III and Asymmetry. 대한악안면성형재건외과학회지 = The journal of Korean association of maxillofacial plastic and reconstructive surgeons. 2013;35(6):360-7.	8
2190	Lee J-H, Huh K-H, Yi W-J, Heo M-S, Lee S-S, Choi S-C. Bilateral postoperative maxillary cysts after orthognathic surgery: A case report. Imaging science in dentistry. 2014;44(4):321-4.	8
2191	Lee J-H, Lee W-J, Shin J-M, Huh K-H, Yi W-J, Heo M-S, et al. Three-dimensional assessment of condylar surface changes and remodeling after orthognathic surgery. Imaging science in dentistry. 2016;46(1):25-31.	8
2192	Lee J-w. Maxillary Positioning Device for Intermediate Waferless Orthognathic Surgery. Journal of International Society for Simulation Surgery. 2016;3(2):87-9.	8
2193	Lee SE, Choi YJ, Chi S-I, Kim H-J, Seo K-S. Factor XI deficiency and orthognathic surgery: a case report on anesthesia management. Journal of dental anesthesia and pain medicine.	8

	2015;15(1):25-9.	
2194	Lee S-H, Kim J-J. Changes of airway after orthognathic surgery for patients with skeletal class III malocclusion. JKSDH : Journal of Korean Society of Dental Hygiene = 한국치위생학회지. 2018;18(4):525-33.	8
2195	Lim J-H, Kim H-Y, Jung Y-S, Jung H-D. Application of 3D Simulation Surgery to Orthognathic Aurgery : A Preliminary Case Study. Journal of International Society for Simulation Surgery. 2014;1(1):23-6.	8
2196	Mah D-H, Kim S-G, Oh J-S, You J-S, Jung S-Y, Kim W-G, et al. Comparative study of postoperative stability between conventional orthognathic surgery and a surgery-first orthognathic approach after bilateral sagittal split ramus osteotomy for skeletal class III correction. Journal of the Korean Association of Oral and Maxillofacial Surgeons. 2017;43(1):23-8.	8
2197	Masato N. Utilization of desktop 3D printer-fabricated "Cost-Effective" 3D models in orthognathic surgery. Maxillofacial Plastic Reconstructive Surgery. 2020;42(7):1-7.	2
2198	Park FD, Park S, Chi S-I, Kim HJ, Seo K-S, Kim H-J, et al. Clinical considerations in the use of forced-air warming blankets during orthognathic surgery to avoid postanesthetic shivering. Journal of dental anesthesia and pain medicine. 2015;15(4):193-200.	2
2199	Park H-J, Seo Y-S, Lim S-H, Ryu J-W. Assessment of the Thickness of the Roof of the Glenoid Fossa Using Cone Beam Computed Tomography in Orthognathic Surgery Patients: A Preliminary Study. Journal of Oral Medicine and Pain. 2019;44(4):154-9.	8
2200	Park JH, Jung Y-S, Kwon S-M, Lim J-S, Jung H-D. Application of 3D Simulation Surgery to Orthognathic Surgery of Hemimandibular Hypoplasia. Journal of International Society for Simulation Surgery. 2016;3(2):69-73.	8
2201	Park S, Chi SI, Seo K-S, Kim HJ. Circadian variation of IV PCA use in patients after orthognathic surgery - a retrospective comparative study. Journal of dental anesthesia and pain medicine. 2015;15(3):141-6.	8
2202	Park S-Y, Choi HS, Yoon J-Y, Kim E-J, Yoon J-U, Kim HY, et al. Fatal vocal cord granuloma after orthognathic surgery. Journal of dental anesthesia and pain medicine. 2018;18(6):375-8.	8
2203	Park S-Y, Hwang D-S, Song J-M, Kim U-K. Comparison of time and cost between conventional surgical planning and virtual surgical planning in orthognathic surgery in Korea. Maxillofacial plastic and reconstructive surgery. 2019;41(41):35.1-7.	8
2204	Park Y-W. Correction of Lip Canting Using Bioabsorbables during Orthognathic Surgery. Maxillofacial plastic and reconstructive surgery. 2014;36(4):178-83.	8
2205	Park Y-W. Bioabsorbable osteofixation for orthognathic surgery. Maxillofacial plastic and reconstructive surgery. 2015;37:6.1-6.9.	8
2206	Park Y-W. Frontal augmentation as an adjunct to orthognathic or facial contouring surgery. Maxillofacial plastic and reconstructive surgery. 2016;38:37.1-5.	1
2207	Park Y-W. Biodegradable osteofixation in bimaxillary orthognathic surgery. Journal of the Korean Association of Oral and Maxillofacial Surgeons. 2017;43(6):361-2.	2
2208	Park Y-W, Lee W-Y, Kwon K-J, Kim S-G, Lee S-K. Bimaxillary orthognathic surgery and condylectomy for mandibular condyle osteochondroma: a case report. Maxillofacial plastic and reconstructive surgery. 2015;37:4.1-4.6.	3
2209	Sang-Hun Y. Cephalometric predictors of future need for orthognathic surgery in Korean patients with unilateral cleft lip and palate despite long-term use of facemask with miniplate. 대한치과교정학회지. 2021;51(1):43-54.	9
2210	Santhiya Iswarya Vinothini U. Orthognathic surgery for patients with fibrous dysplasia involved with dentition. Maxillofacial Plastic Reconstructive Surgery. 2018;40(37):1-7.	9
2211	Seon S. Study of soft tissue changes in the upper lip and nose after backward movement of the maxilla in orthognathic surgery. 대한구강악안면외과학회지. 2020;46(6):385-92.	8
2212	Son H-W, Park S-H, Cho H-O, Shin Y-J, Son J-H. Epinephrine-induced lactic acidosis in orthognathic surgery: a report of two cases. Journal of the Korean Association of Oral and Maxillofacial Surgeons. 2016;42(5):295-300.	8
2213	Udayakumar SIV, Paeng J-Y, Choi S-Y, Shin H-I, Lee S-T, Kwon T-G. Orthognathic surgery for patients with fibrous dysplasia involved with dentition. Maxillofacial plastic and reconstructive surgery. 2018;40(40):37.1-7.	8
2214	Yang C-E, Bae JY, Lee J, Lew DH. Correction of Eyes and Lip Canting after Bimaxillary Orthognathic Surgery. Yonsei medical journal. 2018;59(6):793-7.	8
2215	Yewon J. Horizontal change of philtrum after orthognathic surgery in patients with facial	8

	asymmetry. Maxillofacial Plastic Reconstructive Surgery. 2019;41(11):1-7.	
2216	Young-Wook P. Bioabsorbable osteofixation for orthognathic surgery. Maxillofacial Plastic Reconstructive Surgery. 2015;37(2):1-9.	8
2217	Young-Wook P. Frontal augmentation as an adjunct to orthognathic or facial contouring surgery. Maxillofacial Plastic Reconstructive Surgery. 2016;38(10):1-5.	8
2218	권대근. Accuracy and reliability of three-dimensional computer-assisted planning for orthognathic surgery. Maxillofacial Plastic Reconstructive Surgery. 2018;40(13):1-2.	8
2219	박현준. 심한 gummy smile 환자에서 악교정술을 이용한 교정: 증례보고. Oral Biology Research. 2012;36(1):74-7.	2
2220	백형선. 임상가를 위한 특집 3 - 악교정 수술환자의 진단과 교정치료. 大韓齒科醫師協會誌 = The journal of the Korean dental association. 2012;50(2):72-82.	2
2221	이종현. Three-dimensional assessment of facial soft tissue after orthognathic surgery in patients with skeletal Class III and asymmetry. Maxillofacial Plastic Reconstructive Surgery. 2013;35(6):360-7.	2
2222	정영은. Discrepancies in Soft Tissue Profile of Patients for Orthognathic Surgery between Preoperative Lateral Facial Photograph, Lateral Cephalogram and Supine Position on Operation Table. Maxillofacial Plastic Reconstructive Surgery. 2012;34(3):180-5.	8
2223	정휘동. Orthognathic surgery and temporomandibular joint symptoms. Maxillofacial Plastic Reconstructive Surgery. 2015;37(5):1-11.	5
2224	최윤경, 김용덕, 박수병, 김용일, 김성식, 손우성. 수직고경이 붕괴된 골격성 III급 부정교합자의 악교정 수술 치험례. Journal of dental rehabilitation and applied science = 구강회복응용과학지. 2016;32(1):70-9.	9
2225	Choi D-S, Garagiola U, Kim S-G. Current status of the surgery-first approach (part I): concepts and orthodontic protocols. Maxillofacial plastic and reconstructive surgery. 2019;41(41):10.1-8.	8
2226	Choi E, Karm M-H, So E, Choi YJ, Park S, Oh Y, et al. Effects on postoperative nausea and vomiting of nefopam versus fentanyl following bimaxillary orthognathic surgery: a prospective double-blind randomized controlled trial. Journal of dental anesthesia and pain medicine. 2019;19(1):55-66.	8
2227	Kang S-H, Lee J-W, Kim M-K. Use of the surface-based registration function of computer-aided design/computer-aided manufacturing software in medical simulation software for three-dimensional simulation of orthognathic surgery. Journal of the Korean Association of Oral and Maxillofacial Surgeons. 2013;39(4):197-9.	8
2228	Kwon T-G, Han MD. Current status of surgery first approach (part II): precautions and complications. Maxillofacial plastic and reconstructive surgery. 2019;41(41):23.1-10.	8
2229	Kwon Y-W, Lee J-M, Kang J-W, Kim C-H, Park J-U. Three-dimensional analysis of pharyngeal airway change of skeletal class III patients in cone beam computed tomography after bimaxillary surgery. Journal of the Korean Association of Oral and Maxillofacial Surgeons. 2012;38(1):9-13.	8
2230	Lee C-H, Lee B-S, Choi B-J, Lee J-W, Ohe J-Y, Yoo H-Y, et al. Recovery of inferior alveolar nerve injury after bilateral sagittal split ramus osteotomy (BSSRO): a retrospective study. Maxillofacial plastic and reconstructive surgery. 2016;38:25.1-4.	8
2231	Lee J-W, Kim M-K, Kang S-H. Unilateral intraoral vertical ramus osteotomy based on preoperative three-dimensional simulation surgery in a patient with facial asymmetry. Journal of the Korean Association of Oral and Maxillofacial Surgeons. 2014;40(1):32-6.	8
2232	Lee SH, Kim JE, Kang J-M. Alternative technique for changing from nasal to oral endotracheal tube for orthognathic and nasal surgery by using an airway exchange catheter: a case report. Korean journal of anesthesiology. 2014;67(1):48-51.	8
2233	Lee S-T, Choi N-R, Song J-M, Shin S-H. Three-dimensional morphometric analysis of mandible in coronal plane after bimaxillary rotational surgery. Maxillofacial plastic and reconstructive surgery. 2016;38:49.1-9.	8
2234	Lee YB, Yeo G, Jung Y-S, Jung H-D. Accuracy of Maxillary Segmental Osteotomy using 3D Simulation: A Case Report. Journal of International Society for Simulation Surgery. 2015;2(2):71-5.	8
2235	Park J-E, Bae S-H, Choi Y-J, Choi W-C, Kim H-W, Lee U-L. The structural changes of pharyngeal airway contributing to snoring after orthognathic surgery in skeletal class III patients. Maxillofacial plastic and reconstructive surgery. 2017;39(1):22.1-9.	8
2236	Park J-E, Bae S-H, Choi Y-J, Choi W-C, Kim H-W, Lee U-L. Correction to: The structural	5

	changes of pharyngeal airway contributing to snoring after orthognathic surgery in skeletal class III patients. Maxillofacial plastic and reconstructive surgery. 2018;40(40):6.1-6.2.	
2237	Shin S-H, Kang Y-J, Kim S-G. The effect of botulinum toxin-A injection into the masseter muscles on prevention of plate fracture and post-operative relapse in patients receiving orthognathic surgery. Maxillofacial plastic and reconstructive surgery. 2018;40(40):36.1-5.	8
2238	Shin Y-M, Lee S-T, Kwon T-G. Surgical correction of septal deviation after Le Fort I osteotomy. Maxillofacial plastic and reconstructive surgery. 2016;38:21.1-6.	3
2239	Zafar H, Choi D-S, Jang I, Cha B-K, Park Y-W. Positional change of the condyle after orthodontic-orthognathic surgical treatment: is there a relationship to skeletal relapse? Journal of the Korean Association of Oral and Maxillofacial Surgeons. 2014;40(4):160-8.	2
2240	강희재. Dexmedetomidine과 Pethidine을 이용한 정맥내 진정하에 시행된 악교정수술 후 금속나사제거. Maxillofacial Plastic Reconstructive Surgery. 2012;34(4):260-6.	3
2241	김병호. 임상가를 위한 특집 2 - 최소술전교정: 수술교합의 안정성이 술후 하악골 위치변화에 미치는 영향. 大韓齒科醫師協會誌 = The journal of the Korean dental association. 2012;50(2):64-71.	2
2242	이승훈. 치아 기준의 악교정 수술용 석고모형 수술, 과연 가능하고 정확한가. Maxillofacial Plastic Reconstructive Surgery. 2011;33(2):128-36.	2
2243	Ayse G. Orthognathic treatment of facial asymmetry due to temporomandibular joint ankylosis. Archives of Plastic Surgery. 2018;45(1):74-9.	8
2244	Choi JW, Kim N. Clinical Application of Three-Dimensional Printing Technology in Craniofacial Plastic Surgery. Archives of plastic surgery : APS. 2015;42(3):267-77.	8
2245	Cong Z. Evaluation of mandibular lingula and foramen location using 3-dimensional mandible models reconstructed by conebeam computed tomography. Maxillofacial Plastic Reconstructive Surgery. 2017;39(10):1-7.	8
2246	Dong-Soon C. Current status of the surgery-first approach (part I): concepts and orthodontic protocols. Maxillofacial Plastic Reconstructive Surgery. 2019;41(03):1-8.	8
2247	Farhad BN. Mentolabial angle and aesthetics: a quantitative investigation of idealized and normative values. Maxillofacial Plastic Reconstructive Surgery. 2017;39(2):1-7.	8
2248	Jae-Hyung K. Facial asymmetry: a case report of localized linear scleroderma patient with muscular strain and spasm. Maxillofacial Plastic Reconstructive Surgery. 2015;37(9):1-7.	8
2249	Kim DS, Kim J-Y, Jeong C-W, Park K-H, Huh J-K. Conservative condylectomy alone for the correction of mandibular asymmetry caused by osteochondroma of the mandibular condyle: a report of five cases. Journal of the Korean Association of Oral and Maxillofacial Surgeons. 2015;41(5):259-64.	1
2250	Kim H, Cha K-S. Evaluation of the stability of maxillary expansion using cone-beam computed tomography after segmental Le Fort I osteotomy in adult patients with skeletal Class III malocclusion. KJO : Korean journal of orthodontics = 대한치과교정학회지. 2018;48(1):63-70.	8
2251	Kim J-H, Han S-J, Kim M-Y. New method for an evaluation of the esthetical improvements resulting from a mandibular angle reduction. Journal of the Korean Association of Oral and Maxillofacial Surgeons. 2017;43(4):239-46.	8
2252	Kim J-H, Lee S-C, Kim C-H, Kim B-J. Facial asymmetry: a case report of localized linear scleroderma patient with muscular strain and spasm. Maxillofacial plastic and reconstructive surgery. 2015;37:29.1-7.	8
2253	Kim S-Y, Choi Y-H, Kim Y-K. Postoperative malocclusion after maxillofacial fracture management: a retrospective case study. Maxillofacial plastic and reconstructive surgery. 2018;40(40):27.1-8.	8
2254	Kwon K-H, Shin KS, Yeon SH, Kwon DG. Application of botulinum toxin in maxillofacial field: Part III. Ancillary treatment for maxillofacial surgery and summary. Maxillofacial plastic and reconstructive surgery. 2019;41(41):45.1-9.	3
2255	Kyung-Hwan K. Application of botulinum toxin in maxillofacial field: Part III. Ancillary treatment for maxillofacial surgery and summary. Maxillofacial Plastic Reconstructive Surgery. 2019;41(10):1-9.	8
2256	Lee S-G, Kang Y-H, Byun J-H, Kim U-K, Kim J-R, Park B-W. Stability of unilateral sagittal split ramus osteotomy for correction of facial asymmetry: long-term case series and literature review. Journal of the Korean Association of Oral and Maxillofacial Surgeons. 2015;41(3):156-64.	5
2257	Lee Y-C, Sohn H-B, Kim S-K, Bae O-Y, Lee J-H. A novel method for the management of proximal segment using computer assisted simulation surgery: correct condyle head positioning and better proximal segment placement. Maxillofacial plastic and reconstructive	8

	surgery. 2015;37:21.1-8.	
2258	Min-Hyeog P. Glossectomy in the severe maxillofacial vascular malformation with jaw deformity: a rare case report. Maxillofacial Plastic Reconstructive Surgery. 2015;27(11):1-5.	8
2259	Oh J-S, Choi H-S, Kim E-J, Kim C-H, Yoon J-U, Yoon J-Y. Pharyngeal flap damage caused by nasotracheal intubation in a patient who underwent palatoplasty and pharyngoplasty. Journal of dental anesthesia and pain medicine. 2016;16(4):309-12.	8
2260	Park H-S, Lee J-H. A comparative study on the location of the mandibular foramen in CBCT of normal occlusion and skeletal class II and III malocclusion. Maxillofacial plastic and reconstructive surgery. 2015;37:25.1-9.	8
2261	Park M-H, Kim C-M, Chung D-Y, Paeng J-Y. Glossectomy in the severe maxillofacial vascular malformation with jaw deformity: a rare case report. Maxillofacial plastic and reconstructive surgery. 2015;37:42.1-5.	8
2262	Park Y-W, Kwon K-J, Kim M-K. Long-term follow-up of early cleft maxillary distraction. Maxillofacial plastic and reconstructive surgery. 2016;38:20.1-6.	9
2263	Parsa F. Effectiveness of low-level laser therapy on recovery from neurosensory disturbance after sagittal split ramus osteotomy: a systematic review and meta-analysis. Maxillofacial Plastic Reconstructive Surgery. 2020;42(10):1-11.	5
2264	Sang-Yong Y. Clinical changes of TMD and condyle stability after two jaw surgery with and without preceding TMD treatments in class III patients. Maxillofacial Plastic Reconstructive Surgery. 2015;37(3):1-7.	8
2265	Santos ZTBV, Goulart DR, Sigua-Rodriguez EA, Pozzer L, Olate S, Albergaria-Barbosa JR. Mechanical evaluation of the use of conventional and locking miniplate/screw systems used in sagittal split ramus osteotomy. Journal of the Korean Association of Oral and Maxillofacial Surgeons. 2017;43(2):77-82.	3
2266	Tae-Geon K. Current status of surgery first approach (part II): precautions and complications. Maxillofacial Plastic Reconstructive Surgery. 2019;41(6):1-3.	8
2267	Wang Seok L. Emergency room visits for severe complications after cosmetic surgery. Archives of Aesthetic Plastic Surgery. 2019;25(3):108-14.	8
2268	Woo-Young L. Change of the airway space in mandibular prognathism after bimaxillary surgery involving maxillary posterior impaction. Maxillofacial Plastic Reconstructive Surgery. 2016;38(5):1-7.	8
2269	Yong-Chan L. A novel method for the management of proximal segment using computer assisted simulation surgery: correct condyle head positioning and better proximal segment placement. Maxillofacial Plastic Reconstructive Surgery. 2015;37(7):1-8.	8
2270	Yoon S-Y, Song J-M, Kim Y-D, Chung I-K, Shin S-H. Clinical changes of TMD and condyle stability after two jaw surgery with and without preceding TMD treatments in class III patients. Maxillofacial plastic and reconstructive surgery. 2015;37:9.	8
2271	Young-Wook P. Long-term follow-up of early cleft maxillary distraction. Maxillofacial Plastic Reconstructive Surgery. 2016;38(4):1-6.	8
2272	Young-Wook P. Comparative study on long-term stability in mandibular sagittal split ramus osteotomy: hydroxyapatite/poly-L-lactide mesh versus titanium miniplate. Maxillofacial Plastic Reconstructive Surgery. 2019;41(03):1-6.	8
2273	경규영. 삼각측량기법을 이용한 광학추적장치의 상악골 변위 계측에 대한 정확성 검증. Maxillofacial Plastic Reconstructive Surgery. 2012;34(1):41-52.	2
2274	김성훈. 골격성 III급 부정교합 환자의 수술-교정 치료: Corticision을 동반한 최소술전교정치료. 대한통합치과학회지. 2013;2(1):21-8.	3
2275	김철훈. 성장기 외상으로 인한 상악전치부 결손 환자 악교정수술 및 임플란트 수복 케이스. 대한통합치과학회지. 2018;7(2):57-65.	8
2276	박지혁, 전진, 전영미, 김정기. 상악 전치부 결손 환자의 수술을 동반한 전략적 교정치료 증례. Journal of dental rehabilitation and applied science = 구강회복응용과학지. 2019;35(4):244-52.	2
2277	박지호. 구순구개열 환자의 골격 기형 수술 후 안정성: 문헌 고찰. 대한구순구개열학회지. 2020;23(2):43-51.	9
2278	송현철. 젊은 환자에서 매복 제3대구치의 예방적 외과적 발거 : 문헌 고찰. 대한통합치과학회지. 2018;7(1):23-9.	8
2279	이계준. Postoperative Stability of a LeFort I Osteotomy: A Literature Review. Oral Biology Research. 2011;35(1):5-8.	5
2280	이성탁. Three-dimensional morphometric analysis of mandible in coronal plane after bimaxillary rotational surgery. Maxillofacial Plastic Reconstructive Surgery. 2016;38(11):1-9.	8
2281	이재남. 편측성 구순구개열 환자의 상악 전진술을 통한 안모개선 치험례. 대한구순구개열학회지.	9

	2020;23(2):72-81.	
2282	이재열. 르포트씨 1급 골절단술을 시행 받은 환자들에서 Cone-beam Computed Tomography를 이용한 수술 전, 후의 상악동의 평가. Maxillofacial Plastic Reconstructive Surgery. 2012;34(2):106-11.	2
2283	이정만, 서광석, 김현정, 신순영. 반혈이 있는 여호와의 증인 환자에서 무수혈 양악교정 수술. 대한치과마취과학회지 = Journal of the Korean Dental Society of Anesthesiology. 2012;12(1):25-31.	3
2284	정현주. 구순구개열 환자의 악교정 수술 시 교정 치료 전략. 대한구순구개열학회지. 2020;23(1):6-13.	9
2285	Hae-Seo P. A comparative study on the location of the mandibular foramen in CBCT of normal occlusion and skeletal class II and III malocclusion. Maxillofacial Plastic Reconstructive Surgery. 2015;37(8):1-9.	2
2286	Hyo-Won CHO. Three-dimensional computed tomography evaluation of craniofacial characteristics according to lateral deviation of chin. Maxillofacial Plastic Reconstructive Surgery. 2019;41(12):1-8.	8
2287	Insan J. Chewing performance in orthodontic patients treated with extraction of premolars. Oral Biology Research. 2019;43(3):196-201.	8
2288	Jae-Man W. Tonsillectomy as prevention and treatment of sleep-disordered breathing: a report of 23 cases. Maxillofacial Plastic Reconstructive Surgery. 2016;38(11):1-8.	1
2289	Kim H, Chung S-W, Jung H-D, Park H-S, Jung Y-S. Comparative analysis of the amount of postoperative drainage after intraoral vertical ramus osteotomy and sagittal split ramus osteotomy. Journal of the Korean Association of Oral and Maxillofacial Surgeons. 2014;40(4):169-72.	8
2290	Kim S-G, Yi W-J, Hwang S-J, Choi S-C, Lee S-S, Heo M-S, et al. Development of 3D statistical mandible models for cephalometric measurements. Imaging science in dentistry. 2012;42(3):175-82.	8
2291	Lee HJ, Lee S, Lee EJ, Song IJ, Kang B-C, Lee J-S, et al. A comparative study of the deviation of the menton on posteroanterior cephalograms and three-dimensional computed tomography. Imaging science in dentistry. 2016;46(1):33-8.	8
2292	Park Y-W, Kang H-S, Lee J-H. Comparative study on long-term stability in mandibular sagittal split ramus osteotomy: hydroxyapatite/poly-ε-caprolactone mesh versus titanium miniplate. Maxillofacial plastic and reconstructive surgery. 2019;41(41):8.1-8.6.	8
2293	Suzuki A. Treatment Protocol for Cleft Lip and/or Palate Children in Kyushu University Hospital. 大韓口唇口蓋熱學會誌 = Korean journal of cleft lip and palate. 2012;15(2):69-82.	9
2294	Woo J-M, Choi J-Y. Tonsillectomy as prevention and treatment of sleep-disordered breathing: a report of 23 cases. Maxillofacial plastic and reconstructive surgery. 2016;38:47.1-8.	8
2295	김홍석. Facial 'Phi' Mask를 사용한 골격성 부정교합 환자의 안모 분석. Maxillofacial Plastic Reconstructive Surgery. 2012;34(1):26-33.	1
2296	백승재. Changes of lip morphology following mandibular setback surgery using 3D cone-beam computed tomography images. Maxillofacial Plastic Reconstructive Surgery. 2016;38(10):1-10.	8
2297	유승규. Three-dimensional analysis of the anterior loop of the inferior alveolar nerve in relation to the growth pattern of the mandibular functional subunit. Maxillofacial Plastic Reconstructive Surgery. 2018;40(31):1-6.	2
2298	이성탁. Ameloblastoma Secondary to Third Molar Extraction and Sagittal Split Ramus Osteotomy. 대한구강악안면병리학회지. 2018;42(2):39-43.	3
2299	이상엽, 최대균, 백장현, 권극록. 작은 직경 임플란트를 이용한 임플란트 지지 피개외치에 대한 환자 만족도 조사. 대한치과보철학회지 = The journal of Korean academy of prosthodontics. 2011;49(1):29-37.	1
2300	이선영. 일부 성인의 교정치료 및 안면 성형 수술에 대한 실태. 한국산학기술학회논문지 = Journal of the Korea Academia-Industrial cooperation Society. 2014;15(4):2150-9.	5
2301	임연희. 미용적 양악수술 시행 후 발생한 연하장애 1례. 대한연하장애학회지. 2021;11(1):67-71.	3
2302	황대석. III급 부정교합에서 선수술 교정치료를 통한 양악 수술 후 안정성. Maxillofacial Plastic Reconstructive Surgery. 2011;33(5):407-12.	2