

별첨 2

배제문헌

문현배제사유

1. 사전에 정의한 대상환자를 대상으로 하지 않은 연구
2. 사전에 정의한 중재법에 대해 연구가 아닌 문헌
3. 사전에 정의한 연구설계와 맞지 않은 문헌
4. 사전에 정의한 비교법과 비교되어 연구되지 않은 문헌
5. 사전에 정의한 연구결과가 하나 이상 보고되지 않은 문헌
6. 원저가 아닌 연구(총설, letter, comment 등)
7. 회색문헌(동료심사된 학술지에 게재되지 않은 문헌)
8. 증복연구
9. 동물실험 또는 전임상시험
10. 한국어나 영어로 출판되지 않은 문헌

연번	서지정보	배제 사유
1	Abdalkader M, Sathya A, Ma A, Cervantes-Arslanian AM, Chung DY, Barest G, et al. Hydrophilic polymer embolization following flow diversion of cerebral aneurysms. <i>Neuroradiology Journal</i> . 2021;34(4):363–369.	3
2	Abdel-Tawab M, Abdeltawab AK, Abdelmonem M, Moubarak MA, Taha MA, Morsy A, et al. Efficacy and safety of flow diverters in posterior circulation aneurysms and comparison with their efficacy in anterior circulation aneurysms: A systematic review and meta-analysis. <i>Interventional Neuroradiology</i> . 2021;27(5):609–621	6
3	Abdennour L, Sourour N, Drir M, Premat K, Shotar E, Taylor G, et al. Preliminary Experience with Cangrelor for Endovascular Treatment of Challenging Intracranial Aneurysms. <i>Clinical Neuroradiology</i> . 2020;30(3):453–61.	2
4	Abdulrauf SI, Urquiaga JF, Patel R, Albers JA, Belkhair S, Dryden K, et al. Awake High-Flow Extracranial to Intracranial Bypass for Complex Cerebral Aneurysms: Institutional Clinical Trial Results: <i>World Neurosurgery</i> . 105 (pp 557–567), 2017.	2
5	Abe Y, Yuki I, Otani K, Shoji T, Ishibashi T, Murayama Y. Agreement of intracranial vessel diameters measured on 2D and 3D digital subtraction angiography using an automatic windowing algorithm. <i>Journal of Neuroradiology</i> 2021; 48(4):311–315	2
6	Abebe M, Nam WH. Assessment of potential on surface water and land resources for irrigation in Omo-Gibe basin and Ejersa sub-basin in south west Ethiopia. <i>한국농공학회 학술대회초록집</i> . 2018;2018(0):297.	7

연번	서지정보	배제 사유
7	Abla AA, Kan P, Dumont TM, Hopkins L, Siddiqui AH, Levy EI. The panacea or the problem: Flow diverters in the treatment of fusiform vertebrobasilar aneurysms: Journal of Neurosurgery. Conference: 2012 AANS Annual Meeting. Miami, FL United States. Conference Publication: (var.pagings). 117 (2) (pp A400-A401), 2012. Date of Publication: August 2012.; 2012.	3
8	Abla AA, Zaidi HA, Crowley RW, Britz GW, McDougall CG, Albuquerque FC, et al. Optic chiasm compression from mass effect and thrombus formation following unsuccessful treatment of a giant supraclinoid ICA aneurysm with the Pipeline device: open surgical bailout with STA-MCA bypass and parent vessel occlusion. Journal of Neurosurgery Pediatrics. 2014;14(1):31-7.	3
9	Abraham RJ, Illyas AJ, Marotta T, Casey P, Vair B, Berry R. Endovascular exclusion of a splenic artery aneurysm using a pipeline embolization device. Journal of Vascular & Interventional Radiology. 2012;23(1):131-5.	3
10	Abushehab N. Risk of branch occlusion and ischemic complications with Pipeline Embolization Device in treatment of posterior circulation aneurysms: Journal of Neurosurgery. Conference: 2018 AANS Annual Scientific Meeting. New Orleans, LA United States. 128 (4) (pp 31), 2018. Date of Publication: April 2018.; 2018.	3
11	Achey R, Sheikhi L, Patterson T, Toth G, Zobenica Moore N, Bain M. Surpass streamline flow diverter use in treating cervical carotid pseudoaneurysms: A case series: Journal of NeuroInterventional Surgery. Conference: 17th Annual Meeting of the Society of NeuroInterventional Surgery Organizing, SNIS 2020. San Diego, CA United States. 12 (Supplement 1) (pp A93-A94), 2020.	3
12	Acik V, Daglioglu E, Akmangit I, Alagoz F, Sayin B, Arat A. Endovascular Treatment of Superior Cerebellar Artery Aneurysms. Turkish Neurosurgery. 2019;29(4):564-9.	3
13	Adamou A, Alexandrou M, Roth C, Chatzioannou A, Papanagiotou P. Endovascular Treatment of Intracranial Aneurysms. Life. 2021;11(4):10.	6
14	Adeeb N, Griessenauer CJ, Dmytriw AA, Shallwani H, Gupta R, Foreman PM, et al. Risk of Branch Occlusion and Ischemic Complications with the Pipeline Embolization Device in the Treatment of Posterior Circulation Aneurysms. Ajnr: American Journal of Neuroradiology. 2018;39(7):1303-9.	3
15	Adeeb N, Griessenauer CJ, Foreman PM, Moore JM, Motiei-Langroudi R, Chua MH, et al. Comparison of Stent-Assisted Coil Embolization and the Pipeline Embolization Device for Endovascular Treatment of Ophthalmic Segment Aneurysms: A Multicenter Cohort Study. World Neurosurgery. 2017;105:206-12.	2
16	Adeeb N, Griessenauer CJ, Foreman PM, Moore JM, Shallwani H, Motiei-Langroudi R, et al. Use of Platelet Function Testing before Pipeline Embolization Device Placement: A Multicenter Cohort Study: Stroke. 48 (5) (pp 1322-1330), 2017.	2
17	Adeeb N, Griessenauer CJ, Moore J, Stapleton CJ, Patel AB, Gupta R, et al. Pipeline Embolization Device for Recurrent Cerebral Aneurysms after Microsurgical Clipping. World Neurosurgery. 2016;93:341-5.	3
18	Adeeb N, Griessenauer CJ, Moore JM, Foreman PM, Shallwani H, Motiei-Langroudi R, et al. Ischemic Stroke after Treatment of Intraprocedural Thrombosis during Stent-Assisted Coiling and Flow Diversion. Stroke. 2017; 48(4):1098-1100.	3
19	Adeeb N, Griessenauer CJ, Moore JM, Foreman PM, Shallwani H, Motiei-Langroudi R, et al. Ischemic Stroke after Treatment of Intraprocedural Thrombosis during Stent-Assisted Coiling and Flow Diversion: Stroke. 48 (4) (pp 1098-1100), 2017.	8

연번	서지정보	배제 사유
20	Adeeb N, Griessenauer CJ, Patel AS, Moore J, Dolati-Ardejani P, Gupta R, et al. Reliability of dual- vs single-volume reconstruction of three-dimensional digital subtraction angiography for follow-up evaluation of endovascularly treated intracranial aneurysms. <i>Interv Neuroradiol.</i> 2016; 22(6):687–692.	2
21	Adeeb N, Griessenauer CJ, Shallwani H, Shakir H, Foreman PM, Moore JM, et al. Pipeline Embolization Device in Treatment of 50 Unruptured Large and Giant Aneurysms. <i>World Neurosurgery.</i> 2017;105:232–7.	3
22	Adeeb N, Gupta R, Schneider AM, Leadon M, Enriquez A, Griessenauer CJ, et al. Defining a Clopidogrel Response Cut-Off Value Using Light Transmission Aggregometry Before Pipeline Embolization of Unruptured Intracranial Aneurysms. <i>World Neurosurgery.</i> 2018;113:e146–e52.	3
23	Adeeb N, Moore J, Griessenauer CJ, Gupta R, Fazelat AA, Ogilvy CS, et al. Acute retinal hemorrhage after Pipeline embolization device placement for treatment of ophthalmic segment aneurysm: A case report. <i>Interventional Neuroradiology.</i> 2018;24(4):383–6.	3
24	Adeeb N, Moore JM, Griessenauer CJ, Foreman PM, Shallwani H, Dmytriw AA, et al. Treatment of Tandem Internal Carotid Artery Aneurysms Using a Single Pipeline Embolization Device: Evaluation of Safety and Efficacy. <i>American Journal of Neuroradiology.</i> 2017; 38(8):1605–9.	4
25	Adeeb N, Moore JM, Wirtz M, Griessenauer CJ, Foreman PM, Shallwani H, et al. Predictors of Incomplete Occlusion following Pipeline Embolization of Intracranial Aneurysms: Is It Less Effective in Older Patients? <i>Ajnr: American Journal of Neuroradiology.</i> 2017; 38(12):2295–300.	3
26	Adeeb N, Ogilvy CS, Griessenauer CJ, Thomas AJ. Expanding the Indications for Flow Diversion: Treatment of Posterior Circulation Aneurysms. <i>Neurosurgery.</i> 2020; 86(Suppl 1):S76–S84.	6
27	Adix ML, Kaminsky IA, Choi IS. Ophthalmic artery occlusion after Pipeline Embolization Device placement with reconstitution of flow via an endoleak: a report of two cases. <i>Journal of Neurointerventional Surgery.</i> 2017;9(7):686–8.	3
28	Adrahtas D, Jasinski P, Koulias G, Fiorella D, Tassopoulos AK. Endovascular Treatment of a Complex Renal Artery Aneurysm Using Coils and the Pipeline Embolization Device in a Patient with a Solitary Kidney. <i>Annals of Vascular Surgery.</i> 2016;36(291).	3
29	Agarwal A, Gokhale S, Gupta J, Raju R, Nimjee S, Smith T, et al. Use of pipeline flow diverting stents for wide neck intracranial aneurysms: A retrospective institutional review. <i>Asian Journal of Neurosurgery.</i> 2014;9(1):3–6.	3
30	Agnoletto GJ, Aguilar-Salinas P, Santos R, Sauvageau E, Hanel RA. PED Flex with shield technology: A feasible alternative for fusiform MCA aneurysms: <i>Stroke and Vascular Neurology.</i> 3 (3) (pp 185–188), 2018.	3
31	Agnoletto GJ, Meyers PM, Coon A, Kan PTM, Wakhloo AK, Hanel RA. A Contemporary Review of Endovascular Treatment of Wide-Neck Large and Giant Aneurysms. [Review]. <i>World Neurosurgery.</i> 2019;130:523–9.	6
32	Aguilar Perez M, Bhogal P, Henkes E, Ganslandt O, Bazner H, Henkes H. In-stent Stenosis after p64 Flow Diverter Treatment. <i>Clinical Neuroradiology.</i> 2018;28(4):563–8.	3
33	Aguilar Perez M, Bhogal P, Martinez Moreno R, Bazner H, Ganslandt O, Henkes H. The Medina Embolic Device: early clinical experience from a single center. <i>Journal of Neurointerventional Surgery.</i> 2017;9(1):77–87.	3

연번	서지정보	배제 사유
34	Aguilar Perez M, Henkes E, Hellstern V, Serna Candel C, Wendl C, Bazner H, et al. Endovascular Treatment of Anterior Circulation Aneurysms With the p64 Flow Modulation Device: Mid- and Long-Term Results in 617 Aneurysms From a Single Center. <i>Operative Neurosurgery</i> . 2021;20(4):355–63.	3
35	Aguilar-Perez M, Hellstern V, AIMatter M, Wendl C, Bazner H, Ganslandt O, et al. The p48 Flow Modulation Device with Hydrophilic Polymer Coating (HPC) for the Treatment of Acutely Ruptured Aneurysms: early Clinical Experience Using Single Antiplatelet Therapy. <i>Cardiovasc Intervent Radiol</i> . 2020; 43(5):740–748	3
36	Aguilar-Salinas P, Agnoletto GJ, Brasiliense LBC, Santos R, Granja MF, Gonsales D, et al. Safety and efficacy of cangrelor in acute stenting for the treatment of cerebrovascular pathology: preliminary experience in a single-center pilot study. <i>Journal of Neurointerventional Surgery</i> . 2019;11(4):347–51.	2
37	Aguilar-Salinas P, Brasiliense L, Lima J, Aghaebrahim A, Sauvageau E, Hane R. Flow diversion for the treatment of posterior circulation aneurysms: A comparison between saccular and non-saccular aneurysms: <i>Journal of NeuroInterventional Surgery</i> . Conference: 14th Annual Meeting of the Society of NeuroInterventional Surgery, SNIS 2017. Colorado Springs, CO United States. 9 (Supplement 1) (pp A89), 2017.	7
38	Aguilar-Salinas P, Brasiliense LB, Gonsales D, Mitchell B, Lima A, Sauvageau E, et al. Evaluation of Pipeline Flex delivery system for the treatment of unruptured aneurysms. <i>Expert Review of Medical Devices</i> . 2016;13(10):885–97.	6
39	Ahmed O, Storey C, Kalakoti P, Deep Thakur J, Zhang S, Nanda A, et al. Treatment of vertebrobasilar fusiform aneurysms with Pipeline embolization device. <i>Interventional Neuroradiology</i> . 2015;21(4):434–40.	3
40	Ahmed SU, Mocco J, Zhang X, Kelly M, Doshi A, Nael K, et al. MRA versus DSA for the follow-up imaging of intracranial aneurysms treated using endovascular techniques: a meta-analysis. <i>Journal of Neurointerventional Surgery</i> . 2019;11(10):1009–14.	2
41	Ahmed SU, Mocco J, Zhang X, Kelly M, Doshi A, Nael K, et al. MRA versus DSA for the follow-up imaging of intracranial aneurysms treated using endovascular techniques: A meta-analysis: <i>Journal of NeuroInterventional Surgery</i> . 11 (10) (pp 1009–1014), 2019.	8
42	Ajij N. The evaluation of the treatment of ruptured intracranial aneurysms with pipeline embolization device: <i>Neurology</i> . Conference: 69th American Academy of Neurology Annual Meeting, AAN 2017. Boston, MA United States. 88 (16 Supplement 1) (no pagination), 2017.	7
43	Ajiboye N. The evaluation of the treatment of ruptured intracranial aneurysms with pipeline embolization device: <i>Interventional Neurology</i> . Conference: 9th Annual Meeting and 4th Annual Stroke Center Workshop, 6M Conference. New York, NY United States. 5 (Supplement 1) (pp 43), 2016.	8
44	Ajzenberg N, Abbas R, Tubach F, Faille D, Huisse MG, Ikka L, et al. Clopidogrel efficiency in cerebral aneurysm stenting: Are biological tests useful?: Research and Practice in Thrombosis and Haemostasis. Conference: 26th International Society on Thrombosis and Haemostasis Congress, ISTH 2017. Berlin Germany. 1 (Supplement 1) (pp 1335), 2017.	7
45	Akgul E, Onan HB, Akpinar S, Balli HT, Aksungur EH. The DERIVO Embolization Device in the Treatment of Intracranial Aneurysms: Short- and Midterm Results. <i>World Neurosurgery</i> . 2016;95:229–40.	3

연번	서지정보	배제 사유
46	Akgul E, Onan HB, Akpinar S, Balli HT, Balci IG, Canli E, et al. The DERIVO flow diverter stent in the treatment of intracranial aneurysms: Interventional Neuroradiology. Conference: 13th Congress of the World Federation of Interventional and Therapeutic Neuroradiology, WFITN 2015 and 12th Interdisciplinary Cerebrovascular Symposium, Intracranial Stent Meeting, ICS 2015. Gold Coast, QLD Australia. Conference Publication: (var.pagings). 21 (SUPPL. 1) (pp 164), 2015.	7
47	Akgul E, Onan HB, Balli HT, Cetinalp NE. A Patient with Eight Intracranial Aneurysms: Endovascular Treatment in Two Sessions. Case Reports in Neurological Medicine Print. 2016; 9637905.	3
48	Akgul E, Onan HB, Bilgin SS, Tahta A, Khanmammadov E, Gungoren FZ, et al. Flow Diverter Stents in the Treatment of Cerebral Aneurysms Less than 5 mm. Turkish Neurosurgery. 2021;31(1):31–7.	3
49	Akgul E, Onan HB, Islek I, Tonge M, Durmus Y, Barburoglu M, et al. Flow diverter stents in the treatment of recanalized intracranial aneurysms. Interventional Neuroradiology. 2021; 27(4):481–489.	3
50	Akhunbay-Fudge CY, Deniz K, Tyagi AK, Patankar T. Endovascular treatment of wide-necked intracranial aneurysms using the novel Contour Neurovascular System: A single-center safety and feasibility study: Journal of NeuroInterventional Surgery. 12 (10) (pp 987–992), 2020.	3
51	Akmangit I, Aydin K, Sencer S, Topcuoglu OM, Topcuoglu ED, Daglioglu E, et al. Dual stenting using low-profile LEO baby stents for the endovascular management of challenging intracranial aneurysms. Ajnr: American Journal of Neuroradiology. 2015;36(2):323–9.	3
52	Akmangit I, Daglioglu E, Peker A, Kaya T, Uckun OM, Belen D, et al. Endovascular management of tandem aneurysms with silk and surpass flow diverters: Interventional Neuroradiology. Conference: 13th Congress of the World Federation of Interventional and Therapeutic Neuroradiology, WFITN 2015 and 12th Interdisciplinary Cerebrovascular Symposium, Intracranial Stent Meeting, ICS 2015. Gold Coast, QLD Australia. Conference Publication: (var.pagings). 21 (SUPPL. 1) (pp 226), 2015.	7
53	Al Kasab S, Guerrero WR, Nakagawa D, Samaniego EA, Ortega-Gutierrez S, Hasan D. Safety and Efficacy of the Pipeline Embolization Device Use in the Outside Circle of Willis Located Intracranial Aneurysms: A Single-Center Experience. Interventional Neurology. 2020;8(2–6):83–91.	3
54	Al Saiegh F, Ghosh R, Leibold A, Avery MB, Schmidt RF, Theofanis T, et al. Status of SARS-CoV-2 in cerebrospinal fluid of patients with COVID-19 and stroke: Journal of Neurology, Neurosurgery and Psychiatry. 91 (8) (pp 846–848), 2020.	2
55	Al Saiegh F, Hasan D, Mouchtouris N, Zanaty M, Sweid A, Khanna O, et al. Treatment of Acutely Ruptured Cerebral Aneurysms With the Woven EndoBridge Device: Experience Post-FDA Approval. Neurosurgery. 2020;87(1):E16–E22.	3
56	Al Saiegh F, Hasan DM, Mouchtouris N, Zanaty M, Chalouhi N, Ghosh R, et al. Treatment of acutely ruptured cerebral aneurysms with the woven endobridge (WEB) flow disruptor: A multicenter experience: Clinical Neurosurgery. Conference: 2019 Annual Meeting Congress of Neurological Surgeons, CNS 2019. San Francisco, CA United States. 66(Supplement 1) (pp 28–29), 2019.	3
57	Al Saiegh F, Mouchtouris N, Sweid A, Chalouhi N, Theofanis T, Ghosh R, et al. Placement of the Woven EndoBridge(WEB) device via distal transradial access in the anatomical snuffbox: A technical note. Journal of Clinical Neuroscience. 2019;69:261–4.	6

연번	서지정보	배제 사유
58	Al-Abdulwahhab AH, Lee DH, Song Y, Suh DC. Staged Approach for Stent-Assisted Coiling of Cerebral Aneurysms after Failure of Initial Intra-Saccular Catheterization. <i>Neurointervention</i> . 2021;16(1):46–51.	3
59	Alaraj A, Ti J, Dashti R, Aletich V. Patient selection for endovascular treatment of intracranial aneurysms. <i>Neurological Research</i> . 2014;36(4):283–307.	6
60	Alaraj A. Comments: Clinical Neurosurgery. 83 (6) (pp 1305), 2018. Date of Publication: 01 Dec 2018.; 2018.	6
61	Alberalal ND, Tureli D, Baltacioglu F. Feasibility and efficacy of flow diversion in aneurysm management of small caliber cerebral arteries: Long term results of a single center experience with FRED Jr: Neuroradiology. Conference: 42nd Annual Meeting of the European Society of Neuroradiology – Diagnostic and Interventional, ESNR 2019. Oslo Norway. 61 (1) (pp S51), 2019.	3
62	Albuquerque F, Ducruet A, Crowley W, McDougall C. The barrow neurological institute experience with the pipeline embolisation device: Results in the first 100 patients treated after FDA approval: <i>Journal of NeuroInterventional Surgery</i> . Conference: 10th Annual Meeting of the Society of NeuroInterventional Surgery, SNIS 2013. Miami, FL United States. Conference Publication: (var.pagings). 5 (SUPPL. 2) (pp A6–A7), 2013.	3
63	Albuquerque FC, Park MS, Abla AA, Crowley RW, Ducruet AF, McDougall CG. A reappraisal of the Pipeline embolization device for the treatment of posterior circulation aneurysms. <i>Journal of NeuroInterventional Surgery</i> . 2015;7(9):641–5.	3
64	Albuquerque FC. Hemorrhagic stroke: The broad horizon of aneurysm treatment: <i>Journal of NeuroInterventional Surgery</i> . 5 (SUPPL.3) (pp iii1–iii2), 2013.	6
65	Albuquerque FC. On the status of pipeline. <i>World Neurosurgery</i> . 2013;80(6):804–5.	6
66	Alderazi YJ, Shastri D, Kass-Hout T, Prestigiacomo CJ, Gandhi CD. Flow diverters for intracranial aneurysms. <i>Stroke Research and Treatment</i> . 2014;415653.	8
67	Alderazi YJ, Shastri D, Kass-Hout T, Prestigiacomo CJ, Gandhi CD. Flow diverters for intracranial aneurysms: <i>Stroke Research and Treatment</i> . 2014 (no pagination),	6
68	Alexander MD, Nicholson AD, Darflinger RJ, Settecasse F, Cooke DL, Dowd CF, et al. Effects on vessel measurement accuracy and subsequent occlusion after calcium channel blocker infusion during treatment of cerebral aneurysms with the Pipeline embolization device. <i>Interventional Neuroradiology</i> . 2017; 23(1):47–51.	2
69	Alghamdi F, Mine B, Morais R, Scillia P, Lubicz B. Stent-assisted coiling of intracranial aneurysms located on small vessels: midterm results with the LVIS Junior stent in 40 patients with 43 aneurysms. <i>Neuroradiology</i> . 2016;58(7):665–71.	3
70	Alghamdi F, Morais R, Scillia P, Lubicz B. The Silk flow-diverter stent for endovascular treatment of intracranial aneurysms. <i>Expert Review of Medical Devices</i> . 2015;12(6):753–62.	6
71	Algra AM, Greving J, De Winkel J, Kurtelius A, Laban K, Verbaan D, et al. Development of the safetea endovascular and neurosurgical risk prediction scores for complications of preventive intracranial aneurysm treatment: <i>International Journal of Stroke</i> . Conference: 12th World Stroke Congress 2020. Vienna Austria. 15 (1 SUPPL) (pp 45–46), 2020.	6
72	Aljuboori Z, Ding D, James RF. Snare salvage technique for deformed WEB device after deployment. <i>Journal of Neurointerventional Surgery</i> . 2021;13(3).	6
73	Aljuboori Z, Meyer K, Ding D, James R. Endovascular Treatment of a Traumatic Middle Cerebral Artery Pseudoaneurysm with the Pipeline Flex Embolization Device: <i>World Neurosurgery</i> . 133 (pp 201–204), 2020.	3

연번	서지정보	배제 사유
74	Alkhalili K, Hannallah J, Cobb M, Chalouhi N, Philips JL, Echeverria AB, et al. The Effect of Stents in Cerebral Aneurysms: A Review. Asian Journal of Neurosurgery. 2018;13(2):201-11.	6
75	Alleyne CH. Comments: Neurosurgery. 74 (1) (pp 61), 2014. Date of Publication: January 2014.; 2014.	6
76	Almallouhi E, Al kasab S, Pai S, Lena J, Spiotta A. Institutional experience from 750 neuroendovascular procedures using transradial approach—a prospective observational study: Journal of NeuroInterventional Surgery. Conference: 17th Annual Meeting of the Society of NeuroInterventional Surgery Organizing, SNIS 2020. San Diego, CA United States. 12 (Supplement 1) (pp A121-A122), 2020.	3
77	Almandoz DJ, Kayan Y, Fease J, Scholz J, Milner A, Wallace A, et al. The PC400 system safely coils large cerebral aneurysms with high packing densities and low retreatment rates: Journal of NeuroInterventional Surgery. Conference: 14th Annual Meeting of the Society of NeuroInterventional Surgery, SNIS 2017. Colorado Springs, CO United States. 9 (Supplement 1) (pp A48-A49), 2017.	3
78	Almandoz DJ, Kayan Y, Fease J, Uittenbogaard K, Scholz J, Milner A, et al. Safety and efficacy of the pipeline embolization device for treatment of recurrent intracranial aneurysms: Journal of NeuroInterventional Surgery. Conference: 14th Annual Meeting of the Society of NeuroInterventional Surgery, SNIS 2017. Colorado Springs, CO United States. 9 (Supplement 1) (pp A39), 2017.	3
79	Almandoz DJ, Kayan Y, Scholz J, Milner A, Wallace A, Fease J, et al. Initial institutional experience with the axium prime extra soft coil for treatment of intracranial aneurysms: Journal of NeuroInterventional Surgery. Conference: 14th Annual Meeting of the Society of NeuroInterventional Surgery, SNIS 2017. Colorado Springs, CO United States. 9 (Supplement 1) (pp A51), 2017.	3
80	Almandoz DJ, Kayan Y, Scholz J, Uittenbogaard K, Milner A, Fease J, et al. Safety and efficacy of the pipeline embolization device for treatment of posterior circulation intracranial aneurysms: Journal of NeuroInterventional Surgery. Conference: 14th Annual Meeting of the Society of NeuroInterventional Surgery, SNIS 2017. Colorado Springs, CO United States. 9 (Supplement 1) (pp A75), 2017.	3
81	Almandoz JED, Crandall BM, Fease JL, Scholz JM, Anderson RE, Kadkhodayan Y, et al. Successful endovascular treatment of three fusiform cerebral aneurysms with the Pipeline Embolization Device in a patient with dilating HIV vasculopathy: Journal of NeuroInterventional Surgery. 6 (2) (pp E12), 2014.	3
82	AlMatter M, Aguilar Perez M, Hellstern V, Mitrovic G, Ganslandt O, Bazner H, et al. Flow Diversion for Treatment of Acutely Ruptured Intracranial Aneurysms : A Single Center Experience from 45 Consecutive Cases. Clinical Neuroradiology. 2020;30(4):835-42.	3
83	AlMatter M, Henkes E, Sirakov A, Aguilar Perez M, Hellstern V, Serna Candel C, et al. The p48 MW flow modulation device for treatment of unruptured, saccular intracranial aneurysms: a single center experience from 77 consecutive aneurysms. CVIR Endovascular. 2020;3(1):09.	3

연번	서지정보	배제 사유
84	Almekhlafi M, Alsultan AS, Kuczynski A, Menon BK, Hill MD, Goyal M. Antiplatelet therapy for primary prevention of thromboembolic complications prior to coiling only endovascular aneurysm embolization. A meta analysis: Neuroradiology. Conference: 41st European Society of Neuroradiology Diagnostic and Interventional Annual Meeting – ESNR 2018, , the 25th Advanced Course in Diagnostic Neuroradiology and the 10th Advanced Course in Endovascular and Interventional Neuroradiology. Rotterdam Netherlands. 60 (Supplement 2) (pp S508-S509), 2018.	6
85	Al-Mufti F, Amuluru K, Cohen E, Patel V, El-Ghanem M, Wajswol E, et al. In reply: Rescue therapy for procedural complications associated with deployment of flow-diverting devices in cerebral aneurysms: Operative Neurosurgery. 17 (2) (pp E92), 2019.	6
86	Al-Mufti F, Amuluru K, Cohen ER, Patel V, El-Ghanem M, Wajswol E, et al. Rescue Therapy for Procedural Complications Associated With Deployment of Flow-Diverting Devices in Cerebral Aneurysms. Operative Neurosurgery. 2018;15(6):624-33.	6
87	Al-Mufti F, Amuluru K, Francisco G, Dodson V, El-Ghanem M, Prestigiacomo CJ, et al. Off-Label Uses for Flow Diversion in Intracranial Aneurysm Management. [Review]. Journal of Neuroimaging. 2017;27(4):359-64.	8
88	Al-Mufti F, Amuluru K, Francisco G, Dodson V, El-Ghanem M, Prestigiacomo CJ, et al. Off-Label Uses for Flow Diversion in Intracranial Aneurysm Management: Journal of Neuroimaging. 27 (4) (pp 359-364), 2017.	6
89	Al-Mufti F, Amuluru K, Gandhi CD, Prestigiacomo CJ. Flow Diversion for Intracranial Aneurysm Management: A New Standard of Care: Neurotherapeutics. 13 (3) (pp 582-589), 2016.	6
90	Al-Mufti F, Amuluru K, Singh IP, Gandhi C, Prestigiacomo CJ. Pipeline embolization device deployment via an envoy distal access XB guiding catheter-biaxial platform: A technical note. Interventional Neuroradiology. 2016;22(2):236-9.	6
91	Al-Mufti F, Cohen ER, Amuluru K, Patel V, El-Ghanem M, Nuoman R, et al. Bailout Strategies and Complications Associated with the Use of Flow-Diverting Stents for Treating Intracranial Aneurysms. Interventional Neurology. 2020;8(1):38-54.	6
92	Alokaili RN, Ahmed ME. Flow-diverter stent for the treatment of a non-origin posterior inferior cerebellar artery aneurysm. A case report. Neuroradiology Journal. 2014;27(4):456-60.	3
93	Alotaibi N, Harker P, Robertson F, Vranić J, Koch M, Stapleton C, et al. The woven endobridge device for ruptured intracranial aneurysms: A systematic review and meta-analysis: Journal of NeuroInterventional Surgery. Conference: 17th Annual Meeting of the Society of NeuroInterventional Surgery Organizing, SNIS 2020. San Diego, CA United States. 12 (Supplement 1) (pp A130), 2020.	6
94	Alpay K, Rautio R, Numminen J, Sinisalo M. Preliminary experience with surpass evolve flowdiverter device: Clinical and technical note: Journal of NeuroInterventional Surgery. Conference: 17th Annual Meeting of the Society of NeuroInterventional Surgery Organizing, SNIS 2020. San Diego, CA United States. 12 (Supplement 1) (pp A136-A137), 2020.	7
95	Alshafai N, Cusimano MD, Falenchuk O. Global differences in the present and future management of cerebral aneurysms. World Neurosurgery. 2013;80(6):717-22.	6

연번	서지정보	배제 사유
96	Alshaya WA, O'Kelly CJ. Canadian experience with the pipeline embolization device for repair of ruptured intracranial aneurysms: Canadian Journal of Neurological Sciences. Conference: 47th Annual Congress of the Canadian Neurological Sciences Federation. Ottawa, ON Canada. Conference Publication: (var.pagings). 39 (3 SUPPL. 3) (pp S28), 2012.	7
97	Alturki AY, Schmalz PGR, Ogilvy CS, Thomas AJ. Sequential Coiling-Assisted Deployment of Flow Diverter for Treatment of Fusiform Middle Cerebral Artery Aneurysms. <i>Operative Neurosurgery</i> . 2018;15(2):E13–E8.	3
98	Alurkar A, Karanam LSP, Modh S, Sorte S. Reconstructive endovascular treatment of fusiform basilar aneurysm with SILK flow diverter: <i>Neurology India</i> . 61 (4) (pp 425–426), 2013.	6
99	Alvi MA, Rinaldo L, Kerezoudis P, Rangel-Castilla L, Bydon M, Cloft H, et al. Contemporary trends in extracranial–intracranial bypass utilization: Analysis of data from 2008 to 2016: <i>Journal of Neurosurgery</i> . 133 (6) (pp 1821–1829), 2020.	2
100	Ambekar S, Pandey P. Flow Diversion for Giant Intracranial Aneurysms: Problem or Panacea? <i>Neurology India</i> . 2020;68(1):116–7.	6
101	Amenta PS, Medel R, Dumont AS. FIAT, flow diverters, and establishing the role of new technology: <i>Journal of Neurosurgery</i> . 127 (3) (pp 449–450), 2017.	6
102	Amorim JM, Rosati S, Agid R, Pereira VM, Krings T. Treatment of an internal carotid artery aneurysm with a flow diverter through a double lumen balloon catheter. <i>Interventional Neuroradiology</i> . 2017;23(3):255–9.	2
103	Amuluru K, Al-Mufti F, Gandhi CD, Prestigiacomo CJ, Singh IP. Direct carotid–cavernous fistula: A complication of, and treatment with, flow diversion. <i>Interventional Neuroradiology</i> . 2016;22(5):569–76.	2
104	Amuluru K, Al-Mufti F, Romero CE. Flow diversion treatment of anterior communicating artery region aneurysms. <i>Journal of Neuroradiology Journal de Neuroradiologie</i> . 2019;20:20.	3
105	Amuluru K, Al-Mufti F, Singh IP, Prestigiacomo C, Gandhi C. Flow Diverters for Treatment of Intracranial Aneurysms: Technical and Clinical Updates. <i>World Neurosurgery</i> . 2016;85:15–9.	6
106	Anderson JR, Klucznik R, Diaz O, Zhang YJ, Britz GW, Grossman RG, et al. Quantification of velocity reduction after flow diverter placement in intracranial aneurysm: An ex vivo study with 3D printed replicas. Annual International Conference Of The IEEE Engineering In Medicine And Biology Society. 2015;3.	3
107	Andre A, Boch AL, Di Maria F, Nouet A, Sourour N, Clemenceau S, et al. Complication Risk Factors in Anterior Choroidal Artery Aneurysm Treatment: Clinical Neuroradiology. 28 (3) (pp 345–356), 2018.	2
108	Anil G, Goddard AJ, Ross SM, Deniz K, Patankar T. WEB in Partially Thrombosed Intracranial Aneurysms: A Word of Caution. <i>Ajnr: American Journal of Neuroradiology</i> . 2016;37(5):892–6.	3
109	Anonymous. 11th Congress of the World Federation of Interventional and Therapeutic Neuroradiology, WFITN 2011: Interventional Neuroradiology. Conference: 11th Congress of the World Federation of Interventional and Therapeutic Neuroradiology, WFITN 2011. Cape Town South Africa. Conference Publication: (var.pagings). 17 (SUPPL. 1) (no pagination), 2011.	6

연번	서지정보	배제 사유
110	Anonymous. 2017 AANS Annual Scientific Meeting: Journal of Neurosurgery. Conference: 85th American Association of Neurological Surgeons Annual Scientific Meeting, AANS 2017. Los Angeles, CA United States. 126 (4) (no pagination), 2017. Date of Publication: April 2017.; 2017.	6
111	Anonymous. AAFITN 2018 Abstracts: Interventional Neuroradiology. Conference: 13th Asian-Australasian Federation of Interventional and Therapeutic Neuroradiology, AAFITN 2018. Kota Kinabalu Malaysia. 24 (1 Supplement 1) (no pagination), 2018. Date of Publication: March 2018.; 2018.	6
112	Anonymous. Abstracts from the 12th Asian Australasian Federation of Interventional and Therapeutic Neuroradiology in Conjunction with 5th Annual Scientific Meeting Indonesian Society of Interventional Radiology: Interventional Neuroradiology. Conference: 12th Asian Australasian Federation of Interventional and Therapeutic Neuroradiology in Conjunction with 5th Annual Scientific Meeting Indonesian Society of Interventional Radiology. Bali Indonesia. Conference Publication: (var.pagings). 22 (SUPPL. 1) (no pagination), 2016. Date of Publication: June 2016.; 2016.	6
113	Anonymous. Clinical Neuroradiology. Conference: 49. Jahrestagung der Deutschen Gesellschaft fur Neuroradiologie. Gurzenich Germany. Conference Publication: (var.pagings). 24 (SUPPL. 1) (no pagination), 2014. Date of Publication: October 2014.; 2014.	6
114	Anonymous. Congres SFNR 2018: Journal of Neuroradiology. Conference: 45eme Congres Annuel de la Societe Francaise de NeuroRadiologie, SFNR 2018. Paris France. 45 (no pagination), 2018.	6
115	Anonymous. Erratum. Interventional Neuroradiology. 2015;21(2):04.	6
116	Anonymous. Proceedings of the 2018 British Neurosurgical Research Group Meeting: British Journal of Neurosurgery. Conference: 2018 Meeting of the British Neurological Research Group. Sheffield United Kingdom. 32 (2) (no pagination), 2018.	6
117	Anonymous. SNIS 11th Annual Meeting: Journal of NeuroInterventional Surgery. Conference: 11th Annual Meeting of the Society of NeuroInterventional Surgery, SNIS 2014. Colorado Springs, CO United States. Conference Publication: (var.pagings). 6 (SUPPL. 1) (no pagination), 2014.	6
118	Anxionnat R, Tonnelet R, Derelle AL, Liao L, Barbier C, Bracard S. Endovascular treatment of ruptured intracranial aneurysms: Indications, techniques and results. Diagnostic and Interventional Imaging. 2015;96(7-8):667–75.	6
119	Anzai H, Falcone JL, Chopard B, Hayase T, Ohta M. Optimization of strut placement in flow diverter stents for four different aneurysm configurations. Journal of Biomechanical Engineering. 2014;136(6).	6
120	Anzai H, Yoshida Y, Sugiyama S, Endo H, Matsumoto Y, Ohta M. Porosity dependency of an optimized stent design for an intracranial aneurysm. Technology & Health Care. 2015;23(5):547–56.	2
121	Aquarius R, de Korte A, Smits D, Gounis M, Verrijp K, Driessen L, et al. The Importance of Wall Apposition in Flow Diverters. Neurosurgery. 2019;84(3):804–10.	9
122	Arat A, Daglioglu E, Akmangit I. Neurovascular applications of bioabsorbable stents: Interventional Neuroradiology. Conference: 13th Congress of the World Federation of Interventional and Therapeutic Neuroradiology, WFITN 2015 and 12th Interdisciplinary Cerebrovascular Symposium, Intracranial Stent Meeting, ICS 2015. Gold Coast, QLD Australia. Conference Publication: (var.pagings). 21 (SUPPL. 1) (pp 181), 2015.	6

연번	서지정보	배제 사유
123	Arat A, Kaya T. Are current classification systems of aneurysms treated by flow diversion sufficient? A proposal for a grading system based on cross-sectional imaging: Interventional Neuroradiology. Conference: 13th Congress of the World Federation of Interventional and Therapeutic Neuroradiology, WFITN 2015 and 12th Interdisciplinary Cerebrovascular Symposium, Intracranial Stent Meeting, ICS 2015. Gold Coast, QLD Australia. Conference Publication: (var.pagings). 21 (SUPPL. 1) (pp 155-156), 2015.	6
124	Ares WJ, Agarwal N, Balzer J, Jankowitz BT. Hemorrhagic complications of intraoperative neurophysiologic monitoring needle electrodes: Interdisciplinary Neurosurgery: Advanced Techniques and Case Management. 10 (pp 4-7), 2017.	2
125	Ares WJ, Tonetti DA, Greene S, Sharma MS, Xavier F, Jankowitz BT, et al. Pipeline Embolization of an Infectious Basilar Artery Aneurysm in a 2-Year-Old Child: Case Report, Discussion of the Literature and Perioperative Considerations. Operative Neurosurgery. 2019;17(5):E224-E8.	3
126	Arias EJ, Patel B, Cross DT, Moran CJ, Dacey RG, Zipfel GJ, et al. Timing and nature of in-house postoperative events following uncomplicated elective endovascular aneurysm treatment: Journal of Neurosurgery. 121 (5) (pp 1063-1070), 2014.	2
127	Arican S, Bakdik S, Hacibeyoglu G, Yilmaz R, Koc O, Tavlan A, et al. The effects of sevoflurane anesthesia on hemodynamics and cerebral artery diameters in endovascular treatment of intracranial aneurysm: A pilot study. Ulusal Travma ve Acil Cerrahi Dergisi = Turkish Journal of Trauma & Emergency Surgery: TJTES. 2021;27(2):200-6.	2
128	Armoiry X, Paysant M, Hartmann D, Aulagner G, Turjman F. Interest of flow diversion prostheses in the management of unruptured intracranial aneurysms. International Journal of Vascular Medicine. 2012;654627.	6
129	Armoiry X, Turjman F, Hartmann DJ, Sivan-Hoffmann R, Riva R, Labeyrie PE, et al. Endovascular Treatment of Intracranial Aneurysms with the WEB Device: A Systematic Review of Clinical Outcomes. Ajnr: American Journal of Neuroradiology. 2016;37(5):868-72.	6
130	Arokiaraj MC. A novel guitar string-like coronary stent method for cerebral aneurysms: Confinia Cephalalgica. 29 (1) (pp 49-61), 2019.	10
131	Arrese I, Sarabia R, Pintado R, Delgado-Rodriguez M. Flow-diverter devices for intracranial aneurysms: systematic review and meta-analysis. Neurosurgery. 2013;73(2):193-9.	6
132	Arrese I, Sarabia R. In reply: the era of flow diverters in aneurysm treatment: Neurosurgery. 74(3):E342-3, 2014.	6
133	Arrese I, Sarabia R. Tempering enthusiasm for new endovascular devices: Journal of Neurosurgery. 128 (2) (pp 655-656), 2018.	6
134	Arthur AS, Molyneux A, Coon AL, Saatci I, Szikora I, Baltacioglu F, et al. The safety and effectiveness of the Woven EndoBridge (WEB) system for the treatment of wide-necked bifurcation aneurysms: final 12-month results of the pivotal WEB Intrasaccular Therapy (WEB-IT) Study. J Neurointerv Surg. 2019;11(9):924-930.	8
135	Arthur AS, Molyneux A, Coon AL, Saatci I, Szikora I, Baltacioglu F, et al. The safety and effectiveness of the Woven EndoBridge (WEB) system for the treatment of wide-necked bifurcation aneurysms: final 12-month results of the pivotal WEB Intrasaccular Therapy(WEB-IT) Study. Journal of Neurointerventional Surgery. 2019;11(9):924-30.	3

연번	서지정보	배제 사유
136	Arthur AS, Taussky P, Park MS, Stiefel MF, Rosenwasser RH. Introduction. The treatment of cerebral aneurysms: flow diversion and beyond: Neurosurgical focus. 42 (6) (pp E1), 2017.	6
137	Arustamyan S, Bocharov A, Bukharin E, Dorokhov P, Mikeladze K, Vinogradov E, et al. Different approaches in reconstructive endovascular treatment of large and giant intracranial aneurysms: Interventional Neuroradiology. Conference: 13th Congress of the World Federation of Interventional and Therapeutic Neuroradiology, WFITN 2015 and 12th Interdisciplinary Cerebrovascular Symposium, Intracranial Stent Meeting, ICS 2015. Gold Coast, QLD Australia. Conference Publication: (var.pagings). 21 (SUPPL. 1) (pp 228), 2015.	6
138	Ashore R, Dodson S, Aziz-Sultan MA. Endovascular management of intracranial blister aneurysms: spectrum and limitations of contemporary techniques. Journal of Neurointerventional Surgery. 2016;8(1):30-7.	6
139	Asnafi S, Rouchaud A, Pierot L, Brinjikji W, Murad MH, Kallmes DF. Efficacy and Safety of the Woven EndoBridge (WEB) Device for the Treatment of Intracranial Aneurysms: A Systematic Review and Meta-Analysis. Ajnr: American Journal of Neuroradiology. 2287;37(12):2287-92.	6
140	Asnafi S, Rouchaud A, Pierot L, Brinjikji W, Murad MH, Kallmes DF. Efficacy and safety of the woven endobridge (web) device for the treatment of intracranial aneurysms: A systematic review and meta-Analysis: American Journal of Neuroradiology. 37 (12) (pp 2287-2292), 2016.	6
141	Atallah E, Bekelis K, Tjoumakaris S, Rosenwasser R, Jabbour P. The use of alternatives to clopidogrel in pipeline flow diversion: Journal of NeuroInterventional Surgery. Conference: 14th Annual Meeting of the Society of NeuroInterventional Surgery, SNIS 2017. Colorado Springs, CO United States. 9 (Supplement 1) (pp A11), 2017.	2
142	Atallah E, Dang S, Rahm S, Feghali J, Nohra C, Tjoumakaris S, et al. Rare case of diffuse spinal arachnoiditis following a complicated vertebral artery dissection: Journal of Clinical Neuroscience. 52 (pp 132-134), 2018.	1
143	Atallah E, Saad H, Bekelis K, Chalouhi N, Tjoumakaris S, Hasan D, et al. Safety and Efficacy of a 600-mg Loading Dose of Clopidogrel 24 Hours Before Pipeline Embolization Device Treatment. World Neurosurgery. 2017;106:529-35.	2
144	Atallah E, Saad H, Bekelis K, Chalouhi N, Tjoumakaris S, Hasan D, et al. The use of alternatives to clopidogrel in flow-diversion treatment with the Pipeline embolization device: Journal of Neurosurgery. 129 (5) (pp 1130-1135), 2018.	8
145	Atallah E, Saad H, Li J, Kumar A, Tjoumakaris S, Chalouhi N, et al. The Experience With Flow Diverters in the Treatment of Posterior Inferior Cerebellar Artery Aneurysms. Operative Neurosurgery. 2019;17(1):8-13.	3
146	Atallah E, Saad H, Mouchtouris N, Bekelis K, Walker J, Chalouhi N, et al. Pipeline for Distal Cerebral Circulation Aneurysms. Neurosurgery. 2019;85(3):E477-E84.	3
147	Atallah E, Valle-Giler E, Elarjani T, Chalouhi N, Tjoumakaris S, Rosenwasser RH, et al. Acute Recanalization of a Partially Thrombosed Large Intracranial Aneurysm: World Neurosurgery. 115 (pp 73-78), 2018.	3
148	Atasoy D, Kandasamy N, Hart J, Lynch J, Yang SH, Walsh D, et al. Outcome Study of the Pipeline Embolization Device with Shield Technology in Unruptured Aneurysms (PEDSU). Ajnr: American Journal of Neuroradiology. 2019;40(12):2094-101.	3

연번	서지정보	배제 사유
149	Attali J, Benaissa A, Soize S, Kadziolka K, Portefaix C, Pierot L. Follow-up of intracranial aneurysms treated by flow diverter: comparison of three-dimensional time-of-flight MR angiography (3D-TOF-MRA) and contrast-enhanced MR angiography (CE-MRA) sequences with digital subtraction angiography as the gold standard. <i>Journal of Neurointerventional Surgery</i> . 2016;8(1):81–6.	8
150	Attali J, Benaissa A, Soize S, Kadziolka K, Portefaix C, Pierot L. Follow-up of intracranial aneurysms treated by flow diverter: Comparison of three-dimensional time-of-flight MR angiography (3D-TOF-MRA) and contrast-enhanced MR angiography (CE-MRA) sequences with digital subtraction angiography as the gold standard: <i>Journal of NeuroInterventional Surgery</i> . 8 (1) (pp 81–86), 2016.	2
151	Augsburger L, Reymond P, Rufenacht DA, Stergiopoulos N. Intracranial stents being modeled as a porous medium: flow simulation in stented cerebral aneurysms. <i>Annals of Biomedical Engineering</i> . 2011;39(2):850–63.	3
152	Aurboonyawat T, Schmidt PJ, Piotin M, Blanc R, Spelle L, Moret J. A study of the first-generation pipeline embolization device morphology using intraoperative angiographic computed tomography (ACT). <i>Neuroradiology</i> . 2011;53(1):23–30.	9
153	Austerman RJ, Sadrameli SS, Guerrero JR, Wong M, Diaz O, Klucznik R, et al. Is Flow Diversion the Death of Simple Coiling or Stent-assisted Coiling? A Single-center Experience. <i>Current Neurovascular Research</i> . 2020;17(5):754–9.	5
154	Avery MB, Alqaeeel A, Bromley AB, Chen YX, Wong JH, Eesa M, et al. A refined experimental model of fusiform aneurysms in a rabbit carotid artery. <i>Journal of Neurosurgery</i> . 2018;131(1):88–95.	9
155	Awad AJ, Mascitelli JR, Haroun RR, De Leacy RA, Fifi JT, Mocco J. Endovascular management of fusiform aneurysms in the posterior circulation: the era of flow diversion. <i>Neurosurgical Focus</i> . 2017;42(6).	6
156	Aydin K, Arat A, Sencer S, Hakyemez B, Barburoglu M, Sencer A, et al. Treatment of ruptured blood blister-like aneurysms with flow diverter SILK stents. <i>Journal of Neurointerventional Surgery</i> . 2015;7(3):202–9.	3
157	Aydin K, Barburoglu M, Sencer S, Berdikhojayev M, Coskun B, Akpek S. Flow Diversion with Low-Profile Braided Stents for the Treatment of Very Small or Uncoilable Intracranial Aneurysms at or Distal to the Circle of Willis. <i>Ajnr: American Journal of Neuroradiology</i> . 2017;38(11):2131–7.	3
158	Azizi A, Pomero E, Gete K, Runge M, Biondi A. Skull base re ossification after endovascular treatment of intracranial vascular lesions: <i>Neuroradiology</i> . Conference: 20th Symposium Neuroradiologicum 2014. Istanbul Turkey. Conference Publication: (var.pagings). 56 (SUPPL. 1) (pp 181–182), 2014.	7
159	Babiker H, Kalani Y, Levitt M, McDougall C, Baccin C, Chong B, et al. Clinical validations of simulated neurovascular braided stent deployments: <i>Annals of Biomedical Engineering</i> . Conference: 2016 BMES/FDA Frontiers in Medical Devices Conference. College Park, MD United States. 44 (12) (pp 3723–3725), 2016.	9
160	Babiker H, Kealey C, Chun Y, Carman GP, Levi D, Frakes D. In-vitro fluid dynamic investigation of a novel hyper elastic-thin film nitinol stent and the pipeline embolization device for cerebral aneurysm treatment: <i>Stroke</i> . Conference: 2012 International Stroke Conference and Nursing Symposium. New Orleans, LA United States. Conference Publication:(var.pagings). 43 (2 Meeting Abstracts)(no pagination), 2012.	7

연번	서지정보	배제 사유
161	Babiker MH, Chun Y, Roszelle B, Hafner W, Farsani HY, Gonzalez LF, et al. In vitro investigation of a new thin film nitinol-based neurovascular flow diverter: Journal of Medical Devices, Transactions of the ASME. 10 (4) (no pagination), 2016.	9
162	Babiker MH, Gonzalez LF, Albuquerque F, Collins D, Elvikis A, Zwart C, et al. An in vitro study of pulsatile fluid dynamics in intracranial aneurysm models treated with embolic coils and flow diverters: IEEE Transactions on Biomedical Engineering. 60 (4) (pp 1150–1159), 2013.	9
163	Bageac D, De Leacy R. Safety and efficacy of tracstar large distal platform during endovascular treatment of intracranial aneurysms: Journal of NeuroInterventional Surgery. Conference: 17th Annual Meeting of the Society of NeuroInterventional Surgery Organizing, SNIS 2020. San Diego, CA United States. 12 (Supplement 1) (pp A159), 2020.	7
164	Baggott C, Cikla U, Niemann D. Flow diverting characteristics of LVIS Jr stents to treat cerebral aneurysms: Interventional Neuroradiology. Conference: 13th Congress of the World Federation of Interventional and Therapeutic Neuroradiology, WFITN 2015 and 12th Interdisciplinary Cerebrovascular Symposium, Intracranial Stent Meeting, ICS 2015. Gold Coast, QLD Australia. Conference Publication: (var.pagings). 21 (SUPPL. 1) (pp 160–161), 2015.	7
165	Bai W, Li T, Xu Y, Li H, He Y. The complications of the Pipeline embolization device in treating complex cerebral aneurysm. Chinese Journal of Radiology (China). 52 (10) (pp 779–783), 2018.	10
166	Bai W, Xu B, Liang X, Li T. Short-term follow up of pipeline embolization device (PED) deployment for treatment of intracranial carotid aneurysm. [Chinese]: Chinese Journal of Radiology (China). 50 (2) (pp 114–117), 2016.	10
167	Baker C, Grandhi R, Griessenauer CJ, Dmytriw AA, Kapadia A, Yang VXD, et al. Pipeline Embolization in Patients with Posterior Circulation Subarachnoid Hemorrhages: Is Takotsubo Cardiomyopathy a Limiting Factor? World Neurosurgery. 2020;143:11.	3
168	Balasso A, Bauer JS, Liebig T, Dorn F, Zimmer C, Liepsch D, et al. Evaluation of intra-aneurysmal hemodynamics after flow diverter placement in a patient-specific aneurysm model. Biorheology. 2014;51(6):341–54.	3
169	Baltsavias G. Comments: Neurosurgical Review. 36 (4) (pp 665), 2013.	6
170	Ban SP, Kwon OK, Lee SU, Bang JS, Oh CW, Jeong HJ, et al. Long-term outcomes of patients with stent tips embedded into internal carotid artery branches during aneurysm coiling: American Journal of Neuroradiology. 39 (5) (pp 864–868), 2018.	3
171	Baptista J, Fragata I, Ribeiro C, Reis J. Flow diverters devices for treatment of intra-cranial aneurysms-12monthsfollow-up: Neuroradiology. Conference: 35th European Society of Neuroradiology Annual Meeting, 19th Advanced Course in Diagnostic Neuroradiology and 3rd Advanced Course in Interventional Neuroradiology. Antwerp Belgium. Conference Publication: (var.pagings). 53 (SUPPL. 1) (pp S43), 2011.	7
172	Baptista-Sincos APW, Simplicio AB, Sincos IR, Leaderman A, Neto FS, Moraes A, et al. Flow-diverting Stent in the Treatment of Cervical Carotid Dissection and Pseudoaneurysm: Review of Literature and Case Report. Annals of Vascular Surgery. 2018;46:372–9.	8
173	Baptista-Sincos APW, Simplicio AB, Sincos IR, Leaderman A, Neto FS, Moraes A, et al. Flow-diverting Stent in the Treatment of Cervical Carotid Dissection and Pseudoaneurysm: Review of Literature and Case Report: Annals of Vascular Surgery. 46 (pp 372–379), 2018.	6

연번	서지정보	배제 사유
174	Baranoski J, Merrill S, Hendricks B, Catapano J, Cole T, Majmundar N, et al. Flow-diversion for complex posterior communicating artery aneurysms associated with a fetal posterior circulation: Journal of NeuroInterventional Surgery. Conference: 17th Annual Meeting of the Society of NeuroInterventional Surgery Organizing, SNIS 2020. San Diego, CA United States. 12 (Supplement 1) (pp A141), 2020.	7
175	Baranoski JF, Ducruet AF. Flow-diverter stent with an incorporated flow sensor—the integration of a treatment and diagnostic device for intracranial aneurysms: <i>Neurosurgery</i> . 84 (1) (pp E21-E23), 2019.	6
176	Barburoglu M, Arat A. Flow Diverters in the Treatment of Pediatric Cerebrovascular Diseases. <i>Ajnr: American Journal of Neuroradiology</i> . 2017;38(1):113-8.	3
177	Barciszewska AM, Stanislawska K, Jankowski R, Juszkat R. Endovascular aneurysm treatment with intracranial stents single – Center experience: <i>Neuroradiology</i> . Conference: 41st European Society of Neuroradiology Diagnostic and Interventional Annual Meeting – ESNR 2018, the 25th Advanced Course in Diagnostic Neuroradiology and the 10th Advanced Course in Endovascular and Interventional Neuroradiology. Rotterdam Netherlands. 60 (Supplement 2) (pp S469), 2018.	7
178	Bardet SM, Cortese J, Blanc R, Mounayer C, Rouchaud A. Multiphoton microscopy for pre-clinical evaluation of flow-diverter stents for treating aneurysms. <i>Journal of Neuroradiology Journal de Neuroradiologie</i> . 2021;48(3):200-6.	9
179	Barletta EA, Gaspar RHML, Araujo JFM, Neves MWF, De Aquino JLB, Belsuzarri TAB. Nonsaccular aneurysms: A wide comparison between the four main types: <i>Surgical Neurology International</i> . 10 (1) (no pagination), 2019. Article Number: 30.	6
180	Batur H, Topcuoglu MA, Balci S, Arsava EM, Arat A. Dual Testing to Achieve Low On-treatment Platelet Reactivity for Aneurysm Embolization. <i>Clinical Neuroradiology</i> . 2021;12:12.	2
181	Beaty NB, Campos JK, Colby GP, Lin LM, Bender MT, Xu R, et al. Pipeline Flex Embolization of Flow-Related Aneurysms Associated with Arteriovenous Malformations: A Case Report. <i>Interventional Neurology</i> . 2018;7(3-4):164-70.	3
182	Bechstein M, Elsheikh S, Wodarg F, Taschner CA, Hanning U, Buhk JH, et al. Interhospital teleproctoring of endovascular intracranial aneurysm treatment using a dedicated live-streaming technology: First experiences during the COVID-19 pandemic: <i>BMJ Case Reports</i> . 13 (10) (no pagination), 2020.	3
183	Becske T, Brinjikji W, Potts MB, Kallmes DF, Shapiro M, Moran CJ, et al. Long-Term Clinical and Angiographic Outcomes Following Pipeline Embolization Device Treatment of Complex Internal Carotid Artery Aneurysms: Five-Year Results of the Pipeline for Uncoilable or Failed Aneurysms Trial. <i>Neurosurgery</i> . 2017;80(1):40-8.	3
184	Becske T, Kallmes DF, Saatci I, McDougall CG, Szikora I, Lanzino G, et al. Pipeline for uncoilable or failed aneurysms: results from a multicenter clinical trial. <i>Radiology</i> . 2013;267(3):858-68.	3
185	Becske T, Potts MB, Shapiro M, Kallmes DF, Brinjikji W, Saatci I, et al. Pipeline for uncoilable or failed aneurysms: 3-year follow-up results. <i>Journal of Neurosurgery</i> . 2017;127(1):81-8.	3
186	Becske T, Shapiro M, Nelson PK. US pipeline trial (PUFS) results: <i>Interventional Neuroradiology</i> . Conference: 11th Congress of the World Federation of Interventional and Therapeutic Neuroradiology, WFITN 2011. Cape Town South Africa. Conference Publication: (var.pagings). 17 (SUPPL. 1) (pp 51), 2011.	7
187	Becske T. Pipeline sizing based on computer simulation: <i>American Journal of Neuroradiology</i> . 40 (3) (pp 531-532), 2019.	6

연번	서지정보	배제 사유
188	Beer-Furlan A, Dasenbrock HH, Joshi KC, Chen M. Endovascular management of basilar artery occlusion secondary to fusiform aneurysm with intraluminal thrombus. <i>Neurosurgical Focus</i> . 2019;46(Suppl_1):01.	7
189	Beer-Furlan A, Joshi KC, Vargas A, Chen M. Endovascular Management of Symptomatic Intracranial Pseudoaneurysm and Intimal Flow-Limiting Dissection with a Single Device: <i>World Neurosurgery</i> . 141 (pp 72), 2020.	7
190	Behme D, Amelung N, Khakzad T, Psychogios MN. How to Size Intracranial Aneurysms: A Phantom Study of Invasive and Noninvasive Methods. <i>Ajnr: American Journal of Neuroradiology</i> . 2291;39(12):2291–6.	2
191	Behme D, Berlis A, Weber W. Woven EndoBridge Intrasaccular Flow Disrupter for the Treatment of Ruptured and Unruptured Wide-Neck Cerebral Aneurysms: Report of 55 Cases. <i>Ajnr: American Journal of Neuroradiology</i> . 2015;36(8):1501–6.	3
192	Behme D, Weber A, Kowoll A, Berlis A, Burke TH, Weber W. Low-profile Visualized Intraluminal Support device (LVIS Jr) as a novel tool in the treatment of wide-necked intracranial aneurysms: initial experience in 32 cases. <i>Journal of Neurointerventional Surgery</i> . 2015;7(4):281–5.	3
193	Belasco M, Chauhan R, Mullhi R, Snelson C, Gautam N, Whitehouse T, et al. Woven EndoBridge (WEB) device in the management in ruptured and unruptured intra cranial aneurysms-Is it safe?: <i>Journal of the Intensive Care Society</i> . Conference: Intensive Care Society State of the Art Meeting, ICS 2018. London United Kingdom. 20 (2 Supplement) (pp 221–222), 2019.	7
194	Bell H, Steinfort B, Pasalic L, Dexter M. Failure of platelet function analyser 200 to demonstrate clinical clopidogrel resistance in a patient undergoing intracranial vascular stenting: <i>BMJ Case Reports</i> . 13 (3) (no pagination), 2020.	3
195	Benaissa A, Januel AC, Herbreteau D, Berge J, Aggour M, Kadziolka K, et al. Endovascular treatment with flow diverters of recanalized and multitrated aneurysms initially treated by endovascular approach. <i>Journal of Neurointerventional Surgery</i> . 2015;7(1):44–9.	3
196	Benaissa A, Pierot L. Delayed ipsilateral hemorrhage following aneurysm treatment with flow diverter: <i>Journal of Neurosurgery</i> . 121 (2) (pp 490–491), 2014.	6
197	Benaissa A, Pierot L. Letter to the editor: delayed ipsilateral hemorrhage following aneurysm treatment with flow diverter: <i>Journal of Neurosurgery</i> . 121(2):490–1, 2014 Aug.; 2014.	8
198	Benaissa A, Tomas C, Clarencon F, Sourour N, Herbreteau D, Spelle L, et al. Retrospective Analysis of Delayed Intraparenchymal Hemorrhage after Flow-Diverter Treatment: Presentation of a Retrospective Multicenter Trial. <i>Ajnr: American Journal of Neuroradiology</i> . 2016;37(3):475–80.	3
199	Bender M, Colby G, Lin LM, Beaty N, Justin C, Jiang B, et al. Declining complication rates with flow diversion of anterior circulation aneurysms after introduction of pipeline flex: <i>Journal of Neurosurgery</i> . Conference: 85th American Association of Neurological Surgeons Annual Scientific Meeting, AANS 2017. Los Angeles, CA United States. 126 (4) (pp A1433), 2017.	7
200	Bender MT, Colby GP, Coon AL. Commentary: Comparison of Pipeline Embolization Device and Flow Re-Direction Endoluminal Device Flow Diverters for Internal Carotid Artery Aneurysms: A Propensity-Score Matched Cohort Study. <i>Neurosurgery</i> . 2019;85(2):E256–E7.	6

연번	서지정보	배제 사유
201	Bender MT, Colby GP, Coon AL. Commentary: Radial Artery Access for Treatment of Posterior Circulation Aneurysms Using the Pipeline Embolization Device: Case Series. <i>Operative Neurosurgery</i> . 2019;17(4):E139–E40.	6
202	Bender MT, Colby GP, Jiang B, Lin LM, Campos JK, Xu R, et al. Flow Diversion of Posterior Circulation Cerebral Aneurysms: A Single-Institution Series of 59 Cases. <i>Neurosurgery</i> . 2019;84(1):206–16.	3
203	Bender MT, Colby GP, Lin LM, Jiang B, Westbroek EM, Xu R, et al. Predictors of cerebral aneurysm persistence and occlusion after flow diversion: A single-institution series of 445 cases with angiographic follow-up: <i>Journal of Neurosurgery</i> . 130 (1) (pp 259–267), 2019.	3
204	Bender MT, Hurtado C, Jiang B, Campos JK, Huang J, Tamargo RJ, et al. Safety Assessment of Endovascular Treatment of Cerebral Aneurysms in Patients with Fibromuscular Dysplasia. <i>Interventional Neurology</i> . 2018;7(1–2):110–7.	2
205	Bender MT, Jiang B, Campos JK, Lin LM, Beaty N, Vo CD, et al. Single-stage flow diversion with adjunctive coiling for cerebral aneurysm: outcomes and technical considerations in 72 cases. <i>Journal of Neurointerventional Surgery</i> . 2018;10(9):843–50.	3
206	Bender MT, Lin LM, Colby GP, Lubelski D, Huang J, Tamargo RJ, et al. P2Y12 hyporesponse (PRU>200) is not associated with increased thromboembolic complications in anterior circulation Pipeline. <i>Journal of Neurointerventional Surgery</i> . 2017;9(10):978–81.	3
207	Bender MT, Vo CD, Jiang B, Campos JK, Zarrin DA, Xu R, et al. Pipeline Embolization for Salvage Treatment of Previously Stented Residual and Recurrent Cerebral Aneurysms. <i>Interventional Neurology</i> . 2018;7(6):359–69.	3
208	Bender MT, Young RW, Zarrin DA, Campos JK, Caplan JM, Huang J, et al. Twisting: Incidence and Risk Factors of an Intraprocedural Challenge Associated With Pipeline Flow Diversion of Cerebral Aneurysms. <i>Neurosurgery</i> . 2020;88(1):25–35.	3
209	Bender MT, Zarrin DA, Campos JK, Jiang B, Chandra A, Vo CD, et al. Precision of VerifyNow P2Y12 Assessment of Clopidogrel Response in Patients Undergoing Cerebral Aneurysm Flow Diversion. <i>Neurosurgery</i> . 2019;85(4):543–9.	2
210	Bender MT, Zarrin DA, Campos JK, Lin LM, Huang J, Caplan JM, et al. Tiny Pipes: 67 Cases of Flow Diversion for Aneurysms in Distal Vessels Measuring Less Than 2.0 mm. <i>World Neurosurgery</i> . 2019;127:e193–e201.	3
211	Bender MT, Zarrin DA, Jiang B, Campos JK, Lin LM, Young RW, et al. Aspirin Monotherapy in Flow Diversion of Selected Internal Carotid Artery Aneurysms: World Neurosurgery. 134 (pp 580–583), 2020.	2
212	Bendok BR, Aoun SG. Flow diversion for intracranial aneurysms: Optimally defining and evolving a new tool and approach: <i>World Neurosurgery</i> . 76 (5) (pp 401–404), 2011.	6
213	Benndorf G. Comment: <i>Neurosurgery</i> . 75 (4) (pp 374), 2014.	6
214	Benz T, Kowarschik M, Endres J, Redel T, Demirci S, Navab N. A fourier-based approach to the angiographic assessment of flow diverter efficacy in the treatment of cerebral aneurysms: <i>IEEE Transactions on Medical Imaging</i> . 33 (9) (pp 1788–1802), 2014.	6
215	Beppu M, Tsuji M, Ishida F, Shirakawa M, Suzuki H, Yoshimura S. Computational Fluid Dynamics Using a Porous Media Setting Predicts Outcome after Flow-Diverter Treatment. <i>Ajnr: American Journal of Neuroradiology</i> . 2107;41(11):2107–13.	5
216	Berenstein A. Treatment of experimental aneurysms with a new liquid embolic agent and a retrievable stent: proof of concept and feasibility study. <i>Journal of Neurointerventional Surgery</i> . 2016;8(9):934–9.	9

연번	서지정보	배제 사유
217	Berg P, Iosif C, Ponsonnard S, Pedrolo-Silveira E, Yardin C, Janiga G, et al. Impact of the flow-diverter deployment strategy on side branch endothelialization: Over-versus undersizing: Interventional Neuroradiology. Conference: 13th Congress of the World Federation of Interventional and Therapeutic Neuroradiology, WFITN 2015 and 12th Interdisciplinary Cerebrovascular Symposium, Intracranial Stent Meeting, ICS 2015. Gold Coast, QLD Australia. Conference Publication: (var.pagings). 21 (SUPPL. 1) (pp 342), 2015.	7
218	Berge J, Biondi A, Machi P, Brunel H, Pierot L, Gabrillargues J, et al. Flow-diverter silk stent for the treatment of intracranial aneurysms: 1-year follow-up in a multicenter study. Ajnr: American Journal of Neuroradiology. 1150;33(6):1150–5.	3
219	Berge J, Biondi A, Machi P, Brunel H, Pierot L, Gabrillargues J, et al. Flow-diverter silk stent for the treatment of intracranial aneurysms: 1-Year follow-up in a multicenter study: American Journal of Neuroradiology. 33 (6) (pp 1150–1155), 2012.	8
220	Berge J, Biondi A, Machi P, Pierot L, Brunei H, Kadziolka K, et al. Flow-diverter Silk stent for the treatment of intracranial aneurysms: One-year follow-up in a multicenter study: Interventional Neuroradiology. Conference: 11th Congress of the World Federation of Interventional and Therapeutic Neuroradiology, WFITN 2011. Cape Town South Africa. Conference Publication: (var.pagings). 17 (SUPPL. 1) (pp 110), 2011.	7
221	Berge J, Tourdias T, Moreau JF, Barreau X, Dousset V. Perianeurysmal brain inflammation after flow-diversion treatment. Ajnr: American Journal of Neuroradiology. 1930;32(10):1930–4.	3
222	Berlis A. Hydrophilic Surface Coating of Flow Diverters: A Possible Way to Omit Dual Platelet Aggregation Inhibition. Cardiovascular & Interventional Radiology. 2020;43(8):1224–5.	6
223	Beydoun HA, Azarbaijani Y, Cheng H, Anderson-Smits C, Marinac-Dabic D. Predicting Successful Treatment of Intracranial Aneurysms with the Pipeline Embolization Device Through Meta-Regression. World Neurosurgery. 2018;114:e938–e58.	6
224	Bhatia KD, Kortman H, Orru E, Klostranec JM, Pereira VM, Krings T. Periprocedural complications of second-generation flow diverter treatment using Pipeline Flex for unruptured intracranial aneurysms: a systematic review and meta-analysis. Journal of Neurointerventional Surgery. 2019;11(8):817–24.	6
225	Bhatia R, Warrier AR, Garg A, Sreenivas V, Dash D, Tripathi M, et al. Endovascular management of 78 patients with cerebral aneurysm over 10 years: Retrospective analysis: Journal of Stroke Medicine. Conference: Indian National Stroke Conference, INSC 2019. Ahmedabad India. 2 (1) (pp 51–52), 2019.	7
226	Bhatnagar P, Iqbal A, Mitra D, Ghoklar A, Jayakrishnan V. Blood blister aneurysms—should we leave them alone!: Neuroradiology. Conference: 36th European Society of Neuroradiology Annual Meeting. Edinburgh United Kingdom. Conference Publication: (var.pagings). 54 (1 SUPPL. 1) (pp S100), 2012.	7
227	Bhogal P, Aguilar Perez M, Sauder G, Bazner H, Ganslandt O, Henkes H. [Management of paraophthalmic aneurysms : Review of endovascular treatment strategies]. Ophthalmologe. 2018;115(2):114–22.	8
228	Bhogal P, Aguilar Perez M, Sauder G, Bazner H, Ganslandt O, Henkes H. Management of paraophthalmic aneurysms : Review of endovascular treatment strategies. [German]: Der Ophthalmologe : Zeitschrift der Deutschen Ophthalmologischen Gesellschaft. 115 (2) (pp 114–122), 2018.	6

연번	서지정보	배제 사유
229	Bhogal P, AlMatter M, Bazner H, Ganslandt O, Henkes H, Aguilar Perez M. Flow Diversion for the Treatment of MCA Bifurcation Aneurysms-A Single Centre Experience. <i>Frontiers in neurology [electronic resource]</i> . 2017;8(20).	3
230	Bhogal P, AlMatter M, Hellstern V, Ganslandt O, BÄQzner Hr, Henkes H, et al. The Combined Use of Intraluminal and Intrasaccular Flow Diversion for the Treatment of Intracranial Aneurysms: Report of 25 Cases. <i>Neurointervention</i> . 2018;13(1):20–31.	2
231	Bhogal P, AlMatter M, Hellstern V, Ganslandt O, Bazner H, Henkes H, et al. The Combined Use of Intraluminal and Intrasaccular Flow Diversion for the Treatment of Intracranial Aneurysms: Report of 25 Cases. <i>Neurointervention</i> . 2018;13(1):20–31.	3
232	Bhogal P, AlMatter M, Hellstern V, Perez MA, Lehmburg J, Ganslandt O, et al. Basilar artery perforator aneurysms: Report of 9 cases and review of the literature. [Review]. <i>Journal of Clinical Neuroscience</i> . 2019;63:122–9.	3
233	Bhogal P, Bleise C, Chudyk J, Lylyk I, Perez N, Henkes H, et al. The p48_HPC antithrombogenic flow diverter: initial human experience using single antiplatelet therapy: <i>Journal of International Medical Research</i> . 48 (1) (no pagination), 2019.	3
234	Bhogal P, Brouwer PA, Yeo L, Svensson M, Soderman M. The Medina Embolic Device: Karolinska experience. <i>Interventional Neuroradiology</i> . 2018;24(1):4–13.	2
235	Bhogal P, Chudyk J, Bleise C, Lylyk I, Henkes H, Lylyk P. The use of flow diverters to treat aneurysms of the posterior inferior cerebellar artery: Report of three cases. <i>Interventional Neuroradiology</i> . 2018;24(5):489–98.	3
236	Bhogal P, Chudyk J, Bleise C, Lylyk I, Perez N, Henkes H, et al. The Use of Flow Diversion in Vessels <=2.5 mm in Diameter-A Single-Center Experience. <i>World Neurosurgery</i> . 2018;118:e575–e83.	3
237	Bhogal P, Chudyk J, Bleise C, Lylyk I, Perez N, Henkes H, et al. Treatment of Unruptured, Tandem Aneurysms of the ICA with a Single Flow Diverter. <i>Clinical Neuroradiology</i> . 2019;29(4):725–31.	3
238	Bhogal P, Ganslandt O, Bazner H, Henkes H, Aguilar Perez M. Treatment of Unruptured, Saccular, Anterior Choroidal Artery Aneurysms with Flow Diversion : A Single Centre Experience. <i>Clinical Neuroradiology</i> . 2019;29(3):459–65.	3
239	Bhogal P, Ganslandt O, Bazner H, Henkes H, Perez MA. The Fate of Side Branches Covered by Flow Diverters—Results from 140 Patients. <i>World Neurosurgery</i> . 2017;103:789–98.	3
240	Bhogal P, Henkes E, Schob S, AlMatter M, Hellstern V, Bazner H, et al. The use of flow diverters to treat small(<=5 mm) ruptured, saccular aneurysms. <i>Surgical neurology international</i> . 2018;9(216).	3
241	Bhogal P, Martinez Moreno R, Ganslandt O, Bazner H, Henkes H, Perez MA. Use of flow diverters in the treatment of unruptured saccular aneurysms of the anterior cerebral artery. <i>Journal of Neurointerventional Surgery</i> . 2017;9(3):283–9.	3
242	Bhogal P, Martinez R, Gansladt O, Bazner H, Henkes H, Aguilar M. Management of Unruptured Saccular Aneurysms of the M1 Segment with Flow Diversion : A Single Centre Experience. <i>Clinical Neuroradiology</i> . 2018;28(2):209–16.	3
243	Bhogal P, Perez MA, Ganslandt O, Bazner H, Henkes H, Fischer S. Treatment of posterior circulation non-saccular aneurysms with flow diverters: a single-center experience and review of 56 patients. <i>Journal of Neurointerventional Surgery</i> . 2017;9(5):471–81.	3
244	Bhogal P, Perez MA, Wendl C, Bazner H, Ganslandt O, Henkes H. Paediatric aneurysms – Review of endovascular treatment strategies. <i>Journal of Clinical Neuroscience</i> . 2017;45:54–9.	8

연번	서지정보	배제 사유
245	Bhogal P, Perez MA, Wendl C, Bazner H, Ganslandt O, Henkes H. Paediatric aneurysms – Review of endovascular treatment strategies: <i>Journal of Clinical Neuroscience.</i> 45 (pp 54–59), 2017.	6
246	Bhogal P, Udani S, Cognard C, Piotin M, Brouwer P, Sourour NA, et al. Endosaccular flow disruption: where are we now?. <i>Journal of Neurointerventional Surgery.</i> 1024;11(10):1024–5.	6
247	Bhogal P, Wong K, Uff C, Wadley J, Makalanda HLD. The Silk Vista Baby: Initial experience and report of two cases: <i>Interventional Neuroradiology.</i> 25 (5) (pp 530–538), 2019.	6
248	Bing F, Darsaut T, Salazkin I, Weill A, Roy D, Raymond J. Stents and flow-diverters in the treatment of aneurysms: Device deformation in vivo and impacts on effective porosity: <i>Interventional Neuroradiology.</i> Conference: 11th Congress of the World Federation of Interventional and Therapeutic Neuroradiology, WFITN 2011. Cape Town South Africa. Conference Publication: (var.pagings). 17 (SUPPL. 1) (pp 153), 2011.	7
249	Bing F, Darsaut TE, Salazkin I, Makoyeva A, Gevry G, Raymond J. Stents and flow diverters in the treatment of aneurysms: device deformation in vivo may alter porosity and impact efficacy. <i>Neuroradiology.</i> 2013;55(1):85–92.	1
250	Binh NT, Luu VD, Thong PM, Cuong NN, Anh NQ, Tuan TA, et al. Flow diverter stent for treatment of cerebral aneurysms: A report of 130 patients with 134 aneurysms. <i>Heliyon.</i> 2020;6(2).	3
251	Binning MJ, Natarajan SK, Bulsara KR, Siddiqui AH, Hopkins LN, Levy EI. SILK flow-diverting device for intracranial aneurysms. <i>World Neurosurgery.</i> 2011;76(5).	3
252	Binyamin TR, Dahlin BC, Walda B. Resolution of third nerve palsy despite persistent aneurysmal mass effect after flow diversion embolization of posterior communicating artery aneurysms. <i>Journal of Clinical Neuroscience.</i> 2016;31:207–9.	3
253	Biondi A, Clarencon F, Creteanu M, Sourour N, Boch AL, Le Jean L, et al. Patients presenting with cranial nerve(s) paresis/palsy due to an intracranial aneurysm: Comparison of clinical results obtained after treatment using Flow Diversion Stenting versus Parent Artery Occlusion: <i>Interventional Neuroradiology.</i> Conference: 11th Congress of the World Federation of Interventional and Therapeutic Neuroradiology, WFITN 2011. Cape Town South Africa. Conference Publication: (var.pagings). 17 (SUPPL. 1) (pp 108), 2011.	7
254	Biondi A, Clarencon F, Sourour N, Creteanu M, Di Maria F, Chiras J, et al. Intracranial aneurysms treated by flow diverter stents: Clinical and angiographic long term follow-up: <i>Interventional Neuroradiology.</i> Conference: 11th Congress of the World Federation of Interventional and Therapeutic Neuroradiology, WFITN 2011. Cape Town South Africa. Conference Publication: (var.pagings). 17 (SUPPL. 1) (pp 27), 2011.	7
255	Biondi A, Pomero E, Descourvierer F, Flores A, Prud'Homme C, Farah E, et al. Long term follow up in intracranial aneurysms treated using the surpass flow diverter stent: <i>Neuroradiology.</i> Conference: 20th Symposium Neuroradiologicum 2014. Istanbul Turkey. Conference Publication: (var.pagings). 56 (SUPPL. 1) (pp 269), 2014.	7
256	Biondi A, Pomero E, Flores A, Gete K, Prud'Homme C, Farah E, et al. Flow diverter stenting in intracranial aneurysms previously treated with a regular stent should we do it: <i>Neuroradiology.</i> Conference: 20th Symposium Neuroradiologicum 2014. Istanbul Turkey. Conference Publication: (var.pagings). 56 (SUPPL. 1) (pp 269), 2014.	7
257	Blackburn SL, Cawley CM, Guzman R. Wider Adoption of Flow Diversion for Intracranial Aneurysms: Stroke. (pp 3333–3334), 2020.	8

연번	서지정보	배제 사유
258	Blackburn SL, Cawley CM, Guzman R. Wider Adoption of Flow Diversion for Intracranial Aneurysms: Stroke. 2019; 50(12):3333–3334.	6
259	Boccardi E, Piano M, Pero G, Quilici L, Valvassori L. Middle and long-term follow-up of cerebral aneurysms treated with flow diverter devices (FDD): A single centre experience: Interventional Neuroradiology. Conference: 11th Congress of the World Federation of Interventional and Therapeutic Neuroradiology, WFITN 2011. Cape Town South Africa. Conference Publication: (var.pagings). 17 (SUPPL. 1) (pp 58–59), 2011.	7
260	Bohan CO, Wirtz MM, Hendrix P, Goren O, Schirmer CM, Islak C, et al. Utility of P2Y ₁₂ Reactive Unit Assessment on Ticagrelor in Cerebral Aneurysms Treated with Intracranial Stenting and Flow Diversion: Cohort Study and Case Report From Two Neurovascular Centers. World Neurosurgery. 2020;142:10.	3
261	Bobara M, Teranishi K, Yatomi K, Fujii T, Kitamura T, Yamamoto M, et al. Very delayed discontinuation of telescoped Pipeline embolization devices: a case report. Interventional Neuroradiology. 2019;25(2):182–6.	3
262	Bond B, Bond K, Ilorah C, Kattah J. Endovascular treatment of pediatric intracranial aneurysms: A systematic review and meta-analysis: Neurology. Conference: 69th American Academy of Neurology Annual Meeting, AAN 2017. Boston, MA United States. 88 (16 Supplement 1) (no pagination), 2017.	7
263	Bond KM, Brinjikji W, Murad MH, Kallmes DF, Cloft HJ, Lanzino G. Diffusion-Weighted Imaging-Detected Ischemic Lesions following Endovascular Treatment of Cerebral Aneurysms: A Systematic Review and Meta-Analysis. [Review]. Ajnr: American Journal of Neuroradiology. 2017;38(2):304–9.	6
264	Bonney PA, Connor M, Fujii T, Singh P, Koch MJ, Stapleton CJ, et al. Failure of Flow Diverter Therapy: Predictors and Management Strategies: Neurosurgery. 86 (Supplement 1) (pp S64–S73), 2020.	6
265	Booth TC, Parra-Farinás C, deSouza RM, Kandasamy N, Bhattacharya J, Rangi P, et al. Woven Endobridge (WEB) Device as a Retreatment Strategy After Unsuccessful Surgical Clipping. World Neurosurgery. 2020;139:111–20.	3
266	Borota L, Nyberg C, Lenell S, Semnic R, Mahmoud E. Endovascular treatment of type 1 and type 4 non-saccular aneurysms of cerebral arteries – a single-Centre experience: Interventional Neuroradiology. (no pagination), 2021.	3
267	Bouillot P, Brina O, Delattre BMA, Ouared R, Pellaton A, Yilmaz H, et al. Neurovascular stent artifacts in 3D-TOF and 3D-PCMRI: Influence of stent design on flow measurement. Magnetic Resonance in Medicine. 2019;81(1):560–72.	9
268	Bouillot P, Brina O, Ouared R, Lovblad KO, Farhat M, Mendes Pereira V. Hemodynamic transition driven by stent porosity in sidewall aneurysms: Journal of Biomechanics. 48 (7) (pp 1300–1309), 2015.	6
269	Bouillot P, Brina O, Ouared R, Lovblad KO, Farhat M, Pereira VM. Hemodynamic transition driven by stent porosity in sidewall aneurysms. Journal of Biomechanics. 1300;48(7):1300–9.	8
270	Bouillot P, Brina O, Ouared R, Lovblad KO, Farhat M, Pereira VM. Particle imaging velocimetry evaluation of intracranial stents in sidewall aneurysm: Hemodynamic transition related to the stent design: PLoS ONE. 9 (12) (no pagination), 2014.	1
271	Bouillot P, Brina O, Ouared R, Yilmaz H, Farhat M, Erceg G, et al. Geometrical deployment for braided stent: Medical Image Analysis. 30 (pp 85–94), 2016.	1

연번	서지정보	배제 사유
272	Bouillot P, Brina O, Ouared R, Yilmaz H, Lovblad KO, Farhat M, et al. Computational fluid dynamics with stents: quantitative comparison with particle image velocimetry for three commercial off the shelf intracranial stents. <i>Journal of Neurointerventional Surgery.</i> 2016;8(3):309–15.	1
273	Bouillot P, Brina O, Yilmaz H, Farhat M, Erceg G, Lovblad KO, et al. Virtual-versus-Real Implantation of Flow Diverters: Clinical Potential and Influence of Vascular Geometry. <i>Ajnr: American Journal of Neuroradiology.</i> 2016;37(11):2079–86.	2
274	Bowers CA, Taussky P, Park MS, Neil JA, Couldwell WT. Rescue microsurgery with bypass and stent removal following Pipeline treatment of a giant internal carotid artery terminus aneurysm: <i>Acta Neurochirurgica.</i> 157 (12) (pp 2071–2075), 2015.	3
275	Bracard S, Derelle AL, Tonnelet R, Barbier C, Proust F, Anzionnat R. Endovascular treatment of giant intracranial aneurysms. <i>Neuro Chirurgie.</i> 2016;62(1):25–9.	10
276	Brasiliense L, Dumont TM. Comments: <i>Clinical Neurosurgery.</i> 83 (6) (pp 1305), 2018. Date of Publication: 01 Dec 2018.	6
277	Brasiliense LB, Hanel RA. Pipeline embolization device: lessons learned after 1000 aneurysms: <i>World Neurosurgery.</i> 82(3–4):248–50, 2014 Sep-Oct.: 2014.	6
278	Brasiliense LBC, Aguilar-Salinas P, Lopes DK, Nogueira D, DeSousa K, Nelson PK, et al. Multicenter Study of Pipeline Flex for Intracranial Aneurysms. <i>Neurosurgery.</i> 2019;84(6):E402–E9.	3
279	Brasiliense LBC, Aguilar-Salinas P, Miller DA, Tawk RG, Sauvageau EA, Hanel RA. Analysis of Predictors and Probability of Aneurysm Occlusion in the Internal Carotid Artery After Treatment with Pipeline Embolization Device. <i>World Neurosurgery.</i> 2017;107:641–8.	4
280	Brasiliense LBC, Stanley MA, Grewal SS, Cloft HJ, Sauvageau E, Lanzino G, et al. Silent ischemic events after Pipeline embolization device: A prospective evaluation with MR diffusion-weighted imaging: <i>Journal of NeuroInterventional Surgery.</i> 8 (11) (pp 1136–1139), 2016.	3
281	Brasiliense LBC, Walter CM, Avila MJ, Dumont TM. Letter: Rerupture of a blister aneurysm after treatment with a single flow-diverting stent: <i>Neurosurgery.</i> 81 (3) (pp E40–E41), 2017.	6
282	Breu AK, Hauser TK, Ebner FH, Bischof F, Ernemann U, Seeger A. Morphologic and Clinical Outcome of Intracranial Aneurysms after Treatment Using Flow Diverter Devices: Mid-Term Follow-Up. <i>Radiology Research & Practice Print.</i> 2016;2187275.	3
283	Briganti F, Leone G, Marseglia M, Cicala D, Caranci F, Maiuri F. P64 Flow Modulation Device in the treatment of intracranial aneurysms: Initial experience and technical aspects: <i>Journal of NeuroInterventional Surgery.</i> 8 (2) (pp 173–180), 2016.	6
284	Briganti F, Leone G, Marseglia M, Mariniello G, Caranci F, Brunetti A, et al. Endovascular treatment of cerebral aneurysms using flow-diverter devices: A systematic review. <i>Neuroradiology Journal.</i> 2015;28(4):365–75.	6
285	Briganti F, Leone G, Ugga L, Marseglia M, Macera A, Manto A, et al. Mid-term and long-term follow-up of intracranial aneurysms treated by the p64 Flow Modulation Device: a multicenter experience. <i>Journal of Neurointerventional Surgery.</i> 2017;9(1):70–6.	8
286	Briganti F, Leone G, Ugga L, Marseglia M, MacEra A, Manto A, et al. Mid-term and long-term follow-up of intracranial aneurysms treated by the p64 Flow Modulation Device: A multicenter experience: <i>Journal of NeuroInterventional Surgery.</i> 9 (1) (pp 70–76), 2017.	3

연번	서지정보	배제 사유
287	Briganti F, Leone G, Ugga L, Marseglia M, Solari D, Caranci F, et al. Safety and efficacy of flow re-direction endoluminal device (FRED) in the treatment of cerebral aneurysms: a single center experience. <i>Acta Neurochirurgica</i> . 2016;158(9):1745–55.	3
288	Briganti F, Marseglia M, Leone G, Briganti G, Piccolo D, Napoli M, et al. Endovascular treatment of a small aneurysm of the superior cerebellar artery with a flow-diverter device. A case report. <i>Neuroradiology Journal</i> . 2013;26(3):327–31.	8
289	Briganti F, Marseglia M, Leone G, Briganti G, Piccolo D, Napoli M, et al. Endovascular treatment of a small aneurysm of the superior cerebellar artery with a flow-diverter device: <i>Neuroradiology Journal</i> . 26 (3) (pp 327–331), 2013.	3
290	Briganti F, Napoli M, Leone G, Marseglia M, Mariniello G, Caranci F, et al. Treatment of intracranial aneurysms by flow diverter devices: Long-term results from a single center: <i>European Journal of Radiology</i> . 83 (9) (pp 1683–1690), 2014.	3
291	Briganti F, Napoli M, Tortora F, Solari D, Bergui M, Boccardi E, et al. Italian multicenter experience with flow-diverter devices for intracranial unruptured aneurysm treatment with periprocedural complications—a retrospective data analysis. <i>Neuroradiology</i> . 2012;54(10):1145–52.	3
292	Briganti F, Napoli M, Tortora F, Solari D, Bergui M, Boccardi E, et al. Italian multicenter experience with flow-diverter devices for intracranial unruptured aneurysm treatment with periprocedural complicationsa retrospective data analysis: <i>Neuroradiology</i> . 54 (10) (pp 1145–1152), 2012.	8
293	Briganti F. Comments: <i>Neurosurgery</i> . 73 (2) (pp 199), 2013.	6
294	Briganti F. Reply to comment of Dr. W-J van Rooij on: Italian multicenter experience with flow diverter devices for intracranial unruptured aneurysm treatment with periprocedural complicationsa retrospective data analysis: <i>Neuroradiology</i> . 54 (10) (pp 1181–1182), 2012.	6
295	Brina O, Bouillot P, Reymond P, Luthman AS, Santarosa C, Fahrat M, et al. How Flow Reduction Influences the Intracranial Aneurysm Occlusion: A Prospective 4D Phase-Contrast MRI Study. <i>Ajnr: American Journal of Neuroradiology</i> . 2017;40(12):2117–23.	2
296	Brinjikji W, Cloft H, Cekirge S, Fiorella D, Hanel RA, Jabbour P, et al. Lack of Association between Statin Use and Angiographic and Clinical Outcomes after Pipeline Embolization for Intracranial Aneurysms. <i>Ajnr: American Journal of Neuroradiology</i> . 2017;38(4):753–8.	2
297	Brinjikji W, Cloft HJ, Fiorella D, Lanzino G, Kallmes DF. Estimating the proportion of intracranial aneurysms likely to be amenable to treatment with the pipeline embolization device. <i>Journal of Neurointerventional Surgery</i> . 2013;5(1):45–8.	3
298	Brinjikji W, Cloft HJ, Lanzino G, Hanel R, Siddiqui AH, Kallmes DF. Platelet testing is associated with worse clinical outcomes for intracranial aneurysm patients treated with the pipeline embolization device: <i>Stroke</i> . Conference: American Heart Association/American Stroke Association 2015 International Stroke Conference and State-of-the-Science Stroke Nursing Symposium. Nashville, TN United States. Conference Publication: (var.pagings). 46 (SUPPL. 1) (no pagination), 2015.	7
299	Brinjikji W, Ding YH, Kallmes DF, Kadirvel R. From bench to bedside: Utility of the rabbit elastase aneurysm model in preclinical studies of intracranial aneurysm treatment: <i>Journal of NeuroInterventional Surgery</i> . 8 (5) (pp 521–525), 2016.	9

연번	서지정보	배제 사유
300	Brinjikji W, Kallmes DF, Cloft HJ, Lanzino G. Age-related outcomes following intracranial aneurysm treatment with the Pipeline Embolization Device: A subgroup analysis of the IntrePED registry: <i>Journal of Neurosurgery</i> . 124 (6) (pp 1726–1730), 2016.	4
301	Brinjikji W, Kallmes DF, Cloft HJ, Lanzino G. Patency of the anterior choroidal artery after flow-diversion treatment of internal carotid artery aneurysms. <i>Ajnr: American Journal of Neuroradiology</i> . 2015;36(3):537–41.	3
302	Brinjikji W, Lanzino G, Cloft HJ, Kallmes DF. Patency of the posterior communicating artery after flow diversion treatment of internal carotid artery aneurysms. <i>Clinical Neurology & Neurosurgery</i> . 2014;120:84–8.	3
303	Brinjikji W, Lanzino G, Cloft HJ, Siddiqui AH, Boccardi E, Cekirge S, et al. Risk Factors for Ischemic Complications following Pipeline Embolization Device Treatment of Intracranial Aneurysms: Results from the IntrePED Study. <i>Ajnr: American Journal of Neuroradiology</i> . 2016;37(9):1673–8.	3
304	Brinjikji W, Lanzino G, Cloft HJ, Siddiqui AH, Hanel RA, Kallmes DF. Platelet Testing is Associated with Worse Clinical Outcomes for Patients Treated with the Pipeline Embolization Device. <i>Ajnr: American Journal of Neuroradiology</i> . 2015;36(11):2090–5.	4
305	Brinjikji W, Lanzino G, Cloft HJ, Siddiqui AH, Kallmes DF. Risk Factors for Hemorrhagic Complications following Pipeline Embolization Device Treatment of Intracranial Aneurysms: Results from the international Retrospective Study of the Pipeline Embolization Device. <i>Ajnr: American Journal of Neuroradiology</i> . 2015;36(12):2308–13.	3
306	Brinjikji W, Murad MH, Kallmes DF. Response to letter regarding article, "endovascular treatment of intracranial aneurysms with flow-diverters: A meta-analysis": <i>Stroke</i> . 44 (5) (pp e55), 2013.	6
307	Brinjikji W, Murad MH, Lanzino G, Cloft HJ, Kallmes DF. Endovascular treatment of intracranial aneurysms with flow diverters: a meta-analysis. <i>Stroke</i> . 2013;44(2):442–7.	6
308	Britz GW, Desai VR. Commentary: Microsurgical Clipping of Anterior Choroidal Artery Aneurysms: A Systematic Approach to Reducing Ischemic Complications in an Experience with 146 Patients: <i>Operative Neurosurgery</i> . 17 (4) (pp E143–E144), 2019.	6
309	Britz GW, Desai VR. Commentary: The Experience With Flow Diverters in the Treatment of Posterior Inferior Cerebellar Artery Aneurysms. <i>Operative Neurosurgery</i> . 2019;17(1):E3–E4.	6
310	Britz GW. Adenosine-induced transient asystole. <i>Methodist DeBakey cardiovascular journal</i> . 2014;10(4):220–3.	6
311	Britz GW. Comments: <i>Clinical Neurosurgery</i> . 83 (6) (pp 1233), 2018.	6
312	Britz GW. Flow diversion is not yet the complete package. <i>World Neurosurgery</i> . 2014;82(6):1005–6.	6
313	Brockmann M, Kerl HU, Boll H, Fiebig T, Figueiredo G, Forster A, et al. Pipeline flow diverting stents reduce aneurysm inflow without relevantly affecting static intra-aneurysmal pressure: <i>Neuroradiology</i> . Conference: 37th European Society of Neuroradiology Annual Meeting. Frankfurt Germany. Conference Publication: (var.pagings). 55(SUPPL. 1) (pp S24–S25), 2013.	9
314	Brouillard AM, Sun X, Siddiqui AH, Lin N. The Use of Flow Diversion for the Treatment of Intracranial Aneurysms: Expansion of Indications. <i>Cureus</i> . 2016;8(1):28.	6
315	Brown B, Hanel RA. Endovascular management of cavernous and paraclinoid aneurysms. [Review]. <i>Neurosurgery Clinics of North America</i> . 2014;25(3):415–24.	6

연번	서지정보	배제 사유
316	Brown B, Lopes D, Ringer A, Powers C, Sauvageau E, Arthur A, et al. The fate of cranial neuropathy after flow diverter treatment of carotid aneurysms: Journal of Neurosurgery. Conference: 2014 AANS Annual Meeting. San Francisco, CA United States. Conference Publication: (var.pagings). 122 (6) (pp A1552), 2015.	7
317	Brown BL, Lopes D, Miller DA, Tawk RG, Brasiliense LB, Ringer A, et al. The fate of cranial neuropathy after flow diversion for carotid aneurysms. Journal of Neurosurgery. 2016;124(4):1107–13.	3
318	Brown BL, Lopes D, Miller DA, Tawk RG, Brasiliense LBC, Ringer A, et al. The fate of cranial neuropathy after flw diversion for carotid aneurysms: Journal of Neurosurgery. 124 (4) (pp 1107–1113), 2016.	8
319	Brunozzi D, Alaraj A. Commentary: Delayed Intracranial Parenchymal Changes after Aneurysmal Coil Embolization Procedures for Unruptured Intracranial Aneurysms: Operative Neurosurgery. 19 (1) (pp E39–E40), 2020.	6
320	Brunozzi D, Alaraj A. Commentary: Treatment of Carotid Ophthalmic Aneurysm With Woven EndoBridge (WEB SL): 2-Dimensional Operative Video. Operative Neurosurgery. 2020;19(4):E426–E7.	6
321	Brunozzi D, See A, Alaraj A. Aneurysm size and impact on middle cerebral artery pressure: Changes following flow diversion: Journal of NeuroInterventional Surgery. Conference: 17th Annual Meeting of the Society of NeuroInterventional Surgery Organizing, SNIS 2020. San Diego, CA United States. 12(Supplement 1) (pp A144), 2020.	7
322	Brunozzi D, Shakur S, Charbel F, Alaraj A. Contrast transit time changes on digital subtraction angiography following pipeline flow diversion: Journal of NeuroInterventional Surgery. Conference: 14th Annual Meeting of the Society of NeuroInterventional Surgery, SNIS 2017. Colorado Springs, CO United States. 9 (Supplement 1) (pp A7–A8), 2017.	7
323	Brunozzi D, Shakur S, Charbel F, Alaraj A. Middle cerebral artery pressure changes following pipeline flow diversion: Journal of NeuroInterventional Surgery. Conference: 14th Annual Meeting of the Society of NeuroInterventional Surgery, SNIS 2017. Colorado Springs, CO United States. 9 (Supplement 1) (pp A84–A85), 2017.	7
324	Brunozzi D, Shakur SF, Charbel FT, Alaraj A. Intracranial contrast transit times on digital subtraction angiography decrease more in patients with delayed intraparenchymal hemorrhage after Pipeline. Interventional Neuroradiology. 2018;24(2):140–5.	4
325	Brunozzi D, Shakur SF, Charbel FT, Alaraj A. Middle cerebral artery pressure changes following Pipeline flow diversion. Interventional Neuroradiology. 2018;24(3):297–302.	3
326	Brunozzi D, Shakur SF, Hussein AE, Charbel FT, Alaraj A. Middle cerebral artery flow velocity increases more in patients with delayed intraparenchymal hemorrhage after Pipeline. Journal of Neurointerventional Surgery. 2018;10(3):249–51.	3
327	Brzegowy P, Chukwu O, Ciuk K, Urbanik A, Popiela T, Kwinta B, et al. Ineffective endovascular treatment of a giant internal carotid artery aneurysm: Polish Journal of Radiology. 2020; 85:e323–e327.	3
328	Bulsara KR, Kuzmik GA, Hebert R, Cheung V, Matouk CC, Jabbour P, et al. Stenting as monotherapy for uncoilable intracranial aneurysms. Neurosurgery. 2013;73(1 Suppl Operative).	2
329	Burkhardt JK, Lawton MT. Practice Trends in Intracranial Bypass Surgery in a 21-Year Experience. World Neurosurgery. 2019;125:05.	6

연번	서지정보	배제 사유
330	Burkhardt JK, McGuire LS, Griessenauer CJ. Flared non-flow diverting ends of the FRED flow diverter for cerebral aneurysms facilitate device anchoring at the arterial bifurcation. <i>Neuroradiology Journal</i> . 2021; 34(5):521–524.	6
331	Burkhardt JK, Riina HA, Tanweer O, Shirani P, Raz E, Shapiro M, et al. Flow diversion and microvascular plug occlusion for the treatment of a complex unruptured basilar/superior cerebellar artery aneurysm: Case report: <i>Journal of Neurosurgery</i> . 130(6) (pp 1978–1983), 2019.	3
332	Burkhardt JK, Tanweer O, Litao M, Sharma P, Raz E, Shapiro M, et al. Infection risk in endovascular neurointerventions: A comparative analysis of 549 cases with and without prophylactic antibiotic use: <i>Journal of Neurosurgery</i> . 132 (3) (pp 797–801), 2020.	3
333	Burkhardt JK, Tanweer O, Nelson PK, Riina HA. Editorial. Indication and technique for using the Pipeline embolization device to treat intracranial aneurysms: <i>Journal of Neurosurgery</i> . 2018; 130(1):256–258.	6
334	Burkhardt JK, Tanweer O, Nelson PK, Riina HA. Indication and technique for using the Pipeline embolization device to treat intracranial aneurysms: <i>Journal of Neurosurgery</i> . 2019; 130 (1) (pp 256–257),	6
335	Burrows A, Kallmes D, Cloft H, Lanzino G. Complications in a consecutive unselected series of 83 patients undergoing pipeline flow diversion for intracranial aneurysms: <i>Journal of Neurosurgery. Conference: 2013 AANS Annual Meeting</i> . New Orleans, LA United States. Conference Publication: (var.pagings). 119 (2) (pp A565), 2013.	7
336	Burrows AM, Zipfel G, Lanzino G. Treatment of a pediatric recurrent fusiform middle cerebral artery (MCA) aneurysm with a flow diverter. <i>BMJ Case Reports</i> . 2012. bcr2012010478.	3
337	Burrows AM, Zipfel G, Lanzino G. Treatment of a pediatric recurrent fusiform middle cerebral artery (MCA) aneurysm with a flow diverter. <i>Journal of Neurointerventional Surgery</i> . 2013;5(6):e47.	3
338	Buso R, Rattazzi M, Leoni M, Puato M, Paola FD, Pauletto P. An Unusual Case of Fibromuscular Dysplasia with Bilateral Renal Macroaneurysms: Three-year Outcome After Endovascular Treatment. <i>The Open Cardiovascular Medicine Journal</i> . 2013;7:50–3.	3
339	Buyukkaya R, Kocaeli H, Yildirim N, Cebeci H, Erdogan C, Hakyemez B. Treatment of complex intracranial aneurysms using flow-diverting silk R stents. An analysis of 32 consecutive patients. <i>Interventional Neuroradiology</i> . 2014;20(6):729–35.	3
340	Cagnazzo F, Ahmed R, Dargazanli C, Lefevre PH, Gascou G, Derraz I, et al. Treatment of Wide-Neck Intracranial Aneurysms with the Woven EndoBridge Device Associated with Stenting: A Single-Center Experience. <i>Ajnr: American Journal of Neuroradiology</i> . 2019;40(5):820–6.	3
341	Cagnazzo F, Ahmed R, Lefevre PH, Derraz I, Dargazanli C, Gascou G, et al. Flow modification on the internal carotid artery bifurcation region and A1 segment after M1–internal carotid artery flow diverter deployment. <i>Journal of Neurointerventional Surgery</i> . 2020;12(12):1226–30.	2
342	Cagnazzo F, Ahmed R, Zannoni R, Dargazanli C, Lefevre PH, Gascou G, et al. Predicting Factors of Angiographic Aneurysm Occlusion after Treatment with the Woven EndoBridge Device: A Single-Center Experience with Midterm Follow-Up. <i>Ajnr: American Journal of Neuroradiology</i> . 2019;40(10):1773–8.	3

연번	서지정보	배제 사유
343	Cagnazzo F, Ahmed R, Zannoni R, Dargazanli C, Lefevre PH, Gascou G, et al. Predicting factors of angiographic aneurysm occlusion after treatment with WEB (Woven EndoBridge) device: A single-center experience with mid-term follow-up: Journal of Neuroradiology. Conference: 47e Congres SFNR 2020. Novotel Paris Tour Eiffel, Paris France. 47 (2) (pp 104–105), 2020.	7
344	Cagnazzo F, Cappucci M, Dargazanli C, Lefevre PH, Gascou G, Riquelme C, et al. Flow-Diversion Effect of LEO Stents: Aneurysm Occlusion and Flow Remodeling of Covered Side Branches and Perforators. <i>Ajnr: American Journal of Neuroradiology</i> . 2018;39(11):2057–63.	2
345	Cagnazzo F, Cappucci M, Dargazanli C, Lefevre PH, Gascou G, Riquelme C, et al. Treatment of Distal Anterior Cerebral Artery Aneurysms with Flow-Diverter Stents: A Single-Center Experience. <i>Ajnr: American Journal of Neuroradiology</i> . 2018;39(6):1100–6.	3
346	Cagnazzo F, Dargazanli C, Lefevre PH, Gascou G, Derraz I, Riquelme C, et al. WEB-assisted microwire navigation for the treatment of complex wide-neck intracranial aneurysms: Technical note. <i>Journal of Neuroradiology Journal de Neuroradiologie</i> . 2020;47(4):323–7.	6
347	Cagnazzo F, di Carlo DT, Cappucci M, Lefevre PH, Costalat V, Perrini P. Acutely Ruptured Intracranial Aneurysms Treated with Flow-Diverter Stents: A Systematic Review and Meta-Analysis. <i>Ajnr: American Journal of Neuroradiology</i> . 218;39(9):1669–75.	6
348	Cagnazzo F, Fanti A, Lefevre PH, Derraz I, Dargazanli C, Gascou G, et al. Distal anterior cerebral artery aneurysms treated with flow diversion: experience of a large-volume center and systematic review of the literature. <i>Journal of Neurointerventional Surgery</i> . 2021;13(1):42–8.	6
349	Cagnazzo F, Lefevre PH, Derraz I, Dargazanli C, Gascou G, di Carlo DT, et al. Flow-Diversion Treatment for Unruptured Nonsaccular Intracranial Aneurysms of the Posterior and Distal Anterior Circulation: A Meta-Analysis. <i>Ajnr: American Journal of Neuroradiology</i> . 2020;41(1):134–9.	6
350	Cagnazzo F, Lefevre PH, Mantilla D, Rouchaud A, Morganti R, Perrini P, et al. Patency of the supraclinoid internal carotid artery branches after flow diversion treatment. A meta-analysis. <i>Journal of Neuroradiology Journal de Neuroradiologie</i> . 2019;46(1):9–14.	6
351	Cagnazzo F, Limbucci N, Nappini S, Renieri L, Rosi A, Laiso A, et al. Flow-Diversion Treatment of Unruptured Saccular Anterior Communicating Artery Aneurysms: A Systematic Review and Meta-Analysis. <i>Ajnr: American Journal of Neuroradiology</i> . 2019;40(3):497–502.	6
352	Cagnazzo F, Mantilla D, Lefevre PH, Dargazanli C, Gascou G, Costalat V. Treatment of middle cerebral artery aneurysms with flow- diverter stents: A systematic review and meta-Analysis: <i>American Journal of Neuroradiology</i> . 38 (12) (pp 2289–2294), 2017. Date of Publication: 01 Dec 2017.: 2017.	6
353	Cagnazzo F, Mantilla D, Lefevre PH, Dargazanli C, Gascou G, Costalat V. Treatment of Middle Cerebral Artery Aneurysms with Flow-Diverter Stents: A Systematic Review and Meta-Analysis. <i>Ajnr: American Journal of Neuroradiology</i> . 2017;38(12):2289–94.	8
354	Cagnazzo F, Mantilla D, Rouchaud A, Brinjikji W, Lefevre PH, Dargazanli C, et al. Endovascular Treatment of Very Large and Giant Intracranial Aneurysms: Comparison between Reconstructive and Deconstructive Techniques—A Meta-Analysis. <i>Ajnr: American Journal of Neuroradiology</i> . 2018;39(5):852–8.	6

연번	서지정보	배제 사유
355	Cagnazzo F, Perrini P, Dargazanli C, Lefevre PH, Gascou G, Morganti R, et al. Treatment of Unruptured Distal Anterior Circulation Aneurysms with Flow-Diverter Stents: A Meta-Analysis. <i>Ajnr: American Journal of Neuroradiology</i> . 2019;40(4):687–93.	6
356	Cagnazzo F, Perrini P, Lefevre PH, Gascou G, Dargazanli C, Riquelme C, et al. Comparison of prasugrel and clopidogrel used as antiplatelet medication for endovascular treatment of unruptured intracranial aneurysms: A meta-analysis: <i>American Journal of Neuroradiology</i> . 40 (4) (pp 681–686), 2019.	6
357	Cagnazzo F. Treatment of middle cerebral artery aneurysms with flow-diverter stents. A systematic review and meta-analysis: <i>Journal of Neuroradiology</i> . Conference: 45eme Congres Annuel de la Societe Francaise de NeuroRadiologie, SFNR 2018. Paris France. 45 (pp 100), 2018.	7
358	Caldas JG, Neto EPS, Frudit ME, Oliveira VEC, Coelho LLS. How risky is the complete interruption of antiplatelet therapy after flow diverter stents placement: A single center experience: <i>Interventional Neuroradiology</i> . Conference: 13th Congress of the World Federation of Interventional and Therapeutic Neuroradiology, WFITN 2015 and 12th Interdisciplinary Cerebrovascular Symposium, Intracranial Stent Meeting, ICS 2015. Gold Coast, QLD Australia. Conference Publication: (var.pagings). 21 (SUPPL. 1) (pp 154), 2015.	7
359	Campos JK, Ball BZ, Cheaney li B, Sweidan AJ, Hasjim BJ, Hsu FPK, et al. Multimodal management of giant cerebral aneurysms: review of literature and case presentation. <i>Stroke & Vascular Neurology</i> . 2020;5(1):22–8.	8
360	Campos JK, Ball BZ, Cheaney li B, Sweidan AJ, Hasjim BJ, Hsu FPK, et al. Multimodal management of giant cerebral aneurysms: Review of literature and case presentation: <i>Stroke and Vascular Neurology</i> . 5 (1) (pp 22–28), 2020.	6
361	Campos JK, Cheaney li B, Lien BV, Zarrin DA, Vo CD, Colby GP, et al. Advances in endovascular aneurysm management: flow modulation techniques with braided mesh devices. [Review]. <i>Stroke & Vascular Neurology</i> . 2020;5(1):1–13.	6
362	Campos JK, Lien BV, Wang AS, Lin LM. Advances in endovascular aneurysm management: coiling and adjunctive devices. <i>Stroke & Vascular Neurology</i> . 2020;5(1):14–21.	6
363	Campos JK, Lin LM, Beaty NB, Bender MT, Jiang B, Zarrin DA, et al. Tandem cervical carotid stenting for stenosis with flow diversion embolisation for the treatment of intracranial aneurysms: <i>Stroke and Vascular Neurology</i> . 4 (1) (pp 43–47), 2019.	3
364	Cancelliere NM, Nicholson P, Radovanovic I, Mendes KM, Orru E, Krings T, et al. Comparison of intra-aneurysmal flow modification using optical flow imaging to evaluate the performance of Evolve and Pipeline flow diverting stents. <i>Journal of Neurointerventional Surgery</i> . 2020;12(8):814–7.	9
365	Cannizzaro D, Peschillo S, Mancarella C, La Pira B, Rastelli E, Passacantilli E, et al. Clipping in Awake Surgery as End-Stage in a Complex Internal Carotid Artery Aneurysm After Failure of Multimodal Endovascular and Extracranial-Intracranial Bypass Treatment. <i>Journal of Stroke & Cerebrovascular Diseases</i> . 2017;26(6):e114–e8.	6
366	Cao W, Li S, Wang C, Liu J, Yang P, Xu Y, et al. LVIS stents for the treatment of small intracranial aneurysms: An efficacy analysis. <i>Chinese Journal of Cerebrovascular Diseases</i> . 14 (5) (pp 235–239), 2017.	10
367	Cao XY, Wang J, Du ZH, Liu XF, Liang YP, Su H. History and progress of endovascular treatment for intracranial aneurysms. <i>Chinese Journal of Contemporary Neurology and Neurosurgery</i> . 17(11) (pp 781–784), 2017.	10

연번	서지정보	배제 사유
368	Capocci R, Shotar E, Di Maria F, Rolla-Bigliani C, Al Raaisi A, Andre A, et al. Delayed Treatment (>=5 Days) by Flow Diversion of Ruptured Blister-Like Cerebral Aneurysms : Case Series of 8 Consecutive Patients. <i>Clinical Neuroradiology</i> . 2020;30(2):287-96.	3
369	Carlson A, Alaraj A, Amin-Hanjani S, Charbel F, Aletich V. Continued concern of parent vessel stenoocclusive progression with onyx HD-500 and the utility of quantitative MRI in serial assessment: <i>Journal of NeuroInterventional Surgery</i> . Conference: 9th Annual Meeting of the Society of NeuroInterventional Surgery, SNIS 2012. San Diego, CA United States. Conference Publication: (var.pagings). 4 (SUPPL. 1) (pp A27-A28), 2012.	7
370	Carlson AP, Alaraj A, Amin-Hanjani S, Charbel FT, Aletich V. Continued concern of parent vessel steno-occlusive progression with onyx HD-500 and the utility of quantitative MRI in serial assessment: <i>Neurosurgery</i> . Conference: 2012 Annual Meeting of the Congress of Neurological Surgeons, CNS 2012. Chicago, IL United States. Conference Publication: (var.pagings). 71 (2) (pp E577), 2012.	7
371	Carneiro A, Byrne JV. Volume changes after complete occlusion of partially thrombosed very large and giant aneurysms: <i>Neuroradiology</i> . Conference: 2nd Joint Meeting of the Portuguese Society of Neuroradiology, SPNR and of the Spanish Society of Neuroradiology, SENR (9th National Congress of the SPNR and 42nd Annual Meeting of the SENR). Lisbon Portugal. Conference Publication: (var.pagings). 55 (12) (pp 1473), 2013.	7
372	Carneiro A, Rane N, Kuker W, Cellerini M, Corkill R, Byrne JV. Volume changes of extremely large and giant intracranial aneurysms after treatment with flow diverter stents. <i>Neuroradiology</i> . 2014;56(1):51-8.	3
373	Caroff J, Iacobucci M, Rouchaud A, Mihalea C, De Carvalho FM, Jocson VED, et al. The occurrence of neointimal hyperplasia after flow-diverter implantation is associated with cardiovascular risks factors and the stent design: <i>Journal of NeuroInterventional Surgery</i> . 11 (6) (pp 610-613), 2019.	3
374	Caroff J, King RM, Ughi GJ, Marosfoi M, Langan ET, Raskett C, et al. Longitudinal Monitoring of Flow-Diverting Stent Tissue Coverage After Implant in a Bifurcation Model Using Neurovascular High-Frequency Optical Coherence Tomography. <i>Neurosurgery</i> . 2020;28:28.	9
375	Caroff J, Mihalea C, Dargento F, Neki H, Ikka L, Benachour N, et al. Woven Endobridge (WEB) Device for endovascular treatment of ruptured intracranial wide-neck aneurysms: a single-center experience. <i>Neuroradiology</i> . 2014;56(9):755-61.	3
376	Caroff J, Mihalea C, Klisch J, Strasilla C, Berlis A, Patankar T, et al. Single-Layer WEBs: Intrasaccular Flow Disrupters for Aneurysm Treatment-Feasibility Results from a European Study. <i>Ajnr: American Journal of Neuroradiology</i> . 2015;36(10):1942-6.	3
377	Caroff J, Mihalea C, Tuilier T, Barreau X, Cognard C, Desal H, et al. Occlusion assessment of intracranial aneurysms treated with the WEB device. <i>Neuroradiology</i> . 2016;58(9):887-91.	3
378	Caroff J, Moret J, Spelle L. WEB device: Ready for ruptured aneurysms?: <i>American Journal of Neuroradiology</i> . 38 (12) (pp 2288), 2017.	6
379	Caroff J, Neki H, Mihalea C, D'Argento F, Abdel Khalek H, Ikka L, et al. Flow-Diverter Stents for the Treatment of Saccular Middle Cerebral Artery Bifurcation Aneurysms. <i>Ajnr: American Journal of Neuroradiology</i> . 2016;37(2):279-84.	3
380	Castle-Kirschbaum M, Maingard J, Lim RP, Barras CD, Kok HK, Chandra RV, et al. Four-dimensional magnetic resonance imaging assessment of intracranial aneurysms: A state-of-the-art review: <i>Neurosurgery</i> . 87 (3) (pp 453-465), 2020.	6

연번	서지정보	배제 사유
381	Catapano J, Fredrickson V, Wakim A, Lundberg J, Hendricks B, Baranoski J, et al. The effect of omeprazole on patients taking clopidogrel after flow diverter device placement: Journal of NeuroInterventional Surgery. Conference: 17th Annual Meeting of the Society of NeuroInterventional Surgery Organizing, SNIS 2020. San Diego, CA United States. 12 (Supplement 1) (pp A146-A147), 2020.	7
382	Cattaneo GFM, Ding A, Jost T, Ley D, Muhl-Bennighaus R, Yilmaz U, et al. In vitro, contrast agent-based evaluation of the influence of flow diverter size and position on intra-aneurysmal flow dynamics using syngo iFlow. Neuroradiology. 2017;59(12):1275-83.	9
383	Cauchy DD, Delavari N, Riina HA, Endovascular Neurosurgery Research G. Stent-Assisted Coiling of a Sidewall Aneurysm of the Distal Middle Cerebral Artery: 2-Dimensional Operative Video. Operative Neurosurgery. 2020;20(1):E37-E8.	2
384	Cebral JR, Chung BJ, Mut F, Chudyk J, Bleise C, Scrivano E, et al. Analysis of Flow Dynamics and Outcomes of Cerebral Aneurysms Treated with Intrasaccular Flow-Diverting Devices. Ajnr: American Journal of Neuroradiology. 2019;40(9):1511-6.	1
385	Cebral JR, Mut F, Raschi M, Hodis S, Ding YH, Erickson BJ, et al. Analysis of hemodynamics and aneurysm occlusion after flow-diverting treatment in rabbit models. Ajnr: American Journal of Neuroradiology. 2014;35(8):1567-73.	9
386	Cebral JR, Mut F, Raschi M, Scrivano E, Ceratto R, Lylyk P, et al. Aneurysm rupture following treatment with flow-diverting stents: computational hemodynamics analysis of treatment. Ajnr: American Journal of Neuroradiology. 2011;32(1):27-33.	3
387	Cebral JR, Raschi M, Mut F, Ding YH, Dai D, Kadirvel R, et al. Analysis of flow changes in side branches jailed by flow diverters in rabbit models. International Journal for Numerical Methods in Biomedical Engineering. 2014;30(10):988-99.	9
388	Cekirge HS, Saatci I. A new aneurysm occlusion classification after the impact of flow modification: American Journal of Neuroradiology. 37 (1) (pp 19-24), 2016.	1
389	Cekirge HS, Yavuz K, Geyik S, Saatci I. A novel "Y" stent flow diversion technique for the endovascular treatment of bifurcation aneurysms without endosaccular coiling. Ajnr: American Journal of Neuroradiology. 2011;32(7):1262-8.	3
390	Cenzato M, Bortolotti C. The role of extra-and intracranial bypass in the treatment of complex aneurysms. Journal of Neurosurgical Sciences. 2016;60(1):70-82.	6
391	Cenzato M, Dones F, Fratianni A, Piano M, Valvassori L, Cervo A, et al. A minimally invasive approach for giant middle cerebral artery thrombosed aneurysms treatment: Journal of neurosurgical sciences. (no pagination), 2019.	6
392	Cerejo R, Bain M, Hardman J, Moore N, Hussain MS, Masaryk T, et al. Endovascular treatment of cerebral blister aneurysms using flow diverter stent-a single center experience: Interventional Neurology. Conference: 9th Annual Meeting and 4th Annual Stroke Center Workshop, 6M Conference. New York, NY United States. 5 (Supplement 1) (pp 36), 2016.	7
393	Cerejo R, Bain M, John S, Hardman J, Moore N, Hussain MS, et al. Flow diverter treatment of cerebral blister aneurysms. Neuroradiology. 2017;59(12):1285-90.	3
394	Cerejo R, Bain M, Masaryk T. Balloon sandwich technique for retrieval of fractured delivery wire of pipeline stent. Interventional Neuroradiology. 2018;24(1):40-2.	6
395	Cerejo R, Bain M, Moore N, Hardman J, Bauer A, Hussain MS, et al. Flow diverter treatment of intracranial vertebral artery dissecting pseudoaneurysms. Journal of Neurointerventional Surgery. 2017;9(11):1064-8.	6

연번	서지정보	배제 사유
396	Cerejo R, John S, Bauer A, Bain M, Masaryk T, Hussain MS, et al. Flow-diverter embolization for tandem intracranial aneurysms: A single center experience: Stroke. Conference: American Heart Association/American Stroke Association 2017 International Stroke Conference and State-of-the-Science Stroke Nursing Symposium. Houston, TX United States. 48 (Supplement 1) (no pagination), 2017.	7
397	Chalouhi N, Barros G, Tjoumakaris S, Kumar A, Lang M, Rosenwasser R, et al. Low yield of further angiographic follow-up in adequately occluded aneurysms after flow diversion: Stroke. Conference: American Heart Association/American Stroke Association 2017 International Stroke Conference and State-of-the-Science Stroke Nursing Symposium. Houston, TX United States. 48 (Supplement 1) (no pagination), 2017.	7
398	Chalouhi N, Campbell P, Makke Y, Yadla S, Dumont AS, Gonzalez LF, et al. Treatment of complex intracranial aneurysms with a telescoping stent technique: Journal of Neurological Surgery, Part A: Central European Neurosurgery. 73 (5) (pp 281-288), 2012.	2
399	Chalouhi N, Chitale R, Starke RM, Jabbour P, Tjoumakaris S, Dumont AS, et al. Treatment of recurrent intracranial aneurysms with the Pipeline Embolization Device. Journal of Neurointerventional Surgery. 2014;6(1):19-23.	3
400	Chalouhi N, Daou B, Barros G, Starke RM, Chitale A, Ghobrial G, et al. Matched Comparison of Flow Diversion and Coiling in Small, Noncomplex Intracranial Aneurysms. Neurosurgery. 2017;81(1):92-7.	2
401	Chalouhi N, Daou B, Barros G, Zanaty M, Tjoumakaris S, Dalyai R, et al. The pipeline embolization device: Complications, midterm occlusion rates, and outcomes in 300 consecutive cases: Journal of Neurosurgery. Conference: 2015 AANS Annual Meeting. Washington, DC United States. Conference Publication: (var.pagings). 123 (2) (pp A505), 2015.	7
402	Chalouhi N, Daou B, Kung D, Zanaty M, Phillips JL, Tjoumakaris S, et al. Fate of the Ophthalmic Artery After Treatment With the Pipeline Embolization Device. Neurosurgery. 2015;77(4):581-4.	3
403	Chalouhi N, Daou B, Starke RM, Barros G, Tjoumakaris S, Rosenwasser R, et al. The pipeline embolization device: Midterm results and predictors of outcomes in 335 consecutive patients: Stroke. Conference: American Heart Association/American Stroke Association 2016 International Stroke Conference and State-of-the-Science Stroke Nursing Symposium. Los Angeles, CA United States. Conference Publication: (var.pagings). 47 (SUPPL. 1) (no pagination), 2016.	7
404	Chalouhi N, Jabbour P, Daou B, Starke RM, Shields B, Hasan DM. A New Protocol for Anticoagulation With Tirofiban During Flow Diversion. Neurosurgery. 2016;78(5):670-4.	2
405	Chalouhi N, Jabbour P, Starke RM, Zanaty M, Tjoumakaris S, Rosenwasser RH, et al. Treatment of a basilar trunk perforator aneurysm with the pipeline embolization device: case report. Neurosurgery. 2014;74(6).	3
406	Chalouhi N, Jabbour P, Tjoumakaris S, Rosenwasser RH, Gonzalez LF. The Pipeline Embolization Device: Beyond the Approved Indication: World Neurosurgery. 81 (5-6) (pp 657-660), 2014.	6
407	Chalouhi N, McMahon J, Moukarzel L, Starke R, Jabbour P, Dumont A, et al. Flow diversion versus traditional aneurysm embolisation strategies: Analysis of fluoroscopy and procedure times: Journal of NeuroInterventional Surgery. Conference: 10th Annual Meeting of the Society of NeuroInterventional Surgery, SNIS 2013. Miami, FL United States. Conference Publication: (var.pagings). 5 (SUPPL. 2) (pp A22-A23), 2013.	7

연번	서지정보	배제 사유
408	Chalouhi N, McMahon JF, Moukarzel LA, Starke RM, Jabbour P, Dumont AS, et al. Flow diversion versus traditional aneurysm embolization strategies: analysis of fluoroscopy and procedure times. <i>Journal of Neurointerventional Surgery</i> . 2014;6(4):291–5.	5
409	Chalouhi N, Patel PD, Atallah E, Starke RM, Chitale A, Lang M, et al. Low yield of cerebral angiography in adequately occluded aneurysms after flow diversion: <i>Clinical Neurosurgery</i> . 83 (6) (pp 1294–1297), 2018.	3
410	Chalouhi N, Polifka A, Daou B, Kung D, Barros G, Tjoumakaris S, et al. In-Pipeline Stenosis: Incidence, Predictors, and Clinical Outcomes. <i>Neurosurgery</i> . 2015;77(6):875–9.	3
411	Chalouhi N, Satti SR, Tjoumakaris S, Dumont AS, Gonzalez LF, Rosenwasser R, et al. Delayed migration of a pipeline embolization device. <i>Neurosurgery</i> . 2013;72(2 Suppl Operative).	3
412	Chalouhi N, Starke RM, Yang S, Bovenzi CD, Tjoumakaris S, Hasan D, et al. Extending the indications of flow diversion to small, unruptured, saccular aneurysms of the anterior circulation: <i>Stroke</i> . (no pagination), 2013.	2
413	Chalouhi N, Starke RM, Yang S, Bovenzi CD, Tjoumakaris S, Hasan D, et al. Extending the indications of flow diversion to small, unruptured, saccular aneurysms of the anterior circulation: <i>Stroke</i> . 45 (1) (pp 54–58), 2014.	8
414	Chalouhi N, Tjoumakaris S, Dumont AS, Gonzalez LF, Randazzo C, Gordon D, et al. Superior hypophyseal artery aneurysms have the lowest recurrence rate with endovascular therapy. <i>Ajnr: American Journal of Neuroradiology</i> . 2012;33(8):1502–6.	3
415	Chalouhi N, Tjoumakaris S, Dumont AS, Gonzalez LF, Randazzo C, Starke RM, et al. Treatment of posterior circulation aneurysms with the pipeline embolization device. <i>Neurosurgery</i> . 2013;72(6):883–9.	3
416	Chalouhi N, Tjoumakaris S, Gonzalez LF, Dumont AS, Starke RM, Hasan D, et al. Coiling of large and giant aneurysms: Complications and long-term results of 334 cases: <i>American Journal of Neuroradiology</i> . 35 (3) (pp 546–552), 2014.	3
417	Chalouhi N, Tjoumakaris S, Gonzalez LF, Hasan D, Pema P, Gould G, et al. The phenomenon of delayed pipeline embolization device migration: Technical considerations, complication avoidance, and management: <i>Stroke</i> . Conference: 2014 International Stroke Conference and State-of-the-Science Stroke Nursing Symposium of the American Heart Association/American Stroke Association. San Francisco, CA United States. Conference Publication: (var.pagings). 45 (SUPPL. 1) (no pagination), 2014.	7
418	Chalouhi N, Tjoumakaris S, Phillips JL, Starke RM, Hasan D, Wu C, et al. A single pipeline embolization device is sufficient for treatment of intracranial aneurysms. <i>Ajnr: American Journal of Neuroradiology</i> . 2014;35(8):1562–6.	4
419	Chalouhi N, Tjoumakaris S, Starke RM, Gonzalez LF, Randazzo C, Hasan D, et al. Comparison of flow diversion and coiling in large unruptured intracranial saccular aneurysms: <i>Stroke</i> . Conference: 2014 International Stroke Conference and State-of-the-Science Stroke Nursing Symposium of the American Heart Association/American Stroke Association. San Francisco, CA United States. Conference Publication: (var.pagings). 45 (SUPPL. 1) (no pagination), 2014.	7
420	Chalouhi N, Zanaty M, Hasan D, Tjoumakaris S, Rosenwasser R, Jabbour P. Flow diversion in the setting of subarachnoid haemorrhage: <i>Journal of NeuroInterventional Surgery</i> . Conference: 11th Annual Meeting of the Society of NeuroInterventional Surgery, SNIS 2014. Colorado Springs, CO United States. Conference Publication: (var.pagings). 6 (SUPPL. 1) (pp A46), 2014.	7

연번	서지정보	배제 사유
421	Chalouhi N, Zanaty M, Jabbour PM, Starke RM, Tjoumakanis SI, Rosenwasser RH, et al. Intracerebral hemorrhage after pipeline embolization: Management of antiplatelet agents and the case for point-of-care testing – Case reports and review of literature: Clinical Neurology and Neurosurgery. 124 (pp 21–24), 2014.	6
422	Chalouhi N, Zanaty M, Starke R, Jabbour P, Hasan D. A new protocol for anticoagulation with tirofiban during stenting of intracranial aneurysms: Journal of NeuroInterventional Surgery. Conference: 11th Annual Meeting of the Society of NeuroInterventional Surgery, SNIS 2014. Colorado Springs, CO United States. Conference Publication: (var.pagings). 6(SUPPL. 1) (pp A11–A12), 2014.	7
423	Chalouhi N, Zanaty M, Tjoumakanis S, Gonzalez LF, Hasan D, Kung D, et al. Treatment of blister-like aneurysms with the pipeline embolization device. Neurosurgery. 2014;74(5):527–32.	3
424	Chalouhi N, Zanaty M, Tjoumakanis S, Starke RM, Hasan D, Rosenwasser R, et al. Flow-diversion for ophthalmic segment aneurysms. Clinical/angiographic outcomes and the fate of the ophthalmic artery: Stroke. Conference: American Heart Association/American Stroke Association 2015 International Stroke Conference and State-of-the-Science Stroke Nursing Symposium. Nashville, TN United States. Conference Publication: (var.pagings). 46 (SUPPL. 1) (no pagination), 2015.	7
425	Chalouhi N, Zanaty M, Whiting A, Tjoumakanis S, Hasan D, Ajiboye N, et al. Treatment of ruptured intracranial aneurysms with the pipeline embolization device. Neurosurgery. 2015;76(2):165–72.	2
426	Chalouhi N, Zanaty M, Whiting A, Yang S, Tjoumakanis S, Hasan D, et al. Safety and efficacy of the pipeline embolization device in 100 small intracranial aneurysms: Journal of NeuroInterventional Surgery. Conference: 11th Annual Meeting of the Society of NeuroInterventional Surgery, SNIS 2014. Colorado Springs, CO United States. Conference Publication: (var.pagings). 6 (SUPPL. 1) (pp A46–A47), 2014.	7
427	Chan DYC, Abrigo JM, Cheung TCY, Siu DYW, Poon WS, Ahuja AT, et al. Screening for intracranial aneurysms? Prevalence of unruptured intracranial aneurysms in Hong Kong Chinese: Journal of Neurosurgery. 124 (5) (pp 1245–1249), 2016.	2
428	Chan NLA, Chan KTT, Po YC. Treatment of ruptured small wide neck cerebral aneurysms with flow diverters alone: Surgical Practice. Conference: Conjoint Annual Scientific Meeting 2015 by Hong Kong Neurosurgical Society, Hong Kong Stroke Society, Hong Kong Society of Interventional and Therapeutic Neuroradiology. Hong Kong Hong Kong. 20(Supplement 1) (pp 6), 2016.	7
429	Chan TT, Chan KY, Pang PKH, Kwok JCK. Pipeline embolisation device for wide-necked internal carotid artery aneurysms in a hospital in Hong Kong: Preliminary experience: Hong Kong Medical Journal. 17 (5) (pp 398–404), 2011.	3
430	Chan WTV, Poon WL, Lo SM, Tang KW. Endovascular treatment of intracranial aneurysms with pipeline embolization device (PED) our 8 years experience: Neuroradiology. Conference: 40th European Society of Neuroradiology Diagnostic and Interventional Annual Meeting, ESNR 2017. Malmo Sweden. 59 (1 Supplement 1) (pp S95–S96), 2017.	7
431	Chancellor B, Raz E, Shapiro M, Tanweer O, Nossek E, Riina HA, et al. Flow Diversion for Intracranial Aneurysm Treatment: Trials Involving Flow Diverters and Long-Term Outcomes. Neurosurgery. 2020;86(Suppl 1):S36–S45.	6
432	Chancellor B, Raz E, Shapiro M, Tanweer O, Nossek E, Riina HA, et al. Flow Diversion for Intracranial Aneurysm Treatment: Trials Involving Flow Diverters and Long-Term Outcomes: Neurosurgery. 86 (Supplement 1) (pp S36–S45), 2020.	8

연번	서지정보	배제 사유
433	Chandrashekhar G, Limaye U, Anand S. Balloon test occlusion in complex intracranial aneurysms: Interventional Neuroradiology. Conference: 13th Asian–Australasian Federation of Interventional and Therapeutic Neuroradiology, AAFITN 2018. Kota Kinabalu Malaysia. 24 (1 Supplement 1) (pp 4), 2018.	7
434	Chapot R, Stracke CP, Wallocha M, Rikhtegar R, Yamac E, Mosimann PJ. Bailout stentectomy of 47 self-expandable intracranial stents. Journal of Neurointerventional Surgery. 2021;15:15.	6
435	Charbonnier G, Desilles JP, Escalard S, Maier B, Ciccio G, Smajda S, et al. Timing and Spectrum of Neurological Complications After Flow Diverter Implantation for Intracranial Aneurysms: Frontiers in Neurology. 12 (no pagination), 2021.	3
436	Chen CJ, Kumar JS, Chen SH, Ding D, Buell TJ, Sur S, et al. Optical coherence tomography future applications in cerebrovascular imaging: Stroke. 49 (4) (pp 1044–1050), 2018.	6
437	Chen CJ, Patibandla MR, Park MS, Kalani MY. Regrowth of a large intracranial aneurysm after on-label use of the pipeline embolization device: Journal of Neurosciences in Rural Practice. 10 (1) (pp 142–144), 2019.	6
438	Chen CW, Wong HF, Ye YL, Chen WL, Ou CH, et al. Quantitative flow measurement after placing a flow diverter for a distal internal carotid artery aneurysm. Journal of Neurointerventional Surgery. 2019;9(12):1238–42.	3
439	Chen F, Fang X. Endovascular treatment of middle cerebral artery aneurysm with a (Lvis) device: comparison of lvis stent and non-lvis stent: Experimental and Therapeutic Medicine. 17 (3) (no pagination), 2019.	4
440	Chen G, He K, Qin X, Liao Y, Duan Y, Li J, et al. The role of new classification of anterior choroidal artery originating aneurysm for interventional therapy. Chinese Journal of Radiology (China). 55 (2) (pp 185–190), 2021.	10
441	Chen J, Zhang Y, Tian Z, Li W, Zhang Q, Zhang Y, et al. Relationship between haemodynamic changes and outcomes of intracranial aneurysms after implantation of the pipeline embolisation device: a single centre study. Interventional Neuroradiology. 2019;25(6):671–80.	3
442	Chen M, Wang W. Endovascular treatment of intracranial aneurysms: Its current situation and progress. Journal of Interventional Radiology(China). 27 (6) (pp 592–597), 2018.	10
443	Chen SH, Brunet MC, Jankowitz BT, Jabbour P, Peterson EC. Letter: Commentary: Radial Artery Access for Treatment of Posterior Circulation Aneurysms Using the Pipeline Embolization Device: Case Series: Operative Neurosurgery. 17(4):E186–E187, 2019.	6
444	Chen SH, McCarthy DJ, Sheinberg D, Hanel R, Sur S, Jabbour P, et al. Pipeline Embolization Device for the Treatment of Intracranial Pseudoaneurysms. World Neurosurgery. 2019;127:e86–e93.	3
445	Chen SH, Peterson EC. Radial access for neurointervention: room set-up and technique for diagnostic angiography. Journal of Neurointerventional Surgery. 2021;13(1).	6
446	Chen Y, Howe C, Lee Y, Cheon S, Yeo WH, Chun Y. Microstructured Thin Film Nitinol for a Neurovascular Flow-Diverter: Scientific reports. 6 (pp 23698), 2016.	9
447	Chen YA, Drake BJ, Chiu AH, Marotta TR. Pipeline embolization device induced collateral channels in elective flow diversion treatment. Journal of Neurointerventional Surgery. 2016. Online ahead of print.	6

연번	서지정보	배제 사유
448	Cherednychenko Y, Engelhorn T, Miroshnychenko A, Zorin M, Dzyak L, Tsurkalenko O, et al. Endovascular treatment of patient with multiple extracranial large vessel stenosis and coexistent unruptured wide-neck intracranial aneurysm using a WEB device and Szabo-technique: Radiology Case Reports. 15 (12) (pp 2522–2529), 2020.	3
449	Cherian J, Chen SR, Puri A, Vakharia K, Levy E, Eshraghi S, et al. Postmarket American Experience With Woven EndoBridge Device: Adjudicated Multicenter Case Series. Neurosurgery. 2021;14:14.	3
450	Cherian J, Dabagh M, Srinivasan VM, Chen S, Johnson J, Wakhloo A, et al. Balloon-Mounted Stents for Treatment of Refractory Flow Diverting Device Wall Malapposition: Operative Neurosurgery. 19 (1) (pp 37–42), 2020.	3
451	Cherian J, Srinivasan V, Froehler MT, Grossberg JA, Cawley CM, Hanel RA, et al. Flow Diversion for Treatment of Intracranial Aneurysms in Pediatric Patients: Multicenter Case Series. Neurosurgery. 2020;87(1):53–62.	3
452	Cherian MP, Yadav MK, Mehta P, Vijayan K, Arulselvan V, Jayabalan S. First Indian single center experience with pipeline embolization device for complex intracranial aneurysms. Neurology India. 2014;62(6):618–24.	3
453	Cheung NK, Bouthard M, Carr MW, Froelich JJ. Radiation exposure, and procedure and fluoroscopy times in endovascular treatment of intracranial aneurysms: a methodological comparison. Journal of Neurointerventional Surgery. 2018;10(9):902–6.	3
454	Cheung NK, Carr MW, Ray U, McKenzie D, Froelich JJ. Platelet Function Testing in Neurovascular Procedures: Tool or Gimmick?: Interventional Neurology. 8 (2–6) (pp 123–134), 2020.	2
455	Cheung NK, Chiu AHY, Cheung A, Wenderoth JD. Long term follow-up of bifurcation aneurysms treated with braided stent assisted coiling and complex T-and Y-stent constructs: Journal of NeuroInterventional Surgery. 10 (6) (pp 563–568), 2018.	3
456	Chi CT. Parent artery reconstruction for large or giant cerebral aneurysms using Tubridge flow diverter.	3
457	Chia G, Rice H, Jaya Kumar M, Sharma R, Rapier C, Withers T, et al. Single-centre study of endovascular treatment of middle cerebral artery (MCA) aneurysms: Journal of NeuroInterventional Surgery. Conference: 17th Annual Meeting of the Society of NeuroInterventional Surgery Organizing, SNIS 2020. San Diego, CA United States. 12 (Supplement 1) (pp A156–A157), 2020.	7
458	Chiarini A, Summers P, Rufenacht DA. Aima: A flow diverter for intracranial aneurysms planning software suite: Neuroradiology. Conference: 35th European Society of Neuroradiology Annual Meeting, 19th Advanced Course in Diagnostic Neuroradiology and 3rd Advanced Course in Interventional Neuroradiology. Antwerp Belgium. Conference Publication: (var.pagings). 53 (SUPPL. 1) (pp S27), 2011.	7
459	Chien A, Vinuela F. IS FlowMap, a novel tool to examine blood flow changes induced by flow diverter stent treatment: initial experiences with pipeline cases. Journal of Neurointerventional Surgery. 2013;5(3).	6
460	Chien A, Yu Q, Gao X, Vinuela F. Quantitative aneurysm flow evaluation of combined FD and coil treatment shows higher flow reduction during the healing process based on 2D DSA images: Stroke. Conference: American Heart Association/American Stroke Association 2016 International Stroke Conference and State-of-the-Science Stroke Nursing Symposium. Los Angeles, CA United States. Conference Publication: (var.pagings). 47 (SUPPL. 1) (no pagination), 2016.	7

연번	서지정보	배제 사유
461	Chien A, Yu Q, Zosso D. Effectiveness of flow reduction is related to aneurysm geometry based on quantitative DSA flow analysis in 13 flow diverter-treated aneurysms: Journal of Vascular and Interventional Radiology. Conference: 40th Annual Scientific Meeting of the Society of Interventional Radiology, SIR 2015. Atlanta, GA United States. Conference Publication: (var.pagings). 26 (2 SUPPL. 1) (pp S23), 2015.	7
462	Chien A, Yu Q, Zosso D. Quantitative analysis of the blood flow reduction in brain aneurysms treated by flow diverter stents: Stroke. Conference: American Heart Association/American Stroke Association 2015 International Stroke Conference and State-of-the-Science Stroke Nursing Symposium. Nashville, TN United States. Conference Publication: (var.pagings). 46 (SUPPL. 1) (no pagination), 2015.	7
463	Chinna Durai P, Chintalapani G, Shaltoni H, Morsi H, Mawad M. Enhanced procedural guidance during deployment of flow-diverters using 3d land marking and overlay technique: Journal of NeuroInterventional Surgery. Conference: 9th Annual Meeting of the Society of NeuroInterventional Surgery, SNIS 2012. San Diego, CA United States. Conference Publication: (var.pagings). 4 (SUPPL. 1) (pp A41-A42), 2012.	7
464	Chintalapani G, Chinnadurai P, Maier A, Xia Y, Bauer S, Shaltoni H, et al. The added value of volume-of-interest C-arm CT imaging during endovascular treatment of intracranial aneurysms: American Journal of Neuroradiology. 37 (4) (pp 660-666), 2016.	2
465	Chintalapani G, Chinnadurai P, Srinivasan V, Chen SR, Shaltoni H, Morsi H, et al. Evaluation of C-arm CT metal artifact reduction algorithm during intra-aneurysmal coil embolization: Assessment of brain parenchyma, stents and flow-diverters. European Journal of Radiology. 2016;85(7):1312-21.	2
466	Chitale R, Gonzalez F, Randazzo C, Dumont AS, Tjoumakaris S, Rosenwasser RH, et al. Largest united states pipeline case series after PUFS: Feasibility, technique, and complications: Stroke. Conference: 2012 International Stroke Conference and Nursing Symposium. New Orleans, LA United States. Conference Publication: (var.pagings). 43 (2 Meeting Abstracts) (no pagination), 2012.	7
467	Chitale R, Gonzalez LF, Randazzo C, Dumont AS, Tjoumakaris S, Rosenwasser R, et al. Single center experience with pipeline stent: feasibility, technique, and complications. Neurosurgery. 2012;71(3):679-91.	3
468	Chitale R, Zanaty M, Chalouhi N, Jabbour P, Rosenwasser RH, Tjoumakaris S. Immediate aneurysm rupture after pipeline embolization: A new complication of flow diversion: Clinical Neurology and Neurosurgery. 124 (pp 188-191), 2014.	6
469	Chiu AH, Cheung AK, Wenderoth JD, De Villiers L, Rice H, Phatouros CC, et al. Long-Term Follow-Up Results following Elective Treatment of Unruptured Intracranial Aneurysms with the Pipeline Embolization Device. Ajnr: American Journal of Neuroradiology. 2015;36(9):1728-34.	3
470	Chiu AH, De Vries J, O'Kelly CJ, Riina H, McDougall I, Tippett J, et al. The second-generation eCLIPs Endovascular Clip System: initial experience. Journal of Neurosurgery. 2018;128(2):482-9.	2
471	Chiu AH, Ramesh R, Wenderoth J, Davies M, Cheung A. Use of aspirin as sole oral antiplatelet therapy in acute flow diversion for ruptured dissecting aneurysms: Journal of neurointerventional surgery. 9 (5) (pp e18), 2017.	2
472	Chiu AH, Wenderoth J. Cerebral hyperperfusion after flow diversion of large intracranial aneurysms. Journal of Neurointerventional Surgery. 2013;5(6).	6

연번	서지정보	배제 사유
473	Chiu AHY, Cheung AK, Wenderoth JD, De Villiers L, Rice H, Phatouros CC, et al. Long-term follow-up results following elective treatment of unruptured intracranial aneurysms with the pipeline embolization device: American Journal of Neuroradiology. 36 (9) (pp 1728–1734), 2015.	8
474	Chiu AHY, Marotta TR. Pipeline embolization device thrombosis induced peri-construct collateral channels: Journal of NeuroInterventional Surgery. 8 (11) (pp e47), 2016.	6
475	Chiu AHY, Phillips TJ. Future Directions of Flow Diverter Therapy. Neurosurgery. 2020;86(Suppl 1):S106–S16.	6
476	Chiu AHY, Phillips TJ. Future Directions of Flow Diverter Therapy: Neurosurgery. 86 (Supplement 1) (pp S106–S116), 2020.	8
477	Chiu TL, Tang AYS, Tsang ACO, Leung GKK, Chow KW. A Computational Hemodynamics Analysis on the Correlation Between Energy Loss and Clinical Outcomes for Flow Diverters Treatment of Intracranial Aneurysm: Journal of Medical and Biological Engineering. 39 (1) (pp 27–42), 2019.	3
478	Chivot C, Bouzerar R, Yzet T. Distal radial access for cerebral aneurysm embolization. Journal of Neuroradiology Journal de Neuroradiologie. 2021.	3
479	Chivot C, Bouzerar R, Yzet T. Transitioning to Transradial Access for Cerebral Aneurysm Embolization. Ajnr: American Journal of Neuroradiology. 2019;40(11):1947–53.	3
480	Cho DY, Choi JH, Choi HS, Kim BS, Shin YS. Immediate Postoperative Angiographic Stagnation of Contrast Media and T2-Weighted Magnetic Resonance Imaging Features within Aneurysmal Sac Are Associated with Early Regression of Large or Giant Aneurysm After Flow Diversion Only. World Neurosurgery. 2020;141:09.	2
481	Cho DY, Choi JH, Kim BS, Shin YS. Comparison of Clinical and Radiologic Outcomes of Diverse Endovascular Treatments in Vertebral Artery Dissecting Aneurysm Involving the Origin of PICA: World Neurosurgery. 121 (pp e22–e31), 2019.	3
482	Cho DY, Kim BS, Choi JH, Park YK, Shin YS. The Fate of Unruptured Intracranial Vertebrobasilar Dissecting Aneurysm with Brain Stem Compression According to Different Treatment Modalities. Ajnr: American Journal of Neuroradiology. 2019;40(11):1924–31.	2
483	Cho YD, Han MH. Effect of stenting on progressive thrombosis of small unruptured saccular intracranial aneurysms incompletely occluded directly after coil embolization: A propensity-score analysis: Interventional Neuroradiology. Conference: 13th Congress of the World Federation of Interventional and Therapeutic Neuroradiology, WFITN 2015 and 12th Interdisciplinary Cerebrovascular Symposium, Intracranial Stent Meeting, ICS 2015. Gold Coast, QLD Australia. Conference Publication: (var.pagings). 21 (SUPPL. 1) (pp 231), 2015.	7
484	Cho YD, Sohn CH, Kang HS, Kim JE, Cho WS, Hwang G, et al. Coil embolization of intracranial saccular aneurysms using the Low-profile Visualized Intraluminal Support (LVIS TM) device. Neuroradiology. 2014;56(7):543–51.	3
485	Chodzy NKJ, Uzureau P, Nuyens V, Rousseau A, Coussement G, Zouaoui Boudjeltia K. The impact of arterial flow complexity on flow diverter outcomes in aneurysms: Scientific reports. 10 (1) (pp 10337), 2020.	9
486	Chodzynski KJ, Uzureau P, Nuyens V, Rousseau A, Coussement G, Zouaoui Boudjeltia K. The impact of arterial flow complexity on flow diverter outcomes in aneurysms: Scientific Reports. 2020;10(1):25.	8

연번	서지정보	배제 사유
487	Choi SY, Yoo CJ, Kim JY, Kim MJ. Visual Field Defect after Transfrontal Sinus Approach of Ethmoidal Dural Arteriovenous Fistulas (eDAVFs) : Experience and Complication of Transfrontal Sinus Approach. <i>J Cerebrovasc Endovasc Neurosurg.</i> 2015;17(3):263-7.	1
488	Chong B, Babiker H, Frakes D, Ryan J, Gonzalez F. Towards the pre-surgical treatment planning of cerebral aneurysms using high fidelity simulations: <i>Journal of NeuroInterventional Surgery</i> . Conference: 11th Annual Meeting of the Society of NeuroInterventional Surgery, SNIS 2014. Colorado Springs, CO United States. Conference Publication: (var.pagings). 6 (SUPPL. 1) (pp A67-A68), 2014.	7
489	Chong BW, Bendok BR, Krishna C, Sattur M, Brown BL, Tawk RG, et al. A Multicenter Pilot Study on the Clinical Utility of Computational Modeling for Flow-Diverter Treatment Planning. <i>Ajnr: American Journal of Neuroradiology</i> . 2019;40(10):1759-65.	3
490	Chong W, Zhang Y, Qian Y, Lai L, Parker G, Mitchell K. Computational hemodynamics analysis of intracranial aneurysms treated with flow diverters: correlation with clinical outcomes. <i>Ajnr: American Journal of Neuroradiology</i> . 2014;35(1):136-42.	2
491	Chowdhary A, Baxter B, Zaidat O, Lynch J, Patel A, Deshaies E, et al. Multicenter analysis of radiation exposure in large and giant aneurysms with the penumbra coil 400 system: A comparison: <i>Interventional Neuroradiology</i> . Conference: 13th Congress of the World Federation of Interventional and Therapeutic Neuroradiology, WFITN 2015 and 12th Interdisciplinary Cerebrovascular Symposium, Intracranial Stent Meeting, ICS 2015. Gold Coast, QLD Australia. Conference Publication: (var.pagings). 21 (SUPPL. 1) (pp 231-232), 2015.	7
492	Chua MMJ, Silveira L, Moore J, Pereira VM, Thomas AJ, Dmytriw AA. Flow diversion for treatment of intracranial aneurysms: Mechanism and implications. <i>Annals of Neurology</i> . 2019;85(6):793-800.	6
493	Chudyk J, Bleise C, Lylyk I, Lylyk P. New devices for the endovascular treatment of intracranial aneurysms: <i>Neuroradiology</i> . Conference: 12th Asian-Oceanian Congress of Neuroradiology and the 21st Symposium Neuroradiologicum. Taipei Taiwan (Republic of China). 60 (1 Supplement 1) (pp 185-186), 2018.	7
494	Chudyk J, Parada C, Salvatico R, Diluca P, Lylyk P. Angiographic patterns, most common pathologies and treatment options for cerebrovascular diseases, a pictorial essay: <i>Neuroradiology</i> . Conference: 12th Asian-Oceanian Congress of Neuroradiology and the 21st Symposium Neuroradiologicum. Taipei Taiwan (Republic of China). 60 (1 Supplement 1) (pp 232-233), 2018.	7
495	Chung B, Cebral JR. CFD for Evaluation and Treatment Planning of Aneurysms: Review of Proposed Clinical Uses and Their Challenges: <i>Annals of Biomedical Engineering</i> . 43 (1) (pp 122-138), 2014.	6
496	Chung B, Mut F, Kadirvel R, Lingineni R, Kallmes DF, Cebral JR. Hemodynamic analysis of fast and slow aneurysm occlusions by flow diversion in rabbits. <i>Journal of Neurointerventional Surgery</i> . 2015;7(12):931-5.	9
497	Chung J, Matsuda Y, Nelson J, Keigher K, Lopes DK. A new low-profile visualized intraluminal support (LVIS) device, LVIS Blue: laboratory comparison between old and new LVIS. <i>Neurological Research</i> . 2018;40(1):78-85.	9
498	Cicala D, Marseglia M, Napoli M, Briganti F. Intracranial aneurysms: Treatment with flow-diverter stent. Federico II of naples experience's results: <i>Neuroradiology Journal</i> . Conference: 26 Congresso Associazione Italiana di Neuroradiologia, AINR. Padova Italy. Conference Publication: (var.pagings). 24 (SUPPL. 1) (pp 45), 2011.	7

연번	서지정보	배제 사유
499	Cinar C, Bozkaya H, Oran I. Endovascular treatment of cranial aneurysms with the pipeline flow-diverting stent: preliminary mid-term results. <i>Diagnostic & Interventional Radiology.</i> 2013;19(2):154–64.	3
500	Cinar C, Oran I, Bozkaya H, Ozgiray E. Endovascular treatment of ruptured blister-like aneurysms with special reference to the flow-diverting strategy. <i>Neuroradiology.</i> 2013;55(4):441–7.	3
501	Cirillo L, Leonardi M, Dall’Olio M, Princiotta C, Stafa A, Simonetti L, et al. Complications in the treatment of intracranial aneurysms with silk stents: An analysis of 30 consecutive patients. <i>Interventional Neuroradiology.</i> 18 (4) (pp 413–425), 2012.	3
502	Civi S, Durdag E, Andic C, Karsli A, Suner HI, Kardes O, et al. Is intensive care follow up necessary after elective endovascular cerebral aneurysm treatment. [Turkish]: <i>Anestezi Dergisi.</i> 26 (3) (pp 187–191), 2018.	10
503	Clajus C, Strasilla C, Fiebig T, Sychra V, Fiorella D, Klisch J. Initial and mid-term results from 108 consecutive patients with cerebral aneurysms treated with the WEB device. <i>Journal of NeuroInterventional Surgery.</i> 9 (4) (pp 411–417), 2017.	3
504	Clarencon F, Di Maria F, Biondi A, Chiras J, Sourour NA. Distant and delayed (>7 Days) hemorrhage after treatment by flow-diverter stents in intracranial aneurysms: A rare but potentially serious complication. <i>American Journal of Neuroradiology.</i> 34 (7) (pp E81–E82), 2013.	6
505	Clarencon F, Di Maria F, Gabrieli J, Shotar E, Degos V, Nouet A, et al. Clinical Impact of Flat Panel Volume CT Angiography in Evaluating the Accurate Intraoperative Deployment of Flow-Diverter Stents. <i>Ajnr: American Journal of Neuroradiology.</i> 2017;38(10):1966–72.	3
506	Clarencon F, Di Maria F, Gabrieli J, Shotar E, Zeghal C, Nouet A, et al. Flow Diverter Stents for the Treatment of Anterior Cerebral Artery Aneurysms: Safety and Effectiveness. <i>Clinical Neuroradiology.</i> 2017;27(1):51–6.	8
507	Clarencon F, Di Maria F, Gabrieli J, Shotar E, Zeghal C, Nouet A, et al. Flow diverter stents for the treatment of anterior cerebral artery aneurysms: Safetyefficacy profile: Neuroradiology. Conference: 38th European Society of Neuroradiology Diagnostic and Interventional Annual Meeting, ESNR 2015. Naples Italy. Conference Publication: (var.pagings). 57 (1 SUPPL. 1) (pp S77), 2015.	7
508	Clarencon F, Puri AS, Gounis MJ. Comments: <i>Neurosurgery.</i> 78 (1) (pp 33), 2015.	6
509	Clarencon F, Wyse G, Fanning N, Di Maria F, Gaston A, Chiras J, et al. Solitaire FR stent as an adjunctive tool for pipeline stent deployment in the treatment of giant intracranial aneurysms. <i>Neurosurgery.</i> 2013;72(2 Suppl Operative).	6
510	Clauser J, Knieps MS, Busen M, Ding A, Schmitz-Rode T, Steinseifer U, et al. A Novel Plasma-Based Fluid for Particle Image Velocimetry (PIV): In-Vitro Feasibility Study of Flow Diverter Effects in Aneurysm Model. <i>Annals of Biomedical Engineering.</i> 2018;46(6):841–8.	6
511	Cloft H, Lanzino G, Crobeddu E, Kallmes D. Changes in a neuroendovascular practice after introduction of flow diverters: <i>Journal of NeuroInterventional Surgery.</i> Conference: 9th Annual Meeting of the Society of NeuroInterventional Surgery, SNIS 2012. San Diego, CA United States. Conference Publication: (var.pagings). 4 (SUPPL. 1) (pp A40–A41), 2012.	7
512	Cloft HJ. Flow diversion for cerebral aneurysms: A cautionary tale: <i>American Journal of Neuroradiology.</i> 32 (1) (pp 26), 2011.	6

연번	서지정보	배제 사유
513	Cohen JE, Gomori JM, Moscovici S, Kaye AH, Shoshan Y, Spektor S, et al. Flow-diverter stents in the early management of acutely ruptured brain aneurysms: effective rebleeding protection with low thromboembolic complications: <i>Journal of neurosurgery.</i> (pp 1–8), 2021.	3
514	Cohen JE, Itshayek E, Attia M, Moscovici S. Postembolization perianeurysmal edema as a cause of uncinate seizures. <i>Journal of Clinical Neuroscience.</i> 2012;19(3):474–6.	6
515	Colby G, Lin L, Gomez J, Paul A, Huang J, Tamargo R, et al. Immediate procedural outcomes in 35 consecutive pipeline embolization cases: A single-center, single-user experience: <i>Journal of NeuroInterventional Surgery.</i> Conference: 9th Annual Meeting of the Society of NeuroInterventional Surgery, SNIS 2012. San Diego, CA United States. Conference Publication: (var.pagings). 4 (SUPPL. 1) (pp A64), 2012.	7
516	Colby G, Lin L, Huang J, Tamargo R, Coon A. Utilisation of the navien distal intracranial catheter during 78 cases of anterior circulation aneurysm treatment with the pipeline embolisation device: <i>Journal of NeuroInterventional Surgery.</i> Conference: 10th Annual Meeting of the Society of NeuroInterventional Surgery, SNIS 2013. Miami, FL United States. Conference Publication: (var.pagings). 5 (SUPPL. 2) (pp A50), 2013.	7
517	Colby G, Lin L, Nundkumar N, Jiang B, Huang J, Tamargo R, et al. Radiation dose analysis of large and giant internal carotid artery aneurysm treatment with the pipeline embolization device versus traditional coiling techniques: <i>Journal of NeuroInterventional Surgery.</i> Conference: 11th Annual Meeting of the Society of NeuroInterventional Surgery, SNIS 2014. Colorado Springs, CO United States. Conference Publication: (var.pagings). 6 (SUPPL. 1) (pp A22–A23), 2014.	7
518	Colby GP, Bender MT, Lin LM, Beaty N, Caplan JM, Jiang B, et al. Declining complication rates with flow diversion of anterior circulation aneurysms after introduction of the Pipeline Flex: Analysis of a single-institution series of 568 cases: <i>Journal of Neurosurgery.</i> 129 (6) (pp 1475–1481), 2018.	3
519	Colby GP, Gomez JF, Lin LM, Paul AR, Coon AL. In situ removal of the pipeline embolization device: The 'corking' and 'pseudo-corking' techniques: <i>Journal of NeuroInterventional Surgery.</i> 5 (2) (pp e6), 2013.	6
520	Colby GP, Lin LM, Caplan JM, Jiang B, Huang J, Tamargo RJ, et al. Immediate procedural outcomes in 44 consecutive Pipeline Flex cases: The first North American single-center series: <i>Journal of NeuroInterventional Surgery.</i> 8 (7) (pp 702–709), 2016.	3
521	Colby GP, Lin LM, Caplan JM, Jiang B, Michniewicz B, Huang J, et al. Flow diversion of large internal carotid artery aneurysms with the surpass device: Impressions and technical nuance from the initial North American experience: <i>Journal of NeuroInterventional Surgery.</i> 8 (3) (pp 279–286), 2016.	3
522	Colby GP, Lin LM, Coon AL. Revisiting the risk of intraparenchymal hemorrhage following aneurysm treatment by flow diversion: <i>American Journal of Neuroradiology.</i> 33 (7) (pp E107), 2012.	6
523	Colby GP, Lin LM, Gomez JF, Paul A, Huang J, Tamargo RJ, et al. Immediate procedural outcomes in 35 consecutive pipeline embolization cases: A single-center, single-user experience: <i>Neurosurgery.</i> Conference: 2012 Annual Meeting of the Congress of Neurological Surgeons, CNS 2012. Chicago, IL United States. Conference Publication: (var.pagings). 71 (2) (pp E543), 2012.	7
524	Colby GP, Lin LM, Gomez JF, Paul AR, Huang J, Tamargo RJ, et al. Immediate procedural outcomes in 35 consecutive pipeline embolization cases: a single-center, single-user experience: <i>Journal of neurointerventional surgery.</i> 5 (3) (pp 237–246), 2013.	3

연번	서지정보	배제 사유
525	Colby GP, Lin LM, Huang J, Tamargo RJ, Coon AL. Utilization of the Navien distal intracranial catheter in 78 cases of anterior circulation aneurysm treatment with the Pipeline embolization device. <i>Journal of Neurointerventional Surgery</i> . 2013;5(3).	3
526	Colby GP, Lin LM, Nundkumar N, Jiang B, Huang J, Tamargo RJ, et al. Radiation dose analysis of large and giant internal carotid artery aneurysm treatment with the pipeline embolization device versus traditional coiling techniques. <i>Journal of Neurointerventional Surgery</i> . 2015;7(5):380-4.	5
527	Colby GP, Lin LM, Paul AR, Huang J, Tamargo RJ, Coon AL. Cost comparison of endovascular treatment of anterior circulation aneurysms with the pipeline embolization device and stent-assisted coiling. <i>Neurosurgery</i> . 2012;71(5):944-48.	5
528	Colby GP, Lin LM, Xu R, Beaty N, Bender MT, Jiang B, et al. Utilization of a Novel, Multi-Durometer Intracranial Distal Access Catheter: Nuances and Experience in 110 Consecutive Cases of Aneurysm Flow Diversion. <i>Interventional Neurology</i> . 2017;6(1-2):90-104.	3
529	Colby GP, Lin LM, Zeiler SR, Coon AL. Curative reconstruction of a cerebral aneurysm by flow diversion with the pipeline embolisation device in a patient with loeys-dietz syndrome: BMJ Case Reports. 2014 (no pagination), 2014.	6
530	Colombi D, Bodini FC, Bossalini M, Rossi B, Michieletti E. Extracranial Visceral Artery Aneurysms/Pseudoaneurysms Repaired with Flow Diverter Device Developed for Cerebral Aneurysms: Preliminary Results. <i>Annals of Vascular Surgery</i> . 2018;53(272).	3
531	Comelli S, Comelli C, Di Maggio L, Savio D, Vaudano GP, Cametti CA. Lights and shadows in our monocenter experience using p64 flow diverter stent: Interventional Neuroradiology. Conference: 13th Congress of the World Federation of Interventional and Therapeutic Neuroradiology, WFITN 2015 and 12th Interdisciplinary Cerebrovascular Symposium, Intracranial Stent Meeting, ICS 2015. Gold Coast, QLD Australia. Conference Publication: (var.pagings). 21 (SUPPL. 1) (pp 220), 2015.	7
532	Comelli S, Comelli C, Di Maggio L, Savio D. Radial access for complex aortic arch anatomy in endovascular treatment of intracranial aneurysms: Interventional Neuroradiology. Conference: 13th Congress of the World Federation of Interventional and Therapeutic Neuroradiology, WFITN 2015 and 12th Interdisciplinary Cerebrovascular Symposium, Intracranial Stent Meeting, ICS 2015. Gold Coast, QLD Australia. Conference Publication: (var.pagings). 21 (SUPPL. 1) (pp 292), 2015.	7
533	Consoli A, Nappini S, Renieri L, Limbucci N, Ricciardi F, Mangiafico S. Treatment of two blood blister-like aneurysms with flow diverter stenting. <i>Journal of Neurointerventional Surgery</i> . 2012;4(3).	3
534	Consoli A, Renieri L, Nappini S, Ricciardi F, Grazzini G, Scarpini G, et al. Endovascular treatment with 'kissing' flow diverter stents of two unruptured aneurysms at a fenestrated vertebrobasilar junction. <i>Journal of Neurointerventional Surgery</i> . 2013;5(2).	3
535	Cooper JB, Greisman JD, Dakay K, Kaur G, Al-Mufti F, Gandhi CD, et al. Incidence of Neo-Intimal Hyperplasia in Anterior Circulation Aneurysms Following Pipeline Flow Diversion: <i>Journal of Stroke and Cerebrovascular Diseases</i> . 30 (7) (no pagination), 2021.	6
536	Corliss BM, Barkley KF, Polifka AJ, Hoh BL, Fox WC. Single-Center Case Series of Temporary Stent Assistance for Coiling of Acutely Ruptured Aneurysms. <i>World Neurosurgery</i> . 2019;123:e766-e72.	3
537	Correa DG, Cadete RA, Hygino da Cruz LC. Vessel wall enhancement in treated unruptured aneurysms: <i>American Journal of Neuroradiology</i> . 39 (12) (pp E129), 2018.	6

연번	서지정보	배제 사유
538	Cortese J, Rasser C, Even G, Bardet SM, Choqueux C, Mesnier J, et al. CD31 Mimetic Coating Enhances Flow Diverting Stent Integration into the Arterial Wall Promoting Aneurysm Healing. <i>Stroke</i> . 2021;52(2):677–86.	9
539	Cortez G, Monteiro A, Sourour N, Clarencon F, Elhoray M, Grigoryan M, et al. Safety and efficacy of cangrelor use in neurovascular intervention: a multicenter experience: Journal of NeuroInterventional Surgery. Conference: 17th Annual Meeting of the Society of NeuroInterventional Surgery Organizing, SNIS 2020. San Diego, CA United States. 12 (Supplement 1) (pp A13), 2020.	7
540	Cortez GM, Akture E, Monteiro A, Arthur AS, Peterson J, Dornbos D, et al. Woven EndoBridge device for ruptured aneurysms: perioperative results of a US multicenter experience. <i>Journal of Neurointerventional Surgery</i> . 2021;22:22.	3
541	Craig RM, Wanassin S. Consequence of Regional Trade Agreements to Developing Countries. <i>Journal of Economic Integration</i> . 2014;29(1):64–94.	2
542	Crobeddu E, Lanzino G, Kallmes DF, Cloft HJ. Marked decrease in coil and stent utilization following introduction of flow diversion technology. <i>Journal of Neurointerventional Surgery</i> . 2013;5(4):351–3.	4
543	Crowley RW, Abla AA, Ducruet AF, McDougall CG, Albuquerque FC. Novel application of a balloon-anchoring technique for the realignment of a prolapsed pipeline embolization device: a technical report. <i>Journal of Neurointerventional Surgery</i> . 2014;6(6):439–44.	6
544	Cruz JP, Chow M, O'Kelly C, Marotta B, Spears J, Montanera W, et al. Delayed ipsilateral parenchymal hemorrhage following flow diversion for the treatment of anterior circulation aneurysms. <i>Ajnr: American Journal of Neuroradiology</i> . 2012;33(4):603–8.	3
545	Cruz JP, Fiorella D, Chow M, O'Kelly C, Marotta B, Montanera W, et al. Delayed ipsilateral brain parenchymal hemorrhage after aneurysm treatment with pipeline stent: Interventional Neuroradiology. Conference: 11th Congress of the World Federation of Interventional and Therapeutic Neuroradiology, WFITN 2011. Cape Town South Africa. Conference Publication: (var.pagings). 17 (SUPPL. 1) (pp 108–109), 2011.	7
546	Cruz JP, Kelly M, O'Kelly C, Willinsky R, Montanera W, Spears J, et al. The entry remnant phenomenon in flow diverter stents: Interventional Neuroradiology. Conference: 11th Congress of the World Federation of Interventional and Therapeutic Neuroradiology, WFITN 2011. Cape Town South Africa. Conference Publication: (var.pagings). 17 (SUPPL. 1) (pp 38), 2011.	7
547	Cruz JP, Marotta T, O'Kelly C, Holtmannspotter M, Saliou G, Willinsky R, et al. Enhancing brain lesions after endovascular treatment of aneurysms: <i>American Journal of Neuroradiology</i> . 35 (10) (pp 1954–1958), 2014.	6
548	Cruz JP, O'Kelly C, Kelly M, Wong JH, Alshaya W, Martin A, et al. Pipeline embolization device in aneurysmal subarachnoid hemorrhage. <i>Ajnr: American Journal of Neuroradiology</i> . 2013;34(2):271–6.	3
549	Cruz JP, O'Kelly C, Spears J, Marotta TR. Reply: <i>American Journal of Neuroradiology</i> . 33 (7) (pp E108), 2012.	6
550	Csippa B, Gyurki D, Zavodszky G, Szikora I, Paal G. Hydrodynamic Resistance of Intracranial Flow-Diverter Stents: Measurement Description and Data Evaluation. <i>Cardiovascular Engineering & Technology</i> . 2020;11(1):1–13.	6
551	Cunegatto-Braga M, Hogan B, Aguilar-Salinas P, Beier AD, Hanel RA. Pipeline Embolization Device Flow Diversion for a Dissecting Ruptured Posterior Cerebral Artery Aneurysm in a Pediatric Patient. <i>World Neurosurgery</i> . 2018;117:255–60.	3

연번	서지정보	배제 사유
552	Czernicki T, Kunert P, Nowak A, Zylkowski J, Jaworski M, Marchel A. Unruptured intracranial aneurysms in elderly patients: Results of surgical and endovascular treatment: <i>International Journal of Gerontology.</i> 14 (4) (pp 310–314), 2020.	3
553	Da Costa L. Comments: <i>Neurosurgery.</i> 71 (5) (pp 949–950), 2012.	6
554	Da Ros V, Bozzi A, Comelli C, Semeraro V, Comelli S, Lucarelli N, et al. Ruptured Intracranial Aneurysms Treated with Woven Endobridge Intrasaccular Flow Disruptor: A Multicenter Experience. <i>World Neurosurgery.</i> 2019;122:e498–e505.	3
555	Da Ros V, Bozzi A, Comelli C, Semeraro V, Comelli S, Lucarelli NM, et al. Ruptured intracranial aneurysms treated with woven endobridge intrasaccular flow disruptor: A multicenter experience: <i>CardioVascular and Interventional Radiology. Conference: Cardiovascular and Interventional Radiological Society of Europe (CIRSE) 2019. Barcelona Spain.</i> 42 (3 Supplement) (pp S374–S375), 2019.	7
556	Da Ros V, Caroff J, Rouchaud A, Mihalea C, Ikka L, Moret J, et al. Large Basilar Apex Aneurysms Treated with Flow-Diverter Stents. <i>Ajnr: American Journal of Neuroradiology.</i> 2017;38(6):1156–62.	3
557	Da Ros V, Diana F, Sabuzi F, Malatesta E, Sanna A, Scaggiante J, et al. Flow diverters for ruptured posterior circulation perforator aneurysms: multicenter experience and literature review. <i>Journal of Neurointerventional Surgery.</i> 2020;12(7):688–94.	3
558	Dabus G, Grossberg JA, Cawley CM, Dion JE, Puri AS, Wakhloo AK, et al. Treatment of complex anterior cerebral artery aneurysms with Pipeline flow diversion: mid-term results. <i>Journal of Neurointerventional Surgery.</i> 2017;9(2):147–51.	3
559	Dacus MR, Nickele C, Welch BG, Ban VS, Ringer AJ, Kim LJ, et al. Matricidal cavernous aneurysms: a multicenter case series. <i>Journal of Neurointerventional Surgery.</i> 2019;11(6):584–90.	8
560	Dacus MR, Nickele C, Welch BG, Ban VS, Ringer AJ, Kim LJ, et al. Matricidal cavernous aneurysms: A multicenter case series: <i>Journal of NeuroInterventional Surgery.</i> 11 (6) (pp 584–590), 2019.	3
561	Daglioglu D, Akmangit I, Arat A. Initial experience of 2mm surpass flow diverter in intracranial aneurysms: <i>Interventional Neuroradiology. Conference: 13th Congress of the World Federation of Interventional and Therapeutic Neuroradiology, WFITN 2015 and 12th Interdisciplinary Cerebrovascular Symposium, Intracranial Stent Meeting, ICS 2015. Gold Coast, QLD Australia. Conference Publication: (var.pagings). 21 (SUPPL. 1) (pp 223), 2015.</i>	7
562	Daglioglu D, Akmangit I, Derakshani S, Arat A. Initial experience including technical details of surpass flow diverter in intracranial aneurysms: <i>Interventional Neuroradiology. Conference: 13th Congress of the World Federation of Interventional and Therapeutic Neuroradiology, WFITN 2015 and 12th Interdisciplinary Cerebrovascular Symposium, Intracranial Stent Meeting, ICS 2015. Gold Coast, QLD Australia. Conference Publication: (var.pagings). 21 (SUPPL. 1) (pp 225), 2015.</i>	7
563	Daglioglu D, Akmangit I, Kaya T, Uckun OM, Ogur T, Peker A, et al. Endovascular treatment experience in anterior choroidal artery aneurysms: <i>Interventional Neuroradiology. Conference: 13th Congress of the World Federation of Interventional and Therapeutic Neuroradiology, WFITN 2015 and 12th Interdisciplinary Cerebrovascular Symposium, Intracranial Stent Meeting, ICS 2015. Gold Coast, QLD Australia. Conference Publication: (var.pagings). 21 (SUPPL. 1) (pp 200), 2015.</i>	7

연번	서지정보	배제 사유
564	Daglioglu D, Akmangit I, Peker A, Harman F, Kaya T, Uckun OM, et al. Endovascular treatment of residual intracranial aneurysms after microsurgical clipping: Report of 17 cases: Interventional Neuroradiology. Conference: 13th Congress of the World Federation of Interventional and Therapeutic Neuroradiology, WFITN 2015 and 12th Interdisciplinary Cerebrovascular Symposium, Intracranial Stent Meeting, ICS 2015. Gold Coast, QLD Australia. Conference Publication: (var.pagings). 21 (SUPPL. 1) (pp 191–192), 2015.	7
565	Daglioglu E, Akmangit I, Acik V, Alagoz F, Sayin B, Uckun OM, et al. The Experience of the DerivoA R Embolisation Device in Intracranial Aneurysms. Turkish Neurosurgery. 2020;30(1):30–7.	3
566	Daglioglu E, Akmangit I, Alagoz F, Kaya T, Uckun OM, Akgoz A, et al. Endovascular treatment of A1 aneurysms: Experience with 10 cases: Interventional Neuroradiology. Conference: 13th Congress of the World Federation of Interventional and Therapeutic Neuroradiology, WFITN 2015 and 12th Interdisciplinary Cerebrovascular Symposium, Intracranial Stent Meeting, ICS 2015. Gold Coast, QLD Australia. Conference Publication: (var.pagings). 21 (SUPPL. 1) (pp 201–202), 2015.	7
567	Dai D, Ding YH, Kelly M, Kadivel R, Kallmes D. Histopathological findings following pipeline embolization in a human cerebral aneurysm at the basilar tip. Interventional Neuroradiology. 2016;22(2):153–7.	9
568	Dai D, Ding YH, Kelly M, Kadivel R, Kallmes D. Histopathological findings following pipeline embolization in a human cerebral aneurysm at the basilar tip: Interventional Neuroradiology. 22 (2) (pp 153–157), 2016.	8
569	Dakshina GDS, 이순철, Robert PM, Maurizio Z. The Spillover Effects of Regional Trade Agreements on Trade. Working Paper. 2018;2018(8):1–35.	2
570	Dale D. Endovascular Management of Intracranial Aneurysms: Advances in Stenting Techniques and Technology. 대한뇌혈관외과학회지. 2015;17(4):331–3.	6
571	Dalyai RT, Randazzo C, Ghobrial G, Gonzalez LF, Tjoumakaris SI, Dumont AS, et al. Redefining onyx HD 500 in the flow diversion era: International Journal of Vascular Medicine. 2012 (no pagination), 2012.	6
572	Damiano RJ, Ma D, Xiang J, Siddiqui AH, Snyder KV, Meng H. Finite element modeling of endovascular coiling and flow diversion enables hemodynamic prediction of complex treatment strategies for intracranial aneurysm: Journal of Biomechanics. 48 (12) (pp 3332–3340), 2015.	9
573	Damiano RJ, Tutino VM, Paliwal N, Ma D, Davies JM, Siddiqui AH, et al. Compacting a Single Flow Diverter versus Overlapping Flow Diversors for Intracranial Aneurysms: A Computational Study. Ajnr: American Journal of Neuroradiology. 2017;38(3):603–10.	4
574	Dandapat S, Mendez-Ruiz A, Martinez-Galdamez M, Macho J, Derakhshani S, Foa Torres G, et al. Review of current intracranial aneurysm flow diversion technology and clinical use. Journal of Neurointerventional Surgery. 2021;13(1):54–62.	6
575	Daneshmand A, Krecke KN, Wijdicks EFM. Plastic in the Brain: Delayed Recognition of Progressive Unilateral Hemispheric Lesions. Neurocritical Care. 2019;31(1):222–4.	6
576	Dankbaar JW, De Kort GA, Lo TH, Vonken EP, Van Den Bosch M, Van Der Schaaf IC. Short-term and long-term results after aneurysm treatment with the pipeline embolization device: Journal of Vascular and Interventional Radiology. Conference: 37th Annual Scientific Meeting of the Society of Interventional Radiology, SIR 2012. San Francisco, CA United States. Conference Publication: (var.pagings). 23 (3 SUPPL. 1) (pp S71–S72), 2012.	7

연번	서지정보	배제 사유
577	Dannenbaum MJ, Schuette AJ, Rutledge WC, McCracken DJ, Skukalek SL, Case DB, et al. Rates of complications and aneurysm occlusion in patients undergoing treatment of cerebral aneurysms utilizing flow diversion with the pipeline embolization device and algorithm adjusted antiplatelet therapy: Stroke. Conference: 2013 International Stroke Conference and Nursing Symposium of the American Heart Association/American Stroke Association. Honolulu, HI United States. Conference Publication: (var.pagings). 44 (2 MeetingAbstract) (no pagination), 2013.	7
578	Daou B, Atallah E, Chalouhi N, Starke RM, Oliver J, Montano M, et al. Aneurysms with persistent filling after failed treatment with the Pipeline embolization device: Journal of Neurosurgery. 130 (4) (pp 1376–1382), 2019.	3
579	Daou B, Chalouhi N, Starke RM, Barros G, Ya'qoub L, Do J, et al. Clipping of previously coiled cerebral aneurysms: efficacy, safety, and predictors in a cohort of 111 patients. Journal of Neurosurgery. 2016;125(6):1337–43.	3
580	Daou B, Chalouhi N, Tjoumakaris S, Hasan D, Barros G, Rosenwasser RH, et al. Alternative access for endovascular treatment of cerebrovascular diseases: Clinical Neurology and Neurosurgery. 145 (pp 89–95), 2016.	3
581	Daou B, Hammer C, Chalouhi N, Starke RM, Jabbour P, Rosenwasser RH, et al. Dissecting pseudoaneurysms: predictors of symptom occurrence, enlargement, clinical outcome, and treatment. Journal of Neurosurgery. 2016;125(4):936–42.	3
582	Daou B, Jabbour P. Flow Diversion for Treating Middle Cerebral Artery Aneurysms: World Neurosurgery. 90 (pp 627–629), 2016.	6
583	Daou B, Starke RM, Chalouhi N, Barros G, Tjoumakaris S, Rosenwasser RH, et al. P2Y12 Reaction Units: Effect on Hemorrhagic and Thromboembolic Complications in Patients With Cerebral Aneurysms Treated With the Pipeline Embolization Device. Neurosurgery. 2016;78(1):27–33.	3
584	Daou B, Starke RM, Chalouhi N, Tjoumakaris S, Hasan D, Khoury J, et al. Pipeline Embolization Device in the Treatment of Recurrent Previously Stented Cerebral Aneurysms. Ajnr: American Journal of Neuroradiology. 2016;37(5):849–55.	4
585	Daou B, Starke RM, Chalouhi N, Tjoumakaris S, Khoury J, Hasan D, et al. The Use of the Pipeline Embolization Device in the Management of Recurrent Previously Coiled Cerebral Aneurysms. Neurosurgery. 2015;77(5):692–7.	3
586	Daou BJ, Koduri S, Pandey AS. Y-stenting versus pulserider-assisted coiling in the treatment of wide-neck bifurcation aneurysms: Role of anatomical features on midterm results: Neurosurgery. 87 (2) (pp E115–E118), 2020.	6
587	Darflinger RJ, Chao K. Using the Barrel Technique with the LVIS Jr (Low-profile Visualized Intraluminal Support) Stent to Treat a Wide Neck MCA Bifurcation Aneurysm. Journal of Vascular & Interventional Neurology. 2015;8(3):25–7.	6
588	Daroczy L, Berg P, Beuing O, Janiga G. How can physicians benefit from hemodynamic simulations? an individualized therapy planning approach for intracranial aneurysms: Interventional Neuroradiology. Conference: 13th Congress of the World Federation of Interventional and Therapeutic Neuroradiology, WFITN 2015 and 12th Interdisciplinary Cerebrovascular Symposium, Intracranial Stent Meeting, ICS 2015. Gold Coast, QLD Australia. Conference Publication: (var.pagings). 21 (SUPPL. 1) (pp 343–344), 2015.	7
589	Darsaut T, Gentric J, Iancu D, Chow M, Rempel J, Weill A, et al. Flow diversion in the treatment of aneurysms: A randomized care trial and registry: Canadian Journal of Neurological Sciences. Conference: 51st Annual Congress of the Canadian Neurological Sciences Federation. Quebec City, QC Canada. 43 (Supplement 2) (pp S19), 2016.	7

연번	서지정보	배제 사유
590	Darsaut TE, Bing F, Igor S, Gevry G, Raymond J. Testing flow diverters in experimental aneurysms: Identification of factors responsible for treatment failures: Canadian Journal of Neurological Sciences. Conference: 46th Annual Congress of the Canadian Neurological Sciences Federation. Vancouver, BC Canada. Conference Publication: (var.pagings). 38 (3 SUPPL. 1) (pp S32), 2011.	7
591	Darsaut TE, Bing F, Makoyeva A, Gevry G, Salazkin I, Raymond J. Flow diversion of giant curved sidewall and bifurcation experimental aneurysms with very-low-porosity devices. <i>World Neurosurgery</i> . 2014;82(6):1120–6.	9
592	Darsaut TE, Bing F, Makoyeva A, Gevry G, Salazkin I, Raymond J. Flow diversion to treat aneurysms: the free segment of stent. [Review]. <i>Journal of Neurointerventional Surgery</i> . 2013;5(5):452–7.	6
593	Darsaut TE, Bing F, Salazkin I, Gevry G, Raymond J. Flow diverters can occlude aneurysms and preserve arterial branches: a new experimental model. <i>Ajnr: American Journal of Neuroradiology</i> . 2012;33(10):2004–9.	9
594	Darsaut TE, Bing F, Salazkin I, Gevry G, Raymond J. Flow diverters failing to occlude experimental bifurcation or curved sidewall aneurysms: an in vivo study in canines. <i>Journal of Neurosurgery</i> . 2012;117(1):37–44.	9
595	Darsaut TE, Chapot R, Raymond J. Changing the rules of the game: The problem of surrogate angiographic outcomes in the evaluation of aneurysm treatments: <i>American Journal of Neuroradiology</i> . 41 (12) (pp 2174–2175), 2020.	6
596	Darsaut TE, Gentric JC, Iancu D, Chagnon M, Weill A, Roy D, et al. Flow diversion in the treatment of aneurysms (FIAT): A randomized care trial: <i>Interventional Neuroradiology</i> . Conference: 13th Congress of the World Federation of Interventional and Therapeutic Neuroradiology, WFITN 2015 and 12th Interdisciplinary Cerebrovascular Symposium, Intracranial Stent Meeting, ICS 2015. Gold Coast, QLD Australia. Conference Publication: (var.pagings). 21 (SUPPL. 1) (pp 217), 2015.	7
597	Darsaut TE, Rayner-Hartley E, Makoyeva A, Salazkin I, Berthelet F, Raymond J. Aneurysm rupture after endovascular flow diversion: The possible role of persistent flows through the transition zone associated with device deformation: <i>Interventional Neuroradiology</i> . 19 (2) (pp 180–185), 2013. Date of Publication: June 2013.; 2013.	6
598	Darsaut TE, Salazkin I, Gentric JC, Magro E, Gevry G, Bojanowski MW, et al. Temporary surgical clipping of flow-diverted arteries in an experimental aneurysm model. <i>Journal of Neurosurgery</i> . 2016;125(2):283–8.	9
599	Daruwalla VJ, Syed FH, Elmokadem AH, Hurley MC, Shaibani A, Ansari SA. Large basilar perforator pseudoaneurysm: A case report. <i>Interventional Neuroradiology</i> . 2016;22(6):662–5.	3
600	Das B, Goel G, Mahajan A, Banga V, Singh V. Surpass flow diverter in the treatment of acutely ruptured aneurysms: Indian multi-center experience: <i>Journal of the Neurological Sciences</i> . Conference: World Congress of Neurology (WCN 2019). Dubai United Arab Emirates. 405 (Supplement) (pp 122–123), 2019.	7
601	Das S, Gupta AK, Ramalingiah AH. Kinking of Flow Diverter in a Giant Wide-Necked Supraclinoid Internal Carotid Artery Aneurysm. <i>Neurointervention</i> . 2018;13(1):58–61.	3
602	David K, Won K, Gerald S, Louis W. Trade Creation and Diversion Effects and Exchange Rate Volatility in the Global Meat Trade. <i>Journal of Economic Integration</i> . 2015;30(2):240–68.	2
603	Davies JM, Hopkins LN. Neuroendovascular Intervention: Evolving at the Intersection of Neurosurgery and Neuro-Ophthalmology: <i>Journal of Neuro-Ophthalmology</i> . 37 (2) (pp 111–112), 2017.	6

연번	서지정보	배제 사유
604	Davies JM, Siddiqui AH, Levy EI. Comment: Neurosurgery. 81 (4) (pp 601), 2017.	6
605	de Almeida Silva JM, Dias GMS, Rezende AL. Basilar artery fenestration aneurysm treated with the Woven EndoBridge device: Interdisciplinary Neurosurgery: Advanced Techniques and Case Management. 23 (no pagination), 2021.	6
606	de Barros Faria M, Castro RN, Lundquist J, Scrivano E, Ceratto R, Ferrario A, et al. The role of the pipeline embolization device for the treatment of dissecting intracranial aneurysms. Ajnr: American Journal of Neuroradiology. 2011;32(11):2192-5.	6
607	De Beule T, Boulanger T, Heye S, van Rooij WJ, van Zwam W, Stockx L. The Woven EndoBridge for unruptured intracranial aneurysms: Results in 95 aneurysms from a single center. Interventional Neuroradiology. 2021;15910199211003428:21.	3
608	De Beule T, Boulanger T, Heye S, van Rooij WJ, van Zwam WH, Stockx L. p64 flow diverter: Results in 108 patients from a single center. Interventional Neuroradiology. 2021;27(1):51-9.	3
609	de Carvalho FM, Caroff J, Pereira Dos Santos Neto E, Chalumeau V, Abdel Khalek H, Neki H, et al. Flow changes in the posterior communicating artery related to flow-diverter stents in carotid siphon aneurysms. Journal of Neurointerventional Surgery. 2017;9(7):674-8.	3
610	de Castro-Afonso LH, Nakiri GS, Abud TG, Monsignore LM, de Freitas RK, Abud DG. Aspirin monotherapy in the treatment of distal intracranial aneurysms with a surface modified flow diverter: a pilot study. Journal of Neurointerventional Surgery. 2021;13(4):336-41.	2
611	de Castro-Afonso LH, Nakiri GS, Abud TG, Monsignore LM, Freitas RK, de Oliveira RS, et al. Treatment of distal unruptured intracranial aneurysms using a surface-modified flow diverter under prasugrel monotherapy: a pilot safety trial. Journal of Neurointerventional Surgery. 2021;25:25.	3
612	de Korte AM, Aquarius R, Meijer FJA, Boogaarts HD, de Vries J. Intracranial Aneurysm Expansion Might Cause Neurological Deterioration After Flow Diverter Treatment. World Neurosurgery. 2018;120:e802-e10.	3
613	De La Fuente E, Trillo S, Reig G, Ramos C, Martinez Vicente L, Villacieros J, et al. Treatment of intracranial aneurysms: Comparison of endovascular and surgical treatment: European Stroke Journal. Conference: 4th European Stroke Organisation Conference, ESOC 2018. Goteborg Sweden. 3 (1 Supplement 1) (pp 503), 2018.	7
614	De Leacy R, Kottenmeier E, Lee S, Khanna R, A MS. Pnd79 Real-World Comparison of Outcomes among Patients with Unruptured Intracranial Aneurysm (Uia) Undergoing Endovascular Treatment Using the Enterprise Stent Versus Neuroform or Low-Profile Visualized Intraluminal Support (Lvis) Stent: Value in Health. Conference: ISPOR 2020. Orlando United States. 23 (Supplement 1) (pp S274), 2020.	7
615	De Macedo Rodrigues K, Kuhn AL, Tamura T, Dabus G, Kan P, Marosfoi MG, et al. Pipeline Embolization Device for Pericallosal Artery Aneurysms: A Retrospective Single Center Safety and Efficacy Study. Operative Neurosurgery. 2018;14(4):351-8.	3
616	De Vries J, Boogaarts HD, Sorensen L, Holtmannspoetter M, Benndorf G, Turowski B, et al. ECLIPs bifurcation remodeling system for treatment of wide neck bifurcation aneurysms with extremely low dome-to-neck and aspect ratios: A multicenter experience: Journal of NeuroInterventional Surgery. 13 (5) (pp 438-442), 2021.	2
617	De Vries J, Boogaarts J, Van Norden A, Wakhloo AK. New generation of flow diverter (surpass) for unruptured intracranial aneurysms: A prospective single-center study in 37 patients: Stroke. 44 (6) (pp 1567-1577), 2013.	3

연번	서지정보	배제 사유
618	De Vries J, Llylyk P, Wakhloo AK, Hartmann M, Von Kummer R, Schumacher M. A new generation of flow-disruption device for endovascular treatment of intracranial aneurysms – Clinical and angiographic results of a multicenter feasibility study: Cerebrovascular Diseases. Conference: 20th European Stroke Conference, ESC 2011. Hamburg Germany. Sponsor: Bayer, Boehringer, ev3, Allergan, Pfizer, et al. . Conference Publication: (var.pagings). 31 (SUPPL. 2) (pp 15), 2011.	7
619	De Vries J, Wakhloo A, Llylyk P, Hartmann M, Von Kummer R, Schumacher M. A new generation of flow-disruption device for endovascular treatment of intracranial aneurysms–clinical and angiographic results of a multicenter feasibility study: Neuroradiology. Conference: 35th European Society of Neuroradiology Annual Meeting, 19th Advanced Course in Diagnostic Neuroradiology and 3rd Advanced Course in Interventional Neuroradiology. Antwerp Belgium. Conference Publication: (var.pagings). 53 (SUPPL. 1) (pp S44), 2011.	8
620	DeGrote JR, Olafson EM, Drofa A, Kouznetsov E, Manchak M, Leedahl ND, et al. Ticagrelor and Acetylsalicylic Acid after Placement of Pipeline Embolization Device for Cerebral Aneurysm: A Case Series. Canadian Journal of Hospital Pharmacy. 2018;71(6):349-55.	2
621	Delgado Almandoz J, Crandall B, Fease J, Scholz J, Anderson R, Kadkhodayan Y, et al. Last-recorded P2Y12 reaction units value predicts thromboembolic and haemorrhagic complications occurring up to 6 months after treatment in patients with cerebral aneurysms treated with the pipeline embolisation device: Journal of NeuroInterventional Surgery. Conference: 10th Annual Meeting of the Society of NeuroInterventional Surgery, SNIS 2013. Miami, FL United States. Conference Publication: (var.pagings). 5 (SUPPL. 2) (pp A21-A22), 2013.	7
622	Delgado Almandoz J, Kadkhodayan Y, Fease J, Scholz J, Blehm A, Tran K, et al. Frequency of post-procedural diffusion weighted imaging abnormalities and association with delayed ipsilateral intracerebral haemorrhages in patients undergoing endovascular treatment of cerebral aneurysms with the pipeline embolization device: Journal of NeuroInterventional Surgery. Conference: 11th Annual Meeting of the Society of NeuroInterventional Surgery, SNIS 2014. Colorado Springs, CO United States. Conference Publication: (var.pagings). 6 (SUPPL. 1) (pp A2-A3), 2014.	7
623	Delgado Almandoz J, Kadkhodayan Y, Scholz J, Crandall B, Fease J, Anderson R, et al. Variability in response to a 75mg daily clopidogrel dose in a cohort of 90 patients undergoing endovascular treatment of unruptured cerebral aneurysms: Journal of NeuroInterventional Surgery. Conference: 10th Annual Meeting of the Society of NeuroInterventional Surgery, SNIS 2013. Miami, FL United States. Conference Publication: (var.pagings). 5 (SUPPL. 2) (pp A10-A11), 2013.	7
624	Delgado Almandoz J, Kadkhodayan Y, Scholz J, Fease J, Blehm A, Tran K, et al. Initial institutional experience using a target P2Y12 reaction units range to tailor the clopidogrel dose administered to patients with cerebral aneurysms treated with the pipeline embolization device and stents: Journal of NeuroInterventional Surgery. Conference: 11th Annual Meeting of the Society of NeuroInterventional Surgery, SNIS 2014. Colorado Springs, CO United States. Conference Publication: (var.pagings). 6 (SUPPL. 1) (pp A4-A5), 2014.	7

연번	서지정보	배제 사유
625	Delgado Almandoz J, Kadkhodayan Y, Scholz J, Fease J, Blehm A, Tran K, et al. Initial response to aspirin therapy measured with the PFA-100 assay in patients undergoing endovascular treatment of unruptured cerebral aneurysms: Journal of NeuroInterventional Surgery. Conference: 11th Annual Meeting of the Society of NeuroInterventional Surgery, SNIS 2014. Colorado Springs, CO United States. Conference Publication: (var.pagings). 6 (SUPPL. 1) (pp A23-A24), 2014.	7
626	Delgado Almandoz J, Kayan Y, Uittenbogaard K, Scholz J, Milner A, Fease J, et al. Safety and efficacy of the pipeline embolization device for treatment of ruptured intracranial aneurysms: Journal of NeuroInterventional Surgery. Conference: 14th Annual Meeting of the Society of NeuroInterventional Surgery, SNIS 2017. Colorado Springs, CO United States. 9 (Supplement 1) (pp A79-A80), 2017.	7
627	Delgado Almandoz JE, Crandall BM, Fease JL, Scholz JM, Anderson RE, Kadkhodayan Y, et al. Successful endovascular treatment of three fusiform cerebral aneurysms with the Pipeline Embolization Device in a patient with dilating HIV vasculopathy. Journal of Neurointerventional Surgery. 2014;6(2).	6
628	Delgado Almandoz JE, Crandall BM, Scholz JM, Fease JL, Anderson RE, Kadkhodayan Y, et al. Last-recorded P2Y12 reaction units value is strongly associated with thromboembolic and hemorrhagic complications occurring up to 6 months after treatment in patients with cerebral aneurysms treated with the pipeline embolization device. Ajnr: American Journal of Neuroradiology. 2014;35(1):128-35.	2
629	Delgado Almandoz JE, Crandall BM, Scholz JM, Fease JL, Anderson RE, Kadkhodayan Y, et al. Pre-procedure P2Y12 reaction units value predicts perioperative thromboembolic and hemorrhagic complications in patients with cerebral aneurysms treated with the Pipeline Embolization Device. Journal of Neurointerventional Surgery. 2013;5(3).	2
630	Delgado Almandoz JE, Kadkhodayan Y, Crandall BM, Scholz JM, Fease JL, Tubman DE. Variability in initial response to standard clopidogrel therapy, delayed conversion to clopidogrel hyper-response, and associated thromboembolic and hemorrhagic complications in patients undergoing endovascular treatment of unruptured cerebral aneurysms. Journal of Neurointerventional Surgery. 2014;6(10):767-73.	2
631	Delgado Almandoz JE, Kadkhodayan Y, Scholz JM, Fease JL. Response: Successful endovascular treatment of three fusiform cerebral aneurysms with the pipeline embolization device in a patient with dilating HIV vasculopathy. Authors' reply: Journal of NeuroInterventional Surgery. 9 (e1) (pp e7-e8), 2017.	6
632	Delgado Almandoz JE, Kayan Y, Tenreiro A, Wallace AN, Scholz JM, Fease JL, et al. Clinical and angiographic outcomes in patients with intracranial aneurysms treated with the pipeline embolization device: intra-procedural technical difficulties, major morbidity, and neurological mortality decrease significantly with increased operator experience in device deployment and patient management. Neuroradiology. 2017;59(12):1291-9.	3
633	den Bergh FRAV, De Beule T, van Rooij WJ, Voormolen MH, Van der Zijden T, Stockx L, et al. The p48 flow diverter: First clinical results in 25 aneurysms in three centers: Interventional Neuroradiology. (no pagination), 2020.	3
634	den Bergh FV, De Beule T, van Rooij WJ, Voormolen MH, Van der Zijden T, Stockx L, et al. The p48 flow diverter: First clinical results in 25 aneurysms in three centers. Interventional Neuroradiology. 2021; 27(3):339-345.	8
635	Deng Q, Feng WF. Efficacy of pipeline endovascular device and Willis stent graft in the treatment of traumatic pseudo intracranial aneurysms: Journal of Interventional Medicine. 3 (1) (pp 45-48), 2020.	3

연번	서지정보	배제 사유
636	Deng Q, Zhang S, Li M, Zhang G, Feng W. Effects of two different glycoprotein platelet IIb/IIIa inhibitors and the clinical endpoints in patients with intracranial Pipeline flow diverter implant: <i>Journal of Interventional Medicine.</i> 3 (4) (pp 174–179), 2020.	2
637	Dennis KD, Rossman TL, Kallmes DF, Dragomir-Daescu D. Intra-aneurysmal flow rates are reduced by two flow diverters: an experiment using tomographic particle image velocimetry in an aneurysm model. <i>Journal of Neurointerventional Surgery.</i> 2015;7(12):937–42.	2
638	Deora H, Martinez-Perez R, Agrawal A, Moscote-Salazar LR. Letter: Occlusion Rate and Visual Complications With Flow-Diverter Stent Placed Across the Ophthalmic Artery's Origin for Carotid-Ophthalmic Aneurysms: A Meta-Analysis: <i>Neurosurgery.</i> 86(4):E398–E399, 2020 04 01.; 2020.	6
639	Derakhshani S, Macho JM, Arat A, Daglioglu E, Chawda S, Atmangit I, et al. Surpass flow diverter: A real world experience derived from 200 cases: <i>Interventional Neuroradiology.</i> Conference: 13th Congress of the World Federation of Interventional and Therapeutic Neuroradiology, WFITN 2015 and 12th Interdisciplinary Cerebrovascular Symposium, Intracranial Stent Meeting, ICS 2015. Gold Coast, QLD Australia. Conference Publication: (var.pagings). 21 (SUPPL. 1) (pp 222), 2015.	7
640	Deutschmann HA, Wehrschaetz M, Augustin M, Niederkorn K, Klein GE. Long-term follow-up after treatment of intracranial aneurysms with the Pipeline embolization device: results from a single center. <i>Ajnr: American Journal of Neuroradiology.</i> 2012;33(3):481–6.	3
641	Dholakia R, Sadasivan C, Fiorella DJ, Woo HH, Lieber BB. Hemodynamics of Flow Diverters: <i>Journal of Biomechanical Engineering.</i> 139 (2) (no pagination), 2017.	6
642	Dholakia RJ, Kappel AD, Pagano A, Woo HH, Lieber BB, Fiorella DJ, et al. In vitro angiographic comparison of the flow-diversion performance of five neurovascular stents. <i>Interventional Neuroradiology.</i> 2018;24(2):150–61.	9
643	Di Caterino F, Primikiris P, Vitale G, Biondi A. Woven EndoBridge Device immediate post-detachment tilt with later displacement: Case report, rescue techniques, and review of the literature. <i>Interventional Neuroradiology.</i> 2020;26(4):483–7.	6
644	Di Maria F, Guedon A, Clarencon F, Rosso C, Gabrieli J, Rojas P, et al. Very late ischemic complications in flow diverter stents: A retrospective analysis of a single center series: <i>Interventional Neuroradiology.</i> Conference: 13th Congress of the World Federation of Interventional and Therapeutic Neuroradiology, WFITN 2015 and 12th Interdisciplinary Cerebrovascular Symposium, Intracranial Stent Meeting, ICS 2015. Gold Coast, QLD Australia. Conference Publication: (var.pagings). 21 (SUPPL. 1) (pp 145–146), 2015.	7
645	Di RY, Ge L, Lu G, Huang L, Jiang YQ, Wan HL, et al. Clinical and angiographic outcomes of stent-assisted coiling of paraclinoid aneurysms: Comparison of LVIS and Neuroform stents: <i>Journal of Clinical Neuroscience.</i> 83 (pp 1–7), 2021.	4
646	Diaz O, Gist TL, Manjarez G, Orozco F, Almeida R. Treatment of 14 intracranial aneurysms with the FRED system. <i>Journal of Neurointerventional Surgery.</i> 2014;6(8):614–7.	3
647	Diaz O, Rangel-Castilla L. Endovascular treatment of intracranial aneurysms. [Review]. <i>Handbook of Clinical Neurology.</i> 2016;136:1303–9.	6
648	Diaz O, Rangel-Castilla L. Endovascular treatment of intracranial aneurysms: <i>Handbook of clinical neurology.</i> 136 (pp 1303–1309), 2016.	8

연번	서지정보	배제 사유
649	Dickinson S, Lamprell L, Taylor R, Cunneen K, Clouston J. The initial efficacy of the pipeline embolisation device in the treatment of intracranial aneurysms: A single centre experience: Journal of Medical Imaging and Radiation Oncology. Conference: Royal Australian and New Zealand College of Radiologists, RANZCR 2012, 63rd Annual Scientific Meeting, and Asian Oceanian Congress of Radiology, AOCSR 2012. Sydney, NSW Australia. Conference Publication: (var.pagings). 56 (SUPPL. 1) (pp 92), 2012.	7
650	Diestro JDB, Parra-Farinás C, Zetchi MA, Spears J, Marotta TR. The POP (Pull on Pipe) Maneuver: A Technical Note for Rescuing a Prolapsed Pipeline Device: Journal of Stroke & Cerebrovascular Diseases. 29(4):104647, 2020.	6
651	Dietrich C, Hauck GH, Valvassori L, Hauck EF. Transradial access or Simmons shaped 8F guide enables delivery of flow diverters in patients with large intracranial aneurysms and type III aortic arch: technical case report. Neurosurgery. 2013;73(1 Suppl Operative):115–6.	3
652	Dima S, Marginean L. The endovascular treatment of the cerebral aneurysms with FRED-flow diverter—the experience on 21 patients: Interventional Neuroradiology. Conference: 13th Congress of the World Federation of Interventional and Therapeutic Neuroradiology, WFITN 2015 and 12th Interdisciplinary Cerebrovascular Symposium, Intracranial Stent Meeting, ICS 2015. Gold Coast, QLD Australia. Conference Publication: (var.pagings). 21 (SUPPL. 1) (pp 236), 2015.	7
653	Dimpasoc B, Chien A. Parent artery curvature may help determine the effectiveness of flow diverter treatment: Stroke. Conference: 2014 International Stroke Conference and State-of-the-Science Stroke Nursing Symposium of the American Heart Association/American Stroke Association. San Francisco, CA United States. Conference Publication: (var.pagings). 45 (SUPPL. 1) (no pagination), 2014.	7
654	Dinc H, Saatci I, Oguz S, Baltacioglu F, Yildiz A, Donmez H, et al. Long-term clinical and angiographic follow-up results of the dual-layer flow diverter device (FRED) for the treatment of intracranial aneurysms in a multicenter study. Neuroradiology. 2021;63(6):943–52.	3
655	Ding A, Braschkat A, Guber A, Cattaneo G. New Concept of Patient-specific Flow Diversion Treatment of Intracranial Aneurysms : Design Aspects and in vitro Fluid Dynamics. Clinical Neuroradiology. 2020;10:10.	9
656	Ding D, Buell T, Chen CJ, Raper D, Liu K, Vollmer D. Staged multimodality treatment of a large ruptured fusiform supraclinoid internal carotid artery aneurysm: Microsurgical clip-assisted endovascular coiling: Journal of Neurosciences in Rural Practice. 8 (4) (pp 668–671), 2017.	6
657	Ding D, Liu KC. Microsurgical extraction of a malfunctioned pipeline embolization device following complete deployment: Journal of Cerebrovascular & Endovascular Neurosurgery. 15(3):241–5, 2013.	6
658	Ding D, Mehta GU, Liu KC. Pituitary insufficiency from large unruptured supraclinoid internal carotid artery aneurysm: British Journal of Neurosurgery. 28 (2) (pp 290–292), 2014.	6
659	Ding D, Starke R, Durst C, Gaughen Jr J, Evans A, Jensen M, et al. Intraprocedural diagnosis of flow-diverting stent malapposition during endovascular aneurysm treatment with DynaCT imaging: Journal of NeuroInterventional Surgery. Conference: 11th Annual Meeting of the Society of NeuroInterventional Surgery, SNIS 2014. Colorado Springs, CO United States. Conference Publication: (var.pagings). 6 (SUPPL. 1) (pp A60–A61), 2014.	7

연번	서지정보	배제 사유
660	Ding D, Starke R, Evans A, Jensen M, Liu K. Navigation of a flow-diverting stent across the neck of a giant supraclinoid internal carotid artery aneurysm with a balloon anchor technique: Journal of NeuroInterventional Surgery. Conference: 11th Annual Meeting of the Society of NeuroInterventional Surgery, SNIS 2014. Colorado Springs, CO United States. Conference Publication: (var.pagings). 6 (SUPPL. 1) (pp A59–A60), 2014.	7
661	Ding D, Starke R, Hope A, Brew S. Flow-diverting stent-assisted coil embolization of a ruptured internal carotid artery blister aneurysm with the pipeline flex embolization device: Journal of Neurosciences in Rural Practice. 8 (4) (pp 664–667), 2017.	8
662	Ding D, Starke RM, Durst CR, Gaughen JR, Evans AJ, Jensen ME, et al. DynaCT imaging for intraprocedural evaluation of flow-diverting stent apposition during endovascular treatment of intracranial aneurysms: Journal of Clinical Neuroscience. 21 (11) (pp 1981–1983), 2014.	6
663	Ding D, Starke RM, Evans AJ, Jensen ME, Liu KC. Balloon anchor technique for pipeline embolization device deployment across the neck of a giant intracranial aneurysm: Journal of Cerebrovascular & Endovascular Neurosurgery. 16(2):125–30, 2014.	6
664	Ding D, Starke RM, Hope A, Brew S. Flow-diverting Stent-assisted Coil Embolization of a Ruptured Internal Carotid Artery Blister Aneurysm with the Pipeline Flex Embolization Device: Journal of Neurosciences in Rural Practice. 8(4):664–667, 2017 Oct-Dec.: 2017.	6
665	Ding D, Starke RM, Liu KC. Microsurgical strategies following failed endovascular treatment with the pipeline embolization device: case of a giant posterior cerebral artery aneurysm: Journal of Cerebrovascular & Endovascular Neurosurgery. 16(1):26–31, 2014.	3
666	Ding D, Starke RM, McGuinness B, Brew S. Double-barrel Y-configuration stenting for flow diversion of a giant recurrent basilar apex aneurysm with the pipeline flex embolization device: Journal of Neurosciences in Rural Practice. 7 (5 Supplement 1) (pp S99–S102), 2016.	3
667	Ding D. Defining the optimal target for endovascular flow diversion using intracranial aneurysm and parent vessel morphometry: Acta Neurochirurgica. 156 (11) (pp 2121–2123), 2014. Date of Publication: 2014.: 2014.	6
668	Ding D. Effect of intracranial aneurysm characteristics on complications from endovascular treatment with flow-diverting stents: British Journal of Neurosurgery. 28 (1) (pp 138), 2014.	6
669	Ding D. Endovascular approaches for blister aneurysms of the internal carotid artery: Conventional stents versus flow diverters: Clinical Neurology and Neurosurgery. 126 (pp 210), 2014.	6
670	Ding D. Endovascular approaches for morphologically unfavorable intracranial aneurysms: Adjunctive coiling techniques versus flow diversion: Acta Neurochirurgica. 156 (9) (pp 1701–1702), 2014.	6
671	Ding D. Endovascular Management of Intracranial Aneurysms: Advances in Stenting Techniques and Technology. Journal of Cerebrovascular & Endovascular Neurosurgery. 2015;17(4):331–3.	6
672	Ding D. Letters to the editor: Journal of Stroke and Cerebrovascular Diseases. 23 (10) (pp 2934–2935), 2014.	6
673	Ding D. Modern management of paraclinoid aneurysms: Rise of flow diversion and fall of microsurgery: Clinical Neurology and Neurosurgery. 131 (pp 90–91), 2015.	6

연번	서지정보	배제 사유
674	Ding Y, Dai D, Kallmes DF, Schroeder D, Kealey CP, Gupta V, et al. Preclinical Testing of a Novel Thin Film Nitinol Flow-Diversion Stent in a Rabbit Elastase Aneurysm Model. <i>Ajnr: American Journal of Neuroradiology</i> . 2016;37(3):497–501.	9
675	Ding YH, Lewis DA, Kadirvel R, Dai D, Kallmes DF. The Woven EndoBridge: a new aneurysm occlusion device. <i>Ajnr: American Journal of Neuroradiology</i> . 2011;32(3):607–11.	3
676	Dmytriw AA, Adeeb N, Kumar A, Griessenauer CJ, Phan K, Ogilvy CS, et al. Flow diversion for the treatment of basilar apex aneurysms: Clinical Neurosurgery. 83 (6) (pp 1298–1304), 2018.	3
677	Dmytriw AA, Martinez JL, Marotta T, Montanera W, Cusimano M, Bharatha A. Use of a flow-diverting stent for ruptured dissecting aneurysm treatment in a patient with sickle cell disease. <i>Interventional Neuroradiology</i> . 2016;22(2):143–7.	3
678	Dmytriw AA, Phan K, Moore JM, Pereira VM, Krings T, Thomas AJ. On Flow Diversion: The Changing Landscape of Intracerebral Aneurysm Management. <i>Ajnr: American Journal of Neuroradiology</i> . 2019;40(4):591–600.	6
679	Dmytriw AA, Phan K, Moore JM, Pereira VM, Krings T, Thomas AJ. On flow diversion: The changing landscape of intracerebral aneurysm management: <i>American Journal of Neuroradiology</i> . 40 (4) (pp 591–600), 2019.	8
680	Dmytriw AA, Phan K, Salem MM, Adeeb N, Moore JM, Griessenauer CJ, et al. The Pipeline Embolization Device: Changes in Practice and Reduction of Complications in the Treatment of Anterior Circulation Aneurysms in a Multicenter Cohort. <i>Neurosurgery</i> . 2020;86(2):266–71.	3
681	Dmytriw AA, Salem MM, Yang VXD, Krings T, Pereira VM, Moore JM, et al. Endosaccular Flow Disruption: A New Frontier in Endovascular Aneurysm Management. <i>Neurosurgery</i> . 2020;86(2):170–81.	6
682	Dmytriw AA, Salem MM, Yang VXD, Krings T, Pereira VM, Moore JM, et al. Endosaccular Flow Disruption: A New Frontier in Endovascular Aneurysm Management: <i>Clinical Neurosurgery</i> . 86 (2) (pp 170–181), 2020.	8
683	Dodier P, Frischer JM, Wang WT, Auzinger T, Mallouhi A, Serles W, et al. Immediate Flow Disruption as a Prognostic Factor After Flow Diverter Treatment: Long-Term Experience with the Pipeline Embolization Device. <i>World Neurosurgery</i> . 2018;113:e568–e78.	3
684	Dorn F, Gortz L, Kraus B, Turowski B, Borggrefe J, Kabbasch C. Safety and efficacy of the Derivo Embolization Device for the treatment of enraputured intracranial aneurysms: A multicentric study: <i>Clinical Neuroradiology</i> . Conference: 53. Jahrestagung der Deutschen Gesellschaft fur Neuroradiologie e.V.. Frankfurt a.M. Germany. 28 (Supplement 1) (pp S38), 2018.	7
685	Dorn F, Niedermeyer F, Balasso A, Liepsch D, Liebig T. The effect of stents on intra-aneurysmal hemodynamics: in vitro evaluation of a pulsatile sidewall aneurysm using laser Doppler anemometry. <i>Neuroradiology</i> . 2011;53(4):267–72.	9
686	Dornbos D, 3rd, Katz JS, Youssef P, Powers CJ, Nimjee SM. Glycoprotein IIb/IIIa Inhibitors in Prevention and Rescue Treatment of Thromboembolic Complications During Endovascular Embolization of Intracranial Aneurysms. <i>Neurosurgery</i> . 2018;82(3):268–77.	6
687	Dornbos D, 3rd, Khandpur U, Youssef PP. T-Configuration Horizontal Low-Profile Visualized Intraluminal Support (LVIS Jr) Device-Assisted Coiling for Treatment of Basilar Tip Aneurysms: A Technical Note. <i>World Neurosurgery</i> . 2019;129:428–31.	6

연번	서지정보	배제 사유
688	Dornbos D, Katz JS, Youssef P, Powers CJ, Nimjee SM. Glycoprotein IIb/IIIa inhibitors in prevention and rescue treatment of thromboembolic complications during endovascular embolization of intracranial aneurysms: Neurosurgery. 82 (3) (pp 268–277), 2018.	8
689	Dornbos D, Pillai P, Sauvageau E. Flow diverter assisted coil embolization of a very small ruptured ophthalmic artery aneurysm: Journal of neurointerventional surgery. 8 (e1) (pp e2–e4), 2016.	6
690	Dossani RH, Patra DP, Kosty J, Jumah F, Kuybu O, Mohammed N, et al. Early Versus Delayed Flow Diversion for Ruptured Intracranial Aneurysms: A Meta-Analysis. World Neurosurgery. 2019;126:41–52.	6
691	Drescher F, Maus V, Weber W, Fischer S. Pulsatile tinnitus due to an aneurysmatic diverticulum of the jugular bulb treated with the Woven EndoBridge device. Interventional Neuroradiology. 2020;26(2):235–8.	6
692	Drescher F, Weber W, Berlis A, Rohde S, Carolus A, Fischer S. Treatment of Intra- and Extracranial Aneurysms Using the Flow-Redirection Endoluminal Device: Multicenter Experience and Follow-Up Results. Ajnr: American Journal of Neuroradiology. 2017;38(1):105–12.	3
693	Duarte Conde MP, de Korte AM, Meijer FJA, Aquarius R, Boogaarts HD, Bartels R, et al. Subtraction CTA: An Alternative Imaging Option for the Follow-Up of Flow-Diverter-Treated Aneurysms? Ajnr: American Journal of Neuroradiology. 2018;39(11):2051–6.	5
694	Duckworth EA, Nickele C, Hoit D, Belayev A, Moran CJ, Arthur AS. The first North American use of the Pipeline Flex flow diverter. Journal of Neurointerventional Surgery. 2016;8(2).	6
695	Duckworth EAM, Nickele C, Hoit D, Belayev A, Moran CJ, Arthur AS. The first North American use of the Pipeline Flex flow diverter: BMJ Case Reports. 2015 (no pagination), 2015.	8
696	Duckworth EAM, Nickele C, Hoit D, Belayev A, Moran CJ, Arthur AS. The first North American use of the pipeline flex flow diverter: Journal of NeuroInterventional Surgery. 8 (2) (pp e8), 2016. Date of Publication: February 2016.; 2016.	8
697	Duckworth EAM, Nickele C, Schafer S, Bauer S, Scholz B, Eliovich L, et al. Separating the wheat from the chaff: Region of interest combined with metal artifact reduction for completion angiography following cerebral aneurysm treatment: Journal of NeuroInterventional Surgery. 8 (11) (pp 1163–1167), 2016.	2
698	Ducruet AF, Crowley RW, Albuquerque FC, McDougall CG. Reconstructive endovascular treatment of a ruptured vertebral artery dissecting aneurysm using the Pipeline embolization device. Journal of Neurointerventional Surgery. 2013;5(4).	3
699	Duman E, Coven I, Yildirim E, Yilmaz C, Pinar HU. Endovascular Treatment of Wide Necked Ruptured Saccular Aneurysms with Flow-Diverter Stent. Turkish Neurosurgery. 2017;27(3):362–7.	3
700	Dumont TM, Eller JL, Mokin M, Sorkin GC, Levy EI. Advances in endovascular approaches to cerebral aneurysms: Neurosurgery. 74 (2 SUPPL.) (pp S17–S31), 2014.	6
701	Dumont TM, Mokin M, Snyder KV, Siddiqui AH, Levy EI, Hopkins ILN. A paradigm-shifting technology for the treatment of cerebral aneurysms: The pipeline embolization device: World Neurosurgery. 80 (6) (pp 800–803), 2013.	6
702	Dumont TM, Mokin M, Snyder KV, Siddiqui AH, Levy EI, Hopkins LN, 3rd. A paradigm-shifting technology for the treatment of cerebral aneurysms: the pipeline embolization device. World Neurosurgery. 2013;80(6):800–3.	8

연번	서지정보	배제 사유
703	Durner G, Ozpeynirci Y, Schmitz B, Wirtz CR, Konig R, Pala A. Clipping as re-treatment strategy after treatment of a cerebral aneurysm with the Woven EndoBridge embolization device: Case report: <i>Journal of Neurosurgery</i> . 130 (3) (pp 891–894), 2019.	3
704	D'Urso PI, Karadeli HH, Kallmes DF, Cloft HJ, Lanzino G. Coiling for paraclinoid aneurysms: time to make way for flow diverters? <i>Ajnr: American Journal of Neuroradiology</i> . 2012;33(8):1470–4.	6
705	D'Urso PI, Lanzino G, Cloft HJ, Kallmes DF. Flow diversion for intracranial aneurysms: a review. <i>Stroke</i> . 2011;42(8):2363–8.	8
706	Durso PI, Lanzino G, Cloft HJ, Kallmes DF. Flow diversion for intracranial aneurysms: A review: <i>Stroke</i> . 42 (8) (pp 2363–2368), 2011.	6
707	Durst C, Starke R, Gingras J, Hixson H, Liu K, Crowley R, et al. Single center comparison of ophthalmic aneurysm treatment using pipeline embolization device versus coil embolization: <i>Journal of NeuroInterventional Surgery</i> . Conference: 11th Annual Meeting of the Society of NeuroInterventional Surgery, SNIS 2014. Colorado Springs, CO United States. Conference Publication: (var.pagings). 6 (SUPPL. 1) (pp A54–A55), 2014.	7
708	Durst CR, Hixson HR, Schmitt P, Gingras JM, Crowley RW. Endovascular Treatment of a Fusiform Aneurysm at the M3–M4 Junction of the Middle Cerebral Artery Using the Pipeline Embolization Device. <i>World Neurosurgery</i> . 2016;86(511).	3
709	Eboli P, Ryan RW, Alexander MJ. General technical considerations for the endovascular management of cerebral aneurysms. <i>Neurosurgery Clinics of North America</i> . 2014;25(3):395–404.	6
710	Eboli P, Ryan RW, Alexander MJ. General technical considerations for the endovascular management of cerebral aneurysms: <i>Neurosurgery Clinics of North America</i> . 25 (3) (pp 395–404), 2014.	6
711	Eker OF, Boudjeltia KZ, Jerez RA, Le Bars E, Sanchez M, Bonafe A, et al. MR derived volumetric flow rate waveforms of internal carotid artery in patients treated for unruptured intracranial aneurysms by flow diversion technique. <i>Journal of Cerebral Blood Flow & Metabolism</i> . 2015;35(12):2070–9.	6
712	Eker OF, Boudjeltia KZ, Jerez RAC, Le Bars E, Sanchez M, Bonafe A, et al. MR derived volumetric flow rate waveforms of internal carotid artery in patients treated for unruptured intracranial aneurysms by flow diversion technique: <i>Journal of Cerebral Blood Flow and Metabolism</i> . 35 (12) (pp 2070–2079), 2015.	8
713	Elarjani T, Almutairi OT, Bafaquh M, Alturki AY. Bibliometric Analysis of the Top 100 Most-Cited Articles on Intracranial Flow Diversion. <i>World Neurosurgery</i> . 2021;146:e618–e30.	6
714	Eller JL, Dumont TM, Sorkin GC, Mokin M, Levy EI, Snyder KV, et al. The Pipeline embolization device for treatment of intracranial aneurysms. <i>Expert Review of Medical Devices</i> . 2014;11(2):137–50.	6
715	Ellis JA, Nossek E, Kronenburg A, Langer DJ, Ortiz RA. Intracranial Aneurysm: Diagnostic Monitoring, Current Interventional Practices, and Advances. <i>Current Treatment Options in Cardiovascular Medicine</i> . 2018;20(12):24.	6
716	Ellis JA, Nossek E, Kronenburg A, Langer DJ, Ortiz RA. Intracranial Aneurysm: Diagnostic Monitoring, Current Interventional Practices, and Advances: Current Treatment Options in Cardiovascular Medicine. 20 (12) (no pagination), 2018.	6

연번	서지정보	배제 사유
717	Elsayed GA, Chagoya G, Bernstock JD, Omar N, Tabibian E, Gessler F, et al. Magnetic Resonance Imaging Safety of Retained Tip and Protective Coils after Faulty Deployment of an Intracranial Pipeline Embolization Device: A Case Report: World Neurosurgery. 129 (pp 221–224), 2019.	2
718	Elsheikh S, Urbach H, Meckel S. Contrast enhancement of intracranial aneurysms on 3T 3D black-blood MRI and its relationship to aneurysm recurrence following endovascular treatment: American Journal of Neuroradiology. 41 (3) (pp 495–500), 2020.	2
719	Engelhorn T, Luecking H, Struffert T, Goelitz P, Kloska S, Doerfler A. The FRED flow-diverter device for treatment of cerebral aneurysms: Preliminary results of a prospective study of 43 consecutive patients: Interventional Neuroradiology. Conference: 13th Congress of the World Federation of Interventional and Therapeutic Neuroradiology, WFITN 2015 and 12th Interdisciplinary Cerebrovascular Symposium, Intracranial Stent Meeting, ICS 2015. Gold Coast, QLD Australia. Conference Publication: (var.pagings). 21 (SUPPL. 1) (pp 163), 2015.	7
720	Enomoto Y, Egashira Y, Matsubara H, Yoshimura S, Iwama T. Long-Term Outcome of Endovascular Therapy for Large or Giant Thrombosed Intracranial Aneurysms: World Neurosurgery. 144 (pp e507–e512), 2020.	3
721	Enriquez-Marulanda A, Ravindran K, Salem MM, Ascanio LC, Kan P, Srinivasan VM, et al. Evaluation of Radiological Features of the Posterior Communicating Artery and Their Impact on Efficacy of Saccular Aneurysm Treatment with the Pipeline Embolization Device: A Case Series Study. World Neurosurgery. 2019;125:05.	3
722	Enriquez-Marulanda A, Salem MM, Ascanio LC, Maragkos GA, Gupta R, Moore JM, et al. No differences in effectiveness and safety between pipeline embolization device and stent-assisted coiling for the treatment of communicating segment internal carotid artery aneurysms. Neuroradiology Journal. 2019;32(5):344–52.	2
723	Enriquez-Marulanda A, Thomas AJ. Commentary: Introduction: History and Development of Flow Diverter Technology and Evolution. Neurosurgery. 2020;86(Suppl 1):S11–S2.	6
724	Erskine B, Brady Z, Marshall E. Diagnostic reference levels (DRLs) for angiographic and fluoroscopic procedures: Journal of Medical Imaging and Radiation Oncology. Conference: 2014 Combined Scientific Meeting: Imaging and Radiation in Personalised Medicine. Melbourne, VIC Australia. Conference Publication: (var.pagings). 58 (SUPPL. 1) (pp 102), 2014.	7
725	Ertl L, Holtmannspotter M, Patzig M, Bruckmann H, Fesl G. Use of flow-diverting devices in fusiform vertebrobasilar giant aneurysms: a report on periprocedural course and long-term follow-up. Ajnr: American Journal of Neuroradiology. 2014;35(7):1346–52.	3
726	Esfahani DR, Viswanathan V, Alaraj A. Nanoparticles and stem cells – has targeted therapy for aneurysms finally arrived?. Neurological Research. 2015;37(3):269–77.	6
727	Esfahani DR, Viswanathan V, Alaraj A. Nanoparticles and stem cells-has targeted therapy for aneurysms finally arrived?: Neurological Research. 37 (3) (pp 269–277), 2015.	8
728	Estrade L, Makoyeva A, Darsaut TE, Ghostine J, Kouznetsov E, Salazkin I, et al. In vitro reproduction of device deformation leading to thrombotic complications and failure of flow diversion: Interventional Neuroradiology. 19 (4) (pp 432–437), 2013.	9

연번	서지정보	배제 사유
729	Fabian C, Chudyk J, Viso R, Parada C, Lylyk P. Aneurysmatic disease in a non-conventional location: Persistent primitive trigeminal artery aneurysm: Neuroradiology. Conference: 12th Asian–Oceanian Congress of Neuroradiology and the 21st Symposium Neuroradiologicum. Taipei Taiwan (Republic of China). 60 (1 Supplement 1) (pp 185), 2018.	7
730	Fahed R, Darsaut TE, Gentric JC, Farzin B, Salazkin I, Gevry G, et al. Flow diversion: what can clinicians learn from animal models?. <i>Neuroradiology</i> . 2017;59(3):255–61.	9
731	Fahed R, Darsaut TE, Kotowski M, Salazkin I, Raymond J. Re-treatment of residual aneurysms after flow diversion: An experimental study. <i>Neuroradiology Journal</i> . 2018;31(3):270–9.	9
732	Fahed R, Darsaut TE, Salazkin I, Gentric JC, Mazighi M, Raymond J. Testing Stenting and Flow Diversion Using a Surgical Elastase-Induced Complex Fusiform Aneurysm Model. <i>Ajnr: American Journal of Neuroradiology</i> . 2017;38(2):317–22.	9
733	Fahed R, Gentric JC, Salazkin I, Gevry G, Raymond J, Darsaut TE. Flow diversion of bifurcation aneurysms is more effective when the jailed branch is occluded: an experimental study in a novel canine model. <i>Journal of Neurointerventional Surgery</i> . 2017;9(3):311–5.	4
734	Fahed R, Raymond J, Ducroux C, Gentric JC, Salazkin I, Ziegler D, et al. Testing flow diversion in animal models: a systematic review. <i>Neuroradiology</i> . 2016;58(4):375–82.	9
735	Familiari P, Maldaner N, Kursumovic A, Rath SA, Vajkoczy P, Raco A, et al. Cost comparison of surgical and endovascular treatment of unruptured giant intracranial aneurysms: <i>Neurosurgery</i> . 77 (5) (pp 733–741), 2015.	5
736	Fang S, Lanzino G. Paraclinoid aneurysms: is there a new endovascular standard?. [Review]. <i>Neurological Research</i> . 2014;36(4):314–22.	6
737	Fang S, Lanzino G. Paraclinoid aneurysms: Is there a new endovascular standard?: <i>Neurological Research</i> . 36 (4) (pp 314–322), 2014.	6
738	Fang YB, Lin A, Kostynskyy A, Agid R, Tymianski M, Radovanovic I, et al. Endovascular treatment of intracranial vertebrobasilar artery dissecting aneurysms: Parent artery occlusion versus flow diverter. <i>European Journal of Radiology</i> . 2018;99:68–75.	4
739	Fang YB, Wen WL, Yang PF, Zhou Y, Wu YN, Hong B, et al. Long-Term Outcome of Tubridge Flow Diverter(S) in Treating Large Vertebral Artery Dissecting Aneurysms—A Pilot Study. <i>Clinical Neuroradiology</i> . 2017;27(3):345–50.	3
740	Farago G, Caldiera V, Tempra G, Ciceri E. Advanced digital subtraction angiography and MR fusion imaging protocol applied to accurate placement of flow diverter device. <i>Journal of Neurointerventional Surgery</i> . 2016;8(2).	6
741	Fargen KM, Hoh BL. Flow Diversion Technologies in Evolution: A Review of the First 4 Generations of Flow Diversion Devices: <i>World Neurosurgery</i> . 81 (3–4) (pp 452–453), 2014.	6
742	Fargen KM, Hoh BL. Flow Diversion Technologies in Evolution: A Review of the First Two Generations of Flow Diversion Devices. <i>World Neurosurgery</i> . 2015;84(2):254–6.	6
743	Fargen KM, Hoh BL. Flow re-direction endoluminal device: <i>Journal of Neurosurgery</i> . 120 (5) (pp 1156–1157), 2014.	6
744	Fargen KM, Hoh BL. Ipsilateral cerebral hemorrhage following deployment of the Pipeline Embolization Device: <i>Journal of Neurosurgery</i> . 120 (2) (pp 363–364), 2014.	6
745	Fargen KM, Velat GJ, Lawson MF, Hoh BL, Mocco J. The stent anchor technique for distal access through a large or giant aneurysm: <i>Journal of NeuroInterventional Surgery</i> . 5 (4) (pp e24), 2013.	6

연번	서지정보	배제 사유
746	Fargen KM, Velat GJ, Lawson MF, Mocco J, Hoh BL. Review of reported complications associated with the Pipeline Embolization Device: World Neurosurgery. 77(3-4):403-4, 2012 Mar-Apr.; 2012.	6
747	Feng M, Cao W, Li J, Yang P, Fang Y, Xu Y, et al. Effect analysis of embolization device for the treatment of large or giant intracranial aneurysms. [Chinese]: Chinese Journal of Cerebrovascular Diseases. 14 (1) (pp 32-36), 2017.	10
748	Feng X, Tong X, Peng F, Wang K, Niu H, Qi P, et al. The Minimum Distance May Affect Perioperative Complications and Completed Occlusions of Endovascular Treatment for Tandem Intracranial Aneurysms: A Multi-Institutional Retrospective Study. Cerebrovascular Diseases. 2020;49(6):609-18.	4
749	Feng Z, Fang Y, Xu Y, Hong B, Zhao W, Liu J, et al. The safety and efficacy of low profile visualized intraluminal support (LVIS) stents in assisting coil embolization of intracranial saccular aneurysms: A single center experience: Journal of NeuroInterventional Surgery. 8 (11) (pp 1192-1196), 2016.	3
750	Fernandez CR, Garcia PR, Astudillo AV, Cendon JCM, Cano LN. Endovascular reconstruction using flow diverter for the treatment of intracranial complex aneurysms: Neuroradiology. Conference: 41st Annual Meeting of the Spanish Society of Neuroradiology. Alicante Spain. Conference Publication: (var.pagings). 55 (4) (pp 512-513), 2013.	7
751	Fernandez H, Macho JM, Blasco J, Roman LS, Mailaender W, Serra L, et al. Computation of the change in length of a braided device when deployed in realistic vessel models. International Journal of Computer Assisted Radiology & Surgery. 2015;10(10):1659-65.	1
752	Fernando Mota DC, Caroff J, Elizeu Pereira DSN, Chalumeau V, Khalek HA, Neki H, et al. Flow changes in the posterior communicating artery related to flow-diverter stents in carotid siphon aneurysms: Journal of NeuroInterventional Surgery. 9 (7) (pp 674-678), 2017.	4
753	Ferrell AS, Britz GW. Developments on the horizon in the treatment of neurovascular problems: Surgical Neurology International. 4 (SUPPL1) (pp S31-S37), 2013.	6
754	Ferrigno AS, Caro-Osorio E, Martinez HR, Martinez-Ordaz L, Figueroa-Sanchez JA. Coiling as a Rescue Strategy for Flow Diverter Prolapse into a Giant Intracranial Aneurysm. World Neurosurgery. 2020;133:392-7.	3
755	Finitis S, Derelle AL, Tonnelet R, Anxionnat R, Bracard S. Basilar Perforator Aneurysms: Presentation of 4 Cases and Review of the Literature. World Neurosurgery. 2017;97:366-73.	6
756	Fiorella D, Arthur A, Boulos A, Diaz O, Jabbour P, Pride L, et al. Final results of the US humanitarian device exemption study of the low-profile visualized intraluminal support (LVIS) device: Journal of NeuroInterventional Surgery. 8 (9) (pp 894-897), 2016.	3
757	Fiorella D, Arthur A, Byrne J, Pierot L, Molyneux A, Duckwiler G, et al. Interobserver variability in the assessment of aneurysm occlusion with the WEB aneurysm embolization system. Journal of Neurointerventional Surgery. 2015;7(8):591-5.	3
758	Fiorella D, Gache L, Frame D, Arthur AS. How safe and effective are flow diverters for the treatment of unruptured small/medium intracranial aneurysms of the internal carotid artery? Meta-analysis for evidence-based performance goals: Journal of NeuroInterventional Surgery. 12 (9) (pp 869-873), 2020.	6

연번	서지정보	배제 사유
759	Fiorella D, Llylyk P, Szikora I, Kelly ME, Albuquerque FC, McDougall CG, et al. Curative cerebrovascular reconstruction with the Pipeline embolization device: the emergence of definitive endovascular therapy for intracranial aneurysms. <i>Journal of Neurointerventional Surgery</i> . 2018;10(Suppl 1):i9–i18.	6
760	Fiorella D, Molyneux A, Coon A, Szikora I, Saatci I, Baltacioglu F, et al. Demographic, procedural and 30-day safety results from the WEB Intra-saccular Therapy Study (WEB-IT). <i>Journal of Neurointerventional Surgery</i> . 2017;9(12):1191–6.	3
761	Fiorella D. Pipeline in clinical practice in 2011: <i>Neuroradiology</i> . 54 (4) (pp 277–278), 2012.	6
762	Firouznia K, Hosseiny M, Kooraki S, Samani A, Soltani M, Jalali AH, et al. Mid-term outcome following pipeline embolization of unruptured intracranial aneurysms: <i>Iranian Journal of Radiology</i> . 15 (1) (no pagination), 2018.	6
763	Fischer S, Aguilar-Perez M, Henkes E, Kurre W, Ganslandt O, Bazner H, et al. Initial Experience with p64: A Novel Mechanically Detachable Flow Diverter for the Treatment of Intracranial Saccular Sidewall Aneurysms. <i>Ajnr: American Journal of Neuroradiology</i> . 2015;36(11):2082–9.	3
764	Fischer S, Berlis A, Weber W, Altenbernd J. Multicenter experience in the endovascular treatment of ruptured and unruptured intracranial aneurysms using the Low-Prole WEB 17(Woven Endobridge) device: <i>Clinical Neuroradiology</i> . Conference: 53. Jahrestagung der Deutschen Gesellschaft fur Neuroradiologie e.V.. Frankfurt a.M. Germany. 28 (Supplement 1) (pp S38), 2018.	7
765	Fischer S, Vajda Z, Aguilar Perez M, Hopf N, Bazner H, Henkes H. Pipeline Embolization Device (PED) for neurovascular reconstruction: Initial and follow-up experience in the treatment of 101 intracranial aneurysms and dissections: <i>Interventional Neuroradiology</i> . Conference: 11th Congress of the World Federation of Interventional and Therapeutic Neuroradiology, WFITN 2011. Cape Town South Africa. Conference Publication: (var.pagings). 17 (SUPPL. 1) (pp 33), 2011.	7
766	Fischer S, Vajda Z, Aguilar Perez M, Schmid E, Hopf N, Bazner H, et al. Neurovascular reconstruction using the pipeline embolization device (PED): Initial and follow-up experience in the treatment of 101 intracranial aneurysms and dissections: <i>Neuroradiology</i> . Conference: 35th European Society of Neuroradiology Annual Meeting, 19th Advanced Course in Diagnostic Neuroradiology and 3rd Advanced Course in Interventional Neuroradiology. Antwerp Belgium. Conference Publication: (var.pagings). 53 (SUPPL. 1) (pp S130), 2011.	8
767	Fischer S, Vajda Z, Aguilar Perez M, Schmid E, Hopf N, Bazner H, et al. Pipeline embolization device (PED) for neurovascular reconstruction: initial experience in the treatment of 101 intracranial aneurysms and dissections. <i>Neuroradiology</i> . 2012;54(4):369–82.	3
768	Fischer S, Weber W. Multicenter experience in the endovascular treatment of ruptured and unruptured intracranial aneurysms using the WEB (Woven Endobridge) device: <i>Clinical Neuroradiology</i> . Conference: 52. Jahrestagung der Deutschen Gesellschaft fur Neuroradiologie. Koln Germany. 27 (1 Supplement 1) (pp S63), 2017.	7
769	Fischer VE, Tavakoli S, Rodriguez P, Birnbaum LA, Mascitelli JR. The Ricochet-Scepter Technique: A Balloon-Assisted Technique to Achieve Outflow Access During Pipeline-Assisted Coil Embolization of a Near-Giant Internal Carotid Artery Ophthalmic Aneurysm: <i>World Neurosurgery</i> . 145:51–56, 2021 Jan.; 2021.	3

연번	서지정보	배제 사유
770	Foa Torres G, Roca F, Noguera A, Godes J, Petrocelli S, Aznar I, et al. Silk flow-diverter stent for the treatment of complex intracranial aneurysms: A one-year follow-up multicenter study. <i>Interventional Neuroradiology</i> . 2018;24(4):357–62.	3
771	Forbrig R, Eckert B, Ertl L, Patzig M, Brem C, Vollmar C, et al. Ruptured basilar artery perforator aneurysms—treatment regimen and long-term follow-up in eight cases. <i>Neuroradiology</i> . 2016;58(3):285–91.	3
772	Forbrig R, Liebig T, Dorn F, Trumm C. Radiation dose in endovascular treatment of intracranial aneurysms: Clinical Neuroradiology. Conference: 54. Jahrestagung der Deutschen Gesellschaft fur Neuroradiologie e.V. und 27. Jahrestagung der Österreichischen Gesellschaft fur Neuroradiologie. Frankfurt a.M. Germany. 29 (SUPPL 1) (pp S98), 2019.	7
773	Forbrig R, Ozpeynirci Y, Grasser M, Dorn F, Liebig T, Trumm CG. Radiation dose and fluoroscopy time of modern endovascular treatment techniques in patients with saccular unruptured intracranial aneurysms. <i>European Radiology</i> . 2020;30(8):4504–13.	3
774	Foreman P, Ilyas A, Cress M, Vachhani J, Hirschl R, Griessenauer C. Ruptured intracranial aneurysms treated with the pipeline embolization device: A systematic review and pooled analysis of individual patient data: <i>Journal of NeuroInterventional Surgery</i> . Conference: 17th Annual Meeting of the Society of NeuroInterventional Surgery Organizing, SNIS 2020. San Diego, CA United States. 12 (Supplement 1) (pp A156), 2020.	7
775	Foreman PM, Enriquez-Marulanda A, Mooney JH, Schmalz PGR, Griessenauer CJ, Deveikis JP, et al. Whole blood aggregometry prior to Pipeline embolization device treatment of intracranial aneurysms: Defining an optimal platelet inhibition cutoff value for clopidogrel: <i>Journal of Neurosurgery</i> . 131 (5) (pp 1437–1444), 2019.	1
776	Foreman PM, Ilyas A, Cress MC, Vachhani JA, Hirschl RA, Agee B, et al. Ruptured Intracranial Aneurysms Treated with the Pipeline Embolization Device: A Systematic Review and Pooled Analysis of Individual Patient Data. <i>Ajnr: American Journal of Neuroradiology</i> . 2021;18:18.	6
777	Foreman PM, Salem MM, Griessenauer CJ, Dmytriw AA, Parra-Farinas C, Nicholson P, et al. Flow Diversion for Treatment of Partially Thrombosed Aneurysms: A Multicenter Cohort. <i>World Neurosurgery</i> . 2020;135:e164–e73.	3
778	Fox B, Humphries WE, Doss VT, Hoit D, Eliovich L, Arthur AS. Rupture of giant vertebrobasilar aneurysm following flow diversion: mechanical stretch as a potential mechanism for early aneurysm rupture. <i>BMJ Case Reports</i> . 2014;29:29.	3
779	Fox B, Humphries WE, Doss VT, Hoit D, Eliovich L, Arthur AS. Rupture of giant vertebrobasilar aneurysm following flow diversion: Mechanical stretch as a potential mechanism for early aneurysm rupture: <i>Journal of NeuroInterventional Surgery</i> . 7 (11) (pp e37), 2015.	8
780	Fries F, Massmann A, Tomori T, Yilmaz U, Kettner M, Simgen A, et al. Accuracy of optical coherence tomography imaging in assessing aneurysmal remnants after flow diversion: <i>Journal of NeuroInterventional Surgery</i> . 12 (12) (pp 1242–1246), 2020.	9
781	Frolov SV, Potlov AY, Sindeev SV. Selection of Flow-Diverter Stent Models Using Optical Coherence Tomography and Mathematical Modeling of Hemodynamics: <i>Biomedical Engineering</i> . 51 (6) (pp 381–384), 2018.	6
782	Fu W, Xia Q, Yan R, Qiao A. Numerical investigations of the mechanical properties of braided vascular stents. <i>Bio Medical Materials & Engineering</i> . 2018;29(1):81–94.	4

연번	서지정보	배제 사유
783	Fu W, Xia Q. Interaction between Flow Diverter and Parent Artery of Intracranial Aneurysm: A Computational Study: Applied Bionics and Biomechanics. 2017 (no pagination), 2017.	6
784	Fujii T, Oishi H, Teranishi K, Yatomi K, Suzuki K, Arai H. Outcome of flow diverter placement for intracranial aneurysm with dual antiplatelet therapy and oral anticoagulant therapy. <i>Interventional Neuroradiology</i> . 2020;26(5):532-8.	2
785	Fujii T, Oishi H, Teranishi K, Yatomi K, Suzuki K. Flow diverter device placement for cerebral aneurysm is not effective for the patient with parent artery occlusion for contralateral aneurysm. <i>Neuroradiology Journal</i> . 2020;33(6):465-70.	4
786	Fujii T, Oishi H, Teranishi K, Yatomi K, Yamamoto M, Arai H. Patency of anterior choroidal artery after flow diverter deployment with assessment of magnetic resonance imaging follow-up. <i>Neuroradiology Journal</i> . 2019;32(2):115-22.	3
787	Fujimoto M, Lylyk I, Bleise C, Albina P, Chudyk J, Lylyk P. Long-Term Outcomes of the WEB Device for Treatment of Wide-Neck Bifurcation Aneurysms. <i>Ajnr: American Journal of Neuroradiology</i> . 2020;41(6):1031-6.	3
788	Fukuda H, Sato D, Kato Y, Tsuruta W, Katsumata M, Hosoo H, et al. Comparing Retreatments and Expenditures in Flow Diversion Versus Coiling for Unruptured Intracranial Aneurysm Treatment: A Retrospective Cohort Study Using a Real-World National Database. <i>Neurosurgery</i> . 2020;87(1):63-70.	5
789	Gabrieli J, Clarenon F, Di Maria F, Le Jean L, Chiras J, Sourour N. Interest of flat panel volume CT angiography to evaluate the accurate deployment of flowdiverter stents: <i>Neuroradiology</i> . Conference: 37th European Society of Neuroradiology Annual Meeting. Frankfurt Germany. Conference Publication: (var.pagings). 55 (SUPPL. 1) (pp S108), 2013.	7
790	Gabrieli J, Clarenon F, Di Maria F, Le Jean L, Chiras J, Sourour N. What about aneurysm sac thrombosis at day 1 after flow-diverter stenting of intracranial aneurysms? A retrospective case series: <i>Neuroradiology</i> . Conference: 37th European Society of Neuroradiology Annual Meeting. Frankfurt Germany. Conference Publication: (var.pagings). 55 (SUPPL. 1) (pp S107-S108), 2013.	7
791	Gadara M, Ollenschleger M, Song X. Intracerebral granulomas after pipeline embolization device procedure for intracranial aneurysms: two case reports: <i>Journal of Neuropathology and Experimental Neurology</i> . Conference: 91st Annual Meeting of the American Association of Neuropathologists, Inc.. Denver, CO United States. Conference Publication: (var.pagings). 74 (6) (pp 630), 2015.	7
792	Gal G. Mid-term experiences with the pulserider: <i>Interventional Neuroradiology</i> . Conference: 13th Congress of the World Federation of Interventional and Therapeutic Neuroradiology, WFITN 2015 and 12th Interdisciplinary Cerebrovascular Symposium, Intracranial Stent Meeting, ICS 2015. Gold Coast, QLD Australia. Conference Publication: (var.pagings). 21 (SUPPL. 1) (pp 236-237), 2015.	7
793	Gallas S, Tuilier T, Ebrahiminia V, Bartolucci P, Hodel J, Gaston A. Intracranial aneurysms in sickle cell disease: Aneurysms characteristics and modalities of endovascular approach to treat these patients. [Review]. <i>Journal of Neuroradiology Journal de Neuroradiologie</i> . 2020;47(3):221-6.	3
794	Gallas S, Tuilier T, Ebrahiminia V, Bartolucci P, Hodel J, Gaston A. Intracranial aneurysms in sickle cell disease: Aneurysms characteristics and modalities of endovascular approach to treat these patients: <i>Journal of Neuroradiology</i> . 47 (3) (pp 221-226), 2020.	8

연번	서지정보	배제 사유
795	Gan CL, Yang Z, Salahia G, Halpin S, Nair S. A single-centre experience and literature review of Flow Re-Directional Endoluminal Device (FRED) in endovascular treatment of intracranial aneurysms. <i>Clinical Radiology</i> . 2021;76(3).	6
796	Gandhi CD, Bulsara KR, Fifi J, Kass-Hout T, Grant RA, Almandoz JED, et al. Platelet function inhibitors and platelet function testing in neurointerventional procedures: <i>Journal of NeuroInterventional Surgery</i> . 6 (8) (pp 567–577), 2014.	6
797	Ganesh Kumar N, Ladner TR, Kahn IS, Zuckerman SL, Baker CB, Skaletsky M, et al. Parent vessel occlusion for treatment of cerebral aneurysms: Is there still an indication? A series of 17 patients. <i>Journal of the Neurological Sciences</i> . 2017;372:250–5.	3
798	Gao B, Baharoglu MI, Malek AM. Angular remodeling in single stent-assisted coiling displaces and attenuates the flow impingement zone at the neck of intracranial bifurcation aneurysms. <i>Neurosurgery</i> . 2013;72(5):739–48.	3
799	Gao BL, Li TX, Li L, Xu GQ, Yang BW. Tiny Cerebral Aneurysms Can Be Treated Safely and Effectively with Low-Profile Visualized Intraluminal Support Stent-Assisted Coiling or Coiling Alone. <i>World Neurosurgery</i> . 2018;113:e426–e30.	2
800	Garcia AG, Quintanilla JO, Jarrin IG, Lopez JA, Arriaza EZ. Dose adjustment with clopidogrel oral solution in hyper-responder patients with intracranial aneurysms treated with stent: <i>Neuroradiology</i> . Conference: 46th Annual Meeting of Spanish Society of Neuroradiology. Vigo Spain. 60 (4) (pp 463), 2018.	7
801	Garcia-Armengol R, Puyalto de Pablo P, Misis M, Rodriguez-Hernandez A, Julian JF, Perez-Balaguero AC, et al. Validation of shunt dependency prediction scores after aneurysmal spontaneous subarachnoid hemorrhage: <i>Acta Neurochirurgica</i> . 163 (3) (pp 743–751), 2021.	2
802	Gardijan D, Herega T, Premuzic V, Jovanovic I, Ozretic D, Poljakovic Z, et al. Comparison between stenting and conservative management of posterior circulation perforator aneurysms: Systematic review and case series: <i>Neuroradiology</i> . 63 (5) (pp 639–651), 2021.	6
803	Gariel F, Marnat G, Barreau X, Menegon P, Bourcier R, Pierot L, et al. Safety and efficacy of the Silk flow diverter: Insight from the DIVERSION prospective cohort study. <i>Journal of Neuroradiology Journal de Neuroradiologie</i> . 2020;29:29.	3
804	Garignano G, Lozupone E, Pedicelli A, Alexandre A, D'Argento F, Valente I, et al. New alternative uses of stentriever beyond the acute stroke rescue therapy for cerebral vasospasm after SAH and endovascular treatment for brain aneurysm: <i>Neuroradiology</i> . Conference: 41st European Society of Neuroradiology Diagnostic and Interventional Annual Meeting – ESNR 2018, the 25th Advanced Course in Diagnostic Neuroradiology and the 10th Advanced Course in Endovascular and Interventional Neuroradiology. Rotterdam Netherlands. 60 (Supplement 2) (pp S513), 2018.	7
805	Gascou G, Ferrara R, Ambard D, Sanchez M, Lobotesis K, Jourdan F, et al. The pressure reduction coefficient: A new parameter to assess aneurysmal blood stasis induced by flow diverters/disruptors. <i>Interventional Neuroradiology</i> . 2017;23(1):41–6.	9
806	Gascou G, Lobotesis K, Brunel H, Machi P, Riquelme C, Eker O, et al. Extra-aneurysmal flow modification following pipeline embolization device implantation: focus on regional branches, perforators, and the parent vessel. <i>Ajnr: American Journal of Neuroradiology</i> . 2015;36(4):725–31.	3
807	Gately R, Lock G, Patel C, Clouston J, Hawley C, Mallett A. Multiple Cerebral Aneurysms in an Adult With Autosomal Recessive Polycystic Kidney Disease: <i>Kidney International Reports</i> . 6 (1) (pp 219–223), 2021.	3

연번	서지정보	배제 사유
808	Gawlitza M, Januel AC, Tall P, Bonneville F, Cognard C. Flow diversion treatment of complex bifurcation aneurysms beyond the circle of Willis: a single-center series with special emphasis on covered cortical branches and perforating arteries. <i>Journal of Neurointerventional Surgery</i> . 2016;8(5):481–7.	3
809	Gawlitza M, Soize S, Barbe C, le Clainche A, White P, Spelle L, et al. Aneurysm Characteristics, Study Population, and Endovascular Techniques for the Treatment of Intracranial Aneurysms in a Large, Prospective, Multicenter Cohort: Results of the Analysis of Recanalization after Endovascular Treatment of Intracranial Aneurysm Study. <i>Ajnr: American Journal of Neuroradiology</i> . 2019;40(3):517–23.	3
810	Gawlitza M, Soize S, Manceau PF, Pierot L. An update on intrasaccular flow disruption for the treatment of intracranial aneurysms. <i>Expert Review of Medical Devices</i> . 2019;16(3):229–36.	6
811	Gawlitza M, Soize S, Manceau PF, Pierot L. Delayed intra-aneurysmal migration of a flow diverter construct after treatment of a giant aneurysm of the cavernous internal carotid artery: <i>Journal of Neuroradiology</i> . 2020; 47(3):233–236	6
812	Geisbush TR, Marks MP, Heit JJ. Cerebral foreign body reaction due to hydrophilic polymer embolization following aneurysm treatment by pipeline flow diversion device. <i>Interventional Neuroradiology</i> . 2019;25(4):447–53.	3
813	Geller J. Food and drug administration issues important new draft guidances: <i>Journal of Clinical Engineering</i> . 44 (1) (pp 3–6), 2019.	6
814	Gemmee JJ, Elias AE, Chaudhary N, Pandey AS. Endovascular methods for the treatment of intracranial cerebral aneurysms. <i>Neuroimaging Clinics of North America</i> . 2013;23(4):563–91.	6
815	Gemmee JJ. Comment: <i>Neurosurgery</i> . 76 (2) (pp 172), 2015.	6
816	Gemmee JJ. Commentary: Multicenter Study of Pipeline Flex for Intracranial Aneurysms: <i>Clinical Neurosurgery</i> . 84 (6) (pp E410–E411), 2019.	6
817	Gentic JC, Fahed R, Darsaut TE, Salazkin I, Roy D, Raymond J, Raymond J. Fatal arterial rupture during angioplasty of a flow diverter in a recurrent, previously Y-stented giant MCA bifurcation aneurysm: <i>Interventional Neuroradiology</i> . 22 (3) (pp 278–286), 2016.	3
818	Gentic JC, Salazkin I, Gevry G, Raymond J, Darsaut T. Compaction of flow diverters improves occlusion of experimental wide-necked aneurysms. <i>Journal of Neurointerventional Surgery</i> . 2016;8(10):1072–7.	9
819	Gester K, Luchtefeld I, Busen M, Sonntag SJ, Linde T, Steinseifer U, et al. In Vitro Evaluation of Intra-Aneurysmal, Flow-Diverter-Induced Thrombus Formation: A Feasibility Study. <i>Ajnr: American Journal of Neuroradiology</i> . 2016;37(3):490–6.	9
820	Ghali MGZ, Srinivasan VM, Cherian J, Wagner KM, Chen SR, Johnson J, et al. Multimodal Treatment of Intracranial Aneurysms in Children: Clinical Case Series and Review of the Literature. <i>World Neurosurgery</i> . 2018;111:e294–e307.	8
821	Ghali MGZ, Srinivasan VM, Cherian J, Wagner KM, Chen SR, Johnson J, et al. Multimodal Treatment of Intracranial Aneurysms in Children: Clinical Case Series and Review of the Literature: <i>World Neurosurgery</i> . 111 (pp e294–e307), 2018.	6
822	Ghali MGZ, Srinivasan VM, Kan P. Letter to the Editor Regarding "Endovascular Treatment of Posterior Inferior Cerebellar Artery Aneurysms with Flow Diversion": <i>World Neurosurgery</i> . 121 (pp 285–286), 2019.	6
823	Ghali MGZ, Srinivasan VM, Kan P. Letter to the Editor Regarding "Pediatric Intracranial Pseudoaneurysms: Report of 15 Cases and Review of the Literature": <i>World Neurosurgery</i> . 121 (pp 282–283), 2019.	6

연번	서지정보	배제 사유
824	Ghali Michael George Z, Srinivasan Visish M, Wagner Kathryn M, Lam S, Johnson Jeremiah N, Kan P. Anterior Choroidal Artery Aneurysms: Influence of Regional Microsurgical Anatomy on Safety of Endovascular Treatment. 대한뇌혈관외과학회지. 2018;20(1):47-52.	6
825	Ghamasaee P, Carr K, Johnson J, Grandhi R. Malignant stroke in a ticagrelor non-responder as a complication following aneurysm treatment with the Pipeline Embolization Device TM. Interventional Neuroradiology. 2017;23(3):297-300.	6
826	Gherasim DN, Gory B, Sivan-Hoffmann R, Pierot L, Raoult H, Gauvrit JY, et al. Endovascular treatment of wide-neck anterior communicating artery aneurysms using WEB-DL and WEB-SL: short-term results in a multicenter study. Ajnr: American Journal of Neuroradiology. 2015;36(6):1150-4.	3
827	Giacomini L, Piske RL, Baccin CE, Barroso M, Joaquim AF, Tedeschi H. Neurovascular reconstruction with flow diverter stents for the treatment of 87 intracranial aneurysms: Clinical results. Interventional Neuroradiology. 2015;21(3):292-9.	3
828	Giese D, Kabbasch C, Hedderich D, Maintz D, Liebig T, Bunck A. The use of k-t PCA accelerated dual-venc 3D flow MRI to assess hemodynamics before and after flow diverting stent implantation in cerebral aneurysm models: Journal of Cardiovascular Magnetic Resonance. Conference: 17th Annual SCMR Scientific Sessions. New Orleans, LA United States. Conference Publication: (var.pagings). 16 (SUPPL. 1) (no pagination), 2014.	7
829	Giorgakis E, Chong B, Oklu R, Jaroszewski DE, Knuttinen G, Mathur AK. Successful treatment of visceral pseudoaneurysm after pancreatectomy using flow-diverting stent device. Ann Hepatobiliary Pancreat Surg. 2020;24(1):114-8.	1
830	Giorgianni A, Pellegrino C, Minotto R, Mercuri A, Frattini L, Baruzzi F, et al. Flow-diverter stenting of post-traumatic bilateral anterior cerebral artery pseudoaneurysm: A case report: Interventional Neuroradiology. 21(1) (pp 23-28), 2015.	3
831	Giragani S, Kasireddy AR, Rao MV, Deevaguntla CR. Seeing beyond the gut: An unusual cause of massive hematemesis: Journal of Postgraduate Medicine. 66 (1) (pp 45-47), 2020.	6
832	Girdhar G, Andersen A, Pangerl E, Jahanbekam R, Ubl S, Nguyen K, et al. Thrombogenicity assessment of Pipeline Flex, Pipeline Shield, and FRED flow diverters in an in vitro human blood physiological flow loop model: Journal of Biomedical Materials Research - Part A. 106 (12) (pp 3195-3202), 2018.	9
833	Girdhar G, Li J, Kostousov L, Wainwright J, Chandler W. In-vitro thrombogenicity assessment of flow diversion and aneurysm bridging devices: Interventional Neuroradiology. Conference: 13th Congress of the World Federation of Interventional and Therapeutic Neuroradiology, WFITN 2015 and 12th Interdisciplinary Cerebrovascular Symposium, Intracranial Stent Meeting, ICS 2015. Gold Coast, QLD Australia. Conference Publication: (var.pagings). 21 (SUPPL. 1) (pp 158), 2015.	7
834	Girdhar G, Li J, Kostousov L, Wainwright J, Chandler WL. In-vitro thrombogenicity assessment of flow diversion and aneurysm bridging devices: Journal of Thrombosis and Thrombolysis. 40 (4) (pp 437-443), 2015.	9
835	Girot JB, Caroff J, Cortese J, Mihalea C, Rouchaud A, Da Ros V, et al. Endovascular Treatment of Small and Very Small Intracranial Aneurysms with the Woven EndoBridge Device. Ajnr: American Journal of Neuroradiology. 2021;29:29.	3

연번	서지정보	배제 사유
836	Goddard AJP, Lawson A, Patankar T, Tyagi A, Ross S. Endovascular treatment of cerebral aneurysms using the woven endobridge (WEB) technique in A single centre: Preliminary results: Interventional Neuroradiology. Conference: 13th Congress of the World Federation of Interventional and Therapeutic Neuroradiology, WFITN 2015 and 12th Interdisciplinary Cerebrovascular Symposium, Intracranial Stent Meeting, ICS 2015. Gold Coast, QLD Australia. Conference Publication: (var.pagings). 21 (SUPPL. 1) (pp 212), 2015.	7
837	Goel G. Surpass flow diverter in the treatment of acutely ruptured aneurysms: Indian multicenter experience: Interventional Neuroradiology. Conference: 13th Asian-Australasian Federation of Interventional and Therapeutic Neuroradiology, AAFTN 2018. Kota Kinabalu Malaysia. 24 (1 Supplement 1) (pp 3), 2018.	7
838	Goertz L, Dorn F, Kraus B, Borggrefe J, Forbrig R, Schlamann M, et al. Improved Occlusion Rate of Intracranial Aneurysms Treated with the Derivo Embolization Device: One-Year Clinical and Angiographic Follow-Up in a Multicenter Study. <i>World Neurosurgery</i> . 2019;126:e1503-e9.	3
839	Goertz L, Hesse N, Liebig T, Ahmad W, Abdullayev N, Krischek B, et al. Retreatment strategies for recurrent and residual aneurysms after treatment with flow-diverter devices. <i>Neuroradiology</i> . 2020;62(8):1019-28.	3
840	Goertz L, Liebig T, Siebert E, Herzberg M, Borggrefe J, Lichtenstein T, et al. Extending the Indication of Woven EndoBridge (WEB) Embolization to Internal Carotid Artery Aneurysms: A Multicenter Safety and Feasibility Study. <i>World Neurosurgery</i> . 2019;126:e965-e74.	3
841	Goertz L, Liebig T, Siebert E, Herzberg M, Neuschmelting H, Borggrefe J, et al. Risk Factors of Procedural Complications Related to Woven EndoBridge (WEB) Embolization of Intracranial Aneurysms. <i>Clinical Neuroradiology</i> . 2020;30(2):297-304.	3
842	Goertz L, Liebig T, Siebert E, Herzberg M, Pennig L, Schlamann M, et al. Low-Profile Intra-Aneurysmal Flow Disruptor WEB 17 versus WEB Predecessor Systems for Treatment of Small Intracranial Aneurysms: Comparative Analysis of Procedural Safety and Feasibility. <i>Ajnr: American Journal of Neuroradiology</i> . 2019;40(10):1766-72.	2
843	Goertz L, Liebig T, Siebert E, Pennig L, Laukamp KR, Celik E, et al. Woven Endobridge Embolization Versus Microsurgical Clipping for Unruptured Anterior Circulation Aneurysms: A Propensity Score Analysis. <i>Neurosurgery</i> . 2021;88(4):779-84.	2
844	Goertz L, Liebig T, Siebert E, Pflaeging M, Forbrig R, Pennig L, et al. Intrasaccular Flow Disruption with the Woven EndoBridge for Narrow-Necked Aneurysms: A Safety and Feasibility Study. <i>World Neurosurgery</i> . 2021;15:15.	3
845	Gok M, Cinar C, Bozkaya H, Oran I. Endovascular treatment of ruptured blister like aneurysms with special reference to the flow diverting strategies: Neuroradiology. Conference: 20th Symposium Neuroradiologicum 2014. Istanbul Turkey. Conference Publication: (var. pagings). 56 (SUPPL. 1) (pp 250-251), 2014.	7
846	Goland J, Doroszuk G, Ypa P, Leyes P, Garbugino S. Outpatient treatment of cerebral aneurysms: A case series: <i>Surgical Neurology International</i> . 11 (no pagination), 2020.	6
847	Goland J, Doroszuk GF, Garbugino SL, Ypa MP. Transradial approach to treating endovascular cerebral aneurysms: Case series and technical note. <i>Surgical neurology international</i> . 2017;8(73).	6
848	Golitz P, Dorfler A. Advances in interventional neuroradiology – An update. <i>Nervenheilkunde</i> . 30 (9) (pp 657-662), 2011.	10

연번	서지정보	배제 사유
849	Golitz P, Luecking H, Hoelter P, Knossalla F, Doerfler A. What is the hemodynamic effect of the Woven EndoBridge? An in vivo quantification using time-density curve analysis. <i>Neuroradiology</i> . 2020;62(8):1043–50.	6
850	Golitz P, Struffert T, Hoelter P, Eyupoglu I, Knossalla F, Doerfler A. Flow-diverting stents allow efficient treatment of unruptured, intradural dissecting aneurysms of the vertebral artery: An explanatory approach using in vivo flow analysis: <i>Interventional Neuroradiology</i> . 22 (1) (pp 76–83), 2016.	3
851	Golitz P, Struffert T, Rosch J, Ganslandt O, Knossalla F, Doerfler A. Cerebral aneurysm treatment using flow-diverting stents: in-vivo visualization of flow alterations by parametric colour coding to predict aneurysmal occlusion: preliminary results: <i>European Radiology</i> . 25 (2) (pp 428–435), 2014.	3
852	Gomez-Paz S, Akamatsu Y, Moore JM, Ogilvy CS, Thomas AJ, Griessenauer CJ. Implications of the Collar Sign in Incompletely Occluded Aneurysms after Pipeline Embolization Device Implantation: A Follow-Up Study. <i>Ajnr: American Journal of Neuroradiology</i> . 2020;41(3):482–5.	3
853	Gong D, Yan B, Dowling R, Mitchell P. Successful treatment of growing basilar artery dissecting aneurysm by Pipeline flow diversion embolization device: <i>Journal of Stroke and Cerebrovascular Diseases</i> . 23 (6) (pp 1713–1716), 2014.	6
854	Gontu V, Bhogal P, Brouwer P. Novel dual lumen catheter for placement and angioplasty of flow diverters: <i>Interventional Neuroradiology</i> . Conference: 13th Congress of the World Federation of Interventional and Therapeutic Neuroradiology, WFITN 2015 and 12th Interdisciplinary Cerebrovascular Symposium, Intracranial Stent Meeting, ICS 2015. Gold Coast, QLD Australia. Conference Publication: (var.pagings). 21 (SUPPL. 1) (pp 164), 2015.	7
855	Gonzalez A, Ortega-Quintanilla J, Zapata-Arriaza E, De Alboniga-Chindurza A, Garcia-Lozano JR, Luque Vega MI, et al. Dose adjustment of clopidogrel in hyper-responder patients with unruptured intracranial aneurysms treated with stents: <i>Journal of NeuroInterventional Surgery</i> . 12 (5) (pp 499–504), 2020.	3
856	Gonzalez AM, Narata AP, Yilmaz H, Bijlenga P, Radovanovic I, Schaller K, et al. Blood blister-like aneurysms: single center experience and systematic literature review. <i>European Journal of Radiology</i> . 2014;83(1):197–205.	6
857	Gonzalez F, Roszelle B, Babiker H, Frakes D. The effect of pipeline embolisation device on intra-aneurysmal pressures: In-vitro study: <i>Journal of NeuroInterventional Surgery</i> . Conference: 10th Annual Meeting of the Society of NeuroInterventional Surgery, SNIS 2013. Miami, FL United States. Conference Publication: (var.pagings). 5 (SUPPL. 2) (pp A7–A8), 2013.	9
858	Gortz L, Dorn F, Kraus B, Turowski B, Schlamann M, Forbrig R, et al. Treatment of ruptured intracranial aneurysms with the Derivo Embolization Device: A multicentric study: <i>Clinical Neuroradiology</i> . Conference: 53. Jahrestagung der Deutschen Gesellschaft fur Neuroradiologie e.V.. Frankfurt a.M. Germany. 28 (Supplement 1) (pp S40), 2018.	7
859	Gortz L, Liebig T, Siebert E, Herzberg M, Schlamann M, Borggrefe J, et al. Low-profile web 17 versus predecessor web 21 system for treatment of small intracranial aneurysms: Comparative analysis of procedural safety and feasibility: <i>Clinical Neuroradiology</i> . Conference: 54. Jahrestagung der Deutschen Gesellschaft fur Neuroradiologie e.V. und 27. Jahrestagung der Oesterreichischen Gesellschaft fur Neuroradiologie. Frankfurt a.M. Germany. 29 (SUPPL 1) (pp S75–S76), 2019.	7

연번	서지정보	배제 사유
860	Gortz L, Siebert E, Dorn F, Borggrefe J, Liebig T, Kabbasch C. Risk factors for aneurysm recurrence after Woven Endobridge embolization determined by multiple logistic regression analysis: Clinical Neuroradiology. Conference: 53. Jahrestagung der Deutschen Gesellschaft fur Neuroradiologie e.V.. Frankfurt a.M. Germany. 28 (Supplement 1) (pp S39-S40), 2018.	7
861	Gortz L, Siebert E, Dorn F, Borggrefe J, Liebig T, Kabbasch C. Treatment strategies for recurrent aneurysms after Woven Endobridge embolization: A multicentric study with mid-term follow-up: Clinical Neuroradiology. Conference: 53. Jahrestagung der Deutschen Gesellschaft fur Neuroradiologie e.V.. Frankfurt a.M. Germany. 28 (Supplement 1) (pp S37-S38), 2018.	7
862	Gory B, Berge J, Bonafe A, Pierot L, Spelle L, Piotin M, et al. Flow diverters for intracranial aneurysms the DIVERSION national prospective cohort study: Stroke. 50 (12) (pp 3471-3480), 2019.	3
863	Gory B, Bonafe A, Pierot L, Spelle L, Berge J, Piotin M, et al. Safety and efficacy of flow-diverter stents in endovascular treatment of intracranial aneurysm: Interest of the prospective DIVERSION observational study: Journal of Neuroradiology. 41 (2) (pp 93-96), 2014.	6
864	Gory B, Sigovan M, Vallecilla C, Courbebaisse G, Turjman F. High-Resolution MRI Visualization of Aneurysmal Thrombosis after Flow Diverter Stent Placement: Journal of Neuroimaging. 25 (2) (pp 310-311), 2015.	6
865	Goubergrits L, Schaller J, Kertzscher U, Woelken T, Ringelstein M, Spuler A. Hemodynamic impact of cerebral aneurysm endovascular treatment devices: coils and flow diverters. Expert Review of Medical Devices. 2014;11(4):361-73.	6
866	Goubergrits L, Schaller J, Kertzscher U, Woelken T, Ringelstein M, Spuler A. Hemodynamic impact of cerebral aneurysm endovascular treatment devices: Coils and flow diverters: Expert Review of Medical Devices. 11 (4) (pp 361-373), 2014.	8
867	Goyal N, Hoit D, DiNitto J, Eliovich L, Fiorella D, Pierot L, et al. How to WEB: a practical review of methodology for the use of the Woven EndoBridge. Journal of Neurointerventional Surgery. 2020;12(5):512-20.	8
868	Goyal N, Hoit D, Dinitto J, Eliovich L, Fiorella D, Pierot L, et al. How to WEB: A practical review of methodology for the use of the Woven EndoBridge: Journal of NeuroInterventional Surgery. 12 (5) (pp 512-520), 2020.	6
869	Grandhi R, Karsy M, Taussky P, Ricker CN, Malhotra A. Reduced 2-year aneurysm retreatment and costs among patients treated with flow diversion versus non-flow diversion embolization: A Premier Healthcare Database retrospective cohort study: PLoS ONE. 15 (6 June) (no pagination), 2020.	4
870	Granja MF, Cortez GM, Aguilar-Salinas P, Agnoletto GJ, Imbarrato G, Jaume A, et al. Stent-assisted coiling of cerebral aneurysms using the Y-stenting technique: A systematic review and meta-analysis: Journal of NeuroInterventional Surgery. 11 (7) (pp 683-689), 2019.	6
871	Grant RA, Quon JL, Bulsara KR. Oversized self-expanding stents as an alternative to flow-diverters for blister-like aneurysms. Neurological Research. 2014;36(4):351-5.	3
872	Grasso G, Torregrossa F. Microsurgical Management of Intracranial Aneurysms After Flow Diversion Failure: World Neurosurgery. 133 (pp 245-247), 2020.	6
873	Greenbury CB. The Headache You Do Not Want to Miss: Clinical Pediatrics. 59 (3) (pp 314-317), 2020.	6

연번	서지정보	배제 사유
874	Gressot LV, Patel AJ, Srinivasan VM, Arthur A, Kan P, Duckworth EA. An Intraoperative Look at Failure of Flow Diversion: When Additional or Alternative Treatments Should Be Considered. <i>World Neurosurgery</i> . 2016;93(486).	6
875	Gressot LV, Patel AJ, Srinivasan VM, Arthur A, Kan P, Duckworth EAM. An Intraoperative Look at Failure of Flow Diversion: When Additional or Alternative Treatments Should Be Considered: <i>World Neurosurgery</i> . 93 (pp e7-486), 2016.	8
876	Greve T, Sukopp M, Wostrack M, Burian E, Zimmer C, Friedrich B. Initial Raymond–Roy Occlusion Classification but not Packing Density Defines Risk for Recurrence after Aneurysm Coiling. <i>Clinical Neuroradiology</i> . 2020;01:01.	2
877	Grieb D, Meila D, Melber K, Greling B, Schlunz-Hendann M, Brassel F. Treatment of a giant cavernous carotid artery aneurysm with two balloon-expandable stent grafts – a technical note: <i>Neuroradiology</i> . Conference: 39th European Society of Neuroradiology Diagnostic and Interventional Annual Meeting, ESNR 2016. Belgrade Serbia. 58 (1 Supplement 1) (pp S60), 2016.	7
878	Griessenauer C, Enriquez-Marulanda A, Xiang S, Hong T, Zhang H, Taussky P, et al. Comparison of ped and FRED flow diverters for posterior circulation aneurysms: A propensity score matched cohort study: <i>Journal of NeuroInterventional Surgery</i> . Conference: 17th Annual Meeting of the Society of NeuroInterventional Surgery Organizing, SNIS 2020. San Diego, CA United States. 12 (Supplement 1) (pp A154-A155), 2020.	7
879	Griessenauer CJ, Adeeb N, Foreman P, Moore J, Shallwani H, Motiei-Langroudi R, et al. The utility of platelet function testing prior to pipeline embolization device placement for the treatment of intracranial aneurysms: A multicenter cohort study: <i>Journal of Neurosurgery</i> . Conference: 85th American Association of Neurological Surgeons Annual Scientific Meeting, AANS 2017. Los Angeles, CA United States. 126 (4) (pp A1380), 2017.	7
880	Griessenauer CJ, Enriquez-Marulanda A, Xiang S, Hong T, Zhang H, Taussky P, et al. Comparison of PED and FRED flow diverters for posterior circulation aneurysms: a propensity score matched cohort study. <i>Journal of Neurointerventional Surgery</i> . 2021;13(2):153-8.	4
881	Griessenauer CJ, Goren O, Dalal SS, Schirmer CM. Pipeline Embolization Device with Shield Technology for Intracranial Aneurysms: An Initial U.S. Experience. <i>World Neurosurgery</i> . 2018;119:10-4.	3
882	Griessenauer CJ, Gupta R, Moore J, Thomas AJ, Ogilvy CS. Ex-vivo release of Pipeline Embolization Device polytetrafluoroethylene (PTFE) sleeves for improved distal landing zone accuracy in-vivo: A technical note: <i>Interventional Neuroradiology</i> . 22 (6) (pp 679-681), 2016. Date of Publication: 01 Dec 2016.; 2016.	6
883	Griessenauer CJ, Gupta R, Shi S, Alturki A, Motiei-Langroudi R, Adeeb N, et al. Collar Sign in Incompletely Occluded Aneurysms after Pipeline Embolization: Evaluation with Angiography and Optical Coherence Tomography. <i>Ajnr: American Journal of Neuroradiology</i> . 2017;38(2):323-6.	3
884	Griessenauer CJ, Jain A, Enriquez-Marulanda A, Gupta R, Adeeb N, Moore JM, et al. Pharmacy-Mediated Antiplatelet Management Protocol Compared to One-time Platelet Function Testing Prior to Pipeline Embolization of Cerebral Aneurysms: A Propensity Score-Matched Cohort Study. <i>Neurosurgery</i> . 2019;84(3):673-9.	3
885	Griessenauer CJ, Mohlenbruch MA, Hendrix P, Ulfert C, Islak C, Sonnberger M, et al. The FRED for Cerebral Aneurysms of the Posterior Circulation: A Subgroup Analysis of the EuFRED Registry. <i>Ajnr: American Journal of Neuroradiology</i> . 2020;41(4):658-62.	3

연번	서지정보	배제 사유
886	Griessenauer CJ, Ogilvy CS, Adeeb N, Dmytriw AA, Foreman PM, Shallwani H, et al. Pipeline embolization of posterior circulation aneurysms: a multicenter study of 131 aneurysms. <i>Journal of Neurosurgery</i> . 2018;130(3):923–35.	3
887	Griessenauer CJ, Ogilvy CS, Foreman PM, Chua MH, Harrigan MR, He L, et al. Pipeline Embolization Device for Small Intracranial Aneurysms: Evaluation of Safety and Efficacy in a Multicenter Cohort. <i>Neurosurgery</i> . 2017;80(4):579–87.	3
888	Griessenauer CJ, Ogilvy CS, Foreman PM, Chua MH, Harrigan MR, Stapleton CJ, et al. Pipeline Embolization Device for small paraophthalmic artery aneurysms with an emphasis on the anatomical relationship of ophthalmic artery origin and aneurysm. <i>Journal of Neurosurgery</i> . 2016;125(6):1352–9.	3
889	Griessenauer CJ, Piske RL, Baccin CE, Pereira BJA, Reddy AS, Thomas AJ, et al. Flow Diverters for Treatment of 160 Ophthalmic Segment Aneurysms: Evaluation of Safety and Efficacy in a Multicenter Cohort. <i>Neurosurgery</i> . 2017;80(5):726–32.	3
890	Griessenauer CJ, Shallwani H, Adeeb N, Gupta R, Rangel-Castilla L, Siddiqui AH, et al. Conscious Sedation Versus General Anesthesia for the Treatment of Cerebral Aneurysms with Flow Diversion: A Matched Cohort Study. <i>World Neurosurgery</i> . 2017;102:1–5.	2
891	Griessenauer CJ, Thomas AJ, Enriquez-Marulanda A, Deshmukh A, Jain A, Ogilvy CS, et al. Comparison of Pipeline Embolization Device and Flow Re-Direction Endoluminal Device Flow Diverters for Internal Carotid Artery Aneurysms: A Propensity Score-Matched Cohort Study. <i>Neurosurgery</i> . 2019;85(2):E249–E55.	4
892	Griffin A, Chaparro E, Fedorova E, Holmes C, Manson RJ, Hauck EF. Thromboembolic Events with Enterprise Versus Pipeline: Porcine In Vivo Experiment. <i>World Neurosurgery</i> . 2019;122:e1405–e11.	9
893	Griffin A, Cutler A, Gonzalez LF. Treatment of a Fusiform Anterior Cerebral Artery Aneurysm by Remodeling the Circle of Willis with Flow Diversion: A Novel Technical Note. <i>World Neurosurgery</i> . 2019;129:164–9.	6
894	Griffin A, Lerner E, Zuchowski A, Zomorodi A, Gonzalez LF, Hauck EF. Flow diversion of fusiform intracranial aneurysms: <i>Neurosurgical Review</i> . 44 (3) (pp 1471–1478), 2021.	3
895	Griffin A, Reese V, Huseyinoglu Z, Niedzwiecki D, Yang L, Cutler A, et al. Predictors of Clinical Outcome After Treatment of Intracranial Aneurysms with the Pipeline Embolization Device. <i>World Neurosurgery</i> . 2019;130:e666–e71.	3
896	Grifoni E, Giuntoli F, Gori AM, Giusti B, Cellai AP, Maggini N, et al. Platelet function as predictor of ischemic complications in patients undergoing neurovascular interventional procedures: Blood Transfusion. Conference: 24th National Congress of the Italian Society for Thrombosis and Hemostasis – SISET 2016. Abano Terme Italy. 14 (Supplement 5) (pp s823), 2016.	7
897	Gross BA, Albuquerque FC, Moon K, Ducruet AF, McDougall CG. Endovascular treatment of previously clipped aneurysms: continued evolution of hybrid neurosurgery. <i>Journal of Neurointerventional Surgery</i> . 2017;9(2):169–72.	3
898	Gross BA, Du R. Cerebrovascular neurosurgery 2011. <i>Journal of Clinical Neuroscience</i> . 2012;19(10):1344–7.	6
899	Gross BA, Du R. Microsurgical treatment of ophthalmic segment aneurysms. <i>Journal of Clinical Neuroscience</i> . 2013;20(8):1145–8.	6
900	Gross BA, Frerichs KU. Stent usage in the treatment of intracranial aneurysms: past, present and future. <i>Journal of Neurology, Neurosurgery & Psychiatry</i> . 2013;84(3):244–53.	6

연번	서지정보	배제 사유
901	Gross BA, Moon K, Ducruet AF, Albuquerque FC. A rare but morbid neurosurgical target: petrous aneurysms and their endovascular management in the stent/flow diverter era. <i>Journal of Neurointerventional Surgery</i> . 2017;9(4):381–3.	3
902	Grossberg JA, Hanel RA, Dabus G, Keigher K, Haussen DC, Sauvageau E, et al. Treatment of wide-necked aneurysms with the Low-profile Visualized Intraluminal Support (LVIS Jr) device: A multicenter experience: <i>Journal of NeuroInterventional Surgery</i> . 9 (11) (pp 1098–1102), 2017.	3
903	Grubb RL. Comments: <i>Neurosurgery</i> . 74 (5) (pp 498), 2014.	6
904	Gruber A, Dorfer C, Knosp E. Recurrent and incompletely treated aneurysms. <i>Acta Neurochirurgica Supplement</i> . 2014;119:13–20.	6
905	Grunwald IQ, Kamran M, Corkill RA, Kuhn AL, Choi IS, Turnbull S, et al. Simple measurement of aneurysm residual after treatment: the SMART scale for evaluation of intracranial aneurysms treated with flow diverters. <i>Acta Neurochirurgica</i> . 2012;154(1):21–6.	6
906	Gruter B, Strange F, Taschler D, Rey J, Von Gunten M, Grandgirard D, et al. A biodegradable magnesium stent for aneurysm healing in a rat sidewall aneurysm model: <i>Journal of Neurological Surgery Part A: Central European Neurosurgery</i> . Conference: Joint Annual Meeting 2018: Swiss Society of Neurosurgery, Swiss Society of Neuroradiology together with Association of Neurosurgical Nursing Staff Switzerland. Lugano Switzerland. 79 (Supplement 1) (no pagination), 2018.	7
907	Guan J, Karsy M, Couldwell WT, Schmidt RH, Taussky P, Park MS. Association of travel distance and cerebral aneurysm treatment. <i>Surgical neurology international</i> . 2017;8(210).	2
908	Guan J, Karsy M, McNally S, de Havenon A, Kalani MYS, Taussky P, et al. High-resolution magnetic resonance imaging of intracranial aneurysms treated by flow diversion: <i>Interdisciplinary Neurosurgery: Advanced Techniques and Case Management</i> . 10 (pp 69–74), 2017.	3
909	Guedon A, Clarencon F, Di Maria F, Rosso C, Biondi A, Gabrieli J, et al. Very late ischemic complications in flow-diverter stents: a retrospective analysis of a single-center series. <i>Journal of Neurosurgery</i> . 2016;125(4):929–35.	2
910	Guerreiro-Simoes R, Soize S, Gawlitz M, Manceau PF, Pierot L. Intracranial aneurysms treatment with Barricade coils: Safety and 1-year efficacy in a prospective, single-center series. <i>Journal of Neuroradiology Journal de Neuroradiologie</i> . 2019;46(5):331–5.	2
911	Guerrero BPn, Pacheco CDa, Saeid A, Joshi K, Rodríguez-guez C, Martínez-nez-Galdámez M, et al. First Human Evaluation of Endothelial Healing after a Pipeline Flex Embolization Device with Shield Technology Implanted in Posterior Circulation Using Optical Coherence Tomography. <i>Neurointervention</i> . 2018;13(2):129–32.	3
912	Guerrero WR, Ortega-Gutierrez S, Hayakawa M, Derdeyn CP, Rossen JD, Hasan D, et al. Endovascular Treatment of Ruptured Vertebrobasilar Dissecting Aneurysms Using Flow Diversion Embolization Devices: Single-Institution Experience. <i>World Neurosurgery</i> . 2018;109:e164–e9.	3
913	Guglielmetti FG, Kienzler BM, Muhleisen JK, Diepers MD, Fandino JF, Remonda LR, et al. Early rupture of giant basilar aneurysm following leo stenting: Swiss Medical Weekly. Conference: 3rd Swiss Federation of Clinical Neuro-Societies, SFCNS 2016. Bern Switzerland. 146 (Supplement 219) (pp 161S), 2016.	7

연번	서지정보	배제 사유
914	Guimaraens L, Sola T, Vivas E, Santamaria G, Antillon J, Conesa G. Evolution of endovascular treatment of middle cerebral artery (MCA) aneurysms over the time: 15-years experience in the management of 278 MCA aneurysms: Interventional Neuroradiology. Conference: 11th Congress of the World Federation of Interventional and Therapeutic Neuroradiology, WFITN 2011. Cape Town South Africa. Conference Publication: (var.pagings). 17 (SUPPL. 1) (pp 32), 2011.	7
915	Guo Z, Cheng X, Kadeer K, Wang K, Abulimiti M, Miao T, et al. Hemodynamic analysis of intracranial aneurysms treated with flow diverter: Minerva medica. (no pagination), 2021.	6
916	Gupta M, Cheung VJ, Abraham P, Wali AR, Santiago-Dieppa DR, Gabel BC, et al. Low-profile Visualized Intraluminal Support Junior Device for the Treatment of Intracranial Aneurysms. Cureus. 2017;9(2):17.	3
917	Gupta R, Griessenauer CJ, Adeeb N, Moore JM, Patel AS, Chua MHJ, et al. Evaluating the costs of follow-up imaging protocol for endovascularly treated unruptured intracranial aneurysms: A multicenter study: Clinical Neurosurgery. Conference: 2016 Annual Meeting of the Congress of Neurological Surgeons, CNS 2016. San Diego, CA United States. 63 (Supplement 1) (pp 145-146), 2016.	7
918	Gupta R, Moore JM, Griessenauer CJ, Adeeb N, Patel AS, Youn R, et al. Assessment of Dual-Antiplatelet Regimen for Pipeline Embolization Device Placement: A Survey of Major Academic Neurovascular Centers in the United States. World Neurosurgery. 2016;96:285-92.	2
919	Gupta R, Ogilvy CS, Moore JM, Griessenauer CJ, Enriquez-Marulanda A, Leadon M, et al. Proposal of a follow-up imaging strategy following Pipeline flow diversion treatment of intracranial aneurysms. Journal of Neurosurgery. 2018;131(1):32-9.	3
920	Gupta S, Vajpeyyee A, Juangco DN, Goel G. Use of flow diversion in ruptured vertebral artery aneurysm in Takayasu arteritis : A case report: European Stroke Journal. Conference: 5th European Stroke Organisation Conference, ESOC 2019. Milan Italy. 4 (Supplement 1) (pp 208), 2019.	7
921	Gupta V, Gandhi CD, Prestigiacomo CJ. Current update on the endovascular management of intracranial aneurysms. Journal of Neurosurgical Sciences. 2012;56(3):163-74.	6
922	Gupta V, Gandhi CD, Prestigiacomo CJ. Current update on the endovascular management of intracranial aneurysms: Journal of Neurosurgical Sciences. 56 (3) (pp 163-174), 2012.	8
923	Gupta V, Parthasarathy R, Jha AN. Endovascular reconstruction of aneurysms with a complex geometry: Neurology India. 64 (Supplement 1) (pp S24-S31), 2016.	6
924	Guzzardi G, Del Sette B, Stanca C, Paladini A, Galbiati A, Spinetta M, et al. Intracranial Carotid Artery Aneurysm Treatment: First Reported Case of DERIVO ^{sup} R ^{sup} Flow-Diverter Placement by Direct Carotid Artery Puncture: Brain Sciences. 10(5), 2020 May 25.; 2020.	6
925	Guzzardi G, Del Sette B, Stanca C, Paladini A, Galbiati A, Spinetta M, et al. Intracranial carotid artery aneurysm treatment: First reported case of derivoflow-diverter placement by direct carotid artery puncture: Brain Sciences. 10 (5) (no pagination), 2020.	8
926	Guzzardi G, Galbiati A, Stanca C, Del Sette B, Paladini A, Cossandi C, et al. Flow diverter stents with hydrophilic polymer coating for the treatment of acutely ruptured aneurysms using single antiplatelet therapy: Preliminary experience. Interventional Neuroradiology. 2020;26(5):525-31.	3

연번	서지정보	배제 사유
927	Guzzardi G, Stanca C, Cerini P, Del Sette B, Divenuto I, Malatesta E, et al. Long-term follow-up in the endovascular treatment of intracranial aneurysms with flow-diverter stents: update of a single-centre experience: <i>La Radiologia medica</i> . 123 (6) (pp 449–455), 2018.	3
928	Gweh D, Khan S, Pelletier L, Tariq N, Llinas RH, Caplan J, et al. The Post-Pipeline Headache: New Headaches Following Flow Diversion for Intracranial Aneurysm. <i>Journal of Vascular & Interventional Neurology</i> . 2020;11(1):34–9.	3
929	Hagen F, Maurer CJ, Berlis A. Endovascular Treatment of Unruptured MCA Bifurcation Aneurysms Regardless of Aneurysm Morphology: Short- and Long-Term Follow-Up. <i>Ajnr: American Journal of Neuroradiology</i> . 2019;40(3):503–9.	2
930	Hagen MW, Girdhar G, Wainwright J, Hinds MT. Thrombogenicity of flow diverters in an ex vivo shunt model: Effect of phosphorylcholine surface modification: <i>Journal of NeuroInterventional Surgery</i> . 9 (10) (pp 1006–1011), 2017.	9
931	Haider AS, Osumah T, Cambron H, Sulhan S, Murshid F, Vayalumkal S, et al. Coil Now, Pipe Later: Two-stage Treatment for Acute Intracranial Aneurysm Rupture: <i>Cureus</i> . 9(11):e1876, 2017 Nov 25.; 2017.	6
932	Halabi C, Colorado RA, Josephson SA. Intracranial inflammatory arteriopathy with partially thrombosed aneurysms as presenting feature of polyarteritis nodosa: European Stroke Journal. Conference: 3rd European Stroke Organisation Conference, ESOC 2017. Prague Czechia. 2 (1 Supplement 1) (pp 124), 2017.	7
933	Haley MD, Henderson DBH, Nowell M, Adams WM, Whitfield PC. Giant vertebrobasilar aneurysm: a rare cause of central sleep apnoea: <i>British Journal of Neurosurgery</i> . 33 (5) (pp 559–561), 2019.	6
934	Hampton T, Walsh D, Tolias C, Fiorella D. Mural destabilization after aneurysm treatment with a flow-diverting device: a report of two cases. <i>Journal of Neurointerventional Surgery</i> . 2011;3(2):167–71.	8
935	Hampton T, Walsh D, Tolias C, Fiorella D. Mural destabilization after aneurysm treatment with a flow-diverting device: a report of two cases. <i>Journal of Neurointerventional Surgery</i> . 2018;10(Suppl 1):i51–i5.	8
936	Hampton T, Walsh D, Tolias C, Fiorella D. Mural destabilization after aneurysm treatment with a flow-diverting device: A report of two cases: <i>Journal of NeuroInterventional Surgery</i> . 10 (Supplement 1) (pp I51–I55), 2018.	3
937	Hampton T, Walsh D, Tolias C, Fiorella D. Mural destabilization after aneurysm treatment with a flow-diverting device: A report of two cases: <i>Journal of NeurolInterventional Surgery</i> . 3 (2) (pp 167–171), 2011.	3
938	Han Y, Liu J, Tian Z, Lv M, Yang X, Wu Z, et al. Factors affecting recurrence and management of recurrent cerebral aneurysms after initial coiling. <i>Interventional Neuroradiology</i> . 2020;26(3):300–8.	2
939	Hanel RA, Aguilar-Salinas P, Brasiliense LB, Sauvageau E. First US experience with Pipeline Flex with Shield Technology using aspirin as antiplatelet monotherapy: <i>BMJ Case Reports</i> . 2017 (no pagination), 2017.	9
940	Hanel RA, Taussky P, Dixon T, Miller DA, Sapin M, Nordeen JD, et al. Safety and efficacy of ticagrelor for neuroendovascular procedures. A single center initial experience: <i>Journal of NeuroInterventional Surgery</i> . 6 (4) (pp 320–322), 2014.	2
941	Hanel RA. Comments: <i>Operative Neurosurgery</i> . 10 (1) (pp E166), 2014.	6
942	Harker P, Regenhardt RW, Alotaibi NM, Vranic J, Robertson FC, Dmytriw AA, et al. The Woven EndoBridge device for ruptured intracranial aneurysms: international multicenter experience and updated meta-analysis. <i>Neuroradiology</i> . 2021;25:25.	6

연번	서지정보	배제 사유
943	Harland TA, Seinfeld J, White AC, Kumpe DA, Roark CD, Case DE. Comparative Analysis of Unruptured Cerebral Aneurysm Treatment Outcomes and Complications with the Classic versus Flex Pipeline Embolization Devices and Phenom versus Marksman Microcatheter Delivery System: The Role of Microcatheter Choice on Complication Rate. <i>Journal of Vascular & Interventional Neurology</i> . 2020;11(1):13–8.	4
944	Hassan AE, Wise J, Burke EM, Tekle WG. Visualization of flow diverter stent wall apposition during intracranial aneurysm treatment using a virtually diluted cone beam CT technique (Vessel ASSIST). <i>Neuroradiology</i> . 2021;63(1):125–31.	3
945	Hassan Akbari S, Reynolds MR, Kadkhodayan Y, Cross IDT, Moran CJ. Hemorrhagic complications after prasugrel (Effient) therapy for vascular neurointerventional procedures: <i>Journal of NeuroInterventional Surgery</i> . 5 (4) (pp 337–343), 2013.	2
946	Hassan T, Ahmed YM, Hassan AA. The adverse effects of flow-diverter stent-like devices on the flow pattern of saccular intracranial aneurysm models: computational fluid dynamics study. <i>Acta Neurochirurgica</i> . 2011;153(8):1633–40.	1
947	Hayashi T, Fukuda A. [Visualization of Four Intracranial Stents and In-stent Stenosis with Stenotic Models by 3D-TOF-MRA]. <i>Nippon Hoshasen Gijutsu Gakkai Zasshi</i> . 2019;75(8):747–54.	10
948	He Y, Li T, Li H, Bai W, Xu B, Kang X. The utilization of Pipeline flow-diverter device in treating large cerebral aneurysms in Chinese: Analysis of perioperative complications. <i>Journal of Interventional Radiology (China)</i> . 27 (8) (pp 713–716), 2018.	10
949	He YK, Li H, Bai WX, Li TX, Jiang WJ, Qiu HC. Efficacy of Pipeline embolization device in the treatment of large and giant intracranial aneurysms. <i>Chung Hua i Hsueh Tsa Chih [Chinese Medical Journal]</i> . 2018;98(27):2180–3.	10
950	Heiferman DM, Billingsley JT, Kasliwal MK, Johnson AK, Keigher KM, Frudit ME, et al. Use of flow-diverting stents as salvage treatment following failed stent-assisted embolization of intracranial aneurysms. <i>Journal of Neurointerventional Surgery</i> . 2016;8(7):692–5.	3
951	Heit JJ, Telischak NA, Do HM, Dodd RL, Steinberg GK, Marks MP. Pipeline embolization device retraction and foreshortening after internal carotid artery blister aneurysm treatment. <i>Interventional Neuroradiology</i> . 2017;23(6):614–9.	3
952	Heller RS, Dandamudi V, Lanfranchi M, Malek AM. Effect of antiplatelet therapy on thromboembolism after flow diversion with the Pipeline Embolization Device: Clinical article: <i>Journal of Neurosurgery</i> . 119 (6) (pp 1603–1610), 2013.	2
953	Hellstern V, Aguilar Perez M, Kohlhof-Meinecke P, Bazner H, Ganslandt O, Henkes H. Concomitant Retroperitoneal and Subarachnoid Hemorrhage Due to Segmental Arterial Mediolytic : Case Report and Review of the Literature: <i>Clinical Neuroradiology</i> . 28 (3) (pp 445–450), 2018.	6
954	Hellstern V, Aguilar-Perez M, AlMatter M, Bhogal P, Henkes E, Ganslandt O, et al. Microsurgical clipping and endovascular flow diversion of ruptured anterior circulation blood blister-like aneurysms. <i>Interventional Neuroradiology</i> . 2018;24(6):615–23.	3
955	Hellstern V, Aguilar-Perez M, Dukiewicz M, Maier G, Bazner H, Henkes H. pCONUS for Distal Artery Protection During Complex Aneurysm Treatment by Endovascular Parent Vessel Occlusion-A Technical Nuance: <i>Clinical Neuroradiology</i> . 31 (1) (pp 267–271), 2021.	6
956	Helou E, Sweid A, Tjoumakaris S, Herial N, Gooch MR, Rosenwasser RH, et al. Case Report of De Novo Cavernous Carotid Artery Aneurysm After an Acute Stroke Intervention for a Carotid Occlusion. <i>World Neurosurgery</i> . 2019;128:336–9.	3

연번	서지정보	배제 사유
957	Hendricks BK, Yoon JS, Yaeger K, Kellner CP, Mocco J, De Leacy RA, et al. Wide-neck aneurysms: systematic review of the neurosurgical literature with a focus on definition and clinical implications. <i>Journal of Neurosurgery</i> . 2019;14.	6
958	Henkes H, Aguilar Perez M, Henkes E, Fischer S, Kurre W, Martinez R, et al. Flow diversion with p64: Safety parameters and occlusion rate in 130 saccular sidewall aneurysms: Interventional Neuroradiology. Conference: 13th Congress of the World Federation of Interventional and Therapeutic Neuroradiology, WFITN 2015 and 12th Interdisciplinary Cerebrovascular Symposium, Intracranial Stent Meeting, ICS 2015. Gold Coast, QLD Australia. Conference Publication: (var.pagings). 21 (SUPPL. 1) (pp 183), 2015.	7
959	Henkes H, Bhogal P, Aguilar Perez M, Lenz-Habjan T, Bannewitz C, Peters M, et al. Anti-thrombogenic coatings for devices in neurointerventional surgery: Case report and review of the literature. <i>Interventional Neuroradiology</i> . 2019;25(6):619-27.	6
960	Henkes H, Weber W. The Past, Present and Future of Endovascular Aneurysm Treatment. <i>Clinical Neuroradiology</i> . 2015;2:317-24.	6
961	Henkes H, Weber W. The Past, Present and Future of Endovascular Aneurysm Treatment: <i>Clinical Neuroradiology</i> . 25 (Supplement 2) (pp 317-324), 2015.	8
962	Henkes H. FD: Multidevice experience: Neuroradiology. Conference: 38th European Society of Neuroradiology Diagnostic and Interventional Annual Meeting, ESNR 2015. Naples Italy. Conference Publication: (var.pagings). 57 (1 SUPPL. 1) (pp S39), 2015.	7
963	Herbreteau D, Bibi R, Narata AP, Janot K, Papagiannaki C, Soize S, et al. Are Anatomic Results Influenced by WEB Shape Modification? Analysis in a Prospective, Single-Center Series of 39 Patients with Aneurysms Treated with the WEB. <i>Ajnr: American Journal of Neuroradiology</i> . 216:37(12):2280-6.	3
964	Higashi E, Hatano T, Ando M, Chihara H, Ogura T, Suzuki K, et al. Factors associated with the new appearance of cerebral microbleeds after endovascular treatment for unruptured intracranial aneurysms. <i>Neuroradiology</i> . 2021;07:07.	3
965	Higashi E, Hatano T, Ando M, Chihara H, Ogura T, Suzuki K, et al. Thrombosis of Large Aneurysm Induced by Flow-Diverter Stent and Dissolved by Direct Factor Xa Inhibitor. <i>World Neurosurgery</i> . 2019;131:209-12.	3
966	Hishikawa T, Date I. Unruptured cerebral aneurysms in elderly patients: <i>Neurologia Medico-Chirurgica</i> . 57 (6) (pp 247-252), 2017.	6
967	Hodis S, Ding YH, Dai D, Lingineni R, Mut F, Cebral J, et al. Relationship between aneurysm occlusion and flow diverting device oversizing in a rabbit model. <i>Journal of Neurointerventional Surgery</i> . 2016;8(1):94-8.	9
968	Hoh BL, Singla A. Flow Diversion for All Middle Cerebral Artery Aneurysms – Are We There Yet?: <i>World Neurosurgery</i> . 90 (pp 617-618), 2016.	6
969	Holtmannspotter M, Cronqvist ME, Wagner AA, Cortsen ME, Stavgaard T. Single center experience with the single layer woven endobridge device (WEBTM SL) in the treatment of ruptured intracranial aneurysms in 20 cases: <i>Interventional Neuroradiology</i> . Conference: 13th Congress of the World Federation of Interventional and Therapeutic Neuroradiology, WFITN 2015 and 12th Interdisciplinary Cerebrovascular Symposium, Intracranial Stent Meeting, ICS 2015. Gold Coast, QLD Australia. Conference Publication: (var.pagings). 21 (SUPPL. 1) (pp 167), 2015.	7

연번	서지정보	배제 사유
970	Hong B, Wang K, Huang Q, Xu Y, Fang X, Li Z, et al. Effects of actual metal coverage rate of flow diversion device on side branch patency: An animal experiment in rabbit abdominal aorta: Interventional Neuroradiology. Conference: 11th Congress of the World Federation of Interventional and Therapeutic Neuroradiology, WFITN 2011. Cape Town South Africa. Conference Publication: (var.pagings). 17 (SUPPL. 1) (pp 90), 2011.	9
971	Hong Q, Li W, Ma J, Jiang P, Zhang Y. Endovascular treatment of vertebral and basilar artery aneurysms with low-profile visualized intraluminal support device. <i>BMC Neurology</i> . 2021;21(1):15.	3
972	Hosoo H, Tsuruta W, Dofuku S, Matsumaru Y, Matsumura A. Evaluation of neointima formation after treatment of flow diverter stent for unruptured cerebral aneurysms: Neuroradiology. Conference: 47th Annual Meeting of the Japanese Society of Neuroradiology, JSNR 2018. Tsukuba Japan. 60 (10) (pp 1123), 2018.	7
973	Hostetter J, Miller TR, Gandhi D. Imaging for Treated Aneurysms (Including Clipping, Coiling, Stents, Flow Diverters). <i>Neuroimaging Clinics of North America</i> . 2021;31(2):251–63.	6
974	Hou K, Li G, Guo Y, Yu J. Endovascular treatment for aneurysms at the A1 segment of the anterior cerebral artery: current difficulties and solutions: <i>Acta Neurologica Belgica</i> . 121 (1) (pp 55–69), 2021.	6
975	Hou K, Li G, Lv X, Xu B, Xu K, Yu J. Delayed rupture of intracranial aneurysms after placement of intra-luminal flow diverter. <i>Neuroradiology Journal</i> . 2020;33(6):451–64.	6
976	Hou SY, Kuhn AL, Puri AS, Wakhloo AK. Open-cell stent and use of cone-beam CT enables a safe and effective coil embolization of true ophthalmic artery and anterior choroidal artery aneurysms with preservation of parent vessel: Clinical and angiographic results. <i>Interventional Neuroradiology</i> . 2018;24(2):135–9.	6
977	Houdart E. Meta-analysis as a symptom: The example of flow diverters: <i>American Journal of Neuroradiology</i> . 41 (7) (pp E51), 2020.	6
978	Howard BM, Frerich JM, Madaelil TP, Dion JE, Tong FC, Cawley CM, et al. 'Plug and pipe' strategy for treatment of ruptured intracranial aneurysms. <i>Journal of Neurointerventional Surgery</i> . 2019;11(1):43–8.	3
979	Hu YC, Deshmukh VR, Albuquerque FC, Fiorella D, Nixon RR, Heck DV, et al. Histopathological assessment of fatal ipsilateral intraparenchymal hemorrhages after the treatment of supraclinoid aneurysms with the Pipeline Embolization Device: <i>Journal of Neurosurgery</i> . 120 (2) (pp 365–374), 2014.	3
980	Huang Q, Xu J, Cheng J, Wang S, Wang K, Liu JM. Hemodynamic changes by flow diverters in rabbit aneurysm models: a computational fluid dynamic study based on micro-computed tomography reconstruction. <i>Stroke</i> . 2013;44(7):1936–41.	9
981	Huang QH, Liu JM. Breakthroughs and challenges for endovascular treatment of intracranial aneurysms with flow diverters. <i>Chinese Journal of Cerebrovascular Diseases</i> . 10 (10) (pp 505–507), 2013.	10
982	Huang W, Feng G. Effect of Pipeline embolization device in treatment of intracranial complex aneurysms. <i>Chinese Journal of Interventional Imaging and Therapy</i> . 17 (4) (pp 207–210), 2020.	10

연번	서지정보	배제 사유
983	Hudson J, Prout B, Nakagawa D, Nagahama Y, Hasan D. Hemorrhage associated with external ventricle drain placement in aneurysmal sub arachnoid hemorrhage patients on dual anti platelet therapy: A retrospective analysis: Stroke. Conference: American Heart Association/American Stroke Association 2018 International Stroke Conference and State-of-the-Science Stroke Nursing Symposium. Los Angeles, CA United States. 49 (Supplement 1) (no pagination), 2018.	7
984	Hudson JS, Zanaty M, Roa JA, Jabbour P, Samaniego EA, Hasan DM. Multiple intra-aneurysmal WEB devices: Case discussions and operative technique: Journal of Clinical Neuroscience. 80 (pp 108–111), 2020.	6
985	Hughes A, Dannenbaum MJ, Chen PR, Day AL, Choi HA, Kim DH, et al. Transcranial doppler detection of microembolic signals during the advancement and deployment of pipeline embolization devices in unruptured intracranial aneurysm repair: Stroke. Conference: American Heart Association/American Stroke Association 2017 International Stroke Conference and State-of-the-Science Stroke Nursing Symposium. Houston, TX United States. 48 (Supplement 1) (no pagination), 2017.	7
986	Hung RSL, Wong AKS, Leung KM, Lau S, Cho HY, Chan KY, et al. Angiographic patency of regional side branches after treatment of supraclinoid aneurysm with pipeline flow diverters: A single centre experience: Surgical Practice. Conference: Conjoint Annual Scientific Meeting 2015 by Hong Kong Neurosurgical Society, Hong Kong Stroke Society, Hong Kong Society of Interventional and Therapeutic Neuroradiology. Hong Kong. 20 (Supplement 1) (pp 8), 2016.	7
987	Hurst R. Response to letter to the editor: Neuroradiology Journal. 27 (3) (pp 370), 2014. Date of Publication: June 2014.: 2014.	6
988	Hussein AE, Esfahani DR, Linninger A, Charbel FT, 2nd, Hsu CY, Charbel FT, et al. Aneurysm size and the Windkessel effect: An analysis of contrast intensity in digital subtraction angiography. Interventional Neuroradiology. 2017;23(4):357–61.	6
989	Hustic I, Breitenfeld T, Kalousek V, Culo B, Supanc V, Roje Bedekovic M, et al. Endovascular treatment of a patient with multiple, symptomatic, unruptured intracranial aneurysms of anterior and posterior cerebral circulation: A case report: European Journal of Neurology. Conference: 2nd Congress of the European Academy of Neurology. Copenhagen Denmark. Conference Publication: (var.pagings). 23 (SUPPL. 2) (pp 352), 2016.	7
990	Hwang JC, Ha HK, Park KB, Weon YC, Han DB, Lee MG, et al. Usefulness of CT in Patients with Gastrointestinal Fistula. J Korean Radiol Soc. 1997;37(2):273–8.	2
991	Hwang SO, Lee CH. Effect of Contra-Lateral Positive End-Expiratory Pressure(PEEP) on Unilateral Hypoxic Hypoxic Pulmonary Vasoconstriction(HPV). Korean J Anesthesiol. 1996;30(5):523–33.	2
992	Iancu D. Follow-up of intracranial aneurysms treated by SILK flow diverter: Comparison of threedimensional time-of-flight MR angiography (3D-TOF-MRA) and contrast-enhanced MR angiography (CE-MRA) with digital subtraction angiography (DSA) as the gold standard: Interventional Neuroradiology. Conference: 13th Congress of the World Federation of Interventional and Therapeutic Neuroradiology, WFITN 2015 and 12th Interdisciplinary Cerebrovascular Symposium, Intracranial Stent Meeting, ICS 2015. Gold Coast, QLD Australia. Conference Publication: (var.pagings). 21 (SUPPL. 1) (pp 190–191), 2015.	7
993	Ibrahim TF, Hafez A, Andrade-Barazarte H, Raj R, Niemela M, Lehto H, et al. De novo giant A2 aneurysm following anterior communicating artery occlusion: Surgical Neurology International. 6(Supplement 21) (pp S560–S565), 2015.	3

연번	서지정보	배제 사유
994	Igus B, Selcuk H, Kara B, Firat A, Salik AE. Endovascular treatment of intracranial aneurysms with flow diverter stents: 16 (1) (pp 9–14), 2020.	3
995	Ihn YK, Shin SH, Baik SK, Choi IS. Complications of endovascular treatment for intracranial aneurysms: Management and prevention: Interventional Neuroradiology. 24 (3) (pp 237–245), 2018.	6
996	Ikeda DS, Marlin ES, Shaw A, Sauvageau E, Powers CJ. Endovascular management of anterior communicating artery aneurysms: Neurosurgery Clinics of North America. 25 (3) (pp 437–454), 2014.	6
997	Ilyas A, Buell TJ, Chen CJ, Ding D, Raper DMS, Taylor DG, et al. SMART coils for intracranial aneurysm embolization: Initial outcomes: Clinical Neurology and Neurosurgery. 164 (pp 87–91), 2018.	3
998	Imahori T, Mizobe T, Fujinaka T, Miura S, Sugihara M, Aihara H, et al. An Aneurysm at the Origin of a Duplicated Middle Cerebral Artery Treated by Stent-Assisted Coiling Using the "Wrapped-Candy" Low-Profile Visualized Intraluminal Support (LVIS) Technique: A Technical Case Report and Review of the Literature: World Neurosurgery. 143:353–359, 2020 11.: 2020.	6
999	Imai T, Izumi T, Isoda H, Ishiguro K, Mizuno T, Tsukada T, et al. Factors influencing blood flow resistance from a large internal carotid artery aneurysm revealed by a computational fluid dynamics model: Nagoya journal of medical science. 81 (4) (pp 629–636), 2019.	6
1000	Imamura H, Sakai N, Alexander MJ. Flow-Diverter Stenting of Intracavernous Internal Carotid Artery Mycotic Aneurysm. Journal of Stroke & Cerebrovascular Diseases. 2019;28(7):e81–e2.	3
1001	Incandela F, Craparo G, Abrignani S, Tessitore A, Pitrone A, Caranci F, et al. Flow diverting devices in acute ruptured blood blister aneurysms: a three centric retrospective study. Acta Bio Medica de I Ateneo Parmense. 2020;91(10-S):23.	3
1002	Inoue A, Tagawa M, Matsumoto S, Nishikawa M, Kusakabe K, Watanabe H, et al. Utility of bulging technique for endovascular treatment of small and wide-necked aneurysms with a Low-profile Visualized Intraluminal Support (LVIS Jr.) device: A case report and review of the literature. Interventional Neuroradiology. 2018;24(2):125–9.	6
1003	Ionita CN, Bednarek DR, Rudin S. Investigation of metrics to assess vascular flow modifications for diverter device designs using hydrodynamics and angiographic studies. Proceedings of SPIE the International Society for Optical Engineering. 8317;23:23.	9
1004	Ionita CN, Natarajan SK, Wang W, Hopkins LN, Levy EI, Siddiqui AH, et al. Evaluation of a second-generation self-expanding variable-porosity flow diverter in a rabbit elastase aneurysm model. Ajnr:American Journal of Neuroradiology. 1399;32(8):1399–407.	9
1005	Iosif C, Berg P, Ponsonnard S, Carles P, Saleme S, Ponomarjova S, et al. Role of terminal and anastomotic circulation in the patency of arteries jailed by flow-diverting stents: from hemodynamic changes to ostia surface modifications. Journal of Neurosurgery. 2017;126(5):1702–13.	9

연번	서지정보	배제 사유
1006	Iosif C, Berg P, Ponsonnard S, Carles P, Trolliard G, Pedrolo-Silveira E, et al. Flow competition as a factor of patency or occlusion of side branches after flow diverting stent placement in intracranial arteries: From animal translational research to CFD simulation and to clinical practice: Interventional Neuroradiology. Conference: 13th Congress of the World Federation of Interventional and Therapeutic Neuroradiology, WFITN 2015 and 12th Interdisciplinary Cerebrovascular Symposium, Intracranial Stent Meeting, ICS 2015. Gold Coast, QLD Australia. Conference Publication: (var.pagings). 21 (SUPPL. 1) (pp 344–345), 2015.	7
1007	Iosif C, Biondi A. Braided stents and their impact in intracranial aneurysm treatment for distal locations: from flow diverters to low profile stents. Expert Review of Medical Devices. 2019;16(3):237–51.	6
1008	Iosif C, Lecomte JC, Pedrolo-Silveira E, Mendes G, Boncoeur Martel MP, Saleme S, et al. Evaluation of ischemic lesion prevalence after endovascular treatment of intracranial aneurysms, as documented by 3-T diffusion-weighted imaging: a 2-year, single-center cohort study. Journal of Neurosurgery. 2018;128(4):982–91.	3
1009	Iosif C, Mounayer C, Yavuz K, Saleme S, Geyik S, Cekirge HS, et al. Middle Cerebral Artery Bifurcation Aneurysms Treated by Extrasaccular Flow Diverters: Midterm Angiographic Evolution and Clinical Outcome. Ajnr: American Journal of Neuroradiology. 2017;38(2):310–6.	3
1010	Iosif C, Mounayer C. Flow-diverter stents for the treatment of saccular middle cerebral artery bifurcation aneurysms: Is unsuitable the right conclusion?: American Journal of Neuroradiology. 37(2) (pp E13), 2016.	6
1011	Iosif C, Pedrolo-Silveira E, Mendes G, Waihrich E, Ponsonnard S, Caire F, et al. One hundred per cent endovascular management of intracranial aneurysms: Six-year, single center cohort study: Interventional Neuroradiology. Conference: 13th Congress of the World Federation of Interventional and Therapeutic Neuroradiology, WFITN 2015 and 12th Interdisciplinary Cerebrovascular Symposium, Intracranial Stent Meeting, ICS 2015. Gold Coast, QLD Australia. Conference Publication: (var.pagings). 21 (SUPPL. 1) (pp 186), 2015.	7
1012	Iosif C, Piotin M, Saleme S, Barreau X, Sedat J, Chau Y, et al. Safety and effectiveness of the Low Profile Visualized Intraluminal Support (LVIS and LVIS Jr) devices in the endovascular treatment of intracranial aneurysms: results of the TRAIL multicenter observational study. Journal of Neurointerventional Surgery. 2018;10(7):675–81.	3
1013	Iosif C, Ponsonnard S, Roussie A, Saleme S, Carles P, Ponomarjova S, et al. Jailed Artery Ostia Modifications after Flow-Diverting Stent Deployment at Arterial Bifurcations: A Scanning Electron Microscopy Translational Study: Neurosurgery. 79 (3) (pp 473–480), 2016.	9
1014	Iosif C. Neurovascular devices for the treatment of intracranial aneurysms: emerging and future technologies. Expert Review of Medical Devices. 2020;17(3):173–88.	6
1015	Iosif C. Neurovascular devices for the treatment of intracranial aneurysms: emerging and future technologies: Expert Review of Medical Devices. 17 (3) (pp 173–188), 2020.	8
1016	Irie K, Kojima M, Fukuda T, Negoro M, Hirose Y. Development of new hybrid stent for intracranial aneurysms-examination of flow diversion effects using CFD: Neuroradiology. Conference: 42nd Annual Meeting of the Japanese Society of Neuroradiology. Kokura Japan. Conference Publication: (var.pagings). 55 (10) (pp 1279), 2013.	7

연번	서지정보	배제 사유
1017	Irie K, Negoro M, Kojima M, Nakahra I, Isibasi R, Hirise Y. Effect of virtual stenting on intraaneurysmal blood flow: Neuroradiology. Conference: 41st Annual Meeting of the Japanese Society of Neuroradiology. Mie Japan. Conference Publication: (var.pagings). 54 (9) (pp 1043), 2012.	7
1018	Ishii A. [Indication and Technical Tips for Flow Diverter Placement:Pipeline and FRED]. [Japanese]. No Shinkei Geka Neurological Surgery. 2021;49(1):119-27.	10
1019	Ishii A. Current and future endovascular treatments for cerebral aneurysms. [Japanese]: Japanese Journal of Neurosurgery. 29 (2) (pp 94-100), 2020.	10
1020	Ishii D, Li L, Zanaty M, Roa JA, Allan L, Samaniego EA, et al. Safety and feasibility of the Woven EndoBridge device deployment with monitored anesthesia care. Interventional Neuroradiology. 2020;26(6):767-71.	3
1021	Itazu T, Enomoto Y, Yamauchi K, Egashira Y, Iwama T. A Case of Delayed Intraparenchymal Hemorrhage Due to Hyperperfusion After Flow Diverter Treatment: Journal of Stroke & Cerebrovascular Diseases. 29(8):104869, 2020 Aug.; 2020.	6
1022	Izar B, Rai A, Raghuram K, Rotruck J, Carpenter J. Comparison of devices used for stent-assisted coiling of intracranial aneurysms. PLoS ONE [Electronic Resource]. 2011;6(9).	2
1023	Jabbour P, Chalouhi N, Tjoumakaris S, Gonzalez LF, Dumont AS, Randazzo C, et al. The Pipeline Embolization Device: learning curve and predictors of complications and aneurysm obliteration. Neurosurgery. 2013;73(1):113-20.	4
1024	Jabbour P, Chalouhi N. The era of flow diverters in aneurysm treatment: Neurosurgery. 74 (3) (pp E341-E342), 2014.	6
1025	Jabbour P, Tjoumakaris S, Rosenwasser R. The pipeline embolization device: Learning curve and predictors of complications and intracranial aneurysm obliteration: Journal of the American College of Surgeons. Conference: 99th Annual Clinical Congress of the American College of Surgeons. Washington, DC United States. Conference Publication: (var.pagings). 217 (3 SUPPL. 1) (pp S68-S69), 2013.	7
1026	Jabbour PM, Daou B, Valle E, Chalouhi N, Starke R, Tjoumakaris S, et al. Patency of the posterior communicating artery following treatment with the pipeline embolization device: Journal of Neurosurgery. Conference: 2016 AANS Annual Scientific Meeting. Chicago, IL United States. 124 (4) (pp A1193-A1194), 2016.	7
1027	Jackevicius C. The value of case reports: Canadian Journal of Hospital Pharmacy. 71 (6) (pp 345-346), 2018.	6
1028	Jagadeesan B, Grande A, Tummala R. Initial experience with the Ivis D stent system for treatment of intracranial aneurysms: Journal of NeuroInterventional Surgery. Conference: 14th Annual Meeting of the Society of NeuroInterventional Surgery, SNIS 2017. Colorado Springs, CO United States. 9 (Supplement 1) (pp A81), 2017.	7
1029	Jagani M, Chinnadurai P, Chintalapani G, Shaltoni H, Morsi H, Mawad M. Evaluation of an automatic detection and segmentation tool for flow diverters (pipelineTM embolization device) from C-arm CT images: Journal of NeuroInterventional Surgery. Conference: 11th Annual Meeting of the Society of NeuroInterventional Surgery, SNIS 2014. Colorado Springs, CO United States. Conference Publication: (var.pagings). 6 (SUPPL. 1) (pp A23), 2014.	7
1030	Jager M, Taschner C, Ten Brinck M, Boogaarts J. Flow diverter for treatment for acutely ruptured intracranial aneurysms: Clinical Neuroradiology. Conference: 53. Jahrestagung der Deutschen Gesellschaft fur Neuroradiologie e.V.. Frankfurt a.M. Germany. 28 (Supplement 1) (pp S47-S48), 2018.	7

연번	서지정보	배제 사유
1031	Jaleel N, Goren O, Hayward D, Sampath R, Kucera M, Grome K, et al. Transcranial doppler emboli monitoring prevents stroke after deployment of flow diverting stents: Single center results from 108 aneurysm cases: <i>Journal of Neurosurgery</i> . Conference: 85th American Association of Neurological Surgeons Annual Scientific Meeting, AANS 2017. Los Angeles, CA United States. 126 (4) (pp A1400), 2017.	7
1032	Jamshidi M, Rajabian M, Avery MB, Sundararaj U, Ronsky J, Belanger B, et al. A novel self-expanding primarily bioabsorbable braided flow-diverting stent for aneurysms: Initial safety results: <i>Journal of NeuroInterventional Surgery</i> . 12 (7) (pp 700–705), 2020.	9
1033	Jankowitz BT, Gross BA, Seshadri S, Girdhar G, Jadhav A, Jovin TG, et al. Hemodynamic differences between Pipeline and coil-adjunctive intracranial stents. <i>Journal of Neurointerventional Surgery</i> . 2019;11(9):908–11.	4
1034	Janot K, Herbreteau D, Amelot A, Charbonnier G, Boustia F, Narata AP, et al. Quantitative evaluation of WEB shape modification: A five-year follow-up study: <i>Journal of Neuroradiology</i> . 47 (3)(pp 193–196), 2020.	6
1035	Jensen M, Isaacson K, Steinhauff D, Green B, Correa M, Cappello J, et al. Preliminary Development of a Silk-elastinlike protein polymer based embolic for cerebral aneurysms: <i>Journal of Vascular and Interventional Radiology</i> . Conference: 43rd Annual Scientific Meeting of the Society of Interventional Radiology, SIR 2018. Los Angeles, CA United States. 29 (4 Supplement 1) (pp S174–S175), 2018.	7
1036	Jeon HJ, Kim DJ, Kim BM, Lee JW. Pipeline Embolization Device for Giant Internal Carotid Artery Aneurysms: 9-Month Follow-Up Results of Two Cases. <i>J Cerebrovasc Endovasc Neurosurg</i> . 2014;16(2):112–8.	3
1037	Jeon HJ, Kim DJ, Kim BM, Lee JW. Pipeline embolization device for giant internal carotid artery aneurysms: 9-month follow-up results of two cases: <i>Journal of Cerebrovascular & Endovascular Neurosurgery</i> . 16(2):112–8, 2014 Jun.: 2014.	3
1038	Jeon JP, Cho YD, Rhim JK, Park JJ, Cho WS, Kang HS, et al. Effect of stenting on progressive occlusion of small unruptured saccular intracranial aneurysms with residual sac immediately after coil embolization: a propensity score analysis: <i>Journal of neurointerventional surgery</i> . 8 (10) (pp 1025–1029), 2016.	3
1039	Jevsek M, Mounayer C, Seruga T. Endovascular treatment of unruptured aneurysms of cavernous and ophthalmic segment of internal carotid artery with flow diverter device Pipeline: <i>Radiology and Oncology</i> . 50 (4) (pp 378–384), 2016.	3
1040	Jha N, Crockett MT, Singh TP. Unusual right internal carotid artery supraclinoid segment fenestration associated with multiple aneurysms treated with flow diversion and coiling. <i>BMJ Case Reports</i> . 2018;10:10.	6
1041	Jia L, Wang J, Zhang L, Zhang Y, You W, Yang X, et al. Pediatric Patient With a Giant Vertebrobasilar Dissecting Aneurysm Successfully Treated With Three Pipeline Embolization Devices: <i>Frontiers in Neurology</i> . 11 (no pagination), 2020.	6
1042	Jia ZY, Shi HB, Miyachi S, Hwang SM, Sheen JJ, Song YS, et al. Development of New Endovascular Devices for Aneurysm Treatment. <i>Journal of Stroke</i> . 2018;20(1):46–56.	6
1043	Jia ZY, Shi HB, Miyachi S, Hwang SM, Sheen JJ, Song YS, et al. Development of New Endovascular Devices for Aneurysm Treatment. <i>J Stroke</i> . 2018;20(1):46–56.	6

연번	서지정보	배제 사유
1044	Jiang B, Bender M, Westbroek E, Xu R, Campos J, Lin LM, et al. Procedural complexity independent of P2Y12 levels is a predictor of in-stent thrombosis in Pipeline flow diversion of cerebral aneurysms: Journal of Neurosurgery. Conference: 2018 AANS Annual Scientific Meeting. New Orleans, LA United States. 128 (4) (pp 6–7), 2018.	7
1045	Jiang B, Bender MT, Hasjim B, Hsu FPK, Tamargo RJ, Huang J, et al. Aneurysm treatment practice patterns for newly appointed dual-trained cerebrovascular/endovascular neurosurgeons: Comparison of open surgical to neuroendovascular procedures in the first 2 years of academic practice. <i>Surgical neurology international</i> . 2017;8(154).	3
1046	Jiang B, Campos J, Beaty N, Westbroek E, Bender M, Tamargo R, et al. Intraarterial and intravenous abciximab for management of acute in-situ thrombosis during pipeline flow diversion of intracranial aneurysms: Journal of NeuroInterventional Surgery. Conference: 14th Annual Meeting of the Society of NeuroInterventional Surgery, SNIS 2017. Colorado Springs, CO United States. 9 (Supplement 1) (pp A82), 2017.	7
1047	Jiang B, Paff M, Colby GP, Coon AL, Lin LM. Cerebral aneurysm treatment: modern neurovascular techniques. <i>Stroke & Vascular Neurology</i> . 2016;1(3):93–100.	6
1048	Jiang CY, Wang JB. The application of flow diverter stent in treating intracranial aneurysms. <i>Journal of Interventional Radiology (China)</i> . 23 (3) (pp 267–271), 2014.	10
1049	Jianwu L, Zhihua C, Xianliang L, Shuxin S, Guohua M, Xingen Z, et al. Preliminary experience of treating complex middle cerebral artery aneurysms with Pipeline embolization device. <i>Chinese Journal of Cerebrovascular Diseases</i> . 16 (11) (pp 601–606), 2019.	1
1050	Jina K. Assessing Export Controls of Strategic Items to North Korea. <i>Korean journal of defense analysis</i> . 2017;29(3):331–48.	2
1051	Jing L, Zhong J, Liu J, Yang X, Nikhil P, Meng H, et al. Hemodynamic Effect of Flow Diverter and Coils in Treatment of Large and Giant Intracranial Aneurysms: <i>World Neurosurgery</i> . 89 (pp 199–207), 2016.	9
1052	Jing L, Zhong J, Liu J, Yang X, Paliwal N, Meng H, et al. Hemodynamic Effect of Flow Diverter and Coils in Treatment of Large and Giant Intracranial Aneurysms. <i>World Neurosurgery</i> . 2016;89:199–207.	8
1053	John S, Bain M, Hussain MS, Gabor T. Effect of flow diversion on large and giant aneurysms: An MRI-DSA correlation follow-up study: <i>Stroke</i> . Conference: American Heart Association/American Stroke Association 2016 International Stroke Conference and State-of-the-Science Stroke Nursing Symposium. Los Angeles, CA United States. Conference Publication: (var.pagings). 47 (SUPPL. 1) (no pagination), 2016.	7
1054	John S, Bain MD, Hui FK, Hussain MS, Masaryk TJ, Rasmussen PA, et al. Long-term Follow-up of In-stent Stenosis After Pipeline Flow Diversion Treatment of Intracranial Aneurysms. <i>Neurosurgery</i> . 2016;78(6):862–7.	3
1055	John S, Bain MD, Hui FK, Shazam Hussain M, Masaryk TJ, Rasmussen PA, et al. Long-term follow-up of in-stent stenosis after pipeline flow diversion treatment of intracranial aneurysms: <i>Clinical Neurosurgery</i> . 78 (6) (pp 862–867), 2016.	8
1056	John S, Bain MD, Hussain MS, Bauer AM, Toth G. Long-Term Effect of Flow Diversion on Large and Giant Aneurysms: MRI-DSA Clinical Correlation Study: <i>World Neurosurgery</i> . 93 (pp 60–66), 2016.	3
1057	John S, Navarro R, Hussain SI, Zahra K, Elhammady MS. Rescue Maneuver for Dislocated Woven EndoBridge Device in Middle Cerebral Artery. <i>World Neurosurgery</i> . 2019;130:467–9.	6

연번	서지정보	배제 사유
1058	Johnson AK, Tan LA, Lopes DK, Moftakhar R. Progressive Deconstruction of a Distal Posterior Cerebral Artery Aneurysm Using Competitive Flow Diversion. <i>Neurointervention.</i> 2016;11(1):46–9.	3
1059	Johnson AK, Tan LA, Lopes DK, Moftakhar R. Progressive Deconstruction of a Distal Posterior Cerebral Artery Aneurysm Using Competitive Flow Diversion. <i>Neurointervention.</i> 2016;11(1):46–9.	6
1060	Jonathan Zhang Y. Comments: <i>Operative Neurosurgery.</i> 10 (1) (pp E166), 2014.	6
1061	Joshi KC, Larrabide I, Saied A, Elsaid N, Fernandez H, Lopes DK. Software-based simulation for preprocedural assessment of braided stent sizing: a validation study. <i>Journal of Neurosurgery.</i> 2018;01.	6
1062	Joshi MD, O'Kelly CJ, Krings T, Fiorella D, Marotta TR. Observer variability of an angiographic grading scale used for the assessment of intracranial aneurysms treated with flow-diverting stents. <i>Ajnr: American Journal of Neuroradiology.</i> 2013;34(8):1589–92.	9
1063	Jou L, Chitalapani G. In vitro investigation of contrast flow jet timing after flow diversion in patient-specific intracranial aneurysms: <i>Interventional Neuroradiology.</i> Conference: 13th Congress of the World Federation of Interventional and Therapeutic Neuroradiology, WFITN 2015 and 12th Interdisciplinary Cerebrovascular Symposium, Intracranial Stent Meeting, ICS 2015. Gold Coast, QLD Australia. Conference Publication: (var.pagings). 21 (SUPPL. 1) (pp 346), 2015.	9
1064	Jou LD, Chintalapani G, Mawad ME. Metal coverage ratio of pipeline embolization device for treatment of unruptured aneurysms: Reality check. <i>Interventional Neuroradiology.</i> 2016;22(1):42–8.	3
1065	Jou LD, Desai VR, Britz GW. In vitro investigation of contrast flow jet timing in patient-specific intracranial aneurysms. <i>Quantitative Imaging in Medicine & Surgery.</i> 2016;6(2):134–43.	9
1066	Jou LD, Mawad ME. Analysis of intra-aneurysmal flow for cerebral aneurysms with cerebral angiography. <i>Ajnr: American Journal of Neuroradiology.</i> 2012;33(9):1679–84.	2
1067	Jou LD, Mitchell BD, Shaltoni HM, Mawad ME. Effect of structural remodeling (retraction and recoil) of the pipeline embolization device on aneurysm occlusion rate. <i>Ajnr: American Journal of Neuroradiology.</i> 2014;35(9):1772–8.	9
1068	Jou LD. In vitro digital subtraction angiographic evaluation of flow diverters in a patient-specific aneurysm: <i>Interventional Neuroradiology.</i> 23 (3) (pp 260–266), 2017.	9
1069	Kabbasch C, Goertz L, Siebert E, Herzberg M, Borggrefe J, Dorn F, et al. Factors that determine aneurysm occlusion after embolization with the Woven EndoBridge (WEB): <i>Journal of NeuroInterventional Surgery.</i> 11 (5) (pp 503–510), 2019.	3
1070	Kabbasch C, Goertz L, Siebert E, Herzberg M, Borggrefe J, Krischek B, et al. Treatment of Recurrent and Residual Aneurysms with the Woven EndoBridge Device: Analysis of 11 Patients and Review of the Literature. <i>World Neurosurgery.</i> 2019;129:e677–e85.	3
1071	Kabbasch C, Goertz L, Siebert E, Herzberg M, Borggrefe J, Mpotsaris A, et al. Comparison of WEB Embolization and Coiling in Unruptured Intracranial Aneurysms: Safety and Efficacy Based on a Propensity Score Analysis. <i>World Neurosurgery.</i> 2019;126:e937–e43.	2
1072	Kabbasch C, Mpotsaris A, Behme D, Dorn F, Stavrinou P, Liebig T. Pipeline Embolization Device for Treatment of Intracranial Aneurysms-The More, the Better? A Single-center Retrospective Observational Study. <i>Journal of Vascular & Interventional Neurology.</i> 2016;9(2):14–20.	4

연번	서지정보	배제 사유
1073	Kacar E, Fatih Nas O, Erdogan C, Hakyemez B. Intracranial aneurysm rupture during flow diverter stent placement: Successful treatment with stent-in-stent combination: Diagnostic and Interventional Imaging. 96 (4) (pp 411–413), 2015.	6
1074	Kadkhodayan Y, Almandoz JED, Fease JL, Crandall BM, Scholz JM, Anderson RE, et al. Delayed ipsilateral intraparenchymal hemorrhage after neuroform stent assisted coiling of intracranial aneurysms: Stroke. Conference: 2013 International Stroke Conference and Nursing Symposium of the American Heart Association/American Stroke Association. Honolulu, HI United States. Conference Publication: (var.pagings). 44 (2 MeetingAbstract) (no pagination), 2013.	7
1075	Kadkhodayan Y, Almandoz JED, Fease JL, Scholz JM, Blem AM, Tran K, et al. Endovascular treatment of 346 middle cerebral artery aneurysms: Results of a 16-year single-center experience: Neurosurgery. 76 (1) (pp 54–60), 2015.	3
1076	Kadkhodayan Y, Delgado Almandoz J, Scholz J, Fease J, Blem A, Tran K, et al. Induced hyper-response to clopidogrel after elective endovascular intracranial aneurysm treatment: Journal of NeuroInterventional Surgery. Conference: 11th Annual Meeting of the Society of NeuroInterventional Surgery, SNIS 2014. Colorado Springs, CO United States. Conference Publication: (var.pagings). 6 (SUPPL. 1) (pp A11), 2014.	7
1077	Kadziolka K, Estrade L, Pierot L. Remostenting technique: Combined use of double lumen remodelling balloons with low profile stents: Lvis Jr, Leo babyand acclino: Neuroradiology. Conference: 37th European Society of Neuroradiology Annual Meeting. Frankfurt Germany. Conference Publication: (var.pagings). 55 (SUPPL. 1) (pp S24), 2013.	7
1078	Kahanov L, Cohen JE, Fraifeld S, Mizrahi C, Leker RR, Moscovici S, et al. Superficial Temporal Artery–Middle Cerebral Artery Microvascular Bypass: Its Role in Treatment of Patients with Moyamoya Disease, Cerebral Aneurysms, and Vascular Occlusive Disease. Israel Medical Association Journal: Imaj. 2021;23(5):306–11.	3
1079	Kainth D, Salazar P, Safinia C, Chow R, Bachour O, Andalib S, et al. A Modified Method for Creating Elastase-Induced Aneurysms by Ligation of Common Carotid Arteries in Rabbits and Its Effect on Surrounding Arteries. Journal of Vascular & Interventional Neurology. 2017;9(3):26–35.	9
1080	Kalani MY, Albuquerque FC, Levitt M, Nakaji P, Spetzler RF, McDougall C. Pipeline embolization for definitive endoluminal reconstruction of blister-type carotid aneurysms after clip wrapping. Journal of Neurointerventional Surgery. 2016;8(5):495–500.	3
1081	Kalani MY, Babiker H, Chong B, Levitt MR, McDougall CG, Nair P, et al. Flow diversion enhanced by finite element modeling of cerebral aneurysms: Interventional Neuroradiology. Conference: 13th Congress of the World Federation of Interventional and Therapeutic Neuroradiology, WFITN 2015 and 12th Interdisciplinary Cerebrovascular Symposium, Intracranial Stent Meeting, ICS 2015. Gold Coast, QLD Australia. Conference Publication: (var.pagings). 21 (SUPPL. 1) (pp 155), 2015.	7
1082	Kallmes D, Boccardi E, Bonafe A, Cekirge S, Fiorella D, Hanel R, et al. Safety of flow diversion: Results from a multicentre registry: Journal of NeuroInterventional Surgery. Conference: 10th Annual Meeting of the Society of NeuroInterventional Surgery, SNIS 2013. Miami, FL United States. Conference Publication: (var.pagings). 5 (SUPPL. 2) (pp A6), 2013.	7
1083	Kallmes DF, Brinjikji W, Boccardi E, Ciceri E, Diaz O, Tawk R, et al. Aneurysm Study of Pipeline in an Observational Registry (ASPIRe). Interventional Neurology. 2016;5(1–2):89–99.	3

연번	서지정보	배제 사유
1084	Kallmes DF, Brinjikji W, Rabinstein AA. Flow diversion in the treatment of intracranial aneurysm trial: <i>Journal of Neurosurgery</i> . 127 (3) (pp 703–704), 2017.	6
1085	Kallmes DF, Brinjikji W, Rabinstein AA. Letter to the Editor. Flow Diversion in the Treatment of Intracranial Aneurysm Trial: <i>Journal of Neurosurgery</i> . 2017; 127(3):703–707.	6
1086	Kallmes DF, Hanel R, Lopes D, Boccardi E, Bonafe A, Cekirge S, et al. International retrospective study of the pipeline embolization device: a multicenter aneurysm treatment study. <i>Ajnr: American Journal of Neuroradiology</i> . 2015;36(1):108–15.	8
1087	Kallmes DF, Hanel R, Lopes D, Boccardi E, Bonafe A, Cekirge S, et al. International retrospective study of the pipeline embolization device: A multicenter aneurysm treatment study: <i>American Journal of Neuroradiology</i> . 36 (1) (pp 108–115), 2015.	4
1088	Kamide T, Misaki K, Uno T, Yoshikawa A, Uchiyama N, Nakada M. Extracranial-intracranial high-flow bypass as a rescue therapy for incomplete cerebral aneurysm occlusion after flow diversion: A case report: <i>Surgical neurology international</i> . 12:57, 2021.; 2021.	3
1089	Kamide T, Tabani H, Safaee MM, Burkhardt JK, Lawton MT. Microsurgical clipping of ophthalmic artery aneurysms: surgical results and visual outcomes with 208 aneurysms. <i>Journal of Neurosurgery</i> . 2018;129(6):1511–21.	3
1090	Kamiya K, Takao H, Tateshima S, Asakura S, Ichikawa C, Suzuki T, et al. Hemodynamic study of stent effects on cerebral aneurysm models using scanning stereoscopic particle image velocimetry: <i>Interventional Neuroradiology</i> . Conference: 13th Congress of the World Federation of Interventional and Therapeutic Neuroradiology, WFITN 2015 and 12th Interdisciplinary Cerebrovascular Symposium, Intracranial Stent Meeting, ICS 2015. Gold Coast, QLD Australia. Conference Publication: (var.pagings). 21 (SUPPL. 1) (pp 346–347), 2015.	7
1091	Kamran M, Yarnold J, Grunwald IQ, Byrne JV. Assessment of angiographic outcomes after flow diversion treatment of intracranial aneurysms: a new grading schema. <i>Neuroradiology</i> . 2011;53(7):501–8.	3
1092	Kan P, Mokin M, Puri AS, Wakhloo AK. Successful treatment of a giant pediatric fusiform basilar trunk aneurysm with surpass flow diverter: <i>Journal of NeuroInterventional Surgery</i> . 8 (6) (pp e23), 2016.	6
1093	Kan P, Siddiqui AH, Veznedaroglu E, Liebman KM, Binning MJ, Dumont TM, et al. Early postmarket results after treatment of intracranial aneurysms with the pipeline embolization device: a U.S. multicenter experience. <i>Neurosurgery</i> . 2012;71(6):1080–7.	3
1094	Kan P, Srinivasan VM, Mbabuuke N, Tawk RG, Ban VS, Welch BG, et al. Aneurysms with persistent patency after treatment with the pipeline embolization device: <i>Journal of Neurosurgery</i> . 126 (6) (pp 1894–1898), 2017.	3
1095	Kan P, Sweid A, Srivatsan A, Jabbour P. Expanding Indications for Flow Diverters: Ruptured Aneurysms, Blister Aneurysms, and Dissecting Aneurysms. <i>Neurosurgery</i> . 2020;86(Suppl 1):S96–S103.	6
1096	Kan P, Wakhloo AK, Mokin M, Puri A. Techniques in distal access of wide-necked giant intracranial aneurysms during treatment with flow diversion. <i>Surgical neurology international</i> . 2015;6(Suppl 7).	3
1097	Kanenaka N, Sato H, Abe H, Koike T, Nejo T, Fukui A, et al. An Endovascular Approach for Ruptured Aneurysms of the Basilar Trunk Perforating Artery. <i>No Shinkei Geka Neurological Surgery</i> . 2015;43(7):619–27.	10

연번	서지정보	배제 사유
1098	Kang H, Luo B, Liu J, Zhang H, Li T, Song D, et al. Mortality after treatment of intracranial aneurysms with the Pipeline Embolization Device. <i>Journal of Neurointerventional Surgery</i> . 2021;24:24.	3
1099	Kang H, Luo B, Liu J, Zhang H, Li T, Song D, et al. Mortality after treatment of intracranial aneurysms with the Pipeline Embolization Device: <i>Journal of NeuroInterventional Surgery</i> . (no pagination), 2021.	8
1100	Kang H, Zhou Y, Luo B, Lv N, Zhang H, Li T, et al. Pipeline Embolization Device for Intracranial Aneurysms in a Large Chinese Cohort: Complication Risk Factor Analysis. <i>Neurotherapeutics</i> . 2021;14:14.	3
1101	Kannath SK, Mohimen A, Raman KT, Abraham M, Nair S, Rajan JE. Single centre experience of flow diverter treatment of complex intracranial aneurysms from South India: Intermediate and long-term outcomes. <i>Neurology India</i> . 2019;67(3):797–802.	3
1102	Kapsas G, Budai C, Toni F, Patruno F, Federica Marliani A, Leonardi M, et al. Evaluation of CTA, time-resolved 4D CE-MRA and DSA in the follow-up of an intracranial aneurysm treated with a flow diverter stent: Experience from a single case. <i>Interventional Neuroradiology</i> . 2015;21(1):69–71.	2
1103	Karacozoff AM, Shellock FG, Wakhloo AK. A next-generation, flow-diverting implant used to treat brain aneurysms: in vitro evaluation of magnetic field interactions, heating and artifacts at 3-T. <i>Magnetic Resonance Imaging</i> . 2013;31(1):145–9.	9
1104	Karmonik C, Anderson JR, Beilner J, Ge JJ, Partovi S, Klucznik RP, et al. Relationships and redundancies of selected hemodynamic and structural parameters for characterizing virtual treatment of cerebral aneurysms with flow diverter devices: <i>Journal of Biomechanics</i> . 49 (11) (pp 2112–2117), 2016.	3
1105	Karmonik C, Anderson JR, Diaz O, Zhang YJ, Grossman RG, Klucznik R, et al. Quantification of velocity changes in patient-specific 3D-printed replicas of cerebral aneurysms after flow diverter placement by 3D phase contrast MR: <i>Interventional Neuroradiology</i> . Conference: 13th Congress of the World Federation of Interventional and Therapeutic Neuroradiology, WFITN 2015 and 12th Interdisciplinary Cerebrovascular Symposium, Intracranial Stent Meeting, ICS 2015. Gold Coast, QLD Australia. Conference Publication: (var.pagings). 21 (SUPPL. 1) (pp 240), 2015.	7
1106	Karmonik C, Anderson JR, Elias S, Klucznik R, Diaz O, Zhang YJ, et al. Four-Dimensional Phase Contrast Magnetic Resonance Imaging Protocol Optimization Using Patient-Specific 3-Dimensional Printed Replicas for In Vivo Imaging Before and After Flow Diverter Placement: <i>World Neurosurgery</i> . 105 (pp 775–782), 2017.	3
1107	Karmonik C, Chintalapani G, Redel T, Zhang YJ, Diaz O, Klucznik R, et al. Hemodynamics at the ostium of cerebral aneurysms with relation to post-treatment changes by a virtual flow diverter: a computational fluid dynamics study: Conference proceedings : Annual International Conference of the IEEE Engineering in Medicine and Biology Society. IEEE Engineering in Medicine and Biology Society. Annual Conference. 2013 (pp 1895–1898), 2013.	7
1108	Karmonik C, Diaz O, Klucznik R, Grossman RG, Zhang YJ, Britz G, et al. Quantitative comparison of hemodynamic parameters from steady and transient CFD simulations in cerebral aneurysms with focus on the aneurysm ostium. <i>Journal of Neurointerventional Surgery</i> . 2015;7(5):367–72.	9
1109	Karmonik C, Elias SN, Zhang JY, Diaz O, Klucznik RP, Grossman RG, et al. Augmented Reality with Virtual Cerebral Aneurysms: A Feasibility Study. <i>World Neurosurgery</i> . 2018;119:e617–e22.	2

연번	서지정보	배제 사유
1110	Karsonovich T, Gordhan A. Endovascular management of symptomatic cerebral aneurysm thromboembolism due to pre-aneurysmal arterial stenosis: SAGE Open Medical Case Reports. 5:2050313X17730263, 2017.; 2017.	3
1111	Karsy M, Guan J, Brock AA, Amin A, Park MS. Emerging Technologies in Flow Diverters and Stents for Cerebrovascular Diseases. Current Neurology & Neuroscience Reports. 2017;17(12):28.	6
1112	Karsy M, Taussky P, Grandhi R. Using Markov modeling to analyze endovascular coiling versus the Pipeline embolization device: Journal of Neurosurgery. 132 (1) (pp 329–330), 2020.	6
1113	Karunanithi K, Lee CJ, Chong W, Qian Y. The influence of flow diverter's angle of curvature across the aneurysm neck on its haemodynamics: Proceedings of the Institution of Mechanical Engineers. Part H, Journal of engineering in medicine. 229 (8) (pp 560–569), 2015.	3
1114	Kaschner MG, Kraus B, Petridis A, Turowski B. Endovascular treatment of intracranial 'blister' and dissecting aneurysms. Neuroradiology Journal. 2019;32(5):353–65.	3
1115	Kaschner MG, Petridis A, Turowski B. Single-center experience with the new-generation Derivo embolization device for ruptured and unruptured intracranial aneurysms. Journal of Neurosurgical Sciences. 2020;64(4):353–63.	3
1116	Kato N, Yuki I, Otani K, Ishibashi T, Kakizaki S, Nagayama G, et al. Flow Diverter Apposition in Patients with Large or Giant Intracranial Aneurysms Evaluated on Three-Dimensional Fusion Images Acquired by High-Resolution Cone-Beam Computed Tomography and Digital Subtraction Angiography. World Neurosurgery. 2021;147:e388–e95.	2
1117	Kaur G, Dakay K, Gandhi C, Al-Mufti F, Santarelli J. Outcomes of flow diversion of middle and anterior cerebral aneurysms and the incidence of neo-intimal hyperplasia: Journal of NeuroInterventional Surgery. Conference: 17th Annual Meeting of the Society of NeuroInterventional Surgery Organizing, SNIS 2020. San Diego, CA United States. 12 (Supplement 1) (pp A138), 2020.	7
1118	Kaya HE, Bakdik S, Keskin F, Erdi MF, Koc O. Endovascular treatment of intracranial aneurysms using the Woven EndoBridge (WEB) device: retrospective analysis of a single center experience. Clinical Imaging. 2020;59(1):25–9.	3
1119	Kayan Y, Almandoz JED, Fease JL, Tran K, Milner AM, Scholz JM. Incidence of delayed ipsilateral intraparenchymal hemorrhage after stent-assisted coiling of intracranial aneurysms in a high-volume single center: Neuroradiology. 58 (3) (pp 261–266), 2016.	8
1120	Kayan Y, Delgado Almandoz JE, Fease JL, Tran K, Milner AM, Scholz JM. Incidence of delayed ipsilateral intraparenchymal hemorrhage after stent-assisted coiling of intracranial aneurysms in a high-volume single center. Neuroradiology. 2016;58(3):261–6.	3
1121	Kealey CP, Babiker HH, Chun Y, Lin S, Mohanchandra KP, Rigberg DA, et al. In vitro evaluation of a novel hyper-elastic thin film nitinol covered stent for the treatment of intracranial aneurysms: Stroke. Conference: 2011 International Stroke Conference. Los Angeles, CA United States. Conference Publication: (var.pagings). 42 (3) (pp e140), 2011.	9
1122	Kealey CP, Chun YJ, Vinuela FE, Mohanchandra KP, Carman GP, Vinuela F, et al. In vitro and in vivo testing of a novel, hyperelastic thin film nitinol flow diversion stent. Journal of Biomedical Materials Research Part B, Applied Biomaterials. 2012;100(3):718–25.	9

연번	서지정보	배제 사유
1123	Kelkar PS, Chaaban MR, Walters BC, Woodworth BA, Deveikis JP, Harrigan MR. Resolution of diminished olfactory sensation after treatment of bilateral ophthalmic segment aneurysms with flow diversion: case report. <i>Neurosurgery</i> . 2014;74(2).	3
1124	Kellermann R, Serowy S, Beuing O, Skalej M. Deployment of flow diverter devices: prediction of foreshortening and validation of the simulation in 18 clinical cases. <i>Neuroradiology</i> . 2019;61(11):1319-26.	2
1125	Kerl HU, Al-Zghoul M, Groden C, Brockmann MA. Endovascular repositioning of a pipeline embolization device dislocated from the vertebral into the basilar artery using a stent-in-stent technique: Practical and technical considerations: Clinical <i>Neuroradiology</i> . 22 (1) (pp 47-54), 2012.	9
1126	Kerl HU, Boll H, Fiebig T, Figueiredo G, Forster A, Nolte IS, et al. Implantation of pipeline flow-diverting stents reduces aneurysm inflow without relevantly affecting static intra-aneurysmal pressure. <i>Neurosurgery</i> . 2014;74(3):321-34.	9
1127	Kerolus M, Kasliwal MK, Lopes DK. Persistent Aneurysm Growth Following Pipeline Embolization Device Assisted Coiling of a Fusiform Vertebral Artery Aneurysm: A Word of Caution! <i>Neurointervention</i> . 2015;10(1):28-33.	3
1128	Keskin F, Erdi F, Kaya B, Poyraz N, Keskin S, Kalkan E, et al. Endovascular treatment of complex intracranial aneurysms by pipeline flow-diverter embolization device: a single-center experience. <i>Neurological Research</i> . 2015;37(4):359-65.	3
1129	Khalid Z, Sorteberg W, Nedregård B, Sorteberg A. Efficiency and complications of Woven EndoBridge (WEB) devices for treatment of larger, complex intracranial aneurysms—a single-center experience. <i>Acta Neurochirurgica</i> . 2019;161(2):393-401.	3
1130	Khan N, DiNitto J, Birkhold A, Arthur A, Nickele C, Hoit D, et al. A time resolved 3D DSA protocol to evaluate aneurysmal flow following flow diversion: <i>Journal of NeuroInterventional Surgery</i> . Conference: 17th Annual Meeting of the Society of NeuroInterventional Surgery Organizing, SNIS 2020. San Diego, CA United States. 12 (Supplement 1) (pp A99-A100), 2020.	7
1131	Khan, Ryan R, Choulakian A. Use of eptifibatide as an alternative to preoperative standard dual antiplatelet therapy load for pipeline intracranial aneurysm flow diversion: <i>Journal of NeuroInterventional Surgery</i> . Conference: 14th Annual Meeting of the Society of NeuroInterventional Surgery, SNIS 2017. Colorado Springs, CO United States. 9 (Supplement 1) (pp A64), 2017.	7
1132	Khattak YJ, Sibaie AA, Anwar M, Sayani R. Stents and Stent Mimickers in Endovascular Management of Wide-neck Intracranial Aneurysms. <i>Cureus</i> . 2018;10(10):05.	6
1133	Kheireddin AS, Iakovlev SB, Filatov Iu M, Eliava S, Belousova OB, Bocharov AV, et al. Stepwise treatment of multiple cerebral aneurysms utilizing surgical and endovascular techniques. <i>Zhurnal Voprosy Neirohirurgii Imeni N N Burdenko</i> . 2012;76(5):20-9.	10
1134	Kicielinski KP, Deveikis J, Harrigan M. Effect of concurrent coil embolization on delayed spontaneous aneurysm rupture following flow diverter placement: <i>Stroke</i> . Conference: American Heart Association/American Stroke Association 2018 International Stroke Conference and State-of-the-Science Stroke Nursing Symposium. Los Angeles, CA United States. 49 (Supplement 1) (no pagination), 2018.	7

연번	서지정보	배제 사유
1135	Kien LH, Luu VD, Anh NQ, Tuan TA, Thong PM. Result and experience of endovascular treatment of intracranial aneurysm through 528 patients in bach mai hospital: Interventional Neuroradiology. Conference: 12th Asian Australasian Federation of Interventional and Therapeutic Neuroradiology in Conjunction with 5th Annual Scientific Meeting Indonesian Society of Interventional Radiology. Bali Indonesia. Conference Publication: (var.pagings). 22 (SUPPL. 1) (pp 10–11), 2016.	7
1136	Kilburg C, Taussky P, Kalani MY, Park MS. Novel use of flow diversion for the treatment of aneurysms associated with arteriovenous malformations: Neurosurgical focus. 42 (6) (pp E7), 2017.	6
1137	Kilburg CJ, Park MS, Kalani Y, Taussky P. Poor Results of Flow Diversion as Salvage Treatment for Intracranial Aneurysm Rerupture After Surgical Clip Reconstruction: Cureus. 11(11):e6137, 2019.	6
1138	Killer-Oberpfalzer M, Kocer N, Griessenauer CJ, Janssen H, Engelhorn T, Holtmannspotter M, et al. European multicenter study for the evaluation of a dual-layer flow-diverting stent for treatment of wide-neck intracranial aneurysms: The european flow-redirection intraluminal device study: American Journal of Neuroradiology. 39 (5) (pp 841–847), 2018.	3
1139	Killer-Oberpfalzer M, Riina H, Marotta T. Vessel reconstruction device for treatment of bifurcation and sidewall intracranial aneurysms: Preclinical results: Interventional Neuroradiology. Conference: 11th Congress of the World Federation of Interventional and Therapeutic Neuroradiology, WFITN 2011. Cape Town South Africa. Conference Publication: (var.pagings). 17 (SUPPL. 1) (pp 152–153), 2011.	7
1140	Killary BD, Kilbourn KJ, Ollenschleger M. A novel use of direct platelet application during surgery for clopidogrel-associated intracerebral hemorrhage: World Neurosurgery. 84 (6) (pp e1–2078), 2015.	3
1141	Kim BM, Kim DJ, Kim DI. A New Flow-Diverter (the FloWise): In-Vivo Evaluation in an Elastase-Induced Rabbit Aneurysm Model. Korean J Radiol. 2016;17(1):151–8.	9
1142	Kim BM, Park KY, Lee JW, Chung J, Kim DJ, Kim DI. A Newly-Developed Flow Diverter (FloWise) for Internal Carotid Artery Aneurysm: Results of a Pilot Clinical Study. Korean J Radiol. 2019;20(3):505–12.	3
1143	Kim BM, Park KY, Lee JW, Chung J, Kim DJ, Kim DI. A Newly-Developed Flow Diverter (FloWise) for Internal Carotid Artery Aneurysm: Results of a Pilot Clinical Study. Korean Journal of Radiology. 2019;20(3):505–12.	3
1144	Kim BM, Shin YS, Baik MW, Lee DH, Jeon P, Baik SK, et al. Pipeline Embolization Device for Large/Giant or Fusiform Aneurysms: An Initial Multi-Center Experience in Korea. Neurointervention. 2016;11(1):10–7.	3
1145	Kim DJ, Kim BM, Park KY, Ihm EH, Baek JH, Kim DI. Response to letter, 'Endovascular approaches for morphologically unfavorable intracranial aneurysms: Adjunctive coiling techniques versus flow diversion': Acta Neurochirurgica. 156 (9) (pp 1703–1704), 2014.	6
1146	Kim J, Li Y, Ahmed A. Predictors of Impaired Cerebral Perfusion After Flow Diversion Therapy. World Neurosurgery. 2019;127:e556–e60.	3
1147	Kim JD, Barber SM, Diaz OM, Li HK, Jackson RE, Hall D, et al. Post-traumatic amaurosis secondary to paraophthalmic internal carotid artery pseudoaneurysm treated with pipeline embolization device: Journal of Neuro-Ophthalmology. 33 (4) (pp 359–362), 2013.	6

연번	서지정보	배제 사유
1148	Kim JH, Chung J, Huh SK, Park KY, Kim DJ, Kim BM, et al. Therapeutic strategies for residual or recurrent intracranial aneurysms after microsurgical clipping. <i>Clinical Neurology & Neurosurgery</i> . 2018;173:110–4.	3
1149	Kim JH, Chung J. Delayed Remote Intracerebral Hemorrhage after Wingspan Stenting for Internal Carotid Artery Stenosis Following the On-Label Usage Guidelines. <i>Yonsei Med J</i> . 2020;61(8):736–8.	2
1150	Kim JH, Chung J. Delayed remote intracerebral hemorrhage after wingspan stenting for internal carotid artery stenosis following the on-label usage guidelines: Yonsei Medical Journal. 61(8) (pp 736–738), 2020.	6
1151	Kim JY. TCTAP C-204 Real Time Evaluation of Flow Patterns of AAA Depending on Intra-aneurysmal Thrombosis Using Aneurysm Flow: Journal of the American College of Cardiology. Conference: 24th Cardiovascular Summit Transcatheter Cardiovascular Therapeutics Asia Pacific (TCTAP). Seoul South Korea. 73 (15 Supplement) (pp S266), 2019.	7
1152	Kim KS, Fraser JF, Grupke S, Cook AM. Management of antiplatelet therapy in patients undergoing neuroendovascular procedures: <i>Journal of Neurosurgery</i> . 129 (4) (pp 890–905), 2018.	6
1153	Kim LJ, Tariq F, Levitt M, Barber J, Ghodke B, Hallam DK, et al. Multimodality treatment of complex unruptured cavernous and paraclinoid aneurysms. <i>Neurosurgery</i> . 2014;74(1):51–61.	2
1154	Kim SO, Chung YG, Won YS, Rho MH. Delayed Ischemic Stroke after Flow Diversion of Large Posterior Communicating Artery Aneurysm. <i>J Cerebrovasc Endovasc Neurosurg</i> . 2016;18(1):19–26.	3
1155	Kim SS, Park H, Lee KH, Jung S, Yoon CH, Kim SK, et al. Utility of Low-Profile Visualized Intraluminal Support Junior Stent as a Rescue Therapy for Treating Ruptured Intracranial Aneurysms During Complicated Coil Embolization. <i>World Neurosurgery</i> . 2020;135:e710–e5.	3
1156	Kim ST, Jeong YG, Jeong HW. Treatment strategy and clinical outcome of giant intracranial aneurysm: 7 year's result in single center: <i>International Journal of Stroke</i> . Conference: 12th World Stroke Congress 2020. Vienna Austria. 15 (1 SUPPL) (pp 586), 2020.	7
1157	Kim T, Kwon OK, Lee H, Cho MJ, Jeong HJ, Ban SP. Nationwide Mortality Data after Flow-Diverting Stent Implantation in Korea. <i>J Korean Neurosurg Soc</i> . 2018;61(2):219–23.	3
1158	Kim T, Kwon OK, Lee H, Cho MJ, Jeong HJ, Ban SP. Nationwide Mortality Data after Flow-Diverting Stent Implantation in Korea. <i>Journal of Korean Neurosurgical Society</i> . 2018;61(2):219–23.	3
1159	Kirschke J, Sindeev S, Arnold P, Kaczmarz S, Larrabide I, Frolov S, et al. CFD and MRI to assess hemodynamic changes after flow diverter implantation in a patient specific model of the cerebral artery: <i>Neuroradiology</i> . Conference: 41st European Society of Neuroradiology Diagnostic and Interventional Annual Meeting – ESNR 2018, , the 25th Advanced Course in Diagnostic Neuroradiology and the 10th Advanced Course in Endovascular and Interventional Neuroradiology. Rotterdam Netherlands. 60 (Supplement 2) (pp S510), 2018. Date of Publication: September 2018.; 2018.	7

연번	서지정보	배제 사유
1160	Kirschke JS, Sindeev S, Arnold P, Kaczmarz S, Prothmann S, Larrabide I, et al. CFD and MRI to assess hemodynamic changes after flow diverter placement in a patient specific model of the cerebral artery: Neuroradiology. Conference: 40th European Society of Neuroradiology Diagnostic and Interventional Annual Meeting, ESNR 2017. Malmo Sweden. 59 (1 Supplement 1) (pp S52), 2017.	8
1161	Kiselev R, Orlov K, Dubovoy A, Berestov V, Gorbatykh A, Kisletsin D, et al. Flow diversion versus parent artery occlusion with bypass in the treatment of complex intracranial aneurysms: Immediate and short-term outcomes of the randomized trial. Clinical Neurology & Neurosurgery. 2018;172:183–9.	5
1162	Kiselev RS, Dubovoy AV, Kisletsin DS, Gorbatykh AV, Ovsyannikov KS, Berestov VV, et al. Predictors of clinical outcomes for the treatment of complex intracranial aneurysms in the anterior circulation: A prospective randomised study: SCAT. Patologiya Krovoobrazhcheniya i Kardiokhirurgiya. 24 (4) (pp 92–102), 2021.	10
1163	Kisurin E, Kapatsevich S. Telescopic stenting as a rescue technique for stent displacement during the endovascular treatment of intracranial aneurysms—case series: Interventional Neuroradiology. Conference: 13th Congress of the World Federation of Interventional and Therapeutic Neuroradiology, WFITN 2015 and 12th Interdisciplinary Cerebrovascular Symposium, Intracranial Stent Meeting, ICS 2015. Gold Coast, QLD Australia. Conference Publication: (var.pagings). 21 (SUPPL. 1) (pp 243–244), 2015.	7
1164	Kiyofuji S, Graffeo CS, Perry A, Murad HM, Flemming KD, Lanzino G, et al. Meta-analysis of treatment outcomes of non-saccular aneurysms in the posterior circulation by flow diverters: Journal of Neurological Surgery, Part B: Skull Base. Conference: 28th Annual Meeting North American Skull Base Society. Coronado, CA United States. 79 (Supplement 1) (no pagination), 2018.	7
1165	Kiyofuji S, Graffeo CS, Perry A, Murad MH, Flemming KD, Lanzino G, et al. Meta-analysis of treatment outcomes of posterior circulation non-saccular aneurysms by flow diverters: Journal of NeuroInterventional Surgery. 10 (5) (pp 500–506), 2018.	8
1166	Kizilkilic O, Kocer N, Metaxas GE, Babic D, Homan R, Islak C. Utility of VasoCT in the treatment of intracranial aneurysm with flow-diverter stents. Journal of Neurosurgery. 2012;117(1):45–9.	3
1167	Klisch J, Sychra V, Strasilla C, Liebig T, Fiorella D. The Woven EndoBridge cerebral aneurysm embolization device (WEB II): initial clinical experience. Neuroradiology. 2011;53(8):599–607.	3
1168	Klisch J, Turk A, Turner R, Woo HH, Fiorella D. Very late thrombosis of flow-diverting constructs after the treatment of large fusiform posterior circulation aneurysms. Ajnr: American Journal of Neuroradiology. 2011;32(4):627–32.	3
1169	Koay HT. Flow diversion device in the treatment of complex and difficult intracranial aneurysms—case presentation: Interventional Neuroradiology. Conference: 13th Congress of the World Federation of Interventional and Therapeutic Neuroradiology, WFITN 2015 and 12th Interdisciplinary Cerebrovascular Symposium, Intracranial Stent Meeting, ICS 2015. Gold Coast, QLD Australia. Conference Publication: (var.pagings). 21 (SUPPL. 1) (pp 293), 2015.	7
1170	Kobets AJ, Scoco A, Nakhla J, Brook AL, Kinon MD, Baxi N, et al. Flow-diverting stents for the obliteration of symptomatic, infectious cavernous carotid artery aneurysms: Operative Neurosurgery. 14 (6) (pp 681–685), 2018.	3

연번	서지정보	배제 사유
1171	Kocak B, Saglam M, Beyoglu CA, Kizilkilic O, Islak C, Kocer N. Cerebral aneurysm treatment with flow re direction endoluminal device (FRED) initial experience with short and mid term follow up results: Neuroradiology. Conference: 20th Symposium Neuroradiologicum 2014. Istanbul Turkey. Conference Publication: (var.pagings). 56 (SUPPL. 1) (pp 136), 2014.	7
1172	Kocer N, Islak C, Kizilkilic O, Kocak B, Saglam M, Tureci E. Flow Re-direction Endoluminal Device in treatment of cerebral aneurysms: initial experience with short-term follow-up results. <i>Journal of Neurosurgery</i> . 2014;120(5):1158–71.	3
1173	Kocer N, Kizilkilic O, Babic D, Ruijters D, Islak C. Fused magnetic resonance angiography and 2D fluoroscopic visualization for endovascular intracranial neuronavigation: Technical note: <i>Journal of Neurosurgery</i> . 118 (5) (pp 1000–1002), 2013.	6
1174	Kocer N, Mondel PK, Yamac E, Kavak A, Kizilkilic O, Islak C. Is there an association between flow diverter fish mouthing and delayed-type hypersensitivity to metals?—a case-control study. <i>Neuroradiology</i> . 2017;59(11):1171–8.	3
1175	Kocer N. Response: <i>Journal of Neurosurgery</i> . 120 (5) (pp 1157), 2014.	6
1176	Koch MJ, Stapleton CJ, Raymond SB, Williams S, Leslie-Mazwi TM, Rabinov JD, et al. LVIS Blue as a low porosity stent and coil adjuvant: <i>Journal of NeuroInterventional Surgery</i> . 10 (7) (pp 686–690), 2018.	3
1177	Kocur D, Pazdziora P, Baron J, Rudnik A. Role of transcranial Doppler ultrasonography in assessing stenosis after flow diversion. <i>Clinical Neurology & Neurosurgery</i> . 2020;198(106219):11.	3
1178	Koduri S, Daou BJ, Pandey AS. Commentary: Early multicenter experience with the neuroform atlas stent: Feasibility, safety, and efficacy: <i>Neurosurgery</i> . 87 (3) (pp E336–E337), 2020.	6
1179	Kojima M, Irie K, Fukuda T, Arai F, Hirose Y, Negoro M. The study of flow diversion effects on aneurysm using multiple enterprise stents and two flow diverters. <i>Asian Journal of Neurosurgery</i> . 2012;7(4):159–65.	9
1180	Kojima M, Irie K, Masunaga K, Sakai Y, Nakajima M, Takeuchi M, et al. Hybrid stent device of flow-diverting effect and stent-assisted coil embolization formed by fractal structure: <i>Medical and Biological Engineering and Computing</i> . 54 (5) (pp 831–841), 2016.	6
1181	Kole MJ, Miller TR, Cannarsa G, Wessell A, Jones S, Le E, et al. Pipeline embolization device diameter is an important factor determining the efficacy of flow diversion treatment of small intracranial saccular aneurysms: <i>Journal of NeuroInterventional Surgery</i> . 11 (10) (pp 1004–1008), 2019.	3
1182	Kolumam Parameswaran P, Dai D, Ding YH, Urban MW, Manlove L, Sathish V, et al. Downstream vascular changes after flow-diverting device deployment in a rabbit model. <i>Journal of Neurointerventional Surgery</i> . 2019;11(5):523–7.	9
1183	Konig I, Maurer C, Berlis A, Maus V, Weber W, Fischer S. Treatment of Ruptured and Unruptured Intracranial Aneurysms with WEB 17 Versus WEB 21 Systems : Comparison of Indications and Early Angiographic Outcomes. <i>Clinical Neuroradiology</i> . 2020;03:03.	4

연번	서지정보	배제 사유
1184	Konig I, Maurer C, Berlis A, Weber W, Fischer S. Comparison of endovascular treatment of ruptured and unruptured intracranial aneurysms using the web 17 (woven endobridge) and the web 21 system: A two-center retrospective study: Clinical Neuroradiology. Conference: 54. Jahrestagung der Deutschen Gesellschaft fur Neuroradiologie e.V. und 27. Jahrestagung der Oesterreichischen Gesellschaft fur Neuroradiologie. Frankfurt a.M. Germany. 29 (SUPPL 1) (pp S55-S56), 2019.	7
1185	Kono K, Okada H, Terada T. A novel neck-sealing balloon technique for distal access through a giant aneurysm. Neurosurgery. 2013;73(2 Suppl Operative).	3
1186	Koo HW, Park W, Yang K, Park JC, Ahn JS, Kwon SU, et al. Fracture and migration of a retained wire into the thoracic cavity after endovascular neurointervention: report of 2 cases. Journal of Neurosurgery. 2017;126(2):354-9.	2
1187	Korkmazer B, Kocak B, Islak C, Kocer N, Kizilkilic O. Long-term results of flow diversion in the treatment of intracranial aneurysms: a retrospective data analysis of a single center. Acta Neurochirurgica. 2019;161(6):1165-73.	3
1188	Kouznetsov E, Haldis T, Manchak M, Drofa A. Novel solution for luminal access loss into the double-layered LVIS BlueTM construct: Interventional Neuroradiology. 23 (5) (pp 556-560), 2017.	6
1189	Krebs JM, Shankar A, Setlur Nagesh SV, Davies JM, Snyder KV, Levy EI, et al. Flow-Pattern Details in an Aneurysm Model Using High-Speed 1000-Frames-per-Second Angiography. Ajnr: American Journal of Neuroradiology. 2019;40(7):1197-200.	6
1190	Krishna C, Hopkins LN. Flow diversion: exciting new technology in its infancy. World Neurosurgery. 2014;82(6):1003-4.	6
1191	Krishna C, Sonig A, Natarajan SK, Siddiqui AH. The expanding realm of endovascular neurosurgery: flow diversion for cerebral aneurysm management. [Review]. Methodist DeBakey cardiovascular journal. 2014;10(4):214-9.	6
1192	Krug RG, 2nd, Chang AY, Raghunathan A, Van Gompel JJ. Apoplectic Silent Crooke Cell Adenoma with Adjacent Pseudoaneurysms: Causation or Bystander? World Neurosurgery. 2019;122:480-4.	1
1193	Kuhn AL, Dabus G, Kan P, Wakhloo AK, Puri AS. Flow-diverter stents for endovascular management of non-fetal posterior communicating artery aneurysms-analysis on aneurysm occlusion, vessel patency, and patient outcome. Interventional Neuroradiology. 2018;24(4):363-74.	3
1194	Kuhn AL, De Macedo Rodrigues K, Lozano JD, Rex DE, Massari F, Tamura T, et al. Use of the Pipeline embolization device for recurrent and residual cerebral aneurysms: A safety and efficacy analysis with short-term follow-up: Journal of NeuroInterventional Surgery. 9 (12) (pp 1208-1213), 2017.	3
1195	Kuhn AL, Gounis MJ, Puri AS. Introduction: History and Development of Flow Diverter Technology and Evolution: Neurosurgery. 86 (Supplement 1) (pp S3-S10), 2020.	6
1196	Kuhn AL, Kan P, Henninger N, Srinivasan V, de Macedo Rodrigues K, Wakhloo AK, et al. Impact of age on cerebral aneurysm occlusion after flow diversion: Journal of Clinical Neuroscience. 65 (pp 23-27), 2019.	4
1197	Kuhn AL, Kan P, Massari F, Lozano JD, Hou SY, Howk M, et al. Endovascular reconstruction of unruptured intradural vertebral artery dissecting aneurysms with the Pipeline embolization device: Journal of NeuroInterventional Surgery. 8 (10) (pp 1048-1051), 2016.	3

연번	서지정보	배제 사유
1198	Kuhn AL, Kan P, Srinivasan V, Rex DE, de Macedo Rodrigues K, Howk MC, et al. Flow diverter for endovascular treatment of intracranial mirror segment internal carotid artery aneurysms. <i>Interventional Neuroradiology</i> . 2019;25(1):4–11.	3
1199	Kuhn AL, Rodrigues KM, Wakhloo AK, Puri AS. Endovascular techniques for achievement of better flow diverter wall apposition. <i>Interventional Neuroradiology</i> . 2019;25(3):344–7.	6
1200	Kuhn AL, Roth C, Romeike B, Grunwald IQ. Treatment of elastase-induced intracranial aneurysms in New Zealand white rabbits by use of a novel neurovascular embolization stent device: <i>Neuroradiology</i> . 56 (1) (pp 59–65), 2014.	9
1201	Kuhn AL, Satti SR, Eden T, de Macedo Rodrigues K, Singh J, Massari F, et al. Anatomic Snuffbox (Distal Radial Artery) and Radial Artery Access for Treatment of Intracranial Aneurysms with FDA-Approved Flow Diverters. <i>Ajnr: American Journal of Neuroradiology</i> . 2021;42(3):487–92.	3
1202	Kuhn AL, Thomas AJ. Commentary: Overview of Different Flow Diverters and Flow Dynamics. <i>Neurosurgery</i> . 2020;86(Suppl 1):01.	6
1203	Kuhn AL, Wakhloo AK, Gounis MJ, Kan P, de Macedo Rodrigues K, Lozano JD, et al. Use of self-expanding stents for better intracranial flow diverter wall apposition. <i>Interventional Neuroradiology</i> . 2017;23(2):129–36.	3
1204	Kuker W, Downter J, Cellerini M, Schulz U. Dissecting aneurysm of a dominant intracranial vertebral artery in fibromuscular dysplasia: flow diversion using multiple conventional stents: <i>Neuroradiology</i> . 53(3):193–5, 2011 Mar.; 2011.	6
1205	Kulcsar Z, Augsburger L, Pereira VM, Malik A, Parker G, Millar J, et al. Why do some aneurysms occlude and others not after flow diversion treatment? A flow simulation study with clinical follow up: <i>Interventional Neuroradiology</i> . Conference: 11th Congress of the World Federation of Interventional and Therapeutic Neuroradiology, WFITN 2011. Cape Town South Africa. Conference Publication: (var.pagings). 17 (SUPPL. 1) (pp 60), 2011. Date of Publication: November 2011.; 2011.	7
1206	Kulcsar Z, Augsburger L, Reymond P, Pereira VM, Hirsch S, Mallik AS, et al. Flow diversion treatment: intra-aneurismal blood flow velocity and WSS reduction are parameters to predict aneurysm thrombosis. <i>Acta Neurochirurgica</i> . 2012;154(10):1827–34.	3
1207	Kulcsar Z, Houdart E, Bonafe A, Parker G, Millar J, Goddard AJ, et al. Intra-aneurysmal thrombosis as a possible cause of delayed aneurysm rupture after flow-diversion treatment. <i>Ajnr: American Journal of Neuroradiology</i> . 2011;32(1):20–5.	3
1208	Kulcsar Z, Houdart E, Bonafe A, Parker G, Millar J, Goddard AJP, et al. Intra-aneurysmal thrombosis as a possible cause of delayed aneurysm rupture after flow-diversion treatment: <i>American Journal of Neuroradiology</i> . 32 (1) (pp 20–25), 2011.	8
1209	Kumar A, Dmytriw AA, Salem MM, Kuhn AL, Phan K, Bharatha A, et al. Reconstructive vs Deconstructive Endovascular Approach to Intradural Vertebral Artery Aneurysms: A Multicenter Cohort Study. <i>Neurosurgery</i> . 2020;87(2):383–93.	3
1210	Kumar A, Yang V, Dacosta L. Pipeline stents for partially thrombosed posterior circulation aneurysms: A word of caution!: <i>Neurology India</i> . 62 (4) (pp 449–451), 2014.	6
1211	Kumar D, Rahul RK, Santhosh P, Mehta P, Cherian M, Kheradia D, et al. Flow diversion in ruptured Blood Blister Aneurysms: Single Centre Experience: <i>Journal of Clinical Interventional Radiology ISVIR</i> . 1 (2) (pp 77–84), 2017.	3
1212	Kurniawan RG, Song Y, Kwon B, Ahn Y, Suh DC. Tailored antiplatelet agent medication in clopidogrel hyporesponsive patients before stent-assisted coiling: single-center experience: <i>Neuroradiology</i> . 62 (12) (pp 1709–1715), 2020.	2

연번	서지정보	배제 사유
1213	Kuzmik GA, Williamson T, Ediriwickrema A, Andeejani A, Bulsara KR. Flow diverters and a tale of two aneurysms: Journal of NeuroInterventional Surgery. 5 (4) (pp e23), 2013.	3
1214	Lamin S, Thomas A, Leyon J, Chavda S. The use of the Pipeline embolisation device in complex cerebral aneurysms. Early experience and safety outcomes: Interventional Neuroradiology. Conference: 13th Congress of the World Federation of Interventional and Therapeutic Neuroradiology, WFITN 2015 and 12th Interdisciplinary Cerebrovascular Symposium, Intracranial Stent Meeting, ICS 2015. Gold Coast, QLD Australia. Conference Publication: (var.pagings). 21 (SUPPL. 1) (pp 162-163), 2015.	7
1215	Lamooki SR, Tutino VM, Paliwal N, Damiano RJ, Waqas M, Nagesh SSV, et al. Evaluation of Two Fast Virtual Stenting Algorithms for Intracranial Aneurysm Flow Diversion. Current Neurovascular Research. 2020;17(1):58-70.	3
1216	Lander B, Berenice GM, Arturo A, Mariangela A, Stefania L, Rene V. Morbidity associated with endovascular treatment of complex intracranial aneurysms with self expanding stents vs flow diverters: Neuroradiology. Conference: 20th Symposium Neuroradiologicum 2014. Istanbul Turkey. Conference Publication: (var.pagings). 56 (SUPPL. 1) (pp 393), 2014.	7
1217	Lang ST, Assis Z, Wong JH, Morrish W, Mitha AP. Rapid delayed growth of ruptured supraclinoid blister aneurysm after successful flow diverting stent treatment: BMJ Case Reports. 2016 (no pagination), 2016.	6
1218	Lanterna LA, Gritti P, Biroli F. Letter by Lanterna et al regarding article, "endovascular treatment of intracranial aneurysms with flow-diverters, a meta-analysis": Stroke. 44 (5) (pp e54), 2013.	6
1219	Lanzino G. Editorial: flow diversion for intracranial aneurysms: Journal of neurosurgery. 118 (2) (pp 405-406; discussion 406-407), 2013.	6
1220	Lanzino G. Flow diversion for intracranial aneurysms: Journal of Neurosurgery. 118 (2) (pp 405-406), 2013.	6
1221	Larrabide I, Aguilar ML, Morales HG, Geers AJ, Kulcsar Z, Rufenacht D, et al. Intra-aneurysmal pressure and flow changes induced by flow diverters: relation to aneurysm size and shape. Ajnr: American Journal of Neuroradiology. 2013;34(4):816-22.	3
1222	Larrabide I, Geers AJ, Morales HG, Aguilar ML, Rufenacht DA. Effect of aneurysm and ICA morphology on hemodynamics before and after flow diverter treatment. Journal of Neurointerventional Surgery. 2015;7(4):272-80.	3
1223	Larrabide I, Geers AJ, Morales HG, Bijlenga P, Rufenacht DA. Change in aneurysmal flow pulsatility after flow diverter treatment. Computerized Medical Imaging & Graphics. 2016;50:2-8.	3
1224	Larsen N, Fluh C, Madjidyar J, Synowitz M, Jansen O, Wodarg F. Visualization of Aneurysm Healing : Enhancement Patterns and Reperfusion in Intracranial Aneurysms after Embolization on 3T Vessel Wall MRI. Clinical Neuroradiology. 2020;30(4):811-5.	3
1225	Larson AS, Mikula AL, Brinjikji W, Lanzino G. Pipeline embolization for recurrent vertebral artery thromboembolic events secondary to a misplaced pedicle screw. Neurological Sciences. 2020;42(4):1555-8.	3
1226	Laukka D, Rautio R, Rahi M, Rinne J. Acute Treatment of Ruptured Fusiform Posterior Circulation Posterior Cerebral, Superior Cerebellar, and Posterior Inferior Cerebellar Artery Aneurysms With FRED Flow Diverter: Report of 5 Cases. Operative Neurosurgery. 2019;16(5):549-56.	3

연번	서지정보	배제 사유
1227	Lauzier DC, Root BK, Kayan Y, Almandoz JED, Osbun JW, Chatterjee AR, et al. Pipeline embolization of distal posterior inferior cerebellar artery aneurysms. <i>Interventional Neuroradiology</i> . 2021;15910199211013195:23.	3
1228	Lauzier DC, Root BK, Kayan Y, Almandoz JED, Osbun JW, Chatterjee AR, et al. Pipeline embolization of proximal middle cerebral artery aneurysms: A multicenter cohort study. <i>Interventional Neuroradiology</i> . 2021;15910199211015578:05.	3
1229	Lawson A, Goddard T, Ross S, Tyagi A, Deniz K, Patankar T. Endovascular treatment of cerebral aneurysms using the Woven EndoBridge technique in a single center: preliminary results. <i>Journal of Neurosurgery</i> . 2017;126(1):17–28.	3
1230	Lawson A, Molyneux A, Sellar R, Lamin S, Thomas A, Bhattacharya J, et al. Safety results from treatment of 109 cerebral aneurysms using the Woven Endobridge technique in the United Kingdom – Preliminary results: British Journal of Neurosurgery. Conference: 7th Annual Meeting of the British Neurovascular Group. Durham United Kingdom. 30 (4) (pp 472), 2016.	7
1231	Law-Ye B, Dormont D, Chiras J, Carlier RY, Clarencon F. Successful endovascular treatment of three fusiform cerebral aneurysms with the Pipeline Embolization Device in a patient with dilating HIV vasculopathy: <i>Journal of NeuroInterventional Surgery</i> . 9 (e1) (pp e7), 2017.	6
1232	Lazareska M, Aliji V, Stojovska-Jovanovska E, Businovska J, Mircevski V, Kostov M, et al. Endovascular Treatment of Wide Neck Aneurysms. <i>Open Access Macedonian Journal of Medical Sciences</i> . 2018;6(12):2316–22.	3
1233	Leacy RD, Kottenmeier E, Lee SHY, Khanna R, Spiotta AM. Endovascular treatment with the Enterprise stent versus the Neuroform or Low-Profile Visualized Intraluminal Support stent for unruptured aneurysms: <i>Journal of Comparative Effectiveness Research</i> . 10 (4) (pp 295–305), 2021.	4
1234	Lee JY, Cho YD, Kang H-S, Han MH. Healing of Aneurysm after Treatment Using Flow Diverter Stent : Histopathological Study in Experimental Canine Carotid Side Wall Aneurysm. <i>J Korean Neurosurg Soc</i> . 2020;63(1):34–44.	9
1235	Lee KS, Zhang JJY, Nguyen V, Han J, Johnson JN, Kirolos R, et al. The evolution of intracranial aneurysm treatment techniques and future directions. [Review]. <i>Neurosurgical Review</i> . 2021;23:23.	6
1236	Lee WJ, Byun JS, Kim JK, Nam TK. Quantitative assessment of giant intracranial aneurysm after flow diverting stent using volumetric CT angiography: <i>Interventional Neuroradiology</i> . Conference: 13th Congress of the World Federation of Interventional and Therapeutic Neuroradiology, WFITN 2015 and 12th Interdisciplinary Cerebrovascular Symposium, Intracranial Stent Meeting, ICS 2015. Gold Coast, QLD Australia. Conference Publication: (var.pagings). 21 (SUPPL. 1) (pp 187), 2015.	7
1237	Lee WJ, Byun JS, Kim JK, Nam TK. Quantitative Computed Tomographic Volumetry after Treatment of a Giant Intracranial Aneurysm with a Pipeline Embolization Device. <i>Yonsei Med J</i> . 2017;58(3):668–71.	3
1238	Lee WJ, Byun JS, Kim JK, Nam TK. Quantitative computed tomographic volumetry after treatment of a giant intracranial aneurysm with a pipeline embolization device: <i>Yonsei Medical Journal</i> . 58 (3) (pp 668–671), 2017.	6
1239	Lekovic GP, Ooi YC, Jahan R. Presigmoid Transpetrosal Approach for Superficial Temporal Artery to Distal Posterior Cerebral Artery Bypass and Trapping of Aneurysm. <i>Operative Neurosurgery</i> . 2021;20(3):E234–E8.	3

연번	서지정보	배제 사유
1240	Lena J, Fargen KM. Flow Diversion and Middle Cerebral Artery Aneurysms: Is Successful Aneurysm Occlusion Dependent on Branch Occlusion?: World Neurosurgery. 90 (pp 630-631), 2016.	6
1241	Lenz-Habijan T, Bhogal P, Bannewitz C, Hannes R, Monstadt H, Simgen A, et al. Prospective study to assess the tissue response to HPC-coated p48 flow diverter stents compared to uncoated devices in the rabbit carotid artery model. European Radiology Experimental. 2019;3(1):05.	9
1242	Lescher S, du Mesnil de Rochemont R, Berkefeld J. Woven Endobridge (WEB) device for endovascular treatment of complex unruptured aneurysms—a single center experience. Neuroradiology. 2016;58(4):383-90.	3
1243	Lescher S, Samaan T, Berkefeld J. Evaluation of the pontine perforators of the basilar artery using digital subtraction angiography in high resolution and 3D rotation technique. Ajnr: American Journal of Neuroradiology. 2014;35(10):1942-7.	9
1244	Leung GK, Tsang AC, Lui WM. Pipeline embolization device for intracranial aneurysm: a systematic review. Clinical Neuroradiology. 2012;22(4):295-303.	6
1245	Levitt MR, Ghodke BV, Hallam DK, Sekhar LN, Kim LJ. Incidence of microemboli and correlation with platelet inhibition in aneurysmal flow diversion: American Journal of Neuroradiology. 34 (12) (pp 2321-2325), 2013.	1
1246	Levitt MR, McGah PM, Aliseda A, Mourad PD, Nerva JD, Vaidya SS, et al. Cerebral aneurysms treated with flow-diverting stents: Computational models with intravascular blood flow measurements: American Journal of Neuroradiology. 35 (1) (pp 143-148), 2014.	3
1247	Levitt MR, Moon K, Albuquerque FC, Mulholland CB, Kalani MY, McDougall CG. Intraprocedural abciximab bolus versus pretreatment oral dual antiplatelet medication for endovascular stenting of unruptured intracranial aneurysms. Journal of Neurointerventional Surgery. 2016;8(9):909-12.	2
1248	Levitt MR, Moon K, Albuquerque FC, Mulholland CB, Kalani MYS, McDougall CG. Intraprocedural abciximab bolus versus pretreatment oral dual antiplatelet medication for endovascular stenting of unruptured intracranial aneurysms: Journal of NeuroInterventional Surgery. 8 (9) (pp 909-912), 2016.	8
1249	Levy EI, Munich SA, Rosenwasser RH, Kan P, Thompson BG. Introduction: Endovascular Neurosurgery: Neurosurgical focus. 46 (1 Supplement) (pp V1), 2019.	6
1250	Ley D, Muhl-Benninghaus R, Yilmaz U, Korner H, Cattaneo GFM, Mailander W, et al. The Derivo Embolization Device, a Second-Generation Flow Diverter for the Treatment of Intracranial Aneurysms, Evaluated in an Elastase-Induced Aneurysm Model. Clinical Neuroradiology. 2017;27(3):335-43.	9
1251	Li H, Bai W, He Y, Li T. Progress in study on pipeline embolization device treatment for postoperative complications of intracranial aneurysm. Journal of Interventional Radiology(China). 26 (8) (pp 760-764), 2017.	10
1252	Li H, Gao BL, Li CH, Wang JW, Liu JF, Yang ST. Endovascular Retreatment of Cerebral Aneurysms Previously Treated with Endovascular Embolization: Journal of Neurological Surgery, Part A: Central European Neurosurgery. 81 (3) (pp 207-212), 2020.	3
1253	Li H, Li T, Bai W, He Y. Rupture with bleeding of giant intracranial aneurysm occurring after flow diversion therapy: Report of one case. [Chinese]: Journal of Interventional Radiology (China). 26 (6) (pp 507-508), 2017.	10

연번	서지정보	배제 사유
1254	Li H, Li Z, Hua W, Zhang Y, Yang W, Feng M, et al. Rescue permanent LVIS stenting with post-stenting angioplasty after failed mechanical thrombectomy for refractory internal carotid artery occlusion at the paraclinoid segment: two-case report. <i>Chinese Neurosurgical Journal.</i> 2021;7(1):11.	3
1255	Li L, Zhang X, Feng Z, Zhao R, Hong B, Xu Y, et al. Risk Factors for Intraprocedural Rupture in the Endovascular Treatment of Unruptured Intracranial Aneurysms: A Single-Center Experience with 1232 Procedures. <i>World Neurosurgery.</i> 2019;123:e9-e14.	3
1256	Li L, Zhang XX, Zhao R, Huang QH, Hong B, Liu JM, et al. Risk factors and clinical features of intra-procedural rupture in endovascular treatment of unruptured intracranial aneurysm. <i>Academic Journal of Second Military Medical University.</i> 38 (12) (pp 1491-1496), 2017. Article Number: 0258-879X(2017)12-1491-06.	10
1257	Li M, Liang H, Wang J. Unfavorable Outcomes Related to Endovascular Treatment of Giant Vertebrobasilar Aneurysms: <i>Frontiers in Neurology.</i> 11 (no pagination), 2020.	6
1258	Li R, Wong KSA, Chan KY, Kwok CKJ, Siu YWD. Non-invasive intravenous conebeam CT angiography for follow-up assessment of pipeline embolization device upon aneurysm obliteration, in-stent stenosis and vessel wall apposition: <i>Interventional Neuroradiology.</i> Conference: 13th Asian-Australasian Federation of Interventional and Therapeutic Neuroradiology, AAFITN 2018. Kota Kinabalu Malaysia. 24 (1 Supplement 1) (pp 6), 2018.	7
1259	Li S, Latt J, Chopard B. Model for pressure drop and flow deflection in the numerical simulation of stents in aneurysms: <i>International journal for numerical methods in biomedical engineering.</i> 34 (3) (no pagination), 2018.	6
1260	Li TF, Ma J, Han XW, Fu PJ, Niu RN, Luo WZ, et al. Application of high-resolution C-arm CT combined with streak metal artifact removal technology for the stent-assisted embolization of intracranial aneurysms: <i>American Journal of Neuroradiology.</i> 40 (10) (pp 1752-1758), 2019.	2
1261	Li W, Liu J, Zhang Y, Wang K, Tian Z, Zhang Q, et al. Flow Diversion and Outcomes of Vertebral Fusiform Aneurysms After Stent-Only Treatment: A Hemodynamic Study: <i>World Neurosurgery.</i> 107 (pp 202-210), 2017.	6
1262	Li W, Tian Z, Zhu W, Zhang YS, Wang K, Zhang Y, et al. Hemodynamic Analysis of Postoperative Rupture of Unruptured Intracranial Aneurysms after Placement of Flow-Diverting Stents: A Matched Case-Control Study. <i>Ajnr: American Journal of Neuroradiology.</i> 2019;40(11):1916-23.	3
1263	Li W, Zhu W, Liu J, Yang X. Imbalanced flow changes of distal arteries: An important factor in process of delayed ipsilateral parenchymal hemorrhage after flow diversion in patients with cerebral aneurysms. <i>Interventional Neuroradiology.</i> 2021	4
1264	Li W. Letter regarding article "Quantitative assessment of parent vessel and distal intracranial hemodynamics following pipeline flow diversion". <i>Interventional Neuroradiology.</i> 2017;23(4):08.	6
1265	Li Y, Ahmed A, Rowley H, Niemann D, Aagaard B. Contrast induced neurotoxicity after neuro endovascular interventions: <i>Journal of Neurosurgery.</i> Conference: 2018 AANS Annual Scientific Meeting. New Orleans, LA United States. 128 (4) (pp 73), 2018.	7
1266	Li Y, Chen SH, Spiotta AM, Jabbour P, Levitt MR, Kan P, et al. Lower complication rates associated with transradial versus transfemoral flow diverting stent placement: <i>Journal of NeuroInterventional Surgery.</i> 13 (1) (pp 91-95), 2021.	4

연번	서지정보	배제 사유
1267	Li Y, Corriveau M, Schafer S, Ahmed A, Niemann D, Aagaard Kienitz B. Improving radiographic visualization during intracranial stent deployment: Journal of NeuroInterventional Surgery. Conference: 14th Annual Meeting of the Society of NeuroInterventional Surgery, SNIS 2017. Colorado Springs, CO United States. 9 (Supplement 1) (pp A35), 2017.	7
1268	Li Y, Funk C, Dawkins D, Simpson D, Yu JJ, Boly M, et al. Leptomeningeal Enhancement Is Associated with Transient Neurologic Deficits after Flow Diversion of Intracranial Aneurysms. <i>World Neurosurgery</i> . 2018;120:e94-e9.	3
1269	Li Y, Funk C, Dawkins D, Simpson D, Yu JPJ, Boly M, et al. Leptomeningeal Enhancement Is Associated with Transient Neurologic Deficits after Flow Diversion of Intracranial Aneurysms: <i>World Neurosurgery</i> . 120 (pp e94-e99), 2018.	8
1270	Li Y, Kim J, Ahmed A. Effect of aneurysm morphologic parameters on occlusion rates following pipeline embolization. <i>Clinical Neurology & Neurosurgery</i> . 2019;183(105395).	3
1271	Li Y, Zhang M, Verrelli DI, Chong W, Ohta M, Qian Y. Numerical simulation of aneurysmal haemodynamics with calibrated porous-medium models of flow-diverting stents: <i>Journal of Biomechanics</i> . 80 (pp 88-94), 2018.	6
1272	Li YL, Roalfe A, Chu EY, Lee R, Tsang ACO. Outcome of Flow Diverters with Surface Modifications in Treatment of Cerebral Aneurysms: Systematic Review and Meta-analysis. <i>Ajnr: American Journal of Neuroradiology</i> . 2021;42(2):327-33.	6
1273	Li YL, Roalfe A, Chu EYL, Lee R, Tsang ACO. Outcome of flow diverters with surface modifications in treatment of cerebral aneurysms: systematic review and meta-analysis: <i>American Journal of Neuroradiology</i> . 42 (2) (pp 327-333), 2021.	8
1274	Li Z, Zhao R, Fang X, Zhou J, Jiang G, Huang Q, et al. AMD3100 Accelerates Reendothelialization of Neointima in Rabbit Saccular Aneurysm After Flow Diverter Treatment. <i>World Neurosurgery</i> . 2017;107:416-23.	9
1275	Liang B, Lesley WS, Robinson TM, Chen W, Benardete EA, Huang JH. Off-Label Application of Pipeline Embolization Device for Intracranial Aneurysms. <i>Neurointervention</i> . 2019;14(2):116-24.	3
1276	Liang F, Yang Y, Luo L, Liao B, Zhang G, Ou S, et al. Endovascular treatment of complex middle cerebral artery aneurysms using TuBridge flow diverters. <i>Interventional Neuroradiology</i> . 2020;26(5):539-46.	3
1277	Liang F, Zhang Y, Guo F, Zhang Y, Yan P, Liang S, et al. Use of Pipeline Embolization Device for Posterior Circulation Aneurysms: Single-Center Experiences with Comparison with Anterior Circulation Aneurysms. <i>World Neurosurgery</i> . 2018;112:e683-e90.	4
1278	Liang F, Zhang Y, Yan P, Ma C, Liang S, Jiang C. Outcomes and Complications After the Use of the Pipeline Embolization Device in the Treatment of Intracranial Aneurysms of the Posterior Circulation: A Systematic Review and Meta-Analysis. <i>World Neurosurgery</i> . 2019;127:e888-e95.	6
1279	Liang F, Zhang Y, Yan P, Ma C, Liang S, Jiang P, et al. Predictors of Periprocedural Complications and Angiographic Outcomes of Endovascular Therapy for Large and Giant Intracranial Posterior Circulation Aneurysms. <i>World Neurosurgery</i> . 2019;125:05.	5
1280	Liang S, Yuan R, Lv X. A novel treatment of a patient with a giant ruptured middle cerebral artery aneurysm by acute coiling followed by scheduled Pipeline flex placement: <i>Neuroradiology Journal</i> . 33 (6) (pp 517-519), 2020.	6

연번	서지정보	배제 사유
1281	Lim D, March L, Barbour M, Haughn H, Levy S, Prijoles K, et al. Patient-specific hemodynamics predict outcomes after treatment of intracranial aneurysms with flow-diverting stents: Journal of NeuroInterventional Surgery. Conference: 17th Annual Meeting of the Society of NeuroInterventional Surgery Organizing, SNIS 2020. San Diego, CA United States. 12 (Supplement 1) (pp A149-A150), 2020.	7
1282	Lim SW, Kim SD. Effect of Positive End-expiratory Pressure(PEEP) of Contra-lateral Lung on Redistribution of Pulmonary Blood Flow during One-lung Atelectasis. Korean J Anesthesiol. 1994;27(9):1139-54.	2
1283	Limaye K, Zanaty M, Hudson J, Nakagawa D, Al Kasab S, Alvarez C, et al. The Safety and Efficacy of Continuous Tirofiban as a Monoantiplatelet Therapy in the Management of Ruptured Aneurysms Treated Using Stent-Assisted Coiling or Flow Diversion and Requiring Ventricular Drainage: Clinical Neurosurgery. 85 (6) (pp E1037-E1042), 2019.	3
1284	Limbucci N, Leone G, Renieri L, Nappini S, Cagnazzo F, Laiso A, et al. Expanding Indications for Flow Diverters: Distal Aneurysms, Bifurcation Aneurysms, Small Aneurysms, Previously Coiled Aneurysms and Clipped Aneurysms, and Carotid Cavernous Fistulas. Neurosurgery. 2020;86(Suppl 1):S85-S94.	6
1285	Lin LM, Bender MT, Colby GP, Jiang B, Campos JK, Zarrin DA, et al. Flow diversion covering the M1 origin as a last resort: Stroke and Vascular Neurology. 4 (3) (pp 141-147), 2019.	3
1286	Lin LM, Colby GP, Bender MT, Xu R, Huang J, Tamargo RJ, et al. Use of the 0.027-inch VIA microcatheter for delivery of Pipeline Flex: a technical note. Journal of Neurointerventional Surgery. 2017;9(7):689-93.	6
1287	Lin LM, Colby GP, Jiang B, Nundkumar N, Huang J, Tamargo RJ, et al. Intra-DIC (distal intracranial catheter) deployment of the Pipeline embolization device: A novel rescue strategy for failed device expansion: Journal of NeuroInterventional Surgery. 8 (8) (pp 840-846), 2016.	3
1288	Lin LM, Colby GP, Kim JE, Huang J, Tamargo RJ, Coon AL. Immediate and follow-up results for 44 consecutive cases of small (<10 mm) internal carotid artery aneurysms treated with the pipeline embolization device. Surgical neurology international. 2013;4(114).	3
1289	Lin LM, Jiang B, Bender MT, Westbroek EM, Campos JK, Tamargo RJ, et al. 47 Consecutive Cases of Pipeline Flex Flow Diversion Utilizing a Novel Large-Bore Intracranial Intermediate Catheter: Nuances and Institutional Experience with the Syphontrak: Interventional Neurology. 7 (3-4) (pp 153-163), 2018.	6
1290	Lin LM, Jiang B, Campos JK, Beaty NB, Bender MT, Tamargo RJ, et al. Abciximab (ReoPro) Dosing Strategy for the Management of Acute Intraprocedural Thromboembolic Complications during Pipeline Flow Diversion Treatment of Intracranial Aneurysms. Interventional Neurology. 2018;7(5):218-32.	2
1291	Lin N, Hopkins LN. Endothelialization of platinum-based coils: A new frontier of endosaccular aneurysm therapy: World Neurosurgery. 82 (5) (pp 581-582), 2014.	6
1292	Lin N, Lanzino G, Lopes DK, Arthur AS, Ogilvy CS, Ecker RD, et al. Treatment of Distal Anterior Circulation Aneurysms With the Pipeline Embolization Device: A US Multicenter Experience. Neurosurgery. 2016;79(1):14-22.	3
1293	Line PD. Liver Transplantation Using the Whole or Partial Liver for Unresectable Colorectal Liver Metastases. 춘·추계 학술대회 (KASL). 2017;2017(1):417.	7
1294	Linfante I, Mack W, Chen M, Rai A, Albuquerque F, Gupta R, et al. Best articles published in 2014 in Journal of NeuroInterventional Surgery: Journal of NeuroInterventional Surgery. 6 (10) (pp 722-723), 2014.	6

연번	서지정보	배제 사유
1295	Linfante I, Mayich M, Sonig A, Fujimoto J, Siddiqui A, Dabus G. Flow diversion with Pipeline Embolic Device as treatment of subarachnoid hemorrhage secondary to blister aneurysms: dual-center experience and review of the literature. [Review]. <i>Journal of Neurointerventional Surgery</i> . 2017;9(1):29–33.	3
1296	Link A, Michel T, Schaller M, Tronser T, Krajewski S, Cattaneo G. In vitro investigation of an intracranial flow diverter with a fibrin-based, hemostasis mimicking, nanocoating: <i>Biomedical Materials (Bristol)</i> . 16 (1) (no pagination), 2021.	9
1297	Link TW, Carnevale JA, Goldberg JL, Jones C, Kocharian G, Boddu SR, et al. Multiple pipeline embolization devices improves aneurysm occlusion without increasing morbidity: A single center experience of 140 cases. <i>Journal of Clinical Neuroscience</i> . 2021;86:129–35.	4
1298	Linzey JR, Griaudze J, Guan Z, Bentley N, Gemmete JJ, Chaudhary N, et al. Stent-assisted coiling of cerebrovascular aneurysms: Experience at a large tertiary care center with a focus on predictors of recurrence: <i>Journal of NeuroInterventional Surgery</i> . 9 (11) (pp 1081–1085), 2017.	3
1299	Liu A. Clinical and angiographic outcomes of web in intracranial aneurysms: <i>International Journal of Stroke</i> . Conference: 12th World Stroke Congress 2020. Vienna Austria. 15 (1 SUPPL) (pp 580), 2020.	7
1300	Liu A. Long-term clinical and angiographic outcomes of pipeline in intracranial aneurysms—a large controlled study: <i>International Journal of Stroke</i> . Conference: 12th World Stroke Congress 2020. Vienna Austria. 15 (1 SUPPL) (pp 580), 2020.	7
1301	Liu B, Guan S, Yao Z, Xu H, Guo X, Fan F, et al. Combination flow diverter with cover-stent to treat refractory intracranial aneurysm. <i>Chinese Journal of Radiology (China)</i> . 55 (2) (pp 191–195), 2021.	10
1302	Liu C, Rupareliya C, Ismail R, Yu Q. Abstract No. 718 Pipeline embolization of posterior circulation aneurysms: a meta-analysis: <i>Journal of Vascular and Interventional Radiology</i> . Conference: SIR 2020 Annual Scientific Meeting. Seattle United States. 31 (3 Supplement) (pp S309), 2020.	7
1303	Liu J, Fan J, Xiang J, Zhang Y, Yang X. Hemodynamic characteristics of large unruptured internal carotid artery aneurysms prior to rupture: A case control study: <i>Journal of NeuroInterventional Surgery</i> . 8 (4) (pp 367–372), 2016.	3
1304	Liu J. Parent artery reconstruction for large or giant cerebral aneurysms using Tubridge flow diverter: a prospective, multicenter, randomized controlled clinical trial.	2
1305	Liu JM, Zhou Y, Li Y, Li T, Leng B, Zhang P, et al. Parent Artery Reconstruction for Large or Giant Cerebral Aneurysms Using the Tubridge Flow Diverter: a Multicenter, Randomized, Controlled Clinical Trial (PARAT). <i>Ajnr: American Journal of Neuroradiology</i> . 2018;39(5):807–16.	2
1306	Liu JM, Zhou Y, Li Y, Li T, Leng B, Zhang P, et al. Parent Artery Reconstruction for Large or Giant Cerebral Aneurysms Using the Tubridge Flow Diverter: A Multicenter, Randomized, Controlled Clinical Trial (PARAT). <i>Ajnr: American Journal of Neuroradiology</i> . 2018;39(5):807–16.	8
1307	Liu JM, Zhou Y, Li Y, Li T, Leng B, Zhang P, et al. Parent artery reconstruction for large or giant cerebral aneurysms using the tubridge flow diverter: A multicenter, randomized, controlled clinical trial (PARAT): <i>American Journal of Neuroradiology</i> . 39 (5) (pp 807–816), 2018.	8
1308	Liu Q, Qi C, Zhang Y, Deng L, Li G, Su W. Low-Profile Visualized Intraluminal Support Stent-Only Technique for Intracranial Aneurysms—A Report of 12 Cases with Midterm Follow-Up. <i>World Neurosurgery</i> . 2019;129:e40–e7.	3

연번	서지정보	배제 사유
1309	Liu W, Dai D, Ding YH, Liu Y, Temnyk K, Shen TW, et al. Cellular responses to flow diverters in a tissue-engineered aneurysm model. <i>Journal of Neurointerventional Surgery</i> . 2020;06:06.	9
1310	Liu W, Ding D, Ding Y, Temnyk K, Shen T, O'Halloran Cardinal K, et al. Cellular responses to flow diverters in a tissue-engineered aneurysm: <i>Journal of NeuroInterventional Surgery</i> . Conference: 17th Annual Meeting of the Society of NeuroInterventional Surgery Organizing, SNIS 2020. San Diego, CA United States. 12 (Supplement 1) (pp A133), 2020.	8
1311	Llull L, Macias N, Amaro S, Gonzalez-Ribelles E, Werner M, Renu A, et al. Doppler ultrasound for the detection of flowalterations after intracranial stent placement in patients with cerebral aneurysms: <i>International Journal of Stroke</i> . Conference: 22nd Meeting of the European Society of Neurosonology and Cerebral Hemodynamics, ESNCH 2017. Berlin Germany. 12 (1 Supplement 1) (pp 16–17), 2017.	7
1312	Lobsien D, Clajus C, Behme D, Ernst M, Riedel CH, Abu-Fares O, et al. Aneurysm Treatment in Acute SAH with Hydrophilic-Coated Flow Diverters under Single-Antiplatelet Therapy: A 3-Center Experience. <i>Ajnr: American Journal of Neuroradiology</i> . 2021;42(3):508–15.	3
1313	Lobsien D, Clajus C, Behme D, Ernst M, Riedel CH, Abu-Fares O, et al. Aneurysm treatment in acute sah with hydrophilic-coated flow diverters under single-antiplatelet therapy: <i>Clinical Neuroradiology</i> . Conference: 55. Jahrestagung der Deutschen Gesellschaft fur Neuroradiologie e.V.. Virtual. 30 (SUPPL 1) (pp S34), 2020.	7
1314	Londhe S, Gupta V, Parthasarathy R, Ganie HA, Jain N. Blister Aneurysm of Middle Cerebral Artery Division: Stent-Assisted Coiling Using Shelfing Technique: <i>Journal of Clinical Interventional Radiology ISVIR</i> . 3 (2) (pp 126–129), 2019.	6
1315	Lopes D, Kallmes D. Intrepid registry: Association of procedure time with complications: <i>Stroke</i> . Conference: 2014 International Stroke Conference and State-of-the-Science Stroke Nursing Symposium of the American Heart Association/American Stroke Association. San Francisco, CA United States. Conference Publication: (var.pagings). 45 (SUPPL. 1) (no pagination), 2014.	7
1316	Lopes DK, Jang DK, Cekirge S, Fiorella D, Hanel RA, Kallmes DF, et al. Morbidity and Mortality in Patients With Posterior Circulation Aneurysms Treated With the Pipeline Embolization Device: A Subgroup Analysis of the International Retrospective Study of the Pipeline Embolization Device. <i>Neurosurgery</i> . 2018;83(3):488–500.	3
1317	Lopez-Gonzalez MA, Zhao X, Ramanathan D, Eastin TM, Minwoo S. High flow bypass for right giant cavernous internal carotid artery aneurysm with fibromuscular dysplasia of cervical internal carotid artery: microsurgical 2-D video: <i>Surgical neurology international</i> . 11:177, 2020.; 2020.	3
1318	Lozano CS, Lozano AM, Spears J. The Changing Landscape of Treatment for Intracranial Aneurysm. <i>Canadian Journal of Neurological Sciences</i> . 2019;46(2):159–65.	6
1319	Lu N, Zhou Y, Yang PF, Fang YB, Li Q, Zhao R, et al. Flow diverters in treatment of complex intracranial aneurysms: A single-center experience. [Chinese]: <i>Academic Journal of Second Military Medical University</i> . 40 (3) (pp 304–310), 2019.	10
1320	Lu P, Zhang Y, Niu H, Wang Y. Comparison of endovascular treatment for middle cerebral artery aneurysm with a low-profile visualized intraluminal support stent or pipeline embolization device: <i>Experimental and Therapeutic Medicine</i> . 18 (3) (pp 2072–2078), 2019.	4

연번	서지정보	배제 사유
1321	Lubicz B, Collignon L, Raphaeli G, De Witte O. Pipeline flow-diverter stent for endovascular treatment of intracranial aneurysms: preliminary experience in 20 patients with 27 aneurysms. <i>World Neurosurgery</i> . 2011;76(1-2):114-9.	3
1322	Lubicz B, Mine B, Collignon L, Brisbois D, Duckwiler G, Strother C. WEB device for endovascular treatment of wide-neck bifurcation aneurysms: American Journal of Neuroradiology. 34 (6) (pp 1209-1214), 2013.	3
1323	Lubicz B, Mine B, Collignon L, De Witte O, Brisbois D. Initial clinical experience with the web intrasaccular flow-diverter device for endovascular treatment of intracranial aneurysms: <i>Journal of NeuroInterventional Surgery</i> . Conference: 8th Annual Meeting of the Society of NeuroInterventional Surgery, SNIS 2011. Colorado Springs, CO United States. Conference Publication: (var.pagings). 3 (SUPPL. 1) (pp A12), 2011.	7
1324	Lubicz B, Van der Elst O, Collignon L, Mine B, Alghamdi F. Silk flow-diverter stent for the treatment of intracranial aneurysms: a series of 58 patients with emphasis on long-term results. <i>Ajnr: American Journal of Neuroradiology</i> . 2015;36(3):542-6.	4
1325	Lubicz B. Response to letter regarding article "Flow-diverter stent for the endovascular treatment of intracranial aneurysms: A prospective study in 29 patients with 34 aneurysms": <i>Stroke</i> . 42 (3) (pp e40), 2011.	6
1326	Luecking H, Doerfler A, Goelitz P, Hoelter P, Engelhorn T, Lang S. Two- to five-year follow-up of 78 patients after treatment with the Flow Redirection Endoluminal Device. <i>Interventional Neuroradiology</i> . 2020;26(1):38-44.	3
1327	Luecking H, Engelhorn T, Lang S, Goelitz P, Kloska S, Roessler K, et al. FRED Flow Diverter: A Study on Safety and Efficacy in a Consecutive Group of 50 Patients. <i>Ajnr: American Journal of Neuroradiology</i> . 2017;38(3):596-602.	3
1328	Lundquist J, Ceratto R, Ferrario A, Nella R, Scrivano E, Lylyk P. The role of pipeline embolization device for the treatment of dissecting intracranial aneurysms: <i>Interventional Neuroradiology</i> . Conference: 11th Congress of the World Federation of Interventional and Therapeutic Neuroradiology, WFITN 2011. Cape Town South Africa. Conference Publication: (var.pagings). 17 (SUPPL. 1) (pp 111), 2011.	7
1329	Lundquist J, Ferrario A, Ceratto R, Scrivano E, Chudyk J, Lylyk P. Buenos aires experience with flow diverter in our first 1000 patients safety, efficacy and long term follow-up: <i>Stroke</i> . Conference: American Heart Association/American Stroke Association 2016 International Stroke Conference and State-of-the-Science Stroke Nursing Symposium. Los Angeles, CA United States. Conference Publication: (var.pagings). 47 (SUPPL.1) (no pagination), 2016.	7
1330	Luo B, Kang H, Zhang H, Li T, Liu J, Song D, et al. Pipeline Embolization device for intracranial aneurysms in a large Chinese cohort: factors related to aneurysm occlusion. <i>Therapeutic Advances in Neurological Disorders</i> . 2020;13.	5
1331	Luzzi S, Del Maestro M, Galzio R. Microneurosurgery for Paracclinoid Aneurysms in the Context of Flow Diverters: <i>Acta Neurochirurgica</i> , Supplementum. 132 (pp 47-53), 2021.	6
1332	Luzzi S, Gragnaniello C, Giotta Lucifero A, Del Maestro M, Galzio R. Microneurosurgical management of giant intracranial aneurysms: Datasets of a twenty-year experience. <i>Data in Brief</i> . 2020;33(106537).	6
1333	Luzzi S, Gragnaniello C, Giotta Lucifero A, Del Maestro M, Galzio R. Surgical Management of Giant Intracranial Aneurysms: Overall Results of a Large Series: <i>World Neurosurgery</i> . 144 (pp e119-e137), 2020.	6
1334	Lv X, Chen Z, Liu L, Jiang C, Wang G, Wang J. Rupture of Intradural Giant Aneurysms: The Mode of Treatment, Anatomical, and Mechanical Factors. <i>Neurology India</i> . 2019;67(5):1194-9.	6

연번	서지정보	배제 사유
1335	Lv X, Jiang C, Liang S. Small ruptured and unruptured complex cerebral aneurysms: Single center experience of low-profile visualized intraluminal support stent: <i>Journal of Neurorestoratology.</i> 7 (4) (pp 235-241), 2019.	3
1336	Lv X, Jiang C, Wu Z, Jiang W, Wang G. Complex cerebral aneurysms: intra-luminal reconstruction using Pipeline flow-diverting stent and the obliteration mechanism: <i>Neuroradiology Journal.</i> 33 (2) (pp 91-97), 2020.	3
1337	Lv X, Yang H, Liu P, Li Y. Flow-diverter devices in the treatment of intracranial aneurysms: A meta-analysis and systematic review. <i>Neuroradiology Journal.</i> 2016;29(1):66-71.	6
1338	Lv X, Yang H, Liu P, Li Y. Flow-diverter devices in the treatment of intracranial aneurysms: A meta-analysis and systematic review: <i>Neuroradiology Journal.</i> 29 (1) (pp 66-71), 2016.	6
1339	Lv X, Yu J, Liao T, Wang J, Wang G. Unruptured giant intracavernous aneurysms tolerate internal carotid artery occlusion test: Untreated and treated with flow diversion. <i>Neuroradiology Journal.</i> 2020;33(2):105-11.	3
1340	Lv X, Yu J, Zhang W, Zhao X, Zhang H. Acute hemorrhagic cerebral artery dissection: Characteristics and endovascular treatment. <i>Neuroradiology Journal.</i> 2020;33(2):112-7.	3
1341	Lv X, Zhang Y, Jiang W. Systematic Review of Woven EndoBridge for Wide-Necked Bifurcation Aneurysms: Complications, Adequate Occlusion Rate, Morbidity, and Mortality. <i>World Neurosurgery.</i> 2018;110:20-5.	6
1342	Lylyk I, Lylyk PN, Lundquist J, Scrivano E, Perez N, Viso RG, et al. Long term angiographic and clinical outcomes from 1,000 aneurysms treated with the pipeline embolization device: <i>Stroke. Conference: American Stroke Association International Stroke Conference, ISC 2021. Virtual.</i> 52 (SUPPL 1) (no pagination), 2021.	7
1343	Lylyk P, Lundquist J, Chudyk J, Bleise C, Scrivano E, Ferrario A, et al. Buenos Aires initial experience with Surpass flow diverter: <i>Interventional Neuroradiology. Conference: 11th Congress of the World Federation of Interventional and Therapeutic Neuroradiology, WFITN 2011. Cape Town South Africa. Conference Publication: (var.pagings).</i> 17 (SUPPL. 1) (pp 151-152), 2011.	7
1344	Lyon KA, Dayawansa S, Benardete EA. Treatment of ruptured blood blister-like aneurysms of the internal carotid artery with flow-diverting stents: Case report and review of pharmacological management: <i>Interdisciplinary Neurosurgery: Advanced Techniques and Case Management.</i> 14 (pp 115-120), 2018.	6
1345	Ma D, Dumont TM, Kosukegawa H, Ohta M, Yang X, Siddiqui AH, et al. High fidelity virtual stenting (HiFiVS) for intracranial aneurysm flow diversion: In vitro and in silico: <i>Annals of Biomedical Engineering.</i> 41 (10) (pp 2143-2156), 2013.	9
1346	Ma D, Xiang J, Choi H, Dumont TM, Natarajan SK, Siddiqui AH, et al. Enhanced aneurysmal flow diversion using a dynamic push-pull technique: an experimental and modeling study. <i>Ajnr: American Journal of Neuroradiology.</i> 2014;35(9):1779-85.	9
1347	Ma J, You Z, Peach T, Byrne J, Rizkallah RR. A new flow diverter stent for direct treatment of intracranial aneurysm: <i>Journal of Biomechanics.</i> 48 (16) (pp 4206-4213), 2015.	6
1348	Macdonald RL. Editorial: Flow diverters: One device does not fit all: <i>Journal of Neurosurgery.</i> 123 (4) (pp 829-830), 2015.	6
1349	Macdonald RL. Flow diverters: one device does not fit all: <i>Journal of neurosurgery.</i> 123 (4) (pp 829-830), 2015.	6

연번	서지정보	배제 사유
1350	Machi P, Lobotesis K, Maldonado I, Bonafe A. Early experience in treating ruptured or unruptured dissecting cerebral aneurysms with pipeline embolization device: Journal of NeuroInterventional Surgery. Conference: 8th Annual Meeting of the Society of NeuroInterventional Surgery, SNIS 2011. Colorado Springs, CO United States. Conference Publication: (var.pagings). 3 (SUPPL. 1) (pp A9), 2011.	7
1351	Machi P, Lobotesis K, Vendrell JF, Riquelme C, Eker O, Costalat V, et al. Endovascular therapeutic strategies in ruptured intracranial aneurysms. European Journal of Radiology. 2013;82(10):1646–52.	6
1352	MacLean MA, Huynh TJ, Schmidt MH, Pereira VM, Weeks A. Competitive flow diversion of multiple P1 aneurysms: proposed classification: BMJ case reports. 13 (6) (no pagination), 2020.	3
1353	MacLean MA, Huynh TJ, Schmidt MH, Pereira VM, Weeks A. Republished: Competitive flow diversion of multiple P1 aneurysms: Proposed classification: Journal of NeuroInterventional Surgery. 12 (9) (pp e7), 2020.	8
1354	Madaelil TP, Grossberg JA, Howard BM, Cawley CM, Dion J, Nogueira RG, et al. Aneurysm Remnants after Flow Diversion: Clinical and Angiographic Outcomes. Ajnr: American Journal of Neuroradiology. 2019;40(4):694–8.	3
1355	Madaelil TP, Moran CJ, Cross DT, 3rd, Kansagra AP. Flow Diversion in Ruptured Intracranial Aneurysms: A Meta-Analysis. Ajnr: American Journal of Neuroradiology. 2017;38(3):590–5.	6
1356	Magalhaes de Oliveira A, Altikes Hazzan M, da Silveira Filho LJ, Soares Dias GM, de Rezende AL, de Almeida Silva JM. Severe in-stent stenosis after intracranial saccular aneurysm treatment with a flow diverter stent: Interdisciplinary Neurosurgery: Advanced Techniques and Case Management. 25 (no pagination), 2021.	6
1357	Mahajan A, Banga V, Chatterjee A, Goel G. Endovascular Rescue Strategies for Nonopening of Pipeline Device: Report of Two Cases: Asian Journal of Neurosurgery. 14(4):1240–1244, 2019.	6
1358	Mahajan A, Das B, Narang KS, Jha AN, Singh VP, Sapra H, et al. Surpass Flow Diverter in the Treatment of Ruptured Intracranial Aneurysms-A Single-Center Experience. World Neurosurgery. 2018;120:e1061–e70.	3
1359	Mahajan A, Goel G, Das B, Narang K. Appearing and Disappearing Ruptured Internal Carotid Artery Bifurcation Aneurysm: Is it Really Fugacious?: Neurology India. 68 (6) (pp 1495–1496), 2020.	6
1360	Mahboobani NR, Chong WH, Lam SS, Siu JC, Tan CB, Wong YC. Treatment of Intracranial Aneurysms with Flow Re-direction Endoluminal Device – A Single Centre Experience with Short-term Follow-up Results. Neurointervention. 2017;12(1):11–9.	3
1361	Mahboobani NR, Chong WH, Lam SSK, Siu JCW, Tan CB, Wong YC. Treatment of Intracranial Aneurysms with Flow Re-direction Endoluminal Device – A Single Centre Experience with Short-term Follow-up Results. Neurointervention. 2017;12(1):11–9.	3
1362	Mahmoud M, Farag A, Farid M, Elserwi A, Abdelsamad A, Guergues W, et al. Application of flow diverters in the treatment of aneurysms in the internal carotid artery bifurcation region. Neuroradiology Journal. 2020;33(4):297–305.	6
1363	Mai JC, Tariq F, Kim LJ, Sekhar LN. Flow diversion radial artery bypass graft coupled with terminal basilar artery occlusion for the treatment of complex basilar apex aneurysms: operative nuances. Neurosurgery. 2013;72(2 Suppl Operative).	3

연번	서지정보	배제 사유
1364	Maier CL, Schneider T, Smith G, Rutledge WC, Guarner J, Duncan AS, et al. Measuring platelet aggregation integrals to predict thromboembolic complications in patients undergoing pipeline embolization for treatment of cerebral aneurysms: Journal of Thrombosis and Haemostasis. Conference: 24th Congress of the International Society on Thrombosis and Haemostasis. Amsterdam Netherlands. Conference Publication: (var.pagings). 11 (SUPPL. 2) (pp 1142–1143), 2013.	7
1365	Maimon S, Gonen L, Nossek E, Strauss I, Levite R, Ram Z. Treatment of intra-cranial aneurysms with the SILK flow diverter: 2 years' experience with 28 patients at a single center. <i>Acta Neurochirurgica</i> . 2012;154(6):979–87.	3
1366	Maingard J, Lamanna A, Kok HK, Ranatunga D, Ravi R, Chandra RV, et al. Endovascular treatment of visceral artery and renal aneurysms (VRAA) using a constant mesh density flow diverting stent. <i>CVIR Endovascular</i> . 2019;2(1):03.	3
1367	Maingard J, Phan K, Ren Y, Kok HK, Thijs V, Hirsch JA, et al. The 100 most cited articles in the endovascular management of intracranial aneurysms. <i>Journal of Neurointerventional Surgery</i> . 2018;10(9):859–68.	6
1368	Majeed K, Boddu SR, Carnevale J, Cenberlitas EE, Williams N, Patsalides A, et al. Intracranial Aneurysms: Does Size Really Matter?: <i>Neurosurgery Open</i> . 1 (4) (no pagination), 2021.	6
1369	Majmundar N, Patel P, Gadhiya A, Patel NV, Gupta G, Agarwalla PK, et al. Left distal radial access in patients with arteria lusoria: Insights for cerebral angiography and interventions: <i>Journal of NeuroInterventional Surgery</i> . 12 (12) (pp 1231–1234), 2020.	3
1370	Makalanda H, Wong K, Bhogal P. Flow-T stenting with the Silk Vista Baby and Baby Leo stents for bifurcation aneurysms – A novel endovascular technique. <i>Interventional Neuroradiology</i> . 2020;26(1):68–73.	3
1371	Makalanda HLD, Wong K, Bhogal P. Flow-T stenting with the Silk Vista Baby and Baby Leo stents for bifurcation aneurysms – A novel endovascular technique: <i>Interventional Neuroradiology</i> . 26 (1) (pp 68–73), 2020.	8
1372	Makhambetov Y, Kaliyev A, Kikuta KI, Smagulov F, Medetov Y, Kulmirzayev M, et al. Early and midterm results of treatment of giant internal carotid artery paraclinoid aneurysms with trapping and flow diverters. <i>Acta Neurochirurgica</i> . 2019;161(9):1755–61.	4
1373	Maki Y, Ishibashi R, Yamada D, Morita T, Chin M, Yamagata S. Postoperative Ptosis and Diplopia Induced by the Intraoperative Application of Bone Wax. <i>World Neurosurgery</i> . 2017;103(951).	2
1374	Makoyeva A, Darsaut TE, Salazkin I, Raymond J. Y-crossing of braided stents with stents and flow diverters does not cause significant stenosis in bench-top studies: <i>Interventional Neuroradiology</i> . 19 (4) (pp 455–460), 2013.	6
1375	Maldaner N, Burkhardt JK, Stienen MN, Goldberg J, Bervini D, Bijlenga P, et al. Decision-making and neurosurgeons' agreement in the management of aneurysmal subarachnoid haemorrhage based on computed tomography angiography. <i>Acta Neurochirurgica</i> . 2018;160(2):253–60.	3
1376	Male S, Mehta T, Khan A, Jagadeesan BD, Tummala RP. Stent-Assisted Woven EndoBridge Implantation for Treatment of Wide-Necked Aneurysm Residual: Angiographic Video. <i>World Neurosurgery</i> . 2019;129(276).	6
1377	Malek AM, Heller R, Dandamudi V, Lanfranchi M. Incidence of acute embolism and significance of platelet aggregation testing with the pipeline embolization device: <i>Journal of Neurosurgery</i> . Conference: 2013 AANS Annual Meeting. New Orleans, LA United States. Conference Publication: (var.pagings). 119 (2) (pp A567–A568), 2013.	7

연번	서지정보	배제 사유
1378	Malhotra A, Wu X, Brinjikji W, Miller T, Matouk CC, Sanelli P, et al. Pipeline Endovascular Device vs Stent-Assisted Coiling in Small Unruptured Aneurysms: A Cost-Effectiveness Analysis: Clinical Neurosurgery. 85 (6) (pp E1010–E1019), 2019.	5
1379	Maliakal PJ, Radhi YA, Harrison L, Dijk RV. Woven EndoBridge (WEB device) – Its role in endovascular management of cerebral aneurysms: Efficacy and safety profile and implications for patients and neurosurgical units: British Journal of Neurosurgery. Conference: 2015 Autumn Meeting of the Society of British Neurological Surgeons, SBNS 2015. York United Kingdom. Conference Publication: (var.pagings). 29 (4) (pp 460), 2015.	7
1380	Mallik AS, Nuss K, Kronen PW, Klein K, Karol A, von Rechenberg B, et al. A new-generation, low-permeability flow diverting device for treatment of saccular aneurysms. European Radiology. 2014;24(1):12–8.	8
1381	Mallik AS, Nuss K, Kronen PW, Klein K, Karol A, von Rechenberg B, et al. A new-generation, low-permeability flow diverting device for treatment of saccular aneurysms: European Radiology. (pp 1–7), 2013.	4
1382	Mallik AS, Nuss K, Kronen PW, Klein K, Karol A, von Rechenberg B, et al. A new-generation, low-permeability flow diverting device for treatment of saccular aneurysms: European Radiology. 24 (1) (pp 12–18), 2014.	8
1383	Mandel M, Petito CE, Tutihashi R, Paiva W, Abramovicz Mandel S, Gomes Pinto FC, et al. Smartphone-assisted minimally invasive neurosurgery. Journal of Neurosurgery. 2018;130(1):90–8.	6
1384	Mandel M, Petito CE, Tutihashi R, Paiva W, Mandel SA, Pinto FCG, et al. Smartphone-assisted minimally invasive neurosurgery: Journal of Neurosurgery. 130 (1) (pp 90–98), 2019.	8
1385	Mangiafico S. Bifurcation aneurysm: How change treatment strategy: Neuroradiology. Conference: 38th European Society of Neuroradiology Diagnostic and Interventional Annual Meeting, ESNR 2015. Naples Italy. Conference Publication: (var.pagings). 57 (1 SUPPL. 1) (pp S39), 2015. Date of Publication: September 2015.: 2015.	7
1386	Mangubat EZ, Johnson AK, Keigher KM, Lopes DK. Initial Experience with Neuroform EZ in the Treatment of Wide-neck Cerebral Aneurysms. Neurointervention. 2012;7(1):34–9.	3
1387	Mangubat EZ, Johnson AK, Keigher KM, Lopes DK. Initial Experience with Neuroform EZ in the Treatment of Wide-neck Cerebral Aneurysms. Neurointervention. 2012;7(1):34–9.	2
1388	Manzato LB, Santos RB, Teixeira DO, Mesquita Filho PM, Azambuja ND, Frighetto L, et al. Initial Experience with a Flow Redirection Endoluminal Device Stent-A Brazilian Multicenter Study: Journal of Stroke and Cerebrovascular Diseases. 27 (8) (pp e158–e164), 2018.	3
1389	Mao G, Gigliotti M, Aziz K. Transpalpebral Approach "Eyelid Incision" for Surgical Treatment of Intracerebral Aneurysms: Lessons Learned during a 10-Year Experience: Operative Neurosurgery. 18 (3) (pp 309–315), 2020.	6
1390	Mao ZQ, Zhang P, Ye M, Ling F. Efficacy of Silk flow diverters in combination with coils for treatment of intracranial aneurysms: A short-term observation. Chinese Journal of Cerebrovascular Diseases. 10 (10) (pp 518–522), 2013.	10

연번	서지정보	배제 사유
1391	Maragkos G, Kan P, Griessenauer C, Gopakumar S, Gomez S, Salem M, et al. Predictive factors of incomplete aneurysm occlusion after endovascular treatment with the pipeline embolization device: Journal of Neurosurgery. Conference: 2019 Annual Scientific Meeting of the American Association of Neurological Surgeons, AANS 2019. San Diego, CA United States. 131 (1) (pp 107), 2019.	7
1392	Maragkos GA, Ascanio LC, Salem MM, Gopakumar S, Gomez-Paz S, Enriquez-Marulanda A, et al. Predictive factors of incomplete aneurysm occlusion after endovascular treatment with the Pipeline embolization device: Journal of Neurosurgery. 132 (5) (pp 1598–1605), 2020.	3
1393	Maragkos GA, Cordell S, Gomez-Paz S, Dodge LE, Salem MM, Ascanio LC, et al. Flow Diversion Endovascular Treatment Improves Headaches in Patients with Unruptured Intracranial Aneurysms. World Neurosurgery. 2020;140:08.	3
1394	Maragkos GA, Dmytriw AA, Salem MM, Tutino VM, Meng H, Cognard C, et al. Overview of Different Flow Diverters and Flow Dynamics. Neurosurgery. 2020;86(Suppl 1):S21–S34.	6
1395	Maragkos GA, Dmytriw AA, Salem MM, Tutino VM, Meng H, Cognard C, et al. Overview of Different Flow Diverters and Flow Dynamics: Neurosurgery. 86 (Supplement 1) (pp S21–S34), 2020.	8
1396	Marcos-Gonzalez A, Spoerl D, Darbellay B, Piletta P. Hypersensitivity to an intracerebral stent and symptomatic cerebral lesions: A possible link?: Journal of Dermatology. 44 (10) (pp 1187–1188), 2017.	6
1397	Marlin ES, Ikeda DS, Shaw A, Powers CJ, Sauvageau E. Endovascular treatment of basilar aneurysms: Neurosurgery Clinics of North America. 25 (3) (pp 485–495), 2014.	3
1398	Marosfoi M, Clarencon F, Langan ET, King RM, Brooks OW, Tamura T, et al. Acute thrombus formation on phosphorilcholine surface modified flow diverters. Journal of Neurointerventional Surgery. 2018;10(4):406–11.	9
1399	Marosfoi M, Langan ET, Strittmatter L, Van Der Marel K, Vedantham S, Arends J, et al. In situ tissue engineering: Endothelial growth patterns as a function of flow diverter design: Journal of NeuroInterventional Surgery. 9 (10) (pp 994–998), 2017.	9
1400	Marotta TR, Riina HA, McDougall I, Ricci DR, Killer-Oberpfalzer M. Physiological remodeling of bifurcation aneurysms: preclinical results of the eCLIPs device. Journal of Neurosurgery. 2018;128(2):475–81.	2
1401	MartÃ –nez-GaldÃ –mez M, RodrÃ –guez C, HermosÃ –n A, Crespo-Vallejo E, Monedero G, Chaviano J, et al. Internal Carotid Artery Reconstruction with a â€œMega Flow Diverterâ€: First Experience with the 6Ã—50 mm DERIVO Embolization Device. Neurointervention. 2018;13(2):133–7.	3
1402	Martin A, Cruz JP, Matouk C, Montanera W, Spears J, Marotta T. Pipeline stent in ruptured intracranial aneurysms: Interventional Neuroradiology. Conference: 11th Congress of the World Federation of Interventional and Therapeutic Neuroradiology, WFITN 2011. Cape Town South Africa. Conference Publication: (var.pagings). 17 (SUPPL. 1) (pp 105), 2011.	7
1403	Martin AR, Cruz JP, Matouk CC, Spears J, Marotta TR. The pipeline flow-diverting stent for exclusion of ruptured intracranial aneurysms with difficult morphologies. Neurosurgery. 2012;70(1 Suppl Operative):21–8.	3
1404	Martinez Moreno R, Bhogal P, Lenz-Habijan T, Bannewitz C, Siddiqui A, Lylyk P, et al. In vivo canine study of three different coatings applied to p64 flow-diverter stents: initial biocompatibility study. European Radiology Experimental. 2019;3(1):22.	9

연번	서지정보	배제 사유
1405	Martinez-Galdamez M, Biondi A, Kalousek V, Pereira VM, Ianucci G, Gentric JC, et al. Periprocedural safety and technical outcomes of the new Silk Vista Baby flow diverter for the treatment of intracranial aneurysms: results from a multicenter experience. <i>Journal of Neurointerventional Surgery</i> . 2019;11(7):723–7.	3
1406	Martinez-Galdamez M, Escartin J, Pabon B, Diaz C, Martin-Reyes R, Hermosin A, et al. Optical coherence tomography: Translation from 3D-printed vascular models of the anterior cerebral circulation to the first human images of implanted surface modified flow diverters. <i>Interventional Neuroradiology</i> . 2019;25(2):150–6.	9
1407	Martinez-Galdamez M, Lamin S, Lagios K, Liebig T, Ciceri E, Chapot R, et al. Treatment of intracranial aneurysms with pipeline: <i>Journal of NeuroInterventional Surgery</i> . Conference: 14th Annual Meeting of the Society of NeuroInterventional Surgery, SNIS 2017. Colorado Springs, CO United States. 9 (Supplement 1) (pp A13–A14), 2017.	7
1408	Martinez-Galdamez M, Linfante I, Lin E, Dabus G. Pipeline endovascular device for the treatment of intracranial aneurysm at the level of the circle of willis and beyond: Multicenter experience: <i>Journal of NeuroInterventional Surgery</i> . Conference: 11th Annual Meeting of the Society of NeuroInterventional Surgery, SNIS 2014. Colorado Springs, CO United States. Conference Publication: (var.pagings). 6 (SUPPL. 1) (pp A64), 2014.	7
1409	Martinez-Galdamez M, Onal Y, Cohen JE, Kalousek V, Rivera R, Sordo JG, et al. First multicenter experience using the Silk Vista flow diverter in 60 consecutive intracranial aneurysms: technical aspects. <i>Journal of Neurointerventional Surgery</i> . 2021;08:08.	3
1410	Martinez-Galdamez M, Ortega-Quintanilla J, Hermosin A, Crespo-Vallejo E, Ailagas JJ, Perez S. Novel balloon application for rescue and realignment of a proximal end migrated pipeline flex embolization device into the aneurysmal sac: complication management. <i>BMJ Case Reports</i> . 2016;23:23.	8
1411	Martinez-Galdamez M, Ortega-Quintanilla J, Hermosin A, Crespo-Vallejo E, Ailagas JJ, Perez S. Novel balloon application for rescue and realignment of a proximal end migrated pipeline flex embolization device into the aneurysmal sac: complication management. <i>Journal of Neurointerventional Surgery</i> . 2017;9(1).	8
1412	Martinez-Galdamez M, Ortega-Quintanilla J, Hermosin A, Crespo-Vallejo E, Ailagas JJ, Perez S. Novel balloon application for rescue and realignment of a proximal end migrated pipeline flex embolization device into the aneurysmal sac: Complication management: <i>BMJ Case Reports</i> . 2016 (no pagination), 2016.	6
1413	Martinez-Galdamez M, Ortega-Quintanilla J, Hermosin A, Crespo-Vallejo E, Ailagas JJ, Perez S. Novel balloon application for rescue and realignment of a proximal end migrated pipeline flex embolization device into the aneurysmal sac: complication management: <i>Journal of neurointerventional surgery</i> . 9 (1) (pp e4), 2017.	6
1414	Martinez-Galdamez M, Rodriguez C, Hermosin A, Crespo-Vallejo E, Monedero G, Chaviano J, et al. Internal Carotid Artery Reconstruction with a "Mega Flow Diverter": First Experience with the 6x50 mm DERIVO Embolization Device. <i>Neurointervention</i> . 2018;13(2):133–7.	6
1415	Martinez-Perez R, Moscote-Salazar LR, Deora H, Agrawal A. Letter: The Safety and Efficacy of Continuous Tirofiban as a Monoantiplatelet Therapy in the Management of Ruptured Aneurysms Treated Using Stent-Assisted Coiling or Flow Diversion and Requiring Ventricular Drainage: <i>Neurosurgery</i> . 86 (3) (pp E351), 2020.	6

연번	서지정보	배제 사유
1416	Maruyama F, Ishibashi T, Kato N, Karagiozov K, Kan I, Kodama T, et al. Direct carotid exposure approach in the treatment of anterior circulation unruptured intracranial aneurysms for elderly patients. <i>Interventional Neuroradiology</i> . 2021.	4
1417	Mascitelli JR, Oermann EK, De Leacy RA, Moyle H, Mocco J, Patel AB. Predictors of treatment failure following coil embolization of intracranial aneurysms: <i>Journal of Clinical Neuroscience</i> . 22 (8) (pp 1275–1281), 2015.	3
1418	Mascitelli JR, Oermann EK, Mocco J, Fifi JT, Paramasivam S, Stapleton CJ, et al. Predictors of success following endovascular retreatment of intracranial aneurysms. <i>Interventional Neuroradiology</i> . 2015;21(4):426–32.	4
1419	Mascitelli JR, Pain M, Panov F, Bederson JB, Patel AB. Ophthalmic artery occlusion immediately following placement of a flow diverter without clinical sequelae: <i>Interventional Neuroradiology</i> . 21 (2) (pp 191–195), 2015.	3
1420	Mascitelli JR, Wei D, Oxley TJ, Kellner CP, Shoibah H, De Leacy RA, et al. A technical consideration when using flow diversion for recurrent aneurysms following stent-assisted coiling. <i>BMJ Case Reports</i> . 2016;15:15.	6
1421	Mascitelli JR, Yaeger K, Wei D, Kellner CP, Oxley TJ, De Leacy RA, et al. Multimodality Treatment of Posterior Inferior Cerebellar Artery Aneurysms: <i>World Neurosurgery</i> . 106 (pp 493–503), 2017.	3
1422	Masih KR. My Personal Stake: <i>Journal of Vascular and Interventional Radiology</i> . 31 (12) (pp 2144–2145), 2020.	6
1423	Massari F, Puri A, Hou S, Perras M, Brooks C, Stout C, et al. Incidence and management of intimal hyperplasia at 6 months after flow diversion for intracranial aneurysms: <i>Journal of NeuroInterventional Surgery</i> . Conference: 11th Annual Meeting of the Society of NeuroInterventional Surgery, SNIS 2014. Colorado Springs, CO United States. Conference Publication: (var.pagings). 6 (SUPPL. 1) (pp A24), 2014.	7
1424	Masso Romero J, Luttich Uroz A, Larrea Pena J, Pardo Zudaire E, Masso Ordiozola A, Cervantes Ibanez S. Clinical experience and results in a series of 27 aneurysms treated with penumbra PC 400 coils: <i>Neuroradiology</i> . Conference: 37th European Society of Neuroradiology Annual Meeting. Frankfurt Germany. Conference Publication: (var.pagings). 55 (SUPPL. 1) (pp S40), 2013.	7
1425	Matouk CC, Kaderali Z, terBrugge KG, Willinsky RA. Long-term clinical and imaging follow-up of complex intracranial aneurysms treated by endovascular parent vessel occlusion. <i>Ajnr: American Journal of Neuroradiology</i> . 2012;33(10):1991–7.	3
1426	Matsuda Y, Chung J, Keigher K, Lopes D. A comparison between the new Low-profile Visualized Intraluminal Support (LVIS Blue) stent and the Flow Redirection Endoluminal Device (FRED) in bench-top and cadaver studies. <i>Journal of Neurointerventional Surgery</i> . 2018;10(3):274–8.	4
1427	Matsumaru Y, Amano T, Sato M. Tactics and procedures of endovascular treatment of cerebral aneurysms. <i>Japanese Journal of Neurosurgery</i> . 25 (1) (pp 27–32), 2016. Date of Publication: 25 Jan 2016.; 2016.	10
1428	Matsumaru Y, Ishikawa E, Yamamoto T, Matsumura A. Recent trends in neuro-endovascular treatment for acute ischemic stroke, cerebral aneurysms, carotid stenosis, and brain arteriovenous malformations: <i>Neurologia Medico-Chirurgica</i> . 57 (6) (pp 253–260), 2017.	6
1429	Matsumaru Y. Current status and future prospects of endovascular treatment. [Japanese]: <i>Japanese Journal of Neurosurgery</i> . 21 (4) (pp 306–313), 2012.	10

연번	서지정보	배제 사유
1430	Matsuoka T, Matsuda S, Harino S, Kumoi M, Tachibana E, Yokoyama J, et al. Subarachnoid hemorrhage-negative Terson syndrome after intracranial artery treatment with a flow diverter device: American Journal of Ophthalmology Case Reports. 20:100978, 2020 Dec.; 2020.	3
1431	Mattei TA, Ferrell AS, Britz GW. Is flow diversion the death of cerebral bypass and coiling/stent-assisted coiling for giant cavernous aneurysms? A critical review on comparative outcomes and ongoing clinical trials. Neurosurgical Review. 2013;36(4):505–11.	8
1432	Mattei TA, Ferrell AS, Britz GW. Is flow diversion the death of cerebral bypass and coiling/stent-assisted coiling for giant cavernous aneurysms? A critical review on comparative outcomes and ongoing clinical trials: Neurosurgical Review. 36 (4) (pp 505–512), 2013.	6
1433	Maurer C, Konig I, Berlis A, Weber W, Fischer S. Two-Center Experience in the Endovascular Treatment of Intracranial Aneurysms Using the Woven EndoBridge 17 Device Including Midterm Follow-Up Results: A Retrospective Analysis. Ajnr: American Journal of Neuroradiology. 2019;40(9):1517–22.	3
1434	Maus V, Mpotsaris A, Borggrefe J, Abdullayev N, Liebig T, Dorn F, et al. Author Correction: Treatment of Intracranial Aneurysms with the Pipeline Embolization Device Only: a Single Center Experience. Neurointervention. 2018;13(2):09.	6
1435	Maus V, Mpotsaris A, Dorn F, Mohlenbruch M, Borggrefe J, Stavrinou P, et al. The Use of Flow Diverter in Ruptured, Dissecting Intracranial Aneurysms of the Posterior Circulation. World Neurosurgery. 2018;111:e424–e33.	3
1436	Maus V, Weber W, Berlis A, Maurer C, Fischer S. Initial Experience with Surpass Evolve Flow Diverter in the Treatment of Intracranial Aneurysms. Clinical Neuroradiology. 2020;20:20.	3
1437	Mawad ME. Coiling aneurysm. Different strategy, same results?: Neuroradiology. Conference: 38th European Society of Neuroradiology Diagnostic and Interventional Annual Meeting, ESNR 2015. Naples Italy. Conference Publication: (var.pagings). 57 (1 SUPPL. 1) (pp S37–S38), 2015.	6
1438	Mazaris P, Mehta T, Hussain M, Inoa V, Singer J, Spiegel G, et al. Endovascular Treatment of Complex Distal Posterior Cerebral Artery Aneurysms with the Pipeline Embolization Device: World Neurosurgery. 107 (pp e1–1043), 2017.	3
1439	Mazur MD, Taussky P, MacDonald JD, Park MS. In reply: Rerupture of a blister aneurysm after treatment with a single flow-diverting stent: Neurosurgery. 81 (3) (pp E42), 2017.	6
1440	Mazur MD, Taussky P, MacDonald JD, Park MS. Rerupture of a Blister Aneurysm After Treatment With a Single Flow-Diverting Stent. Neurosurgery. 2016;79(5):E634–E8.	3
1441	Mazur MD, Taussky P, Park MS, Couldwell WT. Contemporary endovascular and open aneurysm treatment in the era of flow diversion. Journal of Neurology, Neurosurgery & Psychiatry. 2018;89(3):277–86.	6
1442	Mazur MD, Taussky P, Shah LM, Winegar B, Park MS. Inter-rater reliability of published flow diversion occlusion scales: Journal of NeuroInterventional Surgery. 8 (12) (pp 1294–1298), 2016.	3
1443	Mbabuike N, Shakur SF, Gassie K, Srinivasan V, Mascitelli J, Abla A, et al. Microsurgical Management of Intracranial Aneurysms After Failed Flow Diversion. World Neurosurgery. 2020;134:e16–e28.	3

연번	서지정보	배제 사유
1444	McAuliffe W, Wenderoth JD. Immediate and midterm results following treatment of recently ruptured intracranial aneurysms with the Pipeline embolization device. <i>Ajnr: American Journal of Neuroradiology</i> . 2012;33(3):487–93.	3
1445	McAuliffe W, Wycoco V, Rice H, Phatouros C, Singh TJ, Wenderoth J. Immediate and midterm results following treatment of unruptured intracranial aneurysms with the pipeline embolization device. <i>Ajnr: American Journal of Neuroradiology</i> . 2012;33(1):164–70.	3
1446	McCusker M, Cunningham J, Looby S, Brennan P, O'Hare A, Thornton J. Flow diverter stents in the treatment of challenging intracranial and extracranial aneurysms: Experience in an irish institution: <i>Neuroradiology</i> . Conference: 36th European Society of Neuroradiology Annual Meeting. Edinburgh United Kingdom. Conference Publication: (var.pagings). 54 (1 SUPPL. 1) (pp S63), 2012.	7
1447	McDowell MM, Feroze RA, Ducruet AF. Pipeline Embolization Device: Long-Term Outcome Data Flows In: <i>World Neurosurgery</i> . 85:6–7, 2016.	6
1448	McLaughlin N, Gonzalez N, Martin NA. Surgical strategies for aneurysms deemed unclippable and uncoilable: <i>Neurochirurgie</i> . 58 (2–3) (pp 199–205), 2012.	6
1449	McTaggart R, Santarelli J, Marcellus M, Steinberg G, Dodd R, Do H, et al. The north american intracranial stent registry (NAISR) and unruptured aneurysm repair with the pipeline embolization device: Using thromboelastography to screen for clopidogrel non-response and anti-platelet medication compliance: <i>Journal of NeuroInterventional Surgery</i> . Conference: 9th Annual Meeting of the Society of NeuroInterventional Surgery, SNIS 2012. San Diego, CA United States. Conference Publication: (var.pagings). 4 (SUPPL. 1) (pp A31), 2012.	7
1450	McTaggart RA, Santarelli JG, Marcellus ML, Steinberg GK, Dodd RL, Do HM, et al. Delayed retraction of the pipeline embolization device and corking failure: pitfalls of pipeline embolization device placement in the setting of a ruptured aneurysm. <i>Neurosurgery</i> . 2013;72(2 Suppl Operative).	3
1451	Meckel S, McAuliffe W, Fiorella D, Taschner CA, Phatouros C, Phillips TJ, et al. Endovascular treatment of complex aneurysms at the vertebrobasilar junction with flow-diverting stents: initial experience. <i>Neurosurgery</i> . 2013;73(3):386–94.	3
1452	Medel R, Starke RM, Valle-Giler EP, Martin-Schild S, Khouri RE, Dumont AS. Diagnosis and treatment of arterial dissections: <i>Current Neurology and Neuroscience Reports</i> . 14 (1) (no pagination), 2014. Article Number: 419.	6
1453	Mehta T, Masood K, Ghannnam M, Grande A, Tummala R, Jagadeesan B. Use of 45 mg twice daily ticagrelor with 81 mg aspirin for endovascular treatment of unruptured intracranial aneurysms: A single center experience: <i>Journal of NeuroInterventional Surgery</i> . Conference: 17th Annual Meeting of the Society of NeuroInterventional Surgery Organizing, SNIS 2020. San Diego, CA United States. 12 (Supplement 1) (pp A157), 2020.	7
1454	Meling TR. What are the treatment options for blister-like aneurysms?. <i>Neurosurgical Review</i> . 2017;40(4):587–93.	6
1455	Merritt W, Koppisch A, Kellar R, Ducruet A, Becker T. Investigation of a novel poly(propylene glycol) material for use as a protein-resistant, bio-inert implant: <i>Journal of NeuroInterventional Surgery</i> . Conference: 17th Annual Meeting of the Society of NeuroInterventional Surgery Organizing, SNIS 2020. San Diego, CA United States. 12 (Supplement 1) (pp A30–A31), 2020.	7

연번	서지정보	배제 사유
1456	Meyers PM, Coon A, Kan P, Wakhloo A, Hanel R. SurpassTM intracranial aneurysm embolization system pivotal trial to treat large or giant wide neck aneurysms (scent trial): One year outcomes: Stroke. Conference: American Heart Association/American Stroke Association 2019 International Stroke Conference and State-of-the-Science Stroke Nursing Symposium. Honolulu, HI United States. 50 (Supplement 1) (no pagination), 2019.	7
1457	Meyers PM, Coon AL, Kan PT, Wakhloo AK, Hanel RA. SCENT Trial: One-Year Outcomes: Stroke. 50 (6) (pp 1473–1479), 2019.	3
1458	Michael Westbroek E, Bender M, Beaty NB, Jiang B, Ab RX, Campos JK, et al. Staged endovascular treatment of ruptured intracranial aneurysms: Acute coiling followed by delayed flow diversion: Clinical Neurosurgery. Conference: 2017 Annual Meeting of the Congress of Neurological Surgeons. Boston, MA United States. 64 (Supplement 1) (pp 228), 2017.	7
1459	Michelozzi C, Darcourt J, Guenego A, Januel AC, Tall P, Gawlitz M, et al. Flow diversion treatment of complex bifurcation aneurysms beyond the circle of Willis: Complications, aneurysm sac occlusion, reabsorption, recurrence, and jailed branch modification at follow-up: Journal of Neurosurgery. 131 (6) (pp 1751–1762), 2019.	3
1460	Micieli JA, Newman NJ, Barrow DL, Bioussé V. Intracranial Aneurysms of Neuro-Ophthalmologic Relevance. [Review]. Journal of Neuro Ophthalmology. 2017;37(4):421–39.	6
1461	Micieli JA, Newman NJ, Barrow DL, Bioussé V. Intracranial aneurysms of neuro-ophthalmologic relevance: Journal of Neuro-Ophthalmology. 37 (4) (pp 421–439), 2017.	8
1462	Mihalea C, Caroff J, Ikka L, Benachour N, Da Ros V, Abdelkhalek H, et al. Y-stenting with braided stents for wide-neck intracranial bifurcation aneurysms. A single-center initial experience. Journal of Neuroradiology Journal de Neuroradiologie. 2020;47(3):227–32.	3
1463	Mihalea C, Caroff J, Pagiola I, Ikka L, Hashemi GB, Naderi S, et al. Safety and efficiency of the fifth generation Woven EndoBridge device: technical note. Journal of Neurointerventional Surgery. 2019;11(5):511–5.	6
1464	Milburn JM. Our Webinar connection: Journal of NeuroInterventional Surgery. 12 (12) (pp 1149–1150), 2020.	6
1465	Miller TR, Jindal G, Gandhi D. Focal, transient mechanical narrowing of a pipeline embolization device following treatment of an internal carotid artery aneurysm. BMJ Case Reports. 2014;29:29.	8
1466	Miller TR, Jindal G, Gandhi D. Focal, transient mechanical narrowing of a pipeline embolization device following treatment of an internal carotid artery aneurysm. Journal of Neurointerventional Surgery. 2015;7(10).	8
1467	Miller TR, Jindal G, Gandhi D. Focal, transient mechanical narrowing of a pipeline embolization device following treatment of an internal carotid artery aneurysm: BMJ Case Reports. 2014 (no pagination), 2014.	6
1468	Miller TR, Jindal G, Gandhi D. Focal, transient mechanical narrowing of a pipeline embolization device following treatment of an internal carotid artery aneurysm: Journal of NeuroInterventional Surgery. 7 (10) (pp e35), 2015.	6
1469	Miller TR, Kole MJ, Le EJ, Cannarsa G, Jones S, Wessell AP, et al. Pipeline Diameter Significantly Impacts the Long-Term Fate of Jailed Side Branches during Treatment of Intracranial Aneurysms. Ajnr: American Journal of Neuroradiology. 2018;39(12):2270–7.	3

연번	서지정보	배제 사유
1470	Milosavljevic E, McKinney C, Hoss D. Comparing efficacy of platelet inhibition in patient treated with clopidogrel versus prasugrel undergoing cerebral aneurysm stent-assisted embolization with flow diversion: Journal of NeuroInterventional Surgery. Conference: 17th Annual Meeting of the Society of NeuroInterventional Surgery Organizing, SNIS 2020. San Diego, CA United States. 12 (Supplement 1) (pp A151-A152), 2020.	7
1471	Mine B, Bonnet T, Guenego A, Elens S, Suarez JV, Lubicz B. Delayed rebleeding of an Acom aneurysm treated with a web device: Endovascular management. Interventional Neuroradiology. 2021.	3
1472	Mine B, Bonnet T, Vazquez-Suarez JC, Iosif C, Lubicz B. Comparison of stents used for endovascular treatment of intracranial aneurysms. Expert Review of Medical Devices. 2018;15(11):793-805.	6
1473	Mine B, Pierot L, Lubicz B. Intrasaccular flow-diversion for treatment of intracranial aneurysms: the Woven EndoBridge. Expert Review of Medical Devices. 2014;11(3):315-25.	6
1474	Mine B, Pierot L, Lubicz B. Intrasaccular flow-diversion for treatment of intracranial aneurysms: The Woven EndoBridge: Expert Review of Medical Devices. 11 (3) (pp 315-325), 2014.	8
1475	Mine B, Tancredi I, Aljishi A, Alghamdi F, Beltran M, Herchuelz M, et al. Follow-up of intracranial aneurysms treated by a WEB flow disrupter: A comparative study of DSA and contrast-enhanced MR angiography: Journal of NeuroInterventional Surgery. 8 (6) (pp 615-620), 2016.	4
1476	Mingzi Z, Yujie L, Verrelli DI, Chong W, Ohta M, Yi Q. Applying computer simulation to the design of flow-diversion treatment for intracranial aneurysms. Annual International Conference Of The IEEE Engineering In Medicine And Biology Society. 2017.	7
1477	Miranda C, Angelani P, Gonzalez Quaranta MV. Endovascular treatment of intracranial aneurysms with Pipeline Embolization Device (PED): Clinical and angiographic long term follow up: Interventional Neuroradiology. Conference: 13th Congress of the World Federation of Interventional and Therapeutic Neuroradiology, WFITN 2015 and 12th Interdisciplinary Cerebrovascular Symposium, Intracranial Stent Meeting, ICS 2015. Gold Coast, QLD Australia. Conference Publication: (var.pagings). 21 (SUPPL. 1) (pp 215), 2015.	7
1478	Misra B. Outcome of microsurgery of giant intracranial aneurysms: Journal of Neurological Surgery, Part B: Skull Base. Conference: 6th International Congress World Federation of Skull Base Societies and 10th European Skull Base Society Congress. Sussex United Kingdom. Conference Publication: (var.pagings). 73 (SUPPL. 2) (no pagination), 2012.	7
1479	Misra BK. Treatment of giant intracranial aneurysms: What is the best option?: Neurology India. 63 (2) (pp 138-141), 2015.	6
1480	Mitchell B, Jou LD, Mawad M. Retrieval of distorted pipeline embolic device using snare-loop. Journal of Vascular & Interventional Neurology. 2014;7(5):1-4.	3
1481	Mitha AP, Mynard JP, Storwick JA, Shivji ZI, Wong JH, Morrish W. Can the Windkessel Hypothesis Explain Delayed Intraparenchymal Haemorrhage After Flow Diversion? A Case Report and Model-Based Analysis of Possible Mechanisms. Heart, Lung & Circulation. 2015;24(8):824-30.	6

연번	서지정보	배제 사유
1482	Miyachi S, Hiramatsu R, Ohnishi H, Yagi R, Kuroiwa T. Usefulness of the Pipeline Embolic Device for Large and Giant Carotid Cavernous Aneurysms. Neurointervention. 2017;12(2):83-90.	3
1483	Miyachi S, Ohnishi H, Hiramatsu R, Izumi T, Matsubara N, Kuroiwa T. Innovations in Endovascular Treatment Strategies for Large Carotid Cavernous Aneurysms-The Safety and Efficacy of a Flow Diverter. Journal of Stroke & Cerebrovascular Diseases. 2017;26(5):1071-80.	3
1484	Miyachi S, Ohnishi H, Hiramatsu R, Yagi R, Kuroiwa T. Tied Pipeline: A Case of Rare Complication. Neurologia Medico Chirurgica. 2018;58(5):219-24.	3
1485	Mizutani K, Consoli A, Di Maria F, Coskun O, Rodesch G. Aberrant trans-osseous venous drainage of the superficial middle cerebral vein: case report: Acta Neurochirurgica. 161 (4) (pp 807-810), 2019.	3
1486	Mohammad LM, Coon AL, Carlson AP. Resolution of giant basilar artery aneurysm compression and reversal of sensorineural hearing loss with use of a flow diverter: Case report: Journal of Neurosurgery: Pediatrics. 20 (1) (pp 81-85), 2017.	3
1487	Mohammad Seyedsaadat S, Rangel Castilla L, Lanzino G, Cloft HJ, Blezek DJ, Theiler A, et al. Remote ischemic preconditioning for elective endovascular intracranial aneurysm repair: a feasibility study. Neuroradiology Journal. 2019;32(3):166-72.	3
1488	Mohammaden M, Stapleton C, Khedr E, Hegazy A, Elbassiouny A. Safety and efficacy of ticagrelor as single antiplatelet in prevention of thromboembolic complications associated with flow diversion devices: Multicenter experience: International Journal of Stroke. Conference: 12th World Stroke Congress 2020. Vienna Austria. 15 (1 SUPPL) (pp 591-592), 2020.	7
1489	Mohammaden MH, English SW, Stapleton CJ, Khedr E, Shoyb A, Hegazy A, et al. Safety and efficacy of ticagrelor as single antiplatelet therapy in prevention of thromboembolic complications associated with the Pipeline Embolization Device (PED): Multicenter experience: Journal of NeuroInterventional Surgery. 12 (11) (pp 1113-1116), 2020.	3
1490	Mohlenbruch MA, Herweh C, Jestaedt L, Stampfli S, Schonenberger S, Ringleb PA, et al. The FRED flow-diverter stent for intracranial aneurysms: clinical study to assess safety and efficacy. Ajnr: American Journal of Neuroradiology. 2015;36(6):1155-61.	3
1491	Mohlenbruch MA, Kizilkilic O, Killer-Oberpfalzer M, Baltacioglu F, Islak C, Bendszus M, et al. Multicenter Experience with FRED Jr Flow Re-Direction Endoluminal Device for Intracranial Aneurysms in Small Arteries. Ajnr: American Journal of Neuroradiology. 2017;38(10):1959-65.	3
1492	Mohlenbruch MA, Seker F, Ozluk E, Kizilkilic O, Broussalis E, Killer-Oberpfalzer M, et al. Treatment of Ruptured Blister-Like Aneurysms with the FRED Flow Diverter: A Multicenter Experience. Ajnr: American Journal of Neuroradiology. 2280;41(12):2280-4.	3
1493	Mokin M, Chinea A, Primiani CT, Ren Z, Kan P, Srinivasan VM, et al. Treatment of blood blister aneurysms of the internal carotid artery with flow diversion: Journal of NeuroInterventional Surgery. 10 (11) (pp 1074-1078), 2018.	3
1494	Mokin M, Primiani CT, Piper K, Fiorella D, Rai A, Orlov K, et al. Stent-assisted coiling of cerebral aneurysms: a multicenter analysis.	4
1495	Mokin M, Primiani CT, Ren Z, Piper K, Fiorella DJ, Rai AT, et al. Stent-assisted coiling of cerebral aneurysms: multi-center analysis of radiographic and clinical outcomes in 659 patients. J Neurointerv Surg. 2020; 12(3):289-297.	3
1496	Mokin M. Comments: Neurosurgery. 78 (1) (pp 33), 2015.	6

연번	서지정보	배제 사유
1497	Molyneux A, White P, Ghokar A. Update on evidence base for aneurysm endovascular therapy: Neuroradiology. Conference: 36th European Society of Neuroradiology Annual Meeting. Edinburgh United Kingdom. Conference Publication: (var.pagings). 54 (1 SUPPL. 1) (pp S40-S41), 2012.	7
1498	Molyneux A. Flow diverters—what do we know about risks?: Neuroradiology. Conference: 36th European Society of Neuroradiology Annual Meeting. Edinburgh United Kingdom. Conference Publication: (var.pagings). 54 (1 SUPPL. 1) (pp S43-S44), 2012.	7
1499	Monaco D, Pestrichella F, Resta MC, Burdi N, Resta F, Donatelli M, et al. SILK flow diverter device in the treatment of cerebral aneurysms: Interventional Neuroradiology. Conference: 11th Congress of the World Federation of Interventional and Therapeutic Neuroradiology, WFITN 2011. Cape Town South Africa. Conference Publication: (var.pagings). 17 (SUPPL. 1) (pp 110), 2011.	7
1500	Monteiro A, Cortez GM, Aghaebrahim A, Sauvageau E, Hanel RA. Low-Profile Visualized Intraluminal Support Jr Braided Stent Versus Atlas Self-Expandable Stent for Treatment of Intracranial Aneurysms: A Single Center Experience. Neurosurgery. 2021;88(2):E170-E8.	3
1501	Monteiro A, Cortez GM, Granja MF, Agnoletto GJ, Kranich J, Padilha MVR, et al. Intracranial aneurysms in microcephalic primordial dwarfism: A systematic review: Journal of NeuroInterventional Surgery. 13 (2) (pp 171-176), 2021.	6
1502	Monteiro A, Lopes DK, Aghaebrahim A, Hanel R. Optical coherence tomography for elucidation of flow-diversion phenomena: The concept of endothelialized mural thrombus behind reversible in-stent stenosis in flow-diverters. Interventional Neuroradiology. 2021.	9
1503	Monteith SJ, Tsimpas A, Dumont AS, Tjoumakaris S, Gonzalez LF, Rosenwasser RH, et al. Endovascular treatment of fusiform cerebral aneurysms with the Pipeline Embolization Device. Journal of Neurosurgery. 2014;120(4):945-54.	3
1504	Moon Geun Y, Ju Yeon J, Dong Soo K. Original Articles : Genetic Diversity and Gene Flow Patterns in Pollicipes mitella in Korea Inferred from Mitochondrial DNA Sequence Analysis. Fisheries and Aquatic Sciences. 2013;16(4):243-51.	2
1505	Moon K, Albuquerque F, Ducruet A, Crowley R, McDougall C. Resolution of cranial neuropathies following treatment of intracranial aneurysms with the pipeline embolization device: Journal of NeuroInterventional Surgery. Conference: 11th Annual Meeting of the Society of NeuroInterventional Surgery, SNIS 2014. Colorado Springs, CO United States. Conference Publication: (var.pagings). 6 (SUPPL. 1) (pp A2), 2014.	7
1506	Moon K, Albuquerque FC, Ducruet AF, Crowley RW, McDougall CG. Balloon remodeling of complex anterior communicating artery aneurysms: technical considerations and complications. Journal of Neurointerventional Surgery. 2015;7(6):418-24.	2
1507	Moon K, Albuquerque FC, Ducruet AF, Crowley RW, McDougall CG. Resolution of cranial neuropathies following treatment of intracranial aneurysms with the Pipeline Embolization Device: Journal of neurosurgery. 121 (5) (pp 1085-1092), 2014.	3
1508	Moon K, Albuquerque FC, Ducruet AF, Webster Crowley R, McDougall CG. Treatment of ophthalmic segment carotid aneurysms using the pipeline embolization device: clinical and angiographic follow-up. Neurological Research. 2014;36(4):344-50.	3
1509	Moon K, Albuquerque FC, Mitkov M, Ducruet AF, Wilson DA, Crowley RW, et al. Methamphetamine use is an independent predictor of poor outcome after aneurysmal subarachnoid hemorrhage. Journal of Neurointerventional Surgery. 2015;7(5):346-50.	2

연번	서지정보	배제 사유
1510	Mooney MA, Moon K, Gross BA, Ducruet AF, Albuquerque FC. Incidence of delivery wire recapture failure with the Pipeline Flex device. <i>Journal of Neurointerventional Surgery</i> . 2017;9(6):571-3.	3
1511	Moore JM, Adeeb N, Shallwani H, Gupta R, Patel AS, Griessenauer CJ, et al. A Multicenter Cohort Comparison Study of the Safety, Efficacy, and Cost of Ticagrelor Compared to Clopidogrel in Aneurysm Flow Diverter Procedures. <i>Neurosurgery</i> . 2017;81(4):665-71.	8
1512	Moore JM, Adeeb N, Shallwani H, Gupta R, Patel AS, Griessenauer CJ, et al. A multicenter cohort comparison study of the safety, efficacy, and cost of ticagrelor compared to clopidogrel in aneurysm flow diverter procedures: <i>Neurosurgery</i> . 81 (4) (pp 665-671), 2017.	3
1513	Moore JM, Griessenauer CJ, Gupta R, Adeeb N, Patel AS, Ogilvy CS, et al. Landmark papers in cerebrovascular neurosurgery 2015. <i>Clinical Neurology & Neurosurgery</i> . 2016;148:22-8.	6
1514	Moore JM, Griessenauer CJ, Gupta R, Adeeb N, Patel AS, Ogilvy CS, et al. Landmark papers in cerebrovascular neurosurgery 2015: <i>Clinical Neurology and Neurosurgery</i> . 148 (pp 22-28), 2016.	8
1515	Morais R, Mine B, Bruyere PJ, Naeije G, Lubicz B. Endovascular treatment of intracranial aneurysms with the p64 flow diverter stent: mid-term results in 35 patients with 41 intracranial aneurysms. <i>Neuroradiology</i> . 2017;59(3):263-9.	3
1516	Morales HG, Bonnefous O, Geers AJ, Brina O, Pereira VM, Spelle L, et al. Does Arterial Flow Rate Affect the Assessment of Flow-Diverter Stent Performance? <i>Ajnr: American Journal of Neuroradiology</i> . 2016;37(12):2293-8.	3
1517	Morales-Valero SF, Brinjikji W, Wald JT, Lanzino G. Low frequency of delayed ischemic events on MRI after flow diversion for intracranial aneurysms. <i>Journal of Neurosurgical Sciences</i> . 2017;61(5):459-63.	3
1518	Morgan Jones G, Twilla JD, Hoit DA, Arthur AS. Prevention of stent thrombosis with reduced dose of prasugrel in two patients undergoing treatment of cerebral aneurysms with pipeline embolisation devices: <i>Journal of NeuroInterventional Surgery</i> . 5 (5) (pp e38), 2013.	6
1519	Moriwaki T, Hidaka R, Tajikawa T, Nakayama Y. In vitro hemodynamical performance comparison in endovascular devices for treating intracranial aneurysms: Our microporous covered stent vs flow diver: <i>International Journal of Artificial Organs</i> . Conference: 43rd Annual European Society for Artificial Organs, ESAO Congress. Warsaw Poland. 39 (7) (pp 387), 2016.	9
1520	Moscardo A, Aparici F, Ferrando F, Blanquer A, Latorre AM, Bosch P, et al. Antiaggregation evaluation of aspirin and clopidogrel in endovascular treatment of intracranial aneurysms with flow diverter stents: <i>Research and Practice in Thrombosis and Haemostasis</i> . Conference: International Society on Thrombosis and Haemostasis Congress, ISTH 2020. Virtual United States. 4 (SUPPL 1) (pp 45), 2020.	7
1521	Moscato G, Sacchetti F, Rustici A, Dall'olio M, Princiotta C, Cirillo L, et al. Management of ruptured and unruptured intracranial aneurysms: A 15-year experience of a single-centre: <i>Neuroradiology</i> . Conference: 38th European Society of Neuroradiology Diagnostic and Interventional Annual Meeting, ESNR 2015. Naples Italy. Conference Publication: (var.pagings). 57 (1 SUPPL. 1) (pp S78), 2015.	7
1522	Moshayedi H, Omofoye OA, Yap E, Oyekunle TO, Sasaki-Adams DM, Solander SY. Factors Affecting the Obliteration Rate of Intracranial Aneurysms Treated with a Single Pipeline Embolization Device: <i>World Neurosurgery</i> . 104 (pp 205-212), 2017.	3

연번	서지정보	배제 사유
1523	Mossa-Basha M, Huynh TJ, Hippe DS, Fata P, Morton RP, Levitt MR. Vessel wall MRI characteristics of endovascularly treated aneurysms: Association with angiographic vasospasm: <i>Journal of Neurosurgery</i> . 131 (3) (pp 859–867), 2019.	2
1524	Moubark M, Allah AEKA, Yosef H, Abdel-Tawab M, Panos P, Othman M. Flow diverter devices in the treatment of posterior communicating artery aneurysms: mid-term clinical and radiological outcomes: <i>Egyptian Journal of Radiology and Nuclear Medicine</i> . 51 (1) (no pagination), 2020. Article Number: 118.	6
1525	Mouchtouris N, Al Saiegh F, Sweid A, Amllay A, Tjoumakaris S, Gooch R, et al. Transradial Access for Newly Food and Drug Administration-Approved Devices for Endovascular Treatment of Cerebral Aneurysms: A Technical Note. <i>World Neurosurgery</i> . 2019;131:6–9.	6
1526	Mpotseris A, Skalej M, Beuing O, Eckert B, Behme D, Weber W. Long-term occlusion results with SILK flow diversion in 28 aneurysms: Do recanalizations occur during follow-up? <i>Interventional Neuroradiology</i> . 2015;21(3):300–10.	3
1527	Muhl-Benninghaus R, Abboud R, Ding A, Krajewski S, Simgen A, Tomori T, et al. Preclinical Evaluation of the Accero Stent: Flow Remodelling Effect on Aneurysm, Vessel Reaction and Side Branch Patency. <i>Cardiovascular & Interventional Radiology</i> . 2019;42(12):1786–94.	3
1528	Muhl-Benninghaus R, Hausmann A, Simgen A, Tomori T, Reith W, Yilmaz U. Transient in-stent stenosis: a common finding after flow diverter implantation. <i>Journal of Neurointerventional Surgery</i> . 2019;11(2):196–9.	3
1529	Mulvihill C, Assad S, Jayasuriya D, Nolte J, Hanif S. Clopidogrel versus prasugrel towards prevention of stent thrombosis of intracranial aneurysm—a metanalysis and literature review: <i>Neurology</i> . Conference: 72nd Annual Meeting of the American Academy of Neurology, AAN 2020. Toronto, ON Canada. 94 (15 Supplement) (no pagination), 2020.	7
1530	Munich SA, Cress MC, Levy EI. Flow Diversion for the Treatment of Intracranial Aneurysms: Current State and Expanding Indications: <i>Neurosurgery</i> . 62 (Supplement 1) (pp 50–55), 2015.	6
1531	Munich SA, Cress MC, Rangel-Castilla L, Sonig A, Ogilvy CS, Lanzino G, et al. Neck Remnants and the Risk of Aneurysm Rupture After Endovascular Treatment With Coiling or Stent-Assisted Coiling: Much Ado About Nothing?: <i>Clinical Neurosurgery</i> . 84 (2) (pp 421–427), 2019.	3
1532	Munich SA, Tan LA, Keigher KM, Chen M, Moftakhar R, Lopes DK. The Pipeline Embolization Device for the treatment of posterior circulation fusiform aneurysms: lessons learned at a single institution: <i>Journal of neurosurgery</i> . 121 (5) (pp 1077–1084), 2014.	3
1533	Murai S, Hiramatsu M, Takasugi Y, Takahashi Y, Kidani N, Nishihiro S, et al. Metal artifact reduction algorithm for image quality improvement of cone-beam CT images of medium or large cerebral aneurysms treated with stent-assisted coil embolization: <i>Neuroradiology</i> . 62 (1) (pp 89–96), 2020.	2
1534	Murai Y, Sato S, Yui K, Morimoto D, Ozeki T, Yamaguchi M, et al. Preliminary Clinical Microneurosurgical Experience With the 4K3-Dimensional Microvideoscope (ORBEYE) System for Microneurological Surgery: Observation Study. <i>Operative Neurosurgery</i> . 2019;16(6):707–16.	2
1535	Murai Y, Shirokane K, Kitamura T, Tateyama K, Matano F, Mizunari T, et al. Petrous Internal Carotid Artery Aneurysm: A Systematic Review. <i>Journal of Nippon Medical School = Nihon Ika Daigaku Zasshi</i> . 2020;87(4):172–83.	6

연번	서지정보	배제 사유
1536	Muram S, Eesa M, Belanger BL, Almekhlafi M, Goyal M, Morrish W, et al. A Novel Parameter to Predict Supraclinoid Aneurysm Persistence After Flow Diversion with the Pipeline Embolization Device: World Neurosurgery. 145 (pp e216–e223), 2021.	3
1537	Muraoka K, Hirotsume N, Kegoya Y, Sotome Y, Matsuda Y, Sato Y, et al. [A Case of Giant Cerebral Aneurysm Treated with Multiple Sheaths Directly Punctured into the Carotid Artery]. [Japanese]. No Shinkei Geka Neurological Surgery. 2020;48(11):1029–33.	10
1538	Murayama Y, Fujimura S, Suzuki T, Takao H. Computational fluid dynamics as a risk assessment tool for aneurysm rupture. [Review]. Neurosurgical Focus. 2019;47(1):01.	6
1539	Murayama Y, Fujimura S, Suzuki T, Takao H. Computational fluid dynamics as a risk assessment tool for aneurysm rupture: Neurosurgical focus. 47 (1) (pp E12), 2019.	8
1540	Murchison AG, Young V, Djurdjevic T, Cellerini M, Corkill R, Kuker W. Stent placement in patients with acute subarachnoid haemorrhage: when is it justified?: Neuroradiology. 60 (7) (pp 735–744), 2018.	3
1541	Murray TE, Brennan P, Maingard JT, Chandra RV, Little DM, Brooks DM, et al. Treatment of Visceral Artery Aneurysms Using Novel Neurointerventional Devices and Techniques: Journal of Vascular and Interventional Radiology. 30 (9) (pp 1407–1417), 2019.	6
1542	Murthy S, Shah S, Rao CV, Bershad E, Suarez J. Treatment of intracranial aneurysms with pipeline embolization device: A systematic review of literature: Neurology. Conference: 65th American Academy of Neurology Annual Meeting. San Diego, CA United States. Conference Publication: (var.pagings). 80 (1 MeetingAbstracts) (no pagination), 2013.	7
1543	Murthy SB, Shah S, Shastri A, Venkatasubba Rao CP, Bershad EM, Suarez JL. The SILK flow diverter in the treatment of intracranial aneurysms. [Review]. Journal of Clinical Neuroscience. 2014;21(2):203–6.	6
1544	Murthy SB, Shah S, Venkatasubba CP, Bershad RE, Suarez JL. Comparison of outcomes with pipeline and silk flow diverters for the treatment of intracranial aneurysms: A systematic review of literature: Annals of Neurology. Conference: 138th Annual Meeting of the American Neurological Association, ANA 2013. New Orleans, LA United States. Conference Publication: (var.pagings). 74 (SUPPL. 17) (pp S58), 2013.	7
1545	Murthy SB, Shah S, Venkatasubba Rao CP, Bershad EM, Suarez JL. Treatment of unruptured intracranial aneurysms with the pipeline embolization device. [Review]. Journal of Clinical Neuroscience. 2014;21(1):6–11.	6
1546	Muskens IS, Broekman MLD, Lycklama ANGJ, Moojen WA. Letter: Laser ablation of abnormal neurological tissue using robotic neuroblate system (laantern): Procedural safety and hospitalization: Clinical Neurosurgery. 85 (3) (pp E619–E620), 2019. Article Number: nyz278.	6
1547	Muskens IS, Senders JT, Dasenbrock HH, Smith TR, Broekman ML. The Woven Endobridge Device for Treatment of Intracranial Aneurysms: A Systematic Review. [Review]. World Neurosurgery. 2017;98:809–17.	6
1548	Mut F, Chung BJ, Chudyk J, Lyllyk P, Kadirvel R, Kallmes DF, et al. Image-based modeling of blood flow in cerebral aneurysms treated with intrasaccular flow diverting devices: International journal for numerical methods in biomedical engineering. 35 (6) (pp e3202), 2019.	6

연번	서지정보	배제 사유
1549	Mut F, Raschi M, Scrivano E, Bleise C, Chudyk J, Ceratto R, et al. Association between hemodynamic conditions and occlusion times after flow diversion in cerebral aneurysms. <i>Journal of Neurointerventional Surgery</i> . 2015;7(4):286–90.	4
1550	Mut F, Scrivano E, Bleise C, Llylyk P, Cebral J. Hemodynamics in two tandem aneurysms treated with flow diverters: International Journal for Numerical Methods in Biomedical Engineering. 30 (4) (pp 517–524), 2014.	3
1551	Mutlu O, Olcay AB, Bilgin C, Hakyemez B. Evaluating the Effect of the Number of Wire of Flow Diverter Stents on the Nonstagnated Region Formation in an Aneurysm Sac Using Lagrangian Coherent Structure and Hyperbolic Time Analysis. <i>World Neurosurgery</i> . 2020;133:e666–e82.	3
1552	Mutlu O, Olcay AB, Bilgin C, Hakyemez B. Evaluating the Effectiveness of 2 Different Flow Diverter Stents Based on the Stagnation Region Formation in an Aneurysm Sac Using Lagrangian Coherent Structure. <i>World Neurosurgery</i> . 2019;127:e727–e37.	4
1553	Muzammil S, Singhal D. A rare case of bilateral internal carotid artery aneurysms presenting as trigeminal Neuralgia: Headache. Conference: 61st Annual Scientific Meeting American Headache Society. Philadelphia, PA United States. 59 (Supplement 1) (pp 146–147), 2019.	7
1554	Muzammil SM, Singhal D. A rare case of bilateral internal carotid artery aneurysms presenting as trigeminal neuralgia: Neurocritical Care. Conference: 17th Annual Meeting, Neurocritical Care Society. Vancouver, BC Canada. 31 (1 Supplement) (pp S183), 2019.	7
1555	Naggara ON, Lecler A, Oppenheim C, Meder JF, Raymond J. Endovascular treatment of intracranial unruptured aneurysms: a systematic review of the literature on safety with emphasis on subgroup analyses. [Review]. <i>Radiology</i> . 2012;263(3):828–35.	6
1556	Nakae R, Nagaishi M, Kawamura Y, Tanaka Y, Hyodo A, Suzuki K. Microhemorrhagic transformation of ischemic lesions on T2*-weighted magnetic resonance imaging after Pipeline embolization device treatment: <i>Journal of Neurosurgery</i> . 1306 (6) (pp 1997–2004), 2019.	4
1557	Nakae R, Takigawa T, Hirata K, Nagaishi M, Hyodo A, Suzuki K. Delayed Posttreatment Residual Flow into Aneurysm After Flow Diverter Placement. <i>World Neurosurgery</i> . 2018;116:205–8.	3
1558	Nakae R, Takigawa T, Kawamura Y, Tanaka Y, Nagaishi M, Hyodo A, et al. Microhemorrhagic transformation of ischemic lesions on T2*- weighted magnetic resonance imaging after pipeline embolization device treatment: <i>International Journal of Stroke</i> . Conference: 11th World Stroke Congress, WSC 2018. Montreal, QC Canada. 13 (2 Supplement 1) (pp 56), 2018.	7
1559	Nam DH, Park SK. Endovascular Treatment in Ruptured Middle Cerebral Artery Dissection Preservation of Arterial Continuity. <i>J Cerebrovasc Endovasc Neurosurg</i> . 2015;17(2):108–12.	3
1560	Nania A, Dobbs N, Duplessis J, Keston P, Downer J. Early experience treating intracranial aneurysms using Accero: A novel, fully visible, low profile braided stent with platinum–nitinol composite wire technology: <i>Journal of NeuroInterventional Surgery</i> . 13 (1) (pp 49–53), 2021.	3
1561	Narata AP, Amelot A, Bibi R, Herbreteau D, Angoulvant D, Gruel Y, et al. Dual Antiplatelet Therapy Combining Aspirin and Ticagrelor for Intracranial Stenting Procedures: A Retrospective Single Center Study of 154 Consecutive Patients With Unruptured Aneurysms. <i>Neurosurgery</i> . 2019;84(1):77–83.	2

연번	서지정보	배제 사유
1562	Narata AP, Blasco J, Roman LS, Macho JM, Fernandez H, Moyano RK, et al. Early Results in Flow Diverter Sizing by Computational Simulation: Quantification of Size Change and Simulation Error Assessment. <i>Operative Neurosurgery</i> . 2018;15(5):557–66.	2
1563	Narata AP, de Moura FS, Larrabide I, Perrault CM, Patat F, Bibi R, et al. The Role of Hemodynamics in Intracranial Bifurcation Arteries after Aneurysm Treatment with Flow-Diverter Stents. <i>Ajnr: American Journal of Neuroradiology</i> . 2018;39(2):323–30.	6
1564	Narata AP, Gruel Y, Angoulvant D, Herbreteau D. Dual antiplatelet therapy combining aspirin and ticagrelor in intracranial aneurismal embolization. A 13-month French experience: <i>Journal of Thrombosis and Haemostasis</i> . Conference: 25th Congress of the International Society on Thrombosis and Haemostasis, ISTH 2015. Toronto, ON Canada. Conference Publication: (var.pagings). 13 (SUPPL. 2) (pp 286–287), 2015.	7
1565	Narata AP, Janot K, Bibi R, Herbreteau D, Perrault C, Marzo A, et al. Reversible Brain Edema Associated with Flow Diverter Stent Procedures: A Retrospective Single-Center Study to Evaluate Frequency, Clinical Evolution, and Possible Mechanism. <i>World Neurosurgery</i> . 2019;122:e569–e76.	3
1566	Narata AP, Silva F, Larrabide I, Perrault C, Sennoga C, Marzo A. The role of haemodynamics in a bifurcation vessel narrowing or occlusion after aneurysm treatment with flow diverter stents: <i>Stroke</i> . Conference: American Heart Association/American Stroke Association 2017 International Stroke Conference and State-of-the-Science Stroke Nursing Symposium. Houston, TX United States. 48 (Supplement 1) (no pagination), 2017.	7
1567	Narata AP, Yilmaz H, Schaller K, Lovblad KO, Pereira VM. Flow-diverting stent for ruptured intracranial dissecting aneurysm of vertebral artery. <i>Neurosurgery</i> . 2012;70(4):982–8.	3
1568	Narata AP. Dual antiplatelet therapy combining aspirin and ticagrelor in intracranial aneurysm embolization. A 18 month French experience: <i>Interventional Neuroradiology</i> . Conference: 13th Congress of the World Federation of Interventional and Therapeutic Neuroradiology, WFITN 2015 and 12th Interdisciplinary Cerebrovascular Symposium, Intracranial Stent Meeting, ICS 2015. Gold Coast, QLD Australia. Conference Publication: (var.pagings). 21 (SUPPL. 1) (pp 152), 2015.	7
1569	Narata AP. Flow diverter stents in bifurcating arteries. A computed fluid dynamic study using Surpass stent to predict arterial occlusions in idealized and patient-specific geometries: <i>Interventional Neuroradiology</i> . Conference: 13th Congress of the World Federation of Interventional and Therapeutic Neuroradiology, WFITN 2015 and 12th Interdisciplinary Cerebrovascular Symposium, Intracranial Stent Meeting, ICS 2015. Gold Coast, QLD Australia. Conference Publication: (var.pagings). 21 (SUPPL. 1) (pp 121), 2015.	7
1570	Narsinh KH, Travis Caton M, Mahmood NF, Higashida RT, Halbach VV, Hetts SW, et al. Intrasaccular flow disruption (WEB) of a large wide-necked basilar apex aneurysm using PulseRider-assistance: <i>Interdisciplinary Neurosurgery: Advanced Techniques and Case Management</i> . 24 (no pagination), 2021.	6
1571	Natarajan SK, Ionita CN, Wang W, Hopkins LN, Levy EI, Siddiqui AH, et al. Evaluation of a new self-expanding variable porosity flow-diverter (V-POD) in a rabbit elastase aneurysm model: <i>Stroke</i> . Conference: 2011 International Stroke Conference. Los Angeles, CA United States. Conference Publication: (var.pagings). 42 (3) (pp e44–e45), 2011.	9

연번	서지정보	배제 사유
1572	Natarajan SK, Lin N, Sonig A, Rai AT, Carpenter JS, Levy EI, et al. The safety of Pipeline flow diversion in fusiform vertebrobasilar aneurysms: a consecutive case series with longer-term follow-up from a single US center. <i>Journal of Neurosurgery</i> . 2016;125(1):111–9.	3
1573	Natarajan SK, Shallwani H, Fennell VS, Beecher JS, Shakir HJ, Davies JM, et al. Flow Diversion after Aneurysmal Subarachnoid Hemorrhage. [Review]. <i>Neurosurgery Clinics of North America</i> . 2017;28(3):375–88.	6
1574	Natarajan SK, Shallwani H, Fennell VS, Beecher JS, Shakir HJ, Davies JM, et al. Flow Diversion after Aneurysmal Subarachnoid Hemorrhage: <i>Neurosurgery Clinics of North America</i> . 28 (3) (pp 375–388), 2017.	8
1575	Navarro R, Brown BL, Beier A, Ranalli N, Aldana P, Hanel RA. Flow diversion for complex intracranial aneurysms in young children. <i>Journal of Neurosurgery Pediatrics</i> . 2015;15(3):276–81.	8
1576	Navarro R, Brown BL, Beier A, Ranalli N, Aldana P, Hanel RA. Flow diversion for complex intracranial aneurysms in young children: Child's Nervous System. Conference: 42nd Annual Meeting of the International Society for Pediatric Neurosurgery. Rio De Janeiro Brazil. Conference Publication: (var.pagings). 30 (11) (pp 1959–1960), 2014.	7
1577	Navarro R, Brown BL, Beier A, Ranalli N, Aldana P, Hanel RA. Flow diversion for complex intracranial aneurysms in young children: <i>Journal of Neurosurgery: Pediatrics</i> . 15 (3) (pp 276–281), 2015.	3
1578	Navarro R, Yoon J, Dixon T, Miller DA, Hanel RA, Tawk RG. Retrograde trans-anterior communicating artery rescue of unopened Pipeline Embolization Device with balloon dilation: complication management. <i>BMJ Case Reports</i> . 2014;27:27.	3
1579	Nawka MT, Lohse A, Bester M, Fiehler J, Buhk JH. Residual Flow Inside the Woven EndoBridge Device at Follow-Up: Potential Predictors of the Bicetre Occlusion Scale Score 1 Phenomenon. <i>Ajnr: American Journal of Neuroradiology</i> . 2020;41(7):1232–7.	3
1580	Nawka MT, Sedlacik J, Frolich A, Bester M, Fiehler J, Buhk JH. Multiparametric MRI of intracranial aneurysms treated with the Woven EndoBridge (WEB): A case of Faraday's cage?: <i>Journal of Neurointerventional Surgery</i> . 10 (10) (pp 988–994), 2018.	2
1581	Naydin S, Al Khalili Y, Estofan L. Prediction of posterior inferior cerebellar artery ruptured aneurysms in a patient with subarachnoid hemorrhage and negative CT angiography: <i>Annals of Neurology</i> . Conference: 142nd Annual Meeting of the American Neurological Association, ANA 2017. San Diego, CA United States. 82 (Supplement 21) (pp S142), 2017.	7
1582	Nct. Evaluating Oral Peri-operative Acetylsalicylic Acid in Subjects Undergoing Endovascular Coiling-only of Unruptured Brain Aneurysms.	6
1583	Nct. Flow Diversion in Intracranial Aneurysm Treatment.	4
1584	Nct. Flow Diverter Stent for Endovascular Treatment of Unruptured Saccular Wide-necked Intracranial Aneurysms.	3
1585	Nct. International Subarachnoid Aneurysm Trial II.	6
1586	Nct. LARGE Aneurysm Randomized Trial: flow Diversion Versus Traditional Endovascular Coiling Therapy.	1
1587	Nct. Study of Complex Intracranial Aneurysm Treatment.	4
1588	Nct. The iWEB Trial: introduction to the WEB Intra-Saccular Aneurysm Device.	6
1589	Negrotto M, Crosa R, Casagrande W. Assisted coiling using LEO Baby or LVIS Jr stents: Report of six cases. <i>Interventional Neuroradiology</i> . 21 (5) (pp 566–574), 2015.	3

연번	서지정보	배제 사유
1590	Neira RI, Yamada K, Shirakawa M, Uchida K, Yoshimura S. Application of Optical Frequency Domain Imaging to Recanalized Unruptured Internal Carotid Artery Aneurysm Treated by Flow-Diverting Stent-Assisted Coiling: World Neurosurgery. 146:1-5, 2021 Feb.; 2021.	3
1591	Neki H, Caroff J, Jittapiromsak P, Benachour N, Mihalea C, Ikka L, et al. Patency of the anterior choroidal artery covered with a flow-diverter stent: Journal of Neurosurgery. 123 (6) (pp 1540-1545), 2015.	3
1592	Nella R, Ceratto R, Ferrario A, Scrivano E, Lundquist J, Bleise C, et al. Recanalization of intracranial aneurysms. Endovascular advances using pipeline flow diverter stent: Interventional Neuroradiology. Conference: 11th Congress of the World Federation of Interventional and Therapeutic Neuroradiology, WFITN 2011. Cape Town South Africa. Conference Publication: (var.pagings). 17 (SUPPL. 1) (pp 28), 2011.	7
1593	Nelson PK, Lylyk P, Szikora I, Wetzel SG, Wanke I, Fiorella D. The pipeline embolization device for the intracranial treatment of aneurysms trial. Ajnr: American Journal of Neuroradiology. 2011;32(1):34-40.	3
1594	Nerva JD, Amenta PS, Dumont AS. Editorial: PulseRider for wide-necked intracranial aneurysms: Journal of Neurosurgery. 133 (6) (pp 1753-1755), 2020.	6
1595	Nerva JD, Morton RP, Levitt MR, Osbun JW, Ferreira MJ, Ghodke BV, et al. Pipeline Embolization Device as primary treatment for blister aneurysms and iatrogenic pseudoaneurysms of the internal carotid artery. Journal of Neurointerventional Surgery. 2015;7(3):210-6.	3
1596	Neto L, Santos C, Guedes MM, Sequeira P, Campos J. Silk stent in the treatment of intracranial aneurysms-short and mid-term experience: Neuroradiology. Conference: 39th Annual Meeting of the Spanish Society of Neuroradiology SENR - 6th Congress of the Portuguese Society of Neuroradiology, SPNR. Badajoz Spain. Conference Publication: (var.pagings). 53 (3) (pp 218), 2011.	7
1597	Neves L, Pimentel R, Carvalho R, Vilela P. Secondary spontaneous expansion of pipeline: Neuroradiology. Conference: 2nd Joint Meeting of the Portuguese Society of Neuroradiology, SPNR and of the Spanish Society of Neuroradiology, SENR (9th National Congress of the SPNR and 42nd Annual Meeting of the SENR). Lisbon Portugal. Conference Publication: (var.pagings). 55 (12) (pp 1478), 2013.	7
1598	Nevzati E, Rey J, Coluccia D, D'Alonzo D, Gruter B, Remonda L, et al. Biodegradable Magnesium Stent Treatment of Saccular Aneurysms in a Rat Model - Introduction of the Surgical Technique. Journal of Visualized Experiments. 2017;128(10):01.	6
1599	Neyens R, Donaldson C, Andrews C, Kellogg R, Spiotta A. Platelet Function Testing with a VerifyNow-Directed Personalized Antiplatelet Strategy and Associated Rates of Thromboembolic Complications After Pipeline Embolization for Complex Cerebral Aneurysms. World Neurosurgery. 2020;138:06.	2
1600	Ngoepe MN, Frangi AF, Byrne JV, Ventikos Y. Thrombosis in Cerebral Aneurysms and the Computational Modeling Thereof: A Review. [Review]. Frontiers in Physiology. 2018;9(306).	6
1601	Nguyen HA, Soize S, Manceau PF, Vudang L, Pierot L. Persistent Blood Flow inside the Woven EndoBridge Device More Than 6 Months after Intracranial Aneurysm Treatment: Frequency, Mechanisms, and Management-A Retrospective Single-Center Study. Ajnr: American Journal of Neuroradiology. 2020;41(7):1225-31.	3

연번	서지정보	배제 사유
1602	Nguyen Khanh D, Jeehoon L, Yoon H. The Formation of AFTA and Trade Diversion: Evidence from China's Agricultural Exports. <i>Asian International Studies Review</i> . 2016;17(1):25-36.	2
1603	Nickele C, Arthur AS. Comments: <i>Neurosurgery</i> . 77 (5) (pp 697), 2015. Date of Publication: 04 Aug 2015.; 2015.	6
1604	Niemann D, Consigny D, Pulfer K, Strother C. The woven endobridge (WEB II) cerebral aneurysm device: A review of theoretical and pre-clinical studies and early clinical results: <i>Interventional Neuroradiology</i> . Conference: 11th Congress of the World Federation of Interventional and Therapeutic Neuroradiology, WFITN 2011. Cape Town South Africa. Conference Publication: (var.pagings). 17 (SUPPL. 1) (pp 26), 2011.	7
1605	Nimjee SM, Powers CJ. Comment: <i>Clinical Neurosurgery</i> . 78 (5) (pp 674), 2016.	6
1606	Nimjee SM, Powers CJ. Comments: <i>Neurosurgery</i> . 78 (5) (pp 674-675), 2016.	6
1607	Nishi H, Ishii A, Ono I, Abekura Y, Ikeda H, Arai D, et al. Biodegradable Flow Diverter for the Treatment of Intracranial Aneurysms: A Pilot Study Using a Rabbit Aneurysm Model. <i>Journal of the American Heart Association</i> . 2019;8(20):15.	9
1608	Niu Y, Zhou S, Tang J, Miao H, Zhu G, Chen Z. Treatment of traumatic intracranial aneurysm: Experiences at a single center. <i>Clinical Neurology & Neurosurgery</i> . 2020;189(105619):02.	3
1609	Nossek E, Chalif D, Lombardo K, Setton A. Endovascular concurrent use of coils and pipeline embolization device for intracranial aneurysms: Clinical and angiographic results: <i>Journal of NeuroInterventional Surgery</i> . Conference: 11th Annual Meeting of the Society of NeuroInterventional Surgery, SNIS 2014. Colorado Springs, CO United States. Conference Publication: (var.pagings). 6 (SUPPL. 1) (pp A22), 2014.	7
1610	Nossek E, Chalif DJ, Chakraborty S, Setton A. Modifying flow in the ICA bifurcation: Pipeline deployment from the supraclinoid ICA extending into the M1 segment-clinical and anatomic results. <i>Ajnr: American Journal of Neuroradiology</i> . 2014;35(11):2125-9.	3
1611	Nossek E, Chalif DJ, Levine M, Setton A. Modifying flow in the ACA-ACoA complex: endovascular treatment option for wide-neck internal carotid artery bifurcation aneurysms. <i>Journal of Neurointerventional Surgery</i> . 2015;7(5):351-6.	3
1612	Nouri M, Schneider JR, Shah K, Bonda DJ, Dehdashti AR. Cerebral revascularization for aneurysm treatment in the era of endovascular flow diversion: <i>Journal of Neurological Surgery, Part B Skull Base</i> . Conference: 30th Annual Meeting North American Skull Base Society. San Antonio, TX United States. 81 (Supplement 1) (no pagination), 2020.	7
1613	Nurminen V, Raj R, Numminen J, Kivilahti R, Niemela M, Lehecka M. Flow diversion for internal carotid artery aneurysms: Impact of complex aneurysm features and overview of outcome. <i>Clinical Neurology & Neurosurgery</i> . 2020;193(105782):06.	3
1614	Nyberg E, Larson T. Vascular reconstruction devices shrink small cerebral aneurysms: <i>Journal of NeuroInterventional Surgery</i> . Conference: 8th Annual Meeting of the Society of NeuroInterventional Surgery, SNIS 2011. Colorado Springs, CO United States. Conference Publication: (var.pagings). 3 (SUPPL. 1) (pp A29-A30), 2011.	7
1615	Nyberg EM, Chaudry MI, Turk AS, Turner RD. Novel use of the pipeline embolization device for reperfusion of the middle cerebral artery post surgical aneurysm clipping. <i>Journal of Neurointerventional Surgery</i> . 2013;5(5):01.	6

연번	서지정보	배제 사유
1616	Nyberg EM, Imran Chaudry M, Turk AS, Turner RD. Novel use of the pipeline embolization device for reperfusion of the middle cerebral artery post surgical aneurysm clipping: <i>Journal of NeuroInterventional Surgery</i> . 5 (5) (pp e29), 2013.	8
1617	Obermueller K, Hostettler I, Wagner A, Boeckh-Behrens T, Zimmer C, Gempt J, et al. Frequency and risk factors for postoperative aneurysm residual after microsurgical clipping: <i>Acta Neurochirurgica</i> . 163 (1) (pp 131–138), 2021.	3
1618	Ocal O, Arat A. Intra-aneurysmal air after flow diversion treatment in intracranial aneurysms: incidence, characteristics and clinical significance. <i>Japanese Journal of Radiology</i> . 2019;37(7):549–54.	5
1619	Ocal O, Arat A. The Exchange-Free Technique: A Novel Technique for Enhancing Surpass Flow Diverter Placement. <i>Asian Journal of Neurosurgery</i> . 2020;15(3):620–6.	3
1620	Ocal O, Peker A, Balci S, Arat A. Placement of a Stent within a Flow Diverter Improves Aneurysm Occlusion Rates. <i>Ajnr: American Journal of Neuroradiology</i> . 2019;40(11):1932–8.	4
1621	Ogilvy CS, Chua MH, Fusco MR, Reddy AS, Thomas AJ. Stratification of recanalization for patients with endovascular treatment of intracranial aneurysms. <i>Neurosurgery</i> . 2015;76(4):390–5.	3
1622	Ogilvy CS, Jordan NJ, Ascanio LC, Enriquez-Marulanda AA, Salem MM, Moore JM, et al. Surgical and Endovascular Comprehensive Treatment Outcomes of Unruptured Intracranial Aneurysms: Reduction of Treatment Bias. <i>World Neurosurgery</i> . 2019;126:e878–e87.	3
1623	O'Grady A, Denton J, Laing A. Microsnare-assisted microcatheter navigation for flow diversion of a challenging giant intracerebral aneurysm: A novel technique: <i>Journal of Medical Imaging and Radiation Oncology</i> . 59 (1) (pp 70–73), 2015.	6
1624	Oguz S, Dinc H. Treatment of posterior inferior cerebellar artery aneurysms using flow-diverter stents: A single-center experience. <i>Interventional Neuroradiology</i> . 2019;25(4):407–13.	3
1625	Oguz S, Tabakci ON, Uysal E, Bulut E, Dinc H. Pipeline Flex Embolization Device (PED Flex) for the treatment of intracranial aneurysms: Periprocedural outcomes and first-year angiographic results. <i>Turkish Journal of Medical Sciences</i> . 2019;49(6):1640–6.	3
1626	Oh SY, Kim MJ, Kim BS, Shin YS. Treatment for giant fusiform aneurysm located in the cavernous segment of the internal carotid artery using the pipeline embolization device: <i>Journal of Korean Neurosurgical Society</i> . 55(1):32–5, 2014 Jan.; 2014.	3
1627	Ohta M, Anzai H, Miura Y, Nakayama T. Parametric study of porous media as substitutes for flow-diverter stent. <i>Biomaterials and biomedical engineering</i> . 2015;2(2):111–25.	9
1628	Oishi H, Arai H. Endovascular first policy for the management of intracranial aneurysms in the multimodality era. [Japanese]: <i>Japanese Journal of Neurosurgery</i> . 28 (3) (pp 134–141), 2019.	1
1629	Oishi H, Arai H. The use and limitations of flow diverters in the treatment of large and giant intracranial aneurysms. [Japanese]: <i>Japanese Journal of Neurosurgery</i> . 27 (3) (pp 201–207), 2018.	10
1630	Oishi H, Fujii T, Suzuki M, Takano N, Teranishi K, Yatomi K, et al. Usefulness of Silent MR Angiography for Intracranial Aneurysms Treated with a Flow-Diverter Device. <i>Ajnr: American Journal of Neuroradiology</i> . 2019;40(5):808–14.	4

연번	서지정보	배제 사유
1631	Oishi H, Teranishi K, Nonaka S, Yamamoto M, Arai H. Symptomatic very delayed parent artery occlusion after flow diversion stent embolization: Neurologia Medico-Chirurgica. 56 (6) (pp 350–353), 2016.	6
1632	Oishi H, Teranishi K, Yatomi K, Fujii T, Yamamoto M, Arai H. Flow Diverter Therapy of a Giant Fusiform Vertebrobasilar Junction Aneurysm in a Child: Case Report: Nmc Case Report Journal. 6(1):25–28, 2019 Jan.; 2019.	3
1633	Oishi H, Teranishi K, Yatomi K, Yamamoto M, Arai H. Paradigm shift of endovascular therapy after clinical introduction of a flow diverter for large intracranial aneurysms. [Japanese]: Japanese Journal of Neurosurgery. 26 (2) (pp 104–111), 2017.	10
1634	Oishi H. A case of a partially thrombosed large intracranial aneurysm treated with endovascular therapy using a flow diverter. [Japanese]: Japanese Journal of Neurosurgery. 25 (5) (pp 454–460), 2016.	10
1635	Oishi H. Preliminary clinical experience with pipeline embolization for unruptured large or giant intracranial aneurysms in Japanese patients: Interventional Neuroradiology. Conference: 13th Congress of the World Federation of Interventional and Therapeutic Neuroradiology, WFITN 2015 and 12th Interdisciplinary Cerebrovascular Symposium, Intracranial Stent Meeting, ICS 2015. Gold Coast, QLD Australia. Conference Publication: (var.pagings). 21 (SUPPL. 1) (pp 250), 2015.	7
1636	O'Kelly C, Spears J, Chow M, Wong J, Silvaggio J, Boulton M, et al. Canadian experience with the Pipeline embolization device for repair of unruptured intracranial aneurysms: Canadian Journal of Neurological Sciences. Conference: 46th Annual Congress of the Canadian Neurological Sciences Federation. Vancouver, BC Canada. Conference Publication: (var.pagings). 38 (3 SUPPL. 1) (pp S31), 2011.	7
1637	O'Kelly CJ, Spears J, Chow M, Wong J, Boulton M, Weill A, et al. Canadian experience with the pipeline embolization device for repair of unruptured intracranial aneurysms. Ajnr: American Journal of Neuroradiology. 2013;34(2):381–7.	3
1638	Okuma Y, Hirotsune N, Sotome Y, Kegoya Y, Matsuda Y, Sato Y, et al. Technical notes on deploying a LVIS stent – The importance of push and pull passively depending on the catheter torque: Interdisciplinary Neurosurgery: Advanced Techniques and Case Management. 23 (no pagination), 2021.	6
1639	Ollenschleger M, Mancini M, Ohki S, Spiegel G. Headaches following endovascular treatment of cerebral aneurysms: Coil embolization vs. flow diversion: Neurology. Conference: 66th American Academy of Neurology Annual Meeting, AAN 2014. Philadelphia, PA United States. Conference Publication: (var.pagings). 82 (10 SUPPL. 1) (no pagination), 2014.	7
1640	O'Neill AH, Chandra RV, Slater LA, Chong W, Xenos C, Danks AR, et al. Influence of comorbidities on treatment of unruptured intracranial aneurysms in the elderly: Journal of Clinical Neuroscience. 62 (pp 38–45), 2019.	3
1641	Onishi S, Sakamoto S, Sadatomo T, Hara T, Ochiai J, Yuki K, et al. Endovascular Coil Embolization with Low-Profile Visualized Intraluminal Support Junior Stent for Ruptured Dissecting Aneurysm of Proximal Superior Cerebellar Artery—Case Report and Literature Review: World Neurosurgery. 122 (pp 102–105), 2019.	3
1642	Oran I, Cinar C, Bozkaya H, Korkmaz M. Tailoring platelet inhibition according to multiple electrode aggregometry decreases the rate of thrombotic complications after intracranial flow-diverting stent implantation. Journal of Neurointerventional Surgery. 2015;7(5):357–62.	2

연번	서지정보	배제 사유
1643	Oran I, Cinar C, Bozkaya H, Parildar M, Duman S. Reduced activity of von Willebrand factor after flow-diverting stent implantation for intracranial aneurysms: A link to acquired von Willebrand disease?: American Journal of Neuroradiology. 41 (1) (pp 140–146), 2020.	2
1644	Oran I, Cinar C, Gok M, Duzgun F. Aggregometry Response to Half-dose Prasugrel in Flow-diverting Stent Implantation. Clinical Neuroradiology. 2020;30(3):463–9.	2
1645	Oran I. Flow-diverting stent and delayed intracranial bleeding: the case for discussing acquired von Willebrand disease: Platelets. 32 (3) (pp 432–435), 2021.	6
1646	Orlov K, Arat A, Osiev A, Berestov V, Aytemir K, Topcuoglu MA, et al. Transvenous Treatment of Carotid Aneurysms Through Transseptal Access. World Neurosurgery. 2019;17:17.	3
1647	Orru E, Marosfoi M, Patel NV, Coon AL, Wald C, Repucci N, et al. International teleproctoring in neurointerventional surgery and its potential impact on clinical trials in the era of COVID-19: legal and technical considerations. Journal of Neurointerventional Surgery. 2020;21:21.	6
1648	Orru E, Rice H, De Villiers L, Klostranec JM, Wakhloo AK, Coon AL, et al. First clinical experience with the new Surpass Evolve flow diverter: technical and clinical considerations. Journal of Neurointerventional Surgery. 2020;12(10):974–80.	3
1649	Orru E, Rice H, De Villiers L, Wakhloo A, Song Chia G, Qureshi A, et al. Mid-term results of aneurysm treatment with the new surpass evolve flow diverter: A multicenter experience: Journal of NeuroInterventional Surgery. Conference: 17th Annual Meeting of the Society of NeuroInterventional Surgery Organizing, SNIS 2020. San Diego, CA United States. 12 (Supplement 1) (pp A155–A156), 2020.	7
1650	Ortiz RA, Langer DJ. Comment: Clinical Neurosurgery. 84 (3) (pp 810), 2019. Date of Publication: 01 Mar 2019.: 2019.	6
1651	Oruckaptan HH, Cekirge HS. Delayed thrombosis of a complex fusiform ICA aneurysm treated with flow reversal and partial occlusion: Case report and brief review of possible mechanisms: Neuroradiology. 53 (6) (pp 461–465), 2011.	6
1652	Ospel JM, Brouwer P, Dorn F, Arthur A, Jensen ME, Nogueira R, et al. Antiplatelet Management for Stent-Assisted Coiling and Flow Diversion of Ruptured Intracranial Aneurysms: A DELPHI Consensus Statement. Ajnr: American Journal of Neuroradiology. 2020;41(10):1856–62.	2
1653	Ospel JM, Gascou G, Costalat V, Piergallini L, Blackham KA, Zumofen DW. Comparison of Pipeline Embolization Device Sizing Based on Conventional 2D Measurements and Virtual Simulation Using the Sim&Size Software: An Agreement Study. Ajnr: American Journal of Neuroradiology. 2019;40(3):524–30.	4
1654	Ota N, Noda K, Tanikawa R. [Combined Bypass and Cerebral Aneurysm Surgery:How to Choose and Practice?]. [Japanese]. No Shinkei Geka Neurological Surgery. 2021;49(1):73–80.	10
1655	Ou C, Hou X, Duan CZ, Zhang X, Chong W, Qian Y. Flow diverter modeled as heterogeneous and anisotropic porous medium: Simulation, experimental validation and case analysis. Journal of Biomechanics. 2021;123(110525):17.	1
1656	Ou C, Huang W, Yuen MM. A computational model based on fibrin accumulation for the prediction of stasis thrombosis following flow-diverting treatment in cerebral aneurysms. Medical & Biological Engineering & Computing. 2017;55(1):89–99.	9
1657	Oushy S, Rinaldo L, Brinjikji W, Cloft H, Lanzino G. Recent advances in stent-assisted coiling of cerebral aneurysms. [Review]. Expert Review of Medical Devices. 2020;17(6):519–32.	6

연번	서지정보	배제 사유
1658	Ozdemir A, Arslan S, Duman E, Yildirim E, Aytekin C, Boyvat F. The efficacy of flow diverter stents in the treatment of wide-necked intracranial aneurysms: Iranian Journal of Radiology. 14 (4) (no pagination), 2017.	6
1659	Ozkan Arat Y, Arat A, Aydin K. Cerebrovascular complications of transorbital penetrating intracranial injuries. Ulusal Travma ve Acil Cerrahi Dergisi = Turkish Journal of Trauma & Emergency Surgery: TJTES. 2015;21(4):271-8.	2
1660	Ozkara E, Aykac O, Ozdemir AO. Clinical outcome of ruptured anterior choroidal artery aneurysms after flow diverter treatment: European Stroke Journal. Conference: 5th European Stroke Organisation Conference, ESOC 2019. Milan Italy. 4 (Supplement 1) (pp 657), 2019.	7
1661	Ozpeynirci Y, Braun M, Pala A, Schick M, Schmitz B. WEB-only treatment of ruptured and unruptured intracranial aneurysms: a retrospective analysis of 47 aneurysms. Acta Neurochirurgica. 2019;161(8):1507-13.	3
1662	Ozpeynirci Y, Braun M, Schmitz B. CT Angiography in Occlusion Assessment of Intracranial Aneurysms Treated with the WEB Device. Journal of Neuroimaging. 2019;29(4):481-6.	2
1663	Pabon B, Patino M, Vargas O, Torres V, Gutierrez J, Fernandez J, et al. Web colombian multicenter experience (web. com): Clinical and radiological mid-long term results in the treatment of intracranial aneurysms using intrasaccular flow disrupters: Journal of NeuroInterventional Surgery. Conference: 17th Annual Meeting of the Society of NeuroInterventional Surgery Organizing, SNIS 2020. San Diego, CA United States. 12 (Supplement 1) (pp A151), 2020.	7
1664	Pabon B, Vargas S. New technologies in developing countries: Early colombian experience with PIPELINE flow - Diverter stent for giant, complex, wide-neck intracranial aneurysms: Interventional Neuroradiology. Conference: 11th Congress of the World Federation of Interventional and Therapeutic Neuroradiology, WFITN 2011. Cape Town South Africa. Conference Publication: (var.pagings). 17 (SUPPL. 1) (pp 110-111), 2011.	7
1665	Pace J, Nelson J, Ray A, Hu Y. Verapamil-induced breakdown of the blood-brain barrier presenting as a transient right middle cerebral artery syndrome. Interventional Neuroradiology. 2017;23(6):601-4.	6
1666	Pacetti M, Mosimann PJ, Zerlauth JB, Puccinelli F, Levivier M, Daniel RT. Letter to the Editor. Clipping after Pipeline embolization device placement for a thrombosed ACoA aneurysm: Journal of Neurosurgery. 127(4):958-961, 2017 10.; 2017.	6
1667	Padmanabhan R, Mukerji N, Manjunath Prasad KS, Nath FP, Strachan RD. Endovascular treatment of Giant Internal Carotid artery terminus (carotid T) aneurysms using a combination of coils and flow divertors-A case series: Interventional Neuroradiology. Conference: 13th Congress of the World Federation of Interventional and Therapeutic Neuroradiology, WFITN 2015 and 12th Interdisciplinary Cerebrovascular Symposium, Intracranial Stent Meeting, ICS 2015. Gold Coast, QLD Australia. Conference Publication: (var.pagings). 21 (SUPPL. 1) (pp 221-222), 2015.	7
1668	Pagiola I, Mihalea C, Caroff J, Ikka L, Chalumeau V, Yasuda T, et al. Flow diversion treatment of aneurysms of the complex region of the anterior communicating artery: Which stent placement strategy should 'I' use? A single center experience: Journal of NeuroInterventional Surgery. 11 (11) (pp 1118-1122), 2019.	3
1669	Pahl FH, de Oliveira MF, Brock RS, Lucio JE, Rotta JM. Surgical clipping is still a good choice for the treatment of paraclinoid aneurysms. Arquivos de Neuro Psiquiatria. 2016;74(4):314-9.	3

연번	서지정보	배제 사유
1670	Pai AM, Kameda-Smith M, van Adel B. A review of recent advances in endovascular therapy for intracranial aneurysms: Critical Reviews in Biomedical Engineering. 46 (4) (pp 369–397), 2018.	6
1671	Pai P, Pillai D, Lahoti S, Alurkar A. Flow diverter devices in ruptured intracranial aneurysms: European Stroke Journal. Conference: 5th European Stroke Organisation Conference, ESOC 2019. Milan Italy. 4 (Supplement 1) (pp 491–492), 2019.	7
1672	Paliwal N, Damiano RJ, Davies JM, Siddiqui AH, Meng H. Association between hemodynamic modifications and clinical outcome of intracranial aneurysms treated using flow diverters. Proceedings of SPIE the International Society for Optical Engineering. 2017;10135:11.	3
1673	Paliwal N, Jaiswal P, Tutino VM, Shallwani H, Davies JM, Siddiqui AH, et al. Outcome prediction of intracranial aneurysm treatment by flow diverters using machine learning: Neurosurgical focus. 45 (5) (pp E7), 2018.	3
1674	Paliwal N, Tutino VM, Shallwani H, Beecher JS, Damiano RJ, Shakir HJ, et al. Ostium Ratio and Neck Ratio Could Predict the Outcome of Sidewall Intracranial Aneurysms Treated with Flow Diverters. Ajnr: American Journal of Neuroradiology. 2019;40(2):288–94.	4
1675	Paliwal N, Yu H, Xu J, Xiang J, Siddiqui AH, Yang X, et al. Virtual stenting workflow with vessel-specific initialization and adaptive expansion for neurovascular stents and flow diverters: Computer Methods in Biomechanics and Biomedical Engineering. 19 (13) (pp 1423–1431), 2016.	9
1676	Pampana E, Gandini R, Scevola G, Chegai F, D'Onofrio A. Preliminary experience with surpass/streamline flow diverter stent for unruptured intracranial aneurysms treatment in 9 patients: Interventional Neuroradiology. Conference: 13th Congress of the World Federation of Interventional and Therapeutic Neuroradiology, WFITN 2015 and 12th Interdisciplinary Cerebrovascular Symposium, Intracranial Stent Meeting, ICS 2015. Gold Coast, QLD Australia. Conference Publication: (var.pagings). 21 (SUPPL. 1) (pp 251), 2015.	7
1677	Panchendrabose K, Muram S, Mitha AP. Promoting endothelialization of flow-diverting stents: a review. [Review]. Journal of Neurointerventional Surgery. 2021;13(1):86–90.	6
1678	Pang KYV, Tse PKT, Wong CK, Leung KWW, Fung KH. The interim result of pipeline flow divertor in a single centre: Interventional Neuroradiology. Conference: 13th Congress of the World Federation of Interventional and Therapeutic Neuroradiology, WFITN 2015 and 12th Interdisciplinary Cerebrovascular Symposium, Intracranial Stent Meeting, ICS 2015. Gold Coast, QLD Australia. Conference Publication: (var.pagings). 21 (SUPPL. 1) (pp 251), 2015.	7
1679	Paolucci A, Civelli V, Papa R, Isalberti M. Preliminary results in 63 consecutive patients treated for intracranial aneurysms using flow-diverting stents (pipeline embolization device): Neuroradiology. Conference: 35th European Society of Neuroradiology Annual Meeting, 19th Advanced Course in Diagnostic Neuroradiology and 3rd Advanced Course in Interventional Neuroradiology. Antwerp Belgium. Conference Publication: (var.pagings). 53 (SUPPL. 1) (pp S43), 2011.	7
1680	Parada C, Chudyk J, Lambre H, Lylyk P. A five year period of evolution in MR MRA imaging follow up of large and giant intracranial aneurysms treated with pipeline embolization device: Neuroradiology. Conference: 20th Symposium Neuroradiologicum 2014. Istanbul Turkey. Conference Publication: (var.pagings). 56 (SUPPL. 1) (pp 274), 2014.	7

연번	서지정보	배제 사유
1681	Parameswaran PK, Dai D, Ding YH, Asnafi S, Urban MM, Kallmes D, et al. Changes in the distal vessel wall after flow diverter treatment: Stroke. Conference: American Heart Association/American Stroke Association 2018 International Stroke Conference and State-of-the-Science Stroke Nursing Symposium. Los Angeles, CA United States. 49 (Supplement 1) (no pagination), 2018.	7
1682	Park JS, Kwak HS, Lee JM. Inadvertent complication of a pipeline embolization device for treatment with vertebral artery dissecting aneurysm: Distal tip fracture of delivery wire: Journal of Korean Neurosurgical Society. 59 (5) (pp 521–524), 2016.	6
1683	Park JW, Park SC, Moon IS, Koh YB. Surgical Option in Managing Recurring Pseudoaneurysms in Behcet's Vasculitis. J Korean Soc Vasc Surg. 2003;19(1):44–8.	2
1684	Park KS, Kang DH, Son WS, Park J, Kim YS, Kim BM. A Case of Ruptured Blood Blister-like Aneurysm Treated with Pipeline Embolization Device: Clinical Significance of Fetal-type Posterior Communicating Artery. Neurointervention. 2017;12(1):40–4.	3
1685	Park KY, Yeon JY, Kim BM, Jeon P, Kim JH, Jang CK, et al. Efficacy and Safety of Flow-Diverter Therapy for Recurrent Aneurysms after Stent-Assisted Coiling. Ajnr: American Journal of Neuroradiology. 2020;41(4):663–8.	3
1686	Park M, Nanaszko M, Sanborn M, Moon K, Albuquerque F, McDougall C. Re-treatment rates following pipeline embolization device alone versus pipeline and coil embolization of cerebral aneurysms: A single center experience: Journal of NeuroInterventional Surgery. Conference: 11th Annual Meeting of the Society of NeuroInterventional Surgery, SNIS 2014. Colorado Springs, CO United States. Conference Publication: (var.pagings). 6 (SUPPL. 1) (pp A10), 2014.	7
1687	Park M, Nanaszko M, Sanborn M, Moon K, McDougall C, Albuquerque F. Aneurysm re-treatments following recurrences after initial use of the pipeline embolization device: Journal of NeuroInterventional Surgery. Conference: 11th Annual Meeting of the Society of NeuroInterventional Surgery, SNIS 2014. Colorado Springs, CO United States. Conference Publication: (var.pagings). 6 (SUPPL. 1) (pp A38–A39), 2014.	7
1688	Park M, Nanaszko M, Sanborn M, Moon K, McDougall C, Albuquerque F. Efficacy of the pipeline embolization device in the treatment of previously-treated aneurysms: Journal of NeuroInterventional Surgery. Conference: 11th Annual Meeting of the Society of NeuroInterventional Surgery, SNIS 2014. Colorado Springs, CO United States. Conference Publication: (var.pagings). 6 (SUPPL. 1) (pp A38), 2014.	7
1689	Park MS, Albuquerque F, Sanborn M, Moon K, Abla A, McDougall C. A critical assessment of complications associated with use of the pipeline embolization device: Journal of Neurosurgery. Conference: 2014 AANS Annual Meeting. San Francisco, CA United States. Conference Publication: (var.pagings). 122 (6) (pp A1552–A1553), 2015.	7
1690	Park MS, Albuquerque FC, Nanaszko M, Sanborn MR, Moon K, Abla AA, et al. Critical assessment of complications associated with use of the pipeline embolization device. 2015; 7(9):652–9.	8
1691	Park MS, Mazur MD, Moon K, Nanaszko MJ, Kestle JRW, Shah LM, et al. An outcomes-based grading scale for the evaluation of cerebral aneurysms treated with flow diversion: Journal of NeuroInterventional Surgery. 9 (11) (pp 1060–1063), 2017.	3
1692	Park S, Kariya N, Shirakawa M, Miyawaki H, Nakamoto S, Hirose M. Postoperative esophageal submucosal hematoma associated with dual antiplatelet therapy for flow diverter stents in internal carotid artery aneurysms: A case report. [Japanese]: Japanese Journal of Anesthesiology. 67 (3) (pp 302–305), 2018.	10

연번	서지정보	배제 사유
1693	Parthasarathy R, Gupta V, Gupta A. Safety of Prasugrel loading in ruptured blister like aneurysm treated with a Pipeline device. <i>British Journal of Radiology.</i> 2018;91(1086).	3
1694	Pasarikovski CR, Wagstaff G, Cardinell J, Howard P, da Costa L, Yang VX. Pipeline embolisation device with shield technology for the treatment of ruptured intracranial aneurysm. <i>Neuroradiology Journal.</i> 2019;32(3):189–92.	6
1695	Patel BM, Ahmed A, Niemann D. Endovascular treatment of supraclinoid internal carotid artery aneurysms: <i>Neurosurgery Clinics of North America.</i> 25 (3) (pp 425–435), 2014.	6
1696	Patel D, Motwani K, Hosaka K, Hoh BL. Inflammation in murine aneurysm healing: The role of CXCL1: <i>Clinical Neurosurgery.</i> Conference: 2019 Annual Meeting Congress of Neurological Surgeons, CNS 2019. San Francisco, CA United States. 66 (Supplement 1) (pp 28), 2019.	9
1697	Patel PD, Chalouhi N, Atallah E, Tjoumakaris S, Hasan D, Zarzour H, et al. Off-label uses of the Pipeline embolization device: a review of the literature. [Review]. <i>Neurosurgical Focus.</i> 2017;42(6).	8
1698	Patel PD, Chalouhi N, Atallah E, Tjoumakaris S, Hasan D, Zarzour H, et al. Off-label uses of the Pipeline embolization device: a review of the literature: <i>Neurosurgical focus.</i> 42 (6) (pp E4), 2017.	6
1699	Patel S, Fargen KM, Peters K, Krall P, Samy H, Hoh BL. Return of visual function after bilateral visual loss following flow diversion embolization of a giant ophthalmic aneurysm due to both reduction in mass effect and reduction in aneurysm pulsation. <i>BMJ Case Reports.</i> 2014;10:10.	6
1700	Patel S, Fargen KM, Peters K, Krall P, Samy H, Hoh BL. Return of Visual function after bilateral visual loss following flow diversion embolization of a giant ophthalmic aneurysm due to both reduction in mass effect and reduction in aneurysm pulsation: <i>Journal of NeuroInterventional Surgery.</i> 7 (1) (pp e1), 2015.	8
1701	Patzig M, Ertl L, Forbrig R, Bruckmann H, Fesl G. Intracranial aneurysms treated by flow – Diverting stents results of long – Term follow – Up with contrast – Enhanced MR – Angiography: <i>Neuroradiology.</i> Conference: 20th Symposium Neuroradiologicum 2014. Istanbul Turkey. Conference Publication: (var.pagings). 56 (SUPPL. 1) (pp 391), 2014.	7
1702	Patzig M, Forbrig R, Ertl L, Bruckmann H, Fesl G. Intracranial Aneurysms Treated by Flow-Diverting Stents: Long-Term Follow-Up with Contrast-Enhanced Magnetic Resonance Angiography. <i>Cardiovascular & Interventional Radiology.</i> 2017;40(11):1713–22.	3
1703	Pavlov O, Shrivastava A, Moscote-Salazar LR, Mishra R, Gupta A, Agrawal A. The new generation double layered flow diverters for endovascular treatment of intracranial aneurysms: current status of ongoing clinical uses. [Review]. <i>Expert Review of Medical Devices.</i> 2021;18(2):139–44.	6
1704	Pavlov O, Shrivastava A, Moscote-Salazar LR, Mishra R, Gupta A, Agrawal A. The new generation double layered flow diverters for endovascular treatment of intracranial aneurysms: current status of ongoing clinical uses: Expert Review of Medical Devices. 18 (2) (pp 139–144), 2021.	8
1705	Peach TW, Ngope M, Spranger K, Zajarias-Fainsod D, Ventikos Y. Personalizing flow-diverter intervention for cerebral aneurysms: from computational hemodynamics to biochemical modeling: <i>International journal for numerical methods in biomedical engineering.</i> 30 (11) (pp 1387–1407), 2014.	6

연번	서지정보	배제 사유
1706	Peach TW, Ricci D, Ventikos Y. A Virtual Comparison of the eCLIPs Device and Conventional Flow-Diverters as Treatment for Cerebral Bifurcation Aneurysms. <i>Cardiovascular Engineering & Technology</i> . 2019;10(3):508-19.	9
1707	Pearce S, Maingard JT, Kuan Kok H, Barras CD, Russell JH, Hirsch JA, et al. Antiplatelet Drugs for Neurointerventions: Part 2 Clinical Applications. [Review]. <i>Clinical Neuroradiology</i> . 2021;01:01.	6
1708	Pearce S, Maingard JT, Li K, Kok HK, Barras CD, Russell JH, et al. Antiplatelet Drugs for Neurointerventions: Part 1 Clinical Pharmacology. [Review]. <i>Clinical Neuroradiology</i> . 2020;30(3):425-33.	6
1709	Pedro M, Leal A, Meneses M, Duarte J, Dering L. Flow diverters for management of unruptured intracranial aneurysms: Single center series of 104 aneurysms: International Journal of Stroke. Conference: 12th World Stroke Congress 2020. Vienna Austria. 15 (1 SUPPL) (pp 588), 2020.	7
1710	Peeling L, Fiorella D. Balloon-assisted guide catheter positioning to overcome extreme cervical carotid tortuosity: Technique and case experience: <i>Journal of NeuroInterventional Surgery</i> . 6 (2) (pp 129-133), 2014.	3
1711	Peitz GW, Kura B, Johnson JN, Grandhi R. Transradial Approach for Deployment of a Flow Diverter for an Intracranial Aneurysm in a Patient with a Type-3 Aortic Arch. <i>Journal of Vascular & Interventional Neurology</i> . 2017;9(5):42-4.	3
1712	Peitz GW, Sy CA, Grandhi R. Endovascular treatment of blister aneurysms. [Review]. <i>Neurosurgical Focus</i> . 2017;42(6).	6
1713	Peker A, Akgoz A, Daglioglu E, Akmangit I, Arat A. Initial experience regarding intracranial balloon catheters with flat delivery systems: <i>Interventional Neuroradiology</i> . Conference: 13th Congress of the World Federation of Interventional and Therapeutic Neuroradiology, WFITN 2015 and 12th Interdisciplinary Cerebrovascular Symposium, Intracranial Stent Meeting, ICS 2015. Gold Coast, QLD Australia. Conference Publication: (var.pagings). 21 (SUPPL. 1) (pp 184), 2015.	7
1714	Peker A, Akmangit I, Akgoz A, Daglioglu E, Arat A. Tapered flow diverters: Initial experience: <i>Interventional Neuroradiology</i> . Conference: 13th Congress of the World Federation of Interventional and Therapeutic Neuroradiology, WFITN 2015 and 12th Interdisciplinary Cerebrovascular Symposium, Intracranial Stent Meeting, ICS 2015. Gold Coast, QLD Australia. Conference Publication: (var.pagings). 21 (SUPPL. 1) (pp 254-255), 2015.	7
1715	Peng L, Chen J, Cheng Y, Lv N, Gao H, Bai B. The Hemodynamic Effect of Flow Diverter Treatment of Intracranial Bifurcation Aneurysms: <i>Journal of Medical and Biological Engineering</i> . 40 (6) (pp 851-857), 2020.	3
1716	Peng T, Huang C, Jiang Y, Wan W, Yang X, Liu A, et al. Is Single Low-Profile Visualized Intraluminal Support (LVIS)-Assisted Coiling of Wide-Necked Ruptured Multiple Intracranial Aneurysms in One Stage Feasible? <i>World Neurosurgery</i> . 2018;118:e388-e94.	3
1717	Peng T, Li S, Huang C, Chen L, Jiang Y, Zheng W. Is single low-profile visualized intraluminal support (LVIS) assisted coiling of wide-necked ruptured multiple intracranial aneurysms in one-stage feasible: <i>International Journal of Stroke</i> . Conference: 12th World Stroke Congress 2020. Vienna Austria. 15 (1 SUPPL) (pp 168), 2020.	7
1718	Penghui M. Loess Landslides Triggered by Diversion Irrigation on the South Jingyang Platform in China. <i>대한지질공학회 학술발표논문집</i> . 2019;2019(2):308-.	2

연번	서지정보	배제 사유
1719	Pennig L, Goertz L, Hoyer UCI, Dorn F, Siebert E, Herzberg M, et al. The Woven EndoBridge (WEB) Versus Conventional Coiling for Treatment of Patients with Aneurysmal Subarachnoid Hemorrhage: Propensity Score-Matched Analysis of Clinical and Angiographic Outcome Data. <i>World Neurosurgery.</i> 2020;146:e1326–e34.	2
1720	Pereira VM, Bonnefous O, Ouared R, Brina O, Stawiaski J, Aerts H, et al. A DSA-based method using contrast-motion estimation for the assessment of the intra-aneurysmal flow changes induced by flow-diverter stents. <i>Ajnr: American Journal of Neuroradiology.</i> 2013;34(4):808–15.	3
1721	Pereira VM, Brina O, Delattre BM, Ouared R, Bouillot P, Erceg G, et al. Assessment of intra-aneurysmal flow modification after flow diverter stent placement with four-dimensional flow MRI: a feasibility study. <i>Journal of Neurointerventional Surgery.</i> 2015;7(12):913–9.	3
1722	Pereira VM, Kelly M, Vega P, Murias E, Yilmaz H, Erceg G, et al. New Pipeline Flex device: initial experience and technical nuances. <i>Journal of Neurointerventional Surgery.</i> 2015;7(12):920–5.	6
1723	Peret A, Mine B, Bonnet T, Ligot N, Bouziotis J, Lubicz B. Safety and efficacy of a pre-treatment antiplatelet regimen of unruptured intracranial aneurysms: a single-center experience. <i>Neuroradiology.</i> 1029;62(8):1029–41.	3
1724	Perez MA, Bhogal P, Moreno RM, Bazner H, Ganslandt O, Henkes H. The medina embolic device: Early clinical experience from a single center. <i>Journal of NeuroInterventional Surgery.</i> 9 (1) (pp 77–87), 2017.	3
1725	Perlo J, Silletta EV, Danieli E, Cattaneo G, Acosta RH, Blumich B, et al. Desktop MRI as a promising tool for mapping intra-aneurysmal flow. <i>Magnetic Resonance Imaging.</i> 2015;33(3):328–35.	9
1726	Peschillo S, Boccardi E, Cannizzaro D, Guidetti G, Valvassori L, Delfini R. Curative Reconstruction of Giant Fusiform Intracranial Aneurysms with Flow-Diverter and Self-expanding Stents. <i>Journal of Neurological Surgery, Part A: Central European Neurosurgery.</i> 76 (5) (pp 424–429), 2015.	3
1727	Peschillo S, Cannizzaro D, Missori P, Colonnese C, Santodirocco A, Santoro A, et al. Reconstructive endovascular treatment of a ruptured blood blister-like aneurysm of anterior communicating artery. <i>Journal of Neurosurgical Sciences.</i> 61 (4) (pp 438–441), 2017.	6
1728	Peterson J, Goyal N, Arthur AS, Fiorella D. Technical aspects of web device in aneurysm treatment. <i>Journal of neurointerventional surgery.</i> 12 (9) (pp 924), 2020.	6
1729	Peto I, Nouri M, Agazzi S, Langer D, Dehdashti AR. Pterygo-maxillary fissure as a landmark for localization of internal maxillary artery for use in extracranial-intracranial bypass. <i>Operative Neurosurgery.</i> 19 (5) (pp E480–E485), 2020.	2
1730	Petra FE. Tips and tricks using the surpass flow diverter (SFD): Giant aneurysm with complex carotid accesses. <i>Interventional Neuroradiology. Conference: 13th Congress of the World Federation of Interventional and Therapeutic Neuroradiology, WFITN 2015 and 12th Interdisciplinary Cerebrovascular Symposium, Intracranial Stent Meeting, ICS 2015. Gold Coast, QLD Australia. Conference Publication: (var.pagings). 21 (SUPPL. 1) (pp 255–256), 2015.</i>	7
1731	Petridis AK, Kaschner M, Cornelius JF, Kamp MA, Tortora A, Steiger HJ, et al. A new imaging tool for realtime measurement of flow velocity in intracranial aneurysms. <i>Clinics and Practice.</i> 7 (3) (pp 107–110), 2017.	6

연번	서지정보	배제 사유
1732	Petridis AK, Suresh M, Cornelius JF, Tortora A, Steiger HJ, Turowski B, et al. Aneurysm treatment response prediction in follow up black blood magnetic resonance imaging. A case series study: Clinics and Practice. 8 (1) (pp 31–35), 2018.	2
1733	Petrov A, Rentsenkhuu G, Nota B, Ganzorig E, Regzengombo B, Jagusch S, et al. Initial experience with the novel p64MW HPC flow diverter from a cohort study in unruptured anterior circulation aneurysms under dual antiplatelet medication. Interventional Neuroradiology. 2021;27(1):42–50.	2
1734	Phelps RRL, Lu AY, Lee AT, Yue JK, Winkler EA, Raygor KP, et al. Cerebrovascular complications of coccidioidomycosis meningitis: Case report and systematic review: Journal of Clinical Neuroscience. 80 (pp 282–289), 2020.	6
1735	Phillips TJ, Wenderoth JD, Phatouros CC, Rice H, Singh TP, Devilliers L, et al. Safety of the pipeline embolization device in treatment of posterior circulation aneurysms: American Journal of Neuroradiology. 33 (7) (pp 1225–1231), 2012.	3
1736	Phogat V, Gandhi A, Srivastava T, Mishra K. Endovascular management of intracranial pseudoaneurysm: an institutional experience. J Cerebrovasc Endovasc Neurosurg. 2020;22(4):211–5.	3
1737	Piano M, Boccardi E. Response: Journal of Neurosurgery. 118 (2) (pp 406–407), 2013. Date of Publication: February 2013.; 2013.	6
1738	Piano M, Lozupone E, Sgoifo A, Nuzzi NP, Asteggiano F, Pero G, et al. Long-term follow-up of the DERIVO R Embolization Device (DED R) for intracranial aneurysms: the Italian Multicentric Registry. Journal of Neurosurgical Sciences. 2021;21:21.	3
1739	Piano M, Valvassori L, Lozupone E, Pero G, Quilici L, Boccardi E, et al. FRED Italian Registry: a multicenter experience with the flow re-direction endoluminal device for intracranial aneurysms. Journal of Neurosurgery. 2019;10.	3
1740	Piano M, Valvassori L, Lozupone E, Pero G, Quilici L, Boccardi E. Flow diverter devices in ruptured intracranial aneurysms: A single center experience: Interventional Neuroradiology. Conference: 13th Congress of the World Federation of Interventional and Therapeutic Neuroradiology, WFITN 2015 and 12th Interdisciplinary Cerebrovascular Symposium, Intracranial Stent Meeting, ICS 2015. Gold Coast, QLD Australia. Conference Publication: (var.pagings). 21 (SUPPL. 1) (pp 256), 2015.	7
1741	Piano M, Valvassori L, Lozupone E, Pero G, Quilici L, Boccardi E. FRED Italian Registry: A multicenter experience with the flow re-direction endoluminal device for intracranial aneurysms: Journal of Neurosurgery. 133 (1) (pp 174–181), 2020.	8
1742	Piano M, Valvassori L, Quilici L, Pero G, Boccardi E. Midterm and long-term follow-up of cerebral aneurysms treated with flow diverter devices: A single-center experience : Special topic: Journal of Neurosurgery. 118 (2) (pp 408–416), 2013.	8
1743	Piano M, Valvassori L, Quilici L, Pero G, Boccardi E. Midterm and long-term follow-up of cerebral aneurysms treated with flow diverter devices: a single-center experience. Journal of Neurosurgery. 2013;118(2):408–16.	3
1744	Pickett GE, Cora A. Electrothermal Coil Detachment Failure in Flow Diverter-Assisted Coiling of a Small Blister Aneurysm: Technical Considerations and Possible Solutions. Neurointervention. 2021;08:08.	6
1745	Pickett GE, Hazelton L. Electroconvulsive therapy after flow diversion stenting of intracranial aneurysm: Journal of ECT. 35 (2) (pp E17–E19), 2019.	6
1746	Pierot L, Arthur A, Spelle L, Fiorella XD. Current evaluation of the safety and efficacy of aneurysm treatment with the web device: American Journal of Neuroradiology. 37 (4) (pp 586–587), 2016.	6

연번	서지정보	배제 사유
1747	Pierot L, Arthur AS, Fiorella D, Spelle L. Intrasaccular Flow Disruption with WEB Device: Current Place and Results in Management of Intracranial Aneurysms: World Neurosurgery. 122 (pp 313–316), 2019.	6
1748	Pierot L, Biondi A. Endovascular techniques for the management of wide-neck intracranial bifurcation aneurysms: A critical review of the literature. [Review]. Journal of Neuroradiology Journal de Neuroradiologie. 2016;43(3):167–75.	6
1749	Pierot L, Costalat V, Moret J, Szikora I, Klisch J, Herbreteau D, et al. Safety and efficacy of aneurysm treatment with WEB: Results of the WEBCAST study: Journal of Neurosurgery. 124 (5) (pp 1250–1256), 2016.	3
1750	Pierot L, Gauvrit J, Lejeune J, Degrelle A, Chabert E. Aneurysm treatment with fred and fred jr: Results of safe (safety and efficacy analysis of fred embolic device in aneurysm treatment) study: Journal of NeuroInterventional Surgery. Conference: 14th Annual Meeting of the Society of NeuroInterventional Surgery, SNIS 2017. Colorado Springs, CO United States. 9 (Supplement 1) (pp A13), 2017.	7
1751	Pierot L, Gauvrit JY, Lejeune JP, Derelle AL, Grabbillargues J. SAFE (safety and efficacy analysis of fred embolic device in aneurysm treatment): Study design and preliminary results: Interventional Neuroradiology. Conference: 13th Congress of the World Federation of Interventional and Therapeutic Neuroradiology, WFITN 2015 and 12th Interdisciplinary Cerebrovascular Symposium, Intracranial Stent Meeting, ICS 2015. Gold Coast, QLD Australia. Conference Publication: (var.pagings). 21 (SUPPL. 1) (pp 220), 2015.	7
1752	Pierot L, Gawlitza M, Soize S. Unruptured intracranial aneurysms: management strategy and current endovascular treatment options. [Review]. Expert Review of Neurotherapeutics. 2017;17(10):977–86.	6
1753	Pierot L, Gubucz I, Buhk JH, Holtmannspotter M, Herbreteau D, Stockx L, et al. Safety and Efficacy of Aneurysm Treatment with the WEB: Results of the WEBCAST 2 Study. Ajnr: American Journal of Neuroradiology. 2017;38(6):1151–5.	3
1754	Pierot L, Liebig T, Sychra V, Kadziolka K, Dorn F, Strasilla C, et al. Intrasaccular flow-disruption treatment of intracranial aneurysms: Preliminary results of a multicenter clinical study: American Journal of Neuroradiology. 33 (7) (pp 1232–1238), 2012.	6
1755	Pierot L, Molyneux A, Byrne J, Spelle L. Retreatments are part of the evaluation of device performance ... But have to be analyzed separately: Journal of NeuroInterventional Surgery. 13 (4) (pp E6), 2021.	6
1756	Pierot L, Moret J, Barreau X, Szikora I, Herbreteau D, Turjman F, et al. Aneurysm Treatment With Woven EndoBridge in the Cumulative Population of 3 Prospective, Multicenter Series: 2-Year Follow-Up. Neurosurgery. 2020;87(2):357–67.	4
1757	Pierot L, Soize S, Cappucci M, Manceau PF, Riva R, Eker OF. Surface-modified flow diverter p48-MW-HPC: Preliminary clinical experience in 28 patients treated in two centers. Journal of Neuroradiology Journal de Neuroradiologie. 2021;48(3):195–9.	3
1758	Pierot L, Spelle L, Berge J, Januel AC, Herbreteau D, Aggour M, et al. Feasibility, complications, morbidity, and mortality results at 6 months for aneurysm treatment with the Flow Re-Direction Endoluminal Device: Report of SAFE study: Journal of NeuroInterventional Surgery. 10 (8) (pp 765–770), 2018.	3
1759	Pierot L, Spelle L, Cognard C, Szikora I. Wide neck bifurcation aneurysms: What is the optimal endovascular treatment?: Journal of NeuroInterventional Surgery. 13 (5) (no pagination), 2021.	6

연번	서지정보	배제 사유
1760	Pierot L, Szikora I, Barreau X, Holtmannspoetter M, Spelle L, Herbreteau D, et al. Aneurysm treatment with WEB in the cumulative population of two prospective, multicenter series: 3-year follow-up: <i>Journal of NeuroInterventional Surgery</i> . 13 (4) (pp 363-368), 2021.	4
1761	Pierot L, Wakhloo AK. Endovascular treatment of intracranial aneurysms: current status. [Review]. <i>Stroke</i> . 2013;44(7):2046-54.	6
1762	Pierot L. [Place of interventional neuroradiology in the prevention of hemorrhagic stroke]. [Review] [French]. <i>Presse Medicale</i> . 2019;48(6):672-83.	6
1763	Pierot L. Flow diverter stents in the treatment of intracranial aneurysms: Where are we?. [Review]. <i>Journal of Neuroradiology Journal de Neuroradiologie</i> . 2011;38(1):40-6.	6
1764	Pierot L. In Reply: Aneurysm Treatment with Woven EndoBridge in the Cumulative Population of 3 Prospective, Multicenter Series: 2-Year Follow-up: <i>Neurosurgery</i> . 87 (1) (pp E78-E79), 2020.	6
1765	Pierot L. Letter by Pierot regarding article "Flow-diverter stent for the endovascular treatment of intracranial aneurysms: A prospective study in 29 patients with 34 aneurysms": <i>Stroke</i> . 42 (3) (pp e38-e39), 2011.	6
1766	Pierot XL, Moret J, Turjman F, Herbreteau D, Raoult H, Barreau X, et al. WEB treatment of intracranial aneurysms: Clinical and anatomic results in the French Observatory: <i>American Journal of Neuroradiology</i> . 37 (4) (pp 655-659), 2016.	3
1767	Pierro L, La Spina C, Corvi F, Cicinelli MV, Scomazzoni F, Cappelletti A, et al. Tirofiban as treatment for acute retinal artery occlusion following internal carotid artery flow diverter implantation. <i>European Journal of Ophthalmology</i> . 2016;26(4):10.	2
1768	Piotin M, Bartolini B, Redjem H, Pistocchi S, Blanc R. Endovascular treatment of small-unruptured cerebral aneurysms with flow diverters: <i>Journal of NeuroInterventional Surgery</i> . Conference: 11th Annual Meeting of the Society of NeuroInterventional Surgery, SNIS 2014. Colorado Springs, CO United States. Conference Publication: (var.pagings). 6 (SUPPL. 1) (pp A15), 2014.	7
1769	Piotin M, Biondi A, Sourour N, Blanc R. Treatment of intracranial aneurysms with the Luna Aes: Midterm clinical and angiographic follow-up: <i>Journal of NeuroInterventional Surgery</i> . Conference: 11th Annual Meeting of the Society of NeuroInterventional Surgery, SNIS 2014. Colorado Springs, CO United States. Conference Publication: (var.pagings). 6 (SUPPL. 1) (pp A19-A20), 2014.	7
1770	Piotin M, Biondi A, Sourour N, Mounayer C, Andersson T, Soderman M, et al. Treatment of intracranial aneurysms with the LUNA AES updated: <i>Journal of NeuroInterventional Surgery</i> . Conference: 10th Annual Meeting of the Society of NeuroInterventional Surgery, SNIS 2013. Miami, FL United States. Conference Publication: (var.pagings). 5 (SUPPL. 2) (pp A9-A10), 2013.	7
1771	Piotin M, Pistocchi S, Bartolini B, Blanc R. Flow diverters in the treatment of anterior circulation cerebral aneurysms: <i>Interventional Neuroradiology</i> . Conference: 11th Congress of the World Federation of Interventional and Therapeutic Neuroradiology, WFITN 2011. Cape Town South Africa. Conference Publication: (var.pagings). 17 (SUPPL. 1) (pp 58), 2011.	7
1772	Piotin M, Pistocchi S, Bartolini B, Blanc R. Treatment of intracranial aneurysms with flow diverters: A prospective study in 97 patients with 111 aneurysms: <i>Journal of NeuroInterventional Surgery</i> . Conference: 8th Annual Meeting of the Society of NeuroInterventional Surgery, SNIS 2011. Colorado Springs, CO United States. Conference Publication: (var.pagings). 3 (SUPPL. 1) (pp A7-A8), 2011.	7

연번	서지정보	배제 사유
1773	Piotin M, Sourour N, Biondi A, Mounayer C, Blanc R. The luna aneurysm embolization system for treatment of intracranial aneurysms: Journal of NeuroInterventional Surgery. Conference: 9th Annual Meeting of the Society of NeuroInterventional Surgery, SNIS 2012. San Diego, CA United States. Conference Publication: (var.pagings). 4 (SUPPL. 1) (pp A16), 2012.	7
1774	Pistocchi S, Blanc R, Bartolini B, Piotin M. Flow diverters at and beyond the level of the circle of willis for the treatment of intracranial aneurysms. []: Stroke. (no pagination), 2012.	8
1775	Pistocchi S, Blanc R, Bartolini B, Piotin M. Flow diverters at and beyond the level of the circle of willis for the treatment of intracranial aneurysms. Stroke. 2012;43(4):1032–8.	3
1776	Pistocchi S, Blanc R, Bartolini B, Piotin M. Flow Diverters at and beyond the level of the circle of Willis for the treatment of intracranial aneurysms: Interventional Neuroradiology. Conference: 11th Congress of the World Federation of Interventional and Therapeutic Neuroradiology, WFITN 2011. Cape Town South Africa. Conference Publication: (var.pagings). 17 (SUPPL. 1) (pp 107), 2011.	7
1777	Poker A, Ocal O, Ozturk E, Arat A. Propensity Score Analysis of Flow Diverters Placed in Scaffolding Stents. Ajnr: American Journal of Neuroradiology. 2021;04:04.	2
1778	Poncyljusz W, Sagan L, Safranow K, Rac M. Initial experience with implantation of novel dual layer flow-diverter device FRED: Wideochirurgia I Inne Techniki Maloinwazyjne. 8 (3) (pp 258–264), 2013.	3
1779	Poncyljusz W, Zwarzany L, Safranow K. Visualization of novel microstents in patients with unruptured intracranial aneurysms with contrast-enhanced flat panel detector CT: European Journal of Radiology. 84 (7) (pp 1313–1317), 2015. Article Number: 7102.	2
1780	Popielski J, Berlis A, Weber W, Fischer S. Two-Center Experience in the Endovascular Treatment of Ruptured and Unruptured Intracranial Aneurysms Using the WEB Device: A Retrospective Analysis. Ajnr: American Journal of Neuroradiology. 2018;39(1):111–7.	3
1781	Potts MB, Hurley MC, Ansari SA, Shaibani A, Geraghty SR, Grobelny TJ, et al. Mechanical Thrombectomy for Delayed Thrombosis of Pipeline Embolization Device: World Neurosurgery. 140:237–240, 2020 08.: 2020.	3
1782	Potts MB, Shapiro M, Zumofen DW, Raz E, Nossek E, DeSousa KG, et al. Parent vessel occlusion after Pipeline embolization of cerebral aneurysms of the anterior circulation: Journal of Neurosurgery. 127 (6) (pp 1333–1341), 2017.	3
1783	Prabhakar H, Mishra R, Mahajan C, Kapoor I. Perioperative management during placement of flow diverters in intracranial aneurysms: A clinical report: Journal of Neurosurgical Anesthesiology. Conference: 45th Annual Meeting of the Society for Neuroscience in Anesthesiology and Critical Care. Boston, MA United States. 29 (4) (pp 532), 2017.	7
1784	Prasad V, Gandhi D, Jindal G. Pipeline endovascular reconstruction of traumatic dissecting aneurysms of the intracranial internal carotid artery: BMJ Case Reports. (no pagination), 2013.	3
1785	Prasad V, Vandross A, Toomey C, Cheung M, Rho J, Quinn S, et al. A decade of reversal: An analysis of 146 contradicted medical practices: Mayo Clinic Proceedings. 88 (8) (pp 790–798), 2013.	6

연번	서지정보	배제 사유
1786	Prats IBC, Cendon JCM, Benito EF, Sanchez JB, Poza JG. Intracranial aneurysms treated with flow diverters. Follow up and assessment of angiographic results: Neuroradiology. Conference: 15th Neuroradiology Congress. Valencia Spain. 59 (2) (pp 206), 2017.	7
1787	Pravdivtseva M, Peschke E, Velvaluri P, Jansen O, Hovener JB. Do my vessel implants work? an answer attempted with mri: Clinical Neuroradiology. Conference: 54. Jahrestagung der Deutschen Gesellschaft fur Neuroradiologie e.V. und 27. Jahrestagung der Österreichischen Gesellschaft fur Neuroradiologie. Frankfurt a.M. Germany. 29 (SUPPL 1) (pp S94), 2019.	7
1788	Pravdivtseva MS, Peschke E, Lindner T, Wodarg F, Hensler J, Gabbert D, et al. 3D-printed, patient-specific intracranial aneurysm models: From clinical data to flow experiments with endovascular devices. Medical Physics. 2021;48(4):1469–84.	9
1789	Pressman E, De La Garza CA, Chin F, Fishbein J, Waqas M, Siddiqui A, et al. Nuisance bleeding complications in patients with cerebral aneurysm treated with Pipeline embolization device: Journal of NeuroInterventional Surgery. 13 (3) (pp 247–250), 2021.	3
1790	Prestigiacomo CJ. Commentary: Multicenter Study of Pipeline Flex for Intracranial Aneurysms: Clinical Neurosurgery. 84 (6) (pp E412–E413), 2019. Article Number: nyv528.	6
1791	Prestigiacomo CJ. Commentary: Pipeline embolization device for small intracranial aneurysms: Evaluation of safety and efficacy in a multicenter cohort: Neurosurgery. 80 (4) (pp 588–589), 2017.	6
1792	Prestigiacomo CJ. Reply: Comments: Neurosurgery. 81 (1) (pp 97), 2017.	6
1793	Priban V, Choc M, Mracek J, Runt V, Fiedler J, Duras P. [Current microsurgical and neurointerventional therapy of cerebral aneurysms]. [Czech]: Rozhledy v chirurgii : mesicnik Ceskoslovenske chirurgicke spolecnosti. 91 (11) (pp 588–596), 2012.	8
1794	Priban V, Choc M, Mracek J, Runt V, Fiedler J, Duras P. [Current microsurgical and neurointerventional therapy of cerebral aneurysms]. [Review] [Czech]. Rozhledy. 2012:588–96.	6
1795	Primiani CT, Ren Z, Kan P, Hanel R, Pereira VM, Lui WM, et al. A2, M2, P2 aneurysms and beyond: results of treatment with pipeline embolization device in 65 patients. Journal of Neurointerventional Surgery. 2019;11(9):903–7.	3
1796	Princiotta C, Dall'olio M, Cirillo L, Leonardi M. Staged treatment of a blood blister-like aneurysm with stent-assisted coiling followed by flow diverter in-stent insertion. A case report. Interventional Neuroradiology. 2011;17(3):365–70.	6
1797	Puffer C, Dai D, Ding YH, Cebral J, Kallmes D, Kadirvel R. Gene expression comparison of flow diversion and coiling in an experimental aneurysm model. Journal of Neurointerventional Surgery. 2015;7(12):926–30.	9
1798	Puffer RC, Piano M, Lanzino G, Valvassori L, Kallmes DF, Quilici L, et al. Treatment of cavernous sinus aneurysms with flow diversion: results in 44 patients. Ajnr: American Journal of Neuroradiology. 2014;35(5):948–51.	3
1799	Pujari A, Howard BM, Madaelil TP, Skukalek SL, Roy AK, Dion JE, et al. Pipeline embolization device treatment of internal carotid artery terminus aneurysms. Journal of Neurointerventional Surgery. 2019;11(5):485–8.	3
1800	Pujari A, Howard BM, Skukalek SL, Cherian J, Al-Bayati A, Tong F, et al. Hemodynamic Fate of the Precommunicating Anterior Cerebral Artery Is Predicted by Vessel Dominance After Pipeline Embolization Device Deployment Across the Internal Carotid Artery Terminus. World Neurosurgery. 2019;128:e688–e93.	3

연번	서지정보	배제 사유
1801	Pumar JM, Arias-Rivas S, Rodriguez-Yanez M, Blanco M, Ageitos M, Vazquez-Herrero F, et al. Using Leo Plus stent as flow diverter and endoluminal remodeling in endovascular treatment of intracranial fusiform aneurysms. <i>Journal of Neurointerventional Surgery</i> . 2013;5(3).	2
1802	Pumar JM, Banguero A, Arias-Rivas S, Blanco M, Rodriguez-Yanez M, Sucasas P, et al. [Rescue treatment in acute thrombosis of intracranial stents]. [Spanish]. <i>Revista de Neurologia</i> . 2014;58(3):113–6.	10
1803	Pumar JM, Banguero A, Cuellar H, Guimaraens L, Masso J, Miralbes S, et al. Treatment of Intracranial Aneurysms With the SILK Embolization Device in a Multicenter Study. A Retrospective Data Analysis. <i>Neurosurgery</i> . 2017;81(4):595–601.	3
1804	Pumar JM, Mosqueira A, Blanco-Ulla M, Vazquez-Herrero F. Recanalization and rupture of a brain aneurysm completely occluded with a LEO stent nine years ago: Interdisciplinary Neurosurgery: Advanced Techniques and Case Management. 25 (no pagination), 2021. Article Number: 101231.	6
1805	Purakal AS, Ginat DT, Lee SK. Successfully treated symptomatic fusiform basilar artery aneurysm in a patient with hindbrain malformation via inverted Y-stenting. <i>BMJ Case Reports</i> . 2015;27:27.	3
1806	Purakal AS, Ginat DT, Lee SK. Successfully treated symptomatic fusiform basilar artery aneurysm in a patient with hindbrain malformation via inverted Y-stenting. <i>Journal of Neurointerventional Surgery</i> . 2016;8(3).	8
1807	Puri A, Massari F, Hou S, Perras M, Brooks C, Stout C, et al. Use of flow diverters in the endovascular reconstruction of fusiform dissecting vertebral artery aneurysms: <i>Journal of NeuroInterventional Surgery</i> . Conference: 11th Annual Meeting of the Society of NeuroInterventional Surgery, SNIS 2014. Colorado Springs, CO United States. Conference Publication: (var.pagings). 6 (SUPPL. 1) (pp A56–A57), 2014.	7
1808	Puri A, Massari F, Hou S, Perras M, Brooks C, Stout C, et al. Use of flow diverters in vessels less than 2.5 mm during intracranial aneurysm treatment: <i>Journal of NeuroInterventional Surgery</i> . Conference: 11th Annual Meeting of the Society of NeuroInterventional Surgery, SNIS 2014. Colorado Springs, CO United States. Conference Publication: (var.pagings). 6 (SUPPL. 1) (pp A57), 2014.	7
1809	Puri AS, Massari F, Asai T, Marosfoi M, Kan P, Hou SY, et al. Safety, efficacy, and short-term follow-up of the use of Pipeline Embolization Device in small (<2.5 mm) cerebral vessels for aneurysm treatment: single institution experience. <i>Neuroradiology</i> . 2016;58(3):267–75.	3
1810	Qian Y, Chong W, Yang W, Verrelli D, Karunanithi K. The effect of flow diverters on haemodynamic characteristics in intracranial aneurysms: <i>Interventional Neuroradiology</i> . Conference: 13th Congress of the World Federation of Interventional and Therapeutic Neuroradiology, WFITN 2015 and 12th Interdisciplinary Cerebrovascular Symposium, Intracranial Stent Meeting, ICS 2015. Gold Coast, QLD Australia. Conference Publication: (var.pagings). 21 (SUPPL. 1) (pp 193), 2015.	7
1811	Qinghai H, Jianmin L. Flow diverter for intracranial aneurysms: Pros and cons of pipeline embolization device. [Chinese]: <i>Chinese Journal of Cerebrovascular Diseases</i> . 15 (1) (pp 1–3), 2018.	10

연번	서지정보	배제 사유
1812	Quadri SA, Puri A, Fitzsimmons BF, Rai A, Given C, Masso J, et al. A prospective multi-center trial of transformTM occlusion balloon catheter (TOBC): Trial design and results: Interventional Neuroradiology. Conference: 13th Congress of the World Federation of Interventional and Therapeutic Neuroradiology, WFITN 2015 and 12th Interdisciplinary Cerebrovascular Symposium, Intracranial Stent Meeting, ICS 2015. Gold Coast, QLD Australia. Conference Publication: (var.pagings). 21 (SUPPL. 1) (pp 182), 2015.	7
1813	Quaschling U, Klaver M, Richter C, Hamerla G, Mucha S, Scherlach C, et al. Flow diversion in challenging vascular anatomies: the use of low profile stent retrievers for safe and accurate positioning of the microcatheter. CVIR Endovascular. 2020;3(1):30.	6
1814	Qureshi AI, Jahngir MU, Qualls K, Akinci Y, Lobanova I, Liaqat J, et al. The Effect of Ticagrelor on Platelet Reactivity in Patients with Clopidogrel Resistance Undergoing Neuroendovascular Procedures: Journal of Neuroimaging. 30 (3) (pp 327–334), 2020.	2
1815	Quschling U, Schob S, Nestler U, Hoffmann KT. Moderately flow redirecting stent-assisted coiling of ruptured and incidental aneurysms of the intracranial circulation using LEO+baby stents –initial experience in 39 patients: CardioVascular and Interventional Radiology. Conference: Interventional Radiology Olbert Symposium, IROS 2018. Salzburg Austria. 41 (1 Supplement 1) (pp S13), 2018.	7
1816	Raghuram K, Saleem A. Postprocessing to aid simulation planning of stent assisted coil embolization and flow pd diversion procedure using virtual stenting: Journal of NeuroInterventional Surgery. Conference: 14th Annual Meeting of the Society of NeuroInterventional Surgery, SNIS 2017. Colorado Springs, CO United States. 9 (Supplement 1) (pp A58), 2017.	7
1817	Rahal JP, Malek AM. Clip occlusion versus coil embolization for the treatment of cerebral aneurysms. [Review]. Journal of Neurosurgical Sciences. 2012;56(3):175–90.	6
1818	Rahbarian F, Baharvahdat H, Zabihyan S, Etemadrezaieh H, Shabestari M, Karamian F, et al. Endovascular approach for treatment of ruptured aneurysm in Northeast of Iran: Journal of the Neurological Sciences. Conference: World Congress of Neurology (WCN 2019). Dubai United Arab Emirates. 405 (Supplement) (pp 120), 2019.	7
1819	Rai A, Cline B, Tarabishy A, Patterson J, Boo S, Carpenter J. The financial impact of flow diverters on the endovascular treatment of cerebral aneurysms: Journal of NeuroInterventional Surgery. Conference: 11th Annual Meeting of the Society of NeuroInterventional Surgery, SNIS 2014. Colorado Springs, CO United States. Conference Publication: (var.pagings). 6 (SUPPL. 1) (pp A21-A22), 2014.	7
1820	Raj R, Rautio R, Pekkola J, Rahi M, Sillanpaa M, Numminen J. Treatment of Ruptured Intracranial Aneurysms Using the Woven EndoBridge Device: A Two-Center Experience. World Neurosurgery. 2019;123:e709–e16.	3
1821	Rajah G, Narayanan S, Rangel-Castilla L. Update on flow diverters for the endovascular management of cerebral aneurysms. [Review]. Neurosurgical Focus. 2017;42(6).	6
1822	Rajpal G, Kadziolka K, Estrade L, Pierot L. Flow diverter neuroendovascular stents-reconstructive endovascular treatment of intracranial aneurysms: Single centre experience: Interventional Neuroradiology. Conference: 11th Congress of the World Federation of Interventional and Therapeutic Neuroradiology, WFITN 2011. Cape Town South Africa. Conference Publication: (var.pagings). 17 (SUPPL. 1) (pp 173–174), 2011.	7

연번	서지정보	배제 사유
1823	Rangel-Castilla L, Cress MC, Munich SA, Sonig A, Krishna C, Gu EY, et al. Feasibility, Safety, and Periprocedural Complications of Pipeline Embolization for Intracranial Aneurysm Treatment Under Conscious Sedation: University at Buffalo Neurosurgery Experience. <i>Neurosurgery</i> . 2015;3:426–30.	3
1824	Rangel-Castilla L, Munich SA, Jaleel N, Cress MC, Krishna C, Sonig A, et al. Patency of anterior circulation branch vessels after Pipeline embolization: longer-term results from 82 aneurysm cases. <i>Journal of Neurosurgery</i> . 2017;126(4):1064–9.	3
1825	Raoult H, Eugene F, Le Bras A, Mineur G, Carsin-Nicol B, Ferre JC, et al. CT angiography for one-year follow-up of intracranial aneurysms treated with the WEB device: Utility in evaluating aneurysm occlusion and WEB compression at one year. <i>Journal of Neuroradiology Journal de Neuroradiologie</i> . 2018;45(6):343–8.	3
1826	Raper DMS, Chen CJ, Kumar J, Kalani MY, Park MS. Predicting Outcomes for Cerebral Aneurysms Treated with Flow Diversion: A Comparison Between 4 Grading Scales. <i>World Neurosurgery</i> . 2019;128:e209–e16.	3
1827	Raper DMS, Rutledge C, Abla AA. Letter: Aneurysm Treatment with Woven EndoBridge in the Cumulative Population of 3 Prospective, Multicenter Series: 2-Year Follow-up. <i>Neurosurgery</i> . 87 (1) (pp E77), 2020.	6
1828	Rasmussen PA. Comments: Clinical Neurosurgery. 79 (1) (pp 22), 2016. Date of Publication: 2016.; 2016.	6
1829	Rautio R, Alpay K, Sinisalo M, Numminen J. Treatment of intracranial aneurysms using the new Surpass Evolve flow diverter: Safety outcomes and six-month imaging follow-up. <i>Journal of Neuroradiology Journal de Neuroradiologie</i> . 2021;27:27.	3
1830	Rautio R, Rahi M, Katila A, Rinne J. Single-center experience with six-month follow-up of FRED Jr flow diverters for intracranial aneurysms in small arteries: <i>Acta Radiologica</i> . 60 (7) (pp 917–924), 2019.	3
1831	Ravina K, Strickland BA, Rennert RC, Fredrickson V, Bakhsheshian J, Chien M, et al. Fusiform vertebral artery aneurysms involving the posterior inferior cerebellar artery origin associated with the sole angiographic anterior spinal artery origin: technical case report and treatment paradigm proposal. <i>Journal of Neurosurgery</i> . 2018;01.	6
1832	Ravindra VM, Mazur M, Park M, Kilburg C, Hardman R, Moran C, et al. Complications in endovascular neurosurgery: Critical analysis and classification: <i>Journal of Neurosurgery Conference: 2016 AANS Annual Scientific Meeting</i> . Chicago, IL United States. 124 (4) (pp A1172–A1173), 2016.	7
1833	Ravindra VM, Mazur MD, Park MS, Kilburg C, Moran CJ, Hardman RL, et al. Complications in Endovascular Neurosurgery: Critical Analysis and Classification: <i>World Neurosurgery</i> . 95 (pp 1–8), 2016.	3
1834	Ravindran K, Casabella AM, Cebral J, Brinjikji W, Kallmes DF, Kadirvel R. Mechanism of Action and Biology of Flow Diverters in the Treatment of Intracranial Aneurysms. [Review]. <i>Neurosurgery</i> . 2020;86(Suppl 1):S13–S9.	8
1835	Ravindran K, Casabella AM, Cebral J, Brinjikji W, Kallmes DF, Kadirvel R. Mechanism of Action and Biology of Flow Diverters in the Treatment of Intracranial Aneurysms: <i>Neurosurgery</i> . 86 (Supplement 1) (pp S13–S19), 2020.	6
1836	Ravindran K, DiStasio M, Laham R, Ogilvy CS, Thomas AJ, VanderLaan PA, et al. Histopathological Demonstration of Subacute Endothelialization Following Aneurysm Retreatment with the Pipeline Embolization Device: <i>World Neurosurgery</i> . 118 (pp 156–160), 2018.	3

연번	서지정보	배제 사유
1837	Ravindran K, Enriquez-Marulanda A, Kan PTM, Renieri L, Limbucci N, Mangiafico S, et al. Use of Flow Diversion for the Treatment of Distal Circulation Aneurysms: A Multicohort Study. <i>World Neurosurgery</i> . 2018;118:e825–e33.	4
1838	Ravindran K, Salem MM, Alturki AY, Thomas AJ, Ogilvy CS, Moore JM. Endothelialization following Flow Diversion for Intracranial Aneurysms: A Systematic Review. <i>Ajnr: American Journal of Neuroradiology</i> . 2019;40(2):295–301.	6
1839	Ravindran K, Salem MM, Enriquez-Marulanda A, Alturki AY, Moore JM, Thomas AJ, et al. Quantitative Assessment of In-Stent Stenosis After Pipeline Embolization Device Treatment of Intracranial Aneurysms: A Single-Institution Series and Systematic Review. <i>World Neurosurgery</i> . 2018;120:e1031–e40.	6
1840	Raychev R, Tateshima S, Jahan R, Gonzalez N, Szeder V, Vinuela F, et al. Predicting mass effect exacerbation after pipeline embolization of intracranial aneurysms: <i>Journal of NeuroInterventional Surgery</i> . Conference: 11th Annual Meeting of the Society of NeuroInterventional Surgery, SNIS 2014. Colorado Springs, CO United States. Conference Publication: (var.pagings). 6 (SUPPL. 1) (pp A27), 2014.	7
1841	Raychev R, Tateshima S, Vinuela F, Jahan R, Gonzalez N, Szeder V, et al. Thrombotic and hemorrhagic complications after pipeline embolization – A platelet aggregation and transcranial doppler study: <i>Stroke</i> . Conference: 2014 International Stroke Conference and State-of-the-Science Stroke Nursing Symposium of the American Heart Association/American Stroke Association. San Francisco, CA United States. Conference Publication: (var.pagings). 45 (SUPPL. 1) (no pagination), 2014.	7
1842	Raychev R, Tateshima S, Vinuela F, Sayre J, Jahan R, Gonzalez N, et al. Predictors of thrombotic complications and mass effect exacerbation after pipeline embolization: The significance of adenosine diphosphate inhibition, fluoroscopy time, and aneurysm size: <i>Interventional Neuroradiology</i> . 22 (1) (pp 34–41), 2016.	3
1843	Rayepalli S, Gupta R, Lum C, Majid A, Koochesfahani M. The impact of stent strut porosity on reducing flow in cerebral aneurysms. <i>Journal of Neuroimaging</i> . 2013;23(4):495–501.	9
1844	Raymond J, Darsaut TE, Guilbert F, Weill A, Roy D. Flow diversion in aneurysms trial: the design of the FIAT study: <i>Interventional neuroradiology : journal of peritherapeutic neuroradiology, surgical procedures and related neurosciences</i> . 17 (2) (pp 147–153), 2011.	3
1845	Raymond J, Darsaut TE, Makoyeva A, Bing F, Salazkin I. Endovascular treatment with flow diverters may fail to occlude experimental bifurcation aneurysms. <i>Neuroradiology</i> . 2013;55(11):1355–63.	9
1846	Raymond J, Gentric JC, Darsaut TE, Iancu D, Chagnon M, Weill A, et al. Flow diversion in the treatment of aneurysms: a randomized care trial and registry. <i>Journal of Neurosurgery</i> . 2017;127(3):454–62.	4
1847	Raymond J, Januel AC, Iancu D, Roy D, Weill A, Carlson A, et al. The RISE trial: A Randomized Trial on Intra-Saccular Endobridge devices. <i>Interventional Neuroradiology</i> . 2020;26(1):61–7.	3
1848	Raymond J, Roy D, Weill A, Guilbert F. Stenting in the treatment of large, wide-necked or recurring intracranial aneurysms trial – The STAT trial: <i>Interventional Neuroradiology</i> . Conference: 11th Congress of the World Federation of Interventional and Therapeutic Neuroradiology, WFITN 2011. Cape Town South Africa. Conference Publication: (var.pagings). 17 (SUPPL. 1) (pp 175–176), 2011.	7

연번	서지정보	배제 사유
1849	Raymond J, Weill A, Roy D, Guilbert F. Flow diversion in intracranial aneurysm treatment – The FIAT trial. A randomized trial comparing flow diversion and best-standard-treatment: Interventional Neuroradiology. Conference: 11th Congress of the World Federation of Interventional and Therapeutic Neuroradiology, WFITN 2011. Cape Town South Africa. Conference Publication: (var.pagings). 17 (SUPPL. 1) (pp 176), 2011.	7
1850	Raymond SB, Koch MJ, Rabinov JD, Leslie-Mazwi TM, Torok CM, Stapleton CJ, et al. The Role of Collateral Circulation in Branch Vessel Occlusion After Flow Diversion. <i>World Neurosurgery</i> . 2018;26:26.	3
1851	Raz E, Shapiro M, Buciuc R, Nelson PK, Nossek E. Radial Artery Access for Treatment of Posterior Circulation Aneurysms Using the Pipeline Embolization Device: Case Series. <i>Operative Neurosurgery</i> . 2019;17(4):340-7.	3
1852	Recker MJ, Rajah GB, Tso MK, Dossani RH, Levy EI. Treatment of Carotid Ophthalmic Aneurysm With Woven EndoBridge (WEB SL): 2-Dimensional Operative Video. <i>Operative Neurosurgery</i> . 2020;19(4):E424-E5.	2
1853	Rehman AA, Turner RC, Wright S, Boo S, Rai AT. An autopsy report of basilar artery aneurysm flow diversion complicated by postoperative day 3 hemorrhage from vessel rupture: <i>Journal of NeuroInterventional Surgery</i> . 11 (5) (pp E2), 2019.	6
1854	Reig Rosello G, Ramos C, Martinez Vicente L, Villacieros J, Zapata Wainberg G, Trillo S, et al. Cerebral aneurysm treatment in the last 5 years is the surgery era over?: <i>European Stroke Journal</i> . Conference: 3rd European Stroke Organisation Conference, ESOC 2017. Prague Czechia. 2 (1 Supplement 1) (pp 401), 2017.	7
1855	Resta M, Pestrichella F, Resta MC, Monaco D, Burdi N, Resta F, et al. Peri-procedural rupture of giant aneurysm treated with flow diverter device: Interventional Neuroradiology. Conference: 11th Congress of the World Federation of Interventional and Therapeutic Neuroradiology, WFITN 2011. Cape Town South Africa. Conference Publication: (var.pagings). 17 (SUPPL. 1) (pp 99), 2011.	7
1856	Resta MC, Pestrichella F, Monaco D, Burdi N, Resta F, Donatelli M, et al. PIPELINE Embolization Device in the treatment of cerebral aneurysms: Interventional Neuroradiology. Conference: 11th Congress of the World Federation of Interventional and Therapeutic Neuroradiology, WFITN 2011. Cape Town South Africa. Conference Publication: (var.pagings). 17 (SUPPL. 1) (pp 109-110), 2011.	7
1857	ReXiaTi N, AiKeReMu R, KaDeEr K, Fan YD, Feng ZH, Wang K, et al. Short-term efficacy of pipeline embolization device for treating complex intracranial aneurysms. <i>Bio Medical Materials & Engineering</i> . 2018;29(2):137-46.	3
1858	Reymond P, Brina O, Bouillot P, Luthman AS, Santarosa C, Farhat M, et al. Aneurysmal velocity reduction assessment after flow diversion using 4D-PCMRI: A prospective study on 23 patients: Neuroradiology. Conference: 42nd Annual Meeting of the European Society of Neuroradiology – Diagnostic and Interventional, ESNR 2019. Oslo Norway. 61 (1) (pp S25-S26), 2019.	7
1859	Reynolds MR, Heiferman DM, Boucher AB, Howard BM, Barrow DL, Dion JE. Multiple intracranial aneurysms in a patient with type I Gaucher disease: a case report and literature review. [Review]. <i>British Journal of Neurosurgery</i> . 2020;34(2):202-4.	8
1860	Reynolds MR, Heiferman DM, Boucher AB, Howard BM, Barrow DL, Dion JE. Multiple intracranial aneurysms in a patient with type I Gaucher disease: a case report and literature review: <i>British Journal of Neurosurgery</i> . 34 (2) (pp 202-204), 2020.	6

연번	서지정보	배제 사유
1861	Rho MH, Kim BM, Won YS. Stent-assisted coil embolization of middle cerebral artery aneurysms in single center: Interventional Neuroradiology. Conference: 11th Congress of the World Federation of Interventional and Therapeutic Neuroradiology, WFITN 2011. Cape Town South Africa. Conference Publication: (var.pagings). 17 (SUPPL. 1) (pp 149), 2011.	7
1862	Ribeiro de Sousa D, Vallecilla C, Chodzynski K, Corredor Jerez R, Malaspina O, Eker OF, et al. Determination of a shear rate threshold for thrombus formation in intracranial aneurysms. <i>Journal of Neurointerventional Surgery</i> . 2016;8(8):853–8.	3
1863	Rice H, Martinez Galdamez M, Holtmannspotter M, Spelle L, Lagios K, Ruggiero M, et al. Periprocedural to 1-year safety and efficacy outcomes with the Pipeline Embolization Device with Shield technology for intracranial aneurysms: A prospective, post-market, multi-center study: <i>Journal of NeuroInterventional Surgery</i> . 12 (11) (pp 1107–1112), 2020.	3
1864	Riina HA, Barker FG. The relevance of the BRAT and the management of ruptured brain aneurysms: <i>Journal of Neurosurgery</i> . 132 (3) (pp 760–761), 2020.	6
1865	Riina HA. Coiling VS. clipping: Long-term-efficacy. Why still a debate?: Neuroradiology. Conference: 38th European Society of Neuroradiology Diagnostic and Interventional Annual Meeting, ESNR 2015. Naples Italy. Conference Publication: (var.pagings). 57 (1 SUPPL. 1) (pp S38), 2015.	7
1866	Rinaldo L, Brinjikji W, Cloft H, Lanzino G, Gonzalez LF, Kan P, et al. Effect of Fetal Posterior Circulation on Efficacy of Flow Diversion for Treatment of Posterior Communicating Artery Aneurysms: A Multi-Institutional Study. <i>World Neurosurgery</i> . 1232:127:e1232–e6.	4
1867	Rinaldo L, Brinjikji W, Cloft HJ, Kallmes DF, Rangel-Castilla L. Effect of Carotid Siphon Anatomy on Aneurysm Occlusion After Flow Diversion for Treatment of Internal Carotid Artery Aneurysms. <i>Operative Neurosurgery</i> . 2019;17(2):123–31.	3
1868	Ringelstein A, Schlamann M, Goericke SL, Monninghoff C, Sandalcioglu IE, El Hindy N, et al. [3-year follow-up after endovascular aneurysm treatment with Silk R flow diverter]. [German]. <i>Fortschritte auf dem Gebiete der Rontgenstrahlen und der Nuklearmedizin</i> . 2013;185(4):328–32.	10
1869	Rios DM, Winters K, Seifi A. An experience with cangrelor in a patient with pipeline embolization device.	3
1870	Rizk C, Abi Chedid G, Salem C, Farah J. Investigating the parameters that affect the radiation exposure and establishing typical values based on procedure complexity for cerebral angiography and brain aneurysm embolization: <i>Neuroradiology</i> . 63 (5) (pp 787–794), 2021.	2
1871	Roa JA, Hasan DM, Samaniego EA. Mechanical Thrombectomy of Acutely Occluded Flow-Diverters – Neuroendovascular Surgical Technique Demonstration: 2-Dimensional Operative Video. <i>Operative Neurosurgery</i> . 2020;19(2):E176–E7.	6
1872	Roa JA, Ortega-Gutierrez S, Martinez-Galdamez M, Maud A, Dabus G, Pazour A, et al. Transcirculation Approach for Endovascular Embolization of Intracranial Aneurysms, Arteriovenous Malformations, and Dural Fistulas: A Multicenter Study. <i>World Neurosurgery</i> . 2020;134:e1015–e27.	3
1873	Roa JA, Zanaty M, Dandapat S, Samaniego E, Jabbour P, Hasan DM. Diverse use of theweb device: A technical note on web stenting and web coiling of complex aneurysms: <i>Clinical Neurosurgery</i> . Conference: 2019 Annual Meeting Congress of Neurological Surgeons, CNS 2019. San Francisco, CA United States. 66 (Supplement 1) (pp 108–109), 2019.	7

연번	서지정보	배제 사유
1874	Roberts M, Nickele C, Welch B, Ban V, Ringer A, Kim L, et al. Matricidal cavernous aneurysms: A multicenter case series: Journal of NeuroInterventional Surgery. Conference: 14th Annual Meeting of the Society of NeuroInterventional Surgery, SNIS 2017. Colorado Springs, CO United States. 9 (Supplement 1) (pp A69), 2017.	7
1875	Rodriguez JN, Hwang W, Horn J, Landsman TL, Boyle A, Wierzbicki MA, et al. Design and biocompatibility of endovascular aneurysm filling devices: Journal of Biomedical Materials Research – Part A. 103 (4) (pp 1577–1594), 2015.	6
1876	Rolling CC, Tomada J, Frolich AM, Holst B, Holstein K, Voigtlander M, et al. Comparison of acetylsalicylic acid and clopidogrel non-responsiveness assessed by light transmittance aggregometry and PFA-100 ^X in patients undergoing neuroendovascular procedures: Clinical Chemistry and Laboratory Medicine. 59 (2) (pp 383–392), 2021.	2
1877	Romagna A, Ladisich B, Schwartz C, Winkler PA, Rahman AA. Flow-diverter stents in the endovascular treatment of remnants in previously clipped ruptured aneurysms: a feasibility study. Interventional Neuroradiology. 2019;25(2):144–9.	8
1878	Romagna A, Ladisich B, Schwartz C, Winkler PA, Rahman ASA. Flow-diverter stents in the endovascular treatment of remnants in previously clipped ruptured aneurysms: a feasibility study: Interventional Neuroradiology. 25 (2) (pp 144–149), 2019.	3
1879	Romano DG, Frauenfelder G, Locatelli G, Panza MP, Siani A, Tartaglione S, et al. Arterial Spin Labeling Magnetic Resonance Imaging to Diagnose Contrast-Induced Vasospasm After Intracranial Stent Embolization. World Neurosurgery. 2019;126:341–5.	3
1880	Rosales J, Rodriguez Perez MS, Ruiz-Yanzi M, Carpani F, Marrodan M, Ferrario A, et al. Visual disturbances in carotid-ophthalmic aneurysms treated with flow diverter stents: International Journal of Stroke. Conference: 12th World Stroke Congress 2020. Vienna Austria. 15 (1 SUPPL) (pp 469), 2020.	7
1881	Rosenwasser RH, Chalouhi N, Tjoumakaris S, Jabbour P. Open vs Endovascular Approach to Intracranial Aneurysms: Clinical Neurosurgery. 61 (Supplement 1) (pp 121–129), 2014.	6
1882	Rossen JD, Chalouhi N, Wassef SN, Thomas J, Abel TJ, Jabbour PM, et al. Incidence of cerebral ischemic events after discontinuation of clopidogrel in patients with intracranial aneurysms treated with stent-assisted techniques. Journal of Neurosurgery. 2012;117(5):929–33.	2
1883	Rossen JD, Thomas J, Kung DK, Smietana J, Hasan DM. Incidence of cerebral ischemia after discontinuation of clopidogrel (plavix) in patients with cerebral aneurysms treated using stent-assisted technique: Stroke. Conference: 2012 International Stroke Conference and Nursing Symposium. New Orleans, LA United States. Conference Publication: (var.pagings). 43 (2 Meeting Abstracts) (no pagination), 2012.	7
1884	Roszkopf J, Braun M, Dreyhaupt J, Beer M, Schmitz BL, Ozpeynirci Y. Shape Modification is Common in Woven EndoBridge-Treated Intracranial Aneurysms: A Longitudinal Quantitative Analysis Study. Ajnr: American Journal of Neuroradiology. 2020;41(9):1652–6.	3
1885	Roszelle BN, Babiker MH, Hafner W, Gonzalez LF, Albuquerque FC, Frakes DH. In vitro and in silico study of intracranial stent treatments for cerebral aneurysms: effects on perforating vessel flows. Journal of Neurointerventional Surgery. 2013;5(4):354–60.	9

연번	서지정보	배제 사유
1886	Roszelle BN, Gonzalez LF, Babiker MH, Ryan J, Albuquerque FC, Frakes DH. Flow diverter effect on cerebral aneurysm hemodynamics: an in vitro comparison of telescoping stents and the Pipeline. <i>Neuroradiology</i> . 2013;55(6):751–8.	9
1887	Roszelle BN, Haithem Babiker M, Hafner W, Fernando Gonzalez L, Albuquerque FC, Frakes DH. In vitro and in silico study of intracranial stent treatments for cerebral aneurysms: Effects on perforating vessel flows: <i>Journal of NeuroInterventional Surgery</i> . 5 (4) (pp 354–360), 2013.	9
1888	Roth C, Kaferlein S, Papanagiotou P, Reith W. Angiographic and histopathologic results of a new endoluminal flow-diverter for the treatment of intracranial aneurysms in an animal model: <i>Interventional Neuroradiology</i> . Conference: 11th Congress of the World Federation of Interventional and Therapeutic Neuroradiology, WFITN 2011. Cape Town South Africa. Conference Publication: (var.pagings). 17 (SUPPL. 1) (pp 152), 2011.	7
1889	Rotim K, Raguz M, Rotim A, Splavski B, Kalousek V. Late aneurysm relapse after microsurgical treatment of middle cerebral artery aneurysm: A case report and literature review of treatment options: <i>Acta Clinica Croatica</i> . 59 (3) (pp 532–538), 2020.	6
1890	Rouchaud A, Brinjikji W, Cloft HJ, Kallmes DF. Endovascular Treatment of Ruptured Blister-Like Aneurysms: A Systematic Review and Meta-Analysis with Focus on Deconstructive versus Reconstructive and Flow-Diverter Treatments. [Review]. <i>Ajnr: American Journal of Neuroradiology</i> . 2015;36(12):2331–9.	6
1891	Rouchaud A, Brinjikji W, Cloft HJ, Lanzino G, Becske T, Kallmes DF. Smoking Does Not Affect Occlusion Rates and Morbidity-Mortality after Pipeline Embolization for Intracranial Aneurysms. <i>Ajnr: American Journal of Neuroradiology</i> . 2016;37(6):1122–6.	1
1892	Rouchaud A, Brinjikji W, Ding YH, Dai D, Zhu YQ, Cloft HJ, et al. Evaluation of the Angiographic Grading Scale in Aneurysms Treated with the WEB Device in 80 Rabbits: Correlation with Histologic Evaluation. <i>Ajnr: American Journal of Neuroradiology</i> . 2016;37(2):324–9.	9
1893	Rouchaud A, Brinjikji W, Lanzino G, Cloft HJ, Kadirvel R, Kallmes DF. Delayed hemorrhagic complications after flow diversion for intracranial aneurysms: a literature overview. [Review]. <i>Neuroradiology</i> . 2016;58(2):171–7.	6
1894	Rouchaud A, Johnson C, Thielen E, Schroeder D, Ding YH, Dai D, et al. Differential Gene Expression in Coiled versus Flow-Diverter-Treated Aneurysms: RNA Sequencing Analysis in a Rabbit Aneurysm Model. <i>Ajnr: American Journal of Neuroradiology</i> . 2016;37(6):1114–21.	9
1895	Rouchaud A, Johnson CR, Thielen EP, Schroeder DJ, Ding YH, Dai D, et al. Differential gene expression in coiled versus flow-diverter treated aneurysms: A RNA-seq analysis in rabbit aneurysm model: <i>Stroke</i> . Conference: American Heart Association/American Stroke Association 2016 International Stroke Conference and State-of-the-Science Stroke Nursing Symposium. Los Angeles, CA United States. Conference Publication: (var.pagings). 47 (SUPPL. 1) (no pagination), 2016.	9
1896	Rouchaud A, Leclerc O, Benayoun Y, Saleme S, Camilleri Y, D'Argento F, et al. Visual outcomes with flow-diverter stents covering the ophthalmic artery for treatment of internal carotid artery aneurysms. <i>Ajnr: American Journal of Neuroradiology</i> . 2015;36(2):330–6.	3
1897	Rouchaud A. Flow diverters for the management of intracranial aneurysms. [French]: Sang Thrombose Vaisseaux. 27 (3) (pp 129–136), 2015.	10

연번	서지정보	배제 사유
1898	Roumia S. [Woven-EndoBridge (WEB) as an intrasaccular method of aneurysm occlusion]. [Review] [German]. Radiologe. 2020;60(4):310-6.	6
1899	Roy AK, Grossberg JA, Osbun JW, Skukalek SL, Howard BM, Ahmad FU, et al. Carotid cavernous fistula after Pipeline placement: a single-center experience and review of the literature. Journal of Neurointerventional Surgery. 2017;9(2):152-8.	6
1900	Roy AK, Howard BM, Haussen DC, Osbun JW, Halani SH, Skukalek SL, et al. Reduced Efficacy of the Pipeline Embolization Device in the Treatment of Posterior Communicating Region Aneurysms with Fetal Posterior Cerebral Artery Configuration. Neurosurgery. 2018;82(5):695-700.	3
1901	Roychowdhury S, Kane I, Saifuddin A, Khandelwal P, Nourallah-Zadeh E, Gupta G. Surpass embolization of intracranial aneurysms at two high volume comprehensive stroke centers: Unexpectedly high rate of neurologic complications: Journal of NeuroInterventional Surgery. Conference: 17th Annual Meeting of the Society of NeuroInterventional Surgery Organizing, SNIS 2020. San Diego, CA United States. 12 (Supplement 1) (pp A11), 2020.	7
1902	Ruiz MZ, Campos KM, Lira IH, Quiroga JPC, Grau SEB. Pictorial essay: Imaging control of treated aneurysms. which exam to choose?. [Spanish]: Revista Chilena de Radiologia. 24 (2) (pp 55-62), 2018.	10
1903	Rustemi O, Raneri F, Scerrati A. Letter by Rustemi et al Regarding Article, Flow Diverters for Intracranial Aneurysms: The DIVERSION National Prospective Cohort Study: Stroke. (pp E35), 2020.	6
1904	Rutledge WC, Dannenbaum MJ, Webb AC, Skukalek SL, Schuette AJ, Case DB, et al. Prevalence of non-responsiveness to antiplatelet therapy in patients undergoing treatment of cerebral aneurysms utilizing flow diversion with the pipeline embolization device: Stroke. Conference: 2013 International Stroke Conference and Nursing Symposium of the American Heart Association/American Stroke Association. Honolulu, HI United States. Conference Publication: (var.pagings). 44 (2 MeetingAbstract) (no pagination), 2013.	7
1905	Rytkin E, Sinitsyn IA, Maslenikov M. Computational fluid dynamics analysis of a novel flow diverter geometry for intracranial aneurysms: CardioVascular and Interventional Radiology. Conference: Cardiovascular and Interventional Radiological Society of Europe (CIRSE) 2019. Barcelona Spain. 42 (3 Supplement) (pp S339), 2019.	7
1906	Saatci I, Yavuz K, Ozer C, Geyik S, Cekirge HS. Treatment of intracranial aneurysms using the pipeline flow-diverter embolization device: a single-center experience with long-term follow-up results. Ajnr: American Journal of Neuroradiology. 2012;33(8):1436-46.	3
1907	Saber H, Chamiraju P, Narayanan S. Risk factors associated with major ischemic or hemorrhagic complications following pipeline embolization of cerebral aneurysms: A pooled analysis: Journal of NeuroInterventional Surgery. Conference: 14th Annual Meeting of the Society of NeuroInterventional Surgery, SNIS 2017. Colorado Springs, CO United States. 9 (Supplement 1) (pp A85-A86), 2017.	7
1908	Saber H, Kherallah RY, Hadied MO, Kazemlou S, Chamiraju P, Narayanan S. Antiplatelet therapy and the risk of ischemic and hemorrhagic complications associated with Pipeline embolization of cerebral aneurysms: a systematic review and pooled analysis. Journal of Neurointerventional Surgery. 2019;11(4):362-6.	6

연번	서지정보	배제 사유
1909	Sadasivan C, Dholakia R, Peeling L, Golitz P, Doerfler A, Lieber BB, et al. Angiographic assessment of the efficacy of flow diverter treatment for cerebral aneurysms. <i>Interventional Neuroradiology</i> . 2019;25(6):655–63.	3
1910	Sadato A, Hayakawa M, Adachi K, Nakahara I, Hirose Y. Large Residual Volume, Not Low Packing Density, Is the Most Influential Risk Factor for Recanalization after Coil Embolization of Cerebral Aneurysms. <i>PLoS ONE [Electronic Resource]</i> . 2016;11(5).	3
1911	Safavi-Abbas S, Kalani MYS, Frock B, Sun H, Yagmurlu K, Moron F, et al. Techniques and outcomes of microsurgical management of ruptured and unruptured fusiform cerebral aneurysms. <i>Journal of Neurosurgery</i> . 2017;127(6):1353–60.	3
1912	Safinia C, Bachour S, Hevesi M, Divani A. A modified method for creating elastase induced aneurysms and characterization of intra-aneurysmal flow: <i>Neurology</i> . Conference: 68th American Academy of Neurology Annual Meeting, AAN 2016. Vancouver, BC Canada. Conference Publication: (var.pagings). 86 (16 SUPPL. 1) (no pagination), 2016.	7
1913	Sahlein DH, Fouladvand M, Becske T, Saatci I, McDougall CG, Szikora I, et al. Neuroophthalmological outcomes associated with use of the Pipeline Embolization Device: analysis of the PUFS trial results: <i>Journal of neurosurgery</i> . 123 (4) (pp 897–905), 2015. Date of Publication: 01 Oct 2015.: 2015.	3
1914	Sahnoun M, Soize S, Manceau PF, Gelmini C, Pierot L. Intracranial aneurysm treatment with WEB and adjunctive stent: preliminary evaluation in a single-center series. <i>Journal of Neurointerventional Surgery</i> . 2021;30:30.	3
1915	Sakai N, Immura H, Sakai C, Tani S, Tokunaga S, Funatsu T, et al. Flow Diverter treatment for recurrence after stent assisted coil embolization of intracranial aneurysms: <i>Neuroradiology</i> . Conference: 12th Asian–Oceanian Congress of Neuroradiology and the 21st Symposium Neuroradiologicum. Taipei Taiwan (Republic of China). 60 (1 Supplement 1) (pp 77), 2018.	7
1916	Sakai N, Immura H, Sakai C, Tani S, Tokunaga S, Funatsu T, et al. Future direction of neuro-endovascular therapy: Innovation in device development and improvement. [Japanese]: <i>Japanese Journal of Neurosurgery</i> . 26 (1) (pp 21–28), 2017.	10
1917	Sakai N, Sakai C, Immura H, Arimura K, Adachi H, Tani S, et al. Flow diverter treatment for recurrence after stent assisted coil embolization of intracranial aneurysms: <i>Interventional Neuroradiology</i> . Conference: 13th Congress of the World Federation of Interventional and Therapeutic Neuroradiology, WFITN 2015 and 12th Interdisciplinary Cerebrovascular Symposium, Intracranial Stent Meeting, ICS 2015. Gold Coast, QLD Australia. Conference Publication: (var.pagings). 21 (SUPPL. 1) (pp 258), 2015.	7
1918	Sakarunchai I, Aurboonyawat T, Chankaew E, Songsang D, Sangpetngam B, Churojana A. Clinical and angiographic outcomes of treatment of very large and giant cerebral aneurysms: A study of Siriraj Hospital experience: <i>Interventional Neuroradiology</i> . Conference: 13th Asian–Australasian Federation of Interventional and Therapeutic Neuroradiology, AAFITN 2018. Kota Kinabalu Malaysia. 24 (1 Supplement 1) (pp 5), 2018.	7
1919	Salem MM, Ravindran K, Enriquez-Marulanda A, Ascanio LC, Jordan N, Gomez-Paz S, et al. Pipeline Embolization Device Versus Stent-Assisted Coiling for Intracranial Aneurysm Treatment: A Retrospective Propensity Score-Matched Study. <i>Neurosurgery</i> . 2020;87(3):516–22.	2

연번	서지정보	배제 사유
1920	Saleme S, Iosif C, Ponomarjova S, Mendes G, Camilleri Y, Caire F, et al. Flow-diverting stents for intracranial bifurcation aneurysm treatment. <i>Neurosurgery</i> . 2014;75(6):623–31.	4
1921	Salmasi S, Seifalian AM. Intracranial aneurysms: in need of early diagnostic and treatment using bio- and nanotechnology: <i>Current Medicinal Chemistry</i> . 21 (37) (pp 4300–4310), 2014.	6
1922	Samaniego EA, Dandapat S, Roa JA, Zanaty M, Nakagawa D, Hasan DM. Mechanical Thrombectomy of Acutely Occluded Flow Diverters. <i>Operative Neurosurgery</i> . 2019;17(5):491–6.	3
1923	Sami MT, Gattozzi DA, Soliman HM, Reeves AR, Moran CJ, Camarata PJ, et al. Use of Pipeline TM embolization device for the treatment of traumatic intracranial pseudoaneurysms: Case series and review of cases from literature. [Review]. <i>Clinical Neurology & Neurosurgery</i> . 2018;169:154–60.	3
1924	Samples DC, Ravindra VM, Thoms DJ, Tarasiewicz I, Grandhi R. Successful flow diversion treatment of ruptured infectious middle cerebral artery aneurysms with the use of Pipeline Flex with Shield technology. <i>Interventional Neuroradiology</i> . 2021;27(2):225–9.	6
1925	Santiago-Dieppa DR, McDonald MA, Brandel MG, Rennert RC, Khalessi AA, Olson SE. Endovascular Flow Diversion for Hemifacial Spasm Induced by a Vertebral Artery Aneurysm: First Experience. <i>Operative Neurosurgery</i> . 2019;17(3):E115–E8.	3
1926	Santillan A, Boddu S, Schwarz J, Lin N, Gobin YP, Knopman J, et al. LVIS Jr. stent for treatment of intracranial aneurysms with parent vessel diameter of 2.5 mm or less. <i>Interventional Neuroradiology</i> . 2018;24(3):246–53.	3
1927	Santos JM, Kaderali Z, Spears J, Rubin LA, Marotta TR. Flow diversion in vasculitic intracranial aneurysms? Repair of giant complex cavernous carotid aneurysm in polyarteritis nodosa using Pipeline embolization devices: First reported case: BMJ Case Reports. 2015 (no pagination), 2015.	3
1928	Santos R, Aguilar-Salinas P, Entwistle JJ, Aldana PR, Beier AD, Hanel RA. De Novo Arteriovenous Malformation in a Pediatric Patient: Case Report and Review of the Literature: <i>World Neurosurgery</i> . 111 (pp 341–345), 2018.	6
1929	Sarrami-Foroushani A, Nagaraja S, Lassila T, Hejazi SM, Bacon A, Frangi A. In-silico flow diversion in intracranial aneurysms: Computational prediction of clot platelet content: <i>British Journal of Neurosurgery</i> . Conference: 2018 Meeting of the British Neurological Research Group. Sheffield United Kingdom. 32 (2) (pp 218), 2018.	7
1930	Sastray RA, Koch MJ, Grannan BL, Stapleton CJ, Butler WE, Patel AB. Flow diversion of a recurrent, iatrogenic basilar tip aneurysm in a pediatric patient: case report. <i>Journal of Neurosurgery Pediatrics</i> . 2018;21(1):90–3.	6
1931	Sato H, Haraguchi K, Takahashi Y, Ohtaki S, Shimizu T, Matsuura N, et al. Flow-Diverter Stent for an Unruptured Aneurysm at the Junction of the Internal Carotid Artery and Persistent Primitive Trigeminal Artery: Case Report and Literature Review. [Review]. <i>World Neurosurgery</i> . 2019;132:329–32.	3
1932	Sato K, Matsumoto Y, Kaneko A, Ito A, Fujimura M, Tominaga T. Y-Configuration Stenting for Coil Embolization of Complex Intracranial Aneurysms: Distinguishing Between Use of Crossing-Y and Kissing-Y: <i>World Neurosurgery</i> . 146 (pp e1054–e1062), 2021.	2

연번	서지정보	배제 사유
1933	Satow T, Sakai N, Yamamoto H, Oishi H, Ishii A, Nakayama Y, et al. A novel microporous covered stent ncvccs1 for the treatment of intracranial aneurysms: Its functional features and preliminary results of clinical trial: Stroke. Conference: American Heart Association/American Stroke Association 2019 International Stroke Conference and State-of-the-Science Stroke Nursing Symposium. Honolulu, HI United States. 50 (Supplement 1) (no pagination), 2019.	7
1934	Satti SR, Vance AZ, Fowler D, Farmah AV, Sivapatham T. Basilar artery perforator aneurysms (BAPAs): review of the literature and classification. [Review]. Journal of Neurointerventional Surgery. 2017;9(7):669-73.	6
1935	Sattur M, Gunasekaran A, Spiotta A, Lena J. Basilar Artery Perforator Aneurysms and their Contemporary Management: Neurology India. 68 (6) (pp 1301-1306), 2020.	6
1936	Sattur MG, Krishna C. Comments: Clinical Neurosurgery. 83 (6) (pp 1233), 2018.	6
1937	Sattur MG, Li Y, Almallouhi E, Lena J, Spiotta AM. Lessons Learned from Endovascular Coil Embolization of Pericallosal Artery Aneurysms and Adoption of Flow Diversion: A Retrospective Cohort Assessment of the Efficacy of Coiling and Flow Diversion. World Neurosurgery. 2019;129:e444-e51.	3
1938	Sauvageau E. Comment: Neurosurgery. 79 (1) (pp 22), 2016.	6
1939	Sauvigny T, Nawka MT, Schweingruber N, Mader MM, Regelsberger J, Schmidt NO, et al. Early clinical course after aneurysmal subarachnoid hemorrhage: comparison of patients treated with Woven EndoBridge, microsurgical clipping, or endovascular coiling. Acta Neurochirurgica. 2019;161(9):1763-73.	3
1940	Scerrati A, Visani J, Flacco ME, Ricciardi L, Trungu S, Raco A, et al. Endovascular Treatment of Ruptured Intracranial Blister Aneurysms: A Systematic Review and Meta-analysis. Ajnr: American Journal of Neuroradiology. 2021;42(3):538-45.	6
1941	Schmalz PGR, Enriquez-Marulanda A, Alturki A, Stapleton CJ, Thomas AJ, Ogilvy CS. Combined Outcomes of Endovascular or Surgical Treatment of Unruptured Anterior Communicating Artery Aneurysms: Is a More Aggressive Management Strategy Warranted?: World Neurosurgery. 115 (pp e331-e336), 2018.	3
1942	Schmidt RF, Sweid A, Chalouhi N, Avery MB, Saja KC, Al-Saiegh F, et al. Endovascular Management of Complex Fenestration-Associated Aneurysms: A Single-Institution Retrospective Study and Review of Existing Techniques. World Neurosurgery. 2021;146:e607-e17.	3
1943	Schneider AM, Moore JM, Adeeb N, Gupta R, Giessenauer CJ, Winkler PA, et al. Self-Reported Headaches in Patients with Unruptured Intracranial Aneurysms Treated with the Pipeline Embolization Device. World Neurosurgery. 2018;113:e364-e72.	3
1944	Schnell S, Wu C, Ansari SA. Four-dimensional MRI flow examinations in cerebral and extracerebral vessels - ready for clinical routine?. [Review]. Current Opinion in Neurology. 2016;29(4):419-28.	6
1945	Schnell S, Wu C, Ansari SA. Four-dimensional MRI flow examinations in cerebral and extracerebral vessels - Ready for clinical routine?: Current Opinion in Neurology. 29 (4) (pp 419-428), 2016.	8
1946	Schob S, Hoffmann KT, Quaschling U. Flow diversion beyond the circle of Willis: Endovascular aneurysm treatment in peripheral cerebral arteries employing a novel low-profile flow diverting stent: CardioVascular and Interventional Radiology. Conference: Interventional Radiology Olbert Symposium, IROS 2020. Salzburg Austria. 43 (1 Supplement) (pp S8), 2020.	7

연번	서지정보	배제 사유
1947	Schob S, Hoffmann KT, Richter C, Bhogal P, Kohlert K, Planitzer U, et al. Flow diversion beyond the circle of Willis: Endovascular aneurysm treatment in peripheral cerebral arteries employing a novel low-profile flow diverting stent: <i>Journal of NeuroInterventional Surgery</i> . 11 (12) (pp 1227–1234), 2019.	3
1948	Schob S, Klaver M, Richter C, Scherlach C, Maybaum J, Mucha S, et al. Single-Center Experience With the Bare p48MW Low-Profile Flow Diverter and Its Hydrophilically Covered Version for Treatment of Bifurcation Aneurysms in Distal Segments of the Anterior and Posterior Circulation. <i>Frontiers in neurology [electronic resource]</i> . 2020;11(1050).	3
1949	Schob S, Quaschling U, Hoffmann KT. Delayed ischemia after flow diverter therapy—prolonged vasospasm triggered by endovascular implants: <i>CardioVascular and Interventional Radiology</i> . Conference: <i>Interventional Radiology Olbert Symposium, IROS 2020. Salzburg Austria</i> . 43 (1 Supplement) (pp S13), 2020.	7
1950	Schob S. Breaking new ground—flow diversion beyond the circle of Willis: Endovascular aneurysm treatment in peripheral cerebral arteries employing a novel low-profile flow diverting stent: <i>CardioVascular and Interventional Radiology</i> . Conference: <i>Cardiovascular and Interventional Radiological Society of Europe (CIRSE) 2019. Barcelona Spain</i> . 42 (3 Supplement) (pp S236), 2019.	7
1951	Schuette AJ, Barrow DL. Flow diversion and the almighty dollar: <i>World Neurosurgery</i> . 82 (5) (pp 583–585), 2014.	6
1952	Scrivano E, Lundquist J, Orozco F, Nella R, Ceratto R, Llylyk P, et al. Buenos aires experience with the Pipeline Embolization device in the management of very large and giant intracranial aneurysms: <i>Interventional Neuroradiology</i> . Conference: <i>11th Congress of the World Federation of Interventional and Therapeutic Neuroradiology, WFITN 2011. Cape Town South Africa</i> . Conference Publication: (var.pagings). 17 (SUPPL. 1) (pp 105–106), 2011.	7
1953	Scullen T, Mathkour M, Lockwood J, Ott L, Medel R, Dumont AS, et al. Endovascular Management of Multiple Dysplastic Aneurysms in a Young Man with an Unknown Underlying Cause: A Case Report and Review of the Literature: <i>World Neurosurgery</i> . 111 (pp 349–357), 2018.	2
1954	Scullen T, Mathkour M, Nerva JD, Dumont AS, Amenta PS. Clipping versus coiling for the treatment of middle cerebral artery aneurysms: Which modality should be considered first?: <i>Journal of Neurosurgery</i> . 133 (4) (pp 1120–1121), 2020.	6
1955	Sedat J, Chau Y, Gaudart J, Sachet M, Beuil S, Lonjon M. Prasugrel versus clopidogrel in stent-assisted coil embolization of unruptured intracranial aneurysms: <i>Interventional Neuroradiology</i> . 23 (1) (pp 52–59), 2017.	3
1956	See AP, Gross BA, Penn DL, Du R, Frerichs KU. Hemodynamic Impact of a Spontaneous Cervical Dissection on an Ipsilateral Saccular Aneurysm. <i>J Cerebrovasc Endovasc Neurosurg</i> . 2016;18(2):110–4.	6
1957	Seibert B, Tummala RP, Chow R, Faridar A, Mousavi SA, Divani AA. Intracranial aneurysms: review of current treatment options and outcomes. <i>Frontiers in neurology [electronic resource]</i> . 2011;2(45).	6
1958	Sekar A, Gopal S, Rudrappa S, Sunil HR, Masapu D. Endovascular management of basilar artery perforator aneurysm – Insights: <i>Interdisciplinary Neurosurgery: Advanced Techniques and Case Management</i> . 18 (no pagination), 2019.	6

연번	서지정보	배제 사유
1959	Selcuk F, Fahrioglu SL. Bilateral giant ophthalmic carotid artery aneurysms presenting as unilateral diplopia: A case report: Surgical and Radiologic Anatomy. Conference: 15th European Association of Clinical Anatomy, EACA and 11th International Symposium of Clinical and Applied Anatomy, ISCAA. Madrid Spain. 41 (pp 1263-1264), 2019.	7
1960	Senanayake T, Kader I, Miteff F, Deshpande A. Common carotid to vertebral artery bypass to facilitate endovascular treatment of a basilar artery aneurysm: Journal of Surgical Case Reports. 2021(1):rjaa579, 2021 Jan.: 2021.	3
1961	Senturk Y, Cay F, Peker A, Ocal O, Arat A. Pressure-related immediate compromise of side branches in bifurcation aneurysms treated by flow diverters: Journal of NeuroInterventional Surgery. Conference: 14th Annual Meeting of the Society of NeuroInterventional Surgery, SNIS 2017. Colorado Springs, CO United States. 9 (Supplement 1) (pp A83), 2017.	7
1962	Serrato-Avila JL, Da Costa MDS, Frudit ME, Carrasco-Hernandez JP, Alejandro SA, Chaddad-Neto F. Interhemispheric transcallosal transforaminal approach for decompression of a giant superior cerebellar artery thrombosed aneurysm: Three-dimensional operative video: Surgical neurology international. 11:84, 2020.; 2020.	6
1963	Serrone J, Ringer A. Comment: case series of pipeline embolization device (PED) application in vertebrobasilar aneurysms. Neurosurgery. 2013;72(6).	6
1964	Serrone J, Ringer A. Comment: Neurosurgery. 72 (6) (pp 889), 2013.	6
1965	Serrone JC, Gozal YM, Grossman AW, Andaluz N, Abruzzo T, Zuccarello M, et al. Vertebrobasilar fusiform aneurysms. [Review]. Neurosurgery Clinics of North America. 2014;25(3):471-84.	6
1966	Seruga T, Jevsek M. Endovascular treatment of complex saccular and fusiform intracranial aneurysms with flow diverter devices: Neuroradiology. Conference: 39th European Society of Neuroradiology Diagnostic and Interventional Annual Meeting, ESNR 2016. Belgrade Serbia. 58 (1 Supplement 1) (pp S59), 2016.	7
1967	Seruga T, Jevsek M. Flow diverter devices in treatment of unruptured complex and wide neck intracranial aneurysms: Interventional Neuroradiology. Conference: 13th Congress of the World Federation of Interventional and Therapeutic Neuroradiology, WFITN 2015 and 12th Interdisciplinary Cerebrovascular Symposium, Intracranial Stent Meeting, ICS 2015. Gold Coast, QLD Australia. Conference Publication: (var.pagings). 21 (SUPPL. 1) (pp 163), 2015.	7
1968	Serulle Y, Khatri D, Fletcher J, Pappas A, Heidbreder A, Langer D, et al. Fusiform superior cerebellar artery aneurysm treated with flow diversion: A case report: Surgical Neurology International. 11 (no pagination), 2020.	3
1969	Seshadri S, Janiga G, Beuing O, Skalej M, Thevenin D. Impact of stents and flow diverters on hemodynamics in idealized aneurysm models. Journal of Biomechanical Engineering. 2011;133(7).	6
1970	Setlur Nagesh SV, Vakharia K, Waqas M, Fennell VS, Atwal GS, Shallwani H, et al. High-Definition Zoom Mode: A High Resolution X-ray Microscope for Neurointerventional Treatment Procedures. Journal of Neuroimaging. 2019;29(5):565-72.	3
1971	Setlur Nagesh SV, Vakharia K, Waqas M, Munich SA, Bednarek DR, Davies JM, et al. Single-center experience of using high definition (Hi-Def) imaging during neurointervention treatment of intracranial aneurysms using flow diverters. Journal of Neurointerventional Surgery. 2020;12(9):897-901.	2

연번	서지정보	배제 사유
1972	Settanni C, Becker T, Merrit W. Voxel based calculation of aneurysm volume and morphological characteristics: Journal of NeuroInterventional Surgery. Conference: 17th Annual Meeting of the Society of NeuroInterventional Surgery Organizing, SNIS 2020. San Diego, CA United States. 12 (Supplement 1) (pp A147), 2020.	7
1973	Sfyroeras GS, Dalainas I, Giannakopoulos TG, Antonopoulos K, Kakisis JD, Liapis CD. Flow-diverting stents for the treatment of arterial aneurysms. [Review]. Journal of Vascular Surgery. 2012;56(3):839–46.	6
1974	Sfyroeras GS, Dalainas I, Giannakopoulos TG, Antonopoulos K, Kakisis JD, Liapis CD. Flow-diverting stents for the treatment of arterial aneurysms: Journal of Vascular Surgery. 56 (3) (pp 839–846), 2012.	8
1975	Sgreccia A, Caragliano A, Sanfilippo G, Campa S, Trignani R, Giannoni M, et al. Rare and Symptomatic Cavernous Donut-Shaped Aneurysm Treated by Flow Diverter Deployment. [Review]. World Neurosurgery. 2019;121:227–31.	3
1976	Sgreccia A, Coskun O, Di Maria F, Rodesch G, Consoli A. Fenestration of the supraclinoid segment of the ICA and associated aneurysms: a case report with literature review. [Review]. Acta Neurochirurgica. 2018;160(6):1143–7.	3
1977	Sgreccia A, Coskun O, Di Maria F, Rodesch G, Consoli A. Fenestration of the supraclinoid segment of the ICA and associated aneurysms: a case report with literature review: Acta Neurochirurgica. 160 (6) (pp 1143–1147), 2018.	8
1978	Shah K, White T, Teron I, Dehdashti A, Katz J, Woo H. Results of volume-based sizing of the woven endobridge (WEB) device: Journal of NeuroInterventional Surgery. Conference: 17th Annual Meeting of the Society of NeuroInterventional Surgery Organizing, SNIS 2020. San Diego, CA United States. 12 (Supplement 1) (pp A142), 2020.	7
1979	Shah KA, White TG, Teron I, Link T, Dehdashti AR, Katz JM, et al. Volume-based sizing of the Woven EndoBridge (WEB) device: A preliminary assessment of a novel method for device size selection. Interventional Neuroradiology. 2021;1591019920987685:21.	3
1980	Shakur SF, Aletich VA, Amin-Hanjani S, Hussein AE, Charbel FT, Alaraj A. Quantitative assessment of parent vessel and distal intracranial hemodynamics following pipeline flow diversion. Interventional Neuroradiology. 2017;23(1):34–40.	3
1981	Shankar JJ, Tampieri D, Iancu D, Cortes M, Agid R, Krings T, et al. SILK flow diverter for complex intracranial aneurysms: a Canadian registry. Journal of Neurointerventional Surgery. 2016;8(3):273–8.	3
1982	Shankar JJ, Vandorpé R, Pickett G, Maloney W. SILK flow diverter for treatment of intracranial aneurysms: initial experience and cost analysis. Journal of Neurointerventional Surgery. 2013;5(3).	5
1983	Shao Q, Wu Q, Li Q, Li T, Li L, Chang K, et al. Usefulness of 3D T1-SPACE in Combination With 3D-TOF MRA for Follow-Up Evaluation of Intracranial Aneurysms Treated With Pipeline Embolization Devices: Frontiers in Neurology. 11 (no pagination), 2020.	2
1984	Shapiro M, Becske T, Nelson PK. Learning from failure: persistence of aneurysms following pipeline embolization. Journal of Neurosurgery. 2017;126(2):578–85.	3
1985	Shapiro M, Ollenschleger MD, Baccin C, Becske T, Spiegel GR, Wang Y, et al. Foreign body emboli following cerebrovascular interventions: Clinical, radiographic, and histopathologic features: American Journal of Neuroradiology. 36 (11) (pp 2121–2126), 2015.	2

연번	서지정보	배제 사유
1986	Shapiro M, Raz E, Becske T, Nelson PK. Building multidevice pipeline constructs of favorable metal coverage: a practical guide. <i>Ajnr: American Journal of Neuroradiology</i> . 2014;35(8):1556–61.	6
1987	Shapiro M, Raz E, Becske T, Nelson PK. Variable porosity of the pipeline embolization device in straight and curved vessels: a guide for optimal deployment strategy. <i>Ajnr: American Journal of Neuroradiology</i> . 2014;35(4):727–33.	9
1988	Shapiro M, Shapiro A, Raz E, Becske T, Riina H, Nelson PK. Toward Better Understanding of Flow Diversion in Bifurcation Aneurysms. <i>Ajnr: American Journal of Neuroradiology</i> . 2018;39(12):2278–83.	9
1989	Sharma M, Ugiliweneza B, Fortuny EM, Khattar NK, Andaluz N, James RF, et al. National trends in cerebral bypass for unruptured intracranial aneurysms: a National (Nationwide) Inpatient Sample analysis of 1998–2015: Neurosurgical focus. 46 (2) (pp E15), 2019.	6
1990	Shen TW, Puccini B, Temnyk K, Herting S, Cardinal KO. Tissue-engineered aneurysm models for in vitro assessment of neurovascular devices. <i>Neuroradiology</i> . 2019;61(6):723–32.	9
1991	Shi L, Zhou M, Xu S, Wu Q, Yan W, Zhang J. Endovascular Treatment of Intracavernous Internal Carotid Aneurysm Secondary to Pituitary Infection. <i>World Neurosurgery</i> . 2017;101(816).	2
1992	Shields LBE, Shields CB, Ghiassi M, Dashti SR, Yao TL, Zhang YP, et al. Pipeline Embolization Device for Treatment of Craniocervical Internal Carotid Artery Dissections: Report of 3 Cases. <i>World Neurosurgery</i> . 2019;132:106–12.	3
1993	Shimizu H. Potential approaches to overcome problems related to cerebral aneurysms. [Japanese]: <i>Japanese Journal of Neurosurgery</i> . 29 (1) (pp 4–9), 2020. Date of Publication: 2020.: 2020.	10
1994	Shimizu K, Imamura H, Mineharu Y, Adachi H, Sakai C, Tani S, et al. Endovascular parent-artery occlusion of large or giant unruptured internal carotid artery aneurysms. A long-term single-center experience. <i>Journal of Clinical Neuroscience</i> . 2017;37:73–8.	3
1995	Shimizu K, Kushamae M, Aoki T. Macrophage Imaging of Intracranial Aneurysms. [Review]. <i>Neurologia Medico Chirurgica</i> . 2019;59(7):257–63.	6
1996	Shimizu K, Kushamae M, Aoki T. Macrophage imaging of intracranial aneurysms: <i>Neurologia Medico-Chirurgica</i> . 59 (7) (pp 257–263), 2019.	8
1997	Shin DS, Nam TS, Kim TH, Park MS, Lee HS, Park HY, et al. Flow Diversion on TCD in Symptomatic MCA Steno–Oclusive Disorder: Evidence of Leptomeningeal Collateral Circulation. <i>J Korean Neurol Assoc</i> . 2007;25(2):167–71.	2
1998	Shirani P, Mirbagheri S, Shapiro M, Raz E, Mowla A, Semsarieh B, et al. Endovascular Reconstruction of Intracranial Aneurysms with the Pipeline Embolization Device in Pediatric Patients: A Single-Center Series. <i>Interventional Neurology</i> . 2020;8(2–6):101–8.	3
1999	Shirani P, Raz E, Mowla A, Gusler M, Shapiro M. Endovascular reconstruction of intracranial aneurysms with pipeline in pediatric patients: <i>Neurology</i> . Conference: 71st Annual Meeting of the American Academy of Neurology, AAN 2019. Philadelphia, PA United States. 92 (15 Supplement 1) (no pagination), 2019.	7
2000	Shiraz Bhurwani MM, Waqas M, Podgorsak AR, Williams KA, Davies JM, Snyder K, et al. Feasibility study for use of angiographic parametric imaging and deep neural networks for intracranial aneurysm occlusion prediction: <i>Journal of NeuroInterventional Surgery</i> . 12 (7) (pp 714–719), 2020.	2

연번	서지정보	배제 사유
2001	Shlobin N, Potts M. Pipeline embolization device treatment of intracranial aneurysms in pediatric patients: A patient-level meta-analysis: Journal of NeuroInterventional Surgery. Conference: 17th Annual Meeting of the Society of NeuroInterventional Surgery Organizing, SNIS 2020. San Diego, CA United States. 12 (Supplement 1) (pp A108), 2020.	7
2002	Shlobin NA, Raz E, Shapiro M, Moretti L, Cantrell DR, Lam SK, et al. Pipeline embolization of cerebral aneurysms in pediatric patients: combined systematic review of patient-level data and multicenter retrospective review. Journal of Neurosurgery Pediatrics. 2021;23.	6
2003	Shobayashi Y, Tateshima S, Kakizaki R, Sudo R, Tanishita K, Vinuela F. Intra-aneurysmal hemodynamic alterations by a self-expandable intracranial stent and flow diversion stent: high intra-aneurysmal pressure remains regardless of flow velocity reduction. Journal of Neurointerventional Surgery. 2013;5(3).	3
2004	Shojima M, Kimura T, Morita A, Nakatomi H, Kawai K, Saito N. Prognosis of cerebral aneurysm after surgical flow diversion: Interventional Neuroradiology. Conference: 13th Congress of the World Federation of Interventional and Therapeutic Neuroradiology, WFITN 2015 and 12th Interdisciplinary Cerebrovascular Symposium, Intracranial Stent Meeting, ICS 2015. Gold Coast, QLD Australia. Conference Publication: (var.pagings). 21 (SUPPL. 1) (pp 355), 2015.	7
2005	Shojima M, Morita A, Kimura T, Oshima M, Kin T, Saito N. Computational fluid dynamic simulation of a giant basilar tip aneurysm with eventual rupture after Hunterian ligation: World Neurosurgery. Part 4. 82 (3) (pp e5–535), 2014.	3
2006	Shotar E, Labeyrie MA, Biondi A, Velasco S, Saliou G, Nagara O, et al. Non ischemic cerebral enhancing lesions secondary to endovascular aneurysm therapya french national registry: Neuroradiology. Conference: 40th European Society of Neuroradiology Diagnostic and Interventional Annual Meeting, ESNR 2017. Malmo Sweden. 59 (1 Supplement 1) (pp S54–S55), 2017.	7
2007	Shotar E, Law-Ye B, Baronnet-Chauvet F, Zeidan S, Psimaras D, Bielle F, et al. Non-ischemic cerebral enhancing lesions secondary to endovascular aneurysm therapy: nickel allergy or foreign body reaction? Case series and review of the literature. [Review]. Neuroradiology. 2016;58(9):877–85.	8
2008	Shotar E, Law-Ye B, Baronnet-Chauvet F, Zeidan S, Psimaras D, Bielle F, et al. Non-ischemic cerebral enhancing lesions secondary to endovascular aneurysm therapy: nickel allergy or foreign body reaction? Case series and review of the literature: Neuroradiology. 58 (9) (pp 877–885), 2016.	3
2009	Shrivastava A, Mishra R, Salazar LRM, Chouksey P, Raj S, Agrawal A. Enigma of what is Known about Intracranial Aneurysm Occlusion with Endovascular Devices: Journal of Stroke and Cerebrovascular Diseases. 30 (6) (no pagination), 2021. Article Number: 105737.	6
2010	Sicignano C, Buono G, Piscitelli V, Delehaye L. Flow diverter devices to treat blister intracranial aneurysms: Our experience: Interventional Neuroradiology. Conference: 11th Congress of the World Federation of Interventional and Therapeutic Neuroradiology, WFITN 2011. Cape Town South Africa. Conference Publication: (var.pagings). 17 (SUPPL. 1) (pp 181–182), 2011.	7
2011	Siddiqui AH, Abla AA, Kan P, Dumont TM, Jahshan S, Britz GW, et al. Panacea or problem: Flow diverters in the treatment of symptomatic large or giant fusiform vertebrobasilar aneurysms – Clinical article: Journal of Neurosurgery. 116 (6) (pp 1258–1266), 2012.	6

연번	서지정보	배제 사유
2012	Siddiqui AH, Abla AA, Kan P, Dumont TM, Jahshan S, Britz GW, et al. Panacea or problem: flow diverters in the treatment of symptomatic large or giant fusiform vertebrobasilar aneurysms. <i>Journal of Neurosurgery</i> . 2012;116(6):1258–66.	8
2013	Siddiqui AH, Kan P, Abla AA, Hopkins LN, Levy EI. Complications after treatment with pipeline embolization for giant distal intracranial aneurysms with or without coil embolization. <i>Neurosurgery</i> . 2012;71(2).	3
2014	Siewerdsen J, Fahrig R, Strother C, Chen G, Gounis M, Rudin S. Advances in image-guided neurointerventions—clinical pull and technology push: Medical Physics. Conference: 58th Annual Meeting and Exhibition of the American Association of Physicists in Medicine, AAPM 2016. Washington, DC United States. 43 (6 PART2) (pp 3816), 2016.	7
2015	Silva MA, See AP, Dasenbrock HH, Ashour R, Khandelwal P, Patel NJ, et al. Stent deployment protocol for optimized real-time visualization during endovascular neurosurgery: <i>Journal of Neurosurgery</i> . 126 (5) (pp 1614–1621), 2017.	6
2016	Silva MA, See AP, Dasenbrock HH, Patel NJ, Aziz-Sultan MA. Vision outcomes in patients with paraclinoid aneurysms treated with clipping, coiling, or flow diversion: a systematic review and meta-analysis: <i>Neurosurgical focus</i> . 42 (6) (pp E15), 2017.	6
2017	Silva MA, See AP, Sur S, Aziz-Sultan MA. Treatment of complex intracranial pathologies with transcirculation endovascular approaches. <i>Neurocirugia</i> . 2020;31(4):173–83.	3
2018	Simgen A, Kettner M, Dietrich P, Tomori T, Muhl-Benninghaus R, Bhogal P, et al. Different Rescue Approaches of Migrated Woven Endobridge (WEB) Devices: an Animal Study. <i>Clinical Neuroradiology</i> . 2020;12:12.	9
2019	Simgen A, Ley D, Roth C, Cattaneo GF, Muhl-Benninghaus R, Muller A, et al. Evaluation of occurring complications after flow diverter treatment of elastase-induced aneurysm in rabbits using micro-CT and MRI at 9.4 T. <i>Neuroradiology</i> . 2016;58(10):987–96.	9
2020	Simgen A, Ley D, Roth C, Yilmaz U, Korner H, Muhl-Benninghaus R, et al. Evaluation of a newly designed flow diverter for the treatment of intracranial aneurysms in an elastase-induced aneurysm model, in New Zealand white rabbits. <i>Neuroradiology</i> . 2013;14:14.	9
2021	Simgen A, Ley D, Roth C, Yilmaz U, Korner H, Muhl-Benninghaus R, et al. Evaluation of a newly designed flow diverter for the treatment of intracranial aneurysms in an elastase-induced aneurysm model, in New Zealand white rabbits. <i>Neuroradiology</i> . 2014;56(2):129–37.	8
2022	Simgen A, Ley D, Roth C, Yilmaz U, Korner H, Muhl-Benninghaus R, et al. Evaluation of a newly designed flow diverter for the treatment of intracranial aneurysms in an elastase-induced aneurysm model, in New Zealand white rabbits: <i>Neuroradiology</i> . 56 (2) (pp 129–137), 2014.	9
2023	Simgen A, Ley D, Yilmaz U, Muhl-Benninghaus R, Heiko K, Kim YJ, et al. Treatment of elastase induced aneurysms in new zealand white rabbits with a new flow diverting device the derivo embolization device: <i>Neuroradiology</i> . Conference: 20th Symposium Neuroradiologicum 2014. Istanbul Turkey. Conference Publication: (var.pagings). 56 (SUPPL. 1) (pp 252), 2014.	9
2024	Simgen A, Tomori T, Bomberg H, Yilmaz U, Roth C, Reith W, et al. Intravenous versus intra-arterial digital subtraction angiography: Occlusion rate and complication assessment of experimental aneurysms after flow diverter treatment in rabbits. <i>Interventional Neuroradiology</i> . 2019;25(2):157–63.	9

연번	서지정보	배제 사유
2025	Simgen A, Yilmaz U, Dietrich P, Tomori T, Muhl-Benninghaus R, Laschke MW, et al. Rescue of migrated Woven Endobridge devices using a stent-retriever-technique in a porcine model. <i>Interventional Neuroradiology</i> . 2020;26(6):772-8.	9
2026	Simgen A. [Treatment of intracranial aneurysms with flow diverters]. [Review] [German]. <i>Radiologe</i> . 2020;60(4):303-9.	8
2027	Simgen A. Treatment of intracranial aneurysms with flow diverters. [German]: Der Radiologe. 60 (4) (pp 303-309), 2020.	10
2028	Simone P, Cannizzaro D, Caporlingua A, Missori P. A systematic review and meta-analysis of treatment and outcome of blister-like aneurysms: American Journal of Neuroradiology. 37 (5) (pp 856-861), 2016.	6
2029	Sindeev S, Kirschke JS, Prothmann S, Frolov S, Liepsch D, Berg P, et al. Evaluation of flow changes after telescopic stenting of a giant fusiform aneurysm of the vertebrobasilar junction. <i>Biomedical Engineering Online</i> . 2019;18(1):24.	3
2030	Sindeev S, Prothmann S, Frolov S, Zimmer C, Liepsch D, Berg P, et al. Intimal Hyperplasia After Aneurysm Treatment by Flow Diversion. <i>World Neurosurgery</i> . 2019;122:02.	3
2031	Sirakov S, Panayotova A, Sirakov A, Minkin K, Ninov K, Raychev R. Treatment of Recurrent Wide Neck Bifurcation Aneurysm With the Barrel Vascular Reconstruction Device: <i>Frontiers in Neurology</i> . 10 (no pagination), 2019.	6
2032	Sirakov S, Sirakov A, Bhogal P, Penkov M, Minkin K, Ninov K, et al. The p64 Flow Diverter-Mid-term and Long-term Results from a Single Center. <i>Clinical Neuroradiology</i> . 2020;30(3):471-80.	3
2033	Sirakov S, Sirakov A, Tsonev H, Hristov H. Ruptured Intracanalicular Ophthalmic Artery Aneurysm Treated with Low Profile Flow Diverter Device : Case Report. <i>Clinical Neuroradiology</i> . 2020;30(1):177-80.	3
2034	Sisodia P, Bhatia R, Saxena R, Padma MV, Prasad K, Vishnubatla S, et al. FDD in ruptured intracranial aneurysms: <i>Journal of Stroke Medicine</i> . Conference: Indian National Stroke Conference, INSC 2019. Ahmedabad India. 2 (1) (pp 70), 2019.	7
2035	Skrap M, Petralia B, Toniato G. The combined treatment of stenting and surgery in a giant unruptured aneurysm of the middle cerebral artery: <i>Surgical Neurology International</i> . 6 (1) (no pagination), 2015.	3
2036	Skukalek SL, Winkler A, Kang J, Dion J, Cawley IC, Webb A, et al. Effect of antiplatelet therapy and platelet function testing on hemorrhagic and thrombotic complications in patients with cerebral aneurysms treated with the pipeline embolization deviceTM: A review and meta-analysis: <i>Journal of Neurosurgery</i> . Conference: 2015 AANS Annual Meeting. Washington, DC United States. Conference Publication: (var.pagings). 123 (2) (pp A479-A480), 2015.	7
2037	Skukalek SL, Winkler AM, Kang J, Dion JE, Cawley CM, Webb A, et al. Effect of antiplatelet therapy and platelet function testing on hemorrhagic and thrombotic complications in patients with cerebral aneurysms treated with the pipeline embolization device: a review and meta-analysis. [Review]. <i>Journal of Neurointerventional Surgery</i> . 2016;8(1):58-65.	6
2038	Slater LA, Soufan C, Holt M, Chong W. Effect of flow diversion with silk on aneurysm size: A single center experience. <i>Interventional Neuroradiology</i> . 2015;21(1):12-8.	3

연번	서지정보	배제 사유
2039	Smetsanova L, Krajickova D, Krajina A. Early complication after treatment of dissecting intracranial aneurysm in vertebrobasilar circulation with a flow-diverter. [Czech]: Ceska a Slovenska Neurologie a Neurochirurgie. 81 (5) (pp 599-601), 2018. Date of Publication: 2018.; 2018.	10
2040	So TY, Mitchell PJ, Dowling RJ, Yan B. Efficacy, complications and clinical outcome of endovascular treatment for intracranial intradural arterial dissections. Clinical Neurology & Neurosurgery. 2014;117:6-11.	3
2041	Soize S, Foussier C, Manceau PF, Litre CF, Backchine S, Gawlitza M, et al. Comparison of two preventive dual antiplatelet regimens for unruptured intracranial aneurysm embolization with flow diverter/disrupter: A matched-cohort study comparing clopidogrel with ticagrelor. Journal de Neuroradiologie Journal de Neuroradiologie. 2019;46(6):378-83.	2
2042	Son C, Page P, Niemann D. Cerebral aneurysms treated with low-profile visualized intraluminal support device (LVIS Jr) Y-stent constructs: Technical experience with a single microcatheter technique. Interventional Neuroradiology. 2020;26(2):156-63.	3
2043	Son C, Tavakoli S, Mahadev V. Systematic Review of Transradial Access for Flow Diversion of Intracranial Aneurysms. [Review]. World Neurosurgery. 2021;151:6-11.	6
2044	Son C, Tavakoli-Sabour S. Transradial access for embolization of cerebral aneurysms with the woven EndoBridge device: Case series and review of the literature. Interventional Neuroradiology. 2021;27(2):207-11.	6
2045	Son W, Kang DH. Risk Factor Analysis of Delayed Intracerebral Hemorrhage After Coil Embolization of Unruptured Cerebral Aneurysms. Frontiers in neurology [electronic resource]. 2020;11(584596).	2
2046	Song D. Treatment of intracranial aneurysms with Pipeline embolization device(PED): Neuroradiology. Conference: 12th Asian-Oceanian Congress of Neuroradiology and the 21st Symposium Neuroradiologicum. Taipei Taiwan (Republic of China). 60 (1 Supplement 1) (pp 60), 2018.	3
2047	Song J, Oh S, Kim MJ, Chung J, Lim YC, Kim BS, et al. Endovascular treatment of ruptured blood blister-like aneurysms with multiple (>=3) overlapping Enterprise stents and coiling. Acta Neurochirurgica. 2016;158(4):803-9.	3
2048	Song J, Shin YS. Antiplatelet drug resistance did not increase the thromboembolic events after stent-assisted coiling of unruptured intracranial aneurysm: a single center experience of 99 cases: Neurological Sciences. 38 (5) (pp 879-885), 2017. Date of Publication: 01 May 2017.; 2017.	3
2049	Song J, Yang NR, Lee CY. Local Anesthesia for Endovascular Treatment of Unruptured Intracranial Aneurysms: Feasibility, Safety, and Periprocedural Complications: World Neurosurgery. 104 (pp 694), 2017.	2
2050	Sonmez O, Brinjikji W, Murad MH, Lanzino G. Deconstructive and Reconstructive Techniques in Treatment of Vertebrobasilar Dissecting Aneurysms: A Systematic Review and Meta-Analysis. [Review]. Ajnr: American Journal of Neuroradiology. 2015;36(7):1293-8.	6
2051	Soo Min A. Metabolic surgery of the gut for diabetes. International Congress of Diabetes and Metabolism. 2018;2018(0):58-.	2
2052	Sorenson T, Brinjikji W, Lanzino G. Newer endovascular tools: a review of experimental and clinical aspects. [Review]. Journal of Neurosurgical Sciences. 2016;60(1):116-25.	8

연번	서지정보	배제 사유
2053	Sorenson T, Brinjikji W, Lanzino G. Newer endovascular tools: A review of experimental and clinical aspects: <i>Journal of Neurosurgical Sciences.</i> 60 (1) (pp 116–125), 2016.	6
2054	Sorenson T, Lanzino G. Comments: <i>Neurosurgery.</i> 81 (1) (pp 96–97), 2017.	6
2055	Sorenson TJ, Klein JP, Rangel-Castilla L, Lanzino G. Flow Diversion of an Incompletely-Treated Fusiform Middle Cerebral Artery Aneurysm: 2-Dimensional Operative Video: <i>Operative neurosurgery</i> (Hagerstown, Md.). 18 (4) (pp E125–E126), 2020.	3
2056	Sorenson TJ, Mendes Pereira V, Rangel Castilla L, Hilditch CA, Nicholson PJ, Brinjikji W. Treatment of anterior cerebral artery and anterior communicating artery aneurysms with flow-diversion devices: a systematic review and meta-analysis. <i>Journal of Neurosurgical Sciences.</i> 2020;64(2):200–5.	6
2057	Sourour N, Piotin M, Blanc R, Biondi A, Mounayer C, Andersson T, et al. Treatment of intracranial aneurysms with the luna AES updated: <i>Stroke. Conference: 2014 International Stroke Conference and State-of-the-Science Stroke Nursing Symposium of the American Heart Association/American Stroke Association. San Francisco, CA United States. Conference Publication: (var.pagings). 45 (SUPPL. 1) (no pagination), 2014.</i>	7
2058	Sourour NA, Vande Perre S, Di Maria F, Papagiannaki C, Gabrieli J, Pistocchi S, et al. Medina embolization device for the treatment of intracranial aneurysms: Safety and angiographic effectiveness at 6 months: <i>Neurosurgery.</i> 82 (2) (pp 155–162), 2018.	3
2059	Sousa AAD, Sousa Filho JLD, Dellaretti Filho MA. Treatment of Giant Intracranial Aneurysms: A Review Based on Experience from 286 Cases: <i>Brazilian Neurosurgery.</i> 34 (4) (pp 295–303), 2015.	3
2060	Speirs JWD, Burke TH, Lee SY, Ala BD. The next generation hydrocoil: Initial clinical experience with the HydroFill embolic coil: <i>Journal of NeuroInterventional Surgery.</i> 5 (SUPPL.3) (pp iii72–iii75), 2013. Date of Publication: November 2013.: 2013.	6
2061	Spranger K, Ventikos Y. Which spring is the best? Comparison of methods for virtual stenting: <i>IEEE Transactions on Biomedical Engineering.</i> 61 (7) (pp 1998–2010), 2014. Article Number: 6767090.	6
2062	Srinivasan V, Carlson A, Mokin M, Cherian J, Chen S, Pur A, et al. Prolapse of the pipeline embolization device in aneurysms: Incidence, management and outcomes: <i>Journal of NeuroInterventional Surgery. Conference: 14th Annual Meeting of the Society of NeuroInterventional Surgery, SNIS 2017. Colorado Springs, CO United States.</i> 9 (Supplement 1) (pp A28), 2017.	7
2063	Srinivasan V, Duckworth E, Mbabuike N, Mokin M, Mitchell B, Ban V, et al. Long-term persistent aneurysm patency after treatment with the pipeline embolization device: <i>Journal of Neurosurgery.</i> 124 (4) (pp A1193), 2016. Conference: 2016 AANS Annual Scientific Meeting. Chicago, IL United States.	7
2064	Srinivasan V, Kan P, Germanwala A, Pelargos P, Bohnen A, Choy W, et al. Key perspectives on Woven EndoBridge device for wide-necked bifurcation aneurysms, endoscopic endonasal clipping of intracranial aneurysms, retrosigmoid versus translabyrinthine approaches for acoustic neuromas, and impact of local intraoperative steroid administration on postoperative dysphagia following anterior cervical discectomy and fusion: <i>Surgical Neurology International.</i> 7 (28 Supplement 27) (pp S720–S724), 2016.	6

연번	서지정보	배제 사유
2065	Srinivasan VM, Chintalapani G, Camstra KM, Effendi ST, Cherian J, Johnson JN, et al. Fast acquisition cone-beam computed tomography: Initial experience with a 10 s protocol: <i>Journal of NeuroInterventional Surgery</i> . 10 (9) (pp 916–920), 2018.	9
2066	Srinivasan VM, Ghali MGZ, Cherian J, Mokin M, Puri AS, Grandhi R, et al. Flow diversion for anterior choroidal artery (AChA) aneurysms: A multi-institutional experience: <i>Journal of NeuroInterventional Surgery</i> . 10 (7) (pp 634–638), 2018.	3
2067	Srinivasan VM, Ghali MGZ, Kan P. Letter to the Editor Regarding "Endovascular Treatment of Posterior Inferior Cerebellar Artery Aneurysms with Flow Diversion": <i>World Neurosurgery</i> . 119 (pp 448), 2018.	6
2068	Srinivasan VM, Kan P, Germanwala AV, Pelargos P, Bohnen A, Choy W, et al. Key perspectives on Woven EndoBridge device for wide-necked bifurcation aneurysms, endoscopic endonasal clipping of intracranial aneurysms, retrosigmoid versus translabyrinthine approaches for acoustic neuromas, and impact of local intraoperative steroid administration on postoperative dysphagia following anterior cervical discectomy and fusion. <i>Surgical neurology international</i> . 2016;7(Suppl 27):S720–S4.	8
2069	Srinivasan VM, Kan P. Commentary: Effect of carotid siphon anatomy on aneurysm occlusion after flow diversion for treatment of internal carotid artery aneurysms: <i>Operative Neurosurgery</i> . 17 (2) (pp E45–E46), 2019.	6
2070	Srinivasan VM, Kan P. Delayed parent vessel occlusion in Pipeline embolization: <i>Journal of Neurophysiology</i> . 128 (1) (pp 327–328), 2018.	6
2071	Srinivasan VM, Kan P. Letter: Rescue therapy for procedural complications associated with deployment of flow-diverting devices in cerebral aneurysms: <i>Operative Neurosurgery</i> . 17 (2) (pp E91), 2019.	6
2072	Srinivasan VM, Kaufmann A, Kan P, Duckworth EA. Surgical Reconstruction to Allow Endovascular Access for Flow Diversion of Giant Cavernous Aneurysm: A Combined Approach: <i>Cureus</i> . 10(3):e2381, 2018 Mar 28.: 2018.	6
2073	Srinivasan VM, Srivatsan A, Spiotta AM, Hendricks BK, Ducruet AF, Albuquerque FC, et al. Early postmarket results with PulseRider for treatment of wide-necked intracranial aneurysms: a multicenter experience. <i>Journal of Neurosurgery</i> . 2019;08.	3
2074	Srivatsan A, Kan P. Commentary: Expanding Indications for Flow Diverters: Distal Aneurysms, Bifurcation Aneurysms, Small Aneurysms, Previously Coiled Aneurysms and Clipped Aneurysms, Carotid Cavernous Fistulas. <i>Neurosurgery</i> . 2020;86(2):E227–E8.	6
2075	Stapleton CJ, Ogilvy CS. Treatment of intracranial aneurysms with the pipeline embolization device from a U.S. multicenter experience: <i>World neurosurgery</i> . 80 (3–4) (pp 231–233), 2013.	6
2076	Starke RM, Chalouhi N, Ali MS, Tjoumakaris SI, Jabbour PM, Fernando Gonzalez L, et al. Endovascular treatment of carotid cavernous aneurysms: complications, outcomes and comparison of interventional strategies. <i>Journal of Clinical Neuroscience</i> . 2014;21(1):40–6.	3
2077	Starke RM, Turk A, Ding D, Crowley RW, Liu KC, Chalouhi N, et al. Technology developments in endovascular treatment of intracranial aneurysms: <i>Journal of NeuroInterventional Surgery</i> . 8 (2) (pp 135–144), 2016.	6
2078	Steinman DA. Computational modeling and flow diverters: a teaching moment: <i>Ajnr: American Journal of Neuroradiology</i> . 32(6):981–3, 2011 Jun-Jul.; 2011.	6
2079	Straus DC, Brito da Silva H, McGrath L, Levitt MR, Kim LJ, Ghodke BV, et al. Cerebral Revascularization for Aneurysms in the Flow-Diverter Era. <i>Neurosurgery</i> . 2017;80(5):759–68.	3

연번	서지정보	배제 사유
2080	Strauss I, Maimon S. Silk flow diverter in the treatment of complex intracranial aneurysms: a single-center experience with 60 patients. <i>Acta Neurochirurgica.</i> 2016;158(2):247–54.	3
2081	Strother C, Jiang J, Pulfer K, Consigny D. The web aneurysm embolization device: Design, evolution and CFD evaluation: <i>Journal of NeuroInterventional Surgery.</i> Conference: 8th Annual Meeting of the Society of NeuroInterventional Surgery, SNIS 2011. Colorado Springs, CO United States. Conference Publication: (var.pagings). 3 (SUPPL. 1) (pp A11-A12), 2011.	7
2082	Struffert T, Lang S, Adamek E, Engelhorn T, Strother CM, Doerfler A. Angiographic C-arm CT visualization of the Woven EndoBridge cerebral aneurysm embolization device (WEB): first experience in an animal aneurysm model. <i>Clinical Neuroradiology.</i> 2014;24(1):43–9.	9
2083	Struffert T, Ott S, Kowarschik M, Bender F, Adamek E, Engelhorn T, et al. Measurement of quantifiable parameters by time-density curves in the elastase-induced aneurysm model: first results in the comparison of a flow diverter and a conventional aneurysm stent. <i>European Radiology.</i> 2013;23(2):521–7.	9
2084	Struffert T, Saake M, Ott S, Engelhorn T, Golitz P, Kloska S, et al. Intravenous flat detector CT angiography for non-invasive visualisation of intracranial flow diverter: Technical feasibility: <i>European Radiology.</i> 21 (8) (pp 1797–1801), 2011.	6
2085	Su T, Reymond P, Brina O, Bouillot P, Machi P, Delattre BMA, et al. Large Neck and Strong Ostium Inflow as the Potential Causes for Delayed Occlusion of Unruptured Sidewall Intracranial Aneurysms Treated by Flow Diverter. <i>Ajnr: American Journal of Neuroradiology.</i> 2020;41(3):488–94.	4
2086	Sucasas P, Pumar JM, Bangüero A, Massó J, Massó A, Larrea JA, et al. Use of SILK plus as flow-diverter in the treatment of complex intracranial aneurysms. Long-term follow-up at Hospital Clínico de Santiago de Compostela and Hospital Universitario Donostia (Spain): <i>Neuroradiology.</i> Conference: 2nd Joint Meeting of the Portuguese Society of Neuroradiology, SPNR and of the Spanish Society of Neuroradiology, SENR (9th National Congress of the SPNR and 42nd Annual Meeting of the SENR). Lisbon Portugal. Conference Publication: (var.pagings). 55 (12) (pp 1510), 2013.	7
2087	Sugiu K, Hiramatsu M, Murai S, Hishikawa T, Nishihiro S, Kidani N, et al. Reduced radiation dose with volume of interest cone beam CT (VOI CBCT) imaging during flow diverter placement for cerebral aneurysms: <i>Neuroradiology.</i> Conference: 41st European Society of Neuroradiology Diagnostic and Interventional Annual Meeting – ESNR 2018, , the 25th Advanced Course in Diagnostic Neuroradiology and the 10th Advanced Course in Endovascular and Interventional Neuroradiology. Rotterdam Netherlands. 60 (Supplement 2) (pp S447-S448), 2018.	7
2088	Suh SH, Cloft HJ, Lanzino G, Woodward K, Kallmes DF. Interobserver agreement after pipeline embolization device implantation. <i>Ajnr: American Journal of Neuroradiology.</i> 2013;34(6):1215–8.	3
2089	Sultan S, Kavanagh EP, Alves A, Wanke I, Ruefenacht D, Hynes N. A preliminary study of the intracranial multilayer flow modulator and its ability to occlude cerebral aneurysms: <i>Irish Journal of Medical Science.</i> Conference: 23rd Sylvester O'Halloran Perioperative Scientific Symposium. Limerick Ireland. Conference Publication: (var.pagings). 184 (SUPPL. 5) (pp S167), 2015.	7

연번	서지정보	배제 사유
2090	Sultan-Qurraie A, Sattar A, Wazni W, Noufal M, Zaidat O. Anterior Communicating Artery Aneurysm Treatment with the Pipeline Embolization Device: A Single-Center Experience with Long-Term Follow-Up. <i>Interventional Neurology</i> . 2017;6(3-4):126-34.	3
2091	Sun A, Zhao C, Gao Z, Deng X, Qiu H. A proposed design of flow diverter and its hemodynamic validation: Medicine in Novel Technology and Devices. 9 (no pagination), 2021. Article Number: 100049.	9
2092	Sunohara T, Imamura H, Goto M, Fukumitsu R, Matsumoto S, Fukui N, et al. Neck Location on the Outer Convexity is a Predictor of Incomplete Occlusion in Treatment with the Pipeline Embolization Device: Clinical and Angiographic Outcomes. <i>Ajnr: American Journal of Neuroradiology</i> . 2021;42(1):119-25.	4
2093	Surdell D. Comment: <i>Neurosurgery</i> . 71 (6) (pp 1087-1088), 2012.	6
2094	Suri H, Ionita CN, Baier RE, Rudin S. New variable porosity flow diverter (VPOD) stent design for treatment of cerebrovascular aneurysms: Conference proceedings : ... Annual International Conference of the IEEE Engineering in Medicine and Biology Society. IEEE Engineering in Medicine and Biology Society. Conference. 2011 (pp 1105-1108), 2011.	7
2095	Suroto NS, Bajamal Z, Al Fauzi A. Flow diversion stent for large and giant internal carotid artery aneurysm: Initial experience: <i>International Journal of Stroke</i> . Conference: 11th World Stroke Congress, WSC 2018. Montreal, QC Canada. 13 (2 Supplement 1) (pp 230), 2018.	7
2096	Suzuki M, Takano N, Irie R, Takamura T, Teranishi K, Yatomi K, et al. Feasibility of silent MRA for neurovascular disease: <i>Neuroradiology</i> . Conference: 47th Annual Meeting of the Japanese Society of Neuroradiology, JSNR 2018. Tsukuba Japan. 60 (10) (pp 1127), 2018.	7
2097	Suzuki T, Hasegawa H, Ando K, Shibuya K, Takahashi H, Saito S, et al. Possibility of Worsening Flow Diversion Effect Due to Morphological Changes of a Stented Artery With Multiple Overlapping Stents for Partially Thrombosed Vertebral Artery Aneurysms: <i>Frontiers in Neurology</i> . 11 (no pagination), 2020.	6
2098	Suzuki T, Takao H, Fujimura S, Dahmani C, Ishibashi T, Mamori H, et al. Relationships between geometrical parameters and mechanical properties for a helical braided flow diverter stent. <i>Technology & Health Care</i> . 2017;25(4):611-23.	9
2099	Suzuki T, Takao H, Fujimura S, Dahmani C, Ishibashi T, Mamori H, et al. Selection of helical braided flow diverter stents based on hemodynamic performance and mechanical properties. <i>Journal of Neurointerventional Surgery</i> . 2017;9(10):999-1005.	9
2100	Sweid A, Herial N, Sajja K, Chalouhi N, Velagapudi L, Doermann A, et al. Early multicenter experience with the neuroform atlas stent: Feasibility, safety, and efficacy: <i>Neurosurgery</i> . 87 (3) (pp E321-E335), 2020.	3
2101	Sweid A, Rahm SP, Das S, Baldassari MP, Jabbour P, Alexander TD, et al. Safety and Efficacy of Bilateral Flow Diversion for Treatment of Anterior Circulation Cerebral Aneurysms. <i>World Neurosurgery</i> . 2019;130:e1116-e21.	3
2102	Sweid A, Starke RM, Herial N, Chalouhi N, Das S, Baldassari MP, et al. Flow diversion for small caliber vessel aneurysms: efficacy, safety, and functional outcome. <i>Journal of Neurosurgical Sciences</i> . 2019;63(6):702-13.	3
2103	Sweid A, Starke RM, Herial N, Chalouhi N, Das S, Baldassari MP, et al. Predictors of Complications, Functional Outcome, and Morbidity in a Large Cohort Treated With Flow Diversion. <i>Neurosurgery</i> . 2020;87(4):730-43.	3

연번	서지정보	배제 사유
2104	Sweid A, Starke RM, Herial N, Chalouhi N, Xu V, Shivashankar K, et al. Transradial approach for the treatment of brain aneurysms using flow diversion: feasibility, safety, and outcomes. <i>Journal of Neurosurgical Sciences</i> . 2019;63(5):509–17.	3
2105	Sweid A, Tjoumakaris S, Herial N, Gooch MR, Rosenwasser RH, Jabbour P. Case report of a partially thrombosed ACoA aneurysm presenting with bilateral foot drop. <i>Clinical Neurology & Neurosurgery</i> . 2019;185(105490).	1
2106	Szikora I, Becske T, Kallmes D, Lylyk P, Boccardi E, Nelson P. Impact of aneurysm size on the complication rate associated with flow diverter treatment of intracranial aneurysms. A composite analysis of three large scale multicenter studies: Interventional Neuroradiology. Conference: 13th Congress of the World Federation of Interventional and Therapeutic Neuroradiology, WFITN 2015 and 12th Interdisciplinary Cerebrovascular Symposium, Intracranial Stent Meeting, ICS 2015. Gold Coast, QLD Australia. Conference Publication: (var.pagings). 21 (SUPPL. 1) (pp 219), 2015.	7
2107	Szikora I, Berentei ZS, Marosfoi M, Gubucz I. Flow diverters—what evidence do we have for efficacy?: Neuroradiology. Conference: 36th European Society of Neuroradiology Annual Meeting. Edinburgh United Kingdom. Conference Publication: (var.pagings). 54 (1 SUPPL. 1) (pp S43), 2012.	7
2108	Szikora I, Marosfoi M, Salomvary B, Berentei Z, Gubucz I. Resolution of mass effect and compression symptoms following endoluminal flow diversion for the treatment of intracranial aneurysms. <i>Ajnr: American Journal of Neuroradiology</i> . 2013;34(5):935–9.	3
2109	Szikora I, Turanyi E, Marosfoi M. Evolution of Flow-Diverter Endothelialization and Thrombus Organization in Giant Fusiform Aneurysms after Flow Diversion: A Histopathologic Study. <i>Ajnr: American Journal of Neuroradiology</i> . 2015;36(9):1716–20.	3
2110	Szikora I. Giant aneurysm: EVT: Neuroradiology. Conference: 38th European Society of Neuroradiology Diagnostic and Interventional Annual Meeting, ESNR 2015. Naples Italy. Conference Publication: (var.pagings). 57 (1 SUPPL. 1) (pp S63), 2015.	7
2111	Tabani H, Yousef S, Burkhardt JK, Gandhi S, Benet A, Lawton MT. Microsurgical Clipping of an Unruptured Carotid Cave Aneurysm: 3-Dimensional Operative Video. <i>World Neurosurgery</i> . 2017;104(1045).	2
2112	Tachi T, Fujinaka T, Nishimoto K, Yamazaki H, Murakami K, Takano K, et al. Treatment of symptomatic internal carotid artery aneurysms with pipeline embolization device. [Japanese]: Japanese Journal of Neurosurgery. 29 (12) (pp 864–868), 2020.	10
2113	Tae-Hoon LIM. Global Investor Base Diversity and Portfolio Capital Flows. <i>KIEP Opinions</i> . 2015;61(0):1–0.	2
2114	Takano N, Suzuki M, Irie R, Yamamoto M, Teranishi K, Yatomi K, et al. Non-Contrast-Enhanced Silent Scan MR Angiography of Intracranial Anterior Circulation Aneurysms Treated with a Low-Profile Visualized Intraluminal Support Device. <i>Ajnr: American Journal of Neuroradiology</i> . 2017;38(8):1610–6.	4
2115	Takao H, Suzuki T, Fujimura S, Ishibashi T, Murayama Y. Clinical strategy for cerebral aneurysm using CFD in the future: Neuroradiology. Conference: 47th Annual Meeting of the Japanese Society of Neuroradiology, JSNR 2018. Tsukuba Japan. 60 (10) (pp 1121), 2018.	7
2116	Takemoto K, Tateshima S, Golshan A, Gonzalez N, Jahan R, Duckwiler G, et al. Endovascular treatment of pediatric intracranial aneurysms: a retrospective study of 35 aneurysms. <i>Journal of Neurointerventional Surgery</i> . 2014;6(6):432–8.	3

연번	서지정보	배제 사유
2117	Takeyama E, Wada A, Amano E, Shibuya H. Oesophageal submucosal hematoma after flow diverter embolization with favourable outcome treated by discontinuing postoperative antiplatelet therapy for only three days: a case report: JA Clinical Reports. 5 (1) (no pagination), 2019.	6
2118	Takong W, Kobkitsuksakul C. Delayed Proximal Flow Diverting Stent Migration in a Ruptured Intracranial Aneurysm: A Case Report. Neurointervention. 2020;15(3):154-7.	3
2119	Takong W, Kobkitsuksakul C. Delayed Proximal Flow Diverting Stent Migration in a Ruptured Intracranial Aneurysm: A Case Report: Neurointervention. 15(3):154-157, 2020 Nov.: 2020.	2
2120	Tan LA, Gerard CS, Keigher KM, Moftakhar R, Lopes DK. Ventriculoperitoneal Shunt in a Patient with Ruptured Blister Aneurysm Treated with Pipeline Embolization Device. J Cerebrovasc Endovasc Neurosurg. 2015;17(1):54-8.	6
2121	Tan LA, Gerard CS, Keigher KM, Moftakhar R, Lopes DK. Ventriculoperitoneal shunt in a patient with ruptured blister aneurysm treated with pipeline embolization device: Journal of Cerebrovascular & Endovascular Neurosurgery. 17(1):54-8, 2015 Mar.: 2015.	3
2122	Tan LA, Keigher KM, Munich SA, Moftakhar R, Lopes DK. Thromboembolic complications with Pipeline Embolization Device placement: impact of procedure time, number of stents and pre-procedure P2Y12 reaction unit (PRU) value. Journal of Neurointerventional Surgery. 2015;7(3):217-21.	3
2123	Tan LA, Sandler V, Todorova-Koteva K, Levine L, Lopes DK, Moftakhar R. Recovery of pituitary function following treatment of an unruptured giant cavernous carotid aneurysm using Surpass flow-diverting stents. BMJ Case Reports. 2014;05:05.	3
2124	Tanaka R, Liew BS, Sasaki K, Miyatani K, Kawase T, Yamada Y, et al. High-Flow Bypass with Radial Artery Graft for Cavernous Carotid Aneurysms: A Case Series. Asian Journal of Neurosurgery. 2020;15(4):863-9.	3
2125	Tang AY, Chung WC, Liu ET, Qu JQ, Tsang AC, Leung GK, et al. Computational Fluid Dynamics Study of Bifurcation Aneurysms Treated with Pipeline Embolization Device: Side Branch Diameter Study. Journal of Medical & Biological Engineering. 2015;35(3):293-304.	3
2126	Tang AYS, Chung WC, Liu ETY, Qu JQ, Tsang ACO, Leung GKK, et al. Computational Fluid Dynamics Study of Bifurcation Aneurysms Treated with Pipeline Embolization Device: Side Branch Diameter Study: Journal of Medical and Biological Engineering. 35 (3) (pp 293-304), 2015.	8
2127	Taschner C, Stracke P, Dorn F, Kadziolka K, Kreiser K, Pham M, et al. A prospective multicentre registry of patients treated for unruptured intracranial aneurysms with the derivo flow diverter: Procedural safety and core-lab adjudicated angiographic baseline results: Clinical Neuroradiology. Conference: 54. Jahrestagung der Deutschen Gesellschaft fur Neuroradiologie e.V. und 27. Jahrestagung der Österreichischen Gesellschaft fur Neuroradiologie. Frankfurt a.M. Germany. 29 (SUPPL 1) (pp S95-S96), 2019.	7
2128	Taschner CA, Stracke CP, Dorn F, Kadziolka KB, Kreiser K, Solymosi L, et al. Derivo embolization device in the treatment of unruptured intracranial aneurysms: a prospective multicenter study. Journal of Neurointerventional Surgery. 2021;13(6):541-6.	3
2129	Taschner CA, Vedantham S, de Vries J, Biondi A, Boogaarts J, Sakai N, et al. Surpass Flow Diverter for Treatment of Posterior Circulation Aneurysms. Ajnr: American Journal of Neuroradiology. 2017;38(3):582-9.	3

연번	서지정보	배제 사유
2130	Tateshima S. [Treatment of Intracranial Aneurysm with Pipeline Flow Diversion Stent]. [Review] [Japanese]. <i>No Shinkei Geka Neurological Surgery.</i> 2015;43(9):775–85.	10
2131	Tateshima S. Treatment of intracranial aneurysm with pipeline flow diversion stent. [Japanese]: <i>Japanese Journal of Neurosurgery.</i> 26 (1) (pp 12–20), 2017.	10
2132	Tateshima S. Treatment of intracranial aneurysm with pipeline flow diversion stent. [Japanese]: <i>Neurological Surgery.</i> 43 (9) (pp 775–785), 2015.	10
2133	Tau N, Sadeh-Gonik U, Aulagner G, Turjman F, Gory B, Armoiry X. The Woven EndoBridge (WEB) for endovascular therapy of intracranial aneurysms: Update of a systematic review with meta-analysis. <i>Clinical Neurology & Neurosurgery.</i> 2018;166:110–5.	6
2134	Taussky P, Tawk RG, Miller DA, Freeman WD, Hanel RA. New therapies for unruptured intracranial aneurysms. [Review]. <i>Neurologic Clinics.</i> 2013;31(3):737–47.	6
2135	Taussky P, Tawk RG, Miller DA, Freeman WD, Hanel RA. New therapies for unruptured intracranial aneurysms: <i>Neurologic Clinics.</i> 31 (3) (pp 737–747), 2013.	8
2136	Tawk RG, Mbabuike N, Mascitelli J, Abla A, Duckworth E, Kan P, et al. Microsurgical treatment of intracranial aneurysms after failure of flow diversion: A multicenter case series and review: <i>Journal of Neurosurgery. Conference: 2019 Annual Scientific Meeting of the American Association of Neurological Surgeons, AANS 2019. San Diego, CA United States.</i> 131 (1) (pp 82), 2019.	7
2137	Tejada JG, Lopez GV, Koovor JM, Riley K, Martinez M. Mid-term follow-up of staged bilateral internal carotid artery aneurysm treatment with Pipeline embolization. <i>Interventional Neuroradiology.</i> 2019;25(6):664–70.	3
2138	Tejada JG, Lopez GVV, Koovor JME, Riley K, Martinez M. Mid-term follow-up of staged bilateral internal carotid artery aneurysm treatment with Pipeline embolization: <i>Interventional Neuroradiology.</i> 25 (6) (pp 664–670), 2019.	8
2139	Ten Brinck MFM, Rigante L, Shimanskaya VE, Bartels R, Meijer FJA, Wakhloo AK, et al. Limitations of Flow Diverters in Posterior Communicating Artery Aneurysms. <i>Brain Sciences.</i> 2021;11(3):09.	8
2140	Ten Brinck MFM, Rigante L, Shimanskaya VE, Bartels RHMA, Meijer FJA, Wakhloo AK, et al. Limitations of flow diverters in posterior communicating artery aneurysms: <i>Brain Sciences.</i> 11 (3) (no pagination), 2021.	6
2141	Teng MMH. Pre-and post-procedural medication of cerebrovascular intervention: <i>Neuroradiology. Conference: 12th Asian–Oceanian Congress of Neuroradiology and the 21st Symposium Neuroradiologicum. Taipei Taiwan (Republic of China).</i> 60 (1 Supplement 1) (pp 58), 2018.	7
2142	Teoderascu F, Rempel J, O'Kelly C. Evaluation of modeling software for deployment of Pipeline stents in the endovascular treatment of intracranial aneurysms: Canadian Journal of Neurological Sciences. Conference: 54th Annual Congress of the Canadian Neurological Sciences Federation, CNSF 2019. Montreal, QC Canada. 46 (Supplement 1) (pp S23), 2019.	7
2143	Texakalidis P, Bekelis K, Atallah E, Tjoumakaris S, Rosenwasser RH, Jabbour P. Flow diversion with the pipeline embolization device for patients with intracranial aneurysms and antiplatelet therapy: A systematic literature review. [Review]. <i>Clinical Neurology & Neurosurgery.</i> 2017;161:78–87.	6

연번	서지정보	배제 사유
2144	Thielen E, McClure M, Rouchaud A, Ding YH, Concomitant coiling reduces metalloproteinase levels in flow diverter-treated aneurysms but anti-inflammatory treatment has no effect. <i>Journal of Neurointerventional Surgery.</i> 2017;9(3):307–10.	9
2145	Thines L, Proust F, Marinho P, Durand A, van der Zwan A, Regli L, et al. Giant and complex aneurysms treatment with preservation of flow via bypass technique. [Review]. <i>Neuro Chirurgie.</i> 2016;62(1):1–13.	6
2146	Thines L, Proust F, Marinho P, Durand A, van der Zwan A, Regli L, et al. Giant and complex aneurysms treatment with preservation of flow via bypass technique: <i>Neurochirurgie.</i> 62 (1) (pp 1–13), 2016.	8
2147	Thomas AJ, Ogilvy CS. Flow Diversion for Intracranial Aneurysm Treatment: <i>Neurosurgery.</i> 86 (Supplement 1) (pp S1–S2), 2020.	6
2148	Tian Z, Chen J, Zhang Y, Liu J, Wang Y, Sui B, et al. Quantitative Analysis of Intracranial Vertebrobasilar Dissecting Aneurysm with Intramural Hematoma After Endovascular Treatment Using 3-T High-Resolution Magnetic Resonance Imaging: <i>World Neurosurgery.</i> 108 (pp 236–243), 2017.	2
2149	Tian Z, Liu J, Kumar J, Li W, Zhang Y, Zhang Y, et al. Significant flow velocity reduction at the intracranial aneurysm neck after endovascular treatment leads to favourable angiographic outcome: a prospective study. <i>Stroke & Vascular Neurology.</i> 2021;01:01.	3
2150	Tian Z, Zhang M, Li G, Jin R, Leng X, Wang K, et al. Hemodynamic differences by increasing low profile visualized intraluminal support (LVIS) stent local compaction across intracranial aneurysm orifice: <i>Interventional Neuroradiology.</i> 26 (5) (pp 557–565), 2020.	8
2151	Tian Z, Zhang M, Li G, Jin R, Leng X, Zhang Y, et al. Hemodynamic differences by increasing low profile visualized intraluminal support (LVIS) stent local compaction across intracranial aneurysm orifice. <i>Interventional Neuroradiology.</i> 2020;26(5):557–65.	3
2152	Tikka J, Gardberg M, Rautio R, Lunetta P. Left cerebral hemisphere hydrophilic polymer embolism associated with endovascular WEB treatment of a ruptured aneurysm of the anterior cerebral artery: <i>Legal Medicine.</i> 35 (pp 66–68), 2018.	6
2153	Timsit C, Soize S, Benissa A, Portefaix C, Gauvrit JY, Pierot L. Contrast-Enhanced and Time-of-Flight MRA at 3T Compared with DSA for the Follow-Up of Intracranial Aneurysms Treated with the WEB Device. <i>Ajnr: American Journal of Neuroradiology.</i> 2016;37(9):1684–9.	3
2154	Ting W, Richard SA, Changwei Z, Chaohua W, Xiaodong X. Delayed spontaneous rupture of cavernous segment of the internal carotid artery following dual ophthalmic segment aneurysms treatment with pipeline embolization device: A case report. <i>Medicine.</i> 2019;98(52).	3
2155	Tjoumakaris SI, Daou B, Chalouhi N, Oliver J, Hebert R, Montano M, et al. Aneurysms with persistent filling after failed treatment with the pipeline embolization device: <i>Journal of Neurosurgery.</i> Conference: 2016 AANS Annual Scientific Meeting. Chicago, IL United States. 124 (4) (pp A1193), 2016.	7
2156	Toccaceli G, Diana F, Cagnazzo F, Cannizzaro D, Lanzino G, Barbagallo GMV, et al. Microsurgical Clipping Compared with New and Most Advanced Endovascular Techniques in the Treatment of Unruptured Middle Cerebral Artery Aneurysms: A Meta-Analysis in the Modern Era. [Review]. <i>World Neurosurgery.</i> 2020;137:451–64.	6

연번	서지정보	배제 사유
2157	Toccaceli G, Diana F, Cagnazzo F, Cannizzaro D, Lanzino G, Barbagallo GMV, et al. Microsurgical Clipping Compared with New and Most Advanced Endovascular Techniques in the Treatment of Unruptured Middle Cerebral Artery Aneurysms: A Meta-Analysis in the Modern Era: World Neurosurgery. 137 (pp 451–464.e1), 2020.	8
2158	Tokunaga K, Hatano T, Nakahara I, Ishii A, Higashi E, Kamata T, et al. Factors Associated with Postprocedural Diffusion-Weighted Imaging-Positive Lesions in Endovascular Treatment for Unruptured Cerebral Aneurysms. World Neurosurgery. 2019;130:e457–e62.	3
2159	Tollot S, Pozzi Mucelli RA, Pozzi-Mucelli F, Soppelsa G, De Groodt J, Cova MA. Flow diverter stent in visceral aneurysm: CardioVascular and Interventional Radiology Conference: Cardiovascular and Interventional Radiological Society of Europe (CIRSE) 2019. Barcelona Spain. 42 (3 Supplement) (pp S451), 2019.	7
2160	Tomas C, Benaissa A, Herbreteau D, Kadziolka K, Pierot L. Delayed ipsilateral parenchymal hemorrhage following treatment of intracranial aneurysms with flow diverter. Neuroradiology. 2014;56(2):155–61.	6
2161	Tomasello A, Romero N, Aixut S, Miquel MA, Macho JM, Castano C, et al. Endovascular treatment of intracranial aneurysm with pipeline embolization device: experience in four centres in Barcelona. Neurological Research. 2016;38(5):381–8.	3
2162	Tonetti DA, Jankowitz BT, Gross BA. Antiplatelet Therapy in Flow Diversion: Neurosurgery. 86 (Supplement 1) (pp S47–S52), 2020.	6
2163	Tonetti DA, Perez JL, Ozpinar A, Zussman B, Gross BA, Jankowitz BT. Use of Pipeline Endovascular Device in Patients with Nickel Allergies. World Neurosurgery. 2018;120:349–51.	3
2164	Too L, Shijie N, Zong Z, Haiping L, Qingrong Z, Chunhua H. The application or pipeline embolization device in treating intracranial aneurysms located between cavernous sinus segment and ophthalmic artery segment. [Chinese]: Journal of Interventional Radiology (China). 27 (12) (pp 1127–1132), 2018.	10
2165	Topcuoglu OM, Arat A, Peker A, Sarikaya B. Intermediate catheter placement distal to the cerebral aneurysm during flow diversion embolization with the Surpass device: Journal of NeuroInterventional Surgery. 10 (12) (pp E35), 2018.	3
2166	Torne R, Rodriguez-Hernandez A, Tercero-Uribe A, Hurtado P, Lopez-Rueda A, Poblete J, et al. Rescue Surgery in the Flow Diverter Era: Partial Trapping Plus Revascularization Technique for a Giant Carotid-Ophthalmic Aneurysm: World Neurosurgery. 143:73–78, 2020 11.; 2020.	3
2167	Toth G, Bain M, Hussain MS, Moskowitz S, Masaryk T, Rasmussen P, et al. Posterior circulation flow diversion: a single-center experience and literature review. [Review]. Journal of Neurointerventional Surgery. 2015;7(8):574–83.	3
2168	Toth G, Bain M, Hussain S, Moskowitz S, Rasmussen P, Masaryk T, et al. Flow diversion in the posterior circulation: A single center experience and literature review: Journal of NeuroInterventional Surgery. Conference: 11th Annual Meeting of the Society of NeuroInterventional Surgery, SNIS 2014. Colorado Springs, CO United States. Conference Publication: (var.pagings). 6 (SUPPL. 1) (pp A32), 2014.	7
2169	Toth G, Cerejo R. Intracranial aneurysms: Review of current science and management: Vascular Medicine (United Kingdom). 23 (3) (pp 276–288), 2018.	6
2170	Toth G, Hui F, Bain M. Fenestra obscura: Flow diverter reconstruction of a complex vertebrobasilar aneurysm through an obscured fenestration limb: Technical case report: Operative Neurosurgery. 12 (4) (pp E95–E100), 2016.	6

연번	서지정보	배제 사유
2171	Touze R, Clarencon F. In Reply: Occlusion Rate and Visual Complications With Flow-Diverter Stent Placed Across the Ophthalmic Artery's Origin for Carotid-Ophthalmic Aneurysms: A Meta-Analysis: Neurosurgery. 86(4):E400–E401, 2020 04 01.; 2020.	6
2172	Touze R, Gravellier B, Rolla-Bigliani C, Touitou V, Shotar E, Lenck S, et al. Occlusion Rate and Visual Complications With Flow-Diverter Stent Placed Across the Ophthalmic Artery's Origin for Carotid-Ophthalmic Aneurysms: A Meta-Analysis. Neurosurgery. 2020;86(4):455–63.	6
2173	Touze R, Touitou V, Shotar E, Gabrieli J, Drir M, Mathon B, et al. Long-term visual outcome in patients treated by flow diversion for carotid-ophthalmic aneurysms: Journal of NeuroInterventional Surgery. 10 (11) (pp 1067–1073), 2018.	3
2174	Townsend RK, Wolfe SQ, Anadani M, Spiotta A, De Leacy R, Mocco J, et al. Endovascular management of acute postprocedural flow diverting stent thrombosis: Journal of NeuroInterventional Surgery. 12 (1) (pp 67–71), 2020.	3
2175	Trager AL, Sadasivan C, Lieber BB. Comparison of the in vitro hemodynamic performance of new flow diverters for bypass of brain aneurysms. Journal of Biomechanical Engineering. 2012;134(8).	9
2176	Trivelato FP, Abud DG, Ulhoa AC, Waihrich ES, Abud TG, Castro Afonso LH, et al. Derivo Embolization Device for the Treatment of Intracranial Aneurysms: A Multicenter Study of 183 Aneurysms: Stroke. 50 (9) (pp 2351–2358), 2019.	3
2177	Trivelato FP, Araujo JF, Salles Rezende MT, Ulhoa AC. A Novel Configuration of Pipeline Embolization Device for Internal Carotid Bifurcation Region Aneurysms: Horizontal Deployment. Clinical Neuroradiology. 2017;27(1):57–60.	6
2178	Trivelato FP, Rezende MTS, Fonseca LV, Bonadio LE, Ulhoa AC, Abud DG. Pipeline embolization device for the treatment of a traumatic intracranial aneurysm in a child. Childs Nervous System. 2017;33(5):869–72.	3
2179	Trivelato FP, Salles Rezende MT, Ulhoa AC, de Castro-Afonso LH, Seizem Nakiri G, Abud DG. Occlusion rates of intracranial aneurysms treated with the Pipeline embolization device: The role of branches arising from the SAC: Journal of Neurosurgery. 130 (2) (pp 543–549), 2019. Date of Publication: February 2019.; 2019.	4
2180	Trivelato FP, Salles Rezende MT, Ulhoa AC, Henrique de Castro-Afonso L, Nakiri GS, Abud DG. Occlusion rates of intracranial aneurysms treated with the Pipeline embolization device: the role of branches arising from the sac. Journal of Neurosurgery. 2018;01.	8
2181	Trivelato FP, Wajnberg E, Rezende MTS, Ulhoa AC, Piske RL, Abud TG, et al. Safety and Effectiveness of the Pipeline Flex Embolization Device With Shield Technology for the Treatment of Intracranial Aneurysms: Midterm Results From a Multicenter Study. Neurosurgery. 2020;87(1):104–11.	3
2182	Truffelli M, Pavanello M, Fasce I, Fiaschi P, Gandolfo C. A giant calcific aneurysm of an aplastic middle cerebral artery in an infant: Pathophysiological description with embryological hypothesis: Journal of Neurosurgical Sciences. 64 (2) (pp 214–216), 2020. Date of Publication: April 2020.; 2020.	6
2183	Tsai YH, Wong HF, Hsu SW. Endovascular management of spontaneous delayed migration of the flow-diverter stent. [Review]. Journal of Neuroradiology Journal de Neuroradiologie. 2020;47(1):38–45.	3

연번	서지정보	배제 사유
2184	Tsang AC, Fung AM, Tsang FC, Leung GK, Lee R, Lui WM. Failure of Flow Diverter Treatment of Intracranial Aneurysms Related to the Fetal-type Posterior Communicating Artery. <i>Neurointervention</i> . 2015;10(2):60-6.	3
2185	Tsang AC, Lai SS, Chung WC, Tang AY, Leung GK, Poon AK, et al. Blood flow in intracranial aneurysms treated with Pipeline embolization devices: computational simulation and verification with Doppler ultrasonography on phantom models. <i>Ultrasonography</i> . 2015;34(2):98-108.	3
2186	Tsang AC, Tang AY, Chung WC, Leung GK, Chow KW. Correlating Hemodynamic Changes and Occlusion Time after Flow Diverter Treatment of Bilateral Large Internal Carotid Artery Aneurysms. <i>Clinical Neuroradiology</i> . 2016;26(4):477-80.	3
2187	Tsang ACO, Fung AMY, Tsang FCP, Leung GKK, Lee R, Lui WM. Failure of Flow Diverter Treatment of Intracranial Aneurysms Related to the Fetal-type Posterior Communicating Artery. <i>Neurointervention</i> . 2015;10(2):60-6.	3
2188	Tsang ACO, Lai SSM, Chung WC, Tang AYS, Leung GKK, Poon AKK, et al. Blood flow in intracranial aneurysms treated with Pipeline embolization devices: computational simulation and verification with Doppler ultrasonography on phantom models. <i>Ultrasonography</i> . 2015;34(2):98-108.	9
2189	Tsang ACO, Nicholson P, Pereira VM. Nickel-Related Adverse Reactions in the Treatment of Cerebral Aneurysms: A Literature Review. [Review]. <i>World Neurosurgery</i> . 2018;115:147-53.	8
2190	Tsang ACO, Nicholson P, Pereira VM. Nickel-Related Adverse Reactions in the Treatment of Cerebral Aneurysms: A Literature Review: <i>World Neurosurgery</i> . 115 (pp 147-153), 2018. Date of Publication: July 2018.; 2018.	6
2191	Tse MM, Yan B, Dowling RJ, Mitchell PJ. Current status of pipeline embolization device in the treatment of intracranial aneurysms: a review. [Review]. <i>World Neurosurgery</i> . 2013;80(6):829-35.	6
2192	Tsuji M, Ishida F, Furukawa K, Miura Y, Sano T, Shiba M, et al. Hemodynamic changes after placing intracranial stents: Computational fluid dynamics (CFD) analysis using porous media modeling in the stent domain. [Japanese]: <i>Japanese Journal of Neurosurgery</i> . 26 (6) (pp 444-451), 2017.	10
2193	Tsutsumi K, Horiuchi T, Hongo K. Mechanical evaluation of cerebral aneurysm clip scissoring phenomenon: comparison of titanium alloy and cobalt alloy: <i>Journal of Materials Science: Materials in Medicine</i> . 28 (10) (no pagination), 2017. Article Number: 159. Date of Publication: 01 Oct 2017.; 2017.	6
2194	Turjman F, Levrier O, Combaz X, Bonafe A, Biondi A, Desal H, et al. EVIDENCE trial: design of a phase 2, randomized, controlled, multicenter study comparing flow diversion and traditional endovascular strategy in unruptured saccular wide-necked intracranial aneurysms. <i>Neuroradiology</i> . 2015;57(1):49-54.	4
2195	Turk A, Turner RD, Tateshima S, Fiorella D, Jang KS, Chaudry I, et al. Novel aneurysm neck reconstruction device: initial experience in an experimental preclinical bifurcation aneurysm model. <i>Journal of Neurointerventional Surgery</i> . 2013;5(4):346-50.	9
2196	Turk AS, 3rd, Martin RH, Fiorella D, Mocco J, Siddiqui A, Bonafe A. Flow diversion versus traditional endovascular coiling therapy: design of the prospective LARGE aneurysm randomized trial. <i>Ajnr: American Journal of Neuroradiology</i> . 2014;35(7):1341-5.	3

연번	서지정보	배제 사유
2197	Turk Y, Kuskun A. Anterior choroidal artery aneurysms could have different symptoms, and outcomes: a report of 3 cases treated endovascularly: Clinical Imaging. 61 (pp 11–14), 2020.	6
2198	Turner R, Turk A, Chaudry I, Nyberg E, Spiotta A, Fiorella D. Treatment of ruptured basilar artery pontine perforator aneurysm with neuroform stent monotherapy: A report of two cases: Journal of NeuroInterventional Surgery. Conference: 9th Annual Meeting of the Society of NeuroInterventional Surgery, SNIS 2012. San Diego, CA United States. Conference Publication: (var.pagings). 4 (SUPPL. 1) (pp A28), 2012.	7
2199	Turner R, Turk A, Chaudry I, Nyberg E. Novel use of the pipeline embolization device for reperfusion of the middle cerebral artery post aneurysm clipping: Journal of NeuroInterventional Surgery. Conference: 9th Annual Meeting of the Society of NeuroInterventional Surgery, SNIS 2012. San Diego, CA United States. Conference Publication: (var.pagings). 4 (SUPPL. 1) (pp A29), 2012.	7
2200	Turner RD, Turk A, Chaudry I. Low-profile visible intraluminal support device: Immediate outcome of the first three US cases: Journal of NeuroInterventional Surgery. 5 (2) (pp 157–160), 2013.	6
2201	Twitchell S, Abou-Al-Shaar H, Reese J, Karsy M, Eli IM, Guan J, et al. Analysis of cerebrovascular aneurysm treatment cost: retrospective cohort comparison of clipping, coiling, and flow diversion. Neurosurgical Focus. 2018;44(5):05.	4
2202	Twitchell S, Wilde HW, Taussky P, Karsy M, Grandhi R. Initial Treatment for Unruptured Intracranial Aneurysm and Its Follow-up: A Cost Analysis of Pipeline Flow Diverters versus Coiling. Cureus. 2019;11(9):18.	4
2203	Tykocki T, Kostkiewicz B. Response to letter: Defining the optimal target for endovascular flow diversion using intracranial aneurysm and parent vessel morphometry: Acta Neurochirurgica. 156 (11) (pp 2125), 2014.	6
2204	Uchino H, Asano T, Nakayama N, Kuroda S, Houkin K. Flow diversion by double-overlapping-stent for fusiform vertebral artery aneurysm: A case report. [Japanese]: Neurological Surgery. 39 (1) (pp 59–63), 2011.	10
2205	Uchiyama Y, Takao H, Suzuki T, Fujimura S, Tanaka K, Otani K, et al. Hemodynamic Change In A Cerebral Aneurysm Treated By Double Stenting Technique: Conference proceedings : ... Annual International Conference of the IEEE Engineering in Medicine and Biology Society. IEEE Engineering in Medicine and Biology Society. Annual Conference. 2018 (pp 1343–1346), 2018.	7
2206	Ugron A, Szikora I, Paal G. Measurement of flow diverter hydraulic resistance to model flow modification in and around intracranial aneurysms: Interventional Medicine and Applied Science. 6 (2) (pp 61–68), 2014.	9
2207	Ulfert C, Herweh C, Bendszus M, Mohlenbruch M. Midterm treatment results using the fred flowdiverter: Clinical Neuroradiology. Conference: 54. Jahrestagung der Deutschen Gesellschaft fur Neuroradiologie e.V. und 27. Jahrestagung der Österreichischen Gesellschaft fur Neuroradiologie. Frankfurt a.M. Germany. 29 (SUPPL 1) (pp S100), 2019.	7
2208	Uwando C, Lin L, Colby G, Huang J, Tamargo R, Coon A. Classification of cavernous internal carotid artery tortuosity: A predictor of procedural complexity in pipeline embolization: Journal of NeuroInterventional Surgery. Conference: 11th Annual Meeting of the Society of NeuroInterventional Surgery, SNIS 2014. Colorado Springs, CO United States. Conference Publication: (var.pagings). 6 (SUPPL. 1) (pp A62), 2014.	7

연번	서지정보	배제 사유
2209	Vachhani JA, Nickele CM, Eliovich L, Klimo P, Arthur AS. Flow Diversion for Treatment of Growing A2 Aneurysm in a Child: Case Report and Review of Flow Diversion for Intracranial Aneurysms in Pediatric Patients: World Neurosurgery. 96 (pp e13–607), 2016.	3
2210	Vajpayee A, Goyal G, Kant R. Conjoined Stent Technique for Radiation Induced Long Segment Carotid Stenosis and Pseudoaneurysm. Neurointervention. 2014;9(1):50-2.	2
2211	Vakharia K, Munich SA, Waqas M, Levy EI, Siddiqui AH. Treatment of Anterior Circulation Aneurysms in the Internal Carotid Artery With Flow Diverters. [Review]. Neurosurgery. 2020;86(Suppl 1):S55–S63.	6
2212	Vakharia K, Munich SA, Waqas M, Setlur Nagesh SV, Levy EI. Deployment of distal posterior cerebral artery flow diverter in tortuous anatomy: Neurosurgical focus. 46 (1 Supplement) (pp V9), 2019.	6
2213	Vakharia K, Waqas M, Munich SA, Lim J, Gong A, Chin F, et al. Is Contrast Stasis After Pipeline Embolization Device Deployment Associated with Higher Aneurysm Occlusion Rates? World Neurosurgery. 2020;133:e434–e42.	3
2214	Valls Palleja M, Gonzalez Godinez I, Ceballos R, Gay Molina JG. Cost-effectiveness analysis of pipeline embolization device (PED) for the treatment of unruptured intracranial aneurysms versus standard endovascular treatment in the Mexican public health care system: Value in Health. Conference: ISPOR 21st Annual International Meeting Research. Washington, DC United States. Conference Publication: (var.pagings). 19 (3) (pp A303), 2016.	7
2215	Van Der Marel K, Gounis MJ, Weaver JP, De Korte AM, King RM, Arends JM, et al. Grading of Regional Apposition after Flow-Diverter Treatment (GRAFT): A comparative evaluation of VasoCT and intravascular OCT: Journal of NeurolInterventional Surgery. 8 (8) (pp 847–852), 2016.	3
2216	van Oel LI, van Rooij WJ, Sluzewski M, Beute GN, Lohle PN, Peluso JP. Reconstructive endovascular treatment of fusiform and dissecting basilar trunk aneurysms with flow diverters, stents, and coils. Ajnr: American Journal of Neuroradiology. 2013;34(3):589–95.	3
2217	van Rooij S, Peluso JP, Sluzewski M, Kortman HG, Boukrab I, van Rooij WJ. Mid-term 3T MRA follow-up of intracranial aneurysms treated with the Woven EndoBridge. Interventional Neuroradiology. 2018;24(6):601–7.	3
2218	van Rooij S, Sprengers ME, Peluso JP, Daams J, Verbaan D, van Rooij WJ, et al. A systematic review and meta-analysis of Woven EndoBridge single layer for treatment of intracranial aneurysms. Interventional Neuroradiology. 2020;26(4):455–60.	6
2219	van Rooij S, van Rooij WJ, Sluzewski M, Peluso JP. The Woven EndoBridge (WEB) for recurrent aneurysms: Clinical and imaging results. Interventional Neuroradiology. 2019;25(1):21–6.	3
2220	van Rooij SB, van Rooij WJ, Peluso JP, Sluzewski M. The Woven EndoBridge (WEB) as primary treatment for unruptured intracranial aneurysms. Interventional Neuroradiology. 2018;24(5):475–81.	3
2221	van Rooij SBT, Peluso JP, Sluzewski M, Kortman HG, Boukrab I, van Rooij WJ. Mid-term 3T MRA follow-up of intracranial aneurysms treated with the Woven EndoBridge: Interventional Neuroradiology. 24 (6) (pp 601–607), 2018.	3
2222	van Rooij SBT, Peluso JP, Sluzewski M, Kortman HG, van Rooij WJ. The New Low-Profile WEB 17 System for Treatment of Intracranial Aneurysms: First Clinical Experiences. Ajnr: American Journal of Neuroradiology. 2018;39(5):859–63.	3

연번	서지정보	배제 사유
2223	van Rooij SBT, van Rooij WJ, Peluso JP, Sluzewski M, Bechan RS, Kortman HG, et al. WEB Treatment of Ruptured Intracranial Aneurysms: A Single-Center Cohort of 100 Patients. <i>Ajnr: American Journal of Neuroradiology.</i> 2282;38(12):2282-7.	3
2224	van Rooij WJ, Peluso JP, Bechan RS, Sluzewski M. WEB Treatment of Ruptured Intracranial Aneurysms. <i>Ajnr: American Journal of Neuroradiology.</i> 2017;37(9):1679-83.	3
2225	van Rooij WJ, Sluzewski M. Unruptured carotid artery aneurysms presenting with symptoms of mass effect: outcome after selective coiling, parent vessel occlusion, and flow diversion. <i>Ajnr: American Journal of Neuroradiology.</i> 2013;34(5):940-1.	6
2226	Van Rooij WJ, Van Rooij SBT, Kortman HG, Peluso JP. The woven endo bridge finally coming home across the atlantic: What to expect?: <i>American Journal of Neuroradiology.</i> 39 (11) (pp 1964-1966), 2018.	6
2227	Van Rooij WJ. Flow diverters for unruptured aneurysms: Are they safe enough?: <i>Neuroradiology.</i> 54 (10) (pp 1179-1180), 2012.	6
2228	van Veenendaal P, Maingard J, Kok HK, Ranatunga D, Buckenham T, Chandra RV, et al. Endovascular flow-diversion of visceral and renal artery aneurysms using dual-layer braided nitinol carotid stents. <i>CVIR Endovascular.</i> 2020;3(1):28.	3
2229	van Zwam WH. Endovascular Treatment of Middle Cerebral Artery Aneurysms: Are We There Yet?: <i>CardioVascular and Interventional Radiology.</i> 44 (4) (pp 596-597), 2021. Date of Publication: April 2021.; 2021.	6
2230	Vargas SA, Diaz C, Herrera DA, Dublin AB. Intracranial Aneurysms in Children: The Role of Stenting and Flow-Diversion. <i>Journal of Neuroimaging.</i> 2016;26(1):41-5.	3
2231	Vedantam A, Rao VY, Shaltoni HM, Mawad ME. Incidence and clinical implications of carotid branch occlusion following treatment of internal carotid artery aneurysms with the pipeline embolization device. <i>Neurosurgery.</i> 2015;76(2):173-8.	3
2232	Vega Valdes P, Murias Quintana E, Meilan Martinez A, Gutierrez Morales J, Lopez Garcia A. [Ruptured cerebral artery blister aneurysm]. [Spanish]. <i>Neurocirugia.</i> 2013;24(4):183-7.	10
2233	Velioglu M, Kizilkilic O, Selcuk H, Kocak B, Tureci E, Islak C, et al. Early and midterm results of complex cerebral aneurysms treated with Silk stent: <i>Neuroradiology.</i> 54 (12) (pp 1355-1365), 2012.	3
2234	Velvaluri P, Hensler J, Wodarg F, Jansen O, Quandt E. Torsional Characterization of Braided Flow Diverter Stents : A New Method to Evaluate Twisting Phenomenon. <i>Clinical Neuroradiology.</i> 2021;24:24.	6
2235	Venier A, Gardenghi B, Lanzino G, Rammus SK. Flow diverters for intracranial aneurysms: Innovative Neurosurgery. 3 (3-4) (pp 59-65), 2015.	9
2236	Villadolid C, Puccini B, Dennis B, Gunnin T, Hedigan C, Cardinal KO. Custom tissue engineered aneurysm models with varying neck size and height for early stage in vitro testing of flow diverters. <i>Journal of Materials Science Materials in Medicine.</i> 2020;31(3):14.	9
2237	Villelli N, Bohnstedt B. Clip ligation of an anterior communicating artery aneurysm with delayed rupture after web embolization: A case report: <i>Journal of NeuroInterventional Surgery.</i> Conference: 17th Annual Meeting of the Society of NeuroInterventional Surgery Organizing, SNIS 2020. San Diego, CA United States. 12 (Supplement 1) (pp A140), 2020.	7

연번	서지정보	배제 사유
2238	Voigt P, Schob S, Jantschke R, Nestler U, Krause M, Weise D, et al. Stent-Assisted Coiling of Ruptured and Incidental Aneurysms of the Intracranial Circulation Using Moderately Flow-Redirecting, Braided Leo Stents—Initial Experience in 39 Patients. <i>Frontiers in neurology</i> [electronic resource]. 2017;8(602).	3
2239	Volker M, Anastasios M, Jan B, Nuran A, Thomas L, Franziska D, et al. Treatment of Intracranial Aneurysms with the Pipeline Embolization Device Only: a Single Center Experience. <i>Neurointervention</i> . 2018;13(1):32–40.	3
2240	Volker M, Anastasios M, Jan B, Nuran A, Thomas L, Franziska D, et al. Treatment of Intracranial Aneurysms with the Pipeline Embolization Device Only: a Single Center Experience. <i>Neurointervention</i> . 2018;13(1):32–40.	3
2241	Vollherbst DF, Hohenstatt S, Schonenberger S, Bendszus M, Mohlenbruch MA. WEB as a combined support and embolization device in a giant partially thrombosed donut-shaped aneurysm. <i>Journal of Clinical Neuroscience</i> . 2020;75:210–2.	6
2242	Vries JD, Boogaarts J, Wakhloo A. Surpass neuroendograft for endovascular treatment of intracranial aneurysms—single center clinical and angiographic results: Stroke. Conference: 2013 International Stroke Conference and Nursing Symposium of the American Heart Association/American Stroke Association. Honolulu, HI United States. Conference Publication: (var.pagings). 44 (2 MeetingAbstract) (no pagination), 2013.	7
2243	Wagner A, Cortsen M, Hauerberg J, Romner B, Wagner MP. Treatment of intracranial aneurysms. Reconstruction of the parent artery with flow-diverting (Silk) stent. <i>Neuroradiology</i> . 2012;54(7):709–18.	3
2244	Wagner K, Srivatsan A, Mohanty A, Srinivasan VM, Saleem Y, Cherian J, et al. Cognitive outcomes after unruptured intracranial aneurysm treatment with flow diversion. <i>Journal of Neurosurgery</i> . 2019;29.	3
2245	Wagner KM, Srinivasan VM, Srivatsan A, Ghali MGZ, Thomas AJ, Enriquez-Marulanda A, et al. Outcomes after coverage of lenticulostriate vessels by flow diverters: a multicenter experience. <i>Journal of Neurosurgery</i> . 2019;132(2):473–80.	3
2246	Waihrich E, Clavel P, Mendes G, Iosif C, Kessler IM, Mounayer C. Influence of anatomic changes on the outcomes of carotid siphon aneurysms after deployment of flow-diverter stents: Clinical Neurosurgery. 83 (6) (pp 1226–1233), 2018.	3
2247	Wajnberg E, Silva TS, Johnson AK, Lopes DK. Progressive deconstruction: a novel aneurysm treatment using the pipeline embolization device for competitive flow diversion: case report. <i>Neurosurgery</i> . 2014;10(1).	3
2248	Wakhloo A, Lylyk P, De Vries J, Biondi A, Taschner C, Hartmann M, et al. A new generation of flow diverters for endovascular treatment of intracranial aneurysms—a multicentre preliminary clinical and angiographic experience in 161 patients with 186 aneurysms: Journal of NeuroInterventional Surgery. Conference: 10th Annual Meeting of the Society of NeuroInterventional Surgery, SNIS 2013. Miami, FL United States. Conference Publication: (var.pagings). 5 (SUPPL. 2) (pp A5–A6), 2013.	9
2249	Wakhloo AK, Gounis MJ, Chueh JY, Pierot L. Advances in stroke advances in interventional radiology 2013: Stroke. 45 (2) (pp 365–367), 2014.	6
2250	Wakhloo AK, Gounis MJ. Revolution in aneurysm treatment: flow diversion to cure aneurysms: a paradigm shift. [Review]. <i>Neurosurgery</i> . 2014;1:111–20.	6

연번	서지정보	배제 사유
2251	Wakhloo AK, Lylyk P, De Vries J, Gounis MJ, Biondi A, Taschner C, et al. Surpass flow diverter for endovascular treatment of intracranial aneurysms – A multicenter preliminary clinical and angiographic experience in 161 patients with 186 aneurysms: Stroke. Conference: 2014 International Stroke Conference and State-of-the-Science Stroke Nursing Symposium of the American Heart Association/American Stroke Association. San Francisco, CA United States. Conference Publication: (var.pagings). 45 (SUPPL. 1) (no pagination), 2014.	7
2252	Wakhloo AK, Lylyk P, de Vries J, Taschner C, Lundquist J, Biondi A, et al. Surpass flow diverter in the treatment of intracranial aneurysms: a prospective multicenter study. Ajnr: American Journal of Neuroradiology. 2015;36(1):98–107.	3
2253	Wakhloo AK, Lylyk P, Hartman M, Von Kummer R, Schumacher M, De Vries J. A new generation of flow-disruption device for endovascular treatment of intracranial aneurysms—preliminary clinical and angiographic results of a multicenter study: Stroke. Conference: 2011 International Stroke Conference. Los Angeles, CA United States. Conference Publication: (var.pagings). 42 (3) (pp e100–e101), 2011.	9
2254	Wakhloo AK, Taschner CA, Lylyk P, De Vries J, Lundquist J, Biondi A, et al. High mesh density low permeability flow diverter in the treatment of intracranial aneurysms a prospective non randomized multicenter clinical trial: Neuroradiology. Conference: 20th Symposium Neuroradiologicum 2014. Istanbul Turkey. Conference Publication: (var.pagings). 56 (SUPPL. 1) (pp 266), 2014.	7
2255	Walcott BP, Koch MJ, Stapleton CJ, Patel AB. Blood Flow Diversion as a Primary Treatment Method for Ruptured Brain Aneurysms—Concerns, Controversy, and Future Directions. [Review]. Neurocritical Care. 2017;26(3):465–73.	6
2256	Walcott BP, Reinshagen C, Stapleton CJ, Choudhri O, Rayz V, Saloner D, et al. Predictive modeling and in vivo assessment of cerebral blood flow in the management of complex cerebral aneurysms: Journal of Cerebral Blood Flow and Metabolism. 36 (6) (pp 998–1003), 2016.	9
2257	Walcott BP, Stapleton CJ, Choudhri O, Patel AB. Flow Diversion for the Treatment of Intracranial Aneurysms. [Review]. JAMA Neurology. 2016;73(8):1002–8.	6
2258	Walcott BP, Stapleton CJ, Choudhri O, Patel AB. Flow diversion for the treatment of intracranial aneurysms: JAMA Neurology. 73 (8) (pp 1002–1008), 2016.	8
2259	Walker M, Young CC, Levitt MR, Saal-Zapata G. Multiple Sclerosis in Patients with Intracranial Aneurysms: Coincidence or Correlation?: Clinical Neurology and Neurosurgery. 195 (no pagination), 2020.	6
2260	Wallace AN, CreveCoeur TS, Grossberg JA, Kamran M, Osbun JW, Delgado Almandoz JE, et al. Impact of aneurysm morphology on safety and effectiveness of flow diverter treatment of vertebrobasilar aneurysms. [Review]. Journal of Neuroradiology Journal de Neuroradiologie. 2019;46(6):401–10.	6
2261	Wallace AN, Delgado Almandoz JE, Kayan Y, Fease JL, Scholz JM, Milner AM, et al. Pipeline Treatment of Intracranial Aneurysms Is Safe and Effective in Patients with Cutaneous Metal Allergy. World Neurosurgery. 2019;123:e180–e185.	1
2262	Wallace AN, Grossberg JA, Almandoz JED, Kamran M, Roy AK, Kayan Y, et al. Endovascular Treatment of Posterior Cerebral Artery Aneurysms With Flow Diversion: Case Series and Systematic Review. Neurosurgery. 2018;83(4):790–9.	6
2263	Wallace AN, Kamran M, Madaelil TP, Kayan Y, Osbun JW, Roy AK, et al. Endovascular Treatment of Posterior Inferior Cerebellar Artery Aneurysms with Flow Diversion. World Neurosurgery. 2018;114:e581–e587.	3

연번	서지정보	배제 사유
2264	Wallace AN, Kayan Y, Delgado Almandoz JE, Fease JL, Milner AA, Scholz JM. Endovascular Treatment of Wide-Necked Intracranial Aneurysms with the Scepter XC Balloon Catheter, with Low-Profile Visualized Intraluminal Support (LVIS) Jr. Deployment as a "Bailout" Technique. <i>World Neurosurgery</i> . 2019;121:e798–e807.	3
2265	Wallner AK, Brouss Alis E, Hauser T, Trinka E, Killer-Oberpfalzer M. Coiling after treatment with the woven EndoBridge cerebral aneurysm embolization device: A case report. <i>Interventional Neuroradiology</i> . 18 (2) (pp 208–212), 2012.	2
2266	Walsh KM, Moskowitz SI, Hui FK, Spiotta AM. Multiple overlapping stents as monotherapy in the treatment of 'blister' pseudoaneurysms arising from the supraclinoid internal carotid artery: a single institution series and review of the literature. [Review]. <i>Journal of Neurointerventional Surgery</i> . 2014;6(3):184–94.	8
2267	Walsh KM, Moskowitz SI, Hui FK, Spiotta AM. Multiple overlapping stents as monotherapy in the treatment of 'blister' pseudoaneurysms arising from the supraclinoid internal carotid artery: A single institution series and review of the literature: <i>Journal of NeuroInterventional Surgery</i> . 6 (3) (pp 184–194), 2014. Date of Publication: April 2014.; 2014.	6
2268	Wan H, Lu G, Huang L, Ge L, Jiang Y, Li G, et al. Hemodynamic Effect of the Last Finishing Coils in Packing the Aneurysm Neck. <i>Frontiers in neurology [electronic resource]</i> . 2020;11(598412).	3
2269	Wang A, Campos J, Colby G, Coon A, Lin L. Cerebral aneurysm treatment trends in national inpatient sample 2007–2016: Endovascular therapies favored over surgery: <i>Journal of NeuroInterventional Surgery</i> . Conference: 17th Annual Meeting of the Society of NeuroInterventional Surgery Organizing, SNIS 2020. San Diego, CA United States. 12 (Supplement 1) (pp A21), 2020.	7
2270	Wang C, Tian Z, Liu J, Jing L, Paliwal N, Wang S, et al. Flow diverter effect of LVIS stent on cerebral aneurysm hemodynamics: a comparison with Enterprise stents and the Pipeline device. <i>Journal of Translational Medicine</i> . 2016;14(1):02.	3
2271	Wang CB, Shi WW, Zhang GX, Lu HC, Ma J. Flow diverter treatment of posterior circulation aneurysms. A meta-analysis. [Review]. <i>Neuroradiology</i> . 2016;58(4):391–400.	6
2272	Wang CC, Li W, Feng ZZ, Hong B, Xu Y, Liu JM, et al. Preliminary Experience with Stent-Assisted Coiling of Aneurysms Arising from Small (<2.5 mm) Cerebral Vessels Using The Low-Profile Visualized Intraluminal Support Device. <i>Ajnr: American Journal of Neuroradiology</i> . 2017;38(6):1163–8.	3
2273	Wang CC, Lv N, Feng ZZ, Li ZF, Zhao R, Li Q, et al. Intra-aneurysmal microcatheter looping technique for stent-assisted embolization of complex intracranial aneurysms: <i>Interventional Neuroradiology</i> . 21 (5) (pp 580–584), 2015.	3
2274	Wang J, Lv M, Yang X, Tian Z, Liu J, Liu P, et al. Corrigendum: Application of the pipeline embolization device for giant vertebrobasilar dissecting aneurysms in pediatric patients (Frontiers in Neurology DOI: 10.3389/fneur.2019.00179): <i>Frontiers in Neurology</i> . 10 (JUL) (no pagination), 2019.	6
2275	Wang J, Zhang Y, Lv M, Yang X, Tian Z, Liu J, et al. Application of the Pipeline Embolization Device for Giant Vertebrobasilar Dissecting Aneurysms in Pediatric Patients. <i>Frontiers in neurology [electronic resource]</i> . 2019;10(179).	3
2276	Wang K, Jin P, Lu P, Liu Q, Li B, Hao Z. Filament inadequate wall apposition of the different ends of flow diverters in the abdominal aorta of rabbits. <i>Neuroradiology Journal</i> . 2020;33(1):32–8.	9

연번	서지정보	배제 사유
2277	Wang L, Lu S, Cai L, Qian H, Tanikawa R, Shi X. Internal maxillary artery bypass for the treatment of complex middle cerebral artery aneurysms: Neurosurgical focus. 46 (2) (pp E10), 2019.	3
2278	Wang L, Lu S, Qian H, Shi X. Internal Maxillary Artery Bypass with Radial Artery Graft Treatment of Giant Intracranial Aneurysms: World Neurosurgery. 105 (pp 568–584), 2017.	3
2279	Wang S, Cai Y, Meng Z, Zhang X, Yang X, Dong Z. Finite element simulation of stent implantation and its applications in the interventional planning for hemorrhagic cardio-cerebrovascular diseases. [Chinese]: Sheng wu yi xue gong cheng xue za zhi = Journal of biomedical engineering = Shengwu yixue gongchengxue zazhi. 37 (6) (pp 974–982), 2020.	10
2280	Wang S, Ding G, Zhang Y, Yang X. Computational haemodynamics in two idealised cerebral wide-necked aneurysms after stent placement: Computer methods in biomechanics and biomedical engineering. 14 (11) (pp 927–937), 2011.	6
2281	Wang S, Li J, Wang C, Yang X, Mu S, Wang W. Hemodynamics investigation for a giant aneurysm treated by a flow diverter implantation: Bio-Medical Materials and Engineering. 26 (Supplement 1) (pp S225–S231), 2015.	9
2282	Wang SZ, Wang C, Yang XJ. Influence on branch arteries after flow diverter deployed to occlude cerebral aneurysms: Interventional Neuroradiology. Conference: 13th Congress of the World Federation of Interventional and Therapeutic Neuroradiology, WFITN 2015 and 12th Interdisciplinary Cerebrovascular Symposium, Intracranial Stent Meeting, ICS 2015. Gold Coast, QLD Australia. Conference Publication: (var.pagings). 21 (SUPPL. 1) (pp 360), 2015.	7
2283	Wang T, Richard SA, Jiao H, Li J, Lin S, Zhang C, et al. Institutional experience of in-stent stenosis after pipeline flow diverter implantation: A retrospective analysis of 6 isolated cases out of 118 patients: Medicine. 100 (11) (pp e25149), 2021.	3
2284	Wang T, Richard SA, Li J, Zhang C, Wang C, Lin S, et al. Outcomes of vascular wall malapposition following Pipeline Flex embolization device implantation for cerebral aneurysms: A retrospective study: Interdisciplinary Neurosurgery: Advanced Techniques and Case Management. 25 (no pagination), 2021.	6
2285	Wang T, Zhang CW, Richard SA, Chaohua W, Xie XD. Reactive in-stent stenosis of a pipeline embolization device in a child: A case report. Medicine. 2019;98(47).	3
2286	Wang X, Xing H, Cai J, Jin D, Chen Y, Cui Y, et al. The safety and efficacy of the LVIS stent for the treatment of ruptured intracranial aneurysms within 24hours: A multicenter retrospective study. Clinical Neurology & Neurosurgery. 2020;197(106117):10.	4
2287	Wang Y, Yuan C, Shen S, Xu L, Duan H. Whether Intracranial Aneurysm Could Be Well Treated by Flow Diversion: A Comprehensive Meta-Analysis of Large-Sample Studies including Anterior and Posterior Circulation. [Review]. BioMed Research International. 2021:6637780.	6
2288	Wang Z, Tian Z, Li W, Wang J, Zhu W, Zhang M, et al. Variation of Mass Effect After Using a Flow Diverter With Adjunctive Coil Embolization for Symptomatic Unruptured Large and Giant Intracranial Aneurysms: Frontiers in Neurology. 10 (no pagination), 2019. Article Number: 1191.	6
2289	Wanke I, Forsting M, Rufenacht DA. Update on endovascular aneurysm treatment. [German]: Nervenheilkunde. 32 (7) (pp 466–470), 2013.	10

연번	서지정보	배제 사유
2290	Waqas M, Mokin M, Lim J, Vakharia K, Springer ME, Meess KM, et al. Design and physical properties of 3-dimensional printed models used for neurointervention: A systematic review of the literature: <i>Neurosurgery</i> . 87 (4) (pp E445–E453), 2020.	6
2291	Waqas M, Vakharia K, Dossani RH, Rajah GB, Tso MK, Gong AD, et al. Transradial access for flow diversion of intracranial aneurysms: Case series. <i>Interventional Neuroradiology</i> . 2021;27(1):68–74.	3
2292	Waqas M, Vakharia K, Gong AD, Rai HH, Wack A, Fayyaz N, et al. One and done? The effect of number of Pipeline embolization devices on aneurysm treatment outcomes. <i>Interventional Neuroradiology</i> . 2020;26(2):147–55.	4
2293	Wazni W, Sultan A, Zaidat O. Safety and efficacy of the pipeline embolization in the treatment of anterior communicating artery aneurysms: <i>Interventional Neurology Conference</i> : 9th Annual Meeting and 4th Annual Stroke Center Workshop, 6M Conference. New York, NY United States. 5 (Supplement 1) (pp 40), 2016.	7
2294	Wee CD, Swarnkar A. Acute pipeline in-stent thrombosis with increased vascular enhancement distal to the pipeline device: <i>Interventional Neurology Conference</i> : 10th Annual Meeting and 5th Annual Stroke Center Workshop, Society of Vascular and Interventional Neurology. Boston, MA United States. 6 (Supplement 1) (pp 22), 2017.	7
2295	Weinberg JH, Sweid A, Hammoud B, Asada A, Greco-Hiranaka C, Piper K, et al. A comparative study of transradial versus transfemoral approach for flow diversion. <i>Neuroradiology</i> . 2021;09:09.	4
2296	Weinberg JH, Sweid A, Hassan A, Tekle W, Sajja K, Thaete L, et al. Early experience with a novel 088 long sheath in transradial neurointerventions: <i>Clinical Neurology and Neurosurgery</i> . 202 (no pagination), 2021.	6
2297	Welch BG, Batjer HH. The Consideration of Flow Diversion in Modern Cerebrovascular Neurosurgery: <i>JAMA Neurology</i> . 73(8):921–2, 2016 08 01.: 2016.	6
2298	Welch BG, Hunt Batjer H. The consideration of flow diversion in modern cerebrovascular neurosurgery: <i>JAMA Neurology</i> . 73 (8) (pp 921–922), 2016.	8
2299	Wende T, Hamerla G, Quaschling U, Haase A, Meixensberger J, Nestler U. Persistent hyperprolactinemia, transient hypopituitarism, and transient contralateral third nerve palsy after endovascular treatment of an internal carotid artery aneurysm: Case report and review of the literature: <i>SAGE Open Medical Case Reports</i> . 8 (no pagination), 2020.	3
2300	West JL, Singh J, Wolfe SQ, Fargen KM. Unexpected early radiographic findings associated with a ruptured blister-like carotid wall aneurysm. <i>Journal of Neurointerventional Surgery</i> . 2018;10(9).	6
2301	White AC, Kumpe DA, Roark CD, Case DE, Seinfeld J. Patterns, Predictors, and Outcomes of Postprocedure Delayed Hemorrhage Following Flow Diversion for Intracranial Aneurysm Treatment. <i>World Neurosurgery</i> . 2018;115:e97–e104.	3
2302	White T, Shah K, Turpin J, Katz J, Woo H. Technical aspects of combined intrasaccular and endoluminal flow diversion: <i>Journal of NeuroInterventional Surgery</i> . Conference: 17th Annual Meeting of the Society of NeuroInterventional Surgery Organizing, SNIS 2020. San Diego, CA United States. 12 (Supplement 1) (pp A157–A158), 2020.	7
2303	White TG, Shah K, Turpin J, Link T, Dehdashti AR, Katz JM, et al. Technical aspects of combined intrasaccular and endoluminal flow diversion. <i>Interventional Neuroradiology</i> . 2020.	8

연번	서지정보	배제 사유
2304	Wilde H, Twitchell S, Karsy M, Taussky P, Grandhi R. Unruptured intracranial aneurysm initial treatment and follow-up cost analysis: Pipeline flow diverters vs coiling: Clinical Neurosurgery. Conference: 2019 Annual Meeting Congress of Neurological Surgeons, CNS 2019. San Francisco, CA United States. 66 (Supplement 1) (pp 144), 2019.	7
2305	Wilde H, Twitchell S, Reese J, Guan J, Eli IM, Karsy M, et al. Evaluation of disease severity and treatment intensity as cost drivers for ruptured intracranial aneurysms. Acta Neurochirurgica. 2020;162(1):157–67.	5
2306	Williamson Jr RW, Hanel R. The influence of operator experience on complications: Analysis from the intrepid registry: Journal of Neurosurgery. Conference: 2015 AANS Annual Meeting. Washington, DC United States. Conference Publication: (var.pagings). 123 (2) (pp A502–A503), 2015.	7
2307	Williamson RW, Sauvageau E, Hanel RA. Intrasaccular Flow Diversion for Wide-Neck Bifurcation Aneurysms: Should the Bar Be Set Higher?: World Neurosurgery. 84 (2) (pp 207–208), 2015.	6
2308	Willis AM, Mehta N, Masoomi F, Mejia-Alvarez R, Chason D. Predicting clinical success of flow diversion in intracranial fusiform aneurysms using particle image velocimetry: Neurocritical Care. Conference: 15th Annual Meeting of the Neurocritical Care Society, NCS 2017. Waikoloa, HI United States. 27 (2 Supplement 1) (pp S366), 2017.	7
2309	Wilson T, Ramanathan D, Dye J. Ruptured blister-type cerebral aneurysm treated with flow diversion using a novel antiplatelet agent cangrelor: Journal of NeuroInterventional Surgery. Conference: 17th Annual Meeting of the Society of NeuroInterventional Surgery Organizing, SNIS 2020. San Diego, CA United States. 12 (Supplement 1) (pp A158), 2020.	7
2310	Wilson TA, Ramanathan D, Dye J. Ruptured blister-type cerebral aneurysm pathogenesis and treatment with flow diversion using a novel antiplatelet agent cangrelor: Interdisciplinary Neurosurgery: Advanced Techniques and Case Management. 25 (no pagination), 2021.	6
2311	Winkler EA, Yue JK, Deng H, Raygor KP, Phelps RRL, Rutledge C, et al. National trends in cerebral bypass surgery in the United States, 2002–2014: Neurosurgical focus. 46 (2) (pp E4), 2019.	6
2312	Wipplinger C, Griessenauer CJ. Comentary: Antiplatelet Therapy in Flow Diversion: Clinical Neurosurgery. 86 (2) (pp E231–E233), 2020.	6
2313	Wipplinger C, Griessenauer CJ. Commentary: Antiplatelet Therapy in Flow Diversion. Neurosurgery. 2020;86(2):E231–E3.	6
2314	Wipplinger C, Griessenauer CJ. Flow Diverters Take an Ever Bigger Piece of the Aneurysm Treatment Pie: But How Do Individual Devices Compare? World Neurosurgery. 2019;132:439–40.	6
2315	Wisniewski K, Tomaszik B, Bobeff EJ, Stefanczyk L, Hupalo M, Jaskolski DJ. Predictors for ophthalmic segment aneurysms recanalization after coiling and flow diverter embolization in 6- and 12-month follow-up. Journal of Clinical Neuroscience. 2019;68:151–7.	3

연번	서지정보	배제 사유
2316	Withayasuk P, Aurboonyawat T, Songsaeng D, Chankaew S, Churojana A. Dynamic morphological change of cavernous internal carotid artery aneurysmal vasculopathy: Is it predictable?: Interventional Neuroradiology. Conference: 13th Congress of the World Federation of Interventional and Therapeutic Neuroradiology, WFITN 2015 and 12th Interdisciplinary Cerebrovascular Symposium, Intracranial Stent Meeting, ICS 2015. Gold Coast, QLD Australia. Conference Publication: (var.pagings). 21 (SUPPL. 1) (pp 263), 2015.	7
2317	Withers K, Carolan-Rees G, Dale M. Pipeline TM embolization device for the treatment of complex intracranial aneurysms: a NICE Medical Technology Guidance. [Review]. Applied Health Economics & Health Policy. 2013;11(1):5-13.	6
2318	Withers K, Carolan-Rees G, Dale M. PipelineTM embolization device for the treatment of complex intracranial aneurysms: A NICE medical technology guidance: Applied Health Economics and Health Policy. 11 (1) (pp 5-13), 2013.	8
2319	Wodarg F, Madjidyar J, Larsen N, Jansen O. The contour intrasaccular flow-diversion device – Safety and efficacy report from initial clinical experiences: Clinical Neuroradiology. Conference: 54. Jahrestagung der Deutschen Gesellschaft fur Neuroradiologie e.V. und 27. Jahrestagung der Österreichischen Gesellschaft fur Neuroradiologie. Frankfurt a.M. Germany. 29 (SUPPL 1) (pp S83), 2019.	7
2320	Won YS, Rho MH, Kim BM, Park HJ, Kwag HJ, Chung EC. Various Techniques of Stent-Assisted Coil Embolization of Wide-Necked or Fusiform Middle Cerebral Artery Aneurysms : Initial and Mid-Term Results. J Korean Neurosurg Soc. 2013;53(5):274-80.	3
2321	Won YS, Rho MH, Kim BM, Park HJ, Kwag HJ, Chung EC. Various techniques of stent-assisted coil embolization of wide-necked or fusiform middle cerebral artery aneurysms : initial and mid-term results. Journal of Korean Neurosurgical Society. 2013;53(5):274-80.	3
2322	Wong G, Yu S, Poon WS. Pipeline Embolization Device (PED) for intracranial aneurysm in Hong Kong: A reflection after initial fifteen patients: Interventional Neuroradiology. Conference: 11th Congress of the World Federation of Interventional and Therapeutic Neuroradiology, WFITN 2011. Cape Town South Africa. Conference Publication: (var.pagings). 17 (SUPPL. 1) (pp 106), 2011.	7
2323	Wong GK, Kwan MC, Ng RY, Yu SC, Poon WS. Flow diverters for treatment of intracranial aneurysms: current status and ongoing clinical trials. [Review]. Journal of Clinical Neuroscience. 2011;18(6):737-40.	6
2324	Wong GKC, Kwan MCL, Ng RYT, Yu SCH, Poon WS. Flow diverters for treatment of intracranial aneurysms: Current status and ongoing clinical trials: Journal of Clinical Neuroscience. 18 (6) (pp 737-740), 2011.	8
2325	Wong GKC, Yu S, Poon WS. Pipeline embolization device (PED) for unruptured intracranial aneurysms: A single center experience using shorter dual antiplatelet treatment: Neuroradiology. Conference: 36th European Society of Neuroradiology Annual Meeting. Edinburgh United Kingdom. Conference Publication: (var.pagings). 54 (1 SUPPL. 1) (pp S142), 2012.	7
2326	Wong I. Is Flow diverter the answer for cerebral aneurysms?: Journal of Medical Imaging and Radiation Oncology. Conference: 69th Annual Scientific Meeting of the Royal Australian and New Zealand College of Radiologists, RANZCR 2018. Canberra, ACT Australia. 62 (Supplement 2) (pp 65), 2018.	7

연번	서지정보	배제 사유
2327	Wu P, Ocak PE, Wang D, Ocak U, Xu S, Li Y, et al. Endovascular Treatment of Ruptured Tiny Intracranial Aneurysms with Low-Profile Visualized Intraluminal Support Device. <i>Journal of Stroke & Cerebrovascular Diseases</i> . 2019;28(2):330–7.	3
2328	Wu Q, Li L, Shao Q, Xu T, Chang K, Li T, et al. Intracranial aneurysms managed by parent artery reconstruction using Tubridge: Study protocol for a prospective, multicenter, post-market clinical trial. <i>Interventional Neuroradiology</i> . 2020;1591019920976233:25.	3
2329	Wu Q, Li T, Li L, Shao Q, Chang K, He Y. Comparison of the Pipeline Flex and the first-generation Pipeline embolization device for the treatment of intracranial aneurysms. [Chinese]: <i>Chinese Journal of Radiology (China)</i> . 54 (7) (pp 702–706), 2020.	10
2330	Wu Q, Shao Q, Li L, Liang X, Chang K, Li T, et al. Prophylactic administration of tirofiban for preventing thromboembolic events in flow diversion treatment of intracranial aneurysms. <i>Journal of Neurointerventional Surgery</i> . 2020;16:16.	2
2331	Wu X, Tian Z, Li W, Liu J, Zhang Y, Zhang Y, et al. Patency of Branch Vessels After Pipeline Embolization: Comparison of Various Branches. <i>Frontiers in neurology [electronic resource]</i> . 2019;10(838).	8
2332	Wu X, Tian Z, Li W, Liu J, Zhang Y, Zhou Y, et al. Patency of branch vessels after pipeline embolization: Comparison of various branches: <i>Frontiers in Neurology</i> . 10 (JUL) (no pagination), 2019.	6
2333	Wu X, Tian Z, Liu J, Li W, Chen J, Zhou Y, et al. Hemodynamic impacts of flow diverter devices on the ophthalmic artery. <i>Journal of Translational Medicine</i> . 2019;17(1):16.	3
2334	Wu X, Tian Z, Liu J, Li W, Zhang Y, Chen J, et al. Patency of posterior circulation branches covered by flow diverter device: A hemodynamic study: <i>Frontiers in Neurology</i> . 10 (JUN) (no pagination), 2019. Article Number: 658. Date of Publication: 2019.; 2019.	6
2335	Wu YF, Yang PF, Shen J, Huang QH, Zhang X, Qian Y, et al. A comparison of the hemodynamic effects of flow diverters on wide-necked and narrow-necked cerebral aneurysms: <i>Journal of Clinical Neuroscience</i> . 19 (11) (pp 1520–1524), 2012.	4
2336	Wu YN, Yang PF, Fang YB, Han JF, Janina B, Huang QH, et al. Assessment of the effectiveness of flow diverters in the treatment of large intracranial aneurysms with blood flow quantitative analysis of DSA. [Chinese]: <i>Chinese Journal of Cerebrovascular Diseases</i> . 10 (10) (pp 508–511), 2013.	10
2337	Xiang J, Damiano RJ, Lin N, Snyder KV, Levy EI, Siddiqui AH, et al. Response: <i>Journal of Neurosurgery</i> . 123 (4) (pp 830–831), 2015.	6
2338	Xiang J, Damiano RJ, Lin N, Snyder KV, Siddiqui AH, Levy EI, et al. High-fidelity virtual stenting: modeling of flow diverter deployment for hemodynamic characterization of complex intracranial aneurysms: <i>Journal of neurosurgery</i> . 123 (4) (pp 832–840), 2015.	3
2339	Xiang J, Ma D, Snyder KV, Levy EI, Siddiqui AH, Meng H. Increasing flow diversion for cerebral aneurysm treatment using a single flow diverter. <i>Neurosurgery</i> . 2014;75(3):286–94.	4
2340	Xiang J, Varble N, Davies JM, Rai AT, Kono K, Sugiyama SI, et al. Initial Clinical Experience with AVIEW-A Clinical Computational Platform for Intracranial Aneurysm Morphology, Hemodynamics, and Treatment Management: <i>World Neurosurgery</i> . 108 (pp 534–542), 2017.	3

연번	서지정보	배제 사유
2341	Xiang S, Fan F, Hu P, Yang K, Zhai X, Geng J, et al. The sensitivity and specificity of TOF-MRA compared with DSA in the follow-up of treated intracranial aneurysms. <i>Journal of Neurointerventional Surgery</i> . 2021;25:25.	2
2342	Xiao Ling S, Chao He H, Sheng Q. Distribution and Diversity of Weed Brassica juncea and Gene Flow Risk of Herbicide-tolerant Transgenic Canola. <i>한국잡초학회 별책(학술대회 초록집)</i> . 2011;31(2):95-.	2
2343	Xiao X, Mao G, Zhu J, Gao Z, Lai X, Song S, et al. Short-term follow-up for unruptured wide-necked intracranial aneurysms treated with Pipeline embolization device. [Chinese]: <i>Chinese Journal of Cerebrovascular Diseases</i> . 14 (12) (pp 628–632 and 647), 2017.	10
2344	Xiaouen D, Guangzhong C, Kun Q, Chao P, Shaojian Z, Hang S, et al. Preliminary experiences of pipeline embolization device for the treatment of complex intracranial aneurysms. [Chinese]: <i>Chinese Journal of Cerebrovascular Diseases</i> . 15 (1) (pp 40–44), 2018.	10
2345	Xin WQ, Xin QQ, Yuan Y, Chen S, Gao XL, Zhao Y, et al. Comparison of Flow Diversion and Coiling for the Treatment of Unruptured Intracranial Aneurysms. <i>World Neurosurgery</i> . 2019;128:464–72.	6
2346	Xu D, Li J, Jiang Z. Application of low profile visualized intraluminal support (LVIS)stents in assisting coil embolization of intracranial aneurysms. [Chinese]: <i>National Medical Journal of China</i> . 98 (17) (pp 1333–1336), 2018.	10
2347	Xu J, Deng B, Fang Y, Yu Y, Cheng J, Wang S, et al. Hemodynamic Changes Caused by Flow Diverters in Rabbit Aneurysm Models: Comparison of Virtual and Realistic FD Deployments Based on Micro-CT Reconstruction: <i>PLoS ONE</i> . 8 (6) (no pagination), 2013. Article Number: e66072.	9
2348	Xu J, Wu Z, Yu Y, Lv N, Wang S, Karmonik C, et al. Combined Effects of Flow Diverting Strategies and Parent Artery Curvature on Aneurysmal Hemodynamics: A CFD Study. <i>PLoS ONE [Electronic Resource]</i> . 2015;10(9).	4
2349	Xu L, Zhao B, Liu X, Liang F. Computational methods applied to analyze the hemodynamic effects of flow-diverter devices in the treatment of cerebral aneurysms: Current status and future directions: <i>Medicine in Novel Technology and Devices</i> . 3 (no pagination), 2019.	9
2350	Xu N, Zhao Y, Yu J. Clinical importance of the anterior choroidal artery: A review of the literature: <i>International Journal of Medical Sciences</i> . 15 (4) (pp 368–375), 2018. Date of Publication: 12 Feb 2018.; 2018.	6
2351	Xue G, Zhou Y, Liu P, Zuo Q, Yang P, Fang Y, et al. Endovascular Treatment of Ruptured Middle Cerebral Artery Aneurysms With a Low-Profile Visualized Intraluminal Support Device: <i>Frontiers in Neurology</i> . 11 (no pagination), 2020.	6
2352	Yadollahi-Farsani H, Scougal E, Herrmann M, Wei W, Frakes D, Chong B. Numerical study of hemodynamics in brain aneurysms treated with flow diverter stents using porous medium theory: <i>Computer Methods in Biomechanics and Biomedical Engineering</i> . 22 (11) (pp 961–971), 2019.	6
2353	Yaeger K, Mocco J. Comments: <i>Clinical Neurosurgery</i> . 83 (6) (pp 1233), 2018.	6
2354	Yaltirk Bilgin E, Onal B, Emmez H, Akkan K, Ilgit E, Bilgin E, et al. Endovascular Treatment of Intracranial Anterior Circulation Aneurysms with Flow Diverters: A Single Centre Experience with mid and long-term results. <i>Turkish Neurosurgery</i> . 2017;11:11.	3

연번	서지정보	배제 사유
2355	Yan P, Zhang Y, Liang F, Ma C, Liang S, Guo F, et al. Comparison of Safety and Effectiveness of Endovascular Treatments for Unruptured Intracranial Large or Giant Aneurysms in Internal Carotid Artery. <i>World Neurosurgery</i> . 2019;125:05.	2
2356	Yan Y, Zeng Z, Wu Y, Xiong J, Zhao K, Hong B, et al. The use of single low-profile visualized intraluminal support stent-assisted coiling in the treatment of middle cerebral artery bifurcation unruptured wide-necked aneurysm. <i>Interventional Neuroradiology</i> . 2020;26(4):461–7.	3
2357	Yan Y, Zhu D, Tang H, Huang Q. Safety and Efficacy of Flow Diverter Treatment for Aneurysm in Small Cerebral Vessels: A Systematic Review and Meta-Analysis. [Review]. <i>World Neurosurgery</i> . 2018;115:54–64.	6
2358	Yan Z, Zheng K, Xiong Y, Lan F, Wang Y, Tan X, et al. Intracranial Complex Ruptured Aneurysms Coiled with Overlapping Low-Profile Visualized Intraluminal Support Stents: Another Available Option for Complex Ruptured Intracranial Aneurysms. <i>World Neurosurgery</i> . 2019;125:05.	3
2359	Yang C, Vadasz A, Szikora I. Treatment of ruptured blood blister aneurysms using primary flow-diverter stenting with considerations for adjunctive coiling: A single-centre experience and literature review. [Review]. <i>Interventional Neuroradiology</i> . 2017;23(5):465–76.	3
2360	Yang KH, Kwun BD, Ahn JS, Jang IS, Lee DH. Giant fusiform aneurysm at the basilar trunk treated with endovascular coil occlusion following bypass surgery for the flow diversion. <i>Korean J Cerebrovasc Surg</i> . 2008;10(3):459–64.	2
2361	Yang P, Ahmed A, Schafer S, Niemann D, Aagaard-Kienitz B, Royalty K, et al. Low-dose Volume-of-interest C-arm CT imaging of intracranial stents and flow diverters: American Journal of Neuroradiology. 37 (4) (pp 648–654), 2016.	4
2362	Yang P, Huang Q, Xu Y, Hong B, Zhao W, Liu J. Preliminary experience of a novel flow diverter (Tubridge) for the treatment of intracranial aneurysms: Interventional Neuroradiology. Conference: 11th Congress of the World Federation of Interventional and Therapeutic Neuroradiology, WFITN 2011. Cape Town South Africa. Conference Publication: (var.pagings). 17 (SUPPL. 1) (pp 151), 2011.	7
2363	Yang PF, Liu JM, Huang QH, Xu Y, Hong B, Zhao WY, et al. The use of novel flow diverting device Tubridge for the treatment of intracranial aneurysms: Initial experience. [Chinese]: <i>Journal of Interventional Radiology</i> . 20 (5) (pp 357–362), 2011.	10
2364	Yang SH, Hampton T, Kandasamy N, Hart J, Ashmore J, Walsh DC, et al. Outcome study of the pipeline embolization device for treatment of intracranial aneurysms at a single UK institution. <i>British Journal of Neurosurgery</i> . 2017;31(6):661–7.	3
2365	Yang W, Verrelli DI, Karunanithi K, Chong W, Qian Y. In vitro characterisation of aneurismal haemodynamics with and without a flow diverter using particle image velocimetry: Interventional Neuroradiology. Conference: 13th Congress of the World Federation of Interventional and Therapeutic Neuroradiology, WFITN 2015 and 12th Interdisciplinary Cerebrovascular Symposium, Intracranial Stent Meeting, ICS 2015. Gold Coast, QLD Australia. Conference Publication: (var.pagings). 21 (SUPPL. 1) (pp 361), 2015.	9
2366	Yang X. Unbalanced reperfusion of distal arteries: A key factor of delayed ipsilateral parenchymal hemorrhage after flow diversion in patients with cerebral aneurysms: International Journal of Stroke. Conference: 12th World Stroke Congress 2020. Vienna Austria. 15 (1 SUPPL) (pp 457), 2020.	7

연번	서지정보	배제 사유
2367	Yanling G, Fangqiang P, Shubin T, Yanjiang L, Mindi L, Wei W, et al. Medium and long-term effects of pipeline embolization device for the treatment of large and giant intracranial anterior circulation aneurysms. [Chinese]: Chinese Journal of Cerebrovascular Diseases. 15 (1) (pp 16-20 and 39), 2018.	10
2368	Yao X, Ma J, Li H, Shen H, Lu X, Chen G. Safety and efficiency of flow diverters for treating small intracranial aneurysms: A systematic review and meta-analysis. [Review]. Journal of International Medical Research. 2017;45(1):11-21.	6
2369	Yavuz K, Geyik S, Saatci I, Cekirge HS. Endovascular treatment of middle cerebral artery aneurysms with flow modification with the use of the pipeline embolization device. Ajnr: American Journal of Neuroradiology. 2014;35(3):529-35.	3
2370	Ye G, Zhang M, Deng L, Chen X, Wang Y. Meta-Analysis of the Efficiency and Prognosis of Intracranial Aneurysm Treated with Flow Diverter Devices: Journal of Molecular Neuroscience. 59 (1) (pp 158-167), 2016.	6
2371	Yeomans J, Sandu L, Sastry A. Pipeline Flex embolisation device with Shield Technology for the treatment of patients with intracranial aneurysms: periprocedural and 6 month outcomes. Neuroradiology Journal. 2020;33(6):471-8.	3
2372	Yi HJ, Hwang G, Lee BH. Variability of Platelet Reactivity on Antiplatelet Therapy in Neurointervention Procedure. J Korean Neurosurg Soc. 2019;62(1):3-9.	6
2373	Yoganand A, Wood RP, Jimenez C, Siddiqui A, Snyder K, Nagesh SV, et al. Angiographic analysis for phantom simulations of endovascular aneurysm treatments with a new fully retrievable asymmetric flow diverter. Proceedings of SPIE the International Society for Optical Engineering. 2015;21:21.	2
2374	Yoo DH, Cho YD, Moon J, Lee J, Kang HS, Cho WS, et al. Long-term outcomes of Low-profile Visualized Intraluminal Support device usage in stent-assisted coiling of intracranial aneurysm: Journal of Clinical Neuroscience. 50 (pp 287-291), 2018.	3
2375	Yoshimura S. [Key Points for Treatment Selection of Cerebral Aneurysms]. [Japanese]. No Shinkei Geka Neurological Surgery. 2021;49(1):156-63.	10
2376	Young M, Imbarrato G, Gordhan A. Symptomatic Post Endarterectomy Common Carotid Artery Pseudoaneurysm Treated with Combination of Flow Diverter Implantation and Carotid Stenting. Neurointervention. 2018;13(1):54-7.	3
2377	Young RW, Bender MT, Colby GP, Coon AL. Multiple pipeline twists encountered during treatment of a symptomatic fusiform ICA aneurysm. BMJ Case Reports. 2019;12(7):04.	3
2378	Yu SC, Kwok CK, Cheng PW, Chan KY, Lau SS, Lui WM, et al. Intracranial aneurysms: midterm outcome of pipeline embolization device--a prospective study in 143 patients with 178 aneurysms. Radiology. 2012;265(3):893-901.	3
2379	Yu SC, Lee KT, Lau TW, Wong GK, Pang VK, Chan KY. Intravenous C-Arm Conebeam CT Angiography following Long-Term Flow-Diverter Implantation: Technologic Evaluation and Preliminary Results. Ajnr: American Journal of Neuroradiology. 2016;37(3):481-6.	3
2380	Yu SCH, Kwok CK, Cheng PW, Chan KY, Lau SS, Lui WM, et al. Intracranial aneurysms: Midterm outcome of pipeline embolization device - A prospective study in 143 patients with 178 aneurysms: Radiology. 265 (3) (pp 893-901), 2012.	3

연번	서지정보	배제 사유
2381	Yu SCH, Kwok JCK, Cheng PW, Chan KY, Lau SS, Lui WM, et al. Mid-term outcome of pipeline embolization device for intracranial aneurysms: A prospective study in 143 patients with 178 aneurysms: CardioVascular and Interventional Radiology. Conference: Cardiovascular and Interventional Radiological Society of Europe, CIRSE 2012. Lisbon Portugal. Conference Publication: (var.pagings). 35 (SUPPL. 1) (pp S179), 2012.	7
2382	Yu SCH, Lee KT, Lau T, Wong GKC, Pang VKY, Chan KY. Use of Pipeline Embolization Device for treatment of cerebral aneurysm: Favourable long-term outcome of vascular status: Surgical Practice. Conference: Conjoint Annual Scientific Meeting 2015 by Hong Kong Neurosurgical Society, Hong Kong Stroke Society, Hong Kong Society of Interventional and Therapeutic Neuroradiology. Hong Kong Hong Kong. 20 (Supplement 1) (pp 12), 2016.	7
2383	Yu SCH, Lee KT, Lau TWW, Wong GKC, Pang VKY, Chan KY. Intravenous C-arm conebeam CT angiography following long-term flow-diverter implantation: Technologic evaluation and preliminary results: American Journal of Neuroradiology. 37 (3) (pp 481-486), 2016.	2
2384	Yunyan W, Ye G, Zhang M. Efficiency and prognosis of intracranial aneurysm treated with flow-diverter devices-meta-analysis and systematic review: Interventional Neuroradiology. Conference: 13th Congress of the World Federation of Interventional and Therapeutic Neuroradiology, WFITN 2015 and 12th Interdisciplinary Cerebrovascular Symposium, Intracranial Stent Meeting, ICS 2015. Gold Coast, QLD Australia. Conference Publication: (var.pagings). 21 (SUPPL. 1) (pp 265), 2015.	7
2385	Zaeske C, Goertz L, Dorn F, Turowski B, Abdullayev N, Schlamann M, et al. Comparative Analysis of the Pipeline and the Derivo Flow Diverters for the Treatment of Unruptured Intracranial Aneurysms-A Multicentric Study. World Neurosurgery. 2021;145:e326-e31.	4
2386	Zaidat OO, Castonguay AC, Teleb MS, Asif K, Gheith A, Southwood C, et al. Middle cerebral artery aneurysm endovascular and surgical therapies: Comprehensive literature review and local experience: Neurosurgery Clinics of North America. 25 (3) (pp 455-469), 2014.	6
2387	Zakhari N, Lum C, Quateen A, Iancu D, Lesiuk H. Next day discharge after elective intracranial aneurysm coiling: Is it safe?: Journal of NeuroInterventional Surgery. 8 (9) (pp 983-986), 2016. Date of Publication: September 2016.; 2016.	2
2388	Zammar S, Maragos GA, Simon S. Y-shaped LVIS Stent-assisted Coiling of Anterior Communicating Artery Aneurysms: A Case Series: Cureus. 11(3):e4271, 2019 Mar 19.; 2019.	3
2389	Zammar SG, Buell TJ, Chen CJ, Crowley RW, Ding D, Griessenauer CJ, et al. Outcomes After Off-Label Use of the Pipeline Embolization Device for Intracranial Aneurysms: A Multicenter Cohort Study. World Neurosurgery. 2018;115:e200-e5.	3
2390	Zammar SG, Buell TJ, Chen CJ, Crowley RW, Ding D, Griessenauer CJ, et al. Outcomes after off-label use of the pipeline embolization device for intracranial aneurysms: A multicenter cohort study: Stroke. Conference: American Heart Association/American Stroke Association 2018 International Stroke Conference and State-of-the-Science Stroke Nursing Symposium. Los Angeles, CA United States. 49 (Supplement 1) (no pagination), 2018.	7
2391	Zanaty M, Chalouhi N, Barros G, Schwartz EW, Saigh MP, Starke RM, et al. Flow-diversion for ophthalmic segment aneurysms. Neurosurgery. 2015;76(3):286-9.	3

연번	서지정보	배제 사유
2392	Zanaty M, Chalouhi N, Jabbour P, Starke RM, Hasan D. The unusual angiographic course of intracranial pseudoaneurysms: Asian Journal of Neurosurgery. 10(4):327–30, 2015 Oct-Dec.; 2015.	6
2393	Zanaty M, Chalouhi N, Tjoumakaris S, Gonzalez L, Rosenwasser R, Jabbour P. Flow–diversion for complex middle cerebral artery aneurysms: Journal of NeuroInterventional Surgery. Conference: 11th Annual Meeting of the Society of NeuroInterventional Surgery, SNIS 2014. Colorado Springs, CO United States. Conference Publication: (var.pagings). 6 (SUPPL. 1) (pp A46), 2014.	7
2394	Zanaty M, Chalouhi N, Tjoumakaris SI, Gonzalez LF, Rosenwasser R, Jabbour P. Flow diversion for complex middle cerebral artery aneurysms. Neuroradiology. 2014;56(5):381–7.	3
2395	Zanaty M, Chalouhi N, Tjoumakaris SI, Rosenwasser RH, Gonzalez LF, Jabbour P. Flow–diversion panacea or poison?. [Review]. Frontiers in neurology [electronic resource]. 2014;5(21).	6
2396	Zanaty M, Chalouhi N, Tjoumakaris SI, Rosenwasser RH, Jabbour PM. Endovascular Management of Cerebral Aneurysm: Review of the Literature: Translational Stroke Research. 5 (2) (pp 199–206), 2014.	6
2397	Zanaty M, Jabbour PM, Bou Sader R, Chalouhi N, Tjoumakaris S, Rosenwasser RH, et al. Intra–Aneurysmal thrombus modification after flow–diversion: Journal of Clinical Neuroscience. 22 (1) (pp 105–110), 2015.	3
2398	Zanaty M, Limaye K, Roa JA, Samaniego E, Hasan D. In Reply: The Safety and Efficacy of Continuous Tirofiban as a Monoantiplatelet Therapy in the Management of Ruptured Aneurysms Treated Using Stent–Assisted Coiling or Flow Diversion and Requiring Ventricular Drainage: Clinical Neurosurgery. 86 (3) (pp E352), 2020.	6
2399	Zanaty M, Osorno–Cruz C, Byer S, Roa JA, Limaye K, Ishii D, et al. Tirofiban protocol protects against delayed cerebral ischemia: A case–series study: Neurosurgery. 87 (5) (pp E552–E556), 2020. Date of Publication: 01 Nov 2020.; 2020.	6
2400	Zanaty M, Roa JA, Nakagawa D, Chalouhi N, Allan L, Kasab SA, et al. Aspirin associated with decreased rate of intracranial aneurysm growth: Journal of Neurosurgery. 133 (5) (pp 1478–1485), 2020.	2
2401	Zanaty M, Roa JA, Tjoumakaris SI, Jabbour P, Mouchtouris N, Sweid A, et al. Off–Label Use of the WEB Device. World Neurosurgery. 2019;134:e1047–e52.	3
2402	Zander T, Medina S, Montes G, Nunez–Atahualpa L, Valdes M, Maynar M. Endoluminal occlusion devices: Technology update: Medical Devices: Evidence and Research. 7 (pp 425–436), 2014.	6
2403	Zaouak Y, Sadeghi N, Sarbu N, Ligot N, Lubicz B. Differentiation between cerebral hemorrhage and contrast extravasation using dual energy computed tomography after intra–arterial neuro interventional procedures: Journal of the Belgian Society of Radiology. 104 (1) (no pagination), 2020.	2
2404	Zarrin D, Campos J, Bender M, Jiang B, Vo C, Chandra A, et al. P2Y12 precision in therapeutic monitoring of dual anti–platelet therapy for flow diversion of cerebral aneurysms: Journal of Neurosurgery. Conference: 2018 AANS Annual Scientific Meeting. New Orleans, LA United States. 128 (4) (pp 30), 2018.	7
2405	Zarzecka A, Gory B, Turzman F. Implantation of two flow diverter devices in a child with a giant, fusiform vertebral artery aneurysm: Case report: Pediatric Neurology. 50 (2) (pp 185–187), 2014.	3

연번	서지정보	배제 사유
2406	Zavodszky G, Csippa B, Paal G, Szikora I. A novel virtual flow diverter implantation method with realistic deployment mechanics and validated force response: International journal for numerical methods in biomedical engineering. 36 (6) (pp e3340), 2020.	6
2407	Zeng S, Yang D, Yang H, Xu LS, Xu MH. A persistent primitive hypoglossal artery-posterior inferior cerebellar artery convergence aneurysm treated by stent-assisted coil embolization: A case report. Medicine. 2019;98(39).	3
2408	Zetchi MA, Dmytriw AA, Chiu AH, Drake BJ, Alizadeh NV, Bharatha A, et al. Entry remnants in flow-diverted aneurysms: Does branch geometry influence aneurysm closure? Interventional Neuroradiology. 2018;24(6):624-30.	3
2409	Zhang H, Gao X, Liang H, Ren Y. Incomplete stent apposition of low-profile visualized intraluminal support stents in the treatment of cerebral aneurysms: Journal of NeuroInterventional Surgery. 12 (6) (pp 591-597), 2020.	3
2410	Zhang H, Li L, Miao F, Yu J, Zhou B, Pan Y. Computational fluid dynamics analysis of intracranial aneurysms treated with flow diverters: a case report: Neuro-Chirurgie. (no pagination), 2021.	3
2411	Zhang K, Wang ZL, Gao BL, Xue JY, Li TX, Zhao TY, et al. Use of a First Large-Sized Coil Versus Conventional Coils for Embolization of Cerebral Aneurysms: Effects on Packing Density, Coil Length, and Durable Occlusion: World Neurosurgery. 127 (pp e685-e691), 2019.	4
2412	Zhang M, Anzai H, Chopard B, Ohta M. Towards the patient-specific design of flow diverters made from helix-like wires: an optimization study. Biomedical Engineering Online. 2016;15(Suppl 2):28.	9
2413	Zhang M, Anzai H, Ohta M. Visualization of flow patterns through the aneurysmal orifice after flow diverter optimizations with different objective functions: Interventional Neuroradiology. Conference: 13th Congress of the World Federation of Interventional and Therapeutic Neuroradiology, WFITN 2015 and 12th Interdisciplinary Cerebrovascular Symposium, Intracranial Stent Meeting, ICS 2015. Gold Coast, QLD Australia. Conference Publication: (var.pagings). 21 (SUPPL. 1) (pp 362), 2015.	7
2414	Zhang M, Li Y, Sugiyama SI, Verrelli DI, Matsumoto Y, Tominaga T, et al. Incomplete stent expansion in flow-diversion treatment affects aneurysmal haemodynamics a quantitative comparison of treatments affected by different severities of malapposition occurring in different segments of the parent artery: International journal for numerical methods in biomedical engineering. (pp e3465), 2021.	9
2415	Zhang M, Li Y, Zhao X, Verrelli DI, Chong W, Ohta M, et al. Haemodynamic effects of stent diameter and compaction ratio on flow-diversion treatment of intracranial aneurysms: A numerical study of a successful and an unsuccessful case. Journal of Biomechanics. 2017;58:179-86.	3
2416	Zhang M, Tupin S, Anzai H, Kohata Y, Shojima M, Suzuki K, et al. Implementation of computer simulation to assess flow diversion treatment outcomes: systematic review and meta-analysis. Journal of Neurointerventional Surgery. 2021;13(2):164-70.	6
2417	Zhang Q, Liu J, Zhang Y, Zhang Y, Tian Z, Li W, et al. Efficient simulation of a low-profile visualized intraluminal support device: a novel fast virtual stenting technique. Chinese Neurosurgical Journal. 2018;4(6).	9
2418	Zhang SM, Liu LX, Ren PW, Xie XD, Miao J. Effectiveness, Safety and Risk Factors of Woven EndoBridge Device in the Treatment of Wide-Neck Intracranial Aneurysms: Systematic Review and Meta-Analysis. World Neurosurgery. 2020;136:e1-e23.	6

연번	서지정보	배제 사유
2419	Zhang X, Li W, Lv N, Zhang Q, Huang Q. Endovascular management of ruptured basilar artery dissection with two overlapping Low-profile Visualized Intraluminal Support stents: <i>Interventional Neuroradiology</i> . 22 (6) (pp 659–661), 2016.	3
2420	Zhang X, Lv N, Wang C, Cao W, Liu J, Huang Q. Late recurrence of a completely occluded large intracranial aneurysm treated with a Tubridge flow diverter. <i>BMJ Case Reports</i> . 2016;21:21.	3
2421	Zhang X, Lv N, Wang C, Cao W, Liu J, Huang Q. Late recurrence of a completely occluded large intracranial aneurysm treated with a Tubridge flow diverter: <i>Journal of NeuroInterventional Surgery</i> . 9 (2) (pp e6), 2017.	8
2422	Zhang X, Zhong J, Gao H, Xu F, Bambakidis NC. Endovascular treatment of intracranial aneurysms with the LVIS device: a systematic review. [Review]. <i>Journal of NeuroInterventional Surgery</i> . 2017;9(6):553–7.	6
2423	Zhang Y, Chong W, Qian Y. Investigation of intracranial aneurysm hemodynamics following flow diverter stent treatment: <i>Medical Engineering and Physics</i> . 35 (5) (pp 608–615), 2013.	6
2424	Zhang Y, Huang QH, Fang Y, Yang P, Xu Y, Hong B, et al. A Novel Flow Diverter (Tubridge) for the Treatment of Recurrent Aneurysms: A Single-Center Experience. <i>Korean J Radiol</i> . 2017;18(5):852–9.	3
2425	Zhang Y, Huang QH, Fang Y, Yang P, Xu Y, Hong B, et al. A Novel Flow Diverter (Tubridge) for the Treatment of Recurrent Aneurysms: A Single-Center Experience. <i>Korean Journal of Radiology</i> . 2017;18(5):852–9.	3
2426	Zhang Y, Ma C, Liang S, Yan P, Liang F, Guo F, et al. Morphologic Feature Elongation Can Predict Occlusion Status Following Pipeline Embolization of Intracranial Aneurysms. <i>World Neurosurgery</i> . 2018;119:e934–e40.	3
2427	Zhang Y, Sui B, Liu J, Wang Y, Tian Z, Chen J, et al. Aneurysm wall enhancement on magnetic resonance imaging as a risk factor for progression of unruptured vertebrobasilar dissecting aneurysms after reconstructive endovascular treatment: <i>Journal of Neurosurgery</i> . 128 (3) (pp 747–755), 2018.	2
2428	Zhang Y, Tian Z, Zhu W, Liu J, Wang Y, Wang K, et al. Endovascular treatment of bilateral intracranial vertebral artery aneurysms: an algorithm based on a 10-year neurointerventional experience. <i>Stroke & Vascular Neurology</i> . 2020;5(3):291–301.	3
2429	Zhang Y, Wang Y, Kao E, Florez-Valencia L, Courbebaisse G. Towards optimal flow diverter porosity for the treatment of intracranial aneurysm. <i>Journal of Biomechanics</i> . 2019;82:20–7.	3
2430	Zhang Y, Zhang Y, Guo F, Liang F, Yan P, Liang S, et al. Treatment of Small and Tiny Aneurysms Before and After Flow Diversion Era: A Single Center Experience of 409 Aneurysms. <i>World Neurosurgery</i> . 2018;116:e386–e93.	2
2431	Zhao B, Wang X, Chen Y, Cai J, Jin D, Wan J, et al. The safety and effectiveness of the LVIS stent for the treatment of acutely ruptured intracranial aneurysms within 24 hours: A multicenter retrospective study: <i>Journal of NeuroInterventional Surgery Conference: 17th Annual Meeting of the Society of NeuroInterventional Surgery Organizing, SNIS 2020. San Diego, CA United States</i> . 12 (Supplement 1) (pp A132–A133), 2020.	7
2432	Zhao L, Chen D, Chen Z, Wang X, Paliwal N, Xiang J, et al. Rapid Virtual Stenting for Intracranial Aneurysms. <i>Proceedings of SPIE the International Society for Optical Engineering</i> . 2016;27:27.	6

연번	서지정보	배제 사유
2433	Zhao W, Peng H, Zhang H, Li T. Nursing care of 22 patients with complex intracranial aneurysms treated with flow-diverting stents: A retrospective study: Journal of Interventional Medicine. 2 (3) (pp 128-130), 2019.	3
2434	Zhengze F, Lei Z, Qiang L, Rui Z, Yi X, Bo H, et al. Endovascular treatment of wide-neck anterior communicating artery aneurysms using the Ivis junior stent: Interventional Neuroradiology. Conference: 13th Congress of the World Federation of Interventional and Therapeutic Neuroradiology, WFITN 2015 and 12th Interdisciplinary Cerebrovascular Symposium, Intracranial Stent Meeting, ICS 2015. Gold Coast, QLD Australia. Conference Publication: (var.pagings). 21 (SUPPL. 1) (pp 268), 2015.	7
2435	Zhengze F, Qiang L, Rui Z, Ping Z, Lei C, Yi X, et al. Endovascular treatment of middle cerebral artery aneurysm with the LVIS junior stent: Interventional Neuroradiology. Conference: 13th Congress of the World Federation of Interventional and Therapeutic Neuroradiology, WFITN 2015 and 12th Interdisciplinary Cerebrovascular Symposium, Intracranial Stent Meeting, ICS 2015. Gold Coast, QLD Australia. Conference Publication: (var.pagings). 21 (SUPPL. 1) (pp 267), 2015.	7
2436	Zhou G, Su M, Yin YL, Li MH. Complications associated with the use of flow-diverting devices for cerebral aneurysms: a systematic review and meta-analysis: Neurosurgical focus. 42 (6) (pp E17), 2017. Date of Publication: 01 Jun 2017.; 2017.	6
2437	Zhou G, Su M, Zhu YQ, Li MH. Efficacy of Flow-Diverting Devices for Cerebral Aneurysms: A Systematic Review and Meta-analysis: World Neurosurgery. 85 (pp 252-262), 2016.	6
2438	Zhou G, Yin Y, Li M. Flow Diversion for Cerebral Aneurysms: A Promising Therapy Needs Full Evaluation: World Neurosurgery. 91 (pp 626-627), 2016.	6
2439	Zhou Y, Peng Q, Wu X, Zhang Y, Liu J, Yang X, et al. Endovascular Treatment of Tiny Aneurysms With Low-Profile Visualized Intraluminal Support Devices Using a "Compressed" Stent Technique: Frontiers in Neurology. 11 (no pagination), 2020. Article Number: 610126.	6
2440	Zhou Y, Yang PF, Fang YB, Xu Y, Hong B, Zhao WY, et al. A novel flow-diverting device (tubridge) for the treatment of 28 large or giant intracranial aneurysms: A single-center experience: American Journal of Neuroradiology. 35 (12) (pp 2326-2333), 2014.	3
2441	Zhou Y, Yang PF, Fang YB, Xu Y, Hong B, Zhao WY, et al. Parent artery reconstruction for large or giant cerebral aneurysms using a Tubridge flow diverter (PARAT): study protocol for a multicenter, randomized, controlled clinical trial. BMC Neurology. 2014;14(97):04.	4
2442	Zhou Y, Yang PF, Fang YB, Xu Y, Hong B, Zhao WY, et al. Tubridge flow diverting device for the treatment of large or giant intracranial aneurysms: A single center mid-term and long-term follow up result: Interventional Neuroradiology. 21 (SUPPL. 1) (pp 165), 2015.	7
2443	Zhou Y, Yang PF, Huang QH, Xu Y, Hong B, Zhao WY, et al. Tubridge flow diverter or in combination with coils for treatment of large or giant anterior circulation aneurysms: A follow-up observation. [Chinese]: Chinese Journal of Cerebrovascular Diseases. 10 (10) (pp 512-517), 2013.	10
2444	Zhu D, Yan Y, Zhao P, Duan G, Zhao R, Liu J, et al. Safety and Efficacy of Flow Diverter Treatment for Blood Blister-Like Aneurysm: A Systematic Review and Meta-Analysis. [Review]. World Neurosurgery. 2018;118:e79-e86.	6

연번	서지정보	배제 사유
2445	Zhu Y, Pan J, Shen J, Liu C, Fan Z, Shen Y, et al. Clinical and radiological outcomes after treatment of unruptured paraophthalmic internal carotid artery aneurysms: A comparative and pooled analysis of single-center experiences: World Neurosurgery. 84 (6) (pp 1726–1738), 2015. 2015.	6
2446	Zhu Y, Zhang H, Zhang Y, Wu H, Wei L, Zhou G, et al. Endovascular Metal Devices for the Treatment of Cerebrovascular Diseases. [Review]. Advanced Materials. 2019;31(8).	6
2447	Zimmer S, Maus V, Maurer C, Berlis A, Weber W, Fischer S. Widening the Indications for Intrasaccular Flow Disruption: WEB 17 in the Treatment of Aneurysm Locations Different from Those in the Good Clinical Practice Trials. Ajnr: American Journal of Neuroradiology. 2021;42(3):524–9.	3
2448	Zuckerman SL, Eli IM, Morone PJ, Dewan MC, Mocco J. Novel technologies in the treatment of intracranial aneurysms. [Review]. Neurological Research. 2014;36(4):368–82.	6
2449	Zuckerman SL, Eli IM, Morone PJ, Dewan MC, Mocco J. Novel technologies in the treatment of intracranial aneurysms: Neurological Research. 36 (4) (pp 368–382), 2014.	8
2450	Zudaire EP, Romero JIM, Pena JAL, Uroz AL, Romero AM, Bernues JV. Flow-diverter stent: Our experience in 50 complex intracranial aneurysms treated with endovascular flow-diverter stent: Neuroradiology. Conference: 41st Annual Meeting of the Spanish Society of Neuroradiology. Alicante Spain. Conference Publication: (var.pagings). 55 (4) (pp 509), 2013.	7
2451	Zumofen DW, Shapiro M, Becske T, Raz E, Potts MB, Riina HA, et al. Endoluminal Reconstruction for Nonsaccular Aneurysms of the Proximal Posterior Cerebral Artery with the Pipeline Embolization Device. Ajnr: American Journal of Neuroradiology. 2015;36(7):1299–302.	3
2452	Zwarzany L, Poncyljusz W, Burke TH. Flat detector CT and its applications in the endovascular treatment of wide-necked intracranial aneurysms—A literature review. [Review]. European Journal of Radiology. 2017;88:26–31.	8
2453	Zwarzany L, Poncyljusz W, Burke TH. Flat detector CT and its applications in the endovascular treatment of wide-necked intracranial aneurysms—A literature review: European Journal of Radiology. 88 (pp 26–31), 2017.	6
2454	고한검, 최윤혁, 오영태, 최기주. 고속도로 교통데이터(FTMS, TCS)를 이용한 경로전환율 분석: 서해안고속도로 매송~발안 구간을 중심으로. 大韓交通學會誌 = Journal of Korean Society of Transportation (대한교통학회). 2012;30(3):31–41.	2
2455	김병모. 경영자 기회주의, 과신 성향 그리고 주가의 급락 위험. 재무연구. 2016;29(2):193–233.	2
2456	김영욱, 최익서. 페어 마케팅 커뮤니케이션을 위한 전시 디자인 방법 연구. 한국공간디자인학회 논문집. 2016;11(6):75–84.	2
2457	김종배, 신종학, 심민석, 안주용, 정병삼, 남기현. Flow diverter를 이용한 거대뇌동맥류의 pipeline stent (Embolization Pipeline Device) 색전술 (증례보고). 대한인터넷영상기술학회지. 2013;16(1):216–.	3
2458	김진수, 고종권. 조세희피와 세무위험이 기업가치에 미치는 영향. 세무학연구. 2016;33(3):267–98.	2
2459	김태영, 안경애. 공간중력모형을 이용한 국가간 관세효과 분석: 한미 자유무역협정을 중심으로. 유통경영학회지. 2014;17(4):41–51.	2
2460	김현숙, 정상훈. 직업무용수의 공연심리 요인 분석. 대한무용학회논문집. 2012;70(1):63–83.	2
2461	노재경. 유역외 보의 연계운영에 의한 유역배율이 작은 저수지의 유입량 확보 가능성. 한국농공학회논문집. 2011;53(1):17–28.	2
2462	박순찬. 지역무역협정(RTA)의 법적 규정과 무역창출효과 분석. EU학 연구. 2011;16(1):5–27.	2

연번	서지정보	배제 사유
2463	박용성, 김민규, 석승진, 유제훈, 박순규, 이재식. Flow Diverter Stent 삽입술에서 Aneurysm Flow Program의 유용성. 대한인터넷영상기술학회지. 2017;20(1):219-.	5
2464	박종일, 정설희. 기업의 세무보고 공격성과 미래 재무성과와의 관계. 세무와 회계저널. 2017;18(3):145-82.	2
2465	박종일, 지승민. 기업의 세무보고 공격성 여부가 회사채 신용등급에 영향을 주는가? 회계저널. 2016;25(3):55-97.	2
2466	박호, 장현미, 김상열. 국제교역환경변화에 따른 해상교역패턴 변화 분석 -우리나라 주요 컨테이너 항만을 중심으로. 해운물류연구. 2016;90(0):239-54.	2
2467	배만규. 연구논문 : 축제의 금기 도입에 관한 탐색적 연구. MICE관광연구(구 컨벤션연구). 2016;43(0):71-88.	2
2468	백복현, 이미주. 반인수합병 조항이 세무-보고이익차이에 미치는 영향. 회계저널. 2013;22(1):349-89.	2
2469	안상도. 어류 차단 스크린 설치에 따른 안동-임하호 연결터널의 흐름변화에 대한 전산유체동역학 수치모의. 한국물환경학회지. 2014;30(5):477-85.	2
2470	안소라, 박근애, 김성준. SWAT과 MODSIM-DSS 모형을 연계한 금강유역의 농업용수 공급능력 평가. 대한토목학회논문집 (대한토목학회). 2013;33(2):507-19.	2
2471	안종호. 물 재이용을 통한 도시하천 물순환개선 정책방향. 기본연구보고서. 2011;2011(0):1-122.	2
2472	여서영. 아스거 온의 실천적 아방가디즘 - 데투른망 전략을 활용한 1950-60년대 회화를 중심으로. 기초조형학연구. 2020;21(3):219-38.	2
2473	유수인, 김병종, 김원규. 가변안내표지판 메시지 표출형식 및 지체수준 별 운전자 우회율 분석 연구. 한국ITS학회 논문집 (한국ITS학회). 2013;12(6):54-67.	2
2474	이동근, 김종섭, 박태진, 박종호. CMC Evaluation of Flowmeter Calibration System for Liquid. 한국유체기계학회 논문집 (한국유체기계학회). 2014;17(4):5-10.	2
2475	이상범, 김창훈, 임선희, 김연중, 강유진. 신재생에너지 확대와 미래 환경변화 대응을 위한 중장기 발전방향 : 육상태양광발전 보급 활성화를 위한 제도 개선방안. 기본연구보고서. 2020;2020(0):1-160.	2
2476	이상화, 진광호, 류종현, 김수근. 화순 홍수조절지의 유입유출 구조물에 대한 수리모형실험 연구. 韓國水資源學會論文集 (한국수자원학회). 2012;45(7):675-84.	2
2477	이선희, 장선영, 김진형. Flow-diverter를 이용한 뇌동맥류 색전술. 신의료기술평가 보고서. 2012;1(49):1-89.	6
2478	이성우. 관심분야이론이론의 적용을 통해본 2013 개성공단사태에 관한 연구. 세계지역연구논총. 2015;33(1):59-85.	2
2479	이승수, 김동규, 서종원. 교통류 보존형 터널단면 확대 시공기술의 경제적 타당성 분석. 지질공학. 2015;25(4):459-72.	2
2480	이주은. 한국의 이주노동시장에 관한 연구 – 독일모델을 중심으로. 유라시아연구. 2013;10(3):117-44.	2
2481	임송수. Agricultural Trade Creation and Diversion under the ASEAN Free Trade Agreement. 농업경제연구. 2014;55(4):45-71.	2
2482	임유성, 최윤영. 기후변화에 따른 적정 취수량 산정을 위한 유량분석. 한국수처리학회지. 2018;26(2):15-26.	2
2483	장석환, 오경두, 오지환. 금강-보령댐 도수터널 운영에 따른 금강 본류 내 수위 영향 분석연구. 한국환경과학회지. 2017;26(9):1031-43.	2
2484	최진규, 손재권, 김진택, 김영주. 동진지구 김제간선 내 주요 용수지선의 흐름 특성. 한국농공학회논문집. 2012;54(5):113-21.	2
2485	추연문, 지홍기, 권기대, 김철영. 안동-임하 연결도수로 설치에 따른 가용 수자원량에 관한 연구. 한국산학기술학회논문지 (한국산학기술학회). 2014;15(2):1126-39.	2