

별첨 2

배제문헌

문헌배제사유

1. 동물연구 또는 전임상시험
2. 원저가 아닌 연구(종설, letter, comment 등)
3. 동료심사된 학술지에 게재되지 않은 문헌
4. 유방암 의심환자를 대상으로 수행되지 않은 연구
5. 입체적 정위기법을 이용한 유방절제생검술을 수행하지 않은 연구
6. 한국어나 영어로 출판되지 않은 문헌
7. 적절한 의료결과를 하나 이상 보고하지 않은 문헌
8. 원문 확보가 불가능한 경우
9. 지속출판된 연구 중 초기 연구
10. 중복출판된 연구

연번	서지정보	배제 사유
국내문헌		
1	고승상, 신만식, 전기원, 이강영, 박희봉. Clinical Experience of Ultrasound-Guided, Vacuum-Assisted Breast Biopsy for Mammographic Microcalcifications: Combination with Wire Localization. Journal of Surgical Ultrasound. 2018;5(2):53-60.	5
2	김미선, 이원홍, 윤향이, 차현정. 미세석회화 유방병변의 병리학적 진단을 위한 초음파 유도 하 조직검사의 유용성 - 입체정위 흡입 생검법과의 비교. Usefulness of US-guided Core Needle Biopsy for Pathologic Diagnosis of Breast Lesion with Microcalcification: Comparison of Stereotactic Vacuum-assisted Biopsy. 2011;2(1):77-82.	7
3	김성환, 이상달, 이해경, 남석진, 양정현. 유방 관상피내암 (Ductal carcinoma in situ : DCIS) 의 진단과 치료의 특성. 대한외과학회지. 1999;56(5):639-46.	2
4	김양숙. Fine Needle Aspiration Biopsy and Stereotactic Localization of Non-palpable Breast Lesions. 부산외과학회지. 1992;8(1):66-7.	5
5	김정단, 차경민, 양정아, 정문교, 조민연, 김성현. 자동화 유방초음파 검사 후 설문지를 통한 환자만족도 조사 및 개선사항의 고찰. 대한초음파의료영상학회지. 2014;5(1):76-85.	7
6	김화선, 김민정, 김은경, 곽진영, 손은주, 오기근. US-Guided Vacuum-Assisted Biopsy of Microcalcifications in Breast Lesions and Long-Term Follow-Up Results. Korean Journal of Radiology. 2008;9(6):503-9.	5
7	서미라, 박정미, 공경엽, 안세현. 부착식 입체적 정위 핵생검법에 의한 유방생검의 결과 보고. 대한방사선의학회지. 2000;43:245-250.	5

연번	서지정보	배제 사유
8	서재영, 고수연, 박운주, 박혜영, 손윤미, 윤인영, et al. 삼차병원에서 유방 위치 결정술. 대한유방검진학회지. 2012;9(2):148-52.	5
9	시윤, 김신선, 이제승, 전해명, 이재학, 박우찬. 액와부 수술에서 손상받기 쉬운 장흉신경 근위부 변이. Annals of Surgical Treatment and Research. 2007;72(6):488-90.	7
10	안영환, 조경기, 안영민, 윤수한, 조기홍, 심철. 두개강외 전이를 동반한 신경교육종. 아주의학. 1996;1(1):423-30.	5
11	이미화. 3차원 입체정위 유방생검술의 정확도 및 정밀도 평가. Evaluation of the Accuracy and Precision Three-Dimensional Stereotactic Breast Biopsy. 2015;38(3):213-20.	1
12	이상달, 박해린, 남석진, 양정현. 임상적 증상이 없이 발견된 유방암의 특성. 대한외과학회지. 2000;58(2):190-6.	7
13	이은규, 국신희, 곽현주, 정정필, 박용래, 배원길, et al. 유방촬영술상 이상병변의 공기정위술 후 초음파유도하 진공흡인 유방생검술. 대한외과학회지. 2006;71(1):12-7.	5
14	이은혜. Needle guide를 사용한 입체정위생검술의 유용성에 대한 고찰. 대한영상의학기술학회 논문지. 2016;2016(1):149-56.	7
15	이해경, 박제훈, 남석진, 양정현. 비촉지성 유방촬영병변에 대한 새로운 Stereotactic biopsy (ABBI, Advanced Breast Biopsy Instrumentation)의 유용성. 대한외과학회 학술대회 초록집. 1997;11:269.	3
16	정일규, 최연현, 한부경, 변홍식, 주인옥. 복와식 장비를 사용한 입체적 정위법에 의한 유방 생검 62예의 분석 : 미세석회화를 동반한 유방 병변을 중심으로. 대한방사선의학회지. 1999;40(2):371-6.	5
17	최미선, 송종남. 유방 미세석회화 조직검사에서 X선 유도 하 조직검사와 초음파 유도 하 조직검사의 유용성. Usefulness of X-ray Guided Biopsy and Ultrasound Guided Biopsy in Breast Microcalcification Biopsy. 2016;10(3):201-6.	5
18	하수민, 차주희, 김학희, 신화정, 채은영, 최우정. Retrospective Analysis on Malignant Calcification Previously Misdiagnosed as Benign on Screening Mammography. 대한영상의학회지. 2017;76(4):251-8.	7
19	Ha SM, Cha JH, Kim HH, Shin HJ, Chae EY, Choi WJ. Retrospective analysis on malignant calcification previously misdiagnosed as benign on screening mammography. J Korean Soc Radiol. 2017; 6(4): 251-258.	7
20	Han B-K, Choe YH, Ko Y-H, Nam S-J, Kim J-H, Yang J-H. Stereotactic Core-Needle Biopsy of Non-Mass Calcifications: Outcome and Accuracy at Long-Term Follow-Up. Korean journal of radiology : official journal of the Korean Radiological Society. 2003;4(4):217-23.	5
21	Inês C, Marco M, Rui A, Sofia C, Teresa Simões S, Fernanda Á. Extraocular Muscles Involvement as the Initial Presentation in Metastatic Breast Cancer. Journal of breast cancer. 2018;21(3):339-42.	5
22	Kim SH, Lee SD, Lee HK, Nam SJ, Yang JH. The Diagnosis and Treatment of Ductal Carcinoma In Situ of the Breast. J Korean Surg Soc. 1999;56(5):639-46.	2
23	Lee SD, Kim SH, Lee HK, Nam SJ, Yang JH. The Diagnosis and Treatment of Ductal Carcinoma In Situ of the Breast: 55 cases. J Korean Breast Cancer Soc. 1999;2(1):67-76.	7
24	Yang JH, Lee SD, Lee HK, Nam SJ. The Utility of ABBI (Advanced breast biopsy instrumentation) for Non-palpable Breast Lesions. J Korean Breast Cancer Soc. 1998;1(2):164-9.	9
국외문헌		
1	Achtsidis V, Gregory ME, Roberts F, Kemp EG. Enophthalmos following orbital trauma: A diagnostic catch. British Journal of Ophthalmology. 2012;96(9):1268-9.	4
2	Acosta V, Perez FJ, Acosta Marin V, Contreras A, Ravelo R, Marin CE, et al. Atypical ductal hyperplasia in percutaneous breast biopsy. Surgery vs follow-up. European Journal of Cancer. 2012;1):S199.	3
3	Acs G, Esposito NN, Laronga C. Adequate histologic sampling of breast core needle biopsies (CNB) in the era of molecular testing - Is more just more? Laboratory Investigation. 2010;1):32A.	7
4	Actrn. Ultrasound visible breast markers: can these be used for preoperative ultrasound guided lesion localisation? http://www.who.int/trialsearch/Trial2.aspx?TrialID=ACTRN12613000725763 . 2013.	3

연번	서지정보	배제 사유
5	Adams MC, Falcon S, Mooney BP, Laronga C, Chau A, Drukteinis JS. Short-term imaging follow-up of patients with concordant benign breast core needle biopsies: Is it really worth it? Diagnostic and Interventional Radiology. 2014;20(6):464-9.	7
6	Adkisson CD, McLaughlin SA, Vallow LA, Heckman MG, Diehl NN, Bagaria SP, et al. Is postexcision, preradiation mammogram necessary in patients after breast-conserving surgery with negative margins. Annals of Surgical Oncology. 2013;20(10):3205-11.	5
7	Adler DD, Granstrom P, Hunter TB, Hunt KR. Stereotactic core breast biopsy. Academic Radiology. 2000;7(8):657-8.	3
8	Adler DD, Light RJ, Granstrom P, Hunter TB, Hunt KR. Follow-up of benign results of stereotactic core breast biopsy. Academic Radiology. 2000;7(4):248-53.	5
9	Adler LP, Weinberg IN, Bradbury MS, Levine EA, Lesko NM, Geisinger KR, et al. Method for combined FDG-PET and radiographic imaging of primary breast cancers. Breast Journal. 2003;9(3):163-6.	7
10	Agarwal A, Heron DE, Sumkin J, Falk J. Contralateral uptake and metastases in sentinel lymph node mapping for recurrent breast cancer. Journal of Surgical Oncology. 2005;92(1):4-8.	7
11	Ahluwalia M, Barnett GH, Deng D, Tatter SB, Laxton AW, Mohammadi AM, et al. Laser ablation after stereotactic radiosurgery: A multicenter prospective study in patients with metastatic brain tumors and radiation necrosis. Journal of Neurosurgery. 2019;130(3):804-11.	4
12	Ahmad SS, Akhtar K, Abrari A, Ritanjaya, Ahmad I, Mansoor T. Mammography-guided stereotactic fine needle aspiration cytology of breast lesions. Indian Journal of Pathology and Microbiology. 2006;49(3):330-3.	5
13	Ahn PH, Weinstein G, Ojerholm E, Lin A, Levin W, Desai A. Head and Neck Cancer with Metastatic Spread to the Breast. American Journal of Medicine. 2015;128(5):e3.	5
14	Ahn S, Port ER. Lymphedema precautions: Time to abandon old practices? Journal of Clinical Oncology. 2016;34(7):655-8.	7
15	Aitken RJ, Chetty U. Non-palpable mammographic abnormalities. Journal of the Royal College of Surgeons of Edinburgh. 1991;36(6):362-71.	2
16	Akin M, Karabacak H, Yilmaz G, Yavuz A, Nasirov M, Kurukahvecioglu O. A rarely encountered benign proliferative lesion of the breast: Pseudoangiomatous Stromal Hyperplasia (PASH). [Turkish]. Gazi Medical Journal. 2017;28(2):90-2.	6
17	Al Hassan T, Delli Fraine P, El Khoury M, Solorzano S, Meterissian S, Mesurolle B. Accuracy of percutaneous core needle biopsy in diagnosing papillary breast lesions and the potential impact on their management. American Journal of Roentgenology. 2011;196 (5 SUPPL.):A92.	3
18	Al Hassan T, Delli Fraine P, El-Khoury M, Joseph L, Zheng J, Mesurolle B. Accuracy of percutaneous core needle biopsy in diagnosing papillary breast lesions and potential impact of sonographic features on their management. Journal of Clinical Ultrasound. 2013;41(1):1-9.	7
19	Alakeel F, Lee E, Baird-Howell M, Easley S. Synchronous Ductal Carcinoma in Situ and Intravascular Large B-cell Lymphoma of the Breast. Applied Immunohistochemistry and Molecular Morphology. 2019;27(9):E91-E2.	5
20	Alencherry E, Goel R, Gore S, Thompson C, Dubchuk C, Bomeisl P, et al. Clinical, imaging, and intervention factors associated with the upgrade of isolated flat epithelial atypia. Clinical Imaging. 2019;54:21-4.	7
21	Al-Harethee W, Katselis C, Matiatou M, Kalles V, Papapanagiotou I, Georgiou G, et al. Breast lesion excision system (BLES) state of art. Annals of Surgical Oncology. 2013;1):20.	5
22	Al-harethee W, Papapanagiotou I, Kalles V, Matiatou M, Georgeiou G, Nonni A, et al. Breast lesion excision system for diagnosis of suspicious non-palpable breast lesions: Does thermal tissue damage affect diagnosis and outcome? European Journal of Cancer. 2012;1):S59.	3
23	Al-Harethee W, Theodoropoulos G, Filippakis GM, Papapanagiotou I, Matiatou M, Georgiou G, et al. Complications of percutaneous stereotactic vacuum assisted breast biopsy system utilizing radio frequency. European Journal of Radiology. 2013;82(4):623-6.	5
24	Al-Harethee WA, Kalles V, Papapanagiotou I, Matiatou M, Georgiou G, Nonni A, et al. Thermal damage of the specimen during breast biopsy with the use of the Breast Lesion Excision System: does it affect diagnosis? Breast cancer (Tokyo, Japan). 2015;22(1):84-9.	5

연번	서지정보	배제 사유
25	Alicioglu B, Yucesoy C. A simple method to decrease surgical trauma in wire localization procedures. Diagnostic and Interventional Radiology. 2008;14(3):131-2.	5
26	Allen A, Cauthen A, Jean-Louis C, Lord A, Dale P. Evaluating the incidence of upgrade to malignancy following surgical excision of high-risk breast lesions identified by core needle biopsy. Annals of Surgical Oncology. 2017;24 (2 Supplement 1):59-60.	3
27	Allen LR, Lago-Toro CE, Hughes JH, Careaga E, Brown AT, Chernick M, et al. Is there a role for MRI in the preoperative assessment of patients with DCIS? Annals of Surgical Oncology. 2010;17(9):2395-400.	5
28	Allen SD, Osin P, Nerurkar A. The radiological excision of high risk and malignant lesions using the INTACT breast lesion excision system. A case series with an imaging follow up of at least 5 years. European Journal of Surgical Oncology. 2014;40(7):824-9.	5
29	Allison K, Xu Y, Liu YI, Miyake KK, Downey JR, Lipson JA, et al. A case series of the Milky Way sign: A diagnostic finding of ductal carcinoma in situ (DCIS) and invasive breast carcinoma (IDC) on digital breast tomosynthesis (DBT). Cancer Research Conference: 38th Annual CTCRC AACR San Antonio Breast Cancer Symposium San Antonio, TX United States Conference Publication:. 2016;76(4 SUPPL. 1).	3
30	Allison KH, Eby PR, Kohr J, Demartini WB, Lehman CD. Can we predict which cases of atypical ductal hyperplasia on breast core needle biopsy will upgrade? Laboratory Investigation. 2009;1):26A.	3
31	Al-Obaydi WK, Cornford EJ, Tennant SL. PB.34: Results by letter for low-risk breast biopsies: An audit of current practice at Nottingham Breast Institute. Breast Cancer Research Conference: Annual Scientific Meeting of the British Society of Breast Radiology. 2013;15(SUPPL. 1).	3
32	Al-Reefy S, Osman H, Chao C, Perry N, Mokbel K. Is surgical excision required for B3 breast lesions diagnosed at vacuum-assisted core biopsy? European Journal of Cancer, Supplement. 2010;8 (3):175.	3
33	Alsharif S, Aldis A, Subahi A, El Khoury M, Mesurolle B. Breast MRI Does Not Help Differentiating Radial Scar With and Without Associated Atypia or Malignancy. Canadian Association of Radiologists Journal. 2020.	7
34	Alzuhair AM, Gong G, Shin HJ, Lee JW, Lee SB, Kim J, et al. Salivary duct cancer metastasis mimicking primary breast cancer: A case report and review. Journal of Breast Cancer. 2019;22(4):653-60.	5
35	Amadori R, Fontana A, Sartani A, Norsa A, Bossi D, Gambaro A, et al. Vacuum-assisted breast biopsy(VABB) for the diagnosis of nonpalpable breast lesions: Results of 600 procedures. European Journal of Surgical Oncology. 2010;36 (10):1018.	3
36	Ambati R, Taylor D, Wylie E. Evaluate relationship between level of operator experience and marker clip displacement post-stereotactic guided breast biopsies. Journal of Medical Imaging and Radiation Oncology. 2018;62 (Supplement 2):54.	3
37	Ames V, Britton PD. Stereotactically guided breast biopsy: a review. Insights Into Imaging. 2011;2(2):171-6.	2
38	Amin A, Zupon A, Winblad O, Gatewood J, Tawfik O, Fan F, et al. Atypical ductal hyperplasia on percutaneous biopsy: Do all need surgically excised? Annals of Surgical Oncology. 2017;24 (2 Supplement 1):60-1.	3
39	Amin AL, Fan F, Winblad OD, Larson KE, Wagner JL. Ipsilateral and Concurrent Breast Cancer and Atypical Ductal Hyperplasia: Does Atypia Also Need Surgical Excision? Annals of Surgical Oncology. 2020;27(12):4786-94.	5
40	Amini A, McDermott JD, Gan G, Bhatia S, Sumner W, Fisher CM, et al. Stereotactic body radiotherapy as primary therapy for head and neck cancer in the elderly or patients with poor performance. Frontiers in Oncology. 2014;4 (OCT) (no pagination)(274).	4
41	Amir T, Zuckerman SP, Barufaldi B, Maidment AD, Conant EF. Comparison of radiation dose between 2D digital stereotactic versus digital breast tomosynthesis-guided breast biopsies. European Journal of Radiology. 2021;134 (no pagination)(109407).	7
42	Ancona A, Caiffa L, Fazio V. [Digital stereotactic breast micro biopsy with the mammotome: study of 122 cases]. Radiologia Medica. 2001;101(5):341-7.	6

연번	서지정보	배제 사유
43	Andreu FJ, Sentis M, Castaner E, Gallardo X, Jurado I, Diaz-Ruiz MJ, et al. The impact of stereotactic large-core needle biopsy in the treatment of patients with nonpalpable breast lesions: a study of diagnostic accuracy in 510 consecutive cases. <i>European radiology</i> . 1998;8(8):1468-74.	5
44	Andrews R, Mah R, Aghevli A, Freitas K, Galvagni A, Guerrero M, et al. Multimodality stereotactic brain tissue identification: the NASA smart probe project. <i>Stereotactic & Functional Neurosurgery</i> . 1999;73(1-4):1-8.	1
45	Anonymous. Stereotactic core-cut breast biopsy. <i>Clinical Privilege White Paper</i> . 2012(79):1-15.	3
46	Anonymous. Monica Morrow on the pros and cons of stereotactic breast biopsy. <i>Oncology (Williston Park, NY)</i> . 1995;9(1):15-6.	2
47	Anonymous. Special stereotactic breast biopsy issue. <i>American Surgeon</i> . 1996;62(2):89-165.	2
48	Anonymous. Physician qualifications for stereotactic breast biopsy: a revised statement. <i>American College of Surgeons and American College of Radiology. Bulletin of the American College of Surgeons</i> . 1998;83(5):30-3.	2
49	Anonymous. In this issue. <i>Japanese Journal of Clinical Oncology</i> . 2010;40(8).	2
50	Anonymous. Patient page. Stereotactic breast biopsy. <i>Radiologic Technology</i> . 2010;82(1):104.	2
51	Anonymous. Discussion. <i>Journal of the American College of Surgeons</i> . 2013;216(4):824-7.	2
52	Anonymous. 96th Annual Meeting of the American Radium Society, ARS 2014. <i>Oncology Conference: 96th Annual Meeting of the American Radium Society, ARS</i> . 2014;28(1S).	3
53	Anonymous. Abstracts from the Symposium on Clinical Interventional Oncology, CIO 2017. <i>Journal of Vascular and Interventional Radiology Conference: Symposium on Clinical Interventional Oncology, CIO</i> . 2017;28(2).	3
54	Anonymous. The Royal College of Radiologists Meeting. <i>Clinical Oncology</i> . 2018;30 (6):331-96.	3
55	Anonymous. Issue Highlights. <i>International Journal of Radiation Oncology Biology Physics</i> . 2020;107(1):A14-A5.	2
56	Aoyama N, Ogawa Y, Yasuoka M, Ohgi K, Iwasa H, Miyatake K, et al. Therapeutic results of a novel enzyme-targeting radiosensitization treatment, Kochi oxydol-radiation therapy for unresectable carcinomas ii, in patients with stage i primary breast cancer. <i>Oncology Letters</i> . 2017;13(6):4741-7.	5
57	Apesteguia Ciriza L, Ovelar Ferrero A, Alfaro Adrian C. [Review of interventional radiology techniques in breast disease]. <i>Radiologia</i> . 2011;53(3):226-35.	2
58	Apffelstaedt J, Steenkamp V, Baatjes K. Surgeon-read screening mammography: An analysis of 10,020 examinations. <i>Annals of Surgical Oncology</i> . 2010;2:S158.	3
59	Appierto V, Di Cosimo S, Reduzzi C, Pala V, Cappelletti V, Daidone MG. How to study and overcome tumor heterogeneity with circulating biomarkers: The breast cancer case. <i>Seminars in Cancer Biology</i> . 2017;44:106-16.	2
60	Arentz C, Baxter K, Boneti C, Henry-Tillman R, Westbrook K, Klimberg VS. 10-Year experience with hematoma-directed, ultrasound-guided breast lumpectomy. <i>Annals of Surgical Oncology</i> . 2010;2:S154.	3
61	Arentz C, Baxter K, Boneti C, Henry-Tillman R, Westbrook K, Korourian S, et al. Ten-year experience with hematoma-directed ultrasound-guided (HUG) breast lumpectomy. <i>Annals of Surgical Oncology</i> . 2010;17(SUPPL. 3):S378-S83.	3
62	Arora S, Moezzi M, Kim U, Menes TS. Is surgical excision necessary for atypical ductal hyperplasia diagnosed with 8 gauge stereotactic biopsy? <i>Breast Journal</i> . 2009;15(6):673-4.	7
63	Arpino G, Allred DC, Mohsin SK, Weiss HL, Conrow D, Elledge RM. Lobular neoplasia on core-needle biopsy - Clinical significance. <i>Cancer</i> . 2004;101(2):242-50.	5
64	Asada T, Yamada T, Kanemaki Y, Fujiwara K, Okamoto S, Nakajima Y. Grading system to categorize breast MRI using BI-RADS 5th edition: a statistical study of non-mass enhancement descriptors in terms of probability of malignancy. <i>Japanese Journal of Radiology</i> . 2018;36(3):200-8.	5
65	Atallah N, Karam R, Younane T, Aftimos G. Stereotactic excisional biopsy (ABBI technique) on dedicated digital prone tables. Advantages. Disadvantages. Indications. About 67 cases. [French]. <i>Journal Medical Libanais</i> . 2000;48(2):70-6.	6

연번	서지정보	배제 사유
66	Atallah N, Karam R, Younane T, Aftimos G. [Stereotaxic excisional biopsy of non-palpable breast lesions by the ABBI(Advanced Breast Biopsy Instrumentation) technique. Advantages. Disadvantages. Indications. Apropos of 67 cases]. Journal Medical Libanais – Lebanese Medical Journal. 2000;48(2):70–6.	6
67	Atkins KA, Cohen MA, Nicholson B, Rao S. Atypical lobular hyperplasia and lobular carcinoma in situ at core breast biopsy: Use of careful radiologic–pathologic correlation To recommend excision or observation. Radiology. 2013;269(2):340–7.	7
68	Audisio RA, Chan BKY, Ramesh HSJ. Radioguided Occult Lesion Localisation (ROLL). European Journal of Surgical Oncology. 2012;38 (9):749–50.	3
69	Azavedo E, Svane G, Auer G. Stereotactic fine-needle biopsy in 2594 mammographically detected non-palpable lesions. Lancet. 1989;1(8646):1033–6.	5
70	Badan GM, Piato S, Roveda D, de Faria Castro Fleury E. Predictive values of BI–RADS^X/<sup>sup> magnetic resonance imaging (MRI) in the detection of breast ductal carcinoma in situ (DCIS). European Journal of Radiology. 2016;85(10):1701–7.	7
71	Bagley FH, Sutton Jr JE. The Role of Magnetic Resonance Imaging Mammography in the Surgical Management of the Index Breast Cancer. Archives of Surgery. 2004;139(4):380–3.	5
72	Bagnall MJC, Evans AJ, Wilson ARM, Pinder SE, Denley H, Geraghty JG, et al. Predicting invasion in mammographically detected microcalcification. Clinical Radiology. 2001;56(10):828–32.	5
73	Bai HX, Lannin D, Higgins S, Motwani S, Haffty B, Goyal S, et al. Breast conservation therapy for ductal carcinoma in situ (DCIS): Is there a difference in clinical–pathologic features and long term outcomes in occult, Mammographically–detected disease compared with dcis presenting with physical findings? International Journal of Radiation Oncology Biology Physics. 2011;11):S245.	3
74	Bai HX, Motwani SB, Higgins SA, Haffty BG, Wilson LD, Lannin DR, et al. Breast conservation therapy for ductal carcinoma in situ (DCIS): Does presentation of disease affect long-term outcomes? International Journal of Clinical Oncology. 2014;19(3):460–6.	7
75	Baldwin P. Breast biopsy targeting techniques. Radiologic technology. 2010;82(1):59M–79M.	2
76	Bale R, Richter M, Dunser M, Levy E, Buchberger W, Schullian P. Stereotactic Radiofrequency Ablation for Breast Cancer Liver Metastases. Journal of Vascular and Interventional Radiology. 2018;29(2):262–7.	5
77	Ball CG, Butchart M, MacFarlane JK. Effect on biopsy technique of the breast imaging reporting and data system (BI–RADS) for nonpalpable mammographic abnormalities. Canadian Journal of Surgery. 2002;45(4):259–63.	5
78	Ball S. Comparing the accuracy of stereotactic vs nonstereotactic mammographic breast localisations. Journal of Medical Radiation Sciences. 2016;63 (Supplement 1):23.	3
79	Ballehaninna UK, Chamberlain RS. Inclusion of tumor biology molecular markers to improve the ductal carcinoma in situ ipsilateral breast tumor recurrence nomogram predictability. Journal of Clinical Oncology. 2011;29(4):e97–e8.	5
80	Balleguler C, Bidault F, Caillet H, Dromain C. [Alternative breast biopsies]. Revue du Praticien. 2008;58(14):1513–6.	6
81	Baltzer PAT, Bennani-Baiti B, Stottinger A, Bumberger A, Kapetas P, Clauser P. Is breast MRI a helpful additional diagnostic test in suspicious mammographic microcalcifications? Magnetic Resonance Imaging. 2018;46:70–4.	7
82	Balu-Maestro C, Chapellier C, Ben Taaritt I, Fournol M. Ultrasound examination of breast microcalcifications: Luxury or necessity?. [French]. Journal de Radiologie. 2006;Part 1. 87(12 C1):1849–58.	6
83	Banks L, Ford AC, Seewaldt VL. Cost comparison of high-risk targeted breast MRI vs. mammography in screening underserved women. Cancer Epidemiology Biomarkers and Prevention Conference: American Association for Cancer Research, AACR International Conference on the Science of Cancer Health Disparities. 2011;20(10 Meeting Abstracts).	5
84	Baptist J, Dixit S, Busheri L, Krishnan L, Alhat R, Verghese B, et al. Evaluating the performance of an advanced breast cancer diagnosis unit in India. Indian Journal of Public Health Research and Development. 2017;8(4):598–604.	5
85	Baradaran M, Farrokh D, Najafi MN, Sharifi N. Pathologic results of stereotactic core needle biopsy in patient with malignancy suspicious to microcalcification on mammography. [Persian]. Iranian Journal of Obstetrics, Gynecology and Infertility. 2020;26(6):43–50.	6

연번	서지정보	배제 사유
86	Barbano PR, Reali G. Ultrasound guided fineneedle aspiration of impalpable breast nodules. Tumori. 1993;79(6):418-21.	5
87	Barentsz MW, Wessels H, Van Diest PJ, Pijnappel RM, Van Der Pol CC, Witkamp AJ, et al. Same-day diagnosis based on histology for women suspected of breast cancer: High diagnostic accuracy and favorable impact on the patient. PLoS ONE. 2014;9 (7) (no pagination)(e103105).	7
88	Barman I, Dingari NC, Saha A, McGee S, Galindo LH, Liu W, et al. Application of raman spectroscopy to identify microcalcifications and underlying breast lesions at Stereotactic core needle biopsy. Cancer Research. 2013;73(11):3206-15.	7
89	Barranger E, Marpeau O, Chopier J, Antoine M, Uzan S. Site-select procedure for non-palpable breast lesions: Feasibility study with a 15-mm cannula. Journal of Surgical Oncology. 2005;90(1):14-9.	5
90	Barreau B, Dilhuydy MH, Mac Grogan G, Henriques C, Fontanges M, Valat A, et al. [Stereotaxic fine-needle aspirations of clinically latent breast cysts: an efficient and neat procedure]. Bulletin du Cancer. 1997;84(11):1073-8.	2
91	Barreau B, Tastet S, Dilhuydy JM, Picot V, Henriques C, Gilles R, et al. Psychological adjustment after stereotactic breast biopsy instrumentation procedures: Report of 99 cases. [French]. Sein. 2002;12(1-2):157-67.	3
92	Barreau B, Tastet S, Picot V, Henriques C, Valentin F, Gilles R, et al. [Psychological adjustment of stereotactic breast biopsy instrumentation procedures: about 73 cases]. Gynecologie, Obstetrique & Fertilité. 2005;33(3):129-39.	6
93	Basha MAA, Safwat HK, Alaa Eldin AM, Dawoud HA, Hassanin AM. The added value of digital breast tomosynthesis in improving diagnostic performance of BI-RADS categorization of mammographically indeterminate breast lesions. Insights into Imaging. 2020;11 (1) (no pagination)(26).	5
94	Basik M, Cecchini RS, De Los Santos JF, Umphrey HR, Julian TB, Mamounas EP, et al. Primary analysis of NRG-BR005, a phase II trial assessing accuracy of tumor bed biopsies in predicting pathologic complete response (pCR) in patients with clinical/radiological complete response after neoadjuvant chemotherapy (NCT) to explore the feasibility of breast-conserving treatment without surgery. Cancer Research Conference: San Antonio Breast Cancer Symposium, SABCS. 2019;80(4 Supplement 1).	3
95	Basik M, Costantino JP, De Los Santos JF, Umphrey H, Julian TB, Mamounas EP, et al. NRG Oncology BR005: Phase II trial assessing accuracy of tumor bed biopsies (Bx) in predicting pathologic response in patients (Pts) with clinical/radiological complete response (CR) after neoadjuvant chemotherapy (NCT) in order to explore the feasibility of breast-conserving treatment (BCT) without surgery. Journal of Clinical Oncology Conference. 2018;36(15 Supplement 1).	3
96	Basik M, Costantino JP, De Los Santos JF, Umphrey HR, Julian TB, Mamounas EP, et al. Phase II trial assessing accuracy of tumor bed biopsies in predicting pathologic response in patients with clinical/radiological complete response after neoadjuvant chemotherapy in order to explore the feasibility of breast-conserving surgery without surgery: NRG Oncology BR005. Cancer Research Conference. 2018;79(4 Supplement 1).	3
97	Bassett L, Winchester DP, Caplan RB, Dershaw DD, Dowlatshahi K, Evans WP, et al. Stereotactic core-needle biopsy of the breast: A report of the joint task force of the American College of Radiology, American College of Surgeons, and College of American Pathologists. Breast Journal. 1997;3(6):317-30.	2
98	Bassett LW, Bent C, Sayre JW, Marzan R, Verma A, Porter C. Breast imaging training and attitudes: Update survey of senior radiology residents. American Journal of Roentgenology. 2011;197(1):263-9.	7
99	Bassett LW, Mahoney MC, Apple SK. Interventional Breast Imaging: Current Procedures and Assessing for Concordance with Pathology. Radiologic Clinics of North America. 2007;45(5):881-94.	2
100	Bassett LW, Monsees BS, Smith RA, Wang L, Hooshi P, Farria DM, et al. Survey of radiology residents: Breast imaging training and attitudes. Radiology. 2003;227(3):862-9.	7
101	Basu P, Leong LCH, Tan BY, Tan BKT. Breast calcifications in patients with end-stage renal disease. Breast Journal. 2019;25(3):515-6.	2

연번	서지정보	배제 사유
102	Batalini F, Moulder SL, Winer EP, Rugo HS, Lin NU, Wulf GM. Response of brain metastases from PIK3CA-mutant breast cancer to alpelisib. JCO Precision Oncology. 2019;3:572-8.	5
103	Bauer M, Schultz-Wendtland R. Stereotactic localisation of small breast lesions for diagnosis and preoperative marking – Method, experimental procedure and clinical results in 217 patients. [German]. RoFo Fortschritte auf dem Gebiete der Rontgenstrahlen und der Neuen Bildgebenden Verfahren. 1992;156(3):286-90.	6
104	Bauer RL, Sung J, Eckhart KH, Jr., Koul A, Castillo NB, Nemoto T. Comparison of histologic diagnosis between stereotactic core needle biopsy and open surgical biopsy. Annals of Surgical Oncology. 1997;4(4):316-20.	5
105	Bauer VP, Ditkoff BA, Schnabel F, Brenin D, El-Tamer M, Smith S. The management of lobular neoplasia identified on percutaneous core breast biopsy. Breast Journal. 2003;9(1):4-9.	7
106	Bays JK. Physical and mammographic diagnosis of breast cancer and initial work-up. Journal of the American Medical Women's Association (1972). 1992;47(5):158-60.	2
107	Beatty JD. Discussion of "Patient navigation reduces time to care for patients with breast symptoms and abnormal screening mammograms". American Journal of Surgery. 2018;215(5):812.	2
108	Beatty SM, Orel SG, Kim P, Abraham SC, Reynolds C. Multicentric secretory carcinoma of the breast in a 35-year-old woman: Mammographic appearance and the use of core biopsy in preoperative management. Breast Journal. 1998;4(3):200-3.	7
109	Beauchamp ME, Grigor T, Jones H. Invasive epitheliosis: A benign entity easily mistaken for invasive carcinoma. Journal of Pathology. 2012;1:S25.	3
110	Becette V, Cherel P, Menet E, Yacoub S, Brain E, Hagay C, et al. [Biopsy of breast microcalcifications using an 11-Gauge vacuum-assisted device: roles and challenges for the pathologist]. Annales de Pathologie. 2003;23(6):496-507.	2
111	Bechara R, Parks C, Ernst A. Electromagnetic navigation bronchoscopy. Future Oncology. 2011;7(1):31-6.	5
112	Becker AK, Gordon PB, Harrison DA, Hassell PR, Hayes MM, van Niekerk D, et al. Flat ductal intraepithelial neoplasia 1A diagnosed at stereotactic core needle biopsy: is excisional biopsy indicated? AJR American journal of roentgenology. 2013;200(3):682-8.	7
113	Becker L, Taves D, McCurdy L, Muscedere G, Karlik S, Ward S. Stereotactic core biopsy of breast microcalcifications: comparison of film versus digital mammography, both using an add-on unit. AJR American Journal of Roentgenology. 2001;177(6):1451-7.	5
114	Becker W. Stereotactic localization of breast lesions. Radiology. 1979;133(1 1):238-40.	2
115	Beckmann MW. Precancerous lesions of the breast and breast cancer. International Journal of Gynecology and Obstetrics. 2015;5):E39-E40.	3
116	Bellio G, Marion R, Giudici F, Kus S, Tonutti M, Zanconati F, et al. Interval Breast Cancer Versus Screen-Detected Cancer: Comparison of Clinicopathologic Characteristics in a Single-Center Analysis. Clinical Breast Cancer. 2017;17(7):564-71.	5
117	Belloni E, Panizza P, Ravelli S, De Cobelli F, Gusmini S, Losio C, et al. MR-guided stereotactic breast biopsy using a mixed ferromagnetic-nonmagnetic coaxial system with 12- to 18-gauge needles: clinical experience and long-term outcome. La Radiologia medica. 2013;118(7):1137-48.	5
118	Belohlavek O, Simonova G, Kantorova I, Novotny Jr J, Liscak R. Brain metastases after stereotactic radiosurgery using the Leksell gamma knife: Can FDG PET help to differentiate radionecrosis from tumour progression? European Journal of Nuclear Medicine and Molecular Imaging. 2003;30(1):96-100.	5
119	Bender JS, Magnuson TH, Smith-Meek MA, Ratner LE, Smith GW. Will stereotactic breast biopsy achieve results as good as current techniques? American Surgeon. 1996;62(8):637-40.	5
120	Bennett DL, Swan JS, Gazelle GS, Saksena M. Music during image-guided breast biopsy reduces patient anxiety levels. Clinical imaging. 2020;65:18-23.	7
121	Bennett ML, Welman CJ, Celliers LM. How reassuring is a normal breast ultrasound in assessment of a screen-detected mammographic abnormality? A review of interval cancers after assessment that included ultrasound evaluation. Clinical Radiology. 2011;66(10):928-39.	2
122	Bensenhaver J, Winchester DP. Surgical leadership and standardization of multidisciplinary breast cancer care. The evolution of the national accreditation program for breast centers. Surgical Oncology Clinics of North America. 2014;23(3):609-16.	2
123	Berg WA, Arnoldus CL, Teferra E, Bhargavan M. Biopsy of amorphous breast calcifications: pathologic outcome and yield at stereotactic biopsy. Radiology. 2001;221(2):495-503.	5

연번	서지정보	배제 사유
124	Berg WA, Jaeger B, Campassi C, Kumar D. Predictive value of specimen radiography for core needle biopsy of noncalcified breast masses. American Journal of Roentgenology. 1998;171(6):1671-8.	5
125	Berg WA, Krebs TL, Campassi C, Magder LS, Sun CCJ. Evaluation of 14- and 11-gauge directional, vacuum-assisted biopsy probes and 14-gauge biopsy guns in a breast parenchymal model. Radiology. 1997;205(1):203-8.	1
126	Berg WA. Image-guided breast biopsy and management of high-risk lesions. Radiologic Clinics of North America. 2004;42(5):935-46.	2
127	Bergamini C, Cavalieri S, Sanguineti G, Farneti A, Licitra L. Treatment of HER2+ metastatic salivary ductal carcinoma in a pregnant woman: A case report. Oxford Medical Case Reports. 2019;2019(10):436-8.	5
128	Bergaz F, Pina L, Elorz M, Martinez-Cuesta A, Martinez-Miravete P, Regueira M, et al. Clip placement facilitating the approach to breast lesions. European Radiology. 2002;12(2):471-4.	5
129	Bernaerts A, De Schepper Jr A, Van Dam P, Pouillon M. Clip migration after vacuum-assisted stereotactic breast biopsy: A pitfall in preoperative wire localization. Journal Belge de Radiologie. 2007;90(3):172-5.	7
130	Bernardi S, Bertozzi S, Londero AP, Gentile G, Giacomuzzi F, Carbone A. Incidence and risk factors of the intraoperative localization failure of nonpalpable breast lesions by radio-guided occult lesion localization: a retrospective analysis of 579 cases. World journal of surgery. 2012;36(8):1915-21.	5
131	Bernstein JR. Role of stereotactic breast biopsy. Seminars in Surgical Oncology. 1996;12(5):290-9.	2
132	Bertrand G. Histological analysis of breast biopsies: The point of view of the pathologist. [French]. Sein. 2001;11(1-2):151-4.	6
133	Bhattacharyya M, Parulekar V. Role of vacuum assisted excision in the investigation of B3 lesions in cases where the mammographic abnormality has been removed at biopsy. Breast Cancer Research Conference: British Society of Breast Radiology Annual Scientific Meeting, BSB. 2018;20(Supplement 1).	3
134	Bhele S, Stoddart L, Petersen C, Baum J, Otis CN. Parasitic Microcalcifications of the Breast. International Journal of Surgical Pathology. 2020;28(6):645-6.	5
135	Bhothisuwan W. Practicing breast imaging in HRT ladies in Thailand. Journal of the Medical Association of Thailand = Chotmaihet thangphaet. 2004;87 Suppl 3:S169-73.	7
136	Bicchierai G, Nori J, De Benedetto D, Boeri C, Vanzi E, Bianchi S, et al. Follow-up of B3 breast lesions without residual microcalcifications post vacuum-assisted biopsy, can contrast-enhanced digital mammography help? Breast Journal. 2020;26(2):299-302.	7
137	Bicchierai G, Tonelli P, Piacenti A, De Benedetto D, Boeri C, Vanzi E, et al. Evaluation of contrast-enhanced digital mammography (CEDM) in the preoperative staging of breast cancer: Large-scale single-center experience. Breast Journal. 2020;26(7):1276-83.	7
138	Bick U, Engelken F, Diederichs G, Dzyuballa R, Ortmann M, Fallenbergh EM. MRI of the breast as part of the assessment in population-based mammography screening. RoFo Fortschritte auf dem Gebiet der Röntgenstrahlen und der Bildgebenden Verfahren. 2013;185(9):849-56.	5
139	Bick U, Trimboli RM, Athanasiou A, Balleyguier C, Baltzer PAT, Bernathova M, et al. Image-guided breast biopsy and localisation: recommendations for information to women and referring physicians by the European Society of Breast Imaging. Insights into Imaging. 2020;11(1) (no pagination)(12).	2
140	Biernath-Wupping JJ, Order BM, Peters G, Brandt V, Schaefer PJ, Jonat W, et al. Evaluation of vacuum-assisted breast biopsy systems: Ethicon Mammotome ST 11G/8G versus ATEC Suros-system 12G/9G in clinical routine. RoFo Fortschritte auf dem Gebiet der Röntgenstrahlen und der Bildgebenden Verfahren Conference. 2012;184(SUPPL. 1).	3
141	Billfalk Kelly A, Dunne M, Faul C, McArdle O, Fraser I, Coffey J, et al. Survival time following palliative whole brain radiotherapy to treat brain metastases. Radiotherapy and Oncology. 2017;123 (Supplement 1):S750-S1.	3
142	Birdwell RL, Jackman RJ. Clip or Marker Migration 5-10 Weeks after Stereotactic 11-gauge Vacuum-assisted Breast Biopsy: Report of Two Cases. Radiology. 2003;229(2):541-4.	7

연번	서지정보	배제 사유
143	Bitencourt AGV, Graziano L, Guatelli CS, Albuquerque MLL, Marques EF. Ultrasound-guided biopsy of breast calcifications using a new image processing technique: initial experience. Radiologia Brasileira. 2018;51(2):106-8.	5
144	Blidaru A, Bordea C, Condrea i. Modern techniques of breast biopsys. International Journal of Gynecological Cancer. 2011;3):S1020.	3
145	Blidaru A, Sebeni M, Bordea C, Viisoreanu C, Balanescu I. [The attitude before subclinical breast lesions on mammography]. Chirurgia (Bucuresti). 2000;95(2):109-17.	6
146	Bloom ES, Kirsner S, Mason BE, Nelson CL, Hunt KK, Baumann DP, et al. Accelerated partial breast irradiation using the strut-adjusted volume implant single-entry hybrid catheter in brachytherapy for breast cancer in the setting of breast augmentation. Brachytherapy. 2011;10(3):178-83.	7
147	Bloom KJ, Dowlat K, Assad L. Pathologic changes after interstitial laser therapy of infiltrating breast carcinoma. American Journal of Surgery. 2001;182(4):384-8.	3
148	Blue J, Harman J. Experience of the upright breast stereotactic core biopsy method and histological correlation with surgical biopsy. The New Zealand medical journal. 1998;111(1066):191-2.	5
149	Blum KS, Rubbert C, Mathys B, Antoch G, Mohrmann S, Obenauer S. Use of contrast-enhanced spectral mammography for intramammary cancer staging: Preliminary results. Academic Radiology. 2014;21(11):1363-9.	7
150	Blumencranz PW, Ellis D, Barlowe K. Use of hydrogel breast biopsy tissue markers reduces the need for wire localization. Annals of Surgical Oncology. 2014;21(10):3273-7.	7
151	Blumencranz PW, Ellis D, Barlowe K. Use of Hydrogel Breast Biopsy Tissue Markers Reduces the Need for Wire Localization. Annals of Surgical Oncology. 2014;18.	7
152	Bluvol N, Sheikh A, Kornecki A, Fernandez Ddel R, Downey D, Fenster A. A needle guidance system for biopsy and therapy using two-dimensional ultrasound. Medical Physics. 2008;35(2):617-28.	1
153	Boateng S, Tirada N, Khorjekar G, Richards S, Ioffe O. Excision or Observation: The Dilemma of Managing High-Risk Breast Lesions. Current Problems in Diagnostic Radiology. 2020;49(2):124-32.	2
154	Bober SE, Russell DG. Increasing breast tissue depth during stereotactic needle biopsy. American Journal of Roentgenology. 2000;174(4):1085-6.	2
155	Boes CJ, Elson JD, Call JE. Stereotactic breast biopsy: initial experience and recommendations for improvement. The Nebraska medical journal. 1993;78(12):380-2.	5
156	Bolan C. Celebrating the image at RSNA 2011. Applied Radiology. 2012;41(1):38-51.	2
157	Bolan C. Emerging technologies sharpen the breast imaging toolkit. Applied Radiology. 2012;41(4):38-40.	2
158	Bonk U, Gohla G, Heumann S, Bocker W. Results of the first mammography screening projects in germany from a histopathological viewpoint. Breast Care. 2006;1(1):28-32.	7
159	Bonneau C, Lebas P, Michenet P. [Histologic changes after stereotactic 11-Gauge directional vacuum assisted breast biopsy for mammary calcification: experience in 31 surgical specimens]. Annales de Pathologie. 2002;22(6):441-7.	6
160	Bonnett M, Wallis T, Rossmann M, Pernick NL, Bouwman D, Carolin KA, et al. Histopathologic analysis of atypical lesions in image-guided core breast biopsies. Modern Pathology. 2003;16(2):154-60.	7
161	Bonnett M, Wallis T, Rossmann M, Pernick NL, Carolin KA, Segel M, et al. Histologic and radiographic analysis of ductal carcinoma in situ diagnosed using stereotactic incisional core breast biopsy. Modern Pathology. 2002;15(2):95-101.	5
162	Bordoni D, Cadenelli P, Falco G, Rocco N, Manna P, Tessone A, et al. Extreme oncoplastic breast surgery: A case report. International Journal of Surgery Case Reports. 2016;28:182-7.	5
163	Borecky N, Rickard M. Preoperative diagnosis of carcinoma within fibroadenoma on screening mammograms. Journal of Medical Imaging and Radiation Oncology. 2008;52(1):64-7.	7
164	Borghese M, Schiffrino L, Vicario S, Galanti P, Giuliani A, Tocchi A, et al. [Non-palpable lesions of the breast: identification, localization, significance]. Giornale di Chirurgia. 1992;13(6-7):371-5.	6
165	Boshaw DL. New instrumentation allows for removal of nonpalpable breast lesions. AORN Journal. 1997;66(2):296-300, 2.	7

연번	서지정보	배제 사유
166	Bottlaender L, Breton AL, Laforcade L, Dijoud F, Thomas L, Dalle S. Acute interstitial nephritis after sequential ipilimumab – nivolumab therapy of metastatic melanoma. Journal for ImmunoTherapy of Cancer. 2017;5 (1) (no pagination)(57).	4
167	Boute V, Baille-Barrelle D, Denoux Y, Marnay J, Lacroix J, Marie B, et al. [Vacuum-assisted stereotactic biopsy: experience of the regional cancer center of Caen]. Journal de Radiologie. 2006;87(4 Pt 1):375-81.	6
168	Boyd BA, Fine RE. Stereotactic Breast Biopsy: The Nurse's Role. Journal of Radiology Nursing. 2007;26(1):4-10.	2
169	Boyer B, Russ E. Anatomical-radiological correlations: Architectural distortions. Diagnostic and Interventional Imaging. 2014;95(2):134-40.	5
170	Brami C. Under-evaluation of breast cancer by stereotactic biopsies. [French]. Revue du Praticien – Gynecologie et Obstetrique. 2006(102):10.	6
171	Brastianos PK, Curry WT, Oh KS. Clinical discussion and review of the management of brain metastases. JNCCN Journal of the National Comprehensive Cancer Network. 2013;11(9):1153-64.	2
172	Brawley OW, Paller CJ. Overdiagnosis in the age of digital cancer screening. Journal of the National Cancer Institute. 2021;113 (1) (no pagination)(dja081).	2
173	Brem RF, Rapelyea JA, Torrente J. Evaluation of breast amorphous calcifications by a computer-aided detection system in full-field digital mammography. Breast Diseases. 2013;24(1):39-40.	7
174	Brem RF, Rechtman LR. Nuclear Medicine Imaging of the Breast: A Novel, Physiologic Approach to Breast Cancer Detection and Diagnosis. Radiologic Clinics of North America. 2010;48(5):1055-74.	2
175	Brem RF, Schoonjans JM. Local anesthesia in stereotactic, vacuum-assisted breast biopsy. Breast Journal. 2001;7(1):72-3.	2
176	Brem RF, Tran K, Rapelyea J, Michener KH, Zisman G, Mohtashemi K, et al. Percutaneous biopsy of papillary lesions of the breast: Accuracy of pathologic diagnosis. Journal of Women's Imaging. 2005;7(4):157-62.	7
177	Brem SS, Bierman PJ, Brem H, Butowski N, Chamberlain MC, Chiocca EA, et al. Central nervous system cancers: Clinical practice guidelines in oncology. JNCCN Journal of the National Comprehensive Cancer Network. 2011;9(4):352-400.	2
178	Brendlinger DL, Robinson R, Sylvest V, Burton S. Stereotactic core breast biopsy. An alternative. Virginia medical quarterly : VMQ. 1994;121(3):179-84.	2
179	Brennan SB, D'Alessio D, Liberman L, Giri D, Brogi E, Morris EA. Cancelled stereotactic biopsy of calcifications not seen using the stereotactic technique: Do we still need to biopsy? European Radiology. 2014;24(4):907-12.	7
180	Brenner RJ, Bassett LW, Fajardo LL, Dershaw DD, Evans WP, 3rd, Hunt R, et al. Stereotactic core-needle breast biopsy: a multi-institutional prospective trial. Radiology. 2001;218(3):866-72.	5
181	Brenner RJ, Jackman RJ, Parker SH, Evans WP, 3rd, Philpotts L, Deutch BM, et al. Percutaneous core needle biopsy of radial scars of the breast: when is excision necessary? AJR American Journal of Roentgenology. 2002;179(5):1179-84.	7
182	Brenner RJ, Sickles EA. Surveillance mammography and stereotactic core breast biopsy for probably benign lesions: a cost comparison analysis. Academic radiology. 1997;4(6):419-25.	7
183	Brenner RJ. Lesions entirely removed during stereotactic biopsy: preoperative localization on the basis of mammographic landmarks and feasibility of freehand technique--initial experience. Radiology. 2000;214(2):585-90.	2
184	Brenner RJ. Percutaneous removal of postbiopsy marking clip in the breast using stereotactic technique. American Journal of Roentgenology. 2001;176(2):417-9.	7
185	Brnic D, Brnic D, Simundic I, Vanjaka Rogosic L, Tadic T. MRI and comparison mammography: a worthy diagnostic alliance for breast microcalcifications? Acta Radiologica. 2016;57(4):413-21.	7
186	Brouwer HJ, Twickler Th B, Lammens M, Peeters M, Kamerling N, Van Gaal L. Should we screen for pituitary metastases in patients with advanced HER-2 positive breast cancer? A clinical case report and a review from current literature. Acta Clinica Belgica: International Journal of Clinical and Laboratory Medicine. 2017;72 (Supplement 3):5.	3
187	Brown A, Dluzewski S, Malhotra A. Presumed pulmonary COVID-19 infection detected incidentally on breast MR. Radiology Case Reports. 2020;15(9):1629-32.	4

연번	서지정보	배제 사유
188	Brown TA, Wall JW, Christensen ED, Smith DV, Holt CA, Carter PL, et al. Atypical hyperplasia in the era of stereotactic core needle biopsy. Journal of Surgical Oncology. 1998;67(3):168-73.	5
189	Bruening W, Fontanarosa J, Tipton K, Treadwell JR, Launders J, Schoelles K. Systematic review: Comparative effectiveness of core-needle and open surgical biopsy to diagnose breast lesions. Annals of Internal Medicine. 2010;152(4):238-46.	2
190	Bruscagnin A, Boscolo E, Brusatin F, Papaccio G, Pasini L, Bussoli L. [The role of stereotactic radiography in nonpalpable breast lesions. The authors' own experience]. Radiologia Medica. 1994;87(6):758-62.	6
191	Buchels HK. [Surgical therapy of primary breast carcinoma--options and perspectives]. Langenbecks Archiv fur Chirurgie - Supplement - Kongressband. 1997;114:1207-11.	6
192	Buijs-van der Woude T, Verkooijen HM, Pijnappel RM, Klinkenbijn JHG, Borel Rinkes IHM, Peeters PHM, et al. Cost comparison between stereotactic large-core-needle biopsy versus surgical excision biopsy in The Netherlands. European Journal of Cancer. 2001;37(14):1736-45.	7
193	Bukenya G, Hufnagel D, Anyawu N, Kurita S, Beeghly-Fadiel A. Characteristics of patients with pseudoangiomatous stromal hyperplasia (PASH): A retrospective cohort study. Cancer Epidemiology Biomarkers and Prevention Conference: 12th AACR Conference on the Science of Cancer Health Disparities in Racial/Ethnic Minorities and the Medically Underserved San Francisco, CA United States. 2020;29(6 SUPPL 2).	3
194	Buljevic V, Tadic T, Ilic N, Stemberger S, Kuzmic-Prusac I. Ultrasound of mammography detected microcalcifications. European Journal of Cancer, Supplement. 2010;8 (3):175.	3
195	Bulte J, Halilovic A, Burgers L, Mann R, Strobbe L, De Wilt J, et al. Accelerated microwave processing after minimal formalin fixation of 9 gauge vacuum assisted breast biopsies: A proof of principle study. European Journal of Cancer. 2018;92 (Supplement 3):S160.	3
196	Bundred S, Maxwell A, Morris J, Harake J, Whiteside S, Zhou J, et al. PB.9. Randomised controlled trial of stereotactic 11G vacuum-assisted core biopsy for diagnosis and management of malignant microcalcification. Breast cancer research. 2014;16.	3
197	Bundred SM, Zhou J, Maxwell A, Whiteside S, Morris J, Harake J, et al. Randomised controlled trial of stereotactic 11g vacuum-assisted or core biopsy for diagnosis and management of malignant microcalcification. Cancer research. 2015;75(9).	3
198	Bundred SM, Zhou J, Whiteside S, Morris J, Wilson M, Hurley E, et al. Impact of full-field digital mammography on pre-operative diagnosis and surgical treatment of mammographic microcalcification. Breast Cancer Research and Treatment. 2014;143(2):359-66.	7
199	Burbank F, Forcier N. Tissue marking clip for stereotactic breast biopsy: Initial placement accuracy, long-term stability, and usefulness as a guide for wire localization. Radiology. 1997;205(2):407-15.	7
200	Burbank F, Parker SH, Fogarty TJ. Stereotactic breast biopsy: Improved tissue harvesting with the Mammotome. American Surgeon. 1996;62(9):738-44.	7
201	Burbank F, Parker SH. Stereotactic core breast biopsy a replacement for surgical breast biopsy. Surgical Technology International. 1993;2:179-86.	2
202	Burbank F. Stereotactic breast biopsy: Its history, its present, and its future. American Surgeon. 1996;62(2):128-50.	2
203	Burbank F. The current state of stereotactic core breast biopsy and mammotomy. Minimally Invasive Therapy and Allied Technologies. 1997;6(2):148-57.	2
204	Burbank F. Mammographic findings after 14-gauge automated needle and 14-gauge directional, vacuum-assisted stereotactic breast biopsies. Radiology. 1997;204(1):153-6.	2
205	Burkholder HC, Witherspoon LE, Burns RP, Horn JS, Biderman MD. Breast surgery techniques: Preoperative bracketing wire localization by surgeons. American Surgeon. 2007;73(6):574-8.	5
206	Burky MJ, Ray EM, Ollila DW, O'Connor SM, Hertel JD, Calhoun BC. Pleomorphic Invasive Lobular Carcinoma of the Breast With Extracellular Mucin and HER2 Amplification. Breast Cancer: Basic and Clinical Research. 2020;14(no pagination).	5
207	Burns RP, Brown JP, Roe SM, Sprouse LR, 2nd, Yancey AE, Witherspoon LE. Stereotactic core-needle breast biopsy by surgeons: minimum 2-year follow-up of benign lesions. Annals of Surgery. 2000;232(4):542-8.	5
208	Burns RP. Image-guided breast biopsy. American Journal of Surgery. 1997;173(1):9-11.	2

연번	서지정보	배제 사유
209	Burnside ES, Sohlich RE, Sickles EA. Movement of a biopsy-site marker clip after completion of stereotactic directional vacuum-assisted breast biopsy: Case report. Radiology. 2001;221(2):504-7.	7
210	Burt Nabors L, Ammirati M, Bierman PJ, Brem H, Butowski N, Chamberlain MC, et al. Central nervous system cancers. JNCCN Journal of the National Comprehensive Cancer Network. 2013;11(9):1114-51.	2
211	Burugu S, Asleh-Aburaya K, Nielsen TO. Immune infiltrates in the breast cancer microenvironment: detection, characterization and clinical implication. Breast Cancer. 2017;24(1):3-15.	5
212	Bussieres E, Barreau B, de la Quintane BD, de Lara CT, Le Touze O, Henriques C, et al. [Breast biopsies: stereotactic vacuum-assisted core biopsy and stereotactic surgical breast biopsy]. Gynecologie, Obstetrique & Fertilité. 2003;31(3):256-64.	6
213	Bussieres E, Dilhuydy MH, Barreau B, Henriques C, Tunon de Lara C, Macgrogan G, et al. Stereotactic surgical biopsy with the ABBi procedure: Technical features and indication, advantages and disadvantages. [French]. Sein. 2001;11(1-2):155-60.	3
214	Bussieres E, Dilhuydy MH, Barreau B, Joyeux P, Henriques C, Tunon De Lara C, et al. Surgical biopsies with the ABBi device: Diagnosis, treatment?. [French]. Sein. 2000;10(1-2):124-9.	3
215	Butler R, Conant EF, Philpotts L. Digital breaststomomynthesis: What have we learned? Journal of Breast Imaging. 2019;1(1):9-22.	2
216	Cabioglu N, Bender O, Ergozen F, Ozkurt E, Tukenmez M, Balci F, et al. Clinicopathological characteristics of nipple discharge-associated breast cancer. Annals of Surgical Oncology. 2016;23 (3 Supplement 1):335-6.	3
217	Cabuk Comert E, Bildaci TB, Kisa Karakaya B, Tarhan NC, Ozen O, Gulsen S, et al. Outcomes in 12 gynecologic cancer patients with brain metastasis: A single center's experience. Turkish Journal of Medical Sciences. 2012;42(3):385-94.	5
218	Cagney DN, Lamba N, Montoya S, Li P, Besse L, Martin AM, et al. Breast cancer subtype and intracranial recurrence patterns after brain-directed radiation for brain metastases. Breast Cancer Research & Treatment. 2019;176(1):171-9.	5
219	Caines JS, Schaller GH, Iles SE, Woods ER, Barnes PJ, Johnson AJ, et al. Ten years of breast screening in the Nova Scotia Breast Screening Program, 1991-2001. Experience: Use of an adaptable stereotactic device in the diagnosis of screening-detected abnormalities. Canadian Association of Radiologists Journal. 2005;56(2):82-93.	5
220	Calafat JF, Vuillemin J, Henrot P, Troufleau PH, Boyer B, Stines J, et al. Stereotactic vacuum-assisted biopsy of clustered microcalcifications. Experience of Luxembourg and Nancy. [French]. Sein. 2003;13(2):191-200.	3
221	Calhoun BC, Collie AMB, Lott-Limbach AA, Udoji EN, Sieck LR, Booth CN, et al. Lobular neoplasia diagnosed on breast Core biopsy: frequency of carcinoma on excision and implications for management. Annals of Diagnostic Pathology. 2016;25:20-5.	7
222	Calhoun BC, Sobel A, White RL, Gromet M, Flippo T, Sarantou T, et al. Management of flat epithelial atypia on breast core biopsy may be individualized based on correlation with imaging studies. Modern Pathology. 2015;28(5):670-6.	5
223	Calhoun BC, White RL, Flippo-Morton T, Sarantou T, Gromet M, Sobel A, et al. Flat epithelial atypia on breast core biopsy: Is excision warranted? Cancer Research Conference: 36th Annual CTSC AACR San Antonio Breast Cancer Symposium San Antonio, TX United States Conference Publication:. 2013;73(24 SUPPL. 1).	3
224	Calhoun K, Giuliano A, Brenner RJ. Intraoperative loss of core biopsy clips: clinical implications. AJR. 2008;American journal of roentgenology. 190(3):W196-200.	7
225	Calvo MF, Allemand C, Valerio AC, Hernandez MN, Corrao FH, Castro Barba M, et al. Prediction of underestimation associated with flat epithelial atypia, atypical ductal hyperplasia and atypical lobular hyperplasia by needle biopsy: Experience in an Argentine breast unit. Cancer Research Conference: 39th Annual CTSC AACR San Antonio Breast Cancer Symposium San Antonio, TX United States. 2017;77(4 Supplement 1).	3
226	Cambier L. Stereotactic core needle microbiopsy: How and when?. [French]. Sein. 2001;11(1-2):125-31.	3

연번	서지정보	배제 사유
227	Camidge DR, Lee EQ, Lin NU, Margolin K, Ahluwalia MS, Bendszus M, et al. Clinical trial design for systemic agents in patients with brain metastases from solid tumours: a guideline by the Response Assessment in Neuro-Oncology Brain Metastases working group. The Lancet Oncology. 2018;19(1):e20-e32.	2
228	Canavese G, Catturich A, Vecchio C, Tomei D, Estienne M, Moresco L, et al. Pre-operative localization of non-palpable lesions in breast cancer by charcoal suspension. European Journal of Surgical Oncology. 1995;21(1):47-9.	5
229	Candelaria RP, Hansakul P, Thompson AM, Le-Petross H, Valero V, Bassett R, et al. Analysis of stereotactic biopsies performed on suspicious calcifications identified within 24 months after completion of breast conserving surgery and radiation therapy for early breast cancer: Can biopsy be obviated? American Journal of Surgery. 2018;215(4):693-8.	4
230	Capobianco G, Simbula L, Soro D, Meloni F, Cossu-Rocca P, Dessole S, et al. Management of breast lobular carcinoma in situ: Radio-pathological correlation, clinical implications, and follow-up. European Journal of Gynaecological Oncology. 2014;35(2):157-62.	7
231	Carr JJ, Hemler PF, Halford PW, Freimanis RI, Choplin RH, Chen MY. Stereotactic localization of breast lesions: how it works and methods to improve accuracy. Radiographics : a review publication of the Radiological Society of North America, Inc. 2001;21(2):463-73.	2
232	Carreira C, Romero C, Mira A, De Francisco JM, Lombardia J, Garcia-Valdes E. Microcalcifications with benign diagnosis using thick needle biopsy (14G): Follow-up and false negatives in 76 cases. [Spanish]. Radiologia. 2004;46(5):309-13.	6
233	Carrillo M, Maturana G, Maiz C, Romero D, Dominguez F, Oddo D, et al. Breast lesions with atypia in percutaneous biopsies, managed with surgery in the last 10 years. ecancermedicalscience. 2019;13 (no pagination)(923).	7
234	Carter N, Drumea M, Ng CY, Paisley K. Plymouth 3 year B3 lesion upgrade rate and national guidance compliance audit using stereotactic 10 gauge vacuum assisted biopsy as first-line. Breast Cancer Research Conference: British Society of Breast Radiology Annual Scientific Meeting, BSB. 2019;21(Supplement 1).	3
235	Casaubon JT, Tomlinson-Hansen S, Regan JP. Fine Needle Aspiration Of Breast Masses. StatPearls Publishing. 2020;01:01.	2
236	Casey M, Rosenblatt R, Zimmerman J, Fineberg S. Mastectomy without malignancy after carcinoma diagnosed by large-core stereotactic breast biopsy. Modern Pathology. 1998;10(12):1209-13.	5
237	Castillo V, Rioja ME, Gutierrez O, Diez L, Vera UC, Diaz E, et al. Surgical behavior impact of sentinel lymph node biopsy (SLNB) in intraductal breast cancer. European Journal of Nuclear Medicine and Molecular Imaging. 2010;2):S476.	3
238	Castillo V, Rioja-Martin M, Gutierrez-Penarrubia O, Vera Schmulling U, Diez Jimenez L, Diaz Laugart E, et al. Internal mammary chain sentinel lymph node (IMN) biopsy in invasive breast cancer. Impact on staging. European Journal of Nuclear Medicine and Molecular Imaging. 2010;2):S226-S7.	3
239	Castro Pena P, Murina P, Buelvas C, Del Castillo MS, Del Castillo A, Barujel G, et al. APBI with IMRT + IGRT: Report of a novel technique and dosimetry results. Radiotherapy and Oncology. 2014;1):S53.	3
240	Caswell-Smith P, Wall M. Ductal carcinoma in situ: Is core needle biopsy ever enough? Journal of Medical Imaging and Radiation Oncology. 2017;61(1):29-33.	7
241	Cattalani L, Rossi G, Piccolo P, Bobbio P. [The surgical treatment of nonpalpable breast carcinomas]. Acta Bio-Medica de l Ateneo Parmense. 1998;69(1-2):7-11.	6
242	Cawson JN, Malara F, Kavanagh A, Hill P, Balasubramaniam G, Henderson M. Fourteen-gauge needle core biopsy of mammographically evident radial scars: Is excision necessary? Cancer. 2003;97(2):345-51.	5
243	Cepedello Boiso I, Urena Lara M, Jimenez Anula J, Ramirez Tortosa C, Diaz Alarcon J. Impact of radioguided occult lesion localization plus sentinel node biopsy after neoadjuvant chemotherapy in breast cancer. European Journal of Nuclear Medicine and Molecular Imaging. 2015;1):S618-S9.	3
244	Chakraborty DP. Computer analysis of mammography phantom images (CAMPI): an application to the measurement of microcalcification image quality of directly acquired digital images. Medical Physics. 1997;24(8):1269-77.	1

연번	서지정보	배제 사유
245	Chalas E, Valea F. The gynecologist and surgical procedures for breast disease. Clinical Obstetrics and Gynecology. 1994;37(4):948-53.	2
246	Chan LK, Lam HS, Chan ES, Lau Y, Chan M, Gwi E, et al. Mammogram screening of Chinese women in Kwong Wah Hospital, Hong Kong. Australasian Radiology. 1998;42(1):6-9.	5
247	Chan MCM, Lam HS, Gwi E, Leung TY, Lau Y, Yip WC. Stereotactic fine needle aspiration in the management of mammographic abnormalities detected in breast screening. Australian and New Zealand Journal of Surgery. 1996;66(9):595-7.	5
248	Chan T, Wong KW, Tsui KW, Lau HY, Au Yeung MC. Breast thickness and lesion depth measurement using conventional stereotactic biopsy systems. Journal of the Hong Kong College of Radiologists. 2003;6(1):28-9.	2
249	Chang CD, Wei J, Goldsmith JD, Gebhardt MC, Wu JS. MRI guided needle localization in a patient with recurrence pleomorphic sarcoma and post-operative scarring. Skeletal Radiology. 2017;46(7):975-81.	5
250	Chang Sen LQ, Huang ML, Leung JWT, Wei W, Adrada BE. Malignancy rates of stereotactic biopsies of two or more distinct sites of suspicious calcifications in women without known breast cancer. Clinical Imaging. 2019;58:156-60.	7
251	Chao C, Torosian MH, Boraas MC, Sigurdson ER, Hoffman JP, Eisenberg BL, et al. Local recurrence of breast cancer in the stereotactic core needle biopsy site: Case reports and review of the literature. Breast Journal. 2001;7(2):124-7.	7
252	Charles M, Edge SB, Winston JS, Hurd TC, Driscoll DL, Stomper PC. Effect of stereotactic core needle biopsy on pathologic measurement of tumor size of T1 invasive breast carcinomas presenting as mammographic masses. Cancer. 2003;97(9):2137-41.	7
253	Chau HHL, Tang APY, Tse GM, Ma TKF, Chan SK. Breast schistosomiasis presenting as mammographic calcifications. Journal of the Hong Kong College of Radiologists. 2010;13(1):43-5.	5
254	Chaudhary LN, Knapp S, Wen S, Xiao J, Marano G, Kurian S, et al. Radiation exposure from diagnostic procedures in patients with newly diagnosed breast cancer. Journal of Community and Supportive Oncology. 2015;13(1):27-9.	5
255	Chauvet MP, Rivaux G, Farre I, Houpeau JL, Giard S, Ceugnart L. Atypical Ductal Hyperplasia diagnosed on directional vacuum-assisted biopsy: Is surgical excision mandatory? Cancer Research Conference: 35th Annual CTRC AACR San Antonio Breast Cancer Symposium San Antonio, TX United States Conference Publication: 2012;72(24 SUPPL. 3).	3
256	Chaveron C, Bachele F, Fauquet I, Rocourt N, Faivre-Pierret M, Ceugnart L. [Clip migration after stereotactic macrobiopsy and presurgical localization: technical considerations and tricks]. Journal de Radiologie. 2009;90(1 Pt 1):31-6.	6
257	Chelli D, Dimassi K, Salem A, Driss M, Zaanouni E, Zouaoui B, et al. [Surgical treatment of breast lesions: preliminary results of the screening program of the Ariana area]. Tunisie Medicale. 2009;87(7):475-9.	6
258	Chen AM, Haffty BG, Lee CH. Local recurrence of breast cancer after breast conservation therapy in patients examined by means of stereotactic core-needle biopsy. Radiology. 2002;225(3):707-12.	7
259	Chen C, Dodelzon K, Ginter PS, Drotman MB, Arleo EK. Postoperative Imaging Appearance of an Implantable Three-dimensional Bioabsorbable Tissue Marker after Breast Surgery: Initial Experience at a Single Institution. Journal of Breast Imaging. 2020;2(6):561-8.	5
260	Chen C, Poole L, Sizer L, Carter WB, Frazier TG. Diagnostic accuracy of the Videssa protein-based liquid biopsy for breast cancer in suspicious mammography. Journal of Clinical Oncology Conference. 2019;37(Supplement 15).	3
261	Chen SB, Ouyang L, Yin YJ, Huang XJ, Yang SS, Lin HQ, et al. Clinical application of stereotactic biopsy localization with tungsten rhodium target in puncturing breast lesions. [Chinese]. Journal of Interventional Radiology (China). 2015;24(1):73-6.	6
262	Chen SC, Yang HR, Hwang TL, Chen MF, Cheung YC, Hsueh S. Intraoperative Ultrasonographically Guided Excisional Biopsy or Vacuum-Assisted Core Needle Biopsy for Nonpalpable Breast Lesions. Annals of Surgery. 2003;238(5):738-42.	7
263	Chen WH, Yeh DC. A noninvasive method for preoperative localization of breast microcalcifications. Formosan Journal of Surgery. 2018;51(1):38-40.	5

연번	서지정보	배제 사유
264	Chen YY, DeVries S, Anderson J, Lessing J, Swain R, Chin K, et al. Pathologic and biologic response to preoperative endocrine therapy in patients with ER-positive ductal carcinoma in situ. BMC Cancer. 2009;9:285.	7
265	Cheng MSP, Fox J, Hart SA. Impact of core biopsy on the management of screen-detected ductal carcinoma in situ of the breast. ANZ Journal of Surgery. 2003;73(6):404-6.	2
266	Cherel P, Hagay C, De Maulmont C, Ouhioun O, Plantet MM, Becette V. Large core vacuum-assisted breast biopsy: Problems posed by the radiologist. [French]. Sein. 2002;12(1-2):130-41.	3
267	Chesebro AL, Chikarmane SA, Ritner JA, Birdwell RL, Giess CS. Troubleshooting to Overcome Technical Challenges in Image-guided Breast Biopsy. Radiographics. 2017;37(3):705-18.	2
268	Chesebro AL, Winkler NS, Birdwell RL, Giess CS. Developing Asymmetries at Mammography: A Multimodality Approach to Assessment and Management. Radiographics : a review publication of the Radiological Society of North America, Inc. 2016;36(2):322-34.	2
269	Chetlén A, Schetter S, Mack J, Kasales C. Complication rates after performing core needle breast biopsy in women taking anticoagulants versus women not taking anticoagulants: Preliminary results from a prospective study. American Journal of Roentgenology Conference. 2012;198(5 SUPPL. 1).	3
270	Cheung YC, Juan YH, Lin YC, Lo YF, Tsai HP, Ueng SH, et al. Dual-energy contrast-enhanced spectral mammography: Enhancement analysis on BI-RADS 4 non-mass microcalcifications in ScreenedWomen. PLoS ONE. 2016;11 (9) (no pagination)(e0162740).	7
271	Cheung YC, Wan YL, Chen SC, Lui KW, Ng SH, Yeow KM, et al. Sonographic evaluation of mammographically detected microcalcifications without a mass prior to stereotactic core needle biopsy. Journal of Clinical Ultrasound. 2002;30(6):323-31.	5
272	Chevalier del Rio M. [New mammography technologies and their impact on radiation dose]. Radiologia. 2013;55 Suppl 2:25-34.	6
273	Chevi N, Wang HC, Dubey P, Haque W, Farach AM, Pino R, et al. Staged stereotactic radiosurgery decreases symptomatic radionecrosis in large brain metastasis. Anticancer Research. 2021;41(3):1445-9.	5
274	Chevrier MC, David J, Khoury ME, Lalonde L, Labelle M, Trop I. Breast Biopsies Under Magnetic Resonance Imaging Guidance: Challenges of an Essential but Imperfect Technique. Current Problems in Diagnostic Radiology. 2016;45(3):193-204.	2
275	Chew GL, Huang D, Lin SJ, Huo C, Blick T, Henderson MA, et al. High and low mammographic density human breast tissues maintain histological differential in murine tissue engineering chambers. Breast Cancer Research and Treatment. 2012;135(1):177-87.	1
276	Chew K, Wilkie J. Variations in clip performance in stereotactic vacuum-assisted breast biopsy: A retrospective cohort study. Journal of Medical Imaging and Radiation Oncology. 2015;1:125.	3
277	Chiang V, Dietrich J, Tatter S, Mohammadi A, Leuthardt E, Chamoun R, et al. Laser ablation after stereotactic radiosurgery (LAASR)-results of a multi-centered prospective study. Neuro-Oncology. 2016;18 (Supplement 6):vi31.	3
278	Chilcote WA, Quinn CA. Stereotactic breast biopsy: a less-invasive option. Cleveland Clinic journal of medicine. 1997;64(10):550-4.	2
279	Chilukuri S, Jalali R. Brain metastasis: Momentum towards understanding the molecular milieu. Neurology India. 2019;67(3):755-6.	4
280	Chivukula M, Bhargava R, Tseng G, Dabbs DJ. 'Flat epithelial atypia': Impact of the entity with reference to number of levels obtained on the paraffin embedded blocks of the breast core needle biopsies. Laboratory Investigation. 2009;1:33A.	2
281	Chivukula M, Lloyd JM, Dabbs D. Impact of additional magnetic resonance imaging (MRI)-guided biopsies in management of breast cancer patients initially diagnosed by non-MRI (Ultrasound/Stereotactic) nodalities. Laboratory Investigation. 2011;1:32A.	3
282	Chmura SJ, Winter KA, Salama JK, Woodward WV, Borges VF, AlHallaq H, et al. NRGBR002: A phase IIR/III trial of standard of care therapy with or without stereotactic body radiotherapy (SBRT) &/or surgical ablation for newly oligo-metastatic breast cancer. Cancer Research Conference: 39th Annual CTRC AACR San Antonio Breast Cancer Symposium San Antonio, TX United States. 2017;77(4 Supplement 1).	3

연번	서지정보	배제 사유
283	Cho N, Moon WK, Cha JH, Kim SM, Jang M, Chang JM, et al. Ultrasound-guided vacuum-assisted biopsy of microcalcifications detected at screening mammography. <i>Acta radiologica</i> (Stockholm, Sweden : 1987). 2009;50(6):602-9.	5
284	Cho N, Moon WK, Chang JM, Park SH, Lyoo CY, Park IA. Ultrasonography-guided vacuum-assisted biopsy of microcalcifications: Comparison of the diagnostic yield of calcified cores and non-calcified cores on specimen radiographs. <i>Acta radiologica</i> (Stockholm, Sweden : 1987). 2010;51(2):123-7.	5
285	Cho N, Moon WK. Digital mammography-guided skin marking for sonographically guided biopsy of suspicious microcalcifications. <i>American Journal of Roentgenology</i> . 2009;192(3):W132-W6.	5
286	Choi BH, Baek HJ, Ha JY, Ryu KH, Moon JI, Park SE, et al. Feasibility study of synthetic diffusion-weighted MRI in patients with breast cancer in comparison with conventional diffusion-weighted MRI. <i>Korean Journal of Radiology</i> . 2020;21(9):1036-44.	5
287	Choi D, Skinner K. Minimally invasive stereotactic excisional biopsies of high-risk breast lesions: An attractive alternative. <i>Annals of Surgical Oncology</i> . 2010;2:S166.	3
288	Choi WJ, Han K, Shin HJ, Lee J, Kim EK, Yoon JH. Calcifications with suspicious morphology at mammography: should they all be considered with the same clinical significance? <i>European Radiology</i> . 2021;31(4):2529-38.	5
289	Chopier J, Seror JY, Antoine M, Sananes S, Merviel P, Amram S, et al. [Stereotactic core biopsy of breast microcalcifications. Aid to diagnosis?]. <i>Journal de Radiologie</i> . 1997;78(11):1141-6.	6
290	Chotiyano A, Triamwittayanont T, Wongsiri T, Srinagarind J, Koonmee S. Comparison of pathology of breast tissue and mammography. <i>Histopathology</i> . 2012;1:17.	3
291	Choudhery S, Simmons C, Harper L, Lee CU. Tomosynthesis-guided needle localization of breast and axillary lesions: Our initial experience. <i>American Journal of Roentgenology</i> . 2019;212(4):943-6.	5
292	Christou A, Koutoulidis V, Koulcheri D, Nonni A, Zografos CG, Zografos GC. Predictive factors for breast lesion excision system (BLES) accuracy and safety in stereotactic biopsy of suspicious calcifications. <i>Breast Journal</i> . 2020;26(3):391-8.	5
293	Christou A, Koutoulidis V, Koulcheri D, Panourgias E, Nonni A, Zografos CG, et al. Performance of breast lesion excision system (BLES) in complete removal of papillomas presented mammographically as groups of calcifications. <i>Clinical Imaging</i> . 2019;58:50-8.	5
294	Christou A, Koutoulidis V, Koulcheri D, Panourgias E, Nonni A, Zografos CG, et al. Role of one-pass breast lesion excision system in complete excision of high-risk breast lesions with atypia expressed as clusters of microcalcifications. <i>European Radiology</i> . 2019;29(6):3149-58.	5
295	Chrzan R, Popiela Jr T, Podsiadlo-Kleinrok B, Tabor J, Nowak W, Stachura J, et al. Value of stereotactic mammotome biopsy in the evaluation of breast microcalcification clusters without an accompanying mass. [Polish, English]. <i>Polski Przegląd Chirurgiczny</i> . 2003;75(6):546-56.	8
296	Chrzan R, Rudnicka L, Popiela T, Jr., Nowak W, Podsiadlo-Kleinrok B. The problems with histopathological verification of breast microcalcification clusters in the stereotactic mammotome biopsy specimens. <i>Polish Journal of Pathology</i> . 2006;57(3):133-5.	7
297	Chu TYC, Lui CY, Hung WK, Kei SK, Choi CLY, Lam HS. Localisation of occult breast lesion: A comparative analysis of hookwire and radioguided procedures. <i>Hong Kong Medical Journal</i> . 2010;16(5):367-72.	5
298	Chu WCW. Imaging and clinical management of breast cancer: Marriage of radiology and oncology. <i>Hong Kong Journal of Radiology</i> . 2015;18(2):97-8.	5
299	Chun K, Velanovich V. Patient-perceived cosmesis and satisfaction after breast biopsy: comparison of stereotactic incisional, excisional, and wire-localized biopsy techniques. <i>Surgery</i> . 2002;131(5):497-501.	7
300	Ciatto S, Houssami N, Ambrogetti D, Bianchi S, Bonardi R, Brancato B, et al. Accuracy and underestimation of malignancy of breast core needle biopsy: The Florence experience of over 4000 consecutive biopsies. <i>Breast Cancer Research and Treatment</i> . 2007;101(3):291-7.	7
301	Ciatto S, Roselli Del Turco M, Bravetti P. Nonpalpable breast lesions: Stereotactic fine-needle aspiration cytology. <i>Radiology</i> . 1989;173(1):57-9.	5
302	Ciatto S. B3 core biopsies should be assumed as positive findings for accuracy purposes. <i>La Radiologia medica</i> . 2011;116(6):982-3; author reply 3-4.	5

연번	서지정보	배제 사유
303	Cihal R, Mohr E, Miess F. Computer-assisted stereotactic puncture and diagnosis of non-palpable breast lesions. [German]. Wiener Medizinische Wochenschrift. 1990;140(14):393.	3
304	Cilotti A, Iacconi C, Marini C, Moretti M, Mazzotta D, Traino C, et al. Contrast-enhanced MR imaging in patients with BI-RADS 3-5 microcalcifications. [Italian, English]. Radiologia Medica. 2007;112(2):272-86.	7
305	Cintora E, Landeras R, Vela AC, Del Cura JL, Opere E, Grande D. Diagnostic yield of stereotactic core needle biopsy in the study of breast calcifications. [Spanish]. Radiologia. 2001;43(4):169-73.	6
306	Coburn MC, Bland KI. Surgery for early and minimally invasive breast cancer. Current Opinion in Oncology. 1995;7(6):506-10.	2
307	Coffey K, Mango V, Keating DM, Morris EA, D'Alessio D. The Impact of Patient-Initiated Subspecialty Review on Patient Care. Journal of the American College of Radiology. 2018;15(8):1109-15.	7
308	Cohen Y. Digital breast tomosynthesis assists in differentiating vascular calcification from malignant calcification. American Journal of Roentgenology. 2017;209(2):W115.	2
309	Colin C, Evraud G, Lifrang E, Booz G. [Cytological and histological studies in stereotactic punctures of non-palpable solid breast lesions]. Journal Belge de Radiologie. 1992;75(1):11-6.	6
310	Collarino A, Olmos RAV, Neijenhuis PA, den Hartog WC, Smit F, de Geus-Oei LF, et al. First Clinical Experience Using Stereotactic Breast Biopsy Guided by ^{99m} Tc-Sestamibi. AJR American Journal of Roentgenology. 2017;209(6):1367-73.	5
311	Collarino A, Pereira Arias-Bouda LM, Smit F, Neijenhuis P, Wijers LMH, Van Der Hoeven AF, et al. Accuracy of ^{99m} Tc-sestamibi molecular breast imaging guided needle biopsy using a stereotactic lesion localisation system. European Journal of Nuclear Medicine and Molecular Imaging. 2015;1):S797.	3
312	Collarino A, Valdes Olmos RA, Neijenhuis PA, Den Hartog W, Smit F, De Geus-Oei L, et al. ^{99m} Tc-sestamibi guided biopsy for occult or unclear breast lesions on mammography and ultrasound. Clinical and Translational Imaging. 2017;5 (Supplement 1):S127-S8.	3
313	Collarino A, Valdes Olmos RA, van der Hoeven AF, Pereira Arias-Bouda LM. Methodological aspects of ^{99m} Tc-sestamibi guided biopsy in breast cancer. Clinical and Translational Imaging. 2016;4(5):367-76.	2
314	Collette CL. Understanding patients' needs is the foundation of perioperative nursing. AORN journal. 2000;71(3):629-30.	2
315	Collins LC, Connolly JL, Page DL, Goulart RA, Pisano ED, Fajardo LL, et al. Diagnostic agreement in the evaluation of image-guided breast core needle biopsies: results from a randomized clinical trial. American journal of surgical pathology. 2004;28(1):126-31.	7
316	Collins Smyth K, Taylor D. Can US enhanced breast biopsy markers be used for US guided preoperative lesion localisation? Journal of medical imaging and radiation oncology Conference: 69th annual scientific meeting of the royal australasian and new zealand college of radiologists, RANZCR 2018 Australia. 2018;62(Supplement 2):75-6.	3
317	Conway S. Improving stereotactic breast biopsy. Applied Radiology. 2016;45(11):38-9.	2
318	Cooler A, Close T, Greene FL. Stereotactic breast biopsy revisited. Administrative radiology : AR. 1995;14(9):46-7.	2
319	Coombs NJ, Laddie JRL, Royle GT, Rubin CM, Briley MS. Improving the sensitivity of stereotactic core biopsy to diagnose ductal carcinoma in situ of the breast: A mathematical model. British Journal of Radiology. 2001;74(878):123-6.	1
320	Corn CC. SiteSelect: Minimally invasive excision of breast lesions. Breast Journal. 2001;7(6):427-9.	2
321	Corn CC. Review of 125 SiteSelect stereotactic large-core breast biopsy procedures. Breast Journal. 2003;9(3):147-52.	5
322	Correa De Mello P, Brasil OFM. Isolated Retinal Metastasis from Breast Cancer. Retina. 2017;37(11):e125-e7.	2
323	Corsi F, Bossi D, Sartani A, Papadopoulou O, Amadori R, Scoccia E, et al. Radio-guided and clip-guided preoperative localization for malignant microcalcifications offer similar performances in breast-conserving surgery. Breast Journal. 2019;25(5):865-73.	5

연번	서지정보	배제 사유
324	Coskun M, Soykut ED, Guney Y, Karakaya E, Yegen D, Seker MM, et al. Symptomatic infundibulum metastasis from breast cancer and resolution of symptoms following Cyberknife fractionated stereotactic radiotherapy: Case report. <i>Turkiye Klinikleri Journal of Medical Sciences</i> . 2013;33(1):272-8.	5
325	Cosmacini P, Veronesi P, Zurrida S, Sacchini V, Ferranti C, Galimberti V, et al. [Nonpalpable breast lesions. General considerations and a review of the literature in the light of the authors' own experience with 344 cases located preoperatively]. <i>Radiologia Medica</i> . 1992;83(4):383-9.	2
326	Costantini M, Montella RA, Fadda MP, Garganese G, Di Leone A, Sanchez AM, et al. Axillary nodal metastases from carcinoma of unknown primary (Cupax): Role of contrast-enhanced spectral mammography (cesm) in detecting occult breast cancer. <i>Journal of Personalized Medicine</i> . 2021;11 (6) (no pagination)(465).	2
327	Cote JF, Klijanienko J, Meunier M, Zafrani B, Thibault F, Clough K, et al. Stereotactic fine-needle aspiration cytology of nonpalpable breast lesions: Institut Curie's experience of 243 histologically correlated cases. <i>Cancer</i> . 1998;84(2):77-83.	5
328	Coutinho I, Marques M, Almeida R, Custodio S, Simoes Silva T, Aguas F. Extraocular Muscles Involvement as the Initial Presentation in Metastatic Breast Cancer. <i>Journal of Breast Cancer</i> . 2018;21(3):339-42.	5
329	Couture D. Breast cancer in radiology. [French]. <i>Canadian Association of Radiologists Journal</i> . 1992;43(5):340-8.	2
330	Cox C, Blumencranz P, Whitworth P, Funk K, Barone J, Police A, et al. A prospective, single-arm, multi-site clinical evaluation of a nonradioactive surgical guidance technology for the location of nonpalpable breast lesions during excision. <i>Annals of Surgical Oncology</i> . 2016;23 (3 Supplement 1):296-7.	3
331	Cox CE, Pendas S, Cox JM, Joseph E, Shons AR, Yeatman T, et al. Guidelines for sentinel node biopsy and lymphatic mapping of patients with breast cancer. <i>Annals of Surgery</i> . 1998;227(5):645-53.	3
332	Cox CE, Shamehdi C. Localization of non-palpable breast cancer using a radiolabelled titanium seed. <i>Breast Diseases</i> . 2011;22(1):39-40.	5
333	Cox D, Bradley S, England D. The significance of mammotome core biopsy specimens without radiographically identifiable microcalcification and their influence on surgical management—a retrospective review with histological correlation. <i>Breast</i> . 2006;15(2):210-8.	7
334	Craft M, Bicknell AM, Hazan GJ, Flegg KM. Microcalcifications detected as an abnormality on screening mammography: Outcomes and followup over a five-year period. <i>International Journal of Breast Cancer</i> . 2013;2013 (no pagination)(458540).	5
335	Crisi GM, Mandavilli S, Cronin E, Ricci Jr A. Invasive mammary carcinoma after immediate and short-term follow-up for lobular neoplasia on core biopsy. <i>American Journal of Surgical Pathology</i> . 2003;27(3):325-33.	7
336	Crisi GM, Pantanowitz L, Otis CN. Images in pathology. Mammotome footprints: histologic artefacts in the era of stereotactic vacuum mammotome biopsy. <i>International Journal of Surgical Pathology</i> . 2006;14(3):221-2.	2
337	Cross MJ, Evans WP, Peters GN, Cheek JH, Jones RC, Krakos P. Stereotactic breast biopsy as an alternative to open excisional biopsy. <i>Annals of Surgical Oncology</i> . 1995;2(3):195-200.	5
338	Cross MJ. Minimally Invasive Breast Biopsy: A New Standard in the New Millennium. <i>Seminars in Breast Disease</i> . 2004;7(4):148-52.	2
339	Crotch-Harvey MA, Loughran CF. Combined stereotactic wide-core needle biopsy and fine-needle aspiration cytology in the assessment of impalpable mammographic abnormalities detected in a breast-screening programme. <i>Breast</i> . 1996;5(1):48-9.	5
340	Crowe Jr JP, Rim A, Patrick R, Rybicki L, Grundfest S, Kim J, et al. A prospective review of the decline of excisional breast biopsy. <i>American Journal of Surgery</i> . 2002;184(4):353-5.	5
341	Crowe Jr JP, Rim A, Patrick RJ, Rybicki LA, Grundfest-Broniatowski SF, Kim JA, et al. Does core needle breast biopsy accurately reflect breast pathology? <i>Surgery</i> . 2003;134(4):523-6.	5
342	Cummins T, Yoon C, Choi H, Eliahoo P, Kim HH, Yamashita MW, et al. High-frequency ultrasound imaging for breast cancer biopsy guidance. <i>Journal of Medical Imaging</i> . 2015;2 (4) (no pagination)(047001).	5
343	Cunningham J. Outcomes following stereotactic biopsy using different gauge needles with the mammotome device. <i>Annals of Surgical Oncology</i> . 2013;1(1):34-5.	3

연번	서지정보	배제 사유
344	Cupido BD, Vawda F, Sabri A, Sikwila CT. Evaluation and correlation of mammographically suspicious lesions with histopathology at Addington Hospital, Durban. South African Medical Journal. 2013;103(4):251-4.	5
345	Curry WT, Jr., Cosgrove GR, Hochberg FH, Loeffler J, Zervas NT. Stereotactic interstitial radiosurgery for cerebral metastases. Journal of Neurosurgery. 2005;103(4):630-5.	5
346	Cymerberknoh M. Stereotactic localization method in nonpalpable breast lesions. [Spanish]. Revista Interamericana de Radiologia. 1987;12(4):311-4.	6
347	Czachowski M, Koo J, Griffith B, Hakim C. The use of dual CZT molecular breast imaging and its potential diagnostic value as an adjunct to traditional imaging modalities. Journal of Nuclear Medicine Conference: Society of Nuclear Medicine and Molecular Imaging Annual Meeting, SNMMI. 2015;56(SUPPL. 3).	3
348	Dabbous FM, Friedewald SM, O'Meara E, Weaver DL, Wernli K, Ray K, et al. Diagnostic accuracy of core needle biopsy by image guidance and vacuum assistance. Journal of clinical oncology Conference: 2017 annual meeting of the american society of clinical oncology, ASCO United states. 2017;35(15 Supplement 1) (no pagination).	3
349	Dabbs DJ, Bhargava R, Tseng G, Chivukula M. Clinical significance of the entity 'flat epithelial atypia' on core needle biopsies of breast. Cancer Research Conference: 31st Annual San Antonio Breast Cancer Symposium San Antonio, TX United States Sponsor: UT Health Science Center San Antonio School of Medicine, American Association for Cancer Research, Baylor College of Medicine Conference Publication: 2009;69(2 Suppl. S).	3
350	Dagnelie J. [Fine-needle cytopuncture and/or microbiopsies]. Revue Medicale de Bruxelles. 1995;16(4):216-7.	6
351	Dahabreh IJ, Wieland LS, Adam GP, Halladay C, Lau J, Trikalinos TA. Agency for Healthcare Research and Quality. 2014:09.	2
352	Dahlstrom JE, Jain S, Sutton T, Sutton S. Diagnostic accuracy of stereotactic core biopsy in a mammographic breast cancer screening programme. Histopathology. 1996;28(5):421-7.	5
353	Dahlstrom JE, Jain S. Histological correlation of mammographically detected microcalcifications in stereotactic core biopsies. Pathology. 2001;33(4):444-8.	5
354	Dahlstrom JE, Sutton S, Jain S. Histological precision of stereotactic core biopsy in diagnosis of malignant and premalignant breast lesions. Histopathology. 1996;28(6):537-41.	5
355	Dahlstrom JE, Sutton S, Jain S. Histologic-radiologic correlation of mammographically detected microcalcification in stereotactic core biopsies. American Journal of Surgical Pathology. 1998;22(2):256-9.	5
356	Dahlstrom JE, Tait N, Cranney BG, Jain S. Fine needle aspiration cytology and core biopsy histology in infiltrating syringomatous adenoma of the breast: A case report. Acta Cytologica. 1999;43(2):303-7.	7
357	Dall P, Hanstein B, Mosny DS. Excision of suspicious, non-palpable, intramammary lesions by automated, stereotactic breast-biopsy techniques. [German]. Gynakologe. 2000;33(4):309-13.	2
358	Damascelli B, Frigerio LF, Patelli G, Lanocita R, Viganotti G, Magnoni S, et al. [Diagnosis of non-palpable lesions of the breast with stereotactic excisional biopsy with cannula. Advanced Breast Biopsy Instrumentation (ABBI) with fine diameter of 20 mm]. Radiologia Medica. 1998;95(5):437-44.	6
359	Damascelli B, Frigerio LF, Patelli G, Lanocita R, Viganotti G, Uslenghi E, et al. Stereotactic breast biopsy: en bloc excision of microcalcifications with a large-bore cannula device. AJR American Journal of Roentgenology. 1999;173(4):895-900.	5
360	Dams FEM, Westenend PJ, Roodenburg-Kooij HS, Rozendaal MC, Kock MCJM. True false negative rate of benign histology after stereotactic vacuum-assisted biopsy for BI-RADS IV calcifications in the breast. European Journal of Cancer. 2016;2:S143.	3
361	Daniel BL, Birdwell RL, Ikeda DM, Jeffrey SS, Black JW, Block WF, et al. Breast lesion localization: A freehand, interactive MR imaging-guided technique. Radiology. 1998;207(2):455-63.	5
362	D'Arcy C, Liberman L, Nehhozina T, Brogi E, Corben AD. Radial scar at image-guided needle biopsy: Is follow-up excision always necessary? Laboratory Investigation. 2012;1:32A.	3
363	Dasgupta A, Sahgal A, Warner E, Czarnota GJ. Safety of palbociclib concurrent with palliative pelvic radiotherapy: discussion of a case of increased toxicity and brief review of literature. Journal of Medical Radiation Sciences. 2021;68(1):96-102.	4

연번	서지정보	배제 사유
364	Dash I, Dessauvage B, Saunders C, Wylie L. Mucocele-like lesions: is it time to stop routine excision? <i>European Journal of Surgical Oncology</i> . 2017;43 (5):S15.	3
365	Datta S, Davies EL. Benign breast disease. <i>Surgery (United Kingdom)</i> . 2013;31(1):22-6.	2
366	Davar D, Wilson M, Pruckner C, Kirkwood JM. PD-1 blockade in advanced melanoma in patients with hepatitis C and/or HIV. <i>Case Reports in Oncological Medicine</i> . 2015;2015 (no pagination)(737389).	4
367	David Dershaw D. Stereotactic biopsy: Advantages and limitations. <i>Breast Journal</i> . 1997;3(5):215-9.	3
368	David Dershaw D. Imaging guided biopsy: An alternative to surgical biopsy. <i>Breast Journal</i> . 2000;6(5):294-8.	2
369	David N, Labbe-Devilliers C, Moreau D, Loussouarn D, Campion L. [Diagnosis of flat epithelial atypia (FEA) after stereotactic vacuum-assisted biopsy (VAB) of the breast: What is the best management: systematic surgery for all or follow-up?]. <i>Journal de Radiologie</i> . 2006;87(11 Pt 1):1671-7.	6
370	David SP, Savas P, Neeson PJ, Luen SJ, Foroudi F, Siva S, et al. Safety and efficacy of stereotactic body radiotherapy and Pembrolizumab in advanced breast cancer patients with 1 to 5 metastases. <i>Cancer Research Conference</i> . 2018;79(4 Supplement 1).	3
371	Davidson T, Ravid MM, Nissan E, Sklair-Levy M, Nissan J, Chikman B. Correlations Between Core Needle Biopsy and Excisional Biopsy Findings in Suspected Breast Lesions: A Single Center Study. <i>Israel Medical Association Journal: Imaj</i> . 2018;20(7):401-4.	5
372	Davion S, Siziopikou K, Feldman M, Mendelson EB, Sullivan M. Mucocele-like lesions in needle core biopsies: Is excision always necessary? <i>Laboratory Investigation</i> . 2011;1):36A.	3
373	De Cicco C, Pizzamiglio M, Trifiro G, Luini A, Ferrari M, Prisco G, et al. Radioguided occult lesion localisation (ROLL) and surgical biopsy in breast cancer: Technical aspects. <i>Quarterly Journal of Nuclear Medicine</i> . 2002;46(2):145-51.	5
374	De Iuliis F, Salerno G, Taglieri L, Vicinanza R, Lanza R, Scarpa S. Elderly woman with triple-negative metastatic breast cancer successfully treated with metronomic capecitabine. <i>Anticancer Research</i> . 2014;34(8):4287-92.	5
375	de Korvin B, Schmitz E, Bouriel C, Clouet M, Gastinne R, Marchetti C, et al. [Management system for patients requiring stereotactic macrobiopsies of the breast: report on 100 patients]. <i>Journal de Radiologie</i> . 2004;85(12 Pt 1):2013-8.	6
376	de Lange-de Klerk ES. [Stereotactic thick needle biopsy in diagnosis of non-palpable abnormality in the breast: a trustworthy alternative to excision biopsy]. <i>Nederlands Tijdschrift voor Geneeskunde</i> . 2003;147(40):1986; author reply 7-9.	6
377	De Lange-De Klerk ESM, Klaase JM, Gerritsen JJGM, Mastboom WJB, Mulder HJ, Salleveld PEJM, et al. Stereotactic large-core needle biopsy in the diagnosis nonpalpable breast lessions: A reliable alternative to excision biopsy [2]. [Dutch]. <i>Nederlands Tijdschrift voor Geneeskunde</i> . 2003;147(40):1986-9.	6
378	De Mascarel I, Brouste V, Asad-Syed M, Hurtevent G, MacGrogan G. All atypia diagnosed at stereotactic vacuum-assisted breast biopsy do not need surgical excision. <i>Modern Pathology</i> . 2011;24(9):1198-206.	6
379	De Maulmont C, Cherel P, Ouhioun O, Becette V, Stevens D, Plantet MM, et al. [40 years of progress in breast imaging]. <i>Pathologie Biologie</i> . 2000;48(9):801-11.	6
380	De Maulmont C, Cherel P, Ouhioun O, Becette V, Stevens D, Plantet MM, et al. Advances in mammary imaging for forty years. [French]. <i>Pathologie Biologie</i> . 2000;48(9):801-11.	3
381	de Roos MAJ, Pijnappel RM, Groote AD, de Vries J, Post WJ, Baas PC. Ductal carcinoma in situ presenting as microcalcifications: The effect of stereotactic large-core needle biopsy on surgical therapy. <i>Breast</i> . 2004;13(6):461-7.	5
382	De Waal JC, Vaillant W, Baltzer J, Zander J. First experiences with the stereotactic diagnosis system 'mammothest' when diagnosing changes in the breast that are unclear on x-ray film. [German]. <i>Geburtshilfe und Frauenheilkunde</i> . 1985;45(9):592-4.	6
383	DeAngelis GA, Fajardo LL, Harvey JA, Hatwal N, Moran RE. Percutaneous breast biopsy for nonpalpable lesions. <i>Breast Disease</i> . 1998;10(3-4):67-81.	2
384	Debi U, Thulkar S, Sharma S, Sharma MC, Seenu V, Deo SVS, et al. Role of directional vacuum assisted breast biopsy in previously equivocal biopsies for breast masses suspicious for malignancy. <i>Malaysian Journal of Pathology</i> . 2015;37(1):25-33.	7

연번	서지정보	배제 사유
385	DeBruhl ND, Lee SJ, Mahoney MC, Hanna L, Tuite C, Gatsonis CA, et al. Mri evaluation of the contralateral breast in women with recently diagnosed breast cancer: 2-year follow-up. Journal of Breast Imaging. 2020;2(1):50-5.	5
386	Decker MR, Thoms CA, Gaskin ITA, Dowlat K, Clifford EJ, Wilke LG. Outcomes from surgeon performed stereotactic breast biopsy: An analysis of the American society of breast surgeons mastery of breast surgery program. Annals of Surgical Oncology. 2012;1):13.	3
387	Delaloge S, Bonastre J, Borget I, Garbay JR, Fontenay R, Boinon D, et al. The challenge of rapid diagnosis in oncology: Diagnostic accuracy and cost analysis of a large-scale one-stop breast clinic. European Journal of Cancer. 2016;66:131-7.	7
388	DeMartini WB, Hanna L, Gatsonis C, Mahoney MC, Lehman CD. Evaluation of tissue sampling methods used for MRI-detected contralateral breast lesions in the American College of Radiology Imaging Network 6667 trial. American Journal of Roentgenology. 2012;199(3):W386-W91.	7
389	Dennis MA, Parker S, Kaske TI, Stavros AT, Camp J. Incidental treatment of nipple discharge caused by benign intraductal papilloma through diagnostic mammotome biopsy. American Journal of Roentgenology. 2000;174(5):1263-8.	5
390	Denton ER, Mitchell MJ, Nash RR, Bingham M. Use of the site percutaneous breast biopsy device. Breast. 2000;9(2):107-9.	2
391	Denton ERE, Mitchell MJ, Wilson ARM, Britton P, Damascelli B, Frigerio LF. Stereotactic excisional breast biopsy performed by interventional radiologists using the ABBI system (multiple letters) [2]. British Journal of Radiology. 1999;72(AUG.):828-9.	2
392	Denton ERE, Mitchell MJ, Nash RR, Bingham M. Use of the site select percutaneous breast biopsy device. Breast. 2000;9(2):107-9.	5
393	Dershaw DD, Liberman L. Stereotactic breast biopsy: indications and results. Oncology (Williston Park, NY). 1998;12(6):907-16; discussion 16, 21-22.	2
394	Dershaw DD. Equipment, technique, quality assurance, and accreditation for imaging-guided breast biopsy procedures. Radiologic Clinics of North America. 2000;38(4):773-89.	2
395	Dershaw DD. Large core needle biopsy with tomosynthesis guidance: Another development in breast imaging technology. Breast Journal. 2013;19(1):1-3.	2
396	Dershaw DD. How to accredit your practice for stereotactic biopsies. Diagnostic imaging. 1998;20(11):127-8, 31.	2
397	Deschryver K, Radford DM, Schuh ME. Pathology of large-caliber stereotactic biopsies in nonpalpable breast lesions. Seminars in Diagnostic Pathology. 1999;16(3):224-34.	2
398	Deshpande AH, Munshi MM. Role fine-needle aspiration cytology in nonpalpable mammary lesions: A comparative cytohistologic study based on 308 cases. Diagnostic Cytopathology. 2000;23(2):87-91.	5
399	Desouza NM, Coutts GA, Puni RK, Young IR. Magnetic resonance imaging guided breast biopsy using a frameless stereotactic technique. Clinical Radiology. 1996;51(6):425-8.	5
400	Destounis S, Newell M, Pinsky R. Breast imaging and intervention in the overweight and obese patient. American Journal of Roentgenology. 2011;196(2):296-302.	2
401	Destounis S, Santacroce A, Arieno A. DBT as a Screening Tool and a Diagnostic Tool. Current Breast Cancer Reports. 2017;9(4):264-71.	2
402	Destounis SV, Murphy PF, Seifert PJ, Somerville PA, Arieno AL, Morgan RC, et al. Management of patients diagnosed with lobular carcinoma in situ at needle core biopsy at a community-based outpatient facility. American Journal of Roentgenology. 2012;198(2):281-7.	7
403	Deurloo EE, Gilhuijs KGA, Schultze Kool LJ, Muller SH. Displacement of breast tissue and needle deviations during stereotactic procedures. Investigative Radiology. 2001;36(6):347-53.	5
404	Deutch BM, Schwartz MR, Fodera T, Ray DM. Stereotactic core breast biopsy of a minimal carcinoma complicated by a large hematoma: A management dilemma. Radiology. 1997;202(2):431-3.	7
405	Devia A, Murray KA, Nelson EW. Stereotactic core needle biopsy and the workup of mammographic breast lesions. Archives of Surgery. 1997;132(5):512-7.	3
406	Diaz Exposito R, Orozco Molano A, Casans Tormo I, Esteban Poveda M, Roberto Baez J, Rocafuerte Avila C, et al. Sentinel lymph node biopsy with intratumoral injection in palpable and non palpable breast cancer. European Journal of Nuclear Medicine and Molecular Imaging. 2011;2):S355.	3

연번	서지정보	배제 사유
407	Diaz ML, Noguera JJ, Alonso-Burgos A, Dominguez P, Pina LJ, Zornoza G, et al. Stereotactic-guided excisional biopsy: A new technique for very thin breasts. Breast Journal. 2006;12(6):566-8.	2
408	Diaz-Exposito R, Casans-Tormo I, Rocafuerte-Avila C, Orozco-Molano A, Prado Wohlwend S, Caballero-Garate A, et al. Results of SNOLL in non palpable breast cancer patients (NPBC) with intratumoral injection administrated by ultrasound versus stereotaxy guide. European Journal of Nuclear Medicine and Molecular Imaging. 2012;2):S363.	3
409	Diebold T, Hahn T, Solbach C, Rody A, Balzer JO, Hansmann ML, et al. Evaluation of the stereotactic 8G vacuum-assisted breast biopsy in the histologic evaluation of suspicious mammography findings (BI-RADS IV). Investigative Radiology. 2005;40(7):465-71.	7
410	Diebold T, Jacobi V, Krapfl E, Minckwitz Gv, Solbach C, Ballenberger S, et al. The role of stereotactic 11G vacuum biopsy for clarification of BI-RADSTM IV findings in mammography. [German]. RoFo Fortschritte auf dem Gebiet der Rontgenstrahlen und der Bildgebenden Verfahren. 2003;175(4):489-94.	6
411	Diepstraten SCE, van de Ven SMWY, Pijnappel RM, Peeters PHM, van den Bosch MAAJ, Verkooijen HM, et al. Development and Evaluation of a Prediction Model for Underestimated Invasive Breast Cancer in Women with Ductal Carcinoma In Situ at Stereotactic Large Core Needle Biopsy. PLoS ONE. 2013;8 (10) (no pagination)(e77826).	5
412	Diepstraten SCE, Verkooijen HM, Van Diest PJ, Veldhuis WB, Fernandez-Gallardo AM, Duvivier KM, et al. Radiofrequency-assisted intact specimen biopsy of breast tumors: Critical evaluation according to the IDEAL recommendations. Cancer Imaging. 2011;11(1):247-52.	5
413	Dilhuydy MH, Henriques C, Barreau B, Lounici Z, Gilles R, Bussieres E, et al. Stereotactic breast biopsy: Indication, biopsy quality. [French]. Sein. 1999;9(4):284-93.	6
414	Dilhuydy MH, Henriques C, Barreau B, Palussieres J, Joyeux P, Bussieres E, et al. Advanced breast biopsy instrumentation and minimally invasive breast biopsy. [French]. Sein. 1999;9(2):118-25.	6
415	Dillon MF, Hill ADK, Quinn CM, O'Doherty A, McDermott EW, O'Higgins N. The accuracy of ultrasound, stereotactic, and clinical core biopsies in the diagnosis of breast cancer, with an analysis of false-negative cases. Annals of Surgery. 2005;242(5):701-7.	2
416	Dillon MF, McDermott EW, Quinn CM, O'Doherty A, O'Higgins N, Hill ADK. Predictors of invasive disease in breast cancer when core biopsy demonstrates DCIS only. Journal of Surgical Oncology. 2006;93(7):559-63.	7
417	Diloreto C, Zhang Y. Follow-up study of 42 patients with a benign intraductal papilloma diagnosed on core needle biopsy. Laboratory Investigation. 2014;1):45A.	3
418	Dingari NC, Barman I, Saha A, McGee S, Galindo LH, Liu W, et al. Development and comparative assessment of Raman spectroscopic classification algorithms for lesion discrimination in stereotactic breast biopsies with microcalcifications. Journal of biophotonics. 2013;6(4):371-81.	1
419	Diorio C, Provencher L, Morin J, Desbiens C, Poirier B, Poirier E, et al. Is there an upgrading to malignancy at surgery of mucocoele-like lesions diagnosed on percutaneous breast biopsy? Breast Journal. 2016;22(2):173-9.	7
420	DiPiro PJ. Disappearance of a localizing clip placed after stereotactic core biopsy of the breast [8]. American Journal of Roentgenology. 1999;173(4):1134.	7
421	Dixon AM, Dearnley C. Radiographer-performed stereotactic needle core biopsy: Making a difference. Radiography. 2008;14(SUPPL. 1):e85-e90.	7
422	Dixon AM. Education and training for advanced practice: Principles of course design and assessment applied to a 'stereotactic needle core biopsy of the breast' module. Radiography. 2006;12(2):79-87.	1
423	Djakovic A, Engel JB, Geisinger E, Honig A, Tschammler A, Dietl J. Pleomorphic adenoma of the breast initially misdiagnosed as metaplastic carcinoma in preoperative stereotactic biopsy: A case report and review of the literature. European Journal of Gynaecological Oncology. 2011;32(4):427-30.	7
424	Dogan L, Gulcelik MA, Karaman N, Kahraman YS, Ozaslan C, Reis E. The value of early mammographic screening after breast conserving surgery and radiotherapy. European Surgical Research. 2013;1):115.	3

연번	서지정보	배제 사유
425	Domingues I, Cedres S, Callejo A, Vivancos A, Martinez-Marti A, Felip E. Long duration of immunotherapy in a STK11 mutated/KRAS wild-type non-small cell lung cancer patient. <i>Pulmonology</i> . 2020;26(1):49-50.	4
426	Doridot V, Meunier M, El Khoury C, Nos C, Vincent-Salomon A, Sigal-Zafrani B, et al. Stereotactic radioguided surgery by siteSelect for subclinical mammographic lesions. <i>Annals of Surgical Oncology</i> . 2005;12(2):181-8.	5
427	Dormann C. San Antonio Breast Cancer Symposium 2019: human epidermal growth factor receptor 2(HER2)-positive breast cancer and image-guided biopsy to detect pathologic complete response (pCR). <i>Memo - Magazine of European Medical Oncology</i> . 2020;13(3):341-5.	2
428	Doubeni CA, Gabler NB, Wheeler CM, McCarthy AM, Castle PE, Halm EA, et al. Timely follow-up of positive cancer screening results: A systematic review and recommendations from the PROSPR Consortium. <i>CA Cancer Journal for Clinicians</i> . 2018;68(3):199-216.	2
429	Doutriaux-Dumoulin I, Morand S, Meingan P, Digabel-Chabay C, Labbe-Devilliers C, Ricaud-Couprie M. Mammographic changes after stereotactic vacuum-assisted breast biopsy 8G of histologically benign microcalcifications. [French]. <i>Sein</i> . 2002;12(3):235-43.	6
430	Dow D, Molleran V. Mammographic Appearance of Intra-Nipple Hyaluronic Acid Injection. <i>Breast Journal</i> . 2016;22(1):118-20.	5
431	Dowlatshahi K, Dieschbourg J. Shift in the surgical treatment of non-palpable breast cancer: Tactile to visual. <i>Breast Cancer Online</i> . 2006;9 (1) (no pagination)(e1).	2
432	Dowlatshahi K, Fan M, Gould VE, Bloom KJ, Ali A. Stereotactically guided laser therapy of occult breast tumors: Work-in-progress report. <i>Archives of Surgery</i> . 2000;135(11):1345-52.	5
433	Dowlatshahi K, Francescatti DS, Bloom KJ. Laser therapy for small breast cancers. <i>American Journal of Surgery</i> . 2002;184(4):359-63.	5
434	Dowlatshahi K, Wadhwani S, Alvarado R, Valadez C, Dieschbourg J. Interstitial laser therapy of breast fibroadenomas with 6 and 8 year follow-up. <i>Breast Journal</i> . 2010;16(1):73-6.	7
435	Doyle AJ, Collins JP, Forkert CD. Decubitus stereotactic core biopsy of the breast: Technique and experience. <i>American Journal of Roentgenology</i> . 1999;172(3):688-90.	5
436	Duggal S, Robin J, Julian TB. Ductal carcinoma in situ: An overview. <i>Expert Review of Anticancer Therapy</i> . 2013;13(8):955-62.	2
437	Duhon DJ, Anton CR, Ro JY, Venta LA, Anton RC, Schwartz MR. Osseous metaplasia in hemangiomas of the breast: Case reports and literature review. <i>Journal of Breast Cancer</i> . 2021;24(2):229-34.	5
438	Duijm LEM, Groenewoud JH, Fracheboud J, Plaisier ML, Roumen RMH, Ineveld BM, et al. Utilization and cost of diagnostic imaging and biopsies following positive screening mammography in the southern breast cancer screening region of the Netherlands, 2000-2005. <i>European Radiology</i> . 2008;18(11):2390-7.	7
439	Duijm LEM, Groenewoud JH, Roumen RMH, De Koning HJ, Plaisier ML, Fracheboud J. A decade of breast cancer screening in the Netherlands: Trends in the preoperative diagnosis of breast cancer. <i>Breast Cancer Research and Treatment</i> . 2007;106(1):113-9.	7
440	Dumay-Levesque T, Lemery S, Dauplat MM, Boussion V, Dieu V, Bailly A, et al. [Evaluation of stereotactic core biopsies of the breast with the 10-gauge Vacora R biopsy device: a review of 541 procedures]. <i>Journal de Radiologie</i> . 2011;92(3):226-35.	6
441	Dumitra S, Sideris L, Leclerc Y, Leblanc G, Dube P. Neutropenic enterocolitis and docetaxel neoadjuvant chemotherapy. <i>Annals of Oncology</i> . 2009;20(4):795-6.	4
442	Dupuis JEK, Marchand M, Javidi S, Nguyen TQT. Enophthalmos as the initial systemic finding of undiagnosed metastatic breast carcinoma. <i>International Medical Case Reports Journal</i> . 2021;14:25-31.	7
443	Durand MA, Wang S, Hooley RJ, Raghu M, Philpotts LE. Tomosynthesis-detected Architectural Distortion: Management Algorithm with Radiologic-Pathologic Correlation. <i>Radiographics : a review publication of the Radiological Society of North America, Inc</i> . 2016;36(2):311-21.	2
444	Easley S, Abdul-Karim FW, Klein N, Wang N. Segregation of radiographic calcifications in stereotactic core biopsies of breast: Is it necessary? <i>Breast Journal</i> . 2007;13(5):486-9.	7
445	Ebersson LS, Fitzpatrick KA, Mackerricher WS, Bourgon DR, Borders MH. Microcalcifications in the breast secondary to augmentation by filler injections. <i>Breast Journal</i> . 2018;24(4):698-700.	5

연번	서지정보	배제 사유
446	Eby PR, Ochsner JE, DeMartini WB, Allison KH, Peacock S, Lehman CD. Frequency and upgrade rates of atypical ductal hyperplasia diagnosed at stereotactic vacuum-assisted breast biopsy: 9-versus 11-gauge. AJR American Journal of Roentgenology. 2009;192(1):229-34.	10
447	Eccles SA, Aboagye EO, Ali S, Anderson AS, Armes J, Berditchovski F, et al. Critical research gaps and translational priorities for the successful prevention and treatment of breast cancer. Breast Cancer Research. 2013;15 (5) (no pagination)(R92).	5
448	Eckstein J, Koffler D, Parashar B, Potters L, Narayana A. Guidelines for palliative treatment of spinal metastases: Choosing between stereotactic body radiation therapy and conventional fractionation. ONCOLOGY (United States). 2021;35(2):63-9.	2
449	Edwards SD, Vossen JA, Pronovost M, Reeser P. Accuracy of stereotactic vacuum-assisted biopsies in a community population. Journal of Clinical Oncology Conference. 2011;29(27 SUPPL. 1).	3
450	Eguizabal Subero C, Del Villar V, Aizcorbe M, Martinez-Guerrero AM, Cozcolluela R, De Miguel C, et al. Resurgical localization of nonpalpable breast lesions: Analysis of 254 cases. [Spanish]. Radiologia. 1995;37(2):85-91.	6
451	Ehteshami Bejnordi B, Mullooly M, Pfeiffer RM, Fan S, Vacek PM, Weaver DL, et al. Using deep convolutional neural networks to identify and classify tumor-associated stroma in diagnostic breast biopsies. Modern Pathology. 2018;31(10):1502-12.	5
452	El Khoury M, Mesurolle B, Omeroglu A, Aldis A, Kao E. Values of pathological analysis of lost tissue fragments in the vacuum canister during a vacuum-assisted stereotactic biopsy of the breast. British Journal of Radiology. 2013;86(1025):20120270.	7
453	Elboim CM. Expanding the role of technology: stereotactic breast biopsy in the mobile environment. Surgical Technology International. 1998;7:325-9.	7
454	Eli E, Ansari H, Williams J, Carter M, Friedman P. Successful treatment of a two centimeter breast pseudoaneurysm with thrombin injection. Breast Journal. 2012;18(3):292-3.	5
455	Elif A, Burcu S, Nazan C, Sumru CZ, Kemal AN. Columnar cell lesions of the breast: Radiological features and histological correlation. Medical Ultrasonography. 2015;17(2):147-54.	7
456	Elliott AJ, Cooke JC, McKee G. A 4-year retrospective analysis of screen-detected and stereotactically biopsied microcalcification with emphasis on ways to reduce the number of benign surgical biopsies. Breast. 1996;5(6):410-4.	5
457	Elliott RL, Rice PB, Suits JA, Ostrowe AJ, Head JF. Radiofrequency ablation of a stereotactically localized nonpalpable breast carcinoma. American Surgeon. 2002;68(1):1-5.	7
458	Elmi A, Rakow-Penner R, Chong A, Eghtedari M, Ladd W, Lim V, et al. Calcifications on DBT and Synthetic Views: Update and Management Strategies. Current Radiology Reports. 2020;8 (7) (no pagination)(9).	2
459	Elmi M, Hussein H, Nofech-Mozes S, Curpen B, Leahey A, Look Hong NJ. Budget impact analysis of a breast rapid diagnostic unit. Current Oncology. 2017;24(3):e214-e9.	5
460	El-Tamer M, Feldman SM. Minimally invasive approach to breast cancer: Is less better? Annals of Surgical Oncology. 2011;18(11):3021-3.	2
461	English RE, Chen JH. Stereotactic core biopsy of an impalpable screen-detected breast lesion using acupuncture-analgesia. British Journal of Radiology. 2010;83(994):e208-e10.	7
462	Ernst MF, Roukema JA. Diagnosis of non-palpable breast cancer: a review. Breast. 2002;11(1):13-22.	2
463	Esserman LJ, Hylton N, Yassa L, Barclay J, Frankel S, Sickles E. Utility of magnetic resonance imaging in the management of breast cancer: Evidence for improved preoperative staging. Journal of Clinical Oncology. 1999;17(1):110-9.	7
464	Euctr DE. A study to compare the study drug IMMU-132 with standard treatments in Metastatic Triple-Negative Breast Cancer patients Who have Received at Least Two Prior Treatments. http://www.whoint/trialssearch/Trial2.aspx?TrialID=EUCTR2017-003019-21-DE . 2017.	3
465	Eung Jik L, Se Min O. The efficacy of stereotactic vacuum-assisted biopsy and needle localization vacuum-assisted biopsy for diagnosing breast microcalcification. European Journal of Cancer, Supplement. 2010;8 (3):237.	3
466	Evans AJ, Whitlock JP, Burrell HC, Pinder SE, Ellis IO, Geraghty JG, et al. A comparison of 14 and 12 gauge needles for core biopsy of suspicious mammographic calcification. British Journal of Radiology. 1999;72(DEC.):1152-4.	5

연번	서지정보	배제 사유
467	Evans WP, Cade SH. Needle localization and fine-needle aspiration biopsy of nonpalpable breast lesions with use of standard and stereotactic equipment. <i>Radiology</i> . 1989;173(1):53-6.	5
468	Evans WP. Fine-needle aspiration cytology and core biopsy of nonpalpable breast lesions. <i>Current Opinion in Radiology</i> . 1992;4(5):130-8.	2
469	Facchini M. [The role of imaging techniques in benign breast lesions]. <i>Annali Italiani di Chirurgia</i> . 1997;68(2):173-8.	2
470	Fahmy W, Umar A, Zaidi A, Ali S, Ibrahim O. A Service audit of accuracy of image guided wire localisation in non palpable breast lesion management. <i>British Journal of Surgery</i> . 2019;106 (Supplement 5):92.	3
471	Fahrbach K, Sledge I, Cella C, Linz H, Ross SD. A comparison of the accuracy of two minimally invasive breast biopsy methods: a systematic literature review and meta-analysis. <i>Archives of Gynecology & Obstetrics</i> . 2006;274(2):63-73.	2
472	Fahy BN, Bold RJ, Schneider PD, Khatri V, Goodnight JE, Jr. Cost-benefit analysis of biopsy methods for suspicious mammographic lesions; discussion 994-5. <i>Archives of Surgery</i> . 2001;136(9):990-4.	7
473	Fajardo LL, Bird RE, Herman CR, DeAngelis GA. Placement of endovascular embolization microcoils to localize the site of breast lesions removed at stereotactic core biopsy. <i>Radiology</i> . 1998;206(1):275-8.	7
474	Fajardo LL, Davis JR, Wiens JL, Trego DC. Mammography-guided stereotactic fine-needle aspiration cytology of nonpalpable breast lesions: Prospective comparison with surgical biopsy results. <i>American Journal of Roentgenology</i> . 1990;155(5):977-81.	5
475	Fajardo LL, DeAngelis GA. The role of stereotactic biopsy in abnormal mammograms. <i>Surgical Oncology Clinics of North America</i> . 1997;6(2):285-99.	2
476	Fajardo LL, Pisano ED, Caudry DJ, Gatsonis CA, Berg WA, Connolly J, et al. Stereotactic and sonographic large-core biopsy of nonpalpable breast lesions: results of the Radiologic Diagnostic Oncology Group V study. <i>Academic Radiology</i> . 2004;11(3):293-308.	5
477	Falkner NM, Hince D, Porter G, Dessauvage B, Jeganathan S, Bulsara M, et al. Added value of second biopsy target in screen-detected widespread suspicious breast calcifications. <i>Journal of Medical Imaging & Radiation Oncology</i> . 2018;62(3):299-306.	7
478	Fanetti G, Bazzani F, Ferrari A, Alterio D, Donghi SM, Pounou Kanga FA, et al. Bronchiolitis obliterans organizing pneumonia after stereotactic ablative radiation therapy for lung cancer: A case report. <i>Cancer/Radiotherapie</i> . 2018;22(1):57-61.	5
479	Faour I, Al-Salam S, El-Terifi H, El Taji H. The use of a vacuum-assisted biopsy device (Mammotome) in the early detection of breast cancer in the United Arab Emirates. <i>Recent Advances in Clinical Oncology</i> . 2008;Annals of the New York Academy of Sciences. 1138:108-13.	3
480	Faridova A, Raus K, Sirova R. New localisation technique for early stages of breast cancer using magnetic seeds. <i>Breast</i> . 2019;44 (Supplement 1):S105.	3
481	Farkas RL, O'Connell A, Skinner K. Minimally invasive lumpectomy for small cancers. <i>Annals of Surgical Oncology</i> . 2014;2:48-9.	3
482	Farria DM, Feig SA. Breast imaging: Economic issues and challenges. <i>Oncology Spectrums</i> . 2001;2(3):148-56.	2
483	Faulkner K, Bennison K. An assessment of digital stereotaxis in the National Health Service Breast Screening Programme. <i>Radiation Protection Dosimetry</i> . 2006;117(1-3):327-9.	2
484	Faulkner K, Wallis MG, Neilson F, Whitaker CJ. Evaluation of the population dose to the UK population from the National Health Service breast screening programme. <i>Radiation Protection Dosimetry</i> . 2008;129(1-3):184-90.	5
485	Fearing NM, Cusick TE, Helmer SD. An evaluation of resident training in breast procedures. <i>American Journal of Surgery</i> . 2002;184(4):369-71.	7
486	Feggi L, Basaglia E, Corcione S, Querzoli P, Soliani G, Ascanelli S, et al. An original approach in the diagnosis of early breast cancer: Use of the same radiopharmaceutical for both non-palpable lesions and sentinel node localisation. <i>European Journal of Nuclear Medicine</i> . 2001;28(11):1589-96.	4
487	Fehr MK. Limitations of minimally invasive breast biopsy. <i>Minimally Invasive Breast Biopsies</i> . 2009;Recent Results in Cancer Research. 173:149-57.	2

연번	서지정보	배제 사유
488	Fei B, Schuster DM. PET molecular imaging-directed biopsy: A review. American Journal of Roentgenology. 2017;209(2):255-69.	5
489	Feillel V, Crost E, Le Bouedec G, Penault-Llorca F, Lemery S, Dauplat J. Current role of stereotactic surgery. [French]. Sein. 2002;12(1-2):169-74.	3
490	Fennema K, Bot F, Jannink I, Bouwman M, Fris J, Boutkan H, et al. Sentinel Node Biopsy in patients with preoperatively diagnosed DCIS: Overtreatment? A single center experience. European Journal of Cancer. 2018;92 (Supplement 3):S84.	3
491	Fenoglio ME, Gallagher JQ, Joy N, Higgins A, Miller B, Ratzer ER. Stereotactic core breast biopsy versus needle localization breast biopsy – The effect of initial diagnostic modality on surgical therapy in patients with breast cancer. Minimally Invasive Therapy and Allied Technologies. 1997;6(3):225-7.	5
492	Fenster A, Surry KJ, Mills GR, Downey DB. 3D ultrasound guided breast biopsy system. Ultrasonics. 2004;42(1-9):769-74.	5
493	Fernandez-Garcia P, Marco-Domenech SF, Lizan-Tudela L, Ibanez-Gual MV, Navarro-Ballester A, Casanovas-Feliu E. The cost effectiveness of vacuum-assisted versus core-needle versus surgical biopsy of breast lesions. Radiologia. 2017;59(1):40-6.	7
494	Fersis N, Smyczek-Gargya B, Krainick U, Mielke G, Muller-Schimpfle M, Kiesel L, et al. [Clinical experience with large-core needle biopsies of the breast and evaluation of histopathology]. Zentralblatt fur Gynakologie. 2001;123(3):132-5.	6
495	Ferzli GS, Hurwitz JB, Puza T, Van Vorst-Bilotti S. Advanced breast biopsy instrumentation: A critique. Journal of the American College of Surgeons. 1997;185(2):145-51.	9
496	Ferzli GS, Hurwitz JB. Initial experience with breast biopsy utilizing the advanced breast biopsy instrumentation (ABBI). Surgical endoscopy. 1997;11(4):393-6.	9
497	Fiaschetti V, Pistolesi CA, Perretta T, Cossu E, Arganini C, Salimbeni C, et al. 3-5 BI-RADs Microcalcifications: Correlation between MRI and Histological Findings. Isrn Oncology Print. 2011;2011:643890.	7
498	Filatenkov A, Sahoo S, Sarode V, Peng Y, Fang Y, Hwang H. Routine excision is not necessary for mucocoele-like lesions of the breast. Modern Pathology. 2020;33 (3):141.	3
499	Fine RE, Boyd BA. Stereotactic breast biopsy: a practical approach. American Surgeon. 1996;62(2):96-102.	2
500	Fine RE, Staren ED. Percutaneous radiofrequency-assisted excision of fibroadenomas. American Journal of Surgery. 2006;192(4):545-7.	5
501	Fiorica J. Prevention and treatment of breast cancer. Obstetrics and Gynecology Clinics of North America. 2001;28(4):711-26.	2
502	Fischer T, Grigoryev M, Bossenz S, Diekmann F, Bick U, Slowinski T, et al. [Sonographic detection of microcalcifications – potential of new method]. [German]. Ultraschall in der Medizin (Stuttgart, Germany : 1980). 2012;33(4):357-65.	6
503	Fischer T, Lachenmayer A, Maurer MH. CT-guided navigated microwave ablation (MWA) of an unfavorable located breast cancer metastasis in liver segment I. Radiology Case Reports. 2019;14(2):146-50.	5
504	Fischmann A, Siegmann KC. Low-cost phantoms for training of stereotactic vacuum-assisted biopsy of the breast. Clinical Imaging. 2010;34(2):97-9.	1
505	Flandrin A, Rouleau C, Azar C, Dubon O, Giacalone PL. First report of a necrotising fasciitis of the breast following a core needle biopsy. Breast Journal. 2009;15(2):199-201.	5
506	Flessas I, Tsamis D, Michalopoulos NV, Chrysikos D, Liakou P, Linardoutsos D, et al. Dual carcinoma of the breast with neuroendocrine differentiation. American Surgeon. 2012;78(11):E457-E8.	5
507	Flickinger JC, Kondziolka D, Lunsford LD, Coffey RJ, Goodman ML, Shaw EG, et al. A multi-institutional experience with stereotactic radiosurgery for solitary brain metastasis. International Journal of Radiation Oncology Biology Physics. 1994;28(4):797-802.	5
508	Floery D, Helbich TH. MRI-Guided Percutaneous Biopsy of Breast Lesions: Materials, Techniques, Success Rates, and Management in Patients with Suspected Radiologic-Pathologic Mismatch. Magnetic Resonance Imaging Clinics of North America. 2006;14(3):411-25.	2
509	Fong CY, Mak WS, Lui CY, Lam HS. Stereotactic biopsy of thin breasts: A previously unfeasible task. Hong Kong Journal of Radiology. 2011;14(1):4-9.	2

연번	서지정보	배제 사유
510	Fonti R, Limite G, Sodano A, Riccardi A, Forestieri P, De Cristofaro G, et al. Sentinel lymph node identification in breast cancer patients. <i>La Radiologia medica</i> . 2002;103(4):370-7.	7
511	Forester N. PB.7. Large-volume biopsy for B3 lesions without atypia: Is once enough? Breast Cancer Research Conference: Annual Scientific Meeting of the British Society of Breast Radiology. 2014;16(SUPPL. 1).	3
512	Fornage BD, Sneige N, Edeiken BS. Interventional breast sonography. <i>European Journal of Radiology</i> . 2002;42(1):17-31.	2
513	Fornage BM. Ultrasound-guided fine needle aspiration biopsy and preoperative localization of non palpable breast masses. [French]. <i>Sein</i> . 1994;4(2):142-4.	3
514	Forte S, Wang Z, Arboleda C, Lang K, Singer G, Kubik-Huch RA, et al. Can grating interferometry-based mammography discriminate benign from malignant microcalcifications in fresh biopsy samples? <i>European Journal of Radiology</i> . 2020;129 (no pagination)(109077).	7
515	Fowler S, Ratcliff C, Tullos E, Cohen L, Yang W, Chaoul A, et al. Spiritual wellbeing as a moderator of brief mindfulness intervention on anxiety during stereotactic breast biopsy. <i>Psychosomatic Medicine</i> . 2019;81 (4):A144.	3
516	Framarino-Dei-Malatesta M, Chiarito A, Bianciardi F, Fiorelli M, Ligato A, Naso G, et al. Metastases to extraocular muscles from breast cancer: Case report and up-to-date review of the literature 11 Medical and Health Sciences 1112 Oncology and Carcinogenesis. <i>BMC Cancer</i> . 2019;19 (1) (no pagination)(36).	2
517	Franchino F, Ruda R, Soffietti R. Mechanisms and therapy for cancer metastasis to the brain. <i>Frontiers in Oncology</i> . 2018;8 (MAY) (no pagination)(161).	2
518	Frank LS, Frank JL, March D, Makari-Judson G, Mertens WC. Does therapeutic touch ease the discomfort or distress of patients undergoing stereotactic core breast biopsy? A randomized clinical trial. <i>American society of clinical oncology</i> . 2003;22:738.	7
519	Frayne J, Sterrett GF, Harvey J, Goodwin P, Townsend J, Ingram D, et al. Stereotactic 14 gauge core-biopsy of the breast: Results from 101 patients. <i>Australian and New Zealand Journal of Surgery</i> . 1996;66(9):585-91.	5
520	Frazee RC, Roberts JW, Symmonds RE, Snyder SK, Hendricks JC, Smith RW, et al. Open versus stereotactic breast biopsy. <i>American journal of surgery</i> . 1996;172(5):491-3; discussion 4-5.	5
521	Friedman PD, Sanders LM, Menendez C, Kalisher L, Petrillo G. Original report. Retrieval of lost microcalcifications during stereotactic vacuum-assisted core biopsy. <i>American Journal of Roentgenology</i> . 2003;180(1):275-80.	7
522	Friedrich M, Kraemer S. Targeted oncoplastic breast surgery based on breast imaging. <i>European Journal of Gynaecological Oncology</i> . 2018;39(5):693-700.	2
523	Frith AE, Baggstrom MQ. Lung Cancer in Older Adults. <i>Current Geriatrics Reports</i> . 2014;3(3):166-74.	2
524	Frolov IM. ["Interventional radiology" in breast examination]. <i>Voprosy Onkologii</i> . 2000;46(6):682-5.	6
525	Frost R, Vlaskovsky PS, Taylor DB. Are breast biopsy markers underused? <i>Journal of Medical Imaging & Radiation Oncology</i> . 2021;65(1):7-14.	7
526	Fu J, Shi J, Zhang W, Li H, Qiu Y, Luo J, et al. Clinical research of digital X-ray stereotactic vacuum-assisted biopsy for stage T<inf>0</inf> breast cancer. [Chinese]. <i>Chinese Journal of Clinical Oncology</i> . 2010;37(17):991-3.	6
527	Fueger BJ, Clauser P, Kapetas P, Potsch N, Helbich TH, Baltzer PAT. Can supplementary contrast-enhanced MRI of the breast avoid needle biopsies in suspicious microcalcifications seen on mammography? A systematic review and meta-analysis. <i>Breast</i> . 2021;56:53-60.	2
528	Fuhrman G, Cederbom G, Champagne J, Farr G, McKinnon W, Bolton J, et al. Stereotactic core needle breast biopsy is an accurate diagnostic technique to assess nonpalpable mammographic abnormalities. <i>The Journal of the Louisiana State Medical Society : official organ of the Louisiana State Medical Society</i> . 1996;148(4):167-70.	5
529	Fuhrman GM, Chagpar A, Gatmaitan P, Burkholder H. Discussion. <i>American Surgeon</i> . 2007;73(6):578-9.	2
530	Gabrielli M, Martella E, Maccarini PA, Piazza N, Conti GM, Pilato FP, et al. [Stereotactic fine-needle aspiration biopsy (FNAB) of nonpalpable breast lesions: cyto-histological correlations]. <i>Acta Bio-Medica de l Ateneo Parmense</i> . 1994;65(1-2):5-15.	6

연번	서지정보	배제 사유
531	Gadzala DE, Cederbom GJ, Bolton JS, McKinnon WM, Farr Jr GH, Champaign J, et al. Appropriate management of atypical ductal hyperplasia diagnosed by stereotactic core needle breast biopsy. Annals of surgical oncology : the official journal of the Society of Surgical Oncology. 1997;4(4):283-6.	7
532	Gala I, Fisher P, Hermann GA. Usefulness of Telfa pads in the histologic assessment of stereotactic-guided breast biopsy specimens. Modern Pathology. 1999;12(5):553-7.	7
533	Gal-Gombos EC, Esserman LE, Poniecka AW, Odzer SL, Weisberg S, Godinez J, et al. Osseous metaplasia of the breast: Diagnosis with stereotactic core biopsy. Breast Journal. 2002;8(1):50-2.	7
534	Gallego Alvarez M, Noguero MR, Sanz C, Arroyo M, Aragon S, Blanco M, et al. Management of non palpable breast lesions with stereotactic vacuum assisted core needle biopsies (mammotome). Initial experience at 12 de octubre hospital (Madrid). Breast. 2011;1):S34.	3
535	Gan FY, Wettlaufer JR, Lundell AL. Breast imaging in a military setting: A comparison with civilian breast imaging. Military Medicine. 2004;169(5):361-7.	5
536	Gao F, Carter G, Chivukula M. Significance of lobular carcinoma in situ (LCIS), "nuclear grade 2" on breast core needle biopsies. Laboratory Investigation. 2009;1):40A-1A.	3
537	Gao Y, Albert M, Young Lin LL, Lewin AA, Babb JS, Heller SL, et al. What Happens after a Diagnosis of High-Risk Breast Lesion at Stereotactic Vacuum-assisted Biopsy? An Observational Study of Postdiagnosis Management and Imaging Adherence. Radiology. 2018;287(2):423-31.	7
538	Garcia CA, Rosenberg RJ, Spencer RP. FDG-Positron Emission Tomographic Imaging in Carcinoma of the Breast: Interference by Massive Sarcoidosis. Clinical Nuclear Medicine. 2003;28(3):218-9.	7
539	Garcia V, Wang W. Mammography, tomosynthesis, and SBB AEC performance and displayed AGD accuracy for dose estimation program. Medical Physics. 2018;45 (6):e543.	3
540	Garfein CF, Aulicino MR, Leytin A, Drossman S, Hermann G, Bleiweiss IJ. Epithelioid cells in myoid hamartoma of the breast: A potential diagnostic pitfall for core biopsies. Archives of Pathology and Laboratory Medicine. 1996;120(7):676-80.	7
541	Gaskin TA. Stereotactic breast biopsy. Annals of surgical oncology : the official journal of the Society of Surgical Oncology. 1996;3(1):106.	3
542	Ge LY, Huan Q, Liu XJ. [Stereotactic core needle biopsy for diagnosis of mammographic minimal lesions]. Zhejiang da Xue Xue Bao Yi Xue Ban/Journal of Zhejiang University Medical Sciences. 2006;35(5):551-4.	6
543	Geisel JL, Philpotts LE. Breast tomosynthesis: A replacement or an adjunct to conventional diagnostic mammography? Current Breast Cancer Reports. 2014;6(2):132-7.	2
544	Geiser W. Acceptance testing and acr accreditation of stereotactic breast biopsy systems. Medical Physics. 2017;44 (6):3198.	3
545	Gempt J, Bette S, Buchmann N, Ryang YM, Forschler A, Pyka T, et al. Volumetric analysis of F-18-FET-PET imaging for brain metastases. World Neurosurgery. 2015;84(6):1790-7.	5
546	Gennari R, Galimberti V, De Cicco C, Zurrida S, Zerwes F, Pigatto F, et al. Use of technetium-99m-labeled colloid albumin for preoperative and intraoperative localization of nonpalpable breast lesions. Journal of the American College of Surgeons. 2000;190(6):692-8.	5
547	Gent HJ, Lagemann A, Buchmann F, Gennerich B. The mammo diagnost UM with cytoguide: A new method for cytological diagnosis of occult breast lesions. MedicaMundi. 1988;33(3):139-42.	5
548	Gent HJ, Sprenger E. [Cytologic diagnosis of non-palpable breast changes by stereotactic fine-needle puncture]. Verhandlungen der Deutschen Gesellschaft für Pathologie. 1985;69:508-15.	6
549	Gentry CL, Henry CA. Stereotactic Percutaneous Breast Biopsy: A Comparative Analysis Between Surgeon and Radiologist. Breast Journal. 1999;5(2):101-4.	5
550	Georgian-Smith D, Lawton TJ. Calcifications of lobular carcinoma in situ of the breast: Radiologic-pathologic correlation. American Journal of Roentgenology. 2001;176(5):1255-9.	7
551	Georgiou G, Matiatou M, Papapanagiotou I, Kalles V, Al-Harethee W, Michalopoulos N, et al. Comparison of different vacuum assisted breast biopsy methods-a time-based analysis. European Journal of Cancer. 2012;1):S61.	3
552	Gerszten PC, Burton SA, Welch WC, Brufsky AM, Lembersky BC, Ozhasoglu C, et al. Single-fraction radiosurgery for the treatment of spinal breast metastases. Cancer. 2005;104(10):2244-54.	5

연번	서지정보	배제 사유
553	Gianfranco S, Claudio F, Emanuela C, Biagio P, Monica M, Laura S, et al. Performance and role of the breast lesion excision system (BLES) in small clusters of suspicious microcalcifications. European Journal of Radiology. 2016;85(1):143-9.	5
554	Giard RW. [Preoperative diagnostic stereotaxic biopsy is a good predictor of breast cancer in patients with mammographic findings indicating a possible malignancy]. Nederlands Tijdschrift voor Geneeskunde. 1998;142(20):1166-7.	6
555	Giess CS, Chikarmane SA, Sippo DA, Birdwell RL. Breast MR Imaging for Equivocal Mammographic Findings: Help or Hindrance? Radiographics : a review publication of the Radiological Society of North America, Inc. 2016;36(4):943-56.	2
556	Ginter PS, Babagbemi K, Weidner AS, D'Alfonso TM. Intramammary lymph node with gold deposits presenting as mammographic calcifications. Breast Journal. 2016;22(2):232-3.	2
557	Ginter PS, Ng J, Zhuo R, Swistel AJ, D'Alfonso TM. Exuberant Squamous Metaplasia with Calcification Following Intraoperative Radiotherapy for Breast Carcinoma: Report of an Unusual Case and Retrospective Review of Cases from a Single Institution. Breast Journal. 2017;23(3):267-74.	7
558	Giron GL, Boolbol SK, Gross J, Cohen JM, Feldman S. Postlactational microcalcifications. Breast Journal. 2004;10(3):247-52.	7
559	Gisvold JJ, Crotty TB, Johnson RE. Sarcoidosis presenting as spiculated breast masses. Mayo Clinic Proceedings. 2000;75(3):293-5.	7
560	Gittleman MA. Single-step ultrasound localization of breast lesions and lumpectomy procedure. American journal of surgery. 2003;186(4):386-90.	7
561	Gluskin J, Click M, Fleischman R, Dromain C, Morris EA, Jochelson MS. Contamination artifact that mimics in-situ carcinoma on contrast-enhanced digital mammography. European Journal of Radiology. 2017;95:147-54.	5
562	Gluskin J, D'Alessio D, Kim AC, Morris EA, Chiu A, Noy A. Primary lymphoma of the breast: A report of two cases. Clinical Imaging. 2020;68:295-9.	5
563	Gnauert K, Lohr A, Eitelbach F, Du Bois A, Muller H. Stereotactic methods as an alternative to conventional breast surgery for resecting mammographically suspicious lesions. [German]. Geburtshilfe und Frauenheilkunde. 2001;61(2):85-91.	6
564	Gobbi H, Balabram D, Araujo FB, Porto SS, Souza AS, Rodrigues JS, et al. Changes in patterns of breast specimens received in the breast pathology laboratory of federal university of Minas Gerais, Brazil, between two periods of different decades (1989-1993 and 2004- 2008). Histopathology. 2010;57 (SUPPL.1):33.	3
565	Gockley AA, Kolin DL, Awtrey CS, Lindeman NI, Matulonis UA, Konstantinopoulos PA. Durable response in a woman with recurrent low-grade endometrioid endometrial cancer and a germline BRCA2 mutation treated with a PARP inhibitor. Gynecologic Oncology. 2018;150(2):219-26.	5
566	Goerttler-Krauspe I, Tschammler A, Forster-Sperling P. Validity of mammographic-stereotactically localised high-speed core biopsy in the diagnosis of non-palpable lesions of the breast. [German]. Geburtshilfe und Frauenheilkunde. 1996;56(4):166-72.	6
567	Goerttler-Krauspe I, Tschammler A, Forster-Sperling P. [Value of high speed punch biopsy after mammographic stereotactic localization in diagnosis of non-palpable breast changes]. Geburtshilfe und Frauenheilkunde. 1996;56(4):166-72.	6
568	Golden N, Ting J, Easterling S. Lung stereotactic body radiotherapy in a community cancer center. American Journal of Clinical Oncology: Cancer Clinical Trials. 2012;35 (2):202-3.	3
569	Goldstraw EJ, Castellano I, Ashley S, Allen S. The effect of Premium View post-processing software on digital mammographic reporting. British Journal of Radiology. 2010;83(986):122-8.	7
570	Gomi N, Yoshimura R, Tokoi S, Yasumoto M, Shibuya H, Niwa K, et al. Breast fat necrosis successfully diagnosed by stereotactic core biopsy. [Japanese]. Japanese Journal of Clinical Radiology. 1996;41(8):935-8.	6
571	Goncalves AVB, Thuler LCS, Kestelman FP, Carmo PAO, Freitas Lima CF, Cipolotti R. Underestimation of malignancy of core needle biopsy for nonpalpable breast lesions. Revista Brasileira de Ginecologia e Obstetricia. 2011;33(7):123-31.	6
572	Gonzalez OE, Casas C, Bermudez YM. State of the art: pediatric brain stem gliomas. Revista Colombiana de Cancerologia. 2017;21(4):202-11.	2

연번	서지정보	배제 사유
573	Gordon PB, Branch E. Upgrade rate of flat epithelial atypia diagnosed at stereotactic core needle biopsy of microcalcifications: Is excisional biopsy indicated? Journal of Breast Imaging. 2020;2(4):336-42.	7
574	Gore M, Larkin J. Precision oncology: Where next? The Lancet Oncology. 2015;16(16):1593-5.	2
575	Gounaris A, Zagouri F, Sergeantanis TN, Provatooulou X, Kalogera E, Sagkriotis A, et al. Vacuum-assisted breast biopsy: Insight into stress-induced endocrine events. In Vivo. 2007;21(6):1081-4.	7
576	Gowharji L, Smetherman D, Roberts B. Body art confounding a case of breast cancer. Ochsner Journal. 2017;17(4):430-3.	5
577	Grabowski MM, Sankey E, Srinivasan E, Howell E, Scott A, Olufawo M, et al. Laser interstitial thermal therapy followed by srs increases time to progression of recurrent brain metastases initially treated with SRS. Journal of Neurosurgery. 2020;132 (4):111.	3
578	Graham RPD, Pritt BS, Glazebrook KN, Shah S. Sparganosis presenting as a mammographic abnormality. Breast Journal. 2014;20(1):92-4.	2
579	Gralow JR, Biermann JS, Farooki A, Fornier MN, Gagel RF, Kumar R, et al. NCCN task force report: Bone health in cancer care. JNCCN Journal of the National Comprehensive Cancer Network. 2013;11(SUPPL.3):S1-S50.	2
580	Grau C, Olsen DR, Overgaard J, Hoyer M, Lindegaard JC, Muren LP. Biology-guided adaptive radiation therapy presence or future? Acta Oncologica. 2010;49(7):884-7.	2
581	Gray RE, Benson GW, Lustig DD. Stereotactic breast biopsy: experience in a community setting. Journal of the Mississippi State Medical Association. 1999;40(1):3-7.	2
582	Green DH. Needle placement accuracy during stereotactic localization mammography. Clinical Radiology. 2009;64(10):1009-14.	5
583	Green RS, Mathew S. The contribution of cytologic imprints of stereotactically guided core needle biopsies of the breast in the management of patients with mammographic abnormalities. Breast Journal. 2001;7(4):214-8.	5
584	Greenberg ML, Camaris C, Psarianos T, Ung OA, Lee WB. Is there a role for fine-needle aspiration in radial scar/complex sclerosing lesions of the breast? Diagnostic Cytopathology. 1997;16(6):537-42.	5
585	Greene K, Lannigan A, Murphy D, Murray J, Fitzgerald K, MacBain K, et al. Can mammography be avoided in women aged 35-39yrs referred to the symptomatic breast service? Breast Cancer Research Conference. 2017;19(Supplement 1).	3
586	Greenwood HI, Kelil T, Lobach IV, Fong V, Price ER. Post-lumpectomy breast calcifications: Can original tumor features assist in determining need for biopsy? Clinical Imaging. 2021;75:16-21.	7
587	Gregory N, Rebner M. Very large core needle biopsies of the breast: a review. Breast Disease. 2001;13:59-66.	2
588	Grimes MM, Karageorge LS, Hogge JP. Does exhaustive search for microcalcifications improve diagnostic yield in stereotactic core needle breast biopsies? Modern Pathology. 2001;14(4):350-3.	5
589	Grimm LJ, Enslow M, Ghatge SV. Solitary, well-circumscribed, T2 hyperintense masses on MRI have very low malignancy rates. Journal of Breast Imaging. 2019;1(1):37-42.	5
590	Grimm LJ, Johnson DY, Johnson KS, Baker JA, Soo MS, Hwang ES, et al. Suspicious breast calcifications undergoing stereotactic biopsy in women ages 70 and over: Breast cancer incidence by BI-RADS descriptors. European Radiology. 2017;27(6):2275-81.	7
591	Grimm LJ, Miller MM, Thomas SM, Liu Y, Lo JY, Shelley Hwang E, et al. Growth dynamics of mammographic calcifications: Differentiating ductal carcinoma in situ from benign breast disease. Radiology. 2019;292(1):77-83.	7
592	Grimm LJ, Neely B, Hou R, Selvakumaran V, Baker JA, Yoon SC, et al. Mixed-Methods Study to Predict Upstaging of DCIS to Invasive Disease on Mammography. AJR American Journal of Roentgenology. 2021;216(4):903-11.	7
593	Grobmyer SR, Shaw C, Lightsey J, Vorhis E, Copeland EM, Marshall J. Increasing yield of MRI guided breast biopsy for breast cancer determination. Annals of Surgical Oncology. 2013;1):S60.	3
594	Groenewoud JH, Pijnappel RM, Van Den Akker-Van Marle ME, Birnie E, Buijs-Van Der Woude T, Mali WPTM, et al. Cost-effectiveness of stereotactic large-core needle biopsy for nonpalpable breast lesions compared to open-breast biopsy. British Journal of Cancer. 2004;90(2):383-92.	7

연번	서지정보	배제 사유
595	Groot Koerkamp M, Van den Bongard HJGD, Philippons MEP, Lagendijk JJW, Houweling AC. Intrafraction displacement of breast tumor (bed) and individual axillary lymph nodes on cine MRI. Radiotherapy and Oncology. 2019;133 (Supplement 1):S215.	3
596	Gruber R, Bernt R, Helbich TH. [Cost-effectiveness of percutaneous core needle breast biopsy (CNBB) versus open surgical biopsy (OSB) of nonpalpable breast lesions: metaanalysis and cost evaluation for German-speaking countries]. Rofo: Fortschritte auf dem Gebiete der Rontgenstrahlen und der Nuklearmedizin. 2008;180(2):134-42.	6
597	Gruber R, Jaromi S, Rudas M, Pfarl G, Riedl CC, Flory D, et al. Histologic work-up of non-palpable breast lesions classified as probably benign at initial mammography and/or ultrasound (BI-RADS category 3). European Journal of Radiology. 2013;82(3):398-403.	7
598	Gruber R, Walter E, Helbich TH. Impact of stereotactic 11-g vacuum-assisted breast biopsy on cost of diagnosis in Austria. European Journal of Radiology. 2011;77(1):131-6.	7
599	Grumbach Y, Baratte B. Screening and imaging guided biopsies of the breast. [French]. Journal de Radiologie. 2002;83(4):535-53.	6
600	Grumbach Y. US guided versus stereotactic punctures. [French]. Sein. 1994;4(2):152-4.	3
601	Grumbach Y. [Fine-needle cytology and core biopsy of nonpalpable breast lesions. When appropriate?]. Archives d Anatomie et de Cytologie Pathologiques. 1998;46(4):219-21.	2
602	Grumbach Y. Mammographic changes under hormone replacement therapy during the menopause and its alternatives. [French]. Sein. 2002;12(1-2):184-94.	6
603	Grunert JH, Borchert B, Kuske M, Farber A, Gmelin E. [The demonstration of microcalcification in breast core biopsies: DIMA specimen radiography (7x) compared to the histopathological findings]. Rofo: Fortschritte auf dem Gebiete der Rontgenstrahlen und der Nuklearmedizin. 1999;170(4):347-50.	6
604	Grunert JH, Borchert B, Kuske M, Farber A, Gmelin E. Detection of microcalcifications in core biopsies of the breast: Direct magnification (7 x) specimen radiography in comparison to histopathology. [German]. RoFo Fortschritte auf dem Gebiete der Rontgenstrahlen und der Neuen Bildgebenden Verfahren. 1999;170(4):347-50.	6
605	Guarda LA, Tran TA. The pathology of breast biopsy site marking devices. American Journal of Surgical Pathology. 2005;29(6):814-9.	7
606	Gubaidullin KM, Sigal EI, Khasanov RS, Nagumanov EV, Ismagilov AK. [Stereotaxic biopsy of non-palpable breast neoplasms with the ABBI system (USSC)]. Voprosy Onkologii. 2001;47(1):103-5.	6
607	Guenin M, Lee CH, Philpotts LE, Horvath LJ, Tocino I. The low false-negative rate for stereotactic breast biopsy [1] (multiple letters). Radiology. 2000;216(2):609-10.	3
608	Guenin MA, Rosenfield Darling ML, Smith DN, Lester SC. Less is not more in stereotactic biopsy [4] (multiple letters). American Journal of Roentgenology. 2001;177(1):250-1.	3
609	Guenin MA, Sanders LM, Kalisher L. Stereotactic needle localization [3] (multiple letters). American Journal of Roentgenology. 2001;176(1):254-5.	2
610	Guenin MA. Benign intraductal papilloma: Diagnosis and removal at stereotactic vacuum-assisted directional biopsy guided by galactography. Radiology. 2001;218(2):576-9.	7
611	Gueye SM, Gueye M, Coulbary SA, Diouf A, Moreau JC. [Issues involving breast cancer management in Senegal: a cross-sectional study]. The Pan African medical journal. 2016;25:3.	6
612	Guidolin K, Lock M, Yaremko B, Gelman N, Gaede S, Kornecki A, et al. A phase II trial to evaluate single-dose stereotactic body radiation therapy (SBRT) prior to surgery for early-stage breast carcinoma: SIGNAL (stereotactic image-guided neoadjuvant ablative radiation then lumpectomy) trial. Journal of Radiation Oncology. 2015;4(4):423-30.	7
613	Guidolin K, Yaremko B, Lynn K, Gaede S, Kornecki A, Muscedere G, et al. Stereotactic image-guided neoadjuvant ablative single-dose radiation, then lumpectomy, for early breast cancer: The SIGNAL prospective single-arm trial of single-dose radiation therapy. Current Oncology. 2019;26(3):1-7.	7
614	Guinebretiere JM. Problems faced by the anatomist-pathologist in stereotactic-guided aspiration biopsy. [French]. Sein. 2003;13(2):188-90.	3
615	Guler OC, Yildirim BA, Onal C. The Impact of Tumor Volume in Breast Cancer Liver Metastasis Patients Treated with Stereotactic Radiotherapy - Does Size Matter? International Journal of Radiation Oncology Biology Physics. 2020;108 (3 Supplement):e191-e2.	3

연번	서지정보	배제 사유
616	Gumus H, Gumus M, Devalia H, Mills P, Fish D, Jones P, et al. Causes of failure in removing calcium in microcalcification-only lesions using 11-gauge stereotactic vacuum-assisted breast biopsy. <i>Diagnostic and Interventional Radiology</i> . 2012;18(4):354-9.	7
617	Gumus H, Mills P, Fish D, Gumus M, Devalia H, Jones SE, et al. Breast microcalcification: Diagnostic value of calcified and non-calcified cores on specimen radiographs. <i>Breast Journal</i> . 2013;19(2):156-61.	7
618	Gunawardena D, Tresham J, Hardie M, Phillips M, Wylie E. Suspicious mammographic parenchymal abnormalities that are occult at ultrasonography. <i>Journal of Medical Imaging and Radiation Oncology</i> . 2014;58(6):668-73.	7
619	Guo J, Sun M, Li S. Clinical analysis of stereotactic or ultrasound-guided vacuum-assisted breast biopsy in the diagnosis of breast micro calcifications. <i>International Journal of Clinical and Experimental Medicine</i> . 2018;11(4):3893-8.	7
620	Guo XH, Liu H, Sun XF, He YN, Cui SD, Zhang HW. Value of an stereotactic vacuum-assisted biopsy for the diagnosis of breast microcalcifications. [Chinese]. <i>Tumor</i> . 2012;32(3):214-7.	6
621	Gupta S, Scanderbeg DJ, Kamrava M, Yashar CM. Unexpected toxicity in a patient treated with 3D conformal accelerated partial breast radiotherapy. <i>Brachytherapy</i> . 2009;8(2):207-9.	5
622	Gur D, Wallace LP, Klym AH, Hardesty LA, Abrams GS, Shah R, et al. Trends in recall, biopsy, and positive biopsy rates for screening mammography in an academic practice. <i>Radiology</i> . 2005;235(2):396-401.	7
623	Guth AA, Shanker BA, Roses DF, Axelrod D, Singh B, Toth H, et al. A decade of change: an institutional experience with breast surgery in 1995 and 2005. <i>Breast Cancer</i> . 2008;1:51-5.	7
624	Gutwein LG, Ang DN, Liu H, Marshall JK, Hochwald SN, Copeland EM, et al. Utilization of minimally invasive breast biopsy for the evaluation of suspicious breast lesions. <i>American Journal of Surgery</i> . 2011;202(2):127-32.	7
625	Ha R, Mutasa S, Sant EPV, Karcich J, Chin C, Liu MZ, et al. Accuracy of Distinguishing Atypical Ductal Hyperplasia From Ductal Carcinoma In Situ With Convolutional Neural Network-Based Machine Learning Approach Using Mammographic Image Data. <i>AJR</i> . 2019;American Journal of Roentgenology.:1-6.	7
626	Ha SM, Cha JH, Shin HJ, Chae EY, Choi WJ, Kim HH, et al. Radial scars/complex sclerosing lesions of the breast: radiologic and clinicopathologic correlation. <i>BMC Medical Imaging</i> . 2018;18(1):39.	7
627	Hackney L, Williams S, Hogg P, Szczepura K. Tissue bulge during stereotactic core biopsy. <i>Radiography</i> . 2013;19(4):366-8.	7
628	Hadjidekov G, Kirova G. Digital mammography - An alternative to the conventional mammography. [Bulgarian]. <i>Rentgenologiya i Radiologiya</i> . 2003;42(3):182-8.	2
629	Haehnel P, Kleitz C, Chaintreuil J, Renaud R. Stereotactic breast puncture: an indispensable complement to the detection of breast cancers within the framework of a screening program. Recent results in cancer research. 1990;Fortschritte der Krebsforschung. Progres dans les recherches sur le cancer. 119:105-8.	7
630	Hafez E, Lennox D, Forester N. P034. Review of our initial use of tomosynthesis-guided biopsy - How did it help? <i>European Journal of Surgical Oncology</i> . 2019;45 (5):895.	3
631	Hagay C, Cherel P, Becette V, Garbay JR. Stereotactic breast biopsy of non-palpable breast lesions. First results using a dedicated digitized table and 14 gauge needles. [French]. <i>References en Gynecologie Obstetrique</i> . 1999;6(3):219-27.	2
632	Hagay C, Cherel P, Becette V, Gargay JR. Stereotactic guided breast biopsy with digitized mammography. [French]. <i>Sein</i> . 1998;8(1):38-45.	2
633	Hagay C, Cherel P, De Maulmont C, Ouhioun O, Nodiot P, Plantet MM. Management of microcalcifications. [French]. <i>Sein</i> . 2001;11(1-2):76-99.	3
634	Hagay C, Cherel P, De Maulmont C, Plantet MM, Ouhioun O, Nodiot P, et al. Stereotactic aspiration biopsy of the breast: Practical aspects and means to avoid difficulties. [French]. <i>Sein</i> . 2003;13(2):179-87.	3
635	Hagedorn K, Kramer S, Mitze M, Breuel C, Schulz-Wendtland R, Bautz W, et al. [Interventional methods in breast diagnosis. Histological vs. cytological evaluation of core cut biopsies of the breast]. <i>Aktuelle Radiologie</i> . 1998;8(6):278-82.	6

연번	서지정보	배제 사유
636	Hagedorn K, Kramer S, Mitze M, Breuel C, Schulz-Wendtland R, Bautz W, et al. Interventional techniques in breast diagnostics – Histological versus cytological evaluation of core cut biopsies of the breast. [German]. Aktuelle Radiologie. 1998;8(6):278–82.	6
637	Haghighyeghi K, Najibi M, Wang H, Donegan L, Wang Y. Clinicopathologic update of calcium oxalate in breast: A 15-year retrospective review. Breast Journal. 2020;26(9):1736–41.	7
638	Hahn OM, Schilsky RL. Randomized controlled trials and comparative effectiveness research. Journal of Clinical Oncology. 2012;30(34):4194–201.	2
639	Haigh PI, Hansen NM, Qi K, Giuliano AE. Biopsy method and excision volume do not affect success rate of subsequent sentinel lymph node dissection in breast cancer. Annals of Surgical Oncology. 2000;7(1):21–7.	5
640	Haj M, Bickel A, Cohen I. Osseous metaplasia of breast neuroma: Diagnosis with stereotactic core biopsy. Breast Journal. 2004;10(4):366–7.	7
641	Haj M, Loberant N, Salamon V, Cohen I. Membranous fat necrosis of the breast: Diagnosis by minimally invasive technique. Breast Journal. 2004;10(6):504–8.	7
642	Halalharvi DR, Cripe MH. Does 8-gauge stereotactic core needle biopsy improve the accuracy over 11-gauge devices? Evaluation of pure DCIS on stereotactic biopsy and the rate of upstaging. Journal of Clinical Oncology Conference. 2014;32(26 SUPPL. 1).	3
643	Hall E, Findlay J. Accuracy of first line stereotactic vacuum assisted biopsies in the pre-operative diagnosis of DCIS at Wirral Breast unit. Can we justify the expense and learn from the upgraded cases? Breast Cancer Research Conference. 2017;19(Supplement 1).	3
644	Hall FM, Mehta TS, Magaram D. Sonographic confirmation of mammographic abnormality. American Journal of Roentgenology. 2011;197(3):764.	2
645	Hall FM. Transition to digital mammography. Radiology. 2012;262(1):374.	2
646	Haller U, Hepp H, Winter R. [Breast diagnosis: new acquisitions and developments]. Gynäkologisch-Geburtshilfliche Rundschau. 2002;42(4):183–4.	6
647	Hamilton P, Leaver A, Westgarth J, Redman A, Lowes S. Use of large bore vacuum assisted stereotactic core biopsy (VACB) in breast assessment pre and post installation of full field digital mammography (FFDM) in a UK breast unit. Breast Cancer Research Conference. 2017;19(Supplement 1).	3
648	Hammack JE. Spinal cord disease in patients with cancer. CONTINUUM Lifelong Learning in Neurology. 2012;18(2):312–27.	2
649	Han BK, Choe YH, Ko YH, Nam SJ, Kim JH, Yang JH. Stereotactic core-needle biopsy of non-mass calcifications: Outcome and accuracy at long-term follow-up. Korean Journal of Radiology. 2003;4(4):217–23.	5
650	Han JS, Molberg KH, Sarode V. Predictors of invasion and axillary lymph node metastasis in patients with a core biopsy diagnosis of ductal carcinoma in situ: An analysis of 255 cases. Breast Journal. 2011;17(3):223–9.	7
651	Hanley C, Kessaram R. Quality of diagnosis and surgical management of breast lesions in a community hospital: Room for improvement? Canadian Journal of Surgery. 2006;49(3):185–92.	5
652	Hannah D. Reducing the risk of LE after breast cancer surgery. Journal of Lymphoedema. 2011;6(1):66–8.	5
653	Hari S, Kumari S, Srivastava A, Thulkar S, Mathur S, Veedu PT. Image guided versus palpation guided core needle biopsy of palpable breast masses: a prospective study. Indian journal of medical research. 2016;143(MAY):597-604.	5
654	Harju E, Vuorela AL, Krees R, Punto L. Diagnosing mammary cancer among an unselected Finnish population. Proposal for practical improvements. In Vivo. 1991;5(4):419–20.	5
655	Harms SE, Harms SS. Breast MRI-Directed Intervention: Localization, Biopsy, and Treatment. Seminars in Breast Disease. 2008;11(2):88–99.	2
656	Harolds JA. Stereotactically guided needle biopsy of the breast for nonpalpable lesions. The Journal of the Oklahoma State Medical Association. 1993;86(12):604–12.	2
657	Harries R, Lawson S, Bruckers L. Assessment of microcalcifications with limited number of high-precision macrobiopsies. European Journal of Cancer Prevention. 2010;19(5):374–8.	5
658	Harris AT. Clip migration within 8 days of 11-gauge vacuum-assisted stereotactic breast biopsy: Case report. Radiology. 2003;228(2):552–4.	7

연번	서지정보	배제 사유
659	Harris D, Hutchison G. Breast calcification: Does size matter? A retrospective audit to identify the appropriateness of biopsy in small cluster breast microcalcification. <i>European Journal of Surgical Oncology</i> . 2015;41 (6):S35.	3
660	Harris J, Shetty G. Vacuum assisted breast biopsy: Are we improving non-operative diagnosis of breast disease? district general hospital experience. <i>European Journal of Surgical Oncology</i> . 2014;40 (5):654-5.	3
661	Harvey JA, Sizemore AW. Ultrasound-guided breast interventions. <i>Ultrasound Clinics</i> . 2012;7(3):309-23.	2
662	Harvey JM, Sterrett GF, Frost FA. Atypical ductal hyperplasia and atypia of uncertain significance in core biopsies from mammographically detected lesions: Correlation with excision diagnosis. <i>Pathology</i> . 2002;34(5):410-6.	5
663	Hatmaker AR, Donahue RMJ, Tarpley JL, Pearson AS. Cost-effective use of breast biopsy techniques in a veterans health care system. <i>American Journal of Surgery</i> . 2006;192(5 SPEC. ISS.):e37-e41.	7
664	Hauth EAM, Dimpfl C. Results of stereotactic percutaneous vacuum-assisted breast biopsy using the mammotome-system. [German]. <i>Tumor Diagnostik und Therapie</i> . 2004;25(3):119-25.	6
665	Hayes M, Bloomquist E, Wright H. SAVI SCOUT RADAR - A non-wire non-radioactive localization device can be used for axillary lymph node surgery. <i>Annals of Surgical Oncology</i> . 2017;24 (2 Supplement 1):132-3.	3
666	He H, Plaxco JS, Wei W, Huo L, Candelaria RP, Kuerer HM, et al. Incremental cancer detection using breast ultrasonography versus breast magnetic resonance imaging in the evaluation of newly diagnosed breast cancer patients. <i>British Journal of Radiology</i> . 2016;89 (1065) (no pagination)(20160401).	5
667	He Q, Fan X, Guan Y, Tian J, Fan Z, Zheng L. Percutaneous excisional biopsy of impalpable breast lesions under ultrasound visualization. <i>Breast</i> . 2008;17(6):666-70.	7
668	Head JF, Elliot RL. Comment on 'When can stereotactic core biopsy replace excisional biopsy?' [1]. <i>Breast Cancer Research and Treatment</i> . 1996;39(3):349.	2
669	Head JF, Elliott RL. Stereotactic radiofrequency ablation: A minimally invasive technique for nonpalpable breast cancer in postmenopausal patients. <i>Cancer Epidemiology</i> . 2009;33(3-4):300-5.	5
670	Healy NA, Daley FC, Sinnatamby R. Unprovoked venous thromboembolism in women over 40: is screening for occult malignancy with mammography and abdominopelvic CT of benefit? <i>Clinical Radiology</i> . 2020;75(10):757-62.	6
671	Helbich TH, Buchberger W, Rudas M, Austrian Breast Imaging Study G. [Stereotactically and sonographically guided vacuum-assisted breast biopsy: a national consensus for Austria]. <i>Rofo: Fortschritte auf dem Gebiete der Rontgenstrahlen und der Nuklearmedizin</i> . 2002;174(4):517-22.	6
672	Helbich TH, Dantendorfer K, Mostbeck GH, Schick S, Wunderbaldinger P, Amering M, et al. Randomized comparison of sitting and prone positions for stereotactic fine-needle aspiration breast biopsy. <i>British journal of surgery</i> . 1996;83(9):1252-5.	5
673	Helbich TH, Matzek W, Fuchsjager MH. Stereotactic and ultrasound-guided breast biopsy. <i>European Radiology</i> . 2004;14(3):383-93.	2
674	Helbich TH, Mayr W, Schick S, Youssefzadeh S, Rudas M, Taucher S, et al. Coaxial technique: Approach to breast core biopsies. <i>Radiology</i> . 1997;203(3):684-90.	5
675	Helbich TH, Mostbeck GH, Zontisch T, Heinz-Peer G, Cervenka P, Wohlschlager H, et al. Experience of a referral radiology department with preoperative breast localisation procedures. [German]. <i>RoFo Fortschritte auf dem Gebiete der Rontgenstrahlen und der Neuen Bildgebenden Verfahren</i> . 1995;162(6):492-6.	6
676	Helbich TH, Rudas M, Böhm G, Huber S, Wagner T, Taucher S, et al. Randomized in vitro and in vivo evaluation of different biopsy needles and devices for breast biopsy. <i>Clinical radiology</i> . 1999;54(1):56-62.	7
677	Helbich TH, Rudas M, Haitel A, Kohlberger PD, Thurnher M, Gnant M, et al. Evaluation of needle size for breast biopsy: comparison of 14-, 16-, and 18-gauge biopsy needles. <i>AJR American journal of roentgenology</i> . 1998;171(1):59-63.	5
678	Heller S, Moy L, Elias K, Melsaether A, Shaylor S, Toth H, et al. Retrospective review of papillary lesions detected on breast MRI. <i>American Journal of Roentgenology Conference</i> . 2012;198(5 SUPPL. 1).	3

연번	서지정보	배제 사유
679	Hellingman D, Teixeira SC, Donswijk ML, Rijkhorst EJ, Moliner L, Alamo J, et al. A novel semi-robotized device for high-precision ¹⁸ F-FDG-guided breast cancer biopsy. Revista Espanola de Medicina Nuclear e Imagen Molecular. 2017;36(3):158-65.	7
680	Hemmer JM, Kelder JC, van Heesewijk HPM. Stereotactic large-core needle breast biopsy: Analysis of pain and discomfort related to the biopsy procedure. European Radiology. 2008;18(2):351-4.	5
681	Hemmer PHJ, Klaase JM, Mastboom WJB, Gerritsen JJGM, Mulder HJ, Volker EDP. The continued utility of needle localised biopsy for non-palpable breast lesions. European Journal of Surgical Oncology. 2004;30(1):10-4.	5
682	Herle P, Boyages S, Hui R, Nahar N, Ngui NK. Occult metastatic thyroid cancer diagnosed during breast cancer axillary sentinel node biopsy. Endocrinology, Diabetes & Metabolism Case Reports. 2020;20:20.	7
683	Hermann G, Nagi C, Mester J, Tierstein A. Unusual presentation of sarcoidosis of the breast. British Journal of Radiology. 2008;81(969):e231-e3.	7
684	Herr D, Bekes I, Kreienberg R. Diagnostic and resection of breast cancer – State of the art. [German]. Klinikarzt. 2012;41(3):127-9.	6
685	Heywang-Kobrunner S, Nahrig J, Hacker A, Hofler H. Evaluation of B3-lesions diagnosed at percutaneous biopsy and surgical results after excision. European Journal of Cancer, Supplement. 2010;8 (3):175.	3
686	Heywang-Kobrunner SH, Nahrig J, Hacker A. [Mammography screening. Concept, quality assurance and interdisciplinary cooperation]. Pathologie. 2008;29 Suppl 2:163-7.	6
687	Heywang-Kobrunner SH, Schaumlöffel U, Gotz L, Buchmann J, Lampe D, Methfessel G, et al. Vacuum punch biopsy under digital stereotactic control – A new method for percutaneous diagnostic mammographic biopsies – Early experience. [German]. RoFo Fortschritte auf dem Gebiete der Rontgenstrahlen und der Neuen Bildgebenden Verfahren. 1997;167(3):280-8.	6
688	Heywang-Kobrunner SH, Schreer I, Decker T, Bocker W. Interdisciplinary consensus on the use and technique of vacuum-assisted stereotactic breast biopsy. European Journal of Radiology. 2003;47(3):232-6.	2
689	Hirano T, Sakurai K, Fujisaki S, Adachi K, Suzuki S, Masuo Y, et al. [Difficult Decision about a Surgical Margin for a Non-Invasive Apocrine Carcinoma in the Breast – Report of a Case]. Gan to Kagaku Ryoho [Japanese Journal of Cancer & Chemotherapy]. 2016;43(12):2013-5.	6
690	Hirokawa Y, Yasui W, Komaki-Cox RU, Cox JD, Itou K, Tahara E. Radiation therapy for cancer: The fifteenth anniversary of Hiroshima cancer seminar foundation, The Seventeenth International Symposium of Hiroshima Cancer Seminar, November 2007. Cancer Science. 2008;99(6):1287-91.	2
691	Hirschl R, Miller B, Ammirati M. Transoral stereotactic technique for clival biopsy. Skull Base. 2009;19(4):287-9.	5
692	Hirst C, Davis N. Core biopsy for microcalcifications in the breast. Australian and New Zealand Journal of Surgery. 1997;67(6):320-4.	5
693	Hirvela ER, Organ Jr CH. General surgery. Journal of the American Medical Association. 1994;271(21):1674-5.	2
694	Hisada T, Sawaki M, Ishiguro J, Adachi Y, Kotani H, Yoshimura A, et al. Impact of intraoperative specimen mammography on margins in breast-conserving surgery. Molecular & Clinical Oncology. 2016;5(3):269-72.	5
695	Hodorowicz-Zaniewska D, Brzuszkiewicz K, Szpor J, Kibil W, Matyja A, Dylag-Trojanowska K, et al. Clinical predictors of malignancy in patients diagnosed with atypical ductal hyperplasia on vacuum-assisted core needle biopsy. Wideochirurgia i Inne Techniki Maloinwazyjne. 2018;13(2):184-91.	7
696	Hodorowicz-Zaniewska D, Siarkiewicz B, Brzuszkiewicz K, Szpor J. Underestimation of breast cancer in intraductal papillomas treated with vacuum-assisted core needle biopsy. Ginekologia Polska. 2019;90(3):122-7.	7
697	Hollingsworth AB, Stough RG. Is there a role for MRI in the preoperative assessment of patients with DCIS? Allen LR, Lago-Toro CE, Hughes JH, et al (Drexel Univ College of Medicine, Philadelphia, PA; The Bryn Mawr Hosp, PA; et al) Ann Surg Oncol 17:2395-2400, 2010. Breast Diseases. 2011;22(2):146-9.	2

연번	서지정보	배제 사유
698	Hong CS, Kuzmik GA, Kundishora AJ, Elsamadicy AA, Koo AB, McGuone D, et al. Hypermutated phenotype in gliosarcoma of the spinal cord. npj Precision Oncology. 2021;5 (1) (no pagination)(8).	5
699	Hoorntje LE, Peeters PH, Mali WP, Borel Rinkes IH. [Stereotactic large core needle biopsy for the diagnosis of nonpalpable breast lesions: reliable without additional excision biopsy]. Nederlands Tijdschrift voor Geneeskunde. 2003;147(18):868-73.	6
700	Hoorntje LE, Peeters PHM, Mali WPTM, Borel Rinkes IHM. Stereotactic large core needle biopsy in the diagnostic work-up of non-palpable breast lesions: Reliable without additional excision biopsy. [Dutch]. Nederlands Tijdschrift voor Geneeskunde. 2003;147(18):868-73.	6
701	Hoorntje LE, Peeters PHM, Mali WPTM, Borel Rinkes IHM. Is stereotactic large-core needle biopsy beneficial prior to surgical treatment in BI-RADS 5 lesions? Breast Cancer Research and Treatment. 2004;86(2):165-70.	5
702	Hoorntje LE, Peeters PHM, Rinkes IHMB, Verkooijen HM, Pijnappel RM, Mali WPTM. Stereotactic large core needle biopsy for all nonpalpable breast lesions? Breast Cancer Research and Treatment. 2002;73(2):177-82.	5
703	Hoorntje LE, Schipper MEI, Kaya A, Verkooijen HM, Klinkenbijl JG, Borel Rinkes IHM. Tumour cell displacement after 14G breast biopsy. European Journal of Surgical Oncology. 2004;30(5):520-5.	7
704	Hoorntje LE, Schipper MEI, Peeters PHM, Bellot F, Storm RK, Borel Rinkes IHM. The finding of invasive cancer after a preoperative diagnosis of ductal carcinoma-in-situ: Causes of ductal carcinoma-in-situ underestimates with stereotactic 14-gauge needle biopsy. Annals of Surgical Oncology. 2003;10(7):748-53.	5
705	Horii R, Honma N, Ogiya A, Kozuka Y, Yoshida K, Yoshida M, et al. The Japanese Breast Cancer Society clinical practice guidelines for pathological diagnosis of breast cancer, 2015 edition. Breast Cancer. 2016;23(3):391-9.	2
706	Horton JK, Blitzblau RC, Yoo S, Georgiade GS, Geradts J, Baker JA, et al. Preoperative single-fraction partial breast radiation therapy: A novel phase 1 dose-escalation protocol and exploration of breast cancer radiation response. International Journal of Radiation Oncology Biology Physics. 2013;1:S229.	5
707	Horvat JV, Keating DM, Rodrigues-Duarte H, Morris EA, Mango VL. Calcifications at Digital Breast Tomosynthesis: Imaging Features and Biopsy Techniques. Radiographics. 2019;39(2):307-18.	2
708	Hou R, Mazurowski MA, Grimm LJ, Marks JR, King LM, Maley CC, et al. Prediction of upstaged ductal carcinoma in situ using forced labeling and domain adaptation. IEEE Transactions on Biomedical Engineering. 2020;67(6):1565-72.	7
709	Hou Y, Chaudhary S, Gao FF, Li Z. Surgical follow-up results for apocrine adenosis and atypical apocrine adenosis diagnosed on breast core biopsy. Annals of Diagnostic Pathology. 2016;24:4-6.	7
710	Hou Y, Hooda S, Li Z. Surgical excision outcome after radial scar without atypical proliferative lesion on breast core needle biopsy: A single institutional analysis. Annals of Diagnostic Pathology. 2016;21:35-8.	7
711	Houserova D, Prasad SN, Svach I, Kucerova L, Duskova M, Bucil J, et al. The value of dynamic contrast enhanced breast MRI in mammographically detected BI-RADS 5 microcalcifications. Biomedical papers of the Medical Faculty of the University Palacky, Olomouc, Czechoslovakia. 2008;152(1):107-15.	7
712	Houserova D, Vomacka J, Hartlova M, Duskova M, Hajaj M, Cerna M, et al. Mammary gland biopsy. Ceska Radiologie. 2001;55(3):214-8.	7
713	Howisey RL, Acheson MB, Rowbotham RK, Morgan A. A comparison of Medicare reimbursement and results for various imaging-guided breast biopsy techniques. American Journal of Surgery. 1997;173(5):395-8.	7
714	Hribar CA, Bhowmick DA. Use of C2 vertebroplasty and stereotactic radiosurgery for treatment of lytic metastasis of the odontoid process. Journal of Craniovertebral Junction and Spine. 2017;8(3):285-7.	5
715	Hsu W, Sheen-Chen SM, Eng HL, Ko SF. Mammographic microcalcification in an autogenously reconstructed breast simulating recurrent carcinoma. Tumori. 2008;94(4):574-6.	5
716	Huang ML, Adrada BE, Candelaria R, Thames D, Dawson D, Yang WT. Stereotactic breast biopsy: Pitfalls and pearls. Techniques in Vascular and Interventional Radiology. 2014;17(1):32-9.	2

연번	서지정보	배제 사유
717	Huang Q, Ge LY, Xu SL, Lin BY, Liu XJ. Application of stereotactic core needle biopsy in diagnosis of breast disease. [Chinese]. Chinese Journal of Radiology. 2007;41(11):1237-40.	6
718	Huber PE, Jenne JW, Rastert R, Simiantonakis I, Sinn HP, Strittmatter HJ, et al. A new noninvasive approach in breast cancer therapy using magnetic resonance imaging-guided focused ultrasound surgery. Cancer Research. 2001;61(23):8441-7.	5
719	Huber S, Wagner M, Medl M, Czemberek H. Benign breast lesions: minimally invasive vacuum-assisted biopsy with 11-gauge needles patient acceptance and effect on follow-up imaging findings. Radiology. 2003;226(3):783-90.	7
720	Hugg JW, Keen R, Beylin D, Anashkin E, Millsap E, Moore R. Biopsy guided by Molecular Breast Imaging (MBI). Molecular Imaging and Biology. 2013;1:S1262-S3.	3
721	Hui JYH, Chan LK, Chan RLM, Lau AWL, Lo J, Chan JCS, et al. Prone table stereotactic breast biopsy. Hong Kong Medical Journal. 2002;8(6):447-51.	7
722	Humphreys S. Appropriate use and evaluation of the needle core biopsy in breast disease. CPD Bulletin Cellular Pathology. 2000;2(2):67-71.	2
723	Huppe AI, Brem RF. Minimally invasive breast procedures: Practical tips and tricks. American Journal of Roentgenology. 2020;214(2):306-15.	2
724	Huppert N, Jozsef G, Dewyngaert K, Formenti SC. The role of a prone setup in breast radiation therapy. Frontiers in Oncology. 2011;1:31.	2
725	Hurley JE, 2nd. Cost effectiveness and accuracy of stereotactic breast biopsy. American Journal of Surgery. 1997;173(5):454.	2
726	Husien AM. Stereotactic localization mammography: interpreting the check film. Clinical Radiology. 1992;45(6):387-9.	7
727	Huynh MA, Roldan C, Nunes P, Kelly A, Taylor A, Richards C, et al. Characteristics of Patients and Treatment Recommendations from a Multidisciplinary Spinal Tumor Program. Palliative Medicine Reports. 2020;1(1):143-8.	4
728	Huynh PT, De Paredes ES. Stereotactic large-gauge core biopsy of the breast: A review. Radiologist. 1996;3(6):279-87.	2
729	Huynh PT. Ultrasonography and ultrasound-guided biopsy of breast calcifications. Ultrasound Clinics. 2011;6(3):335-43.	5
730	Hwang E, Szabo J, Sonnenblick EB, Margolies LR. Variable Appearances of Ductal Carcinoma In Situ Calcifications on Digital Mammography, Synthesized Mammography, and Tomosynthesis: A Pictorial Essay. Canadian Association of Radiologists Journal. 2018;69(1):2-9.	2
731	Hyser MJ, Vanuno D, Mallesh A, Dill K, Calandra J, Cronin T, et al. Changing patterns of care for occult breast lesions in a community teaching hospital. American Surgeon. 2000;66(5):438-43.	7
732	Ido M, Ando T, Ito Y, Kousaka J, Mouri Y, Fujii K, et al. The clinical performance of digital breast tomosynthesis-guided vacuum-assisted breast biopsy: a single-institution experience in Japan. European Journal of Surgical Oncology. 2019;45 (2):e102.	3
733	Iles SE, MacGregor JH, Bodurtha AJ, Bernardo AI, Daniels C. Stereotactic fine-needle aspiration cytology of nonpalpable breast lesions: initial experience in a tertiary-care institution. Canadian Association of Radiologists Journal. 1994;45(1):28-34.	5
734	Imana FJ, Diaz O, Irizabal JC, Urcaregui G, Alberro JA, Pina L. ABBI biopsy on non-palpable distortion-type lesions smaller than 2 cm. [Spanish]. Radiologia. 2002;44(7):289-93.	6
735	Ingram CE, Wyld L. Imaging techniques in screening for breast cancer. Surgery. 2007;25(6):257-60.	2
736	Intra M, Rotmensz N, Veronesi P, Colleoni M, Iodice S, Paganelli G, et al. Sentinel node biopsy is not a standard procedure in ductal carcinoma in situ of the breast: The experience of the European institute of oncology on 854 patients in 10 years. Annals of Surgery. 2008;247(2):315-9.	5
737	Inui H, Watatani M, Hashimoto Y, Hojo T, Hirai K, Yamato M, et al. Hematoma-directed and ultrasound-guided breast-conserving surgery for nonpalpable breast cancer after Mammotome biopsy. Surgery Today. 2008;38(3):279-82.	7
738	Irwin MR, Downey DB, Gardi L, Fenster A. Registered 3-D ultrasound and digital stereotactic mammography for breast biopsy guidance. IEEE Transactions on Medical Imaging. 2008;27(3):391-401.	7

연번	서지정보	배제 사유
739	Ishibashi N, Hata M, Mochizuki T, Ogawa K, Sugiura H, Takekawa Y, et al. Radiation therapy for primary breast lymphoma in male gynecomastia: a rare case report and review of the literature. International Journal of Hematology. 2016;104(4):519-24.	5
740	Isohashi F, Konishi K, Umegaki N, Tanei T, Koizumi M, Yoshioka Y. A case of bullous pemphigoid exacerbated by irradiation after breast conservative radiotherapy. Japanese Journal of Clinical Oncology. 2011;41(6):811-3.	5
741	Israel PZ, Fine RE. Stereotactic needle biopsy for occult breast lesions: a minimally invasive alternative. American Surgeon. 1995;61(1):87-91.	5
742	Itakura KS, Brown LM, Lessing J, Sakata T, Wisner D, Alvarado MD, et al. The impact of preoperative magnetic resonance imaging on surgical planning for women with ductal carcinoma in situ. Cancer Research Conference: 31st Annual San Antonio Breast Cancer Symposium San Antonio, TX United States Sponsor: UT Health Science Center San Antonio School of Medicine, American Association for Cancer Research, Baylor College of Medicine Conference Publication: 2009;69(2 Suppl. S).	3
743	Itani M, Griffin AT, Whitman GJ. Mammography of breast calcifications. Imaging in Medicine. 2013;5(1):63-74.	2
744	Ito Y, Doi H, Tsuji H, Ishida-Yamamoto A, Iizuka H. Malignant melanoma of the breast: N-isopropyl-p-(¹²³ I)-iodoamphetamine single photon emission computed tomography (¹²³ I-IMP SPECT) is useful for the detection of metastasis. Journal of Dermatology. 2010;37(9):855-7.	2
745	Iwase T, Iwata H, Murai H, Miura S, Sasaki K. Stereotactic breast biopsy. [Japanese]. Nippon rinsho. 2000;Japanese journal of clinical medicine. 58 Suppl:101-5.	2
746	Iwase T, Iwata H, Murai H, Miura S, Sasaki K. [Stereotactic breast biopsy]. Nippon Rinsho - Japanese Journal of Clinical Medicine. 2000;58 Suppl:101-5.	2
747	Iwase T, Takahashi K, Gomi N, Horii R, Akiyama F. Present state of and problems with core needle biopsy for non-palpable breast lesions. Breast cancer (Tokyo, Japan). 2006;13(1):32-7.	2
748	Iwaszkiewicz K. [Evaluation of the usefulness of stereotactic aspiration fine needle biopsy for breast neoplasm diagnosis in the preclinical stages]. Polski Merkuriusz Lekarski. 1998;4(21):140-2.	6
749	Ja SB, Byung JS, Dong CK, Young JS, Woo CP, Jeong SK, et al. Predictive factors of residual invasive breast cancer after core biopsy for ductal carcinoma in situ. [Korean]. Journal of Breast Cancer. 2008;11(1):36-9.	7
750	Jaberi M, Willey SC, Brem RF. Stereotactic vacuum-assisted breast biopsy: An unusual cause of Mondor's disease. American Journal of Roentgenology. 2002;179(1):185-6.	7
751	Jackman RJ, Kettritz U. Stereotactic vacuum-assisted breast biopsy in 2874 patients: A multicenter study [1] (multiple letters). Cancer. 2004;101(2):430-1.	2
752	Jackman RJ, Lamm RL. Stereotactic histologic biopsy in breasts with implants. Radiology. 2002;222(1):157-64.	4
753	Jackman RJ, Marzoni Jr FA, Nowels KW. Percutaneous removal of benign mammographic lesions: Comparison of automated large-core and directional vacuum-assisted stereotactic biopsy techniques. American Journal of Roentgenology. 1998;171(5):1325-30.	7
754	Jackman RJ, Marzoni Jr FA. Stereotactic histologic biopsy with patients prone: Technical feasibility in 98% of mammographically detected lesions. American Journal of Roentgenology. 2003;180(3):785-94.	5
755	Jackman RJ, Nowels KW, Rodriguez-Soto J, Marzoni Jr FA, Finkelstein SI, Shepard MJ. Stereotactic, automated, large-core needle biopsy of nonpalpable breast lesions: False-negative and histologic underestimation rates after long-term follow-up. Radiology. 1999;210(3):799-805.	5
756	Jackman RJ, Rodriguez-Soto J. Breast microcalcifications: retrieval failure at prone stereotactic core and vacuum breast biopsy--frequency, causes, and outcome. Radiology. 2006;239(1):61-70.	7
757	Jackman RJ. Stereotactic vacuum-assisted breast biopsy in 2874 patients: a multicenter study. Cancer. 2004;101(2):430; author reply -1.	2
758	Jackson VP, Bassett LW. Stereotactic fine-needle aspiration biopsy for nonpalpable breast lesions: Commentary. American Journal of Roentgenology. 1990;154(6):1196-7.	2
759	Jackson VP. The status of mammographically guided fine needle aspiration biopsy of nonpalpable breast lesions. Radiologic Clinics of North America. 1992;30(1):155-66.	2

연번	서지정보	배제 사유
760	Jacobs TW, Connolly JL, Schnitt SJ. Nonmalignant lesions in breast core needle biopsies: To excise or not to excise? American Journal of Surgical Pathology. 2002;26(9):1095-110.	2
761	Jacobson DR. A phantom for stereotactic needle biopsy. Radiation Protection Dosimetry. 1993;49(1-3):197-8.	3
762	Jacques J. Cause of low-density area seen on radiographs made during stereotactic breast biopsy. Ajr. 1995;American journal of roentgenology. 164(6):1553-4.	2
763	Jaeger HJ, Kruegener GH, MacFie J, Graves I. Stereotactic breast biopsy with a biopsy gun [6]. Radiology. 1991;179(2):586.	2
764	Jaffer S, Bleiweiss IJ, Nagi CS. Benign mucocoele-like lesions of the breast: Revisited. Modern Pathology. 2011;24(5):683-7.	7
765	Jaffer S, Frost S, Nayak A, Nagi C, Bleiweiss IJ. Atypical apocrine adenosis of the breast on core biopsy. Laboratory Investigation. 2013;1):47A.	3
766	Jaffer S, Nagi C, Bleiweiss IJ. Benign mucocoele like lesions of the breast: Revisited. Laboratory Investigation. 2009;1):48A.	3
767	Jaffer S, Reindl BA, Bleiweiss IJ, Nayak A. Intraductal papillomas of the breast on core biopsy, re-visiting 10 years experience with more than 500 cases. Laboratory Investigation. 2016;1):47A.	3
768	Jaffer S, Scordi-Bello I, Nagi C, Bleiweiss IJ. Should incidental microscopic radiologically occult atypical duct hyperplasia of the breast be excised? Laboratory Investigation. 2011;1):44A-5A.	3
769	Jager HJ, Schatz TH, Mehring UM, Kubasch M, Hennigs S, Gissler HM, et al. [Results of stereotactic breast biopsy in mammographically suspicious lesions]. Rofo: Fortschritte auf dem Gebiete der Rontgenstrahlen und der Nuklearmedizin. 2000;172(4):346-53.	6
770	Jahagirdar V, Wan D, Ghosh G. A case of gastric outlet obstruction due to metastatic breast cancer. American Journal of Gastroenterology. 2020;115 (SUPPL):S1577.	3
771	Jain A, Khalid M, Qureshi MM, Georgian-Smith D, Kaplan JA, Buch K, et al. Stereotactic core needle breast biopsy marker migration: An analysis of factors contributing to immediate marker migration. European Radiology. 2017;27(11):4797-803.	7
772	Jain M, Noseworthy MD. Current status of radiological multimodality imaging. Critical Reviews in Biomedical Engineering. 2017;44(3):167-76.	2
773	Jajodia A, Sindhvani G, Pasricha S, Prosch H, Puri S, Dewan A, et al. Application of the Kaiser score to increase diagnostic accuracy in equivocal lesions on diagnostic mammograms referred for MR mammography. European Journal of Radiology. 2021;134 (no pagination)(109413).	5
774	Jalaguier-Coudray A, Cohen M, Thomassin-Piana J, Houvenaeghel G, Villard-Mahjoub R, Tallet A, et al. Calcifications and tungsten deposits after breast-conserving surgery and intraoperative radiotherapy for breast cancer. European Journal of Radiology. 2015;84(12):2521-5.	7
775	James JJ, Wilson ARM, Evans AJ, Burrell H, Cornford EJ, Hamilton LJ. The use of a short-acting benzodiazepine to reduce the risk of syncopal episodes during upright stereotactic breast biopsy. Clinical Radiology. 2005;60(3):394-6.	7
776	Jana T, Bhutani M. Malignant melanoma: A rare but important consideration in pancreatic metastases. American Journal of Gastroenterology. 2014;2):S304.	3
777	Jancalék R, Novák Z, Chrástina J, Burkon P, Slaná B, Feitová V. [Opportunistic infections in patients after complex therapy of cancer]. Klinická Onkologie. 2011;24(1):46-9.	6
778	Janes RH, Bouton MS, Nelson EW. Initial 300 consecutive stereotactic core-needle breast biopsies by a surgical group. American Journal of Surgery. 1994;168(6):533-7.	3
779	Janssens J, Harries R, Lawson S. High-precision tissue acquisition in the evaluation of breast microcalcifications. Journal of Clinical Oncology Conference. 2010;28(15 SUPPL. 1).	3
780	Janvari M, Forrai G, Riedl E. Prone, stereotactic, vacuum-assisted breast biopsy. European Journal of Cancer. 2020;138(Supplement 1):S86.	2
781	Jatoi I. Breast cancer screening: Past, present and future. Future Oncology. 2015;11(19):2621-4.	2
782	Jedrys J, Nowak W. Atypical ductal hyperplasia of the breast - A diagnostic and therapeutic problem. Nowotwory. 2006;56(6):641-3.	7
783	Jeffries DO, Neal CH, Noroozian M, Joe AI, Pinsky RW, Goodsitt MM, et al. Surgical biopsy is still necessary for BI-RADS 4 calcifications found on digital mammography that are technically too faint for stereotactic core biopsy. Breast Cancer Research and Treatment. 2015;154(3):557-61.	5

연번	서지정보	배제 사유
784	Jeh SK, Kim SH, Choi JJ, Jung SS, Choe BJ, Park S, et al. Comparison of automated breast ultrasonography to handheld ultrasonography in detecting and diagnosing breast lesions. <i>Acta Radiologica</i> . 2016;57(2):162-9.	5
785	Jeong JP, Ahn JY, Lee CS, Park G, Shin H. Ultrasound guided vacuum assisted biopsy of suspicious microcalcifications of the breast. <i>European Journal of Cancer, Supplement</i> . 2010;8(3):237.	3
786	Jeyaraj P, Sio TT, Iott MJ. An unusual case of isolated, Serial metastases of gallbladder carcinoma involving the chest wall, axilla, breast and lung parenchyma. <i>Rare Tumors</i> . 2013;5(1):27-30.	5
787	Jha KK, Gupta SK. An atypical presentation of infiltrating ductal carcinoma. <i>Journal of Family Medicine & Primary Care</i> . 2016;5(4):868-70.	7
788	Jiang H, Fu J, Zhang F, Du M, Teng Y, Zhao H, et al. Value of steel wire implantation with prone table stereotactic digital mammography in the detection of microcalcification of the breast. [Chinese]. <i>Chinese Journal of Clinical Oncology</i> . 2010;37(1):1-4.	6
789	Jiang Y, Lou J, Wang S, Zhao Y, Wang C, Wang D. Evaluation of the role of dynamic contrast-enhanced MR imaging for patients with BI-RADS 3-4 microcalcifications. <i>PLoS ONE</i> . 2014;9 (6) (no pagination)(e99669).	7
790	Jin CJ, Mei X, Falkson CB. A case of synchronous breast and bilateral lung cancers: literature review and considerations for radiation treatment planning. <i>BJR Case Reports</i> . 2017;3(1):20150464.	5
791	Joensuu H. Novel cancer therapies: More efficacy, less toxicity and improved organ preservation. <i>Annals of Medicine</i> . 2000;32(1):31-3.	2
792	Johnson AT, Henry-Tillman RS, Smith LF, Harshfield D, Korourian S, Brown H, et al. Percutaneous excisional breast biopsy. <i>American Journal of Surgery</i> . 2002;184(6):550-4; discussion 4.	7
793	Johnson JM, Johnson AK, O'Meara ES, Miglioretti DL, Geller BM, Hotaling EN, et al. Breast cancer detection with short-interval follow-up compared with return to annual screening in patients with benign stereotactic or US-guided breast biopsy results. <i>Radiology</i> . 2015;275(1):54-60.	7
794	Jois R, Carini S, Kalia A, Harris O, Thind R, Desmond S, et al. ROLL failure rates for occult breast lesions: What lessons learnt-internal audit. <i>European Journal of Surgical Oncology</i> . 2013;39 (5):481.	3
795	Jonna AR, Sam KQ, Huynh PT. Stereotactic breast biopsies: An update in the era of digital tomosynthesis. <i>Applied Radiology</i> . 2018;47(9):17-20.	2
796	Jouveshomme S, Fay AF, Baffert S, Fery-Lemonnier E. Contribution of stereotactic guided breast biopsy to the diagnosis of infraclinical lesions. [French]. <i>Presse Medicale</i> . 2000;29(33):1833-41.	2
797	Jouveshomme S, Fay AF, Baffert S, Fery-Lemonnier E. [Value of stereotactic biopsy in diagnosis of subclinical breast lesions]. <i>Presse Medicale</i> . 2000;29(33):1833-41.	2
798	Jung YJ, Bae YT, Lee JY, Seo HI, Kim JY, Choo KS. Lateral decubitus positioning stereotactic vacuum-assisted breast biopsy with true lateral mammography. <i>Journal of Breast Cancer</i> . 2011;14(1):64-8.	7
799	Jungmeechoke K, Chindamporn N, Saengruang-Orn S. False negative and histologic underestimation rates of stereotactic 14-gauge automated core needle breast biopsy in phramongkutklao hospital. <i>Journal of the Medical Association of Thailand</i> . 2019;102(12):1302-8.	5
800	Kalbhen CL, Cooper RA, Candel AG. Mammographic and stereotactic core biopsy findings in fibromatosis of the breast: Case report. <i>Canadian Association of Radiologists Journal</i> . 1998;49(4):229-31.	7
801	Kalbhen CL, Kezdi-Rogus PC. Changes in breast compressibility with age: Implications for stereotactic biopsy. <i>Canadian Association of Radiologists Journal</i> . 1999;50(2):93-7.	7
802	Kalife E, Lourenco A, Resnick M, Mainiero M, Wang Y. Clinical and Radiologic Follow-Up Study for Biopsy Diagnosis of Radial Scar/Radial Sclerosing Lesion without Other Atypia. <i>Laboratory Investigation</i> . 2014;1):57A.	3
803	Kalles V, Boutsikos G, Fradelos E, Papapanagiotou I, Tsouknidas I, Voulgaris E, et al. Audit-based improvements in the management of patients with diseases of the breast in a newly founded breast clinic. <i>European Journal of Surgical Oncology</i> . 2016;42 (9):S191.	3

연번	서지정보	배제 사유
804	Kalles V, Papapanagiotou I, Matiatou M, Georgiou G, Theodoropoulos C, Triantafyllou T, et al. Evaluation of plasma and tissue expression levels of Endothelins (ET-1, Big ET-1) and VEGF in lobular neoplasia of the breast. <i>Journal of BUOn</i> . 2019;24(5):1913-9.	7
805	Kalles V, Papapanagiotou IK, Al-Harethee W, Matiatou M, Georgiou G, Koulocheri D, et al. Pain in stereotactic vacuum assisted breast biopsy with the use of radiofrequency. <i>Breast</i> . 2011;1):S35.	3
806	Kamat MR, Finder C, Burkhart R, Fischer R, McCrohan J. Stereotactic breast biopsy units in the United States. <i>Administrative radiology journal : AR</i> . 1998;18(12-11):20-3.	7
807	Kaplan JA, Grinstaff MW, Bloch BN. Polymer film-nanoparticle composites as new multimodality, non-migrating breast biopsy markers. <i>European Radiology</i> . 2016;26(3):866-73.	7
808	Karadag D. The efficacy of specimen radiography in clinically occult breast lesions. [Turkish]. <i>Trakya Universitesi Tip Fakultesi Dergisi</i> . 2008;25(1):38-43.	6
809	Kariyappa KD, Gnanaprakasam F, Anand S, Krishnaswami M, Ramachandran M. Contrast enhanced dual energy spectral mammogram, an emerging addendum in breast imaging. <i>British Journal of Radiology</i> . 2016;89(1067):20150609.	5
810	Kasi PM, Hieken TJ, Haddad TC. Unilateral Arm Urticaria Presenting as a Paraneoplastic Manifestation of Metachronous Bilateral Breast Cancer. <i>Case Reports in Oncology</i> . 2016;9(1):33-8.	5
811	Kass R, Kumar G, Klimberg VS, Kass L, Henry-Tillman R, Johnson A, et al. Clip migration in stereotactic biopsy. <i>American Journal of Surgery</i> . 2002;184(4):325-31.	7
812	Kaswan S, Garguilo G. Image-guided breast biopsy: The experience of a breast surgeon in a rural community. <i>Annals of Surgical Oncology</i> . 2010;2):S176.	3
813	Kataria S, Obayomi-Davies O, Lischalk JW, Repka MC, Danner M, Suy S, et al. Robotic Stereotactic Accelerated Partial-Breast Irradiation for Early-Stage Breast Cancer: 5-Year Results of a Single-Institution Pilot Study. <i>International Journal of Radiation Oncology Biology Physics</i> . 2019;105 (1 Supplement):E10-E1.	3
814	Kaufman CS, Delbecq R, Jacobson L. Excising the reexcision: Stereotactic core-needle biopsy decreases need for reexcision of breast cancer. <i>World Journal of Surgery</i> . 1998;22(10):1023-7.	5
815	Kaufman HJ, Witherspoon LE, Gwin Jr JL, Greer MS, Burns RP. Stereotactic breast biopsy: a study of first core samples. <i>The American surgeon</i> . 2001;67(6):572-5; discussion 5-6.	5
816	Kaur A, Selhi PK, Tyagi R, Kaur H, Sood N. Feasibility of Masood's cytological index for screening breast lesions in low resource setting. <i>Breast Journal</i> . 2019;25(3):434-8.	5
817	Keberle M, Schuttert M, Luck HJ, Galanski M. Comparison of the approaches with and without the lateral arm during stereotactic vacuum-assisted biopsy of the breast. [German]. <i>Geburtshilfe und Frauenheilkunde</i> . 2006;66(11):1066-72.	6
818	Keith KC, Lee Y, Ewend MG, Zagar TM, Anders CK. Activity of trastuzumab-emtansine (TDM1) in HER2-positive breast cancer brain metastases: A case series. <i>Cancer Treatment Communications</i> . 2016;7:43-6.	5
819	Keranen AK, Haapea M, Rissanen T. Ultrasonography as a Guiding Method in Breast Micro-Calcification Vacuum-Assisted Biopsies. <i>Ultraschall in der Medizin</i> . 2016;37(5):497-502.	5
820	Kerger A, Griffith B, Patel M, Hawley J, Povoski SP. The lateral arm device for mammographic breast procedures: overview of its uses, safety, and efficacy. <i>Expert Review of Medical Devices</i> . 2021;18(5):413-20.	2
821	Kerin MJ, Murray J, Mulligan E, Kent P, Ennis J, Dowling M, et al. Prospective evaluation of a composite scoring system for mammographically detected cytologically assessed impalpable breast abnormalities. <i>European Journal of Surgical Oncology</i> . 1995;21(4):360-3.	5
822	Kerin MJ, Williams NN, Cronin KJ, Dervan P, Ennis J, Dowling M, et al. Stereotactic cytology in a regional breast-screening programme. <i>British Journal of Surgery</i> . 1994;81(2):221-2.	5
823	Kersemans P, Van Ongeval C, Van Steen A, Drijkoningen M. Amyloid deposition of the breast in primary Sjogren syndrome. <i>Journal Belge de Radiologie</i> . 2006;89(6):313-4.	7
824	Khalkhali I, Iraniha S, Diggles LE, Cutrone JA, Mishkin FS. Scintimammography: The new role of technetium-99m sestamibi imaging for the diagnosis of breast carcinoma. <i>Quarterly Journal of Nuclear Medicine</i> . 1997;41(3):231-8.	2
825	Khalkhali I, Mishkin FS, Diggles LE, Klein SR. Radionuclide-guided stereotatic prebiopsy localization of nonpalpable breast lesions with normal mammograms. <i>Journal of Nuclear Medicine</i> . 1997;38(7):1019-22.	7

연번	서지정보	배제 사유
826	Khan A, Winkfield B, Khan S, Zafar R, Amer I. Hemorrhagic cystic brain lesions as initial presentation of small cell lung cancer. Chest. 2020;158(Supplement):A1426.	3
827	Khan SA, Wolfman JA, Segal L, Benjamin S, Nayar R, Wiley EL, et al. Ductal lavage findings in women with mammographic microcalcifications undergoing biopsy. Annals of Surgical Oncology. 2005;12(9):689-96.	7
828	Kharchenko VP, Rozhkova NI, Frolov IM. [Intervention studies in breast diseases]. Vestnik Rentgenologii i Radiologii. 1999(3):26-30.	6
829	Khatri VP, Stuppino JJ, Espinosa MH, Pollack MS. Improved accuracy in differentiating malignant from benign mammographic abnormalities: A simple, improved magnetic resonance imaging method. Cancer. 2001;92(3):471-8.	7
830	Khoumais NA, Scaranelo AM, Moshonov H, Kulkarni SR, Miller N, McCreedy DR, et al. Incidence of breast cancer in patients with pure flat epithelial atypia diagnosed at core-needle biopsy of the breast. Annals of Surgical Oncology. 2013;20(1):133-8.	7
831	Kidd MT, Karlin NJ, Cook CB. Feminizing adrenal neoplasms: Case presentations and review of the literature. Journal of Clinical Oncology. 2011;29(6):e127-e30.	5
832	Kikuchi M, Tanino H, Kosaka Y, Sengoku N, Yamashita K, Minatani N, et al. Usefulness of MRI of microcalcification lesions to determine the indication for stereotactic mamotome biopsy. Anticancer Research. 2014;34(11):6749-53.	5
833	Kikuchi M, Tsunoda H, Kaneshiro T, Takahashi O, Suzuki K, Yamauchi H, et al. A new method for differentiating benign and malignant pleomorphic clustered calcifications in mammography. Journal of Nippon Medical School. 2014;81(2):70-7.	7
834	Kikuchi M, Tsunoda-Shimizu H, Kawasaki T, Suzuki K, Nakamura S, Yagata H, et al. Indications for stereotactically-guided vacuum-assisted breast biopsy for patients with category 3 microcalcifications. Breast cancer (Tokyo, Japan). 2007;14(3):285-91.	7
835	Killeen DM, Fraser F, Leinster SJ, Turnbull LS, Smith PA, Brown MA, et al. The effect of stereotactic fine needle aspiration biopsy on the management of impalpable breast lesions. Breast. 1994;3(3):173-6.	5
836	Killeen DM, Fraser F, Leinster SJ, Turnbull LS, Smith PA, Brown MA, et al. Erratum: The effect of stereotactic fine needle aspiration biopsy on the management of impalpable breast lesions (The Breast 3 (173-176)). Breast. 1995;4(1):77.	7
837	Kim BH, Kim IH, Park SH, Park CK, Jung HW, Kim TM, et al. Low-dose whole brain radiotherapy with tumor bed boost after methotrexate-based chemotherapy for primary central nervous system lymphoma. Cancer Research and Treatment. 2014;46(3):261-9.	5
838	Kim E, Telford JJ. Advances in endoscopic ultrasound, part 2: Therapy. Canadian Journal of Gastroenterology. 2009;23(10):691-8.	2
839	Kim G, Mikhael PG, Oseni TO, Bahl M. Ductal carcinoma in situ on digital mammography versus digital breast tomosynthesis: rates and predictors of pathologic upgrade. European Radiology. 2020;30(11):6089-98.	5
840	Kim GJ, Barkdoll T, Sampson JH, Wang Z, Hoang J, Fecci PE, et al. Pathologic evaluation of radiographically enlarging lesions after stereotactic radiosurgery for brain metastases. International Journal of Radiation Oncology Biology Physics. 2015;1):E93.	3
841	Kim GR, Kang J, Kwak JY, Chang JH, Kim SI, Youk JH, et al. Photoacoustic imaging of breast microcalcifications: A preliminary study with 8-gauge core-biopsied breast specimens. PLoS ONE. 2014;9 (8) (no pagination)(e105878).	7
842	Kim H. Lateral approaching stereotactic vacuum assisted biopsy using 8G probe with auto-moving tube. European Journal of Surgical Oncology. 2014;40 (11):S66.	3
843	Kim HS, Kim MJ, Kim EK, Kwak JY, Son EJ, Oh KK. US-guided vacuum-assisted biopsy of microcalcifications in breast lesions and long-term follow-up results. Korean Journal of Radiology. 2008;9(6):503-9.	5
844	Kim S, Kim J, Park HS, Kim HY, Lee K, Lee J, et al. An updated nomogram for predicting invasiveness in preoperative ductal carcinoma in situ of the breast. Yonsei Medical Journal. 2019;60(11):1028-35.	5
845	Kim SY, Kim HY, Kim EK, Kim MJ, Moon HJ, Yoon JH. Evaluation of Malignancy Risk Stratification of Microcalcifications Detected on Mammography: A Study Based on the 5th Edition of BI-RADS. Annals of Surgical Oncology. 2015;22(9):2895-901.	7

연번	서지정보	배제 사유
846	Kimme-Smith C, Solberg T. Acceptance testing prone stereotactic breast biopsy units. Medical Physics. 1994;21(7):1197-201.	2
847	Kinoglou G, Antoniou V, Kalyvopoulos C, Vrenzos N. Evaluation of the breast lesion excision system, a percutaneous, vacuum assisted, intact-specimen, breast biopsy device. European Journal of Cancer. 2020;138(Supplement 1):S30.	3
848	Kirkpatrick JP, Wang Z, Sampson J, Kelsey C, Allen K, Duffy E, et al. Early results of a randomized trial to identify an optimal PTV in stereotactic radiosurgery of brain metastases. International journal of radiation oncology biology physics. 2013;87(2 SUPPL. 1):S50.	3
849	Kirsch DL, Florentine BD. Radiological case of the month. Applied Radiology. 2001;30(2):36-8.	7
850	Kirshenbaum KJ, Voruganti T, Overbeeke C, Kirshenbaum MD, Patel P, Kaplan G, et al. Stereotactic core needle biopsy of nonpalpable breast lesions using a conventional mammography unit with an add-on device. American Journal of Roentgenology. 2003;181(2):527-31.	7
851	Kirwan SE, Denton ERE, Nash RM, Humphreys S, Michell MJ. Multiple 14G stereotactic core biopsies in the diagnosis of mammographically detected stellate lesions of the breast. Clinical Radiology. 2000;55(10):763-6.	5
852	Kittel J, Woody NM, Reddy CA, Oh S, Pham YD, Ward MC, et al. Is there a dose response relationship with stereotactic body radiation therapy for pulmonary oligometastases? International Journal of Radiation Oncology Biology Physics. 2015;1):E437.	3
853	Klaase JM, Gerritsen JJ, Mastboom WJ, Mulder HJ. [Stereotactic thick needle biopsy in diagnosis of non-palpable abnormality in the breast: a trustworthy alternative to excision biopsy]. Nederlands Tijdschrift voor Geneeskunde. 2003;147(40):1986-7; author reply 7-9.	6
854	Klein R, Mook J, Euhus D, Rao R, Wynn R, Leitch M. Evaluation of a collagen-based breast biopsy marker (hydromark) as an alternative to wire and radioactive seed localization for nonpalpable breast lesions. Annals of Surgical Oncology. 2011;2):S173.	3
855	Klimberg VS. Advances in the diagnosis and excision of breast cancer. The American surgeon. 2003;69(1):11-4.	2
856	Kluttig A, Trocchi P, Heinig A, Holzhausen HJ, Taeye C, Hauptmann S, et al. Reliability and validity of needle biopsy evaluation of breast-abnormalities using the B-categorization--design and objectives of the Diagnosis Optimisation Study (DIOS). BMC Cancer. 2007;7:100.	7
857	Knolle J, Hege S, Damm A, Zuhlke H. Differential diagnosis of chondroid differentiation in breast. Virchows Archiv. 2010;457 (2):179.	3
858	Kochli OR. [Developments in minimally invasive breast surgery - overview and our own experience: new diagnostic and therapeutic challenges in breast cancer]. Gynäkologisch-Geburtshilfliche Rundschau. 2000;40(1):3-12.	6
859	Kochli OR. Available stereotactic systems for breast biopsy. Minimally Invasive Breast Biopsies. 2009;Recent Results in Cancer Research. 173:105-13.	2
860	Koh J, Kim EK, Kim MJ, Yoon JH, Moon HJ. Additional magnetic resonance imaging-detected suspicious lesions in known patients with breast cancer: Comparison of second-look digital tomosynthesis and ultrasonography. Ultrasound Quarterly. 2017;33(2):167-73.	5
861	Koktener A, Cakir B, Akin K, Kosehan D, Bayrak R, Yenidunya S. Pregnancy-like (pseudolactational) hyperplasia: Uncommon cause of microcalcifications and mass in two cases. Jbr-Btr. 2013;96(1):25-6.	5
862	Kong L, Wu J, Gao P, Wu G, Li X. [The development of a guide device for stereotactic core-needle biopsy of the breast]. [Chinese]. Zhongguo yi liao qi xie za zhi = Chinese journal of medical instrumentation. 2013;37(6):423-6.	6
863	Korff L, Gilman D, Mohsin S, Vassy L, Jenkins J, Cripe M. Does size of breast core needle biopsy affect the upstaging rate of flat epithelial atypia (FEA) into breast cancer? Annals of Surgical Oncology. 2012;1):71.	3
864	Koskela A, Berg M, Pietilainen T, Mustonen P, Vanninen R. Breast lesions causing nipple discharge: preoperative galactography-aided stereotactic wire localization. AJR American Journal of Roentgenology. 2005;184(6):1795-8.	5
865	Koskela A, Berg M, Sudah M, Malinen A, Karja V, Mustonen P, et al. Learning curve for add-on stereotactic core needle breast biopsy. Acta radiologica (Stockholm, Sweden : 1987). 2006;47(5):454-60.	7

연번	서지정보	배제 사유
866	Koskela AK, Sudan M, Berg MH, Karja VJ, Mustonen PK, Kataja V, et al. Add-on device for stereotactic core-needle breast biopsy: How many biopsy specimens are needed for a reliable diagnosis? Radiology. 2005;236(3):801-9.	5
867	Kotani H, Yoshimura A, Adachi Y, Ishiguro J, Hisada T, Ichikawa M, et al. Sentinel lymph node biopsy is not necessary in patients diagnosed with ductal carcinoma in situ of the breast by stereotactic vacuum-assisted biopsy. Breast Cancer. 2016;23(2):190-4.	7
868	Koumarianou A, Kontopoulou C, Kouloulas V, Tsionou C. Durable Clinical Benefit of Pertuzumab in a Young Patient with BRCA2 Mutation and HER2-Overexpressing Breast Cancer Involving the Brain. Case Reports in Oncological Medicine. 2016;2016 (no pagination)(5718104).	5
869	Kounalakis N, Diamond J, Rusthoven K, Horn W, Jindal S, Wisell J, et al. Diagnosis of invasive lobular carcinoma in a young woman presenting with pleomorphic lobular carcinoma in situ on core biopsy. Oncology. 2011;25(4).	2
870	Kraft E, Limberg J, Dodelzon K, Newman L, Ginter P, Marti J. Radial scars/complex sclerosing lesions of the breast: Is routine excision always necessary? Annals of Surgical Oncology. 2020;27 (Supplement 2):S630-S1.	3
871	Kramer S, Schulz-Wendland R, Lang N. [Quality assurance in stereotactic punch biopsy using a phantom]. Aktuelle Radiologie. 1996;6(3):153-5.	6
872	Krug KB, Stutzer H, Frommolt P, Boecker J, Bovenschulte H, Sendler V, et al. Image quality of digital direct flat-panel mammography versus an indirect small-field CCD technique using a high-contrast phantom. International Journal of Breast Cancer. 2011;1 (1) (no pagination)(701054).	7
873	Krupinski EA, Borders M, Fitzpatrick K. Processing stereotactic breast biopsy specimens: Impact of specimen radiography system on workflow. Breast Journal. 2013;19(4):455-6.	2
874	Krupinski EA, Roehrig H, Yu T. Observer performance comparison of digital radiograph systems for stereotactic breast needle biopsy. Academic radiology. 1995;2(2):116-22.	7
875	Kubota K, Gomi N, Wakita T, Shibuya H, Kakimoto M, Osanai T. Magnetic resonance imaging of the metal clip in a breast: safety and its availability as a negative marker. Breast cancer (Tokyo, Japan). 2004;11(1):55-9.	7
876	Kuchler C, Heywang-Kobrunner SH, Schaumloffel U, Viehweg P, Hofer H, Buchmann J, et al. A stereotactic targeting device in vacuum-core breast biopsy. A new method in percutaneous diagnostic biopsy demonstrated in 120 cases. [German]. Radiologe. 1997;37(8):621-8.	6
877	Kuchuk I, Simos D, Addison CL, Clemons M. A national portfolio of bone oncology trials-The Canadian experience in 2012. Journal of Bone Oncology. 2012;1(3):95-100.	2
878	Kuerer HM, Rauch GM, Krishnamurthy S, Adrada BE, Caudle AS, Desnyder SM, et al. A Clinical Feasibility Trial for Identification of Exceptional Responders in Whom Breast Cancer Surgery Can Be Eliminated Following Neoadjuvant Systemic Therapy. Annals of Surgery. 2018;267(5):946-51.	7
879	Kuerer HM, Rauch GM, Krishnamurthy S, Adrada BE, Caudle AS, DeSnyder SM, et al. Feasibility trial for identification of patients for eliminating breast cancer surgery following neoadjuvant systemic therapy. Cancer Research Conference: 39th Annual CTRC AACR San Antonio Breast Cancer Symposium San Antonio, TX United States. 2017;77(4 Supplement 1).	3
880	Kuhl CK, Elevelt A, Leutner CC, Gieseke J, Pakos E, Schild HH. Interventional breast MR imaging: Clinical use of a stereotactic localization and biopsy device. Radiology. 1997;204(3):667-75.	5
881	Kuhl CK, Morakkabati N, Leutner CC, Schmiedel A, Wardelmann E, Schild HH. MR imaging--guided large-core (14-gauge) needle biopsy of small lesions visible at breast MR imaging alone. Radiology. 2001;220(1):31-9.	5
882	Kurul S, Akgun Z, Saglam EK, Basaran M, Yucel S, Tuzlali S. Successful treatment of triple primary tumor. International Journal of Surgery Case Reports. 2013;4(11):1013-6.	5
883	Kushwaha AC, O'Toole M, Sneige N, Stelling CB, Dryden MJ. Mammographic-pathologic correlation of apocrine metaplasia diagnosed using vacuum-assisted stereotactic core-needle biopsy: Our 4-year experience. American Journal of Roentgenology. 2003;180(3):795-8.	7
884	Kwasny W, Tausch C, Haid A, Stierer M, Konstantiniuk P, Wayand U, et al. [Early experience with the advanced breast biopsy instrumentation system in a multicentre study]. Gynakologisch-Geburtshilfliche Rundschau. 2002;42(4):212-6.	6
885	Kwo S, Grotting JC. Does stereotactic core needle biopsy increase the risk of local recurrence of invasive breast cancer? Breast Journal. 2006;12(3):191-3.	2

연번	서지정보	배제 사유
886	Kwok KMK, Lui CY, Fung PYE, Chan LK, Lam HS. Incidence, causes, and implications of unsuccessful calcification retrieval at stereotactic breast biopsy – 5 years' experience. Journal of the Hong Kong College of Radiologists. 2009;11(4):154-60.	7
887	Labriola B. Treatment of Pregnancy-Associated Breast Cancer. Journal of the Advanced Practitioner in Oncology. 2019;10(7):692-700.	7
888	Lacquement MA, Mitchell D, Hollingsworth AB. Positive predictive value of the Breast Imaging Reporting and Data System. Journal of the American College of Surgeons. 1999;189(1):34-40.	7
889	Lafaye C, Feillel V, Dauplat J, De Latour M. [Subclinical lesions of the breast. Stereotactic localization and biopsy-excision]. Annales de Radiologie. 1989;32(5):400-9.	2
890	Lagios MD. Pathology procedures for evaluation of the specimen with potential or documented ductal carcinoma in situ. Seminars in Breast Disease. 2000;3(1):42-9.	2
891	Laguna B, Hayward JH, Lee AY, Joe BN, Ray KM. Paraneoplastic neurologic syndrome as a presentation of underlying breast malignancy. Breast Journal. 2018;24(6):1038-42.	5
892	Lai SF, Chen YF, Xiao FR, Hsu FM. A Prospective Randomized Phase II Trial of Single-Fraction versus Multi-Fraction Stereotactic Spine Radiosurgery for Spinal Metastases: an Initial Analysis. International journal of radiation oncology biology physics. 2019;105(1):S48.	3
893	Lamm RL, Jackman RJ. Mammographic abnormalities caused by percutaneous stereotactic biopsy of histologically benign lesions evident on follow-up mammograms. American Journal of Roentgenology. 2000;174(3):753-6.	7
894	Landheer ML, Hoorntje LE, Klinkenbijn JH, Borel Rinkes IH. [The surgical treatment of nonpalpable breast carcinoma in a university teaching hospital and a general teaching hospital by residents-in-training and surgeons: comparable results]. Nederlands Tijdschrift voor Geneeskunde. 2004;148(35):1724-7.	6
895	Landman J, Kulavansa S, Phillips M, McCarthy M, Troedson R, Tinning J, et al. An audit of preoperative radioguided localisation of impalpable breast lesions with 99mTc macro-aggregated albumin (MAA). Journal of Medical Imaging and Radiation Oncology. 2012;1):117.	3
896	Landman J, Kulavansa S, Phillips M, McCarthy M, Troedson R, Tinning J, et al. Radioguided lesion localisation using ^{99m} TcMAA as an alternative to hookwire-can nuclear medicine play a role in pre-operative localisation of impalpable breast cancers? Internal Medicine Journal. 2013;1):6.	3
897	Landy RE, Stross WC, May JM, Kaleem TA, Malouff TD, Waddle MR, et al. Idiopathic mast cell activation syndrome and radiation therapy: A case study, literature review, and discussion of mast cell disorders and radiotherapy. Radiation Oncology. 2019;14 (1) (no pagination)(222).	5
898	Langen HJ, Kugel H, Grewe S, Landwehr P, Schmidt T, Schafer R, et al. [MRI-controlled preoperative wire marking of uncertain breast lesions]. Rofo: Fortschritte auf dem Gebiete der Rontgenstrahlen und der Nuklearmedizin. 2000;172(9):764-9.	6
899	Langen HJ, Kugel H, Grewe S, Landwehr P, Schmidt T, Schafer R, et al. Preoperative MR-guided localization of suspicious breast lesions. [German]. RoFo Fortschritte auf dem Gebiet der Rontgenstrahlen und der Bildgebenden Verfahren. 2000;172(9):764-9.	6
900	Langlois SL, Carter ML. Carbon localisation of impalpable mammographic abnormalities. Australasian Radiology. 1991;35(3):237-41.	5
901	Lanier CM, LeCompte MC, Glenn C, Hughes RT, Isom S, Jenkins W, et al. Laser-Interstitial Thermal Therapy as a Novel and Effective Treatment in Radiation Necrosis Following Stereotactic Radiosurgery to the Brain. International Journal of Radiation Oncology Biology Physics. 2019;105 (1 Supplement):S140-S1.	3
902	Lankford KV, Kluskens L, Dowlatshahi K, Reddy VB, Gattuso P. Utilization of core wash material in the diagnosis of breast lesions by stereotactic needle biopsy. Cancer. 1998;84(2):98-100.	7
903	Lanners DM, Amrami KK, Jonsgaard RS, Gisvold JJ, Felmlee JP. Safety and MRI artifact evaluation at 1.5T of metallic mounting sheath of a marking clip inadvertently deployed at stereotactic biopsy. American Journal of Roentgenology. 2004;183(3):825-9.	7
904	Lannin DR, Ponn T, Andrejeva L, Philpotts L. Should all breast cancers be diagnosed by needle biopsy? American Journal of Surgery. 2006;192(4):450-4.	5
905	Larrison M, DiBona A, Hogg DE. Low-cost phantom for stereotactic breast biopsy training. American Journal of Roentgenology. 2006;187(4):972-4.	7

연번	서지정보	배제 사유
906	Larson BT, Erdman AG, Tsekos NV, Yacoub E, Tsekos PV, Koutlas IG. Design of an MRI-compatible robotic stereotactic device for minimally invasive interventions in the breast. <i>Journal of Biomechanical Engineering</i> . 2004;126(4):458-65.	3
907	Latosinsky S, Cornell D, Bear HD, Karp SE, Little S, Paredes ED. Evaluation of stereotactic core needle biopsy (SCNB) of the breast at a single institution. <i>Breast Cancer Research & Treatment</i> . 2000;60(3):277-83.	7
908	Laufer U, Frentzel K, Knoben B, Kirchner J, Donnerstag F, Liermann D. [Minimally invasive stereotactic breast biopsy with the "mammotome". Methodology and personal experiences]. <i>Zentralblatt fur Chirurgie</i> . 1998;123 Suppl 5:63-5.	6
909	Laufer U, Frentzel K, Knoben B, Kirchner J, Donnerstag F, Liermann D. Minimally invasive stereotactic breast biopsy with the 'mammotome'. Method and own experience. [German]. <i>Zentralblatt fur Chirurgie</i> . 1998;123(SUPPL. 5):63-5.	3
910	Lavoue V, Roger CM, Poilblanc M, Proust N, Monghal-Verge C, Sagan C, et al. Pure flat epithelial atypia (DIN 1a) on core needle biopsy: Study of 60 biopsies with follow-up surgical excision. <i>Breast Cancer Research and Treatment</i> . 2011;125(1):121-6.	7
911	Layeequr Rahman R, Crawford S, Larkin A, Quinlan R. Superiority of sonographic hematoma guided resection of mammogram only visible breast cancer: wire localization should be an exception—not the rule. <i>Annals of Surgical Oncology</i> . 2007;14(8):2228-32.	7
912	Layeequr Rahman R, Iuanow E, Crawford S, Quinlan R. Sonographic hematoma-guided vs wire-localized lumpectomy for breast cancer: A comparison of margins and volume of resection. <i>Archives of Surgery</i> . 2007;142(4):343-6.	7
913	Le Bret T, Van Den Akker M, Buffet M, Bolner B, Salet-Lizee D, Kujas A, et al. [Clinical management of non palpable breast lesions: experience about a series of 176 consecutive cases]. <i>Gynecologie, Obstetrique & Fertilité</i> . 2003;31(10):813-9.	6
914	Leaver A, Amonkar S, Milligan R, Potterton J, Hamilton P, Lowes S. A new breast localisation technique: Use of the Hologic LOCALizer radiofrequency ID tag system in a UK breast unit. <i>Breast Cancer Research Conference: British Society of Breast Radiology Annual Scientific Meeting, BSBR</i> . 2019;21(Supplement 1).	3
915	Leaver A, Potterton AJ, Athey S, Lee CM, Sharma S, Redman A, et al. PB.10. Stereotactic 20 mm basket intact breast lesion excision system biopsy for indeterminate breast microcalcification: Pilot study within a UK breast unit. <i>Breast Cancer Research Conference: Annual Scientific Meeting of the British Society of Breast Radiology</i> . 2014;16(SUPPL. 1).	3
916	Lee CH, Egglin TK, Philpotts L, Mainiero MB, Tocino I. Cost-effectiveness of stereotactic core needle biopsy: Analysis by means of mammographic findings. <i>Radiology</i> . 1997;202(3):849-54.	7
917	Lee CH, Philpotts LE, Horvath LJ, Tocino I. Follow-up of breast lesions diagnosed as benign with stereotactic core-needle biopsy: frequency of mammographic change and false-negative rate. <i>Radiology</i> . 1999;212(1):189-94.	5
918	Lee CI, Bogart A, Germino JC, Goldman LE, Hubbard RA, Haas JS, et al. Availability of Advanced Breast Imaging at Screening Facilities Serving Vulnerable Populations. <i>Journal of Medical Screening</i> . 2016;23(1):24-30.	7
919	Lee CM, Redman A. Haematoma-directed ultrasound guidewire localisation of breast lesions. <i>Breast Cancer Research</i> . 2009;2:7.	3
920	Lee CY, Wan WS, Lui CY. Stereotatic-guided biopsy of mammographic microcalcifications: When shall we use digital add-on unit instead of prone table machine? <i>Hong Kong Journal of Radiology</i> . 2014;17(3):152-61.	7
921	Lee E, Wylie E, Metcalf C. Ultrasound imaging features of radial scars of the breast. <i>Australasian Radiology</i> . 2007;51(3):240-5.	5
922	Lee J, Park HY, Jung JH, Kim WW, Hwang SO, Kwon TJ, et al. Non-stereotactic method involving combination of ultrasound-guided wire localization and vacuum-assisted breast biopsy for microcalcification. <i>Gland Surgery</i> . 2016;5(3):300-5.	5
923	Lee MV, Aripoli A, Messinger J. Pseudoaneurysm of the breast following stereotactic core needle biopsy. <i>Breast Journal</i> . 2019;25(5):1004-5.	7
924	Lee SG, Piccoli CW, Hughes JS. Displacement of microcalcifications during stereotactic 11-gauge directional vacuum-assisted biopsy with marking clip placement: Case report. <i>Radiology</i> . 2001;219(2):495-7.	7

연번	서지정보	배제 사유
925	Lee SH, Jung YJ, Jung HJ, Kim JY, Choo KS, Nam KJ, et al. Stereotactic vacuum-assisted breast biopsy under lateral decubitus position. Annals of surgical treatment and research. 2016;90(1):16-20.	7
926	Lee YZ, Puett C, Inscoe CR, Jia B, Kim C, Walsh R, et al. Initial Clinical Experience with Stationary Digital Breast Tomosynthesis. Academic Radiology. 2019;26(10):1363-72.	5
927	Lehman CD, Shook JE. Position of clip placement after vacuum-assisted breast biopsy: Is a unilateral two-view postbiopsy mammogram necessary? Breast Journal. 2003;9(4):272-6.	7
928	Leifland K, Lagerstedt U, Svane G. Comparison of stereotactic fine needle aspiration cytology and core needle biopsy in 522 non-palpable breast lesions. Acta radiologica (Stockholm, Sweden : 1987). 2003;44(4):387-91.	5
929	Leifland K, Lundquist H, Lagerstedt U, Svane G. Stereotactic core needle biopsy in non-palpable breast lesions. What number is needed? Acta radiologica (Stockholm, Sweden : 1987). 2004;45(2):142-7.	5
930	Leifland K, Lundquist H, Lagerstedt U, Svane G. Comparison of preoperative simultaneous stereotactic fine needle aspiration biopsy and stereotactic core needle biopsy in ductal carcinoma in situ of the breast. Acta radiologica (Stockholm, Sweden : 1987). 2003;44(2):213-7.	5
931	Leifland K, Lundquist H, Mare K, Erhardt K, Fernstad R. Pre-operative simultaneous stereotactic core biopsy and fine-needle aspiration biopsy in the diagnosis of invasive lobular breast carcinoma. Acta Radiologica. 2000;41(1):57-60.	5
932	Leinung S, Keitel R, Wurl P, Udelnow A, Schneider JP, Schulz T, et al. [Nonpalpable carcinoma of the breast - diagnosed by vacuum core breast biopsy and surgical management]. Zentralblatt fur Chirurgie. 2001;126(10):793-8.	6
933	Leis HP, Jr. Current methods for biopsy and treatment of potentially curable breast cancer. International Surgery. 1990;75(1):1-7.	2
934	Leite I, Abreu EM. Value-based radiology in breast imaging. Medical Radiology. 2020:125-42.	2
935	Lennox D, Hafez E, Forester N. Review of our initial use of tomosynthesis-guided biopsy-how did it help? Breast Cancer Research Conference: British Society of Breast Radiology Annual Scientific Meeting, BSR. 2018;20(Supplement 1).	3
936	Leon L, Espinoza L, Palencia H, Sandoval M, Socorro G, Bracho M. Correlation and characteristics of microcalcifications in class III, IV, V patients with histological results. [Spanish]. Revista Venezolana de Oncologia. 2010;22(4):237-43.	6
937	Leong RY, Kohli MK, Zeizafoun N, Liang A, Tartter PI. Radial Scar at Percutaneous Breast Biopsy That Does Not Require Surgery. Journal of the American College of Surgeons. 2016;223(5):712-6.	5
938	Le-Petross HT, Hess KR, Knudtson JD, Lane DL, Moseley TW, Geiser WR, et al. Effect of Mammography on Marker Clip Migration After Stereotactic-Guided Core Needle Breast Biopsy. Current problems in diagnostic radiology. 2017;46(6):410-4.	7
939	Lester SC. How image-guided core needle biopsies altered the treatment of breast disease: Challenges accepted and opportunities taken. Breast Journal. 2020;26(6):1156-9.	2
940	Leung SE, Ben-Nachum I, Kornecki A. New palpable breast lump with recent negative mammogram: Is repeat mammography necessary? American Journal of Roentgenology. 2016;207(1):200-4.	7
941	Levine EA, Freimanis RI, Perrier ND, Morton K, Lesko NM, Bergman S, et al. Positron emission mammography: initial clinical results. Annals of Surgical Oncology. 2003;10(1):86-91.	7
942	Lewin AA, Gao Y, Lin Young LL, Albert ML, Babb JS, Toth HK, et al. Stereotactic Breast Biopsy With Benign Results Does Not Negatively Affect Future Screening Adherence. Journal of the American College of Radiology. 2018;15(4):622-9.	7
943	Lewin AA, Mercado CL. Atypical ductal hyperplasia and lobular neoplasia: Update and easing of guidelines. American Journal of Roentgenology. 2020;214(2):265-75.	2
944	Li JG, Li S, Liu Q, Zhao TT. [Clinical evaluation of full-field digital mammography and breast imaging reporting and data system on breast diseases]. Chung-Hua Wai Ko Tsa Chih [Chinese Journal of Surgery]. 2007;45(7):464-6.	6
945	Li M, Foroudi F, Siva S, Chua B, Phillips C, Kron T, et al. Systematic review of SABR for oligometastatic breast cancer. Journal of Medical Imaging and Radiation Oncology. 2014;1):272.	3

연번	서지정보	배제 사유
946	Liberman L, Benton CL, Dershaw DD, Abramson AF, LaTrenta LR, Morris EA. Learning curve for stereotactic breast biopsy: How many cases are enough? American Journal of Roentgenology. 2001;176(3):721-7.	7
947	Liberman L, Cody IHS. Percutaneous biopsy and sentinel lymphadenectomy: Minimally invasive diagnosis and treatment of nonpalpable breast cancer. American Journal of Roentgenology. 2001;177(4):887-91.	7
948	Liberman L, Dershaw DD, Glassman JR, Abramson AF, Morris EA, LaTrenta LR, et al. Analysis of cancers not diagnosed at stereotactic core breast biopsy. Radiology. 1997;203(1):151-7.	5
949	Liberman L, Dershaw DD, Morris EA, Abramson AF, Thornton CM, Rosen PP. Clip placement after stereotactic vacuum-assisted breast biopsy. Radiology. 1997;205(2):417-22.	7
950	Liberman L, Dershaw DD, Rosen PP, Morris EA, Abramson AF, Borgen PI. Percutaneous removal of malignant mammographic lesions of stereotactic vacuum-assisted biopsy. Radiology. 1998;206(3):711-5.	7
951	Liberman L, Drotman M, Morris EA, LaTrenta LR, Abramson AF, Zakowski MF, et al. Imaging-histologic discordance at percutaneous breast biopsy: An indicator of missed cancer. Cancer. 2000;89(12):2538-46.	7
952	Liberman L, Feng TL, Dershaw DD, Morris EA, Abramson AF. US-guided core breast biopsy: Use and cost-effectiveness. Radiology. 1998;208(3):717-23.	7
953	Liberman L, Kaplan JB. Percutaneous core biopsy of nonpalpable breast lesions: utility and impact on cost of diagnosis. Breast Disease. 2001;13:49-57.	7
954	Liberman L, LaTrenta LR, Van Zee KJ, Morris EA, Abramson AF, Dershaw DD. Stereotactic core biopsy of calcifications highly suggestive of malignancy. Radiology. 1997;203(3):673-7.	5
955	Liberman L, Sama MP. Cost-effectiveness of stereotactic 11-gauge directional vacuum-assisted breast biopsy. American Journal of Roentgenology. 2000;175(1):53-8.	7
956	Liberman L, Vuolo M, Dershaw DD, Morris EA, Abramson AF, LaTrenta LR, et al. Epithelial displacement after stereotactic 11-gauge directional vacuum-assisted breast biopsy. AJR American Journal of Roentgenology. 1999;172(3):677-81.	7
957	Liberman L, Zakowski MF, Avery S, Hudis C, Morris EA, Abramson AF, et al. Complete percutaneous excision of infiltrating carcinoma at stereotactic breast biopsy: How can tumor size be assessed? American Journal of Roentgenology. 1999;173(5):1315-22.	7
958	Liberman L. Clinical management issues in percutaneous core breast biopsy. Radiologic Clinics of North America. 2000;38(4):791-807.	2
959	Liberman L. Percutaneous image-guided core breast biopsy. Radiologic Clinics of North America. 2002;40(3):483-500.	2
960	Liebens F, Carly B, Cusumano P, Van Beveren M, Beier B, Fastrez M, et al. Breast cancer seeding associated with core needle biopsies: A systematic review. Maturitas. 2009;62(2):113-23.	2
961	Lienart V, Sirtaine N, Van Beveren M, Fontaine D, Carly B, Cusumano P, et al. Trends in and pattern of breast diseases diagnosed by core needle biopsy-an 8-years experience of a breast unit. European Journal of Cancer. 2012;1):S59-S60.	3
962	Lieu D. Breast imaging for interventional pathologists. Archives of Pathology and Laboratory Medicine. 2013;137(1):100-19.	2
963	Lifrange E, Colin C. A good use of localization techniques. Localization with ionizing material: Mammography - X-ray scanning. [French]. Sein. 1995;5(2):115-6.	3
964	Lifrange E, Colin C. Nonpalpable breast lesions diagnosis, state of the art and future. [French]. Sein. 1997;7(2):91-9.	2
965	Lifrange E, Colin C. The future of breast biopsy. [French]. Reproduction Humaine et Hormones. 2002;15(4):213-7.	2
966	Lilly AJ, Johnson M, Kuzmiak CM, Ollila DW, O'Connor SM, Hertel JD, et al. MRI-guided core needle biopsy of the breast: Radiology-pathology correlation and impact on clinical management. Annals of Diagnostic Pathology. 2020;48 (no pagination)(151563).	5
967	Limberg J, Woods W, Hoda S, Newman L, Michaels A, Marti J. Malignancy upgrade rates and natural history of intraductal papillomas without atypia: A 10-year experience. Annals of Surgical Oncology. 2020;27 (Supplement 2):S573-S4.	3
968	Lin PH, Clyde JC, Bates DM, Garcia JM, Matsumoto GH, Girvin GW. Accuracy of stereotactic core-needle breast biopsy in atypical ductal hyperplasia. American Journal of Surgery. 1998;175(5):380-2.	3

연번	서지정보	배제 사유
969	Lin SJ, Cawson J, Hill P, Haviv I, Jenkins M, Hopper JL, et al. Image-guided sampling reveals increased stroma and lower glandular complexity in mammographically dense breast tissue. <i>Clinical and Experimental Metastasis</i> . 2011;28 (2):201.	3
970	Lince-Deroche N, Van Rensburg C, Firnhaber C, Rubin G, Michelow P, Rayne S, et al. Costs of diagnosing breast-related conditions at a large, public hospital in a middle-income country without population-level screening. <i>Journal of Global Oncology</i> . 2017;3 (2 Supplement 1):21S.	3
971	Lind DS, Minter R, Steinbach B, Abbitt P, Lanier L, Haigh L, et al. Stereotactic core biopsy reduces the reexcision rate and the cost of mammographically detected cancer. <i>Journal of Surgical Research</i> . 1998;78(1):23-6.	5
972	Linebarger JH, Landercasper J, Ellis RL, Gundrum JD, Marcou KA, De Maiffe BM, et al. Core needle biopsy rate for new cancer diagnosis in an interdisciplinary breast center: Evaluation of quality of care 2007-2008. <i>Annals of Surgery</i> . 2012;255(1):38-43.	7
973	Linhares P, Carvalho B, Vaz R, Costa BM. Glioblastoma: Is there any blood biomarker with true clinical relevance? <i>International Journal of Molecular Sciences</i> . 2020;21(16):1-16.	2
974	Lipshultz SE, Adams MJ, Colan SD, Constine LS, Herman EH, Hsu DT, et al. Long-term cardiovascular toxicity in children, adolescents, and young adults who receive cancer therapy: Pathophysiology, course, monitoring, management, prevention, and research directions: A scientific statement from the American Heart Association. <i>Circulation</i> . 2013;128(17):1927-55.	2
975	Lischalk JW, Chen H, Repka MC, Campbell LD, Obayomi-Davies O, Kataria S, et al. Definitive hypofractionated radiation therapy for early stage breast cancer: Dosimetric feasibility of stereotactic ablative radiotherapy and proton beam therapy for intact breast tumors. <i>Advances in radiation oncology</i> . 2018;3(3):447-57.	7
976	Lischalk JW, Obayomi-Davies O, Kole TP, Campbell L, Rudra S, Collins SP, et al. Definitive radiation therapy for early-stage breast cancer: Dosimetric feasibility of stereotactic ablative radiosurgery (SABR) for intact breast tumors. <i>International Journal of Radiation Oncology Biology Physics</i> . 2015;1):E557.	3
977	Litwin MS, Tan HJ. The diagnosis and treatment of prostate cancer: A review. <i>JAMA - Journal of the American Medical Association</i> . 2017;317(24):2532-42.	2
978	Liu C, Dingee C, Warburton R, Pao JS, Kuusk U, Bazzarelli A, et al. Flat epithelial atypia identified on core needle biopsy does not require excision. <i>Annals of Surgical Oncology</i> . 2019;26 (2 Supplement):267-8.	3
979	Liu C, Sidhu R, Ostry A, Warburton R, Pao JS, Dingee C, et al. Risk of malignancy in papillary neoplasms of the breast. <i>Breast Cancer Research and Treatment</i> . 2019;178(1):87-94.	7
980	Liu F, Warren E. Biomechanical modeling of compressed breast tissue. <i>Medical Physics</i> . 2018;45 (6):e228-e9.	3
981	Liu GY, Chen CM, Hu Z, Ling H, Shen KW, Shen ZZ, et al. [Stereotactic biopsy for non-palpable breast lesions: evaluation and choice of minimal invasive and excisional biopsy]. <i>Chung-Hua Wai Ko Tsa Chih [Chinese Journal of Surgery]</i> . 2006;44(19):1322-4.	6
982	Liu J, Huang L. Image-guided vacuum-assisted breast biopsy in the diagnosis of breast microcalcifications. <i>Journal of International Medical Research</i> . 2018;46(7):2743-53.	7
983	Liu Z, Hao S, Chen J, Ling H, Shen J, Yang W, et al. Trends and present status of breast cancer needle biopsy in China over 8 years. <i>Breast</i> . 2013;1):S39.	3
984	Liveringhouse C, Sim AJ, Yamoah K, Pow-Sang J, Johnstone PAS. Phase I Trial of Stereotactic Radiotherapy Prior to Robotic Prostatectomy in High Risk Prostate Cancer. <i>International Journal of Radiation Oncology Biology Physics</i> . 2020;108 (3 Supplement):e908.	3
985	Liveringhouse CL, Diaz R, Ahmed KA, Lee MC, Czerniecki B, Laronga C, et al. Phase II trial of pre-operative stereotactic ablative radiotherapy (SABR) in early-stage breast cancer. <i>Cancer Research Conference</i> . 2018;79(4 Supplement 1).	3
986	Ljubimova JY, Patil R, Gangalum P, Wagner S, Inoue S, Ding H, et al. Nanobiocojugates of differential imaging and treatment of brain metastatic tumors. <i>Cancer Research Conference: AACR Special Conference on Tumor Invasion and Metastasis</i> . 2013;73(3 SUPPL. 1).	3
987	Loffeld A, Marsden JR. Management of melanoma metastasis to the breast: Case series and review of the literature. <i>British Journal of Dermatology</i> . 2005;152(6):1206-10.	2
988	Lofgren M, Andersson I, Lindholm K. Stereotactic fine-needle aspiration for cytologic diagnosis of nonpalpable breast lesions. <i>American Journal of Roentgenology</i> . 1990;154(6):1191-5.	5

연번	서지정보	배제 사유
989	Lofgren M, Andersson I, Lindholm K. Stereotactic, X-ray guided, fine needle aspiration biopsy of nonpalpable breast lesions: comparison with the coordinate grid localization technique. Recent results in cancer research. 1990;Fortschritte der Krebsforschung. Progres dans les recherches sur le cancer. 119:100-4.	5
990	Lopez JI, Ibanez T, Fdez-Larrinoa A, Elorriaga K, Bilbao FJ, Fineberg SA. Correspondence re: Casey M, Rosenblatt R, Zimmerman J, Fineberg S. Mastectomy without malignancy after carcinoma diagnosed by large-core stereotactic breast biopsy. Mod pathol 1997;10:1209-13 [1] (multiple letters). Modern Pathology. 1998;11(6):593-4.	2
991	Lopez-Medina A, Cintora E, Mugica B, Opere E, Vela AC, Ibanez T. Radial scars diagnosed at stereotactic core-needle biopsy: Surgical biopsy findings. European Radiology. 2006;16(8):1803-10.	5
992	Lopez-Prior V, Amr-Rey A, Diaz-Exposito R, Casans-Tormo I, Orozco-Cortes J, Sabater-Sancho J. Evaluation of the influence of preoperative wire-guided localization and radiopharmaceutical injection with or without radiological guidance in global detection of sentinel lymph node biopsy in patients with breast cancer. European Journal of Nuclear Medicine and Molecular Imaging. 2017;44 (2 Supplement 1):S753-S4.	3
993	Lorek A, Wodolazski A. [Compatibility of the results of ultrasound-guided fine needle aspiration biopsy with the histological findings in assessment of focal breast lesions among woman attending the outpatient breast clinic]. Wiadomosci Lekarskie. 2003;56(3-4):127-31.	6
994	Love S. Excising the reexcision: Stereotactic core-needle biopsy decreases need for reexcision of breast cancer: Invited commentary. World Journal of Surgery. 1998;22(10):1028.	5
995	Lovin JD, Parker SH, Jobe WE, Leuthke JM, Hopper KD. Stereotactic percutaneous breast core biopsy. Technical adaptation and initial experience. Breast Disease. 1990;3(3):135-43.	7
996	Lu AY, Turban JL, Damisah EC, Li J, Alomari AK, Eid T, et al. Novel biomarker identification using metabolomic profiling to differentiate radiation necrosis and recurrent tumor following Gamma Knife radiosurgery. Journal of Neurosurgery. 2017;127(2):388-96.	5
997	Lu-Emerson C, Eichler AF. Brain metastases. CONTINUUM Lifelong Learning in Neurology. 2012;18(2):295-311.	2
998	Lui CY, Lam HS, Tam KF, Fung EPY, Chan LK. Rebiopsy after stereotactic core-needle breast biopsy: Prospective study. Journal of the Hong Kong College of Radiologists. 2004;7(3):116-20.	5
999	Luini A, Zurrida S, Paganelli G, Galimberti V, Sacchini V, Monti S, et al. Comparison of radioguided excision with wire localization of occult breast lesions. British Journal of Surgery. 1999;86(4):522-5.	7
1000	Luiten JD, Korte B, Voogd AC, Vreuls W, Luiten EJT, Strobbe LJ, et al. Trends in frequency and outcome of high-risk breast lesions at core needle biopsy in women recalled at biennial screening mammography, a multiinstitutional study. International Journal of Cancer. 2019;145(10):2720-7.	7
1001	Luo HJ, Chen X, Tu G, Wang J, Wu CY, Yang GL. Therapeutic application of ultrasound-guided 8-gauge Mammotome system in presumed benign breast lesions. Breast Journal. 2011;17(5):490-7.	5
1002	Lustig DB, Guo M, Liu C, Warburton R, Dingee CK, Pao JS, et al. Development and Prospective Validation of a Risk Calculator That Predicts a Low Risk Cohort for Atypical Ductal Hyperplasia Upstaging to Malignancy: Evidence for a Watch and Wait Strategy of a High-Risk Lesion. Annals of Surgical Oncology. 2020;27(12):4622-7.	7
1003	Lynde J, Tuttle R, Jones S, Thoma M, Bauer N, Bierly J. Atypical breast lesion upgrade rate to carcinoma at a community center. Annals of Surgical Oncology. 2018;25 (2 Supplement 1):73-4.	3
1004	Lyons MK. Relapsing remitting multiple sclerosis and primary central nervous system lymphoma (10238). Neuromodulation. 2016;19 (3):e60.	3
1005	Ma J, Xu JM, Du M, Zhou YY, Zang D, Yang Z, et al. The histological underestimation of stereotactic core needle biopsy in breast lesions. [Chinese]. Chinese Journal of Radiology. 2008;42(6):597-600.	6
1006	Ma J, Xu JM, Sun GP, Zang D, Zhou DX, Mai PC. Locating the displacement of the steel wire implantation with the stereotactic mammography. [Chinese]. Chinese Journal of Radiology. 2007;41(5):471-4.	6
1007	Ma K, Bax J, Kornecki A, Mundt Y, Fenster A. Sci-Fri AM: YIS-05: A new guidance device for lateral-approach stereotactic breast biopsy. Medical Physics. 2008;35(7Part3):3410-1.	2

연번	서지정보	배제 사유
1008	Ma K, Fenster A, Kornecki A, Mundt Y, Bax J. A new lateral guidance device for stereotactic breast biopsy using an add-on unit to an upright mammography system. Conference proceedings : . 2008:Annual International Conference of the IEEE Engineering in Medicine and Biology Society. IEEE Engineering in Medicine and Biology Society. Conference.:3653-6.	2
1009	Ma K, Kornecki A, Bax J, Mundt Y, Fenster A. Development and validation of a new guidance device for lateral approach stereotactic breast biopsy. Medical Physics. 2009;36(6):2118-29.	7
1010	Maccafee S, Chiusaroli S, Fiore Melacrinis F, Ghinassi S, Massari A, Moscetti L, et al. Roll and snoll in breast carcinoma patients after neoadjuvant chemotherapy (NAC) treatment. Clinical and Translational Imaging. 2015;1):S112.	3
1011	Maccafee S, Chiusaroli S, Fiore Melacrinis F, Ghinassi S, Massari A, Piccinetti A, et al. ROLL and SNOLL in breast carcinoma patients after NeoAdjuvant Chemotherapy (NAC) treatment. European Journal of Nuclear Medicine and Molecular Imaging. 2016;43 (1 Supplement 1):S351.	3
1012	MacCraith E, McCarthy A, Swan N, Quinlan D. Pulmonary metastasis from renal epithelioid angiomyolipoma in the setting of breast cancer. BMJ Case Reports. 2017;2017 (no pagination)(bcr-2016-218352).	5
1013	MacGrogan G, Henriques C, De Mascarel I, Soubeyran I, Molimard J, Barreau B, et al. [Large core of nonpalpable breast lesions]. Archives d Anatomie et de Cytologie Pathologiques. 1998;46(4):241-6.	6
1014	Machado P, Eisenbrey JR, Cavanaugh B, Forsberg F. Identification of breast microcalcifications using a new ultrasound image processing technique on patients prior to biopsy. Ultrasound in Medicine and Biology. 2013;1):S87.	3
1015	Machado P, Eisenbrey JR, Stanczak M, Cavanaugh BC, Zorn LM, Forsberg F. Characterization of Breast Microcalcifications Using a New Ultrasound Image-Processing Technique. Journal of Ultrasound in Medicine. 2019;38(7):1733-8.	5
1016	Maculotti L. Impalpable breast lesions. The first 21 cases of aesthetic surgical biopsy with local anesthesia. [Italian]. Gazzetta Medica Italiana Archivio per le Scienze Mediche. 2000;159(6):223-5.	6
1017	Madeley C, Kessel M, Madeley C, Taylor D. A comparison of stereotactic and tomosynthesis-guided localisation of impalpable breast lesions. Journal of medical radiation sciences. 2019;66(3):170-6.	7
1018	Mahoney MC, Newell MS. Breast intervention: How i do it. Radiology. 2013;268(1):12-24.	2
1019	Maimone S, Morozov AP, Wilhelm A, Robrahn I, Whitcomb TD, Lin KY, et al. Understanding Patient Anxiety and Pain during Initial Image-guided Breast Biopsy. Journal of Breast Imaging. 2020;2(6):583-9.	7
1020	Mainiero MB, Gareen IF, Bird CE, Smith W, Cobb C, Schepps B. Preferential use of sonographically guided biopsy to minimize patient discomfort and procedure time in a percutaneous image-guided breast biopsy program. Journal of Ultrasound in Medicine. 2002;21(11):1221-6.	7
1021	Makoske T, Preletz R, Riley L, Fogarty K, Swank M, Cochrane P, et al. Long-term outcomes of stereotactic breast biopsies. American Surgeon. 2000;66(12):1104-9.	5
1022	Maldonado S, Gandhi N, Ha T, Choi P, Khalkhali I, Kalantari BN, et al. Utility of short-interval follow-up mammography after a benign-concordant stereotactic breast biopsy result. Breast. 2018;42:50-3.	7
1023	Malik D, Kumar R, Mittal BR, Singh H, Bhattacharya A, Singh SK. 68Ga-Labeled PSMA Uptake in Nonprostatic Malignancies: Has the Time Come to Remove "pS" from PSMA? Clinical Nuclear Medicine. 2018;43(7):529-32.	5
1024	Mango VL, D'Alessio D, Morris EA, Ha R, Bernard-Davila B, Jochelson MS. Stereotactic breast biopsy efficiency: Does a pre-biopsy grid image help? Clinical Imaging. 2019;53:108-11.	7
1025	Manjoros D, Alberty-Oller JJ, Collett A, Frazier T, Barrio A. The value of 6-month interval imaging following benign radiologic-pathologic concordant minimally invasive breast biopsy. Annals of Surgical Oncology. 2013;1):9.	3
1026	Mansoor S, Ip C, Stomper PC. Yield of Terminal Duct Lobule Units in Normal Breast Stereotactic Core Biopsy Specimens: Implications for Biomarker Studies. Breast Journal. 2000;6(4):220-4.	7
1027	Maragos GA, Penumaka A, Ahrendsen JT, Salem MM, Nelson EB, Alterman RL. Factors Affecting the Diagnostic Yield of Frame-Based Stereotactic Intracranial Biopsies. World Neurosurgery. 2020;135:e695-e701.	5

연번	서지정보	배제 사유
1028	March DE, Walker MT, Bur M, Coughlin BF, Dziura B, Lorenzana RR, et al. Touch-preparation cytologic examination of breast core biopsy specimens: Accuracy in predicting benign or malignant core histologic results. <i>Academic Radiology</i> . 1999;6(6):333-8.	3
1029	Marcollet A, Doridot V, Nos C. [Breast-conserving therapy in breast cancer]. <i>Revue du Praticien</i> . 2004;54(8):847-53.	6
1030	Marcy PY, Magne N, Hannoun-Levi JM, Namer M. [Medical complications and medical legal pitfalls concerning interventional radiological procedures on the breast]. <i>Bulletin du Cancer</i> . 2001;88(12):1159-66.	6
1031	Margenthaler JA, Duke D, Monsees BS, Barton PT, Clark C, Dietz JR. Correlation between core biopsy and excisional biopsy in breast high-risk lesions. <i>American Journal of Surgery</i> . 2006;192(4):534-7.	7
1032	Margolin FR, Jacobs RP, Denny SR. Microcystic Calcifications at Stereotactic Breast Biopsy. <i>Breast Journal</i> . 1999;5(3):182-5.	7
1033	Margolin FR, Kaufman L, Denny SR, Jacobs RP, Schrupf JD. Metallic Marker Placement after Stereotactic Core Biopsy of Breast Calcifications: Comparison of Two Clips and Deployment Techniques. <i>American Journal of Roentgenology</i> . 2003;181(6):1685-90.	7
1034	Margolin FR, Leung JWT, Jacobs RP, Denny SR. Percutaneous imaging-guided core breast biopsy: 5 Years' experience in a community hospital. <i>American Journal of Roentgenology</i> . 2001;177(3):559-64.	7
1035	Margolis NE, Bassiri-Tehrani B, Chhor C, Singer C, Hernandez O, Moy L. Polyacrylamide gel breast augmentation: Report of two cases and review of the literature. <i>Clinical Imaging</i> . 2015;39(3):339-43.	5
1036	Mariotti C, Feliciotti F, Baldarelli M, Serri L, Santinelli A, Fabris G, et al. Digital stereotactic biopsies for nonpalpable breast lesion. <i>Surgical Endoscopy and Other Interventional Techniques</i> . 2003;17(6):911-7.	7
1037	Mariscal Martinez A, Sola M, Perez De Tudela A, Francisco Julian J, Fraile M, Vizcaya S, et al. Radioguided localization of nonpalpable breast cancer lesions: Randomized comparison with wire localization in patients undergoing conservative surgery and sentinel node biopsy. <i>American Journal of Roentgenology</i> . 2009;193(4):1001-9.	5
1038	Markham GC, Thind R, Evans SE, Husien AMA. Stereotactic localization mammography: Interpreting the check film [5]. <i>Clinical Radiology</i> . 1993;47(2):144-5.	2
1039	Markopoulos C, Kouskos E, Revenas K, Mantas D, Antonopoulou Z, Kontzoglou K, et al. Open surgical biopsy for nonpalpable breast lesions detected on screening mammography. <i>European Journal of Gynaecological Oncology</i> . 2005;26(3):311-4.	5
1040	Marquez ME, Rivas J, Uribe J, Menolascino F, Rodriguez J, Perez H, et al. Stereotactic breast biopsy. Experience in the Breast Clinic of Barquisimeto. [Spanish]. <i>Revista Venezolana de Oncologia</i> . 2014;26(3):187-98.	6
1041	Marsh R. Bridging the gap between patient and physicist. <i>Medical Physics</i> . 2019;46(6):e259-e60.	3
1042	Marti J, Dauer L, Stempel M, Kaplan J, Montgomery L. Cumulative imaging radiation exposure following breast conservation therapy. <i>Annals of Surgical Oncology</i> . 2010;2:S182.	3
1043	Marti WR, Zuber M, Oertli D, Weber WP, Muller D, Kochli OR, et al. The advanced breast biopsy instrumentation - A minimally invasive system for stereotactic excisions of suspicious non-palpable breast lesions. [German]. <i>Swiss Surgery</i> . 2000;6(3):111-5.	6
1044	Marti WR, Zuber M, Oertli D, Weber WP, Muller D, Kochli OR, et al. [The Advanced Breast Biopsy Instrumentation (ABBI) for evaluation of mammographically suspicious, non-palpable findings of the breast: a reliable diagnosis with minor therapeutic potential]. <i>Swiss Surgery</i> . 2000;6(3):111-5.	6
1045	Martin OA, Anderson RL, Narayan K, MacManus MP. Does the mobilization of circulating tumour cells during cancer therapy cause metastasis? <i>Nature Reviews Clinical Oncology</i> . 2017;14(1):32-44.	2
1046	Martinez A, Sabate J, Gracia A. Localizer-guided biopsy of subclinical breast lesions: Can the number of unnecessary biopsies be reduced?. [Spanish]. <i>Radiologia</i> . 1999;41(2):121-9.	6
1047	Martuszewski A, Paluszkiwicz P, Nowak M, Szewczyk K, Staszek-Szewczyk U. Triple discordances in receptor status during breast cancer local progression and metastases: Case report and literature review. <i>Oncotargets and Therapy</i> . 2020;13:10343-9.	5

연번	서지정보	배제 사유
1048	Masch WR, Wang PI, Chenevert TL, Junck L, Tsien C, Heth JA, et al. Comparison of Diffusion Tensor Imaging and Magnetic Resonance Perfusion Imaging in Differentiating Recurrent Brain Neoplasm From Radiation Necrosis. Academic radiology. 2016;23(5):569-76.	5
1049	Masroor I, Afzal S, Shafqat G, Khattak YJ. Comparison of stereotactic core breast biopsy and open surgical biopsy results at a tertiary care hospital in Pakistan. International Journal of Women's Health. 2011;3:193-6.	5
1050	Masroor I, Afzal S, Sufian SN. Imaging guided breast interventions. Journal of the College of Physicians and Surgeons Pakistan. 2016;26(6):521-6.	2
1051	Mataka GT, Pearson MJ, Maxwell AJ. Negative predictive value for atypia and malignancy of 14-gauge core biopsy of breast papillomas. Breast Cancer Research. 2010;3:S7.	3
1052	Mateo AM, Frankel AM. Is 6-Month Radiologic Imaging Necessary after Benign Breast Biopsy? Review of Literature and Multicenter Experience. The American surgeon. 2015;81(12):1224-7.	7
1053	Mathiesen TI, Idvall I. Stereotactic breast biopsy with a 20-gauge needle [3]. American Journal of Roentgenology. 1991;156(3):634.	2
1054	Mathis T, Jardel P, Loria O, Delaunay B, Nguyen AM, Lanza F, et al. New concepts in the diagnosis and management of choroidal metastases. Progress in Retinal and Eye Research. 2019;68:144-76.	2
1055	Matiatou M, Georgiou G, Al-Harethee W, Papapanagiotou I, Kalles V, Flessas I, et al. Health-related quality of life after stereotactic vacuum assisted breast biopsy system utilizing radio frequency-breast lesion excision system (BLES). European Journal of Cancer. 2012;1:S60.	3
1056	Matiatou M, Giannios P, Kalles V, Georgiou G, Papapanagiotou I, Al-Harethee W, et al. Evaluation of the patients' experience after stereotactic vacuum assisted breast biopsy utilizing radiofrequency. Breast. 2019;44 (Supplement 1):S130.	3
1057	Matiatou M, Kalles V, Karathanasis P, Mitrousias A, Alafaki M, Koulocheri D, et al. Stereotactic breast biopsy: how to reach "difficult" lesions? Breast. 2019;44 (Supplement 1):S49.	3
1058	Matiatou MA, Georgiou G, Al-Harethee W, Kalles V, Papapanagiotou IK, Flessas I, et al. Health-related quality of life after stereotactic vacuum assisted breast biopsy utilizing radiofrequency: The greek trial experience. Breast. 2011;1:S35.	3
1059	Matsuo S, Watanabe J, Mitsuya K, Hayashi N, Nakasu Y, Hayashi M. Brain metastasis in patients with metastatic breast cancer in the real world: a single-institution, retrospective review of 12-year follow-up. Breast Cancer Research & Treatment. 2017;162(1):169-79.	5
1060	Matsuzaki S, Shiba E, Kobayashi Y, Kawai M, Kitamura K, Nishita T, et al. [Stereotactic vacuum-assisted breast biopsy (Mammotome biopsy) for non-palpable microcalcification on mammography]. Nippon Igaku Hoshasen Gakkai Zasshi - Nippon Acta Radiologica. 2005;65(1):16-22.	6
1061	Mattar A, Amorim AG, Ramos NM, Shida JY, Fonseca GR, Hegg R, et al. The value of stereotactic vacuum-assisted biopsy in the investigation of microcalcifications in 1354 patients in public Brazilian hospital. Cancer Research Conference. 2018;79(4 Supplement 1).	3
1062	Mayo D, King M, Mansfield L, Yiangou C, Agrawal A. Does introduction of Vacuum Assisted Biopsy (VAB) change rate of indeterminate breast lesions? European Journal of Surgical Oncology. 2015;41 (6):S65.	3
1063	McAleer MF, Balter P, Bucci MK, Kuruvila S, Komaki R, Chang JY. Capsular contracture of subcutaneous breast implant following hypofractionated stereotactic body radiotherapy for early stage lung cancer. Journal of Radiosurgery and SBRT. 2013;2(2):165-70.	5
1064	McArthur H, Shiao S, Karlan S, Basho R, Amersi F, Arnold B, et al. Pre-operative pembrolizumab(Pembro) with radiation therapy (RT) in patients withoperable triple-negative breast cancer (TNBC). Cancer Research Conference. 2020;81(4 SUPPL).	3
1065	McCaffrey J. The use of stereotactically guided core needle biopsy has certainly increased the preoperative diagnostic rate and, in our experience, substantially decreased the number of benign biopsies being done. World journal of surgery. 1999;23(9):981.	2
1066	McGahan JP. Interventional ultrasound techniques. Applied Radiology. 1989;18(2):17-23.	2
1067	McGhan LJ, Pockaj BA, Wasif N, Giurescu ME, McCullough AE, Gray RJ. Atypical ductal hyperplasia on core biopsy: An automatic trigger for excisional biopsy? Annals of Surgical Oncology. 2012;19(10):3264-9.	7
1068	McKee GT, Tildsley G, Hammond S. Cytologic diagnosis and grading of ductal carcinoma in situ. Cancer. 1999;87(4):203-9.	5

연번	서지정보	배제 사유
1069	McKee MD, Cropp MD, Hyland A, Watroba N, McKinley B, Edge SB. Provider case volume and outcome in the evaluation and treatment of patients with mammogram-detected breast carcinoma. <i>Cancer</i> . 2002;95(4):704-12.	7
1070	McKevitt E, Sidhu R, Mackay E, Warburton R, Pao JS, Dingee C, et al. Atypical ductal hyperplasia identified on core needle biopsy should be excised. <i>Annals of Surgical Oncology</i> . 2018;25 (2 Supplement 1):341-2.	3
1071	McLaughlin N, Kelly DF, Prevedello DM, Carrau RL, Kassam AB. Hemostasis Management during Completely Endoscopic Removal of a Highly Vascular Intraparenchymal Brain Tumor: Technique Assessment. <i>Journal of Neurological Surgery, Part A: Central European Neurosurgery</i> . 2014;75(1):42-7.	5
1072	McMahon MA, James JJ, Cornford EJ, Hamilton LJ, Burrell HC. Does the insertion of a gel-based marker at stereotactic breast biopsy allow subsequent wire localizations to be carried out under ultrasound guidance? <i>Clinical Radiology</i> . 2011;66(9):840-4.	7
1073	McWilliams SE. Use of MRI fusion second-look ultrasound in breast cancer: Can MRI US fusion reduce the need for MRI-guided biopsy? Breast Cancer Research Conference: British Society of Breast Radiology Annual Scientific Meeting. 2012;14(SUPPL. 1).	3
1074	Meattini I, Andratschke N, Kirby AM, Sviri G, Offersen BV, Poortmans P, et al. Challenges in the treatment of breast cancer brain metastases: evidence, unresolved questions, and a practical algorithm. <i>Clinical and Translational Oncology</i> . 2020;22(10):1698-709.	2
1075	Medjhouli A, Canale S, Mathieu MC, Uzan C, Garbay JR, Dromain C, et al. Breast lesion excision sample (BLES Biopsy) combining stereotactic biopsy and radiofrequency: Is it a safe and accurate procedure in case of BIRADS 4 and 5 breast lesions? <i>Breast Journal</i> . 2013;19(6):590-4.	5
1076	Meeuwis C, Mann RM, Mus RDM, Winkel A, Boetes C, Barentsz JO, et al. MRI-guided breast biopsy at 3T using a dedicated large core biopsy set: Feasibility and initial results. <i>European Journal of Radiology</i> . 2011;79(2):257-61.	7
1077	Mehrmohammadi M, Fazio RT, Whaley DH, Pruthi S, Kinnick RR, Fatemi M, et al. Preliminary inVivo Breast Vibro-acoustography Results with aQuasi-2-D Array Transducer: A Step Forward Toward Clinical Applications. <i>Ultrasound in Medicine and Biology</i> . 2014;40(12):2819-29.	5
1078	Mehta AM, Rijna H. Value of sentinel lymph node biopsy in ductal carcinoma in situ of the breast. <i>European Journal of Cancer</i> . 2009;7 (2-3):294.	3
1079	Meijnen P, Peterse JL, Oldenburg HSA, Woerdeman LAE, Rutgers EJT. Changing patterns in diagnosis and treatment of ductal carcinoma in situ of the breast. <i>European Journal of Surgical Oncology</i> . 2005;31(8):833-9.	7
1080	Meindl S, Hobling W. Stereotactic large-core biopsy of the breast in comparison with stereotactic fine-needle aspiration. [German]. <i>Aktuelle Radiologie</i> . 1994;4(5):261-3.	6
1081	Mele M, Vahl P, Funder JA, Sorensen AS, Jensen V. Apocrine carcinoma arising in a complex fibroadenoma: A case report. <i>Breast Disease</i> . 2014;34(4):183-7.	5
1082	Mena FJ, Mena I, Diggles L, Khalkhali I. Design and assessment of a scintigraphy-guided biplane localization technique for breast tumours: A phantom study. <i>Nuclear Medicine Communications</i> . 1996;17(8):717-23.	1
1083	Mendez A, Cabanillas F, Echenique M, Malekshamran K, Perez I, Ramos E. Mammographic features and correlation with biopsy findings using 11-gauge stereotactic vacuum-assisted breast biopsy (SVABB). <i>Annals of Oncology</i> . 2004;15(3):450-4.	7
1084	Mendez A, Cabanillas F, Echenique M, Malekshamran K, Perez I, Ramos E. Evaluation of Breast Imaging Reporting and Data System Category 3 Mammograms and the Use of Stereotactic Vacuum-Assisted Breast Biopsy in a Nonacademic Community Practice. <i>Cancer</i> . 2004;100(4):710-4.	7
1085	Mendez I, Andreu FJ, Saez E, Sentis M, Jurado I, Cabezuelo MA, et al. Ductal carcinoma in situ and atypical ductal hyperplasia of the breast diagnosed at stereotactic core biopsy. <i>Breast Journal</i> . 2001;7(1):14-8.	5
1086	Menezes GL, Winter-Warnars GA, Koekenbier EL, Groen EJ, Verkooijen HM, Pijnappel RM. Simplifying Breast Imaging Reporting and Data System classification of mammograms with pure suspicious calcifications. <i>Journal of medical screening</i> . 2018;25(2):82-7.	7
1087	Mentrikoski MJ, Rochman CM, Atkins KA. Tattoo ink within lymph nodes: A possible clinical mimicker of abnormal calcifications. <i>Breast Journal</i> . 2014;20(3):314-5.	5

연번	서지정보	배제 사유
1088	Merkus J, Fris J, Warmerdam P, Bot F, Jannink I, Mulder H. Quality control after benign stereotactical biopsy in patients with non-palpable breast lesions. <i>European Journal of Surgical Oncology</i> . 2012;38 (9):811-2.	3
1089	Merkus J, Warmerdam P, Bot F, Fris J, Boutkan H. Sentinel node biopsy in patients with preoperative stereotactically diagnosed DCIS e Is it necessary? <i>European Journal of Surgical Oncology</i> . 2012;38 (9):811.	3
1090	Merrell RT. Brain Tumors. <i>Disease-a-Month</i> . 2012;58(12):678-89.	4
1091	Messinger J, Crawford S, Roland L, Mizuguchi S. Inappropriate use of BI-RADS category 3: Learning from mistakes. <i>Applied Radiology</i> . 2019;48(1):28-33.	2
1092	Mesurole B, Brun F, El Khoury M, Petrou A, Bagard C, Monghal C, et al. Identification and Avoidance of Vessels During Imaging Guided Biopsies: An Additional Role of Breast Tomosynthesis. <i>Canadian Association of Radiologists Journal</i> . 2017;68(4):468-70.	5
1093	Meunier M, Thibault F. [Diagnostic difficulties and limits in imaging]. <i>Archives d Anatomie et de Cytologie Pathologiques</i> . 1998;46(4):247-50.	6
1094	Meunier M, Thibault F. Imaging studies: Pitfalls and limitations. [French]. <i>Archives d'Anatomie et de Cytologie Pathologiques</i> . 1998;46(4):247-50.	6
1095	Meyer JE, Smith DN, DiPiro PJ, Denison CM, Frenna TH, Harvey SC, et al. Stereotactic breast biopsy of clustered microcalcifications with a directional, vacuum-assisted device. <i>Radiology</i> . 1997;204(2):575-6.	7
1096	Meyer JE, Smith DN, Lester SC, Kaelin C, DiPiro PJ, Denison CM, et al. Large-core needle biopsy of nonpalpable breast lesions. <i>Journal of the American Medical Association</i> . 1999;281(17):1638-41.	5
1097	Mezei T, Hajdu M, Czegléczki G, Lotz G, Kocsis J, Kulka J, et al. Sterile, abscess-like cerebral lesion during trastuzumab therapy after HER2 status switch in a triple negative breast cancer patient: A case report and literature review. <i>BMC Cancer</i> . 2020;20 (1) (no pagination)(615).	5
1098	Michaels A, Chung CS, Birdwell RL, Frost EP, Giess CS. Reply: Letter to the Editor. <i>Breast Journal</i> . 2017;23(5):618.	2
1099	Michalopoulos NV, Mitrousias A, Karathanasis PV, Kalles V, Frountzas M, Theodoropoulos C, et al. A novel way of hook wire placement for surgical resection of suspicious breast lesions using the stereotactic vacuum assisted breast biopsy table. <i>Breast Journal</i> . 2021;27(4):403-5.	7
1100	Michel SC, Low R, Singer G, Otto R, Hohl M, Kubik RA. [Stereotactic Mammotome breast biopsy: routine clinical experience and correlation with BI-RADS--classification and histopathology]. <i>Praxis</i> . 2007;96(39):1459-74.	6
1101	Middleton L. A longitudinal study of LCIS on CNB. <i>Laboratory Investigation</i> . 2016;1):58A.	3
1102	Mies C, Lentz JC, Moffat FL. Stereotactic core biopsy of the breast. <i>Breast Journal</i> . 2000;6(3):197-8.	2
1103	Mikhail RA, Nathan RC, Weiss M, Tummala RM, Mullangi UR, Lawrence L, et al. Stereotactic core needle biopsy of mammographic breast lesions as a viable alternative to surgical biopsy. <i>Annals of surgical oncology</i> . 1994;1(5):363-7.	5
1104	Miller C, Koerner F, West J, Freer P, Gudewicz T, Coopey S, et al. Upgrade rate of radial scars without atypia diagnosed by core biopsy. <i>Annals of Surgical Oncology</i> . 2013;1):82-3.	3
1105	Miller KL, Marks LB, Barrier RC, Jr., Leight GS, Clough RW, Prosnitz RG, et al. Increased sectioning of pathologic specimens with ductal carcinoma in situ of the breast: are there clinical consequences? <i>Clinical Breast Cancer</i> . 2003;4(3):198-202.	7
1106	Miller L, Soo M, Hayes M, Shelby R, Yoon S, Baker J. Predictors of pain experienced by women during imaging-guided breast biopsies. <i>American Journal of Roentgenology Conference</i> . 2012;198(5 SUPPL. 1).	3
1107	Miller M, Freyvogel M, Li P, Greenwalt I, Rock L, Shenk R, et al. Hospital system rollout and initial experience with stainless steel magnetized seeds for breast and lymph node localization. <i>Annals of Surgical Oncology</i> . 2019;26 (2 Supplement):96-7.	3
1108	Millstine D, David P, Pruthi S. Tools of the trade: Individualized breast cancer risk assessment. <i>Journal of Women's Health</i> . 2014;23(5):434-6.	5
1109	Milne PJ, Parel JM, Manns F, Denham DB, Gonzalez-Cirre X, Robinson DS. Development of stereotactically guided laser interstitial thermotherapy of breast cancer: In situ measurement and analysis of the temperature field in ex vivo and in vivo adipose tissue. <i>Lasers in Surgery and Medicine</i> . 2000;26(1):67-75.	5

연번	서지정보	배제 사유
1110	Milos RI, Bernathova M, Baltzer PA, Pinker-Domenig K, Kapetas P, Rudas M, et al. The breast lesion excision system (BLES) under stereotactic guidance cannot be used as a therapeutic tool in the excision of small areas of microcalcifications in the breast. <i>European Journal of Radiology</i> . 2017;93:252-7.	5
1111	Minhaj AM, Manns F, Milne PJ, Denham DB, Salas Jr N, Nose I, et al. Laser interstitial thermotherapy (LITT) monitoring using high-resolution digital mammography: Theory and experimental studies. <i>Physics in Medicine and Biology</i> . 2002;47(16):2987-99.	5
1112	Mitnick JS, Vazquez MF, Pressman PI, Harris MN, Roses DF. Stereotactic fine-needle aspiration biopsy for the evaluation of nonpalpable breast lesions: report of an experience based on 2,988 cases. <i>Annals of surgical oncology : the official journal of the Society of Surgical Oncology</i> . 1996;3(2):185-91.	5
1113	Mitnick JS, Vazquez MF, Roses DF, Harris MN, Colen SR, Colen HS. Stereotactic localization for fine needle aspiration biopsy in patients with augmentation prostheses. <i>Annals of Plastic Surgery</i> . 1992;29(1):31-5.	5
1114	Miyake KK, Lipson JA, Allison KH, Xu Y, Liu YI, Downey JR, et al. Milky Way sign: A potential predictive sign of breast cancer on digital breast tomosynthesis. <i>Cancer Research Conference: 39th Annual CTSC AACR San Antonio Breast Cancer Symposium San Antonio, TX United States</i> . 2017;77(4 Supplement 1).	3
1115	Moadel RM. Breast cancer imaging devices. <i>Seminars in Nuclear Medicine</i> . 2011;41(3):229-41.	7
1116	Moghaddasi L, Bezak E, Marcu LG. Current challenges in clinical target volume definition: Tumour margins and microscopic extensions. <i>Acta Oncologica</i> . 2012;51(8):984-95.	2
1117	Mohyeldin A, Lonser RR, Elder JB. Real-time magnetic resonance imaging-guided frameless stereotactic brain biopsy: technical note. <i>Journal of Neurosurgery</i> . 2016;124(4):1039-46.	5
1118	Mok PM, Keepin Y. Stereotactic breast biopsies for lesions discovered on routine mammography: experience at the North Shore Hospital. <i>The New Zealand medical journal</i> . 2000;113(1113):273-4.	5
1119	Mokbel K, Ahmed M, Nash A, Sacks N. Re-excision operations in nonpalpable breast cancer. <i>Journal of Surgical Oncology</i> . 1995;58(4):225-8; discussion 9-32.	5
1120	Molleran V. Postbiopsy management. <i>Seminars in Roentgenology</i> . 2011;46(1):40-50.	2
1121	Monfaredi R, Cleary K, Sharma K. MRI Robots for Needle-Based Interventions: Systems and Technology. <i>Annals of Biomedical Engineering</i> . 2018;46(10):1479-97.	5
1122	Monib S, Mukerji S, Narula S. Vacuum-Assisted Breast Biopsy System: No Innovation Without Evaluation. <i>Cureus</i> . 2021;13(1):e12649.	7
1123	Montgomery S. Atypical ductal hyperplasia from stereotactic core biopsy of the breast. <i>Ajr</i> . 1996;American journal of roentgenology. 166(5):1230.	2
1124	Monticciolo DL, Hajdik RL, Hicks MG, Winford JK, Larkin WR, Vasek JV, et al. Six-month short-interval imaging follow-up for benign concordant core needle biopsy of the breast: Outcomes in 1444 cases with long-term follow-up. <i>American Journal of Roentgenology</i> . 2016;207(4):912-7.	7
1125	Moon JI, Choi BH, Baek HJ, Ryu KH, Park SE, Ha JY, et al. Comprehensive analyses with radiological and biological markers of breast cancer on contrast-enhanced chest CT: a single center experience using dual-layer spectral detector CT. <i>European Radiology</i> . 2020;30(5):2782-90.	5
1126	Moran MS, Kaufman C, Burgin C, Swain S, Granville T, Winchester DP. What currently defines a breast center? Initial data from the national accreditation program for breast centers. <i>Journal of Oncology Practice</i> . 2013;9(2):e62-e70.	7
1127	Morana G, Cugini C, Scatto G, Zanato R, Fusaro M, Dorigo A. Use of contrast agents in oncological imaging: Magnetic resonance imaging. <i>Cancer Imaging</i> . 2013;13(3):350-9.	2
1128	Moreno G, Molina M, Wu R, Sullivan JR, Jorns JM. Unveiling the histopathologic spectrum of MRI-guided breast biopsies: an institutional pathological-radiological correlation. <i>Breast Cancer Research and Treatment</i> . 2021;187(3):673-80.	7
1129	Morikawa A, Jhaveri K, Seidman AD. Clinical trials for breast cancer with brain metastases: Challenges and new directions. <i>Current Breast Cancer Reports</i> . 2013;5(4):293-301.	2
1130	Morris EA, Liberman L, Trevisan SG, Abramson AF, Dershaw DD. Histologic heterogeneity of masses at percutaneous breast biopsy. <i>Breast Journal</i> . 2002;8(4):187-91.	7
1131	Morris KT, Pommier RF, Vetto JT. Office-based wire-guided open breast biopsy under local anesthesia is accurate and cost effective. <i>American Journal of Surgery</i> . 2000;179(5):422-5.	5

연번	서지정보	배제 사유
1132	Morrow M, Schmidt R, Cregger B, Hassett C, Cox S. Preoperative evaluation of abnormal mammographic findings to avoid unnecessary breast biopsies. Archives of Surgery. 1994;129(10):1091-6.	5
1133	Morrow M, Venta L, Stinson T, Bennett C. Prospective comparison of stereotactic core biopsy and surgical excision as diagnostic procedures for breast cancer patients. Annals of Surgery. 2001;233(4):537-41.	5
1134	Morrow M. When can stereotactic core biopsy replace excisional biopsy?--A clinical perspective. Breast Cancer Research & Treatment. 1995;36(1):1-9.	2
1135	Morrow M. Indications for the use of stereotactic core biopsy of the breast. Problems in General Surgery. 1996;13(1):1-8.	2
1136	Moskos MM, Hughes KS. Doing "nothing" for DCIS: a case report. Breast Cancer Research and Treatment. 2015;154(2):435-7.	7
1137	Mouawad M, Biernaski H, Brackstone M, Lock M, Yaremko B, Shmuilovich O, et al. DCE-MRI assessment of response to neoadjuvant SABR in early stage breast cancer: Comparisons of single versus three fraction schemes and two different imaging time delays post-SABR. Clinical and Translational Radiation Oncology. 2020;21:25-31.	5
1138	Mouawad M, Lailey O, Poulsen P, O'Neil M, Brackstone M, Lock M, et al. Intrafraction motion monitoring to determine PTV margins in early stage breast cancer patients receiving neoadjuvant partial breast SABR. Radiotherapy and Oncology. 2021;158:276-84.	5
1139	Moukhtar FZ, Abu El Maati AA. Apparent diffusion coefficient values as an adjunct to dynamic contrast enhanced MRI for discriminating benign and malignant breast lesions presenting as mass and non-mass like enhancement. Egyptian Journal of Radiology and Nuclear Medicine. 2014;45(2):597-604.	5
1140	Mounsey LA, Deal AM, Keith KC, Benbow JM, Shachar SS, Zagar T, et al. Changing Natural History of HER2-Positive Breast Cancer Metastatic to the Brain in the Era of New Targeted Therapies. Clinical Breast Cancer. 2018;18(1):29-37.	5
1141	Mourad AF, Mohammad HEDG, Sayed MM, Ragae MA. What's the clinical significance of adding diffusion and perfusion MRI in the differentiation of glioblastoma multiforme and solitary brain metastasis? Egyptian Journal of Radiology and Nuclear Medicine. 2017;48(3):661-9.	5
1142	Moy L. Should we continue to biopsy all amorphous calcifications? Radiology. 2018;288(3):680-1.	2
1143	Mui SL, Starr L, Hutchison G. Diagnostic accuracy and yield of stereotactic and tomosynthesis guided breast core biopsy. European Journal of Surgical Oncology. 2018;44 (6):876.	3
1144	Mullen DJ, Eisen RN, Newman RD, Perrone PM, Wilsey JC. The use of carbon marking after stereotactic large-core-needle breast biopsy. Radiology. 2001;218(1):255-60.	7
1145	Munir A, Huws A, Moalla A, Udayashankar S, Williams H, Shariha Y, et al. Vacuum-assisted biopsy a comparative study between upright and prone table assisted biopsy. European Journal of Surgical Oncology. 2018;44 (6):878.	3
1146	Munir A, Huws A, Moalla A, Udayasankar S, Williams H, Lodwich E, et al. Our initial experience of digital breast tomosynthesis guided vacuum assisted breast biopsies and the patient's perspective: A single centre experience. European Journal of Surgical Oncology. 2016;42 (5):S11.	3
1147	Murawa P, Pawelska A, Kobylarek R, Nasher M. An assessment of the value of Stereotactic Mammotomy Biopsy (SMB) in the diagnosis of impalpable breast lesions. Reports of Practical Oncology and Radiotherapy. 2005;10(3):125-9.	3
1148	Murray MP, Luedtke C, Liberman L, Nehhozina T, Akram M, Brogi E. Classic lobular carcinoma in situ and atypical lobular hyperplasia at percutaneous breast core biopsy: Outcomes of prospective excision. Cancer. 2013;119(5):1073-9.	7
1149	Mussurakis S, Gibbs P, Buckley DL, Bowsley SJ, Fox JN, Turnbull LW, et al. Localization of MR-detected breast cancer using a prototype stereotactic guidance MR system. Breast. 1997;6(2):65-8.	5
1150	Musunuru HB, Patel AK, Rodriguez-Lopez JL, Brufsky AM, Beriwal S. Impact of Metastasis Directed Therapy on Progression and Survival in Metachronous Oligometastatic Breast cancer: An Extended Follow-up Study. International Journal of Radiation Oncology Biology Physics. 2020;108 (3 Supplement):e180.	3

연번	서지정보	배제 사유
1151	Mutasa S, Chang P, Nemer J, Van Sant EP, Sun M, McIlvride A, et al. Prospective Analysis Using a Novel CNN Algorithm to Distinguish Atypical Ductal Hyperplasia From Ductal Carcinoma in Situ in Breast. <i>Clinical Breast Cancer</i> . 2020;20(6):e757–e60.	7
1152	Mutasa S, Chang P, Van Sant EP, Nemer J, Liu M, Karcich J, et al. Potential Role of Convolutional Neural Network Based Algorithm in Patient Selection for DCIS Observation Trials Using a Mammogram Dataset. <i>Academic Radiology</i> . 2020;27(6):774–9.	7
1153	Mutasa S, Pascual E, Jadeja P, Karcich J, Chin C, Wynn R, et al. Distinguishing atypical ductal dysplasia from ductal carcinoma in situ: Convolutional neural network-based machine learning approach using mammographic image data. <i>Annals of Surgical Oncology</i> . 2018;25 (2 Supplement 1):101–2.	3
1154	Mutebi M, Cairncross L, Panieri E, Simonds H. DCIS in low resource settings: The black swan of breast health care? <i>Cancer Research Conference: 37th Annual CTRC AACR San Antonio Breast Cancer Symposium San Antonio, TX United States Conference Publication</i> :. 2015;75(9 SUPPL. 1).	3
1155	Mvere MZ, Cornford EJ, James JJ. Use of ultrasound in the assessment of screen-detected malignant microcalcifications. <i>Breast Cancer Research Conference: British Society of Breast Radiology Annual Scientific Meeting</i> . 2012;14(SUPPL. 1).	3
1156	Myong JH, Kang BJ, Yoon SK, Kim SH, An YY. The clinical utility of a adding lateral approach to conventional vertical approach for prone stereotactic vacuum-assisted breast biopsy. <i>Korean Journal of Radiology</i> . 2013;14(4):568–75.	7
1157	Nadal E, Heeke S, Benzaquen J, Vilarino N, Navarro A, Azuara D, et al. Two patients with advanced-stage lung adenocarcinoma with radiologic complete response to nivolumab treatment harboring an stk11/lkb1 mutation. <i>JCO Precision Oncology</i> . 2020;4:1239–45.	5
1158	Nagashima T, Hashimoto H, Oshida K, Nakano S, Tanabe N, Nikaido T, et al. Ultrasound Demonstration of Mammographically Detected Microcalcifications in Patients with Ductal Carcinoma in situ of the Breast. <i>Breast cancer (Tokyo, Japan)</i> . 2005;12(3):216–20.	7
1159	Nagi C, Jaffer S, Bleiweiss IJ. Mammographic-Pathologic Correlation in Core Biopsies of the Breast. <i>Seminars in Breast Disease</i> . 2005;8(3):138–43.	2
1160	Nahrig J, Hofler H, Heywang-Kobrunner SH, Prat N, Holzel D, Wunsch PH, et al. [Experiences of the Bavarian mammography screening program]. <i>Pathologe</i> . 2006;27(5):387–91.	6
1161	Nair K, George T, El Beltagi A. Perineural tumour spread from colon cancer, an unusual cause of trigeminal neuropathy – A case report. <i>Journal of Radiology Case Reports</i> . 2015;9(8):8–15.	5
1162	Najjar YG, Mittal K, Faza NN, Dushkin H, Peereboom DM. Isolated secondary CNS relapse in a case of stage I diffuse large B-cell lymphoma. <i>BMJ Case Reports</i> . 2014;05.	4
1163	Nakahori R, Takahashi R, Akashi M, Tsutsui K, Harada S, Matsubayashi RN, et al. Breast carcinoma originating from a silicone granuloma: A case report. <i>World Journal of Surgical Oncology</i> . 2015;13 (1) (no pagination)(72).	7
1164	Nakamura Y, Urashima M, Matsuura A, Nishihara R, Itoh A, Kagemoto M, et al. Stereotactic directional vacuum-assisted breast biopsy using lateral approach. <i>Breast Cancer</i> . 2010;17(4):286–9.	7
1165	Nakano S, Sakamoto H, Ohtsuka M, Mibu A, Sakata H, Yamamoto M. Evaluation and indications of ultrasound-guided vacuum-assisted core needle breast biopsy. <i>Breast cancer (Tokyo, Japan)</i> . 2007;14(3):292–6.	5
1166	Nam G, Singer TM, Lourenco A, Wang Y. Mass forming cholesteroloma of the breast: A case series of 43 patients with radiology correlation. <i>Laboratory Investigation</i> . 2018;98 (Supplement 1):94.	3
1167	Nasehi L, Sharma N, Lebda PL, Calhoun BC. Breast cancer risk associated with benign papillomas initially diagnosed on core needle biopsy. <i>Laboratory Investigation</i> . 2018;98 (Supplement 1):94.	3
1168	Nathanson SD, Nelson L. Interstitial fluid pressure in breast cancer, benign breast conditions, and breast parenchyma. <i>Annals of surgical oncology : the official journal of the Society of Surgical Oncology</i> . 1994;1(4):333–8.	5
1169	Nct. "The Efficacy of 'Radioguided Occult Lesion Localization' (ROLL) Versus 'Wire-guided Localization' (WGL) in Breast Conserving Surgery for Non-palpable Breast Cancer: a Randomized Clinical Trial". https://clinicaltrials.gov/show/NCT00539474 . 2007.	3

연번	서지정보	배제 사유
1170	Nct. Brief Guided Relaxation for Women Undergoing Stereotactic Breast Biopsy. https://clinicaltrials.gov/show/NCT03023215 . 2017.	3
1171	Nct. The Role of Pre-deployment Retraction in Decreasing Biopsy Clip Migration During Stereotactic Breast Biopsies. https://clinicaltrials.gov/show/NCT04398537 . 2020.	3
1172	Nebuloni M, Amadori R, Antonacci C, Rossi RS, Sartani A, De Simone A, et al. [Vacuum-assisted breast biopsy for diagnosis of non-palpable lesions: experience with 226 cases]. <i>Pathologica</i> . 2008;100(3):162-5.	6
1173	Nederend J, Duijm LEM, Louwman MWJ, Groenewoud JH, Donkers-Van Rossum AB, Voogd AC. Impact of transition from analog screening mammography to digital screening mammography on screening outcome in The Netherlands: A population-based study. <i>Annals of Oncology</i> . 2012;23(12):3098-103.	7
1174	Needham G, Deans HE, Gilbert FJ, Braham R. Stereotactic localization mammography. <i>Clinical Radiology</i> . 1993;47(1):70-1.	2
1175	Newland A, Khalid L, Gupta A, Flais S. Audit of B3 lesions in a breast symptomatic service. Breast Cancer Research Conference: British Society of Breast Radiology Annual Scientific Meeting, BSR. 2018;20(Supplement 1).	3
1176	Newman J. Role of stereotactic biopsy in diagnosing breast cancer. <i>Radiologic technology</i> . 1996;68(2):131-48; quiz 49-52.	2
1177	Newman LA. Local control of ductal carcinoma in situ based on tumor and patient characteristics: The surgeon's perspective. <i>Journal of the National Cancer Institute - Monographs</i> . 2010(41):152-7.	2
1178	Newman MR, Frost FA, Sterrett GF, Bourke AG, Thompson RI, Hastrich DJ, et al. Diagnosis of breast microcalcifications: A comparison of stereotactic fna and core imprint cytology as adjuncts to core biopsy. <i>Pathology</i> . 2001;33(4):449-53.	5
1179	Nguyen CV, Reseikova E, Huo L. Mucocoele-like lesions of breast with no or minimal epithelial atypia on core biopsy: To excise or not? <i>Laboratory Investigation</i> . 2009;1:59A-60A.	3
1180	Nguyen MC, Shah MH, Liebner DA, Backes FJ, Phay J, Shirley LA. The adrenal gland as a sanctuary site of metastases after pembrolizumab treatment: A case series. <i>JNCCN Journal of the National Comprehensive Cancer Network</i> . 2018;16(11):1279-83.	5
1181	Nguyen NP, Almeida FS, Chi A, Nguyen LM, Cohen D, Karlsson U, et al. Molecular biology of breast cancer stem cells: Potential clinical applications. <i>Cancer Treatment Reviews</i> . 2010;36(6):485-91.	2
1182	Niakan S, Love H, Cao Q, Kawar N. Primary invasive lobular carcinoma arising in mammary-like glands of the vulva managed with neoadjuvant trastuzumab-based chemotherapy, excision, and sentinel lymph node biopsy. <i>Clinical Case Reports</i> . 2021;9(1):118-22.	5
1183	Nichols EM, Becker S, Hong J, Cohen RJ, Mishra MV, Citron W, et al. Delivery of a single fraction lumpectomy cavity boost using a novel immobilization device and treatment delivery system. Cancer Research Conference: San Antonio Breast Cancer Symposium, SABCs. 2017;78(4 Supplement 1).	3
1184	Nielsen CH, Wick MJ, Gamez L, Knudsen CS, Jense MM, Rundle M, et al. HER2-positive PDX model of breast cancer brain metastasis obtained from patient prior to T-DM1 therapy. Molecular Cancer Therapeutics Conference: AACR NCI EORTC International Conference: Molecular Targets and Cancer Therapeutics. 2017;17(1 Supplement 1).	3
1185	Nieto Maestre M, Merino de la Vega M, Galan Ramos J. <<Reticular>> mammographic pattern, an unusual presentation of extensive in situ ductal carcinoma. [Spanish]. <i>Radiologia</i> . 2000;42(3):200-2.	6
1186	Nifosi G, Zuccarello M. Unilateral localized extraocular muscle metastasis by lobular breast carcinoma. <i>BMJ Case Reports</i> . 2018;2018 (no pagination)(224726).	5
1187	Nisbet AP, Borthwick-Clarke A, Scott N. 11-Gauge vacuum assisted directional biopsy of breast calcifications, using upright stereotactic guidance. <i>European Journal of Radiology</i> . 2000;36(3):144-6.	7
1188	Nishimura S, Takahashi K, Gomi N, Tada K, Makita M, Tada T, et al. What is the predictor for invasion in non-palpable breast cancer with microcalcifications? <i>Breast Cancer</i> . 2004;11(1):49-54.	7
1189	Nonni A. Vacuum-assisted biopsy (VAB) and pathology. <i>Anticancer Research</i> . 2014;34(10):6083-4.	3

연번	서지정보	배제 사유
1190	Nori J, Cariti G, Boeri C, Nori Bufalini F, Bianchi S, Vezzosi V, et al. [Percutaneous biopsy in the definition of breast lesions: fine needle vs. 14-gauge]. Radiologia Medica. 1998;95(6):630-4.	6
1191	Nori J, Cariti G, Masi A, Vivian A, Di Lollo S, Boeri C, et al. [Histologic micro biopsy with 14 G needle in the diagnosis of breast lesions. Experience with 1000 cases]. Radiologia Medica. 2001;101(1-2):31-8.	6
1192	Nori J, Giannotti E, Abdulcadir D. Recent applications in diagnostic breast imaging. International Journal of Gynecology and Obstetrics. 2012;3):S230.	3
1193	Noronha YS, Apple SK. Uterine leiomyosarcoma presenting as breast metastasis. Breast Journal. 2013;19(1):107-9.	2
1194	Norris TG. Stereotactic breast biopsy. Radiologic technology. 2001;72(5):431-50; quiz 51-54.	2
1195	Norton LW. A stereotactic stand-off. American journal of surgery. 1997;173(3):151-2.	2
1196	Noske A, Pahl S, Fallenber E, Richter-Ehrenstein C, Buckendahl AC, Weichert W, et al. Flat epithelial atypia is a common subtype of B3 breast lesions and is associated with noninvasive cancer but not with invasive cancer in final excision histology. Human Pathology. 2010;41(4):522-7.	7
1197	Noske A, Pahl S, Richter-Ehrenstein C, Fallenber E, Buckendahl AC, Denkert C. Flat epithelial atypia (FEA) is a common subtype of B3 breast lesions and associated with non-invasive cancer but not with invasive cancer in final excision histology. Laboratory Investigation. 2010;1):64A.	3
1198	Nosrati R, Zhang D, MacDougall RD, Phillips J, Palmer MR. Development of a novel framework to evaluate the localization accuracy of tomosynthesis-guided breast biopsy units. Medical Physics. 2021;48(3):1299-306.	1
1199	Nour SG, Monson DK. MRI-guided musculoskeletal soft tissue interventions. Topics in Magnetic Resonance Imaging. 2011;22(4):197-205.	2
1200	Nowkiewicz T, Nowak A, Wisniewska M, Wisniewski M, Zegarski W. Diagnostic value of preoperative axillary lymph node ultrasound assessment in patients with breast cancer qualified for sentinel lymph node biopsy. Wideochirurgia I Inne Techniki Maloinwazyjne. 2015;10(2):170-7.	5
1201	Obenauer S, Fischer U, Baum F, Dammert S, Fuzesi L, Grabbe E. Stereotactic vacuum core biopsy of clustered microcalcifications classified as BI-RADSTM type 3. [German]. RoFo Fortschritte auf dem Gebiet der Rontgenstrahlen und der Bildgebenden Verfahren. 2001;173(8):696-701.	6
1202	Obenauer S, Fischer U, Baum F, Grabbe E. [Indications for percutaneous stereotactic vacuum core biopsy of the breast]. Radiologe. 2002;42(1):11-8.	6
1203	O'Connell AM, Irshad A, Nguyen MS. Breast ultrasonography. Ultrasound Clinics. 2013;8(2):109-16.	2
1204	O'Connor TE, Fabiano AJ, Prasad D, Morin N, Fenstermaker RA. Lateral Temporal Approach for Image-Guided Stereotactic Biopsy of Pineal Region Tumors. World Neurosurgery. 2021;147:144-9.	7
1205	O'Dwyer E, Halpenny DF, Ginsberg MS. Lung cancer screening in patients with previous malignancy: Is this cohort at increased risk for malignancy? European Radiology. 2021;31(1):458-67.	5
1206	Oertli D, Zuber M, Muller D, Marti WR, Kochli OR, Torhorst J, et al. [The Advanced Breast Biopsy Instrumentation (ABBI), a system for stereotactic excision of mammographically suspect nonpalpable findings in the breast]. Schweizerische Medizinische Wochenschrift Journal Suisse de Medecine. 1998;128(21):811-6.	6
1207	Oertli D, Zuber M, Muller D, Marti WR, Kochli OR, Torhorst J, et al. Initial experience with advanced breast biopsy instrumentation, a system for excision of non-palpable mammary lesions. [German]. Schweizerische Medizinische Wochenschrift. 1998;128(21):811-6.	6
1208	Oertli D, Zuber M, Muller D, Marti WR, Kochli OR, Torhorst J, et al. [Initial experiences with the Advanced Breast Biopsy Instrumentation (ABBI), a system for stereotactic excision of non-palpable breast lesions]. Langenbecks Archiv fur Chirurgie - Supplement - Kongressband. 1998;115:379-83.	6
1209	O'Flynn EAM, Wilson ARM, Michell MJ. Image-guided breast biopsy: state-of-the-art. Clinical Radiology. 2010;65(4):259-70.	2
1210	Oh D, Prayson RA. Evaluation of epithelial and keratin markers in glioblastoma multiforme: An immunohistochemical study. Archives of Pathology and Laboratory Medicine. 1999;123(10):917-20.	5

연번	서지정보	배제 사유
1211	Ohsumi S, Takashima S, Aogi K, Ishizaki M, Mandai K. Breast biopsy for mammographically detected non-palpable lesions using a vacuum-assisted biopsy device (Mammotome) and an upright-type stereotactic mammography unit. Japanese Journal of Clinical Oncology. 2001;31(11):527-31.	9
1212	Ohta M, Takeshita I, Matsumoto K, Matsuoka S, Ikeda K. A case of central nervous system lymphoma and metastasized to breast after remission by methotrexate chemotherapy. [Japanese]. Neurological Surgery. 2005;33(3):263-8.	6
1213	Ohta M, Takeshita I, Matsumoto K, Matsuoka S, Ikeda K. [Case of central nervous system lymphoma metastasized to breast after remission by methotrexate chemotherapy]. No Shinkei Geka - Neurological Surgery. 2005;33(3):263-8.	6
1214	Oikonomou V, Fotou M, Zagouri F, Sergentanis TN, Nonni A, Athanassiadou P, et al. Imprint cytology of vacuum-assisted breast biopsy specimens: A rapid diagnostic tool in non-palpable solid lesions. Cytopathology. 2008;19(5):311-5.	5
1215	Okazaki H, Tsujimoto F, Maeda I, Ohta T, Kanemaki Y, Okamoto K, et al. Radiologic-pathological correlation of punctate hyperechoic foci by ultrasound in stereotactic vacuum-assisted breast biopsy samples. Japanese Journal of Radiology. 2009;27(10):438-43.	7
1216	Oligane HC, Berg WA, Bandos AI, Chen SS, Sohrabi S, Anello M, et al. Grouped Amorphous Calcifications at Mammography: Frequently Atypical but Rarely Associated with Aggressive Malignancy. Radiology. 2018;288(3):671-9.	7
1217	Oliver DJ, Frayne JR, Sterrett G. Stereotactic fine needle biopsy of the breast. Australian and New Zealand Journal of Surgery. 1992;62(6):463-7.	5
1218	Omofoye TS, Martaindale S, Teichgraber DC, Parikh JR. Implementation of Upright Digital Breast Tomosynthesis-guided Stereotactic Biopsy. Academic Radiology. 2017;24(11):1451-5.	2
1219	Ong A, Azizi A, Ambinder EB, Oluyemi ET, Harvey SC, Hung J. Image-guided Procedure Versus 2-year Follow-up for a BI-RADS 3 Probably Benign Lesion: A Cost Comparison Analysis. Journal of Breast Imaging. 2021;3(1):57-63.	7
1220	Orakdogan M, Akkurt C, Is M, Altay T. Surgical management of 39 patients with metastatic brain tumor. Neurological Sciences and Neurophysiology. 2018;35(4):165-70.	5
1221	Order BM, Schaefer PJ, Peters G, Eckmann-Scholz C, Hilpert F, Strauss A, et al. Evaluation of two different vacuum-assisted breast biopsy systems: Mammotome(R) system 11G/8G vs. ATEC(R) system 12G/9G. Acta Radiologica. 2013;54(2):137-43.	7
1222	Order BM, Warneke V, Buck N, Schaefer P, Heller M, Jonat W, et al. Evaluation of two different vacuum-assisted breast biopsy systems: Ethicon Mammotome ST 11G/8G- versus ATEC Suros-system 12G/9G. Archives of Gynecology and Obstetrics. 2010;1):S108.	3
1223	Orozco-Cortes J, Diaz-Exposito R, Casans-Tormo I, Prado-Wohlwend S, Bowles-Antelo H, Caballero-Garate A, et al. Sentinel lymph node biopsy in breast cancer in patients with previous breast surgery. European Journal of Nuclear Medicine and Molecular Imaging. 2015;1):S626.	3
1224	Orta L, Carlo V. Are excisions of incidental and imaging-concordant lobular neoplasia still justified? Perspective from a hispanic cohort. Laboratory Investigation. 2018;98 (Supplement 1):96.	3
1225	Orta L, Marcano E, Maldonado-Duran M. Intraductal papillomas without atypia need not be excised: A hispanic cohort study. Laboratory Investigation. 2016;1):63A.	3
1226	Ouldamer L, Body G, Arbion F, Avigdor S, Michenet P. [Mucocoele-like lesions of the breast: management after diagnosis on ultrasound guided core biopsy or stereotactic vacuum-assisted biopsy]. Gynecologie, Obstetrique & Fertilité. 2010;38(7-8):455-9.	6
1227	Ozet A, Uncu D, Kuzhan O, Ozturk M, Gunal A, Kilici F, et al. Metastatic breast cancer. Occurance after autologous hematopoietic stem cell transplantation for multiple myeloma: Case report. Turkiye Klinikleri Journal of Medical Sciences. 2008;28(5):758-61.	5
1228	Ozkurt E. Surgical highlights from the 40 th San Antonio breast cancer symposium: 5-9 December 2017, San Antonio, Texas. Meme Sagligi Dergisi / Journal of Breast Health. 2018;14(2):74-9.	2
1229	Paganelli G. Development of sentinel node biopsy, ROLL and IART in early breast cancer at the European Institute of Oncology, Milan (IEO). ecanccrmedicalscience. 2017;11 (no pagination)(744).	5
1230	Paixao L, Chevalier M, Hurtado-Romero AE, Garayoa J. Mean glandular dose to patients from stereotactic breast biopsy procedures. Physics in Medicine & Biology. 2018;63(14):145008.	7

연번	서지정보	배제 사유
1231	Palmieri FM, DePeri ER, Mincey BA, Smith JA, Wen LK, Chewar DM, et al. Comprehensive diagnostic program for medically underserved women with abnormal breast screening evaluations in an urban population. Mayo Clinic Proceedings. 2009;84(4):317-22.	7
1232	Panchal S, Shachar O, O'Malley F, Crystal P, Escallon J, Crook J, et al. Breast cancer in a BRCA2 mutation carrier with a history of prostate cancer. Nature Reviews Clinical Oncology. 2009;6(10):604-7.	7
1233	Pandya S, Gass J, Dizon D, Hansen K. Should we excise all breast core biopsy-proven papillary lesions? Annals of Surgical Oncology. 2010;2:S184.	3
1234	Panizza P, De Cobelli F, De Gaspari A, Gusmini S, Zanella A, Del Maschio A. [MR-guided stereotactic breast biopsy: technical aspects and preliminary results]. Radiologia Medica. 2003;106(3):232-44.	5
1235	Pantaleoni M, Marchese E. Breast cancer diagnostic process: management and cost evaluation in Italy. Value in Health. 2009;12 (7):A281.	3
1236	Paolini B, Leddy R, Irshad A. Disappearing grouped breast calcifications: An ominous sign. Radiology Case Reports. 2020;15(11):2453-8.	5
1237	Papapanagiotou IK, Georgiou G, Kalles V, Al-Harethee W, Matiatou M, Koulocheri D, et al. Stereotactic vacuum assisted breast biopsy system (BLES) utilizing radiofrequency: A matter of time. Breast. 2011;1:S34.	3
1238	Papapanagiotou IK, Kalles V, Al-Harethee W, Georgiou G, Matiatou M, Provatopoulou X, et al. Pain in stereotactic breast biopsy for non-palpable mammographic lesions-comparison of two biopsy methods. European Journal of Cancer. 2012;1:S64.	3
1239	Papapanagiotou IK, Kalles V, Liakou P, Al Harethee W, Georgiou GP, Matiatou M, et al. Stereotactic breast biopsy with the use of B.L.E.S.: Analysis of procedure characteristics. Breast. 2013;1:S44-S5.	3
1240	Papapanagiotou IK, Kalles V, Liakou P, Nonni A, Koulocheri D, Pazaiti A, et al. Small solid non palpable breast carcinomas: Can they be excised in total by BLES? Breast. 2015;1:S78.	3
1241	Papapanagiotou IK, Koulocheri D, Kalles V, Liakou P, Michalopoulos NV, Al-Harethee W, et al. Margin-free excision of small solid breast carcinomas using the Intact Breast Lesion Excision System<sup>/sup>: is it feasible? Breast Cancer. 2018;25(2):134-40.	5
1242	Paquelet JR. Current Status of Percutaneous Image-Guided Breast Biopsy. Seminars in Breast Disease. 2003;6(2):89-99.	2
1243	Parikh J. Ultrasound demonstration of clip migration to skin within 6 weeks of 11-gauge vacuum-assisted stereotactic breast biopsy. Breast Journal. 2004;10(6):539-42.	7
1244	Parikh J. Clip migration within 15 days of 11-gauge vacuum-assisted stereotactic breast biopsy. AJR. 2005;American journal of roentgenology. 184(3 Suppl):S43-6.	7
1245	Parikh JR. Delayed migration of gel mark ultra clip within 15 days of 11-gauge vacuum-assisted stereotactic breast biopsy. American Journal of Roentgenology. 2005;185(1):203-6.	7
1246	Park C, Chevalier F, Mobus V, Hoedl P, Engelmann K, Falk S, et al. Subsequent Marking under Ultrasound Guidance of Vacuum-Assisted Breast Biopsy Areas after Receipt of Histology: A Feasibility Study of a New Technique. Breast Care. 2020.	5
1247	Park HL, Hong J. Vacuum-assisted breast biopsy for breast cancer. Gland Surgery. 2014;3(2):120-7.	2
1248	Park HS, Kim JH, Lee DW, Song SY, Park S, Kim SI, et al. Gasless robot-assisted nipple-sparing mastectomy: A case report. Journal of Breast Cancer. 2018;21(3):334-8.	5
1249	Park JM, Yang L, Laroia A, Franken Jr EA, Fajardo LL. Core biopsy of the breast lesions: Review of technical problems and solutions: A pictorial review. Canadian Association of Radiologists Journal. 2011;62(1):73-82.	2
1250	Park M, Sohn YM. Vacuum assisted-biopsy and mammo-guided localization and excisional biopsy in the microcalcifications sampling of breast: An experience of single institution. Iranian Journal of Radiology. 2017;14 (1) (no pagination)(e30535).	7
1251	Park ST, Galbo C, Ghosh BC. Stereotactic breast biopsy as an alternative to excisional biopsy. World Journal of Surgery. 1997;21(8):794-8.	5
1252	Parker S. Stereotactic core biopsy: A return of the nattering nabobs of negativism. Academic Radiology. 2000;7(4):225-7.	3

연번	서지정보	배제 사유
1253	Parker SH, Burbank F. A practical approach to minimally invasive breast biopsy. Radiology. 1996;200(1):11-20.	2
1254	Parker SH, Klaus AJ. Performing a breast biopsy with a directional, vacuum-assisted biopsy instrument. Radiographics : a review publication of the Radiological Society of North America, Inc. 1997;17(5):1233-52.	7
1255	Parker SH, Lovin JD, Jobe WE, Burke BJ, Hopper KD, Yakes WF. Nonpalpable breast lesions: Stereotactic automated large-core biopsies. Radiology. 1991;180(2):403-7.	3
1256	Parker SH, Lovin JD, Jobe WE, Luethke JM, Hopper KD, Yakes WF, et al. Stereotactic breast biopsy with a biopsy gun. Radiology. 1990;176(3):741-7.	5
1257	Parker SH, Stavros AT, Dennis MA. Needle biopsy techniques. Radiologic Clinics of North America. 1995;33(6):1171-86.	2
1258	Parker SH. Percutaneous large core breast biopsy. Cancer. 1994;74(1 SUPPL.):256-62.	3
1259	Partyka L, Lourenco AP, Mainiero MB. Detection of mammographically occult architectural distortion on digital breast tomosynthesis screening: Initial clinical experience. American Journal of Roentgenology. 2014;203(1):216-22.	7
1260	Pascual J, Lim JSJ, Macpherson IR, Armstrong AC, Ring A, Okines AFC, et al. Triplet therapy with palbociclib, taselisib, and fulvestrant in pik3ca-mutant breast cancer and doublet palbociclib and taselisib in pathway-mutant solid cancers. Cancer Discovery. 2021;11(1):92-107.	5
1261	Patel A, Pain SJ, Britton P, Sinnatamby R, Warren R, Bobrow L, et al. Radioguided occult lesion localisation (ROLL) and sentinel node biopsy for impalpable invasive breast cancer. European Journal of Surgical Oncology. 2004;30(9):918-23.	5
1262	Patel BK, Giurescu M, Eversman S, William E, Kosiorek H, Victor P, et al. Can adding contrast-enhanced digital mammography (CEDM) as an adjunct to diagnostic mammography/US help decrease biopsy rates in women with suspicious (BIRADS 4) breast lesions? Journal of Clinical Oncology Conference. 2015;33(28 SUPPL. 1).	3
1263	Patel CD, Pandya DM, Liu J, Bernstein C, Tornos C. Differences in tumor grade of invasive breast carcinomas in core biopsy and excision: An analysis of 142 cases. Laboratory Investigation. 2013;1:62A.	3
1264	Patel R, Roberson JD, Hou W, Ryu S, Stessin A. Definitive Stereotactic Body Radiation Therapy in The Local Management of Breast Cancer. International Journal of Radiation Oncology Biology Physics. 2020;108 (3 Supplement):e78.	3
1265	Patel SH, Saito YD, Li Z, Ramaswamy B, Stiff A, Kassem M, et al. A solitary brain metastasis as the only site of recurrence of HR positive, HER2 negative breast cancer: a case report and review of the literature. Journal of Medical Case Reports. 2021;15 (1) (no pagination)(4).	5
1266	Patel TR, Chiang VLS. Laser interstitial thermal therapy for treatment of post-radiosurgery tumor recurrence and radiation necrosis. Photonics and Lasers in Medicine. 2014;3(2):95-105.	2
1267	Pathe N, Raymond J, Cintra AU. Metastatic renal cell cancer presenting as a breast mass. Clinical Advances in Hematology and Oncology. 2012;10(2):124-6.	5
1268	Patrikeos A, Wylie EJ, Bourke A, Frost F. Imaging of carbon granulomas of the breast following carbon track localization. Clinical Radiology. 1998;53(11):845-8.	5
1269	Patsouris A, Augereau P, Tanguy JY, Morel O, Menei P, Rousseau A, et al. [Differential diagnosis of local tumor recurrence or radionecrosis after stereotactic radiosurgery for treatment of brain metastasis]. Cancer Radiotherapie. 2014;18(2):142-6.	6
1270	Patterson S, Jorns J, Zeeb L, Klein K. Flat epithelial atypia: Underestimation rate and pathologic correlation. American Journal of Roentgenology Conference. 2012;198(5 SUPPL. 1).	3
1271	Patterson SK. Image-guided percutaneous breast biopsies. Imaging in Medicine. 2011;3(5):597-605.	2
1272	Paul Litton T, Vijay Ghatge S. Tattoo pigment mimicking axillary lymph node calcifications on mammography. Radiology Case Reports. 2020;15(8):1194-6.	7
1273	Paulman R, Williams C, Von Essen SG. Sarcoidosis presenting as multiple breast lesions. American Journal of Respiratory and Critical Care Medicine Conference: American Thoracic Society International Conference, ATS. 2010;181(1 MeetingAbstracts).	3
1274	Pawloski KR, Christian N, Knezevic A, Wen HY, Van Zee KJ, Morrow M, et al. Atypical ductal hyperplasia bordering on DCIS on core biopsy is associated with higher risk of upgrade than conventional atypical ductal hyperplasia. Breast Cancer Research and Treatment. 2020;184(3):873-80.	5

연번	서지정보	배제 사유
1275	Pelletier M, Knauper B, Loisel CG, Perreault R, Mizrahi C, Dube L. Moderators of psychological recovery from benign cancer screening results. <i>Current Oncology</i> . 2012;19(3):e191-e200.	7
1276	Pena A, Shah SS, Fazzio RT, Hoskin TL, Brahmabhatt RD, Hieken TJ, et al. Multivariate model to identify women at low risk of cancer upgrade after a core needle biopsy diagnosis of atypical ductal hyperplasia. <i>Breast Cancer Research and Treatment</i> . 2017;164(2):295-304.	7
1277	Penault-Llorca F, De Latour M, Fouilhoux G, Lemery S, Le Bouedec G, Feillel V. Vacuum-assisted biopsies: Problems posed by the pathologist. [French]. <i>Sein</i> . 2002;12(1-2):142-3.	3
1278	Peres A, Barranger E, Becette V, Boudinet A, Guinebreteire JM, Cherel P. Rates of upgrade to malignancy for 271 cases of flat epithelial atypia (FEA) diagnosed by breast core biopsy. <i>Breast Cancer Research and Treatment</i> . 2012;133(2):659-66.	7
1279	Perez JL, Gersey ZC, Marker DF, Zenonos GA, Zinn PO. Toxoplasma encephalitis presenting as neoplastic disease: A single institution case series. <i>Interdisciplinary Neurosurgery: Advanced Techniques and Case Management</i> . 2021;25 (no pagination)(101174).	2
1280	Perez S, Neron S, Seguin C, Holcroft C, Lisbona A, Rosberger Z. The effect of a hypnotic intervention on anxiety and psychological distress in the breast biopsy suite: A pilot study. <i>Psycho-Oncology</i> . 2011;2:84.	3
1281	Perret F, De Roquancourt A. The role of cytopuncture and needle biopsy in mammary disease. [French]. <i>Reproduction Humaine et Hormones</i> . 1998;12(1):9-13.	3
1282	Perret F, De Roquancourt A. Place and importance of fine needle aspiration (cytopunction) in senology in 2005. [French]. <i>Reproduction Humaine et Hormones</i> . 2007;20(1-2):58-63.	6
1283	Perret F. Action to be taken when confronted with nipple discharge. [French]. <i>Reproduction Humaine et Hormones</i> . 2004;17(1):45-8.	2
1284	Perrodin S, Lachenmayer A, Tinguely P, Beldi G, Candinas D, Banz V. Percutaneous image-guided stereotactic microwave PS18 ablation (PISMA) for non-colorectal liver metastases. <i>Swiss Medical Weekly</i> . 2017;147 (Supplement 225):26S.	3
1285	Pestana C, Macedo C, Gomes R, Pereira C, Brazao K, Bacelar F. Common case, rare age: Invasive breast cancer at the age of 22. <i>Internet Journal of Gynecology and Obstetrics</i> . 2021;25(1):1-4.	5
1286	Peters N, Hoorntje L, Mali W, Rinkes IB, Peeters P. Diagnostic performance of stereotactic large core needle biopsy for nonpalpable breast lesions in routine clinical practice. <i>International Journal of Cancer</i> . 2008;122(2):468-71.	5
1287	Peters NHGM, Meeuwis C, Bakker CJG, Mali WPTM, Fernandez-Gallardo AM, Hillegersberg R, et al. Feasibility of MRI-guided large-core-needle biopsy of suspicious breast lesions at 3T. <i>European Radiology</i> . 2009;19(7):1639-44.	5
1288	Pettine S, Place R, Babu S, Williard W, Kim D, Carter P. Stereotactic breast biopsy is accurate, minimally invasive, and cost effective. <i>American Journal of Surgery</i> . 1996;171(5):474-6.	2
1289	Pfarr G, Helbich TH, Riedl CC, Rudas M, Wagner T, Memarsadeghi M, et al. [Stereotactic needle breast biopsy: Diagnostic reliability of various biopsy systems and needle sizes]. <i>Rofo: Fortschritte auf dem Gebiete der Rontgenstrahlen und der Nuklearmedizin</i> . 2002;174(5):614-9.	6
1290	Phillips DGK, Sailey CJ, Warner J, Ioffe OB. Mucocoele-like lesions diagnosed by core needle biopsy of the breast: Correlation with surgical excision. <i>Laboratory Investigation</i> . 2009;1:63A.	3
1291	Phillips J, Brook A, Tseng I, Sharpe RE, Fein-Zachary V, Slanetz PJ, et al. Educational Videos: An Effective Tool to Improve Training in Interventional Breast Procedures. <i>Journal of the American College of Radiology</i> . 2016;13(6):719-24.	7
1292	Phillips J, Sharpe R, Majmundar Sheth M, Fein-Zachary V, Slanetz PJ, Mehta TS, et al. Video-Based Teaching of Image-Guided Breast Interventions: Stereotactic Core Biopsy Using a Prone Table. <i>Mededportal Publications</i> . 2017;13:10637.	7
1293	Philpotts LE, Lee CH, Horvath LJ, Tocino I. Canceled stereotactic core-needle biopsy of the breast: Analysis of 89 cases. <i>Radiology</i> . 1997;205(2):423-8.	7
1294	Philpotts LE, Lee CH. Clip migration after 11-gauge vacuum-assisted stereotactic biopsy: Case report. <i>Radiology</i> . 2002;222(3):794-6.	7
1295	Philpotts LE, Shaheen NA, Carter D, Lange RC, Lee CH. Comparison of rebiopsy rates after stereotactic core needle biopsy of the breast with 11-gauge vacuum suction probe versus 14-gauge needle and automatic gun. <i>American Journal of Roentgenology</i> . 1999;172(3):683-7.	7

연번	서지정보	배제 사유
1296	Philpotts LE, Shaheen NA, Jain KS, Carter D, Lee CH. Uncommon high-risk lesions of the breast diagnosed at stereotactic core-needle biopsy: Clinical importance. Radiology. 2000;216(3):831-7.	5
1297	Piccirilli M, Sassun TE, Brogna C, Giangaspero F, Salvati M. Late brain metastases from breast cancer: Clinical remarks on 11 patients and review of the literature. Tumori. 2007;93(2):150-4.	5
1298	Pijnappel RM, Van Den Donk M, Holland R, Mali WPTM, Peterse JL, Hendriks JHCL, et al. Diagnostic accuracy for different strategies of image-guided breast intervention in cases of nonpalpable breast lesions. British Journal of Cancer. 2004;90(3):595-600.	5
1299	Pilavdzic D, Khandelwal A, Oyewole-Eletu S. Radial sclerosing lesions of the breast: High histologic concordance found between core needle biopsy and subsequent surgical excision challenges current management guidelines. American Journal of Clinical Pathology. 2012;2):A024.	3
1300	Pinder SE, Elston CW, Ellis IO. The role of pre-operative diagnosis in breast cancer. Histopathology. 1996;28(6):563-6.	2
1301	Pinkney DM, Mychajlowycz M, Shah BA. A prospective comparative study to evaluate the displacement of four commercially available breast biopsy markers. British Journal of Radiology. 2016;89 (1065) (no pagination)(20160149).	7
1302	Piper KJ, Foster H, Susanto D, Maree CL, Thornton SD, Cobbs CS. Fatal Balamuthia mandrillaris brain infection associated with improper nasal lavage. International Journal of Infectious Diseases. 2018;77:18-22.	5
1303	Pisano ED, Fajardo LL, Tsimikas J, Sneige N, Frable WJ, Gatsonis CA, et al. Rate of insufficient samples for fine-needle aspiration for nonpalpable breast lesions in a multicenter clinical trial: the Radiologic Diagnostic Oncology Group 5 Study. The RDOG5 investigators. Cancer. 1998;82(4):679-88.	5
1304	Pisano EP, Fajardo LL, Caudry DJ, Sneige N, Frable WJ, Berg WA, et al. Fine-needle aspiration biopsy of nonpalpable breast lesions in a multicenter clinical trial: Results from the Radiologic Diagnostic Oncology Group V. Radiology. 2001;219(3):785-92.	5
1305	Pistolesi CA, Castrignano A, Ricci F, Meucci R, Croce G, Mondillo M, et al. Ultrasound-Guided Vacuum-Assisted Biopsy in Small Breast: A Cost-Saving Solution. Clinical Breast Cancer. 2019;19(2):e352-e7.	5
1306	Pitre B, Baron PL, Baron LF, O'Brien PH, Cole DJ. Stereotactic core biopsy of the breast: Results of one-year follow-up of 101 patients. American Surgeon. 1997;63(12):1124-7.	5
1307	Piubello Q, Montemezzi S, D'Atri C. Breast calcifications with percutaneous vacuum-assisted diagnosis of malignancy or atypical hyperplasia: Correlations with surgical findings. [Italian]. Pathologica. 2002;94(6):299-305.	6
1308	Plantade R, Gerard F, Hammou JC. [Management of non malignant papillary lesions diagnosed on percutaneous biopsy]. Journal de Radiologie. 2006;87(3):299-305.	6
1309	Plantade R, Hammou JC, Aubanel D, Fighiera M, Scotto A. Vacuum-assisted stereotactic: Early care for breast tumors. [French]. Sein. 2002;12(4):284-90.	6
1310	Plantade R, Hammou JC, Aubanel D, Fighiera M. Management of atypical ductal hyperplasia after vacuum-assisted stereotactic gauge-11 biopsy. [French]. Sein. 2004;14(4):279-86.	6
1311	Plantade R, Hammou JC, Fighiera M, Aubanel D, Scotto A, Gueret S. [Underestimation of breast carcinoma with 11-gauge stereotactically guided directional vacuum-assisted biopsy]. Journal de Radiologie. 2004;85(4 Pt 1):391-401.	6
1312	Plantade R, Hammou JC, Fighiera M, Aubanel D. Vacuum-assisted stereotactic breast biopsy: Mammotome. [French]. Feuilles de Radiologie. 2003;43(5):418-26+52.	6
1313	Plaza Loma S, Rodriguez de Diego Y, Gonzalez Blanco I, Martin Medrano E, del Villar Negro A, Torres Nieto A. Stereotactic vacuum-assisted breast biopsy. Correlation with surgical excisional biopsy. [Spanish]. Progresos de Obstetricia y Ginecologia.	6
1314	Plecha DM, Garlick C, Dubchuck C, Thompson C, Constantinou N. Comparing cancer detection rates of patients undergoing short term follow-up vs routine follow-up after benign breast biopsies, is follow-up needed? Clinical Imaging. 2017;42:37-42.	7
1315	Pockaj BA, Gray RJ. Current surgery for breast cancer. Future Oncology. 2009;5(4):465-79.	2
1316	Pogacnik A, Stojan Flezar M, Renner M. Ultrasonographically and stereotactically guided fine-needle aspiration cytology of non-palpable breast lesions: Cyto-histological correlation. Cytopathology. 2008;19(5):303-10.	5

연번	서지정보	배제 사유
1317	Poilpot S, Sebastien C, Buffet M, Akker MV, Kujas A, Villet R. [Stereotactic excisional nonpalpable breast lesions using the advanced breast biopsy instrumentation]. Journal de Gynecologie, Obstetrique et Biologie de la Reproduction. 2000;29(2):142-7.	6
1318	Poirier E, Desbiens C, Poirier B, Boudreau D, Jacob S, Lemieux J, et al. Characteristics and long-term survival of patients diagnosed with pure tubular carcinoma of the breast. Journal of Surgical Oncology. 2018;117(6):1137-43.	5
1319	Polat DS, Knippa EE, Ganti R, Seiler SJ, Goudreau SH. Benign breast papillomas without atypia diagnosed with core needle biopsy: Outcome of surgical excision and imaging follow-up. European Journal of Radiology. 2020;131 (no pagination)(109237).	7
1320	Polat DS, Schopp JG, Arjmandi F, Porembka J, Sarode V, Farr D, et al. Performance of a clinical and imaging-based multivariate model as decision support tool to help save unnecessary surgeries for high-risk breast lesions. Breast Cancer Research & Treatment. 2021;185(2):479-94.	7
1321	Polito R, Gaudino S, Costantini M, Lombardi CP, Romani M, Belli P. A case of mammotome biopsy: Retrospective evaluation. Rays - International Journal of Radiological Sciences. 2005;30(1):43-9.	7
1322	Polom K, Murawa D, Murawa P. Sentinel node biopsy in ductal carcinoma in situ of the breast diagnosed by core needle biopsy. European Journal of Surgical Oncology. 2010;36 (9):835.	3
1323	Polom K, Murawa D, Wasiewicz J, Nowakowski W, Murawa P. The role of sentinel node biopsy in ductal carcinoma in situ of the breast. European Journal of Surgical Oncology. 2009;35(1):43-7.	5
1324	Portincasa G, Lucci E, Navarra GG, Donato S, Parpanesi R, Garcea D. Initial experience with breast biopsy utilizing the Advanced Breast Biopsy Instrumentation (ABBI). Journal of Surgical Oncology. 2000;74(3):201-3.	7
1325	Powers SA, Malik A. Breast amyloidosis detected with 3D mammography. Applied Radiology. 2018;47(1):37-9.	7
1326	Prace P, Petrasova H, Slaisova R, Jandakova E, Dujcikova S, Dvorak K. Stereotactic and ultrasound-guided breast core biopsies - Retrospective analysis of data from the University Hospital Brno. [Czech]. Ceska Radiologie. 2015;69(2):142-7.	6
1327	Prado-Wohlwend S, Diaz-Exposito R, Casans-Tormo I, Orozco-Molano C, Rocafuerte-Avila C, Bowles-Antelo H, et al. Sentinel node detection in breast cancer patients (T1-T4N0) treated with neoadjuvant chemotherapy. European Journal of Nuclear Medicine and Molecular Imaging. 2013;2:S360.	3
1328	Prakash S, Venkataraman S, Slanetz PJ, Dialani V, Fein-Zachary V, Littlehale N, et al. Improving Patient Care by Incorporation of Multidisciplinary Breast Radiology-Pathology Correlation Conference. Canadian Association of Radiologists Journal. 2016;67(2):122-9.	7
1329	Prasad A. A radiologist's perspective in breast cancer. Journal International Medical Sciences Academy. 2006;19(1):15-9.	2
1330	Prekajski M, Kozomara Z, Miletic N, Inic M, Jakovljevic B. Treatment of nonpalpable breast lesion. European Journal of Surgical Oncology. 2010;36 (9):854.	3
1331	Pressler V, Namiki T, Cieply J, Matsuoka J, Nakashizuka M, Tauchi P, et al. Stereotactic fine needle aspiration of mammographic lesions. Journal of the American College of Surgeons. 1994;178(1):54-8.	5
1332	Price ER, Joe BN, Sickles EA. The developing asymmetry: Revisiting a perceptual and diagnostic challenge. Radiology. 2015;274(3):642-51.	2
1333	Price J, Chen SW. Mammographically screen-detected asymmetric densities with architectural distortion and normal ultrasound at assessment: Value of MRI as a problem-solving tool. Journal of Medical Imaging and Radiation Oncology. 2015;59(3):312-9.	5
1334	Provencher L, Diorio C, Desbiens C, Poirier B, Poirier E, Jacob S, et al. Mucocoele diagnosed on minimally invasive breast biopsy should undergo surgical excision. European Journal of Cancer. 2014;2:S154-S5.	3
1335	Pruthi S, Bundrick JB, Litin SC. Clinical pearls in breast disease. Mayo Clinic Proceedings. 2012;87(10):1015-20.	2
1336	Puglisi F, Pertoldi B, Ramello M, Facecchia I, Zuiani C, Bazzocchi M, et al. Diagnostic accuracy of perforated compression grid approach for mammographically guided core needle biopsy of breast lesions. Cancer Letters. 1999;146(2):181-8.	5

연번	서지정보	배제 사유
1337	Pujara AC, Hui J, Wang LC. Architectural distortion in the era of digital breast tomosynthesis: outcomes and implications for management. Clinical Imaging. 2019;54:133-7.	7
1338	Qadri SRM, Pirola E, Jenkinson MD, Brodbelt A. The role of serial stereotactic biopsy in adults with brainstem lesions. Neuro-Oncology. 2011;2:ii9.	3
1339	Qian ZX, Song FZ, Liu R, Zhou XL. Cutting biopsy guided by stereotactic localizing wire: Its clinical application in diagnosing nonpalpable breast mass with incredulous malignant calcifications on mammogram. [Chinese]. Journal of Interventional Radiology. 2010;19(10):780-3.	6
1340	Qingquan W, Runxian B, Jianmei Y. Biopsy of nonpalpable breast mass under the guidance of stereotactic mammography with hookwire. [Chinese]. Chinese Journal of Clinical Oncology. 1999;26(6):412-4.	6
1341	Qingquan W, Runxian B, Jianmei Y. Stereotactic mammography aspiration biopsy in the diagnosis of breast cancer. [Chinese]. Chinese Journal of Clinical Oncology. 1999;26(4):258-60.	6
1342	Quinn AD, Smiddy PF, Duggan M, Murphy J, Molloy M. Technical report: a training phantom for stereotactic breast biopsies. Clinical Radiology. 1997;52(2):149-50.	1
1343	Quinn AD, Smiddy PF, Duggan M, Murphy J, Molloy M. A training phantom for stereotactic breast biopsies. Clinical Radiology. 1997;52(2):149-50.	7
1344	Rabone A, Allen D, Weeks J, Dani M, Mills P. A pictorial review: Guidewire bracketing -which radial margin is most relevant for which surgical procedure? Breast Cancer Research Conference. 2017;19(Supplement 1).	3
1345	Radke I, Von Wahlde MK, Schulke C, Tio J. Ribociclib in Breast Cancer Brain Metastases: A Case Report. Breast Care. 2020;15(5):543-7.	5
1346	Raj R, Das S. Prospects of bacteriotherapy with nanotechnology in nanoparticledrug conjugation approach for cancer therapy. Current Medicinal Chemistry. 2016;23(14):1477-94.	2
1347	Raj SD, Sedgwick EL, Severs FJ, Hilsenbeck SG, Wang T, Sepulveda KA. Stereotactic Biopsy of Segmental Breast Calcifications: Is Sampling of Anterior and Posterior Components Necessary? Academic Radiology. 2016;23(6):682-6.	7
1348	Rajgopal A, Tait C, Waterworth A, Kim B, Sharma N, Achuthan R, et al. Post-biopsy cases of breast cancer where localisation is not possible - A clinical dilemma. European Journal of Surgical Oncology. 2020;46 (6):e25.	3
1349	Rakowski JT, Dennis MJ. A comparison of reconstruction algorithms for C-arm mammography tomosynthesis. Medical Physics. 2006;33(8):3018-32.	5
1350	Ralleigh G, Michell MJ. 15. Image-guided breast biopsy. International Journal of Clinical Practice. 2002;56(8):583-7.	2
1351	Ramachandran N, Allen S. Breast intervention: Current and future roles. Imaging. 2008;20(3):176-84.	2
1352	Rao A, Parker S, Ratzer E, Stephens J, Fenoglio M, Klimberg S, et al. Atypical ductal hyperplasia of the breast diagnosed by 11-gauge directional vacuum-assisted biopsy. American Journal of Surgery. 2002;184(6):534-7.	3
1353	Rao R, Wiechmann L. Treatment of early breast cancer. Minerva Endocrinologica. 2009;34(4):311-24.	2
1354	Raore B, Schniederjan M, Prabhu R, Brat DJ, Shu HK, Olson JJ. Metastasis infiltration: An investigation of the postoperative brain-tumor interface. International Journal of Radiation Oncology Biology Physics. 2011;81(4):1075-80.	5
1355	Rastogi M, Gupta MK, Revannasiddaiah S, Seam RK. The lack of sleep, the pineal gland and breast cancer. BMJ Case Reports. 2012.	2
1356	Ratcliff CG, Prinsloo S, Chaoul A, Zepeda SG, Cannon R, Spelman A, et al. A Randomized Controlled Trial of Brief Mindfulness Meditation for Women Undergoing Stereotactic Breast Biopsy. Journal of the American College of Radiology : JACR. 2019;16(5):691-9.	7
1357	Ratcliff CG, Prinsloo S, Chaoul A, Zepeda SG, Taiwo Z, Cannon R, et al. Predicting who benefits most from a brief mindfulness meditation for women undergoing stereotactic breast biopsy. Psychosomatic medicine. 2015;77(3):A69-A70.	3
1358	Rauch GM, Kuerer HM, Adrada B, Santiago L, Moseley T, Candelaria RP, et al. Biopsy Feasibility Trial for Breast Cancer Pathologic Complete Response Detection after Neoadjuvant Chemotherapy: Imaging Assessment and Correlation Endpoints. Annals of Surgical Oncology. 2018;25(7):1953-60.	7

연번	서지정보	배제 사유
1359	Raylman RR, Ficaro EP, Wahl RL. Stereotactic coordinates from ECT sinograms for radionuclide-guided breast biopsy. Journal of Nuclear Medicine. 1996;37(9):1562-7.	5
1360	Raylman RR, Majewski S, Weisenberger AG, Popov V, Wojcik R, Kross B, et al. Positron emission mammography-guided breast biopsy. Journal of Nuclear Medicine. 2001;42(6):960-6.	5
1361	Raza S, Chikarmane SA, Gombos EC, Georgian-Smith D, Frost EP. Optimizing Success and Avoiding Mishaps in the Most Difficult Image-guided Breast Biopsies. Seminars in Ultrasound, CT & MR. 2018;39(1):80-97.	2
1362	Razek NA, Eshak SE, El Ghazaly H, Omar OS, Yousef OZ, Shaalan M. Percutaneous breast lesion excision system (BLES): A new tool for complete closed excision of high risk lesions (Egyptian experience). Egyptian Journal of Radiology and Nuclear Medicine. 2013;44(2):383-9.	5
1363	Redman A, Lowes S, Leaver A. Imaging techniques in breast cancer. Surgery (United Kingdom). 2016;34(1):8-18.	2
1364	Reefy S, Osman H, Chao C, Perry N, Mokbel K. Surgical excision for B3 breast lesions diagnosed by vacuum-assisted core biopsy. Anticancer Research. 2010;30(6):2287-90.	7
1365	Rees J. Neurological oncology. Medicine. 2008;36(11):609-15.	2
1366	Rehman S, Roach MC, Mullen D, DeWees TA, Bradley JD, Robinson CG. Stereotactic body radiation therapy (SBRT) for treatment of lung oligometastases. International Journal of Radiation Oncology Biology Physics. 2015;1:E404-E5.	5
1367	Reiner CS, Helbich TH, Rudas M, Ponhold L, Riedl CC, Kropf N, et al. Can galactography-guided stereotactic, 11-gauge, vacuum-assisted breast biopsy of intraductal lesions serve as an alternative to surgical biopsy? European Radiology. 2009;19(12):2878-85.	5
1368	Reinhardt F, Mathys B, Reinecke P, Neubauer H, Fehm T, Mohrmann S. Magnetic resonance imaging findings of high-grade ductal carcinoma in situ of the male breast: A case report. SAGE Open Medical Case Reports. 2018;6(no pagination).	7
1369	Reiser I. Image-guided biopsy (us guided, stereotactic, tomosynthesis and MR guided breast biopsy. Medical Physics. 2018;45 (6):e539.	3
1370	Relea A, Alonso JA, Gonzalez M, Zornoza C, Bahamonde S, Vinuela BE, et al. Usefulness of the twinkling artifact on Doppler ultrasound for the detection of breast microcalcifications. Radiologia. 2018;60(5):413-23.	7
1371	Rengabashyam B, Findlay J, Kelly J. Underestimation of invasive malignancy on conventional core biopsy of breast. Breast Cancer Research. 2009;2):11.	3
1372	Renyi-Vamos F, Peley G, Bidlek M, Sinkovics I, Szabo E, Keresztes S, et al. [Radioguided excision of non-palpable breast lesions with simultaneous sentinel lymph node biopsy]. Magyar Sebeszet. 2003;56(1):9-15.	6
1373	Reutter N, Gullotta U. The consequences of stereotactic core breast biopsy for mammography in a nursing hospital. [German]. Rontgenpraxis. 2001;54(1):26-34.	6
1374	Reutter N, Gullotta U. [Effects of stereotaxic puncture biopsy on breast diagnosis in a general hospital]. Rontgenpraxis. 2001;54(1):26-34.	6
1375	Revelon G, Sherman ME, Gatewood OMB, Brem RF. Focal fibrosis of the breast: Imaging characteristics and histopathologic correlation. Radiology. 2000;216(1):255-9.	7
1376	Reyes KB, Lee HY, Ng I, Goh KY. Abducens (sixth) nerve palsy presenting as a rare case of isolated brainstem metastasis from a primary breast carcinoma. Singapore Medical Journal. 2011;52(11):e220-e2.	7
1377	Reynolds A. Stereotactic breast biopsy: a review. Radiologic Technology. 2009;80(5):447M-64M.	2
1378	Reynolds HE. Marker clip placement following directional, vacuum-assisted breast biopsy. American Surgeon. 1999;65(1):59-60.	7
1379	Rich PM, Michell MJ, Humphreys S, Howes GP, Nunnerley HB. Stereotactic 14G core biopsy of non-palpable breast cancer: What is the relationship between the number of core samples taken and the sensitivity for detection of malignancy? Clinical Radiology. 1999;54(6):384-9.	5
1380	Rieber A, Merkle E, Zeitler H, Adler S, Kreienberg R, Brambs HJ, et al. [Doubtful mammographic findings: the value of negative MR mammography for tumor exclusion]. Rofo: Fortschritte auf dem Gebiete der Rontgenstrahlen und der Nuklearmedizin. 1997;167(4):392-8.	6
1381	Rieber J, Abbassi-Senger N, Adebahr S, Andratschke N, Blanck O, Duma M, et al. Influence of Institutional Experience and Technological Advances on Outcome of Stereotactic Body Radiation Therapy for Oligometastatic Lung Disease. International Journal of Radiation Oncology Biology Physics. 2017;98(3):511-20.	5

연번	서지정보	배제 사유
1382	Riedl CC, Pfarl G, Helbich TH, Memarsadeghi M, Wagner T, Rudas M, et al. [Comparison of wire versus carbon localization of non-palpable breast lesions]. Rofo: Fortschritte auf dem Gebiete der Rontgenstrahlen und der Nuklearmedizin. 2002;174(9):1126-31.	6
1383	Riedl CC, Pfarl G, Memarsadeghi M, Wagner T, Fitzal F, Rudas M, et al. Lesion miss rates and false-negative rates for 1115 consecutive cases of stereotactically guided needle-localized open breast biopsy with long-term follow-up. Radiology. 2005;237(3):847-53.	5
1384	Riedl O, Fitzal F, Mader N, Dubsy P, Rudas M, Mittlboeck M, et al. Intraoperative frozen section analysis for breast-conserving therapy in 1016 patients with breast cancer. European Journal of Surgical Oncology. 2009;35(3):264-70.	7
1385	Rim A, Chellman-Jeffers M. Trends in breast cancer screening and diagnosis. Cleveland Clinic Journal of Medicine. 2008;75 Suppl 1:S2-9.	2
1386	Rincon-Prieto C, Daya A, Promisloff R. Darrier-roussey syndrome sarcoidosis masquerading as breast masses. American Journal of Respiratory and Critical Care Medicine Conference: American Thoracic Society International Conference, ATS. 2017;195(no pagination).	3
1387	Rishi MA, Smith M. Sarcoid of the breast associated with microcalcifications on mammogram. Internal Medicine Journal. 2009;39(2):134-5.	2
1388	Robinson DS, Parel JM, Denham DB, Gonzalez-Cirre X, Manns F, Milne PJ, et al. Interstitial laser hyperthermia model development for minimally invasive therapy of breast carcinoma. Journal of the American College of Surgeons. 1998;186(3):284-92.	7
1389	Robinson DS, Parel JM, Denham DB, Manns F, Gonzalez X, Schachner R, et al. Stereotactic uses beyond core biopsy: Model development for minimally invasive treatment of breast cancer through interstitial laser hyperthermia. American Surgeon. 1996;62(2):117-8.	2
1390	Robinson IA, McKee G. Cytological performance in palpable versus stereotactically sampled breast lesions. Breast. 1996;5(6):415-7.	5
1391	Rodriguez J. Sentinel node and occult lesion localization: A single injection technique. Breast. 2013;1:S74.	3
1392	Roe SM, Mathews JA, Burns RP, Sumida MP, Craft P, Jr., Greer MS. Stereotactic and ultrasound core needle breast biopsy performed by surgeons. American Journal of Surgery. 1997;174(6):699-703; discussion -4.	5
1393	Roe SM, Sumida MP, Burns RP, Greer MS, Clements JB. Bringing core biopsy into a surgical practice. American Surgeon. 1996;62(2):113-6.	2
1394	Roehrig H, Yu T, Krupinski E. Image quality control for digital mammographic systems: initial experience and outlook. Journal of Digital Imaging. 1995;8(2):52-66.	2
1395	Rojek M, Skolimowska B, Celej Z, Fronio G, Huras R. Stereotactic procedures under the guidance of digital mammography in the diagnosis of breast tumors. [Polish]. Polish Journal of Radiology. 2004;69(4):36-40.	6
1396	Rosati LM, Kummerlowe MN, Poling J, Hacker-Prietz A, Narang AK, Shin EJ, et al. A rare case of esophageal metastasis from pancreatic ductal adenocarcinoma: A case report and literature review. Oncotarget. 2017;8(59):100942-50.	4
1397	Rosen EL, Baker JA, Soo MS. Accuracy of a Collagen-Plug Biopsy Site Marking Device Deployed After Stereotactic Core Needle Breast Biopsy. American Journal of Roentgenology. 2003;181(5):1295-9.	7
1398	Rosen EL, Vo TT. Metallic clip deployment during stereotactic breast biopsy: Retrospective analysis. Radiology. 2001;218(2):510-6.	7
1399	Rosen PP. Breast Conservation from the Standpoint of a Pathologist: Diagnostic Issues of Stereotactic Needle Core Biopsy. Breast Cancer. 1998;5(4):336-8.	2
1400	Rosenberg A. Breast cancer: options for older patients. Geriatrics. 1993;48 Suppl 1:9-13.	7
1401	Rosenblatt R, Fineberg SA, Sparano JA, Kaleya RN. Stereotactic core needle biopsy of multiple sites in the breast: efficacy and effect on patient care. Radiology. 1996;201(1):67-70.	7
1402	Ross BA, Ikeda DM, Jackman RJ, Nowels KW. Milk of calcium in the breast: Appearance on prone stereotactic imaging. Breast Journal. 2001;7(1):53-5.	7
1403	Rössler AC, Wenkel E, Althoff F, Kalender W. The Influence of Patient Positioning in Breast CT on Breast Tissue Coverage and Patient Comfort. RoFo : Fortschritte auf dem Gebiete der Rontgenstrahlen und der Nuklearmedizin. 2015;36(2):115-22.	7

연번	서지정보	배제 사유
1404	Roth WD, von Smitten K, Heikkila P, Edgren J, Laasonen L. Automated stereotactic core needle biopsy of microcalcifications with correlation to surgical biopsy. Acta radiologica (Stockholm, Sweden : 1987). 1999;40(4):390-3.	7
1405	Rothenberg LN. Mammography instrumentation: recent developments. Medical Progress through Technology. 1993;19(1):1-6.	2
1406	Rothenberg LN. The New Report on Mammography from the National Council on Radiation Protection and Measurements (NCRP). Seminars in Breast Disease. 2003;6(2):100-5.	2
1407	Rozati H, Ferguson FJ, Rashidghamat E, Anand G. Delivery of high-dose radiation for recurrence of breast cancer in a patient with hidradenitissuppurativa. BMJ Case Reports. 2020;13(11) (no pagination)(238848).	5
1408	Ruano R, Ramos M, Garcia-Talavera JR, Serrano E, De Arriba A, Gonzalez-Orus J, et al. Staging the Axilla with selective sentinel node biopsy in patients with previous excision of non-palpable and palpable breast cancer. European Journal of Nuclear Medicine and Molecular Imaging. 2008;35(7):1299-304.	5
1409	Rubin E, Mennemeyer ST, Desmond RA, Urist MM, Waterbor J, Heslin MJ, et al. Reducing the cost of diagnosis of breast carcinoma: Impact of ultrasound and imaging-guided biopsies on a clinical breast practice. Cancer. 2001;91(2):324-32.	7
1410	Ruhul Quddus M, Simon RA, Nahar Begum SMK, Lomme M, Hansen K. Unusual nonrefractile eosinophilic crystal in breast ducts in a patient with invasive mucinous carcinoma. Breast Journal. 2014;20(1):84-6.	7
1411	Ruiz-Delgado ML, Lopez-Ruiz JA, Saiz-Lopez A. Abnormal mammography and sonography associated with foreign-body giant-cell reaction after stereotactic vacuum-assisted breast biopsy with carbon marking. Acta radiologica (Stockholm, Sweden : 1987). 2008;49(10):1112-8.	7
1412	Rush JC, Schmidt RA. Stereotactic breast biopsy [2]. Ca-A Cancer Journal for Clinicians. 1994;44(5):319-20.	2
1413	Russillo M, Ferretti G, Vidiri A, Gasparro S, Cognetti F, Pellegrini D, et al. Impressive long-term response with pertuzumab and trastuzumab in HER2-positive breast cancer with brain metastasis. In Vivo. 2018;32(4):839-42.	5
1414	Russin LD, Parker SH. Trojan horses and stereotactic breast biopsy [4]. American Journal of Roentgenology. 1999;172(3):834-5.	2
1415	Russin LD. New directions in breast biopsy: review of current minimally invasive methods and presentation of a new coaxial technique. Seminars in Ultrasound, CT & MR. 2000;21(5):395-403.	2
1416	Russo A. Evolution of the surgical approach to female breast cancer: From reconstructive strategies to occult lesions instrumental identification. [Italian]. Chirurgia. 2001;14(5):165-72.	2
1417	Saarela AO, Kiviniemi HO, Rissanen TJ, Paloneva TK. Nonpalpable breast lesions: Pathologic correlation of ultrasonographically guided fine-needle aspiration biopsy. Journal of Ultrasound in Medicine. 1996;15(8):549-53.	5
1418	Saavedra PC, Saraiva AA, Tinoco P, Zarro LS, De Oliveira Tinoco MB, De Oliveira Tinoco SB. Case report: A rare case of bilateral schwannoma. International Archives of Otorhinolaryngology. 2015;19 (Supplement 2):S24.	3
1419	Sabel MS, Edge SB. In-situ ablation of breast cancer. Breast Disease. 2001;12:131-40.	2
1420	Sabour S. Tissue marker clip placement after 11-gauge vacuum-assisted stereotactic breast biopsy: methodological issue on validity and reliability. Breast Cancer. 2017;24(5):730-1.	2
1421	Saha A, Barman I, Dingari NC, Galindo LH, Sattar A, Liu W, et al. Precision of raman spectroscopy measurements in detection of microcalcifications in breast needle biopsies. Analytical Chemistry. 2012;84(15):6715-22.	7
1422	Saha A, Barman I, Dingari NC, McGee S, Volynskaya Z, Galindo LH, et al. Raman spectroscopy: a real-time tool for identifying microcalcifications during stereotactic breast core needle biopsies. Biomedical Optics Express. 2011;2(10):2792-803.	7
1423	Saha P, Amico AL, Olopade OL. Long-Term Disease-Free Survival in a Young Patient with Hormone Receptor-Positive Breast Cancer and Oligometastatic Disease in the Brain. Clinical Breast Cancer. 2016;16(3):e61-e3.	7
1424	Sailey CJ, Phillips DGK, Warner J, Ioffe OB. Columnar cell lesions diagnosed by core needle biopsy of the breast: Correlation with surgical excision. Laboratory Investigation. 2009;1):66A.	3

연번	서지정보	배제 사유
1425	Sajjad M, Pan E, Minton S, Ismail-Khan R. Control of brain metastases for HER2-positive breast cancer with bevacizumab: A report of three patients. <i>Journal of Solid Tumors</i> . 2013;3(4):1-6.	5
1426	Sakamoto N, Fukuma E, Tsunoda Y, Teraoka K, Koshida Y. Evaluation of the dislocation and long-term sonographic detectability of a hydrogel-based breast biopsy site marker. <i>Breast Cancer</i> . 2018;25(5):575-82.	7
1427	Sakorafas GH, Farley DR, Peros G. Recent advances and current controversies in the management of DCIS of the breast. <i>Cancer Treatment Reviews</i> . 2008;34(6):483-97.	2
1428	Sakorafas GH, Farley DR. Optimal management of ductal carcinoma in situ of the breast. <i>Surgical Oncology</i> . 2003;12(4):221-40.	2
1429	Sakr R, Rouzier R, Salem C, Antoine M, Chopier J, Darai E, et al. Risk of breast cancer associated with papilloma. <i>European Journal of Surgical Oncology</i> . 2008;34(12):1304-8.	7
1430	Saladin C, Haueisen H, Kampmann G, Oehlschlegel C, Seifert B, Rageth L, et al. Lesions with unclear malignant potential (B3) after minimally invasive breast biopsy: evaluation of vacuum biopsies performed in Switzerland and recommended further management. <i>Acta Radiologica</i> . 2016;57(7):815-21.	7
1431	Salkowski LR, Fowler AM, Burnside ES, Sisney GA. Utility of 6-month follow-up imaging after a concordant benign breast biopsy result. <i>Radiology</i> . 2011;258(2):380-7.	7
1432	Sallevelt PE, van Viersen WJ, Broker WF, Gobardhan AB, Strobel R, van de Molengraft FJ. [Preoperative diagnosis with stereotactic biopsy is a good predictor of breast cancer in radiologically non-benign breast lesions]. <i>Nederlands Tijdschrift voor Geneeskunde</i> . 1998;142(11):579-82.	6
1433	Sallevelt PE, van Viersen WJ, Gobardhan AB, van de Molengraft FJ. [Stereotactic thick needle biopsy in diagnosis of non-palpable abnormality in the breast: a trustworthy alternative to excision biopsy]. <i>Nederlands Tijdschrift voor Geneeskunde</i> . 2003;147(40):1987; author reply -9.	6
1434	Sallevelt PEJM, Van Viersen WJ, Broker WFHL, Gobardhan AB, Strobel R, Van De Molengraft FJJM. Preoperative diagnostic stereotactic biopsy good predictor of breast cancer in radiologically non-benign breast lesions. [Dutch]. <i>Nederlands Tijdschrift voor Geneeskunde</i> . 1998;142(11):579-82.	6
1435	Samreen N, Lee C, Sandhu N, Ghosh K. Percutaneous "biopsy" of biopsy clips: A commentary on our initial experience. <i>Breast Journal</i> . 2019;25(3):552-4.	2
1436	Samson P, Harman R. In-situ and lobular, but not as we know it. <i>New Zealand Medical Journal</i> . 2011;1337:124(1337).	7
1437	Sanchez MA, Stahl RE. Fine-needle aspiration biopsy of the breast: Obsolete or state of the art? <i>Cancer</i> . 2008;114(2):65-6.	2
1438	Sancho Perez B, Gallego Alvarez M, Sanz Ferrandez MC, Arroyo Vozmediano ML, Aragon Sanchez S, Blanco Guerrero M, et al. Actual role of mammographic wire-guided biopsies. <i>European Journal of Cancer, Supplement</i> . 2010;8 (3):228-9.	3
1439	Sanderink W, Strobbe L, Bult P, Vreuls W, Sechopoulos I, Karssemeijer N, et al. Breast Lesion Excision System as a treatment method for small invasive breast cancers. <i>European Journal of Cancer</i> . 2020;138(Supplement 1):S26-S7.	5
1440	Sanderink WBG, Mann RM. Advances in breast intervention: where are we now and where should we be? <i>Clinical Radiology</i> . 2018;73(8):724-34.	2
1441	Sanders LM, Dardik M, Modi L, Sanders AE, Schaefer SS, Litvak A. Macroscopic lymphovascular invasion visualized on mammogram and magnetic resonance imaging: Initially misidentified as ductal carcinoma in situ but properly diagnosed by immunohistochemistry. <i>SAGE Open Medical Case Reports</i> . 2017;5(no pagination).	7
1442	Sanders LM, El-Madany M, Persing A, Mehta A. Use of contrast-enhanced MRI in management of discordant core biopsy results. <i>American Journal of Roentgenology</i> . 2019;212(5):1157-65.	7
1443	Sanders LM, Kalisher L, Trikha S. Needle localization using a stereotactic table: A reassessment. <i>American Journal of Roentgenology</i> . 2000;174(6):1689-90.	7
1444	Sanders LM, Sara R. The growing fibroadenoma. <i>Acta Radiologica Open</i> . 2015;4(4):2047981615572273.	7
1445	Sanders LM. Single-projection needle localization. <i>Journal of Breast Imaging</i> . 2020;2(1):86-7.	2

연번	서지정보	배제 사유
1446	Sanders MA, Roland L, Sahoo S. Clinical implications of subcategorizing BI-RADS 4 breast lesions associated with microcalcification: a radiology-pathology correlation study. Breast Journal. 2010;16(1):28-31.	5
1447	Sanger N, Effenberger KE, Riethdorf S, Van Haasteren V, Gauwerky J, Wiegratz I, et al. Disseminated tumor cells in the bone marrow of patients with ductal carcinoma in situ. International Journal of Cancer. 2011;129(10):2522-6.	7
1448	Santos P, Pires F, Fouto O, Tavora I, Alves A, Correia L. Breast involvement by schistosomiasis. Breast Journal. 2014;20(3):319-21.	2
1449	Sarah K, Wells C, Apple SK. Atypical ductal hyperplasia diagnosed on core needle biopsy with excisional biopsy follow-up of a 10 year period, does the size of the needle biopsy affect management? Laboratory Investigation. 2014;1):80A.	3
1450	Sardanelli F, Giuseppetti GM, Canavese G, Cataliotti L, Corcione S, Cossu E, et al. Indications for breast magnetic resonance imaging. Consensus document "attualita in senologia", Florence 2007. [Italian, English]. Radiologia Medica. 2008;113(8):1085-95.	3
1451	Sardanelli F. Magnetic resonance imaging of DCIS and high-risk borderline lesions. European Journal of Cancer. 2012;1):S105.	3
1452	Sarfati MR, Fox KA, Warneke JA, Fajardo LL, Hunter GC, Rappaport WD, et al. Stereotactic fine-needle aspiration cytology of nonpalpable breast lesions: An analysis of 258 consecutive aspirates. American Journal of Surgery. 1994;168(6):529-32.	3
1453	Sarvananthan T, Uzvolk R, Felton R, Morgan M, Teh W. Early results of the new stereotactic guided breast biopsy Brevera system-a breakthrough in micro-calcification sampling efficiency? Breast Cancer Research Conference: British Society of Breast Radiology Annual Scientific Meeting, BSB. 2018;20(Supplement 1).	3
1454	Sathyavathi R, Saha A, Soares JS, Spegazzini N, McGee S, Rao Dasari R, et al. Raman spectroscopic sensing of carbonate intercalation in breast microcalcifications at stereotactic biopsy. Scientific Reports. 2015;5:9907.	7
1455	Sato N. Current diagnostic strategy for mammographic microcalcification without specific ultrasound abnormality. Annals of Oncology. 2019;30 (Supplement 9):ix3.	3
1456	Satoh Y. Diagnostic performance of dedicated breast positron emission tomography in cases of histology-unknown abnormal uptake, and parameters associated with breast cancer. Journal of Nuclear Medicine Conference: Society of Nuclear Medicine and Molecular Imaging Annual Meeting, SNMMI. 2018;59(Supplement 1).	3
1457	Savin SL. My most personal change management engagement: The challenge of IBC. Breast Diseases. 2014;25(3):206-9.	2
1458	Scalerandi A. Imaging-histologic discordance in percutaneous biopsy of breast lesions: Relationship between assigned BI-RADS and the histologic results-institutional experience. CardioVascular and Interventional Radiology. 2020;43 (SUPPL 3):S113.	3
1459	Scaperrotta GP, Capalbo E, Cartia F, Ferranti C, Vigano S, Panizza P. Breast foreign body extraction using the breast lesion excision system. Journal of Vascular and Interventional Radiology. 2015;26(8):1183.	2
1460	Scaranelo AM, Crystal P, Bukhanov K, Helbich TH. Sensitivity of a direct computer-aided Detection system in full-field digital mammography for detection of microcalcifications not associated with mass or architectural distortion. Canadian Association of Radiologists Journal. 2010;61(3):162-9.	7
1461	Scaranelo AM, Eiada R, Bukhanov K, Crystal P. Evaluation of breast amorphous calcifications by a computer-aided detection system in full-field digital mammography. British Journal of Radiology. 2012;85(1013):517-22.	7
1462	Scheer JK, Hamelin T, Chang L, Lemkuil B, Carter BS, Chen CC. Real-time magnetic resonance imaging-guided biopsy using smartframe stereotaxis in the setting of a conventional diagnostic magnetic resonance imaging suite. Operative Neurosurgery. 2017;13(3):329-37.	5
1463	Scheler P, Meyer-Johann U, Kuner RP, Rinast E, Hoffmann G, Hahn M. Stereotactic percutaneous breast biopsy with the Mammotome vacuum- assisted biopsy device. [German]. Geburtshilfe und Frauenheilkunde. 1999;59(11):569-75.	6
1464	Schepps B, Scola FH, Frates RE. Benign circumscribed breast masses: Mammographic and sonographic appearance. Obstetrics and Gynecology Clinics of North America. 1994;21(3):519-37.	2

연번	서지정보	배제 사유
1465	Schiaffino S, Calabrese M, Melani EF, Trimboli RM, Cozzi A, Carbonaro LA, et al. Upgrade Rate of Percutaneously Diagnosed Pure Atypical Ductal Hyperplasia: Systematic Review and Meta-Analysis of 6458 Lesions. Radiology. 2020;294(1):76-86.	2
1466	Schiffhauer LM, Boger JN, Bonfiglio TA, Zavislan JM, Zuley M, Fox CA. Confocal microscopy of unfixed breast needle core biopsies: A comparison to fixed and stained sections. BMC Cancer. 2009;9 (no pagination)(265).	7
1467	Schlossman T, Devarajan S. Cystic brain metastasis as presentation for small cell lung cancer in a 25 year old female. Chest.2020; 158(4 Supplement): A1437.	3
1468	Schmidt R, Morrow M, Bibbo M, Cox S. Benefits of stereotactic aspiration cytology. Administrative radiology : AR. 1990;9(10):35-6, 9, 41-2.	7
1469	Schmidt RA. Stereotactic breast biopsy. Ca-A Cancer Journal for Clinicians. 1994;44(3):172-91.	2
1470	Schmitt R, Gullotta U, Spindler-Thiele S, Keller E, Busing CM. Preoperative localization of nonpalpable breast lesions: Technique and results. [German]. RoFo Fortschritte auf dem Gebiete der Rontgenstrahlen und der Neuen Bildgebenden Verfahren. 1992;157(5):512-7.	6
1471	Schneider J, Lucas R, Tejerina A. Predicting complete removal of impalpable breast carcinomas using stereotactic radiologically guided surgery. British Journal of Surgery. 2005;92(5):563-4.	7
1472	Schonholz S. Reexcision rates and its relationship to the breast lesion excision system as the initial core biopsy device. Annals of Surgical Oncology. 2010;2):S187.	3
1473	Schonholz S. Replacing open surgical lumpectomy with a percutaneous approach for small breast cancers. Annals of Surgical Oncology. 2016;23 (3 Supplement 1):438.	3
1474	Schoonjans JM, Brem RF. Fourteen-gauge ultrasonographically guided large-core needle biopsy of breast masses. Journal of Ultrasound in Medicine. 2001;20(9):967-72.	5
1475	Schor AP, Carvalho FM, Kemp C, Silva ID, Russo J. S100P calcium-binding protein expression is associated with high-risk proliferative lesions of the breast. Oncology Reports. 2006;15(1):3-6.	7
1476	Schoub PK. Understanding indications and defining guidelines for breast magnetic resonance imaging. South African Journal of Radiology. 2018;22 (2) (no pagination)(1353).	2
1477	Schrading S, Distelmaier M, Dirrichs T, Detering S, Brolund L, Strobel K, et al. Digital breast tomosynthesis-guided vacuum-assisted breast biopsy: initial experiences and comparison with prone stereotactic vacuum-assisted biopsy. Radiology. 2015;274(3):654-62.	7
1478	Schuhmann R, Hubner F, Brose C, Eckel S, Geier G, Kraus H, et al. Diagnostic value of aspiration cytology in triple diagnosis of palpable breast lesions. [German]. Geburtshilfe und Frauenheilkunde. 1995;55(10):553-8.	6
1479	Schuhmann R, Hubner F, Brose C, Eckel S, Geier G, Kraus H, et al. [The value of aspiration cytology within the scope of triple diagnosis of palpable breast changes]. Geburtshilfe und Frauenheilkunde. 1995;55(10):553-8.	6
1480	Schullian P, Johnston E, Laimer G, Putzer D, Eberle G, Westerlund P, et al. Thermal ablation of CT 'invisible' liver tumors using MRI fusion: a case control study. International Journal of Hyperthermia. 2020;37(1):564-72.	5
1481	Schultz-Wendtland R, Aichinger U, Kramer S, Bautz W. Interventional methods in the diagnosis of breast disease. Gynakologische Praxis. 2002;26(1):63-78.	2
1482	Schulz-Wendtland R, Aichinger U, Kramer S, Lang N, Bautz W. Mammographically/stereotactically guided vacuum/excisional biopsy-interventional methods in mamma diagnosis. [German]. Radiologe. 2001;41(4):379-84.	6
1483	Schulz-Wendtland R, Fasching PA, Bani MR, Lux MP, Jud S, Rauh C, et al. Touch Imprint Cytology and Stereotactically-Guided Core Needle Biopsy of Suspicious Breast Lesions: 15-Year Follow-up. Geburtshilfe und Frauenheilkunde. 2016;76(1):59-64.	5
1484	Schulz-Wendtland R, Heywang-Kobrunner SH, Aichinger U, Kramer S, Wenkel E, Bautz W. [Do tissue marker clips after sonographically or stereotactically guided breast biopsy improve follow-up of small breast lesions and localisation of breast cancer after chemotherapy?]. Rofo: Fortschritte auf dem Gebiete der Rontgenstrahlen und der Nuklearmedizin. 2002;174(5):620-4.	6
1485	Schulz-Wendtland R, Wenkel E, Imhoff K, Bani M, Bock K, Bautz W. Diagnosis of diseases of the breast. A comparison of biopsy methods. [German]. Gynakologische Praxis. 2004;28(4):607-25.	6
1486	Schulz-Wendtland R. Significance of vacuum biopsy in interventional mammary diagnosis. [German]. Gynakologische Praxis. 2008;32(2):277-8.	6

연번	서지정보	배제 사유
1487	Sciubba DM, Nguyen T, Gokaslan ZL. Solitary Vertebral Metastasis. Orthopedic Clinics of North America. 2009;40(1):145-54.	2
1488	Scott-Moncrieff A, Sullivan ME, Mendelson EB, Wang L. MR imaging appearance of noncalcified and calcified DCIS. Breast Journal. 2018;24(3):343-9.	5
1489	Seaton T, Khan S, Stewart V, Ralliegh G, Zaman N, Barrett N, et al. PB.32: Does vacuum-assisted biopsy decrease the B3 rate in stereotactic biopsy of breast lesions? Breast Cancer Research Conference: Annual Scientific Meeting of the British Society of Breast Radiology. 2013;15(SUPPL. 1).	3
1490	Sebag P, Rouyer N. Stereotactic guided vacuum-assisted breast biopsy : Our experience with Mammotome HH. [French]. Sein. 2000;10(4):221-9.	6
1491	Sebag P, Rouyer N. Vacuum assisted biopsy: Indication and result under ultrasound guidance. [French]. Sein. 2001;11(1-2):145-50.	6
1492	Sedivy R, Partik B, Helbich T, Breiteneker G, Wolf G. [Stereotactic breast biopsy: comparison of vacuum punch biopsy versus high speed core biopsy]. Wiener Medizinische Wochenschrift. 1998;148(14):331-4.	6
1493	Sedivy R, Partik B, Helbich T, Breiteneker G, Wolf G. Stereotaxic biopsy of the breast: A comparison of vacuum-assisted versus common gun-needle biopsy. [German]. Wiener Medizinische Wochenschrift. 1998;148(14):331-4.	6
1494	Seely JM, Hill F, Peddle S, Lau J. An evaluation of patient experience during percutaneous breast biopsy. European Radiology. 2017;27(11):4804-11.	7
1495	Seely JM. Management of breast magnetic resonance imaging-detected lesions. Canadian Association of Radiologists Journal. 2012;63(3):192-206.	2
1496	Seidman MA, Scognamiglio T, Hoda SA. "cholesteroloma": A rare cause of "indeterminate" microcalcifications on mammography. Breast Journal. 2009;15(3):303-4.	7
1497	Seifert PJ, Morgan RC, Conover DL, Arieno AL. Initial Experience with a Cone-beam Breast Computed Tomography-guided Biopsy System. Journal of Clinical Imaging Science. 2017;7:1.	7
1498	Selvan CS, Sureka CS. Quality Assurance and Average Glandular dose Measurement in Mammography Units. Journal of Medical Physics. 2017;42(3):181-90.	7
1499	Senan S. Surgery vs. SBRT in operable NSCLC-SBRT. Journal of Thoracic Oncology. 2015;2:S169.	3
1500	Senger JL, Meiers P, Kanthan R. Bilateral synchronous low-grade adenosquamous carcinoma of the breast: A Case report with review of the current literature. International Journal of Surgery Case Reports. 2015;14:53-7.	7
1501	Senn Bahls E, Dupont Lampert V, Oelschlegel C, Senn HJ. Multitarget stereotactic core-needle breast biopsy (MSBB)--an effective and safe diagnostic intervention for non-palpable breast lesions: a large prospective single institution study. Breast. 2006;15(3):339-46.	5
1502	Seoudi H, Mortier J, Basile R, Curletti E. Stereotactic core needle biopsy of nonpalpable breast lesions: Initial experience with a promising technique. Archives of Surgery. 1998;133(4):366-72.	7
1503	Sergentanis TN, Zagouri F, Domezey P, Giannakopoulou G, Tsigris C, Bramis J, et al. Biopsy method: A major predictor of adherence after benign breast biopsy? American Journal of Roentgenology. 2009;193(5):W452-W7.	7
1504	Serin D, Escoute M. Diagnostic and pretherapeutic staging. [French]. Revue du Praticien. 1998;48(1):36-43.	6
1505	Seror JY, Lesieur B, Scheuer-Niro B, Zerat L, Rouzier R, Uzan S. Predictive factors for complete excision and underestimation of one-pass en bloc excision of non-palpable breast lesions with the Intact [®] breast lesion excision system. European Journal of Radiology.	5
1506	Seror JY, Uzan S. A new technique in interventional senology: Vacuum-assisted biopsies. [French]. Revue du Praticien - Gynecologie et Obstetrique. 1999(37):30-8.	6
1507	Sevrukov A, Kaufman T, Dewyngaert S, Eisenberg TB, Hsu E, Wasti N, et al. Cancer upgrade rate upon excision of isolated flat epithelial atypia found on core biopsy of pure microcalcifications. Annals of Surgical Oncology. 2017;24 (1 Supplement 1):S50.	3
1508	Shah AK, Girishkumar HT, Parithivel VS, Pai NB, Rubinstein J, Gerst PH. Stereotactic needle breast biopsy: A review of current status and practice. Primary Care Update for Ob/Gyns. 1999;6(5):147-52.	2
1509	Sharifi A, Seiler S, Hwang H, Dogan BE. Neoplastic seeding of breast cancer along the core biopsy tract. Breast Journal. 2020;26(10):2129-31.	2

연번	서지정보	배제 사유
1510	Shastri K, Chen T, Peris-Celda M, Pinheiro-Neto C, Kenning T. Adenocarcinoma of the lung presenting as isolated hypoglossal nerve palsy. Journal of Neurological Surgery Part B: Skull Base Conference: 27th Annual Meeting North American Skull Base Society New Orleans, LA United States. 2017;78(Supplement 1).	6
1511	Shee K, Veilleux LW, Linos K, Marotti JD. Calcifications mimicking ductal carcinoma in situ in a patient with end-stage renal disease. Breast Journal. 2019;25(5):989-90.	4
1512	Shellock FG. Metallic marking clips used after stereotactic breast biopsy: Ex vivo testing of ferromagnetism, heating, and artifacts associated with MR imaging. American Journal of Roentgenology. 1999;172(5):1417-9.	7
1513	Sheth D, Bao J, Abe H, Jaskowiak N. Diagnostic value of breast MRI in evaluating total extent of disease when non-calcified DCIS is present in stereotactic core biopsy samples. Cancer Research Conference: San Antonio Breast Cancer Symposium, SABCS. 2017;78(4 Supplement 1).	3
1514	Shetty MK, Watson Jr AB. Sonographically occult screen detected breast masses: a retrospective analysis of cases undergoing biopsy. Clinical Imaging. 2008;32(1):28-31.	7
1515	Shetty MK. Presurgical localization of breast abnormalities: an overview and analysis of 202 cases. Indian Journal of Surgical Oncology. 2010;1(4):278-83.	7
1516	Shi SH, Li XJ. Value of Mammotome system in biopsy of breast microcalcifications. [Chinese]. Chinese Journal of Cancer Prevention and Treatment. 2013;20(2):144-6+52.	6
1517	Shibahara Y, Freitas V, Mulligan AM. Mucocoele-like lesions of the breast: Correlating core biopsy with excisional biopsy findings. Modern Pathology. 2020;33 (3):261.	3
1518	Shih J, Bashir B, Gustafson KS, Andrade M, Dunbrack RL, Goldstein LJ, et al. Cancer signature investigation: ERBB2 (HER2)-activating mutation and amplification-positive breast carcinoma mimicking lung primary. JNCN Journal of the National Comprehensive Cancer Network. 2015;13(8):947-52.	5
1519	Shimauchi A, Machida Y, Maeda I, Fukuma E, Hoshi K, Tozaki M. Breast MRI as a Problem-solving Study in the Evaluation of BI-RADS Categories 3 and 4 Microcalcifications: Is it Worth Performing? Academic Radiology. 2018;25(3):288-96.	7
1520	Shin K, Teichgraber D, Martaindale S, Whitman GJ. Tomosynthesis-guided core biopsy of the breast: Why and how to use it. Journal of Clinical Imaging Science. 2018;8 (1) (no pagination)(28).	2
1521	Shinde A, Amini A. Challenging Current Conventions: Up-Front Stereotactic Radiosurgery Alone for Limited Brain Metastases in Small Cell Lung Cancer. International Journal of Radiation Oncology Biology Physics. 2019;103(5):1031-2.	2
1522	Shirley SE, Soares DP. Marking of wire-localized breast biopsies for mammographically detected microcalcifications. Tropical Doctor. 2002;32(3):171-3.	7
1523	Shiue K, Song A, Teh BS, Ellis RJ, Yao M, Mayr NA, et al. Stereotactic body radiation therapy for metastasis to the adrenal glands. Expert Review of Anticancer Therapy. 2012;12(12):1613-20.	2
1524	Shomali W, Brar R. Late presentation of dyskeratosis congenita. British Journal of Haematology. 2019;187(3):273.	2
1525	Shubert C, Hieken T, Shah S, Jakub J, Degnim A, Boughey J. Role of surgical excision for flat epithelial atypia. Annals of Surgical Oncology. 2013;1):108-9.	3
1526	Sie A, Bryan DC, Gaines V, Killebrew LK, Kim CH, Morrison CC, et al. Multicenter evaluation of the Breast Lesion Excision System, a percutaneous, vacuum-assisted, intact-specimen breast biopsy device. Cancer. 2006;107(5):945-9.	2
1527	Siegel JP. Stereotactic needle core biopsy. American journal of surgery. 1997;173(5):453-4.	2
1528	Siegmann KC, Wersebe A, Fischmann A, Fersis N, Vogel U, Claussen CD, et al. [Stereotactic vacuum-assisted breast biopsy--success, histologic accuracy, patient acceptance and optimizing the BI-RADSTM-correlated indication]. Rofo: Fortschritte auf dem Gebiete der Rontgenstrahlen und der Nuklearmedizin. 2003;175(1):99-104.	6
1529	Sigalove N, Hou K, Ahn M, Sara F, Wang M, Chalkey S, et al. Patient-centered approach to percutaneous breast biopsy. Annals of Surgical Oncology. 2017;24 (2 Supplement 1):315-6.	3
1530	Silverman JS, Tamsen A. Mammary fibroadenoma and some phyllodes tumour stroma are composed of CD34+ fibroblasts and factor XIIIa+ dendrophages. Histopathology. 1996;29(5):411-9.	2
1531	Silverstein MJ. Elevating your breast program to the next level. Breast Journal. 2020;26(1):5-10.	2

연번	서지정보	배제 사유
1532	Sim YT, Litherland J, Lindsay E, Hendry P, Brauer K, Dobson H, et al. Upgrade of ductal carcinoma in situ on core biopsies to invasive disease at final surgery: A retrospective review across the Scottish Breast Screening Programme. <i>Clinical Radiology</i> . 2015;70(5):502-6.	7
1533	Sim YT, Litherland JC. 4.3: Upgrades of B5a (non-invasive) core biopsies to invasive disease at final surgery: A retrospective review across the Scottish Breast Screening Programme. <i>Breast Cancer Research Conference: Annual Scientific Meeting of the British Society of Breast Radiology</i> . 2013;15(SUPPL. 1).	3
1534	Simon JR, Kalbhen CL, Cooper RA, Flisak ME. Accuracy and complication rates of US-guided vacuum-assisted core breast biopsy: initial results. <i>Radiology</i> . 2000;215(3):694-7.	5
1535	Simpson JF, Page DL. Pathology of preinvasive and excellent-prognosis breast cancer. <i>Current Opinion in Oncology</i> . 1995;7(6):501-5.	2
1536	Sinclair KL, Ratcliff CG, Prinsloo S, Chaoul A, Cohen L, Yang W. The moderating effects of distress tolerance and expectations on a mindfulness intervention during stereotactic breast biopsy. <i>Psychosomatic Medicine</i> . 2019;81 (4):A144.	3
1537	Singh K, Sung CJ, Qudus MR. Descriptive study comparing outcomes of classic and nonclassic lobular carcinoma in situ (florid and pleomorphic) initially diagnosed on core needle biopsy. <i>Breast Journal</i> . 2020;26(12):2350-6.	7
1538	Singh P, Lenox R. Bilateral lymphocytic alveolitis from stereotactic body radiation for lung cancer: An unreported occurrence. <i>Chest Conference: CHEST</i> . 2010;138(4).	3
1539	Sironi M, Claren R, Delpiano C, Spinelli M, Lucani G. Cytological Findings of Carbon Breast Granuloma Following Stereotactic Track Localization [3]. <i>Diagnostic Cytopathology</i> . 2004;30(2):134-5.	2
1540	Sitaraman M, Yousaf J, Haylock BJ, Husband DJ, Jenkinson MD. Stereotactic radiosurgery for brain metastasis patients: Are we over selective? <i>British Journal of Neurosurgery</i> . 2012;26 (5):617-8.	3
1541	Sitteck H, Kessler M, Untch M, Reiser M. [Minimally invasive biopsy and preoperative marking of suspect mammary lesions]. <i>Gynäkologisch-Geburtshilfliche Rundschau</i> . 2004;44(2):69-83.	2
1542	Sitteck H, Perlet C, Schneider P, Untch M, Kolopenko T, Reiser M. [Stereotactic vacuum biopsy in prone and sitting position]. <i>Radiologe</i> . 2002;42(1):19-24.	6
1543	Sivyer P. Breast imaging for diagnosis-what works. <i>Journal of Medical Radiation Sciences</i> . 2016;63 (Supplement 1):3.	3
1544	Skalkos S, Yap J, Lin P. Pancreatic uptake on GA68-dotatate in a patient with a known history of renal cell carcinoma. <i>Internal Medicine Journal</i> . 2017;47 (Supplement 1):29.	3
1545	Skovajsova M, Bitmanova H. "Mammotomy" - Vacuum assisted biopsy and its role in the entire preoperative diagnostics of the breast tissue. [Czech]. <i>Ceska Radiologie</i> . 2004;58(4):191-5.	6
1546	Skovajsova M, Stovickova M, Frybova J, Bitmanova H, Zizalova J, Hlavackova M, et al. Mammotome - Vacuum biopsy and its role in diagnosis of minimal carcinoma: Current status in the Czech Republic and results from the mamma center Prague. [Czech]. <i>Klinicka Onkologie</i> . 2006;19(3):177-82.	6
1547	Skrepnik T, Goldbaum D, Suszko JW, Famoso JM, Hurley J, Binks J, et al. Does immunotherapy influence the risk of developing radiation necrosis after radiosurgery of brain metastases? <i>International Journal of Radiation Oncology Biology Physics</i> . 2017;99 (2 Supplement 1):S160.	3
1548	Smathers R.L. Advanced breast biopsy instrumentation device: percentages of lesion and surrounding tissue removed, <i>AJR American Journal of Roentgenology</i> , 2000;175: 801-3.	7
1549	Smathers RL. Marking the cavity site after stereotactic core needle breast biopsy. <i>American Journal of Roentgenology</i> . 2003;180(2):355-6.	7
1550	Smetherman D, Dydynski P, Jackson P. Effect of breast core needle biopsy technique on detection of lobular intraepithelial neoplasia. <i>Ochsner Journal</i> . 2007;7(3):121-4.	7
1551	Smilg P. Pseudoangiomatous stromal hyperplasia: Presentation and management - a clinical perspective. <i>South African Journal of Radiology</i> . 2018;22 (2) (no pagination)(1366).	2
1552	Smith BD. When is good enough really good enough? Defining the role of radiation in low-risk ductal carcinoma in situ. <i>Journal of Clinical Oncology</i> . 2015;33(7):686-91.	7

연번	서지정보	배제 사유
1553	Smith CJ, Myers CS, Chapple KM, Smith KA. Long-Term follow-up of 25 cases of biopsy-Proven radiation necrosis or post-Radiation treatment effect treated with magnetic resonance-Guided laser interstitial thermal therapy. Clinical Neurosurgery. 2016;79(Supplement1):S59-S72.	5
1554	Smith LF, Henry-Tillman R, Mancino AT, Johnson A, Price Jones M, Westbrook KC, et al. Magnetic resonance imaging-guided core needle biopsy and needle localized excision of occult breast lesions. American Journal of Surgery. 2001;182(4):414-8.	5
1555	Smith LF, Henry-Tillman R, Rubio IT, Korourian S, Klimberg VS. Intraoperative localization after stereotactic breast biopsy without a needle. American Journal of Surgery. 2001;182(6):584-9.	3
1556	Smith MF, Raylman RR, Majewski S, Weisenberger AG. Positron emission mammography with tomographic acquisition using dual planar detectors: Initial evaluations. Physics in Medicine and Biology. 2004;49(11):2437-52.	2
1557	Smyczek-Gargya B, Krainick U, Muller-Schimpfle M, Mielke G, Mayer R, Siegmann K, et al. Large-core needle biopsy for diagnosis and treatment of breast lesions. Archives of Gynecology & Obstetrics. 2002;266(4):198-200.	5
1558	Smyth AT, Cederbom GJ. Core biopsy of breast lesions. Journal of the Louisiana State Medical Society. 1994;146(11):499-501.	5
1559	Sneige N, Tulbah A. Accuracy of cytologic diagnoses made from touch imprints of image-guided needle biopsy specimens of nonpalpable breast abnormalities. Diagnostic Cytopathology. 2000;23(1):29-34.	7
1560	Soares JS, Barman I, Dingari NC, Volynskaya Z, Liu W, Klein N, et al. Diagnostic power of diffuse reflectance spectroscopy for targeted detection of breast lesions with microcalcifications. Proceedings of the National Academy of Sciences of the United States of America. 2013;110(2):471-6.	7
1561	Soffietti R, Ahluwalia M, Lin N, Ruda R. Management of brain metastases according to molecular subtypes. Nature Reviews Neurology. 2020;16(10):557-74.	2
1562	Sohn V, Keylock J, Arthurs Z, Wilson A, Herbert G, Perry J, et al. Breast papillomas in the era of percutaneous needle biopsy. Annals of Surgical Oncology. 2007;14(10):2979-84.	7
1563	Sohn VY, Arthurs ZM, Kim FS, Brown TA. Lobular neoplasia: Is surgical excision warranted? American Surgeon. 2008;74(2):172-7.	7
1564	Sokolov AA, Hetterich H, Reiser M, Reincke M. Minerva. Bmj. 7880:345(7880).	2
1565	Solorzano S, Mesurrolle B, Omeroglu A, El Khoury M, Kao E, Aldis A, et al. Flat epithelial atypia of the breast: Pathological-radiological correlation. American Journal of Roentgenology. 2011;197(3):740-6.	7
1566	Soluri A, Scafe R, Falcini F, Sala R, Burgio N, Stella S, et al. New localization technique for breast cancer biopsy: Mammotome guidance with imaging probe. Tumori. 2002;88(3):S37-S9.	3
1567	Somasundaram A, Furlong KJ. Rare case of metastatic pituitary disease. Endocrine Reviews Conference: 98th Annual Meeting and Expo of the Endocrine Society, ENDO. 2016;37(2 Supplement 1).	3
1568	Somerville P, Seifert PJ, Destounis SV, Murphy PF, Young W. Anticoagulation and bleeding risk after core needle biopsy. American Journal of Roentgenology. 2008;191(4):1194-7.	7
1569	Soo AE, Shelby RA, Miller LS, Balmadrid MH, Johnson KS, Wren AA, et al. Predictors of pain experienced by women during percutaneous imaging-guided breast biopsies. Journal of the American College of Radiology. 2014;11(7):709-16.	7
1570	Soo MS, Baker JA, Rosen EL, Vo TT. Sonographically guided biopsy of suspicious microcalcifications of the breast: A pilot study. American Journal of Roentgenology. 2002;178(4):1007-15.	5
1571	Soo MS, Baker JA, Rosen EL. Sonographic detection and sonographically guided biopsy of breast microcalcifications. American Journal of Roentgenology. 2003;180(4):941-8.	5
1572	Soo MS, Gbate S, Delong D. Stereotactic biopsy of noncalcified breast lesions: Utility of vacuum-assisted technique compared to multipass automated gun technique. Clinical Imaging. 1999;23(6):347-52.	7
1573	Soo MS, Kliwer MA, Gbate S, Helsper RS, Rosen EL. Stereotactic breast biopsy of noncalcified lesions: a cost-minimization analysis comparing 14-gauge multipass automated core biopsy to 14- and 11-gauge vacuum-assisted biopsy. Clinical Imaging. 2005;29(1):26-33.	7

연번	서지정보	배제 사유
1574	Soo MS, Walsh R, Patton J. Prone table stereotactic breast biopsy: Facilitating biopsy of posterior lesions using the arm-through-the-hole technique. American Journal of Roentgenology. 1998;171(3):615-7.	7
1575	Soo MS. Imaging-guided core biopsies in the breast. Southern Medical Journal. 1998;91(11):994-1000.	2
1576	Sotje G, Waschkies R, Burba H, Freitag R, Baron Y. Preoperative hookwine localisation of nonpalpable suspected breast lesions. [German]. Aktuelle Radiologie. 1997;7(5):253-5.	6
1577	Sowa Y, Hori T, Kodama T, Numajiri T. Temporary banking of the nipple-areola complex in breast reconstruction following mastectomy for gigantomastia. International Journal of Surgery Case Reports. 2021;80 (no pagination)(105297).	5
1578	Spano G, Stutz E, Elicin O, Hugi B, Henzen D, Furholz M, et al. Is it safe to irradiate the newest generation of ventricular assist devices? A case report and systematic literature review. Artificial Organs. 2020;44(5):449-56.	2
1579	Speer ME, Adrada BE, Arribas EM, Hess KR, Middleton LP, Whitman GJ. Imaging of Intracystic Papillary Carcinoma. Current Problems in Diagnostic Radiology. 2019;48(4):348-52.	7
1580	Spiegel D. Breast Cancer: Biology or Stage? International Journal of Radiation Oncology Biology Physics. 2017;98(5):974-5.	2
1581	Spiegelmann R, Nissim O, Nass D, Hoffmann C, Grober Y, Zach L, et al. Delayed contrast extravasation MRI differentiates metastatic tumor progression from radiation necrosis after radiosurgery. Stereotactic and Functional Neurosurgery. 2013;1):23.	3
1582	Steinberg J, D'Alfonso T, Eisen C, Arleo EK. Osseous Metaplasia of the Breast Diagnosed from Stereotactic Core Biopsy: A Rare Entity with Radiologic-Pathologic Correlation. Breast Journal. 2016;22(4):460-1.	7
1583	Steiner P, Schoenenberger AW, Penner EA, Erhart P, Debatin JF, von Schulthess GK, et al. [Interactive stereotaxic interventions in superconducting, open 0.5-Tesla MRI tomography]. Rofo: Fortschritte auf dem Gebiete der Rontgenstrahlen und der Nuklearmedizin. 1996;165(3):276-80.	6
1584	Stelzer PD, Steding O, Raudner MW, Euller G, Clauser P, Baltzer PAT. Combined texture analysis and machine learning in suspicious calcifications detected by mammography: Potential to avoid unnecessary stereotactical biopsies. European Journal of Radiology. 2020;132 (no pagination)(109309).	7
1585	Stepanyan MA, Rotin DL, Israelyan LA. Multiple brain metastases of male breast cancer 18 years after radical mastectomy. New Armenian Medical Journal. 2014;8(4):60-4.	5
1586	Stergios K, Patel A, Pergialiotis V. Management of B3 lesions of the breast: implementations of current recommendations in clinical practice. Journal of BUOn. 2017;22(6):1587-90.	7
1587	Sterrett G, Oliver D, Frayne J, Ingram D, Sheiner H. Stereotactic fine needle aspiration biopsy (SFNB) of breast: Preliminary results in Perth with the TRC mammotest machine. Cytological aspects. Pathology. 1991;23(4):302-10.	5
1588	Steyaert L. Indications for US guided FNAC, core needle biopsy, and vacuum assisted breast biopsy. Jbr-Btr. 2014;97(3):189-90.	2
1589	Stoblen F, Landt S, Ishaq R, Stelkens-Gebhardt R, Rezai M, Skaane P, et al. High-frequency breast ultrasound for the detection of microcalcifications and associated masses in BI-RADS 4a patients. Anticancer Research. 2011;31(8):2575-81.	5
1590	Stoler DL, Stewart CC, Stomper PC. Breast epithelium procurement from stereotactic core biopsy washings: Flow cytometry-sorted cell count analysis. Clinical Cancer Research. 2002;8(2):428-32.	7
1591	Stolier A, Skinner J, Levine EA. A prospective study of seeding of the skin after core biopsy of the breast. American Journal of Surgery. 2000;180(2):104-7.	7
1592	Stolier AJ. Stereotactic breast biopsy: A surgical series. Journal of the American College of Surgeons. 1997;185(3):224-8.	7
1593	Stomper PC, Budnick RM, Stewart CC. Breast stereotactic core biopsy washings: Abundant cell samples from clinically occult lesions for flow cytometric DNA analysis. Investigative Radiology. 1998;33(1):51-5.	7
1594	Stomper PC, Stewart CC, Stoler DL. Stereotactic core biopsy breast and blood cell by-products: a source of material for molecular genetics research--initial experience. Radiology. 2001;218(3):881-5.	7

연번	서지정보	배제 사유
1595	Strong JW, Worsham GF, Austin RM, Gruber FH, Bagg MN. Stereotactic core biopsy of nonpalpable breast lesions. Journal of the South Carolina Medical Association (1975). 1995;91(12):489-96.	5
1596	Su KL, Xu HB, Hu ZJ, He JL, Yang OO, Hu WH. [Vacuum-assisted biopsy and wire localization for the diagnosis of non-palpable breast lesions]. [Chinese]. Zhonghua zhong liu za zhi [Chinese journal of oncology]. 2010;32(6):472-5.	6
1597	Sueoka N, Ishizuka M, Yoshikawa K, Tsubota Y, Yamamoto D, Kon M. [Examination of Stereotactic Mammotome Biopsy for Microcalcification in Our Hospital]. Gan to Kagaku Ryoho [Japanese Journal of Cancer & Chemotherapy]. 2017;44(12):1979-81.	6
1598	Sujoy V, Pinto A, Romilly AP, Jorda M, Gomez-Fernandez CR. Is ER immunohistochemical sensitivity affected by different breast biopsy techniques with differing cold ischemia times? Laboratory Investigation. 2012;1):518A.	3
1599	Sun S, Hennessey H, Kam Nakch I, Alsharif S, Meterissian S, Mesurrolle B. Compression-refractory breast hematoma secondary to pseudoaneurysm after stereotactically guided vacuum-assisted biopsy: the critical role of urgent surgical evacuation. Journal of clinical ultrasound : JCU. 2014;42(8):492-4.	7
1600	Surry KJM, Mills GR, Bevan K, Downey DB, Fenster A. Stereotactic mammography imaging combined with 3D US imaging for image guided breast biopsy. Medical Physics. 2007;34(11):4348-58.	7
1601	Surry KJM, Smith WL, Campbell LJ, Mills GR, Downey DB, Fenster A. The development and evaluation of a three-dimensional ultrasound-guided breast biopsy apparatus. Medical Image Analysis. 2002;6(3):301-12.	7
1602	Susnik B, Schneider L, Swenson KK, Krueger J, Braatz C, Lillemoe T, et al. Predictive value of breast magnetic resonance imaging in detecting mammographically occult contralateral breast cancer: Can we target women more likely to have contralateral breast cancer? Journal of Surgical Oncology. 2018;118(1):221-7.	7
1603	Sutela A, Vanninen R, Sudah M, Berg M, Kiviniemi V, Rummukainen J, et al. Surgical specimen can be replaced by core samples in assessment of ER, PR and HER-2 for invasive breast cancer. Acta Oncologica. 2008;47(1):38-46.	5
1604	Sutton S, Dahlstrom JE, Jain S. Stereotactic large-gauge core biopsy: its role in the diagnosis of non-palpable mammographic abnormalities presenting to a screening service. Australasian Radiology. 1997;41(2):103-8.	5
1605	Suzanne Klimberg V, Boneti C, Adkins LL, Smith M, Siegel E, Zharov V, et al. Feasibility of percutaneous excision followed by ablation for local control in breast cancer. Annals of surgical oncology. 2011;18(11):3079-87.	3
1606	Suzuki K, Shiraishi A, Arakawa A. Analysis of stereotactic vacuum-assisted breast biopsy for patients with segmental calcifications. Japanese Journal of Radiology. 2009;27(10):450-4.	7
1607	Swamy R. Histological correlation of mammographically detected breast calcifications - A need for rational protocols. Diagnostic Histopathology. 2009;15(12):582-8.	2
1608	Swapp RE, Brands HM, Jones KN, Glazebrook KN, Hieken TJ, Visscher DW, et al. Is excisional biopsy necessary after a core needle biopsy diagnosis of benign papillary lesion? Annals of Surgical Oncology. 2012;1):110.	3
1609	Szafraniec MB, Konstantinidis AC, Tromba G, Dreossi D, Vecchio S, Rigon L, et al. Synchrotron based planar imaging and digital tomosynthesis of breast and biopsy phantoms using a CMOS active pixel sensor. Physica Medica. 2015;31(2):192-8.	7
1610	Szynglarewicz B, Dolega-Kozierowski B, Szulc R, Kasprzak P, Matkowski R. Identification of a localization wire tip in an occult breast lesion using a handheld magnetometer. Advances in Clinical & Experimental Medicine. 2021;30(3):273-8.	7
1611	Szynglarewicz B, Kasprzak P, Biecek P, Halon A, Matkowski R. Screen-detected ductal carcinoma in situ found on stereotactic vacuum-assisted biopsy of suspicious microcalcifications without mass: Radiological-histological correlation. Radiology and Oncology. 2016;50(2):145-52.	7
1612	Szynglarewicz B, Kasprzak P, Donizy P, Biecek P, Halon A, Matkowski R. Ductal carcinoma in situ on stereotactic biopsy of suspicious breast microcalcifications: Expression of SPARC (Secreted Protein, Acidic and Rich in Cysteine) can predict postoperative invasion. Journal of Surgical Oncology. 2016;114(5):548-56.	7

연번	서지정보	배제 사유
1613	Szynglarewicz B, Kasprzak P, Donizy P, Biecek P, Halon A, Matkowski R. Epithelial-mesenchymal transition inducer Snail1 and invasive potential of intraductal breast cancer. <i>Journal of Surgical Oncology</i> . 2017;116(6):696-705.	7
1614	Szynglarewicz B, Kasprzak P, Donizy P, Biecek P, Halon A, Matkowski R. Biological aggressiveness of subclinical no-mass ductal carcinoma in situ (DCIS) can be reflected by the expression profiles of epithelial-mesenchymal transition triggers. <i>International Journal of Molecular Sciences</i> . 2018;19 (12) (no pagination)(3941).	7
1615	Szynglarewicz B, Kasprzak P, Halon A, Matkowski R. Lobular carcinoma in situ of the breast - correlation between minimally invasive biopsy and final pathology. <i>Archives of Medical Science</i> . 2017;13(3):617-23.	7
1616	Szynglarewicz B, Kasprzak P, Kornafel J, Forgacz J, Pudelko M, Majewski A, et al. Duration time of vacuum-assisted biopsy for nonpalpable breast masses: Comparison between stereotactic and ultrasound-guided procedure. <i>Tumori</i> . 2011;97(4):517-21.	7
1617	Szynglarewicz B, Kasprzak P, Kowalska E, Blaszczyk D, Maciejczyk A, Matkowski R. Predictive value of short-term follow-up in a breast cancer screening program. <i>European Journal of Surgical Oncology</i> . 2019;45 (2):e140-e1.	3
1618	Szynglarewicz B, Kasprzak P, Maciejczyk A, Kowalska E, Matkowski R. Non-operative diagnostic service in a newly formed breast unit in the regional comprehensive cancer centre - Quality assessment using key performance indicators. <i>European Journal of Surgical Oncology</i> . 2016;42 (9):S190.	3
1619	Szynglarewicz B, Kasprzak P, Maciejczyk A, Matkowski R. Imaging-histologic discordance following image-guided coreneedle or vacuum assisted breast biopsy - Analysis of 340 lesions of BIRADS category 4C. <i>European Journal of Surgical Oncology</i> . 2016;42 (9):S125.	3
1620	Szynglarewicz B, Kasprzak P, Maciejczyk A, Matkowski R. Short-term follow-up (early recall) in breast cancer screening programs should be avoided due to very low predictive value for malignancy. <i>European Journal of Surgical Oncology</i> . 2016;42 (9):S124.	3
1621	Szynglarewicz B, Kasprzak P, Maciejczyk A, Michalik T, Oleszkiewicz B, Strychalska M, et al. Non-pleomorphic LCIS without imaging-histologic discordance and residual lesion may be referred to a close follow-up instead of surgical excision. <i>European Journal of Surgical Oncology</i> . 2016;42 (9):S122.	3
1622	Szynglarewicz B, Oleszkiewicz B, Kasprzak P, Maciejczyk A, Michalik T, Strychalska M, et al. Imaging-histologic concordant breast papillomas without atypia and radiologically visible residual lesions after image-guided biopsy: A voice against the subsequent surgical excision. <i>European Journal of Surgical Oncology</i> . 2016;42 (9):S122.	3
1623	Szynglarewicz B, Oleszkiewicz B, Michalik T, Szulc R, Slupianek K, Zukrowski P, et al. Post-biopsy surgical excision is warranted in breast papillomas with atypia. <i>European Journal of Surgical Oncology</i> . 2019;45 (2):e37.	3
1624	Tafra L, Smith SJ, Woodward JE, Fernandez KL, Sawyer KT, Grenko RT. Pilot trial of cryoprobe-assisted breast-conserving surgery for small ultrasound-visible cancers. <i>Annals of Surgical Oncology</i> . 2003;10(9):1018-24.	5
1625	Taft R, Chao K, Dear P, King C. The role of core biopsy in the diagnosis of mammographically detected lesions. <i>Australian and New Zealand Journal of Surgery</i> . 1996;66(10):664-7.	5
1626	Tailor P, Kneeshaw P. Wire mark-up of breast lesions. Does the type of wire matter? <i>European Journal of Surgical Oncology</i> . 2014;40 (5):623.	3
1627	Takahashi K, Gomi N, Iwase T, Sakamoto G. [The role and efficacy of Mammotome biopsy (vacuum-assisted breast biopsy)]. <i>Nippon Rinsho - Japanese Journal of Clinical Medicine</i> . 2006;64(3):469-74.	6
1628	Takeda H, Ohe R, Fukui T, Suzuki S, Nakamura S, Watanabe K, et al. Rapid Progression of Intracranial Dural Metastases in a Patient with Carcinoma of Unknown Primary Site. <i>Case Reports in Oncology</i> . 2019;12(2):666-70.	5
1629	Tan TK. Patient autonomy kills. <i>British Journal of Anaesthesia</i> . 2012;2:ii229-ii30.	3
1630	Tang CJ, Eder SE, Lee DJ, Rabow MW, Esserman LJ. A simple intervention to relieve chronic neuropathic post-mastectomy pain. <i>Cancer Research Conference: 36th Annual CTRC AACR San Antonio Breast Cancer Symposium San Antonio, TX United States Conference Publication</i> :. 2013;73(24 SUPPL. 1).	3

연번	서지정보	배제 사유
1631	Tapley E, Beighton P. Calcification of breast tissue in the ehlers-danlos syndrome. Breast Journal. 2009;15(5):537-9.	7
1632	Taran-Munteanu L, Hartkopf A, Eigentler TK, Vogel U, Brucker S, Taran FA. A Case of Choroidal Melanoma Metastatic to the Breast. [German]. Geburtshilfe und Frauenheilkunde. 2016;76(5):579-81.	6
1633	Tardioli S, Ballesio L, Gigli S, F DIP, D'Orazi V, Giraldi G, et al. Wire-guided Localization in Non-palpable Breast Cancer: Results from Monocentric Experience. Anticancer Research. 2016;36(5):2423-7.	5
1634	Tardivon A, Guinebretiere JM, Corvellec-Rudelli A, Bazile V. Controversies: Percutaneous biopsies. All or too much? Techniques, quality and consequences of biopsies. [French]. Sein. 2000;10(1-2):119-23.	6
1635	Tardivon A, Meunier M, El Khoury C, Thibault F. [Interventional radiology in nonpalpable lesions of the breast]. Journal de Radiologie. 2003;84(4 Pt 1):381-6.	6
1636	Tate PS, Rogers EL, McGee EM, Page GV, Hopkins SF, Shearer RG, et al. Stereotactic breast biopsy: a six-year surgical experience. Journal of the Kentucky Medical Association. 2001;99(3):98-103.	7
1637	Tausch C, Konstantiniuk P, Haid A, Stierer M. Early experience with the Advanced Breast Biopsy Instrumentation (ABBI(TM)) System - A report of a multicentre study. [German]. Acta Chirurgica Austriaca. 2000;32(3):99-104.	6
1638	Tavassoli FA, Pestaner JP. Pseudoinvasion in intraductal carcinoma. Modern Pathology. 1995;8(4):380-3.	7
1639	Taylor D, Kulawansa ST, McCallum DD, Saunders C. Peri-implant galactoceles following vacuum-assisted core biopsy of the breast: A cautionary tale. BMJ Case Reports. 2013;06.	7
1640	Taylor D. What to look for on a breast specimen radiograph: Lessons learnt. BMJ Case Reports. 2015;2015 (no pagination)(206827).	7
1641	Teberian I, Kaufman T, Shames J, Rao VM, Liao L, Levin DC. Trends in the Use of Percutaneous Versus Open Surgical Breast Biopsy: An Update. Journal of the American College of Radiology. 2020;17(8):1004-10.	7
1642	Teh WL, Wilson ARM, Evans AJ, Burrell H, Pinder SE, Ellis IO. Ultrasound guided core biopsy of suspicious mammographic calcifications using high frequency and power doppler ultrasound. Clinical Radiology. 2000;55(5):390-4.	3
1643	Teichgraber DC, Martaindale S, Omofoye TS, Hess KR, Parikh JR, Whitman GJ. Immediate Migration of Biopsy Clip Markers After Upright Digital Breast Tomosynthesis-Guided Vacuum-Assisted Core Biopsy. Academic Radiology. 2020;27(2):204-9.	7
1644	Tendl KA, Baltzer P, Bernathova M, Marino MA, Langthaler EM, Helbich T, et al. Histological changes in a high-risk breast cancer screening cohort and their impact on patient management. European Journal of Cancer. 2016;2:S87.	3
1645	Tersigni R, Alessandrini L, Mencacci R, Sessa M. Stereotactic surgery of nonpalpable breast lesions. [Italian]. Chirurgia. 1998;11(5):330-5.	6
1646	Teubner T, Hafner MF, Schimmele M, Teubner J. Halfpipe coaxial cannula for self-contained vacuum-assisted biopsy systems: Feasibility in a pig breast model. American Journal of Roentgenology. 2009;193(6):W563-W6.	1
1647	Tevis S, Neuman H, Steiman J, Greenberg C, Wilke L. The impact of obesity on the rate of surgical biopsy after identification of a mammographic abnormality. Annals of Surgical Oncology. 2016;23 (3 Supplement 1):448-9.	3
1648	Theeler BJ, Ellezam B, Sadighi ZS, Mehta V, Tran MD, Adesina AM, et al. Adult pilocytic astrocytomas: Clinical features and molecular analysis. Neuro-Oncology. 2014;16(6):841-7.	5
1649	Thiele DL, Kimme-Smith C, Johnson TD, McCombs M, Bassett LW. Using tissue texture surrounding calcification clusters to predict benign vs malignant outcomes. Medical Physics. 1996;23(4):549-55.	7
1650	Thiele J, Schneider JP, Franke P, Lieberenz S, Schmidt F. [New method of MR-guided mammary biopsy]. Rofo: Fortschritte auf dem Gebiete der Rontgenstrahlen und der Nuklearmedizin. 1998;168(4):374-9.	6
1651	Thien A, Han JX, Kumar K, Ng YP, Rao JP, Ng WH, et al. Investigation of the usefulness of fluorescein sodium fluorescence in stereotactic brain biopsy. Acta Neurochirurgica. 2018;160(2):317-24.	7

연번	서지정보	배제 사유
1652	Thiesse P, Guerin N, Treilleux I, Bremond A. Stereotactic core breast biopsy. Part II: Complementary or competition?. [French]. Annales de Chirurgie. 1996;50(6):463-9.	6
1653	Thiesse P, Guerin N. Stereotactic core breast biopsy. Part I: Technical aspects. [French]. Annales de Chirurgie. 1996;50(6):457-62.	6
1654	Thomas A, Grigoryev M, Bossenz S, Dieckmann F, Bick U, Slowinski T, et al. Sonographic detection of microcalcifications-potential of new method. Ultraschall in der Medizin, Supplement Conference: Ultraschall. 2013;34(SUPPL. 1).	3
1655	Thomas K. Stereotactic core breast biopsy: 'Lap chole for breast disease.'. Hospital Technology Series. 1996;15(8):6-7.	7
1656	Thomassin-Naggara I, Jalaguier-Coudray A, Chopier J, Tardivon A, Trop I. Current opinion on clip placement after breast biopsy: A survey of practising radiologists in France and Quebec. Clinical Radiology. 2013;68(7):e378-e83.	7
1657	Thomassin-Naggara I, Lalonde L, David J, Darai E, Uzan S, Trop I. A plea for the Biopsy marker: How, why and why not clipping after breast biopsy? Breast Cancer Research and Treatment. 2012;132(3):881-93.	2
1658	Thompson HK, Spicer PJ. Recurrent breast cancer diagnosis delayed by COVID-19 pandemic. Radiology Case Reports. 2021;16(6):1489-92.	7
1659	Thomson AH, Purvis G, McGrane J, Palmer J, Jenkins R. Changing molecular profile of brain metastases compared with matched breast primaries and impact on clinical outcomes. Cancer Research Conference: 38th Annual CTRC AACR San Antonio Breast Cancer Symposium San Antonio, TX United States Conference Publication:. 2016;76(4 SUPPL. 1).	3
1660	Thurfjell E. Mammographically-guided fine needle aspiration in differential diagnosis of cystic versus solid rounded masses smaller than 2 cm detected at mammographic screening. Breast Cancer Research and Treatment. 2002;75(3):221-6.	5
1661	Tilanus-Linthorst MM, Obdeijn AI, Kuenen-Boumeester V, Oudkerk M. [Preoperative diagnostic stereotaxic biopsy a good predictor of breast cancer in patients with mammographic findings indicating a possible malignancy]. Nederlands Tijdschrift voor Geneeskunde. 1998;142(20):1167-8.	6
1662	To VYK, Wong KM, Mak WS, Kwok KM, Wong CW. Stereotactic-guided vacuum-assisted breast biopsy in the Asian Population: What factors affect marker migration? Hong Kong Journal of Radiology. 2016;19(4):293-9.	7
1663	Tohnosu N, Nagano K, Hasegawa J, Masuda Y. The significance of board certified breast specialist of the Japanese breast cancer society in regional medical activities. [Japanese]. Chiba Medical Journal. 2009;85(5):233-6.	6
1664	Tomkovich KR. Breast Interventions: A Primer for Interventional Radiologists. Techniques in Vascular and Interventional Radiology. 2006;9(1):30-5.	5
1665	Tomkovich KR. Ablation of breast cancer. CardioVascular and Interventional Radiology. 2011;3(3):415-6.	3
1666	Tomkovich KR. Interventional radiology in the diagnosis and treatment of diseases of the breast: A historical review and future perspective based on currently available techniques. American Journal of Roentgenology. 2014;203(4):725-33.	2
1667	Tourasse C, Khasanova E, Sebag P, Beregi JP. Ultrasound-guided vacuum-assisted breast biopsy with a small-caliber device: A multicenter consecutive study of 162 biopsied lesions. Tumori. 2019;105(4):312-8.	7
1668	Tourasse C, Sebag P, Denier J, Rouyer N, Donne C. [Value of stereotactic breast core biopsy in patients with atypical ductal hyperplasia]. Journal de Radiologie. 2008;89(1 Pt 1):40-6.	6
1669	Tournemaine N, Bertrand F, Stines J. Breast imaging at RSNA 97: Congress report. [French]. Sein. 1998;8(2):93-9.	6
1670	Tournemaine N, Josien MTN. Diagnostic strategy in the follow-up of women treated for breast cancer. [French]. Sein. 2001;11(1-2):200-5.	6
1671	Tran WT, Ibanez C, Pinto MP, Sanchez C, Czarnota GJ, Merino T. Eribulin-induced radiation recall dermatitis: A case report and brief review of the literature. ecancermedicalscience. 2020;14 (no pagination)(1006).	2
1672	Travade A, Isnard A, Bagard C, Bouchet F, Chouzet S, Gaillot A, et al. [Stereotactic 11-gauge directional vacuum-assisted breast biopsy: experience with 249 patients]. Journal de Radiologie. 2002;83(9 Pt 1):1063-71.	6

연번	서지정보	배제 사유
1673	Treglia G, Giovannini E, Di Franco D, Calcagni ML, Rufini V, Picchio M, et al. The role of positron emission tomography using carbon-11 and fluorine-18 choline in tumors other than prostate cancer: A systematic review. <i>Annals of Nuclear Medicine</i> . 2012;26(6):451-61.	2
1674	Trevathan-Ramirez D. Innovations in breast disease diagnosis. <i>Radiologic Technology</i> . 1998;70(2):197-203.	2
1675	Trinca F, Inacio M, Timoteo T, Dinis R. Triple-negative breast cancer with brain metastasis in a pregnant woman. <i>BMJ Case Reports</i> . 2017;2017 (no pagination)(218657).	5
1676	Trocchi P, Holzhausen HJ, Bocker W, Schmidt-Pokrzywniak A, Ruschke K, Thomssen C, et al. Influence of immunohistochemistry on the final diagnosis of breast biopsies. <i>Histopathology</i> . 2013;63(6):817-25.	7
1677	Trocchi P, Holzhausen HJ, Loning T, Bocker W, Schmidt-Pokrzywniak A, Thomssen C, et al. Intraobserver Agreement on Histopathologic Evaluations of Core Breast Biopsies. <i>Breast journal</i> . 2017;23(2):215-9.	7
1678	Trombetta M. The critical nature of the multidisciplinary management of breast cancer: Not just an academic institutional exercise. <i>Journal of Solid Tumors</i> . 2014;4(3):1-3.	2
1679	Trop I, David J, El Khoury M, Gautier N, Gaboury L, Lalonde L. Microcalcifications around a collagen-based breast biopsy marker: Complication of biopsy with a percutaneous marking system. <i>American Journal of Roentgenology</i> . 2011;197(2):W353-W7.	5
1680	Trop I, David J, Lalonde L. Postbiopsy confirmation of adequate targeting after second-look biopsy of MRI-enhancing breast lesions. <i>American Journal of Roentgenology</i> . 2013;200(1):W93.	5
1681	Trop I, Labelle M, David J, Mayrand MH, Lalonde L. Second-Look Targeted Studies After Breast Magnetic Resonance Imaging: Practical Tips to Improve Lesion Identification. <i>Current Problems in Diagnostic Radiology</i> . 2010;39(5):200-11.	2
1682	Truffaux N, Philippe C, Cornilleau G, Paulsson J, Andreiulo F, Guerrini-Rousseau L, et al. Preclinical evaluation of dasatinib alone and in combination with cabozantinib for the treatment of diffuse intrinsic pontine glioma (DIPG) in children. <i>Neuro-Oncology</i> . 2014;1):i55.	3
1683	Tsai HY, Huang ST, Chao MF, Kan JY, Hsu JS, Hou MF, et al. Cost-effectiveness of stereotactic vacuum-assisted biopsy for nonpalpable breast lesions. <i>European Journal of Radiology</i> . 2020;127 (no pagination)(108982).	7
1684	Tsuchiya K, Mori N, Schacht DV, Sheth D, Karczmar GS, Newstead GM, et al. Value of breast MRI for patients with a biopsy showing atypical ductal hyperplasia (ADH). <i>Journal of Magnetic Resonance Imaging</i> . 2017;46(6):1738-47.	5
1685	Turaka A, Parsons RB, Buyyounouski MK. Radiation therapy for pituitary metastasis: Report of four cases. <i>Tumori</i> . 2012;98(1):e1-e6.	5
1686	Turgeman I, Flechter E, Vlodavsky E, Militianu D, Keidar Z, Haddad E, et al. Fortuitous administration of denosumab in breast carcinoma with osteoclastic giant cells. <i>Anti-Cancer Drugs</i> . 2018;29(5):466-70.	5
1687	Turk P, Menendez C, Tolley M. Is SAVI SCOUT localization as accurate as needle-localization in obtaining negative margins at time of breast conservation?: A single institutional experience. <i>Annals of Surgical Oncology</i> . 2018;25 (2 Supplement 1):298.	3
1688	Tzias D, Yusuf S, Wilkinson L. PB.37: Screen-detected, noncalcified, mammographic lesions with normal or benign ultrasound findings: Is stereotactic biopsy necessary? <i>Breast Cancer Research Conference: Annual Scientific Meeting of the British Society of Breast Radiology</i> . 2013;15(SUPPL. 1).	3
1689	Uematsu T, Kasami M, Takahashi K, Watanabe J, Yamasaki S, Tanaka K, et al. Clip placement after an 11-gauge vacuum-assisted stereotactic breast biopsy: correlation between breast thickness and clip movement. <i>Breast Cancer</i> . 2012;19(1):30-6.	7
1690	Uematsu T, Kasami M, Uchida Y, Sanuki J, Kimura K, Tanaka K, et al. Preoperative computed tomography-guided percutaneous hookwire localization of metallic marker clips in the breast with a radial approach: initial experience. <i>Acta radiologica (Stockholm, Sweden : 1987)</i> . 2007;48(5):483-7.	7
1691	Uematsu T, Kasami M, Uchida Y. Soft-copy reading in digital mammography of microcalcifications: diagnostic performance of a 5-megapixel cathode ray tube monitor versus a 3-megapixel liquid crystal display monitor in a clinical setting. <i>Acta radiologica (Stockholm, Sweden : 1987)</i> . 2007;48(7):714-20.	7

연번	서지정보	배제 사유
1692	Uematsu T, Kasami M, Yuen S. A cluster of microcalcifications: Women with high risk for breast cancer versus other women. <i>Breast Cancer</i> . 2009;16(4):307-14.	7
1693	Uematsu T, Kasami M. Core wash cytology of breast lesions by ultrasonographically guided core needle biopsy. <i>Breast Cancer Research and Treatment</i> . 2008;109(2):251-3.	5
1694	Uematsu T, Yuen S, Kasami M, Uchida Y. Dynamic contrast-enhanced MR imaging in screening detected microcalcification lesions of the breast: Is there any value? <i>Breast Cancer Research and Treatment</i> . 2007;103(3):269-81.	5
1695	Uematsu T, Yuen S, Kasami M, Uchida Y. Comparison of magnetic resonance imaging, multidetector row computed tomography, ultrasonography, and mammography for tumor extension of breast cancer. <i>Breast Cancer Research and Treatment</i> . 2008;112(3):461-74.	5
1696	Umphlett M, Shea S, Tome-Garcia J, Zhang Y, Hormigo A, Fowkes M, et al. Widely metastatic glioblastoma with BRCA1 and ARID1A mutations: A case report. <i>BMC Cancer</i> . 2020;20 (1) (no pagination)(47).	7
1697	Ung OA, Lee WB, Greenberg ML, Bilous M. Complex sclerosing lesion: the lesion is complex, the management is straightforward. <i>ANZ Journal of Surgery</i> . 2001;71(1):35-40.	7
1698	Uriburu JL, Vuoto HD, Cogorno L, Isetta JA, Candas G, Imach GC, et al. Local recurrence of breast cancer after skin-sparing mastectomy following core needle biopsy: Case reports and review of the literature. <i>Breast Journal</i> . 2006;12(3):194-8.	7
1699	Utzon-Frank N, Vejborg I, von Euler-Chelpin M, Lyng E. Balancing sensitivity and specificity: Sixteen year's of experience from the mammography screening programme in Copenhagen, Denmark. <i>Cancer Epidemiology</i> . 2011;35(5):393-8.	5
1700	Uzan C, Mazouni C, Ferchiou M, Ciolovan L, Balleyguier C, Mathieu MC, et al. A model to predict the risk of upgrade to malignancy at surgery in atypical breast lesions discovered on percutaneous biopsy specimens. <i>Annals of Surgical Oncology</i> . 2013;20(9):2850-7.	7
1701	Vag T, Pfeleiderer SOR, Bottcher J, Wurdinger S, Gajda M, Camara O, et al. Ultrasound-guided breast biopsy using a 10-gauge self-contained vacuum-assisted device. <i>European Radiology</i> . 2007;17(12):3100-2.	5
1702	Vaidya JS, Hall-Craggs M, Baum M, Tobias JS, Falzon M, D'Souza DP, et al. Percutaneous minimally invasive stereotactic primary radiotherapy for breast cancer. <i>Lancet Oncology</i> . 2002;3(4):252-3.	5
1703	Vaillant W, Bohmert H, Remberger K. Stereotactic, preoperative characteristics of mammary lesions. [German]. <i>Munchener Medizinische Wochenschrift</i> . 1982;124(23):75-6.	6
1704	Valdes EK, Tartter PI, Genelus-Dominique E, Guilbaud DA, Rosenbaum-Smith S, Estabrook A. Significance of papillary lesions at percutaneous breast biopsy. <i>Annals of Surgical Oncology</i> . 2006;13(4):480-2.	7
1705	Valkovic P, Candric B, Miletic D, Mendrila I, Dobrila F, Strcic M. Stereotactic localization of nonpalpable breast lesions. [Croatian]. <i>Medicina</i> . 2006;42(2):136-42.	6
1706	van Bekkum S, Dams FEM, Westenend PJ, van Rosmalen J, Menke-Pluijmers MBE, Kock MCJM. The reassurance of the diagnosis benign calcifications after vacuum-assisted stereotactic breast biopsy. <i>Breast Journal</i> . 2021.	3
1707	van Bekkum S, Dams FEM, Westenend PJ, van Rosmalen J, Menke-Pluijmers MBE, Kock MCJM. Ten years follow-up of histologically benign calcifications in the breast after vacuum-assisted stereotactic biopsy (VASB): Is additional mammographic follow-up warranted? <i>Breast</i> . 2021;59:135-43.	2
1708	van Denburg AN, Shelby RA, Winger JG, Zhang L, Soo AE, Pearce MJ, et al. Unmet spiritual care needs in women undergoing core needle breast biopsy. <i>Journal of Breast Imaging</i> . 2020;2(1):134-40.	7
1709	van der Ploeg IMC, Hobbink M, van den Bosch MAAJ, Mali WPTM, Rinkes IHMB, van Hillegersberg R. 'Radioguided occult lesion localisation' (ROLL) for non-palpable breast lesions: A review of the relevant literature. <i>European Journal of Surgical Oncology</i> . 2008;34(1):1-5.	2
1710	van Gestel R. [Presurgical diagnostic stereotactic biopsy is a good predictor of breast cancer in patients with suspicious deviations on mammograms]. <i>Nederlands Tijdschrift voor Geneeskunde</i> . 1998;142(25):1472-3.	6
1711	van Riet YE, Jansen FH, van Beek M, van de Velde CJ, Rutten HJ, Nieuwenhuijzen GA. Localization of non-palpable breast cancer using a radiolabelled titanium seed. <i>British Journal of Surgery</i> . 2010;97(8):1240-5.	5

연번	서지정보	배제 사유
1712	Vandromme MJ, Umphrey H, Krontiras H. Image-guided methods for biopsy of suspicious breast lesions. Journal of Surgical Oncology. 2011;103(4):299-305.	2
1713	Vanoli C, Antronaco R, Giovanella L, Ceriani L, Sessa F, Fugazzola C. ^{99m} Tc-MIBI characterization of breast microcalcifications. Correlation between scintigraphic and histopathologic findings. [Italian]. Radiologia Medica. 1999;98(1-2):19-25.	6
1714	Varma A, Bourke A, Brookes M, Yeo A. Radioguided occult lesion localisation (ROLL) combined with wire guided localisation (WGL) for surgical excision of nonpalpable breast lesion. Journal of Medical Imaging and Radiation Oncology. 2010;1):A142.	3
1715	Varma A, Chou S. Vacuum assisted excision of breast papilloma under ultrasound guidance as an alternative to surgery. How we do it. Journal of Medical Imaging and Radiation Oncology. 2018;62 (Supplement 2):110.	3
1716	Vasan A, Baker JA, Shelby RA, Soo MSC. Impact of Sodium Bicarbonate-Buffered Lidocaine on Patient Pain During Image-Guided Breast Biopsy. Journal of the American College of Radiology : JACR. 2017;14(9):1194-201.	7
1717	Vazquez MF, Mitnick JS, Pressman P, Harris MN, Roses DF. Radial scar: Cytologic evaluation by stereotactic aspiration. Breast Disease. 1994;7(4):299-306.	5
1718	Vazquez MF, Mitnick JS, Pressman P, Harris MN, Roses DF. Stereotactic aspiration biopsy of nonpalpable nodules of the breast. Journal of the American College of Surgeons. 1994;178(1):17-23.	5
1719	Vedantham S, Karellas A, Emmons MM, Moss LJ, Hussain S, Baker SP. Dedicated breast CT: geometric design considerations to maximize posterior breast coverage. Physics in medicine and biology. 2013;58(12):4099-118.	7
1720	Veeravagu A, Lieberman RE, Mener A, Chen YR, Soltys SG, Gibbs IC, et al. CyberKnife stereotactic radiosurgery for the treatment of intramedullary spinal cord metastases. Journal of Clinical Neuroscience. 2012;19(9):1273-7.	5
1721	Vega Bolivar A. Diagnostic intervention in breast disease. [Spanish]. Radiologia. 2011;53(6):531-43.	6
1722	Veluvolu M, Patel M, Narayanasamy G, Kim T. Definitive single fraction stereotactic ablative radiotherapy for inoperable early-stage breast cancer: A case report. Reports of Practical Oncology and Radiotherapy. 2020;25(5):760-4.	5
1723	Ventura L, Pizzorno L, Ciccozzi A, Mercurio C, Bafale A. Unusual presentation of sarcoidosis as a breast lump. Virchows Archiv. 2009;1):S185-S6.	3
1724	Verkooijen HM, Borel Rinkes IHM, Peeters PHM, Landheer MLEA, Van Es NJ, Mali WPTM, et al. Impact of stereotactic large-core needle biopsy on diagnosis and surgical treatment of non-palpable breast cancer. European Journal of Surgical Oncology. 2001;27(3):244-9.	7
1725	Verkooijen HM, Buskens E, Peeters PHM, Borel Rinkes IHM, De Koning HJ, Van Vroonhoven Th JMV. Diagnosing non-palpable breast disease: Short-term impact on quality of life of large-core needle biopsy versus open breast biopsy. Surgical Oncology. 2002;10(4):177-81.	7
1726	Verkooijen HM, Core Biopsy After Radiological Localisation Study G. Diagnostic accuracy of stereotactic large-core needle biopsy for nonpalpable breast disease: results of a multicenter prospective study with 95% surgical confirmation. International Journal of Cancer. 2002;99(6):853-9.	5
1727	Verkooijen HM, Peeters PHM, Borel Rinkes IHM, Mali WPTM, Van Vroonhoven Th JMV. Stereotactic histological-needle biopsy in the diagnosis of non-palpable breast abnormalities: A reliable alternative for excision biopsy. [Dutch]. Nederlands Tijdschrift voor Geneeskunde. 2003;147(18):862-8.	6
1728	Verkooijen HM, Peeters PHM, Borel Rinkes IHM, Pijnappel RM, Kaya A, Mali WPTM, et al. Risk factors for cancellation of stereotactic large core needle biopsy on a prone biopsy table. British Journal of Radiology. 2001;74(887):1007-12.	7
1729	Verkooijen HM, Peterse JL, Schipper MEI, Buskens E, Hendriks JHCL, Pijnappel RM, et al. Interobserver variability between general and expert pathologists during the histopathological assessment of large-core needle and open biopsies of non-palpable breast lesions. European Journal of Cancer. 2003;39(15):2187-91.	7
1730	Verkooijen HM, Vlastos G, Kinkel-Trugli K. Is stereotactic large-core needle biopsy beneficial prior to surgical treatment in BI-RADS 5 lesions? Breast Cancer Research & Treatment. 2005;90(2):191.	2

연번	서지정보	배제 사유
1731	Verkooijen HM. Needle core biopsy for screen detected breast lesions: Time to raise the bar? European Journal of Cancer. 2008;44(17):2540-1.	7
1732	Verma G, Luciani ML, Palombo A, Metaxa L, Panzironi G, Pediconi F, et al. Microcalcification morphological descriptors and parenchyma fractal dimension hierarchically interact in breast cancer: A diagnostic perspective. Computers in Biology & Medicine. 2018;93:1-6.	7
1733	Veronesi P, Intra M, Vento AR, Naninato P, Caldarella P, Paganelli G, et al. Sentinel lymph node biopsy for localised ductal carcinoma in situ? Breast. 2005;14(6):520-2.	5
1734	Veronesi U, Luini A, Botteri E, Zurrada S, Monti S, Galimberti V, et al. Nonpalpable breast carcinomas: Long-term evaluation of 1,258 cases. Oncologist. 2010;15(12):1248-52.	5
1735	Versaggi SL, De Leucio A. Breast Biopsy. StatPearls Publishing. 2020;01:01.	2
1736	Vieira SC, Alves VC, de Oliveira TCB, Ibiapina JO, Soares ECA, Crisanto MLLP. Patent blue and air as an alternative for resection of nonpalpable breast lesions: A case series. Sao Paulo Medical Journal. 2014;132(1):10-4.	7
1737	Vielh P, Klijanienko J. [Stereotactic and ultrasound guided fine-needle cytology in nonpalpable breast lesions]. Archives d Anatomie et de Cytologie Pathologiques. 1998;46(4):237-40.	6
1738	Vimpeli SM, Saarenmaa I, Huhtala H, Soimakallio S. Large-core needle biopsy versus fine-needle aspiration biopsy in solid breast lesions: comparison of costs and diagnostic value. Acta radiologica (Stockholm, Sweden : 1987). 2008;49(8):863-9.	5
1739	Vine HS, Jacobs JE, Cronin EB, Clark WE. Stereotactic needle biopsy of nonpalpable breast masses. Connecticut Medicine. 1994;58(2):67-70.	5
1740	Viscaino I, Vilar J, Victoria A, Subh J, Torres V, Cremades A. Stereotactic needle biopsy in the diagnosis of nonpalpable breast lesions: A study of 310 cases. [Spanish]. Radiologia. 1998;40(9):607-11.	6
1741	Vodala S, Nguyen A, Rodriguez N, Sieling P, Vaske C, Van Lew J, et al. TCR repertoires from peripheral blood correlate with prognostic response in TNBC cancer vaccine immunotherapy. Journal for ImmunoTherapy of Cancer Conference: 34th Annual Meeting and Pre Conference Programs of the Society for Immunotherapy of Cancer Part. 2019;7(Supplement 1).	3
1742	von Baumgarten L, Kumbink J, Jung A, Reischer A, Flach M, Liebmans S, et al. Therapeutic management of neuro-oncologic patients - Potential relevance of CSF liquid biopsy. Theranostics. 2020;10(2):856-66.	3
1743	Von Euler-Chelpin M, Vejborg I, Laenkholm AV, Guleria S, Peterkin A, Lynge E. When needles are needed. Cancer Research Conference: 38th Annual CTRC AACR San Antonio Breast Cancer Symposium San Antonio, TX United States Conference Publication:. 2016;76(4 SUPPL. 1).	7
1744	Voss L. Preoperative localization of breast lesions: Exact, simple, inexpensive, dose-saving. [German]. Aktuelle Radiologie. 1995;5(3):140-2.	6
1745	Vossen JA, Edwards SD, Pronovost M, Reeser P. Accuracy and upgrade rates of stereotactic vacuum-assisted breast biopsy: Impact of number of core samples taken on malignancy underestimation rates. Journal of Clinical Oncology Conference. 2011;29(27 SUPPL. 1).	3
1746	Vourtsi A. Breast calcifications: Imaging. Anticancer Research. 2014;34 (10):6235-6.	3
1747	Voutsadakis IA, Mozarowski P. Expression of TTF-1 in breast cancer independently of ER expression: A case report and pathogenic implications. Breast Disease. 2017;37(1):27-32.	7
1748	Vuorela AL, Ahonen A. Preoperative stereotactic hookwire localization of nonpalpable breast lesions with and without the use of a further stereotactic check film. Anticancer Research. 2000;20(2B):1277-9.	5
1749	Vuorela AL, Kettunen S, Punto L. Preoperative hook-wire localization of nonpalpable breast lesions by use of standard and stereotactic technique. Anticancer Research. 1993;13(5C):1873-5.	5
1750	Vyborny CJ, Merrill TN, Geurkink RE. Difficult mammographic needle localizations: Use of alternate orthogonal projections. Radiology. 1986;161(3):839-41.	7
1751	Wadasadawala T, Gupta S, Bagul V, Patil N. Brain metastases from breast cancer: Management approach. Journal of Cancer Research and Therapeutics. 2007;3(3):157-65.	2
1752	Waga E, Sakurai K, Fujisaki S, Maeda T, Nagashima S, Hara Y, et al. [A case of bilateral multiple primary breast cancer]. [Japanese]. Gan to kagaku ryoho. 2012;Cancer & chemotherapy. 39(12):2036-8.	6

연번	서지정보	배제 사유
1753	Wahner-Roedler DL, Hruska CB, O'Connor MK, Phillips SW, Whaley DH, Johnson RE, et al. Molecular breast imaging for women presenting with a history of non-reproducible bloody nipple discharge and negative findings on routine imaging studies: A pilot study. <i>Journal of Surgical Radiology</i> . 2011;2(1):92-9.	7
1754	Wahner-Roedler DL, Morton MJ, Reynolds CA. Implications of atypical ductal hyperplasia on core needle breast biopsy. <i>Journal of General Internal Medicine</i> . 2011;1):S424.	3
1755	Walker MS, Farria D, Schmidt M, Monsees B, Wiele K, Bokern J, et al. Educational intervention for women undergoing image-guided breast biopsy: results of a randomized clinical trial. <i>Cancer control</i> . 2007;14(4):380-7.	7
1756	Walker TM. Impalpable breast lesions: Stereotactic core biopsy with an 'add-on' unit. <i>Breast</i> . 1997;6(3):126-31.	7
1757	Wallace JE, Sayler C, McDowell NG, Moseley HS. The role of stereotactic biopsy in assessment of nonpalpable breast lesions. <i>American Journal of Surgery</i> . 1996;171(5):471-3.	7
1758	Wang J, Chang CJ. Use of a hemostasis introducer sheath to guide clip delivery during stereotactic directional vacuum-assisted breast biopsy when the biopsy system malfunctions. <i>Clinical Imaging</i> . 2010;34(5):385-7.	7
1759	Wang J, Chien N, Lee HT. Clip migration after stereotactic vacuum-assisted breast biopsy with the patient in the decubitus position. <i>European Radiology</i> . 2020;30(11):6080-8.	7
1760	Wang J, Wang X, Liang JW, Gao JD, Bai XF. Clinical application of localized biopsy on breast microcalcification. [Chinese]. <i>Zhonghua wai ke za zhi [Chinese journal of surgery]</i> . 2007;45(13):881-2.	6
1761	Wang Q, Li E, Song Y, Ma P, Wang Y, Liu X, et al. Generalized linear model (GLM) analysis: Multivariables of microcalcification specimens obtained via X-ray guided by stereotactic wire localization biopsy. <i>Journal of X-Ray Science & Technology</i> . 2019;27(3):493-502.	7
1762	Wang Q, Sun B, Liu C, Shi S, Ding L, Liu J, et al. Brain metastases from breast cancer may respond to endocrine therapy: Report of two cases. <i>OncoTargets and Therapy</i> . 2019;12:1389-93.	7
1763	Warnich I, Viljoen IM, Kuehnast M. Breast imaging at Chris Hani Baragwanath Academic Hospital: A clinically relevant audit. <i>South African Journal of Radiology</i> . 2020;24 (1) (no pagination)(a1921).	7
1764	Watermann D, Einert A, Kieback DG. Experience with the ABBI system. [German]. <i>Gynakologische Praxis</i> . 2002;26(4):677-84.	6
1765	Watermann DO, Einert A, Ehrlich-Braun C, Hasenburg A, Kieback DG. Experience with the Advanced Breast Biopsy Instrumentation (ABBI) System. <i>Anticancer Research</i> . 2002;22(5):3067-70.	7
1766	Weber RJP, Klompenhouwer EG, Voogd AC, Strobbe LJA, Broeders MJM, Duijm LEM. Comparison of the diagnostic workup of women referred at non-blinded or blinded double reading in a population-based screening mammography programme in the south of the Netherlands. <i>British Journal of Cancer</i> . 2015;113(7):1094-8.	7
1767	Wedegartner U, Otto U, Buitrago-Tellez C, Bremerich J, Oertli D, Torhorst J, et al. Percutaneous biopsy of non-palpable breast lesions with the advanced breast biopsy instrumentation (ABBI): Analysis of indication strategies. [German]. <i>RoFo Fortschritte auf dem Gebiet der Rontgenstrahlen und der Bildgebenden Verfahren</i> . 2001;173(3):224-8.	6
1768	Weikel W, Hofmann M, Steiner E, Bohrer M, Layer G. [Stereotactic vacuum-assisted breast biopsy - analysis of 166 cases]. <i>Zentralblatt fur Gynakologie</i> . 2004;126(2):87-92.	6
1769	Weinfurter R, Carter T. Digital breast tomosynthesis-guided biopsy results and complications. <i>Breast</i> . 2019;44 (Supplement 1):S43.	3
1770	Weisman PS, Sutton BJ, Siziopikou KP, Franz J, Rohan SM, Sullivan ME. "Incidental" intraductal papillomas: Is excision necessary? <i>Laboratory Investigation</i> . 2012;1):72A.	3
1771	Weiss J. Add-on device for stereotactic core-needle breast biopsy: How many biopsy specimens are needed for a reliable diagnosis?. [German]. <i>RoFo Fortschritte auf dem Gebiet der Rontgenstrahlen und der Bildgebenden Verfahren</i> . 2006;178(3):260.	6
1772	Weiwad W, Rotter K, Heywang-Kobrunner SH. Stereotactic breast biopsies: Analysis of needle deviation based on stereotactic views. <i>European Radiology</i> . 2001;11(6):978-81.	7
1773	Welch BL, Brem R, Black R, Majewski S. Quality assurance procedure for a gamma guided stereotactic breast biopsy system. <i>Physica Medica</i> . 2006;21(SUPPL. 1):102-5.	3

연번	서지정보	배제 사유
1774	Welle GJ, Clark M, Loos S, Pauls D, Warden D, Sheffield M, et al. Stereotactic breast biopsy: recumbent biopsy using add-on upright equipment. AJR American Journal of Roentgenology. 2000;175(1):59-63.	7
1775	Wen X, Cheng W. Nonmalignant breast papillary lesions at core-needle biopsy: A meta-analysis of underestimation and influencing factors. Annals of Surgical Oncology. 2013;20(1):94-101.	2
1776	Wengert GJ, Pipan F, Almohanna J, Bickel H, Polanec S, Kapetas P, et al. Impact of the Kaiser score on clinical decision-making in BI-RADS 4 mammographic calcifications examined with breast MRI. European Radiology. 2020;30(3):1451-9.	7
1777	Westphal SM, Jani M, Badve S. Breast calcifications following electrical defibrillation: An unusual mammographic appearance. Radiology Case Reports. 2010;5(2):346-5.	7
1778	Wetter D, Otto R. [Vacuum needle biopsy of the breast with digital stereotaxic control--initial experiences with the Mammotome in Baden]. Praxis. 2001;90(37):1582-6.	6
1779	Whaley DH, Adamczyk DL, Jensen EA. Sonographically guided needle localization after stereotactic breast biopsy. American Journal of Roentgenology. 2003;180(2):352-4.	7
1780	White RR, Halperin TJ, Olson Jr JA, Soo MS, Bentley RC, Seigler HF. Impact of core-needle breast biopsy on the surgical management of mammographic abnormalities. Annals of Surgery. 2001;233(6):769-77.	3
1781	Whitlock JPL, Evans AJ, Burrell HC, Pinder SE, Ellis IO, Blamey RW, et al. Digital imaging improves upright stereotactic core biopsy of mammographic microcalcifications. Clinical Radiology. 2000;55(5):374-7.	5
1782	Whitworth P. Image-guided definitive excision of high-risk breast lesions in the outpatient setting. Annals of Surgical Oncology. 2017;24 (2 Supplement 1):302-3.	3
1783	Whitworth PW, Graham C, Schonholz S, Manahan E, Phillips R, Robertson Y, et al. Minimally-invasive (percutaneous) stereotactic and ultrasound-guided lumpectomy for DCIS and small breast cancers. Cancer Research Conference: 38th Annual CTRC AACR San Antonio Breast Cancer Symposium San Antonio, TX United States Conference Publication: 2016;76(4 SUPPL. 1).	3
1784	Wiedenhofer J, Harston C, James B. Breast MRI: An alternative to stereotactic biopsy for management of developing mammographic asymmetries. American Journal of Roentgenology Conference. 2012;198(5 SUPPL. 1).	3
1785	Wieland SA, DeVos D. Stereotactic large core needle biopsy. Radiologic technology. 1995;67(2):169-70.	2
1786	Wienbeck S, Lotz J, Fischer U. Feasibility of Vacuum-Assisted Breast Cone-Beam CT-Guided Biopsy and Comparison With Prone Stereotactic Biopsy. AJR American Journal of Roentgenology. 2017;208(5):1154-62.	7
1787	Wienbeck S, Lotz J, Fischer U. Review of clinical studies and first clinical experiences with a commercially available cone-beam breast CT in Europe. Clinical Imaging. 2017;42:50-9.	2
1788	Wienbeck S, Uhlig J, Fischer U. The relevance of cone-beam breast-CT for breast cancer screening. [German]. Gynakologische Praxis. 2018;43(3):391-401.	6
1789	Wilkinson EJ, Hendricks JB. Fine needle aspiration of the breast for diagnosis of preinvasive neoplasia. Journal of cellular biochemistry. 1993;Supplement. 17 G:81-8.	7
1790	Williams AB, Roberts JV, Michell MJ, Humphreys S. Prone stereotactic breast core biopsy: The impact on surgical management of nonpalpable breast cancers. Breast. 1999;8(1):12-5.	7
1791	Williams S, Hackney L, Hogg P, Szczepura K. Breast tissue bulge and lesion visibility during stereotactic biopsy - A phantom study. Radiography. 2014;20(3):271-6.	1
1792	Willoughby L, Murin S. Radiation-induced malignancy following stereotactic body radiation therapy for early-stage non-small cell lung cancer: A case report. American Journal of Respiratory and Critical Care Medicine Conference. 2019;199(9).	3
1793	Winchester DP, Jeske JM, Goldschmidt RA. The diagnosis and management of ductal carcinoma in-situ of the breast. Ca-a cancer journal for clinicians. 2000;50(3):184-200.	2
1794	Winchester DP. Stereotactic breast biopsy: an overview. Bulletin of the American College of Surgeons. 1997;82(9):10-4.	2
1795	Winchester DP. Stereotactic breast biopsy: Who should perform it? Journal of Surgical Oncology. 1998;67(4):213-5.	7
1796	Winfield DL. Aerospace technology transfer to breast cancer imaging. Acta astronautica. 1997;41(4-10):515-23.	5

연번	서지정보	배제 사유
1797	Winston JS, Geradts J, Liu DF, Stomper PC. Microtome shaving radiography: Demonstration of loss of mammographic microcalcifications during histologic sectioning. Breast Journal. 2004;10(3):200-3.	7
1798	Winzer KJ, Filimonow S, Guski H, Bick U, Hamm B, Muller JM. [The ABBI system as a possibility for evaluating non-palpable lesions]. Zentralblatt fur Chirurgie. 1998;123 Suppl 5:57-62.	6
1799	Winzer KJ, Filimonow S, Guski H, Bick U, Hamm B, Muller JM. The ABBI-system as an option for work-up of non-palpable lesions. [German]. Zentralblatt fur Chirurgie. 1998;123(SUPPL. 5):57-62.	3
1800	Winzer KJ, Filimonow S, Guski H, Hamm B, Muller JM. [Stereotactic tumor biopsy and tumor excision]. Langenbecks Archiv fur Chirurgie - Supplement - Kongressband. 1998;115:374-8.	6
1801	Winzer KJ, Madeja C, Guski H, Filimonow S, Hamm B, Muller JM. [Minimal invasive surgery in clinically occult breast carcinoma]. Langenbecks Archiv fur Chirurgie - Supplement - Kongressband. 1997;114:1215-8.	6
1802	Wiratkapun C, Keeratitragoon T, Lertsithichai P, Chanplakorn N. Upgrading rate of papillary breast lesions diagnosed by core-needle biopsy. Diagnostic and Interventional Radiology. 2013;19(5):371-6.	5
1803	Wiratkapun C, Patanajareet P, Wibulpholprasert B, Lertsithichai P. Factors associated with upstaging of ductal carcinoma in situ diagnosed by core needle biopsy using imaging guidance. Japanese Journal of Radiology. 2011;29(8):547-53.	7
1804	Wiratkapun C, Wibulpholprasert B, Lertsithichai P, Pulpinyo K, Wongwaisayawan S. Breast cancer underestimation rate of atypical ductal hyperplasia diagnosed by core-needle biopsy under imaging guidance. Journal of the Medical Association of Thailand. 2005;88(4):460-6.	7
1805	Wiratkapun C, Wibulpholprasert B, Wongwaisayawan S, Pulpinyo K. Nondiagnostic core needle biopsy of the breast under imaging guidance: Result of rebiopsy. Journal of the Medical Association of Thailand. 2005;88(3):350-7.	7
1806	Witmer DR, Dickson-Witmer D, Teixido R. Initial 100 consecutive stereotactic core breast biopsies in a private breast center setting. Delaware Medical Journal. 1997;69(6):297-301.	5
1807	Wolf G, Helbich T. [Results of stereotactic guidance of breast excisional biopsy versus stereotactic core biopsy in occult breast lesions]. Wiener Medizinische Wochenschrift. 1998;148(14):316-20.	6
1808	Wolf G, Helbich T. Results of stereotactic guided excisional biopsy of the breast versus stereotactic guided core biopsy in occult breast lesions. [German]. Wiener Medizinische Wochenschrift. 1998;148(14):316-20.	6
1809	Wolf R, Quan G, Calhoun K, Soot L, Skokan L. Efficiency of core biopsy for BI-RADS-5 breast lesions. Breast Journal. 2008;14(5):471-5.	7
1810	Wollenweber T, Janke B, Teichmann A, Freund M. Correlation of histological diagnosis and a computer-assisted detection system for mammography. [German]. Geburtshilfe und Frauenheilkunde. 2007;67(2):135-41.	6
1811	Wong AY, Salisbury E, Bilous M. Recent developments in stereotactic breast biopsy methodologies: an update for the surgical pathologist. Advances in Anatomic Pathology. 2000;7(1):26-35.	2
1812	Wong ET, Moore J, Herten L, Uhlmann EJ. Rapid Progressive Glioblastoma despite Radiation in a Patient with Myelodysplastic Syndrome. Case Reports in Oncology. 2021;14(1):424-9.	5
1813	Wong KML, Lui CY, Lam HS. Outcomes of patients with no calcium yield in stereotactic-guided breast biopsy for microcalcifications: Ten-year experience. Hong Kong Journal of Radiology. 2013;16(4):286-92.	5
1814	Wong KW, Hui YH, Tsui KW, Lau HY, Auyeung MC. Enhanced accuracy of needle placement in horizontal stereotactic core biopsy by a plastic slot. European Journal of Radiology. 2000;34(1):45-7.	7
1815	Wong KW, Tsui KW, Lau HY, Yung WT, Au Yeung MC. Large needle core biopsy - Avoidance of biopsy table bombardment by the biopsy needle in stereotactic guided breast biopsy. Clinical Radiology. 1999;54(5):328-30.	7
1816	Wong TT, Cheung PSY, Ma MKK, Lo GG. Experience of stereotactic breast biopsy using the vacuum-assisted core needle biopsy device and the advanced breast biopsy instrumentation system in Hong Kong women. Asian Journal of Surgery. 2005;28(1):18-23.	7

연번	서지정보	배제 사유
1817	Woo J, Lotfipour A, Apple S. Upgrade rates on surgical excision of atypical glandular breast lesions seen in core needle biopsy. <i>Laboratory Investigation</i> . 2015;1:74A.	3
1818	Woodward SG, Nimtz K, Hookim K, Sevrakov AB, Tsangaris TN, Willis A, et al. Is radial scar on core needle biopsy a risk factor for malignancy? A single-center retrospective review and implications for management. <i>Breast Journal</i> . 2020;26(10):2011-4.	7
1819	Wozniczko I, Dabrowski M, Dabrowska M, Powazka P. [The treatment of clinically silent breast lesions]. <i>Wiadomosci Lekarskie</i> . 2005;58(1-2):62-6.	6
1820	Wu J, Kong R, Tian S, Li H, Liu JS, Xu Z, et al. Advances in Ultrasound-Guided Vacuum-Assisted Biopsy of Breast Microcalcifications. <i>Ultrasound in Medicine & Biology</i> . 2021;47(5):1172-81.	2
1821	Wu YP, Cai PQ, Zhang WZ, Tang J, Gu YK, Li L, et al. [Clinical evaluation of three methods of fine-needle aspiration, large-core needle biopsy and frozen section biopsy with focus staining for non-palpable breast disease]. <i>Aizheng</i> . 2004;23(3):346-9.	6
1822	Wunderbaldinger P, Helbich TH, Dantendorfer K, Mostbeck GH, Turetschek K, Memarsadeghi M, et al. Sitting of prone stereotactic core biopsy of the breast? A randomized prospective comparison. SITZENDE ODER LIEGENDE STEREOTAKTISCH GEZIELTE COREBIOPSIE DER MAMMA? EIN METHODENVERGLEICH AN HAND EINER RANDOMISIERTEN, PROSPEKTIV DURCHFUEHRTEN STUDIE. <i>Der radiologe</i> . 1997;37(8):629-35.	6
1823	Wunderbaldinger P, Helbich TH, Dantendorfer K, Mostbeck GH, Turetschek K, Memarsadeghi M, et al. [Sitting or supine stereotactic core biopsy of the breast? A comparison based on a randomized, prospective study]. <i>Radiologe</i> . 1997;37(8):629-35.	6
1824	Wunderbaldinger P, Helbich TH, Youssefzadeh-Dorffner S, Partik B, Turetschek K, Wolf G. [Ultrasound-controlled stereotactic breast biopsy--description and initial clinical results of a new breast biopsy device]. <i>Wiener Medizinische Wochenschrift</i> . 1998;148(14):325-30.	6
1825	Wunderbaldinger P, Wolf G, Turetschek K, Helbich TH. Comparison of sitting versus prone position for stereotactic large-core breast biopsy in surgically proven lesions. <i>AJR American journal of roentgenology</i> . 2002;178(5):1221-5.	5
1826	Wylie E. Added value of second biopsy target in screen-detected widespread suspicious breast calcifications. <i>Journal of Medical Imaging and Radiation Oncology</i> . 2018;62(3):287-8.	2
1827	Xie HB, Salhadar A, Haara A, Gabram S, Selvaggi SM, Wojcik EM. How stereotactic core-needle biopsy affected breast fine-needle aspiration utilization: An 11-year institutional review. <i>Diagnostic Cytopathology</i> . 2004;31(2):106-10.	2
1828	Xu X, Song Y, Zhang B, Zhao Y, Li J, Yang X, et al. Diagnostic value of X-ray stereotactic vacuum-assisted biopsy for breast micro-calcification. [Chinese]. <i>Cancer Research and Clinic</i> . 2015;27(4):243-5.	6
1829	Xue X, Ye Z, Zhao Y, Qing C, Liu J, Liu P. Application of stereotactic needle localized biopsy guided by digital mammography in non-palpable breast lesions. [Chinese]. <i>Chinese Journal of Clinical Oncology</i> . 2011;38(6):339-41.	6
1830	Yahara T, Yamaguchi R, Yokoyama G, Yamaguchi M, Nakagawa S, Toh U, et al. Adenomyoepithelioma of the breast diagnosed by a Mammotome biopsy: Report of a case. <i>Surgery Today</i> . 2008;38(2):144-6.	7
1831	Yamamoto N, Yoshizako T, Yoshikawa K, Itakura M, Maruyama R, Kitagaki H. Breast 3 T-MR imaging: indication for stereotactic vacuum-assisted breast biopsy. <i>Springerplus</i> . 2014;3:481.	5
1832	Yamamoto S, Chishima T. Can magnetic resonance imaging obviate the need for biopsy for microcalcifications? <i>Gland Surgery</i> . 2017;6(4):302-7.	7
1833	Yamamuro M, Konishi J, Nozaki Y, Ueno M, Ishida T, Kamo N, et al. [A Case of Lung Metastasis of the Breast Cancer with a Remarkable Response to Stereotactic Body Radiation Therapy(SBRT)]. <i>Gan to Kagaku Ryoho [Japanese Journal of Cancer & Chemotherapy]</i> . 2020;47(13):1878-80.	6
1834	Yamashita M, Ogawa T, Hanamura N, Kashikura Y, Mitsui T, Zhang X, et al. An uncommon case of T1b breast cancer with diabetic mastopathy in type II diabetes mellitus. <i>Breast Cancer</i> . 2013;20(1):92-6.	7
1835	Yanasse D, Novita G, De Melo N, Shimizu C, Chala L, Filassi J, et al. Management of borderline lesions and predictors of underestimation: Analysis from a Brazilian cancer center. <i>International Journal of Gynecology and Obstetrics</i> . 2009;2:S693.	3

연번	서지정보	배제 사유
1836	Yang G, Jones TL, Barrick TR, Howe FA. Discrimination between glioblastoma multiforme and solitary metastasis using morphological features derived from the p: Q tensor decomposition of diffusion tensor imaging. NMR in Biomedicine. 2014;27(9):1103-11.	7
1837	Yang GE, Kim EK, Kim MJ, Moon HJ, Park VY, Yoon JH. Does post-biopsy mammography at short-term interval contribute to early detection of cancer in patients diagnosed with benign-concordant microcalcifications on stereotactic biopsy? Iranian Journal of Radiology. 2019;16 (3) (no pagination)(e74248).	7
1838	Yap LP, Rouse H, Cawson J. An extensive breast hematoma following stereotactic 9 gauge vacuum assisted large-core biopsy. Breast Journal. 2010;16(2):199-200.	7
1839	Yatake H, Sawai Y, Nishi T, Nakano Y, Nishimae A, Katsuda T, et al. Accuracy assessment methods of tissue marker clip placement after 11-gauge vacuum-assisted stereotactic breast biopsy: comparison of measurements using direct and conventional methods. Breast Cancer. 2017;24(4):593-600.	7
1840	Yazici B, Sever AR, Mills P, Fish D, Jones SE, Jones PA. Scar formation after stereotactic vacuum-assisted core biopsy of benign breast lesions. Clinical Radiology. 2006;61(7):619-24.	7
1841	Yen P, Dumas S, Albert A, Gordon P. Post-Vacuum-Assisted Stereotactic Core Biopsy Clip Displacement: A Comparison Between Commercially Available Clips and Surgical Clip. Canadian Association of Radiologists Journal. 2018;69(1):10-5.	7
1842	Yim JH, Barton P, Weber B, Radford D, Levy J, Monsees B, et al. Mammographically detected breast cancer: Benefits of stereotactic core versus wire localization biopsy. Annals of Surgery. 1996;223(6):688-700.	7
1843	Yin CF, Zhao HJ, Gao WR. Diagnostic value of three-dimensional stereotactic localization for nonpalpable breast lesions. [Chinese]. Chinese Journal of Medical Imaging Technology. 2010;26(8):1492-4.	6
1844	Yoshikawa K, Chiba T, Miyata M, Sueoka N, Ishizuka M, Yamamoto D. Evaluation of the Small Excision Using a Sonographically Visible Breast Biopsy Marker(HydroMARK). [Japanese]. Gan to kagaku ryoho. 2018;Cancer & chemotherapy. 45(13):2096-8.	6
1845	Yousuf S, Cox J, Irfan S. Repeatingdigital stereo localisation views after anaesthetic infiltrationimproves the diagnostic yield of stereotactic core biopsy. British Journal of Surgery. 2019;106 (Supplement 5):121-2.	3
1846	Yu KKH, Patel AR, Moss NS. The Role of Stereotactic Biopsy in Brain Metastases. Neurosurgery Clinics of North America. 2020;31(4):515-26.	2
1847	Zagorianakou P, Fiaccavento S, Zagorianakou N, Makrydimas G, Stefanou D, Agnantis NJ. FNAC: its role, limitations and perspective in the preoperative diagnosis of breast cancer. European Journal of Gynaecological Oncology. 2005;26(2):143-9.	2
1848	Zagouri F, Sergeantanis TN, Koulocheri D, Giannakopoulou G, Nonni A, Dardamanis D, et al. Vacuum-assisted breast biopsy in close proximity to the skin: A case report. Journal of Medical Case Reports. 2008;2 (no pagination)(165).	7
1849	Zagouri F, Sergeantanis TN, Nonni A, Koulocheri D, Domeyer P, Dardamanis D, et al. Secondary breast lymphoma diagnosed by vacuum-assisted breast biopsy: A case report. Journal of Medical Case Reports. 2007;1 (no pagination)(113).	7
1850	Zali A, Shahzadi S, Mohammad-Mohammadi A, Taherzadeh K, Parsa K. Cerebral lymphoma: Clinical and radiological findings in 90 cases. Archives of Iranian Medicine. 2007;10(2):194-8.	7
1851	Zanca F, Van Ongeval C, Marshall N, Meylaers T, Michielsens K, Marchal G, et al. The relationship between the attenuation properties of breast microcalcifications and aluminum. Physics in medicine and biology. 2010;55(4):1057-68.	7
1852	Zanconati F, Bonifacio D, Falconieri G, Di Bonito L. Role of fine-needle aspiration cytology in nonpalpable mammary lesions: a comparative cytohistologic study based on 308 cases. Diagnostic Cytopathology. 2000;23(2):87-91.	7
1853	Zannis VJ, Aliano KM. The evolving practice pattern of the breast surgeon with disappearance of open biopsy for nonpalpable lesions. American Journal of Surgery. 1998;176(6):525-8.	3
1854	Zannis VJ. Presidential address: 2010. the American Society of Breast Surgeons. There's no "boring" in breast surgery!! Annals of Surgical Oncology. 2010;17(SUPPL. 3):S197-S201.	3
1855	Zelikman MI, Rtishcheva GM. Experience in the use of a test phantom for checking biopsy needle position in stereotactic mammography. Biomedical Engineering. 2005;39(5):248-50.	7

연번	서지정보	배제 사유
1856	Zemba-Palko V, Minkowitz G, Kline TS. Occult breast lesions and aspiration biopsy: The Lankenau experience. <i>Diagnostic Cytopathology</i> . 1994;11(1):15-9.	7
1857	Zeng J, Serrano J, Snuderl M, Darvishian F. Whole transcriptome analysis identifies upregulated genes and pathways in ductal carcinoma in situ mimicking usual ductal hyperplasia. <i>Human Pathology: Case Reports</i> . 2019;17 (no pagination)(200308).	5
1858	Zhang G, Ataya D, P LL, Calhoun BC. Mucocoele-like lesions diagnosed on breast core biopsy: Low risk of upgrade and subsequent carcinoma. <i>Breast Journal</i> . 2018;24(3):314-8.	7
1859	Zhang J, Kulkarni HR, Singh A, Baum RP. Complete Regression of Lung Metastases in a Patient with Metastatic Castration-Resistant Prostate Cancer Using ¹⁷⁷ Lu-PSMA Radioligand Therapy. <i>Clinical Nuclear Medicine</i> . 2020;45(1):E48-E50.	5
1860	Zhao AL, Zhao HJ, Yin CF. Diagnostic value and indications of X-ray guided breast biopsy of nonpalpable lesions. [Chinese]. <i>Chinese Journal of Interventional Imaging and Therapy</i> . 2011;8(3):182-5.	6
1861	Zhao W, Yan K, Liu Y, Zhang Z. Contrast ultrasound versus ultrasound elastography for diagnosis of breast lumps: A cross-sectional study. <i>Medicine</i> . 2019;98(26):e16132.	7
1862	Zheng Z, Kang W, Su D. Progresses in biopsy of breast cancer guided by different imaging techniques. [Chinese]. <i>Chinese Journal of Medical Imaging Technology</i> . 2019;35(10):1590-3.	2
1863	Zhou Q, Ansari U, Keshav N, Davis F, Cundiff M. Extranodal manifestation of Rosai-Dorfman disease in the breast tissue. <i>Radiology Case Reports</i> . 2016;11(3):125-8.	7
1864	Zografos G, Liakou P, Koulocheri D, Liovarou I, Sofras M, Hadjiagapis S, et al. Differentiation of BIRADS-4 small breast lesions via Multimodal Ultrasound Tomography. <i>European Radiology</i> . 2014;25(2):410-8.	7
1865	Zografos GC, Zagouri F, Sergeantanis TN, Giannakopoulou G, Koulocheri D, Al Galaohi M. How can you biopsy a small breast with stereotactic 11-gauge vacuum-assisted macrobiopsy?. [French]. <i>Journal Medical Libanais</i> . 2008;56(1):47.	6
1866	Zografos GC, Zagouri F, Sergeantanis TN, Giannakopoulou G, Koulocheri D, Al Galaohi M. [Vacuum-assisted 11 gauge stereotactic macrobiopsy. How to biopsy a small breast?]. <i>Journal Medical Libanais - Lebanese Medical Journal</i> . 2008;56(1):47.	6
1867	Zografos GC, Zagouri F, Sergeantanis TN, Nonni A, Domeyer P, Koulocheri D, et al. Pain during vacuum-assisted breast biopsy: Are there any predictors? <i>Breast</i> . 2008;17(6):592-5.	7
1868	Zulfiqar MA, Nair S, Lily M, Norizan MA. The biopsy of nonpalpable breast lesions detected on mammography. <i>The Medical journal of Malaysia</i> . 1999;54(4):471-7.	7
1869	Zwagerman NT, McDowell MM, Hamilton RL, Monaco EA, 3rd, Flickinger JC, Gerszten PC. Histopathological examination of spine tumors after treatment with radiosurgery. <i>Neurosurgical Focus</i> . 2016;41(2):E14.	5