

F-18 플로르베타벤 뇌 PET 배제문헌 목록

문헌배제사유

1. 동물실험 및 전임상시험 연구
2. 한국어 및 영어로 출판되지 않은 연구
3. 원저가 아닌 연구
4. 회색문헌
5. 인지장애 및 인지장애 의심환자 대상이 아닌 문헌
6. F18-FBB 연구가 아닌 문헌
7. 사전에 정의한 적절한 의료결과를 하나 이상 보고하지 않은 문헌
8. 중복문헌
9. 원문 확인 불가
10. 사전에 정의한 비교대상이 아닌 문헌

1. Bouter C, Irwin C, Franke TN, Beindorff N, Bouter Y. Quantitative Brain Positron Emission Tomography in Female 5XFAD Alzheimer Mice: Pathological Features and Sex-Specific Alterations. *Frontiers in Medicine*. 2021;8 (no pagination)(745064). - 배제사유: 1
2. Materatski P, Jones S, Patanita M, Campos MD, Dias AB, Felix MDR, et al. A bipartite geminivirus with a highly divergent genomic organization identified in olive trees may represent a novel evolutionary direction in the family geminiviridae. *Viruses*. 2021;13(10) (no pagination)(2035). - 배제사유: 1
3. Duong MT, Chen YJ, Doot RK, Young AJ, Lee H, Cai J, et al. Astrocyte activation imaging with 11C-acetate and amyloid PET in mild cognitive impairment due to Alzheimer pathology. *Nuclear medicine communications*. 2021;42(11):1261-9. - 배제사유: 1
4. Nadaf SM, Ramesh V, Mech M, Haider Khan M, Ahmed FA, Ponraj P, et al. Comparative ejaculatory response, fresh and frozen semen quality and fertility to artificial vagina vs electroejaculation method of semen collection in mithun (*Bos frontalis*) bulls. *Andrologia*. 2021. - 배제사유: 1
5. Cho H, Choi JY, Hwang MS, Kim YJ, Lee HM, Lee HS, et al. In vivo cortical spreading pattern of tau and amyloid in the Alzheimer disease spectrum. *Annals of Neurology*. 2016. - 배제사유: 1
6. Lee SH, Cho H, Choi JY, Lee JH, Ryu YH, Lee MS, et al. Distinct patterns of amyloid-dependent tau accumulation in Lewy body diseases. *Movement Disorders*. 2018;33(2):262-72. - 배제사유: 1
7. Tahmi M, Rippon B, Palta P, Sherwood G, Hernandez G, Soto L, et al. In Vivo Amyloid, Neurodegeneration, and Verbal Learning in Late Middle-Aged Hispanics. *Journal of Alzheimer's Disease*. 2021;82(1):317-25. - 배제사유: 1

8. Jalali D, Guevarra JA, Martinez L, Hung L, Vonhoff FJ. Nutraceutical and probiotic approaches to examine molecular interactions of the amyloid precursor protein app in *Drosophila* models of Alzheimer's disease. *International Journal of Molecular Sciences*. 2021;22(13) (no pagination)(7022). - 배제사유: 1
9. Willuweit A, Schoneck M, Schemmert S, Lohmann P, Bremen S, Honold D, et al. Comparison of the Amyloid Load in the Brains of Two Transgenic Alzheimer's Disease Mouse Models Quantified by Florbetaben Positron Emission Tomography. *Frontiers in Neuroscience*. 2021;15 (no pagination)(699926). - 배제사유: 1
10. Liu F, Braden CJ, Smits RJ, Craig JR, Henman DJ, Brewster CJ, et al. Compensatory feeding during early gestation for sows with a high weight loss after a summer lactation increased piglet birth weight but reduced litter size. *Journal of animal science*. 2021;99(9). - 배제사유: 1
11. Zha Z, Ploessl K, Choi SR, Alexoff D, Kung HF. Preclinical evaluation of [¹⁸F]D3FSP, deuterated AV-45, for imaging of beta-amyloid in the brain. *Nuclear Medicine and Biology*. 2021;92:97-106 - 배제사유: 1
12. Ikonovic MD, Buckley CJ, Abrahamson EE, Kofler JK, Mathis CA, Klunk WE, et al. Post-mortem analyses of PiB and flutemetamol in diffuse and cored amyloid-beta plaques in Alzheimer's disease. *Acta Neuropathologica*. 2020;140(4):463-76. - 배제사유: 1
13. Biel D, Brendel M, Rubinski A, Buerger K, Janowitz D, Dichgans M, et al. Tau-PET and in vivo Braak-staging as prognostic markers of future cognitive decline in cognitively normal to demented individuals. *Alzheimer's Research and Therapy*. 2021;13(1) (no pagination)(137). - 배제사유: 1
14. Ni R, Rojdnar J, Voytenko L, Dyrks T, Thiele A, Marutle A, et al. In vitro Characterization of the Regional Binding Distribution of Amyloid PET Tracer Florbetaben and the Glia Tracers Deprenyl and PK11195 in Autopsy Alzheimer's Brain Tissue. *Journal of Alzheimer's Disease*. 2021;80(4):1723-37. - 배제사유: 1
15. Alongi P, Chiaravalloti A, Berti V, Vellani C, Trifiro G, Puccini G, et al. Amyloid PET in the diagnostic workup of neurodegenerative disease. *Clinical and Translational Imaging*. 2021;9(4):383-97. - 배제사유: 1
16. Stojdl DF, Lichty BD, TenOever BR, Paterson JM, Power AT, Knowles S, et al. VSV strains with defects in their ability to shutdown innate immunity are potent systemic anti-cancer agents. *Cancer Cell*. 2003;4(4):263-75. - 배제사유: 1
17. Calsolaro V, Matthews PM, Donat CK, Livingston NR, Femminella GD, Guedes SS, et al. Astrocyte reactivity with late-onset cognitive impairment assessed in vivo using ¹¹C-BU99008 PET and its relationship with amyloid load. *Molecular Psychiatry*. 2021. - 배제사유: 1
18. Pereira JB, Janelidze S, Smith R, Mattsson-Carlsson N, Palmqvist S, Teunissen CE, et al. Plasma GFAP is an early marker of amyloid-beta but not tau pathology in Alzheimer's disease. *Brain : a journal of neurology*. 2021;14. - 배제사유: 1
19. Khandai AC, Aizenstein HJ. Recent advances in neuroimaging biomarkers in geriatric psychiatry. *Current Psychiatry Reports*. 2013;15(6) (no pagination)(360). - 배제사유: 1
20. Farrar G, Molinuevo JL, Zanette M. Is there a difference in regional read [¹⁸F]flutemetamol amyloid patterns between end-of-life subjects and those with amnesic mild cognitive impairment? *European Journal of Nuclear Medicine and Molecular Imaging*. 2019. - 배제사유: 1
21. Wong DF, Moghekar AR, Rigamonti D, Brasic JR, Rousset O, Willis W, et al. An in vivo evaluation of cerebral cortical amyloid with [¹⁸F]flutemetamol using positron emission tomography compared with parietal biopsy samples in living normal pressure hydrocephalus patients. *Molecular Imaging and Biology*. 2013;15(2):230-7. - 배제사유: 1
22. Biechele G, Wind K, Blume T, Sacher C, Beyer L, Eckenweber F, et al. Microglial activation in the right amygdala-entorhinal-hippocampal complex is associated with preserved spatial learning

- in App^{NL-G-F} mice. *NeuroImage*. 2021;230 (no pagination)(117707). - 배제사유: 1
23. Chaney AM, Lopez-Picon FR, Serriere S, Wang R, Bochicchio D, Webb SD, et al. Prodromal neuroinflammatory, cholinergic and metabolite dysfunction detected by PET and MRS in the TgF344-AD transgenic rat model of AD: A collaborative multi-modal study. *Theranostics*. 2021;11(14):6644-67. - 배제사유: 1
 24. Emsell L, Laroy M, Van Cauwenberge M, Vande Casteele T, Vansteelandt K, Van Laere K, et al. The Leuven late life depression (L3D) study: PET-MRI biomarkers of pathological brain ageing in late-life depression: study protocol. *BMC Psychiatry*. 2021;21(1) (no pagination)(64). - 배제사유: 1
 25. Crawford-Miksza L, Schnurr DP. Analysis of 15 adenovirus hexon proteins reveals the location and structure of seven hypervariable regions containing serotype-specific residues. *Journal of Virology*. 1996;70(3):1836-44. - 배제사유: 1
 26. Bass LR, Hetrick FM. Human lymphoblastoid cells as hosts for parvoviruses H 1 and rat virus. *Journal of Virology*. 1978;25(2):486-90. - 배제사유: 1
 27. Biechele G, Sebastian Monasor L, Wind K, Blume T, Parhizkar S, Arzberger T, et al. Glitter in the Darkness? Non-fibrillar beta-amyloid Plaque Components Significantly Impact the beta-amyloid PET Signal in Mouse Models of Alzheimer's Disease. *Journal of nuclear medicine : official publication, Society of Nuclear Medicine*. 2021;20. - 배제사유: 1
 28. Rejc L, Gomez-Vallejo V, Joya A, Moreno O, Egimendia A, Castellnou P, et al. Longitudinal evaluation of a novel BChE PET tracer as an early in vivo biomarker in the brain of a mouse model for Alzheimer disease. *Theranostics*. 2021;11(13):6542-59. - 배제사유: 1
 29. Chiaravalloti A, Danieli R, Lacanfora A, Palumbo B, Caltagirone C, Schillaci O. Usefulness of¹⁸F florbetaben in diagnosis of Alzheimer's disease and other types of dementia. *Current Alzheimer Research*. 2016;13(10):154-60. - 배제사유: 1
 30. Palta P, Rippon B, Tahmi M, Pardo M, Johnson A, Tomljanovic Z, et al. Sex differences in in vivo tau neuropathology in a multiethnic sample of late middle-aged adults. *Neurobiology of Aging*. 2021;103:109-16. - 배제사유: 1
 31. Tamagnini P, Troshina O, Oxelfelt F, Salema R, Lindblad P. Hydrogenases in *Nostoc* sp. Strain PCC 73102, a strain lacking a bidirectional enzyme. *Applied and Environmental Microbiology*. 1997;63(5):1801-7. - 배제사유: 1
 32. Salloway S, Gamez JE, Singh U, Sadowsky CH, Villena T, Sabbagh MN, et al. Performance of [¹⁸F]flutemetamol amyloid imaging against the neuritic plaque component of CERAD and the current (2012) NIA-AA recommendations for the neuropathologic diagnosis of Alzheimer's disease. *Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring*. 2017;9:25-34. - 배제사유: 1
 33. Wawrzekiewicz M, Podkoscielna B, Podkoscielny P. Application of Functionalized DVB-co-GMA Polymeric Microspheres in the Enhanced Sorption Process of Hazardous Dyes from Dyeing Baths. *Molecules*. 2020;25(22). - 배제사유: 1
 34. Niklas B, Jankowska M, Gordon D, Beress L, Stankiewicz M, Nowak W. Interactions of Sea Anemone Toxins with Insect Sodium Channel-Insights from Electrophysiology and Molecular Docking Studies. *Molecules*. 2021;26(5). - 배제사유: 1
 35. Park DG, Yoon JH, An YS. Normal presynaptic dopaminergic neurons in corticobasal syndrome with MAPT gene mutation. *European Journal of Nuclear Medicine and Molecular Imaging*. 2021;48(3):729-30. - 배제사유: 1
 36. Beach TG, Thal DR, Zhanette M, Smith A, Buckley C. Detection of Striatal Amyloid Plaques with [¹⁸F]flutemetamol: Validation with Postmortem Histopathology. *Journal of Alzheimer's Disease*. 2016;52(3):863-73. - 배제사유: 1

37. Pavese N. PET studies in Parkinson's disease motor and cognitive dysfunction. *Parkinsonism and Related Disorders*. 2012;18(SUPPL. 1):S96-S9. - 배제사유: 1
38. Ikonovic MD, Buckley CJ, Heurling K, Sherwin P, Jones PA, Zanette M, et al. Post-mortem histopathology underlying beta-amyloid PET imaging following flutemetamol F 18 injection. *Acta neuropathologica communications*. 2016;4(1):130. - 배제사유: 1
39. Vingsbo C, Jonsson R, Holmdahl R. Avidin-induced arthritis in rats: a T cell-dependent chronic disease influenced both by MHC genes and by non-MHC genes. *Clinical and Experimental Immunology*. 1995;99(3):359-63. - 배제사유: 1
40. Sabri O, Sabbagh MN, Seibyl J, Barthel H, Akatsu H, Ouchi Y, et al. Florbetaben PET imaging to detect amyloid beta plaques in Alzheimer's disease: Phase 3 study. *Alzheimer's and Dementia*. 2015;11(8):964-74. - 배제사유: 1
41. Thal DR, Beach TG, Zanette M, Heurling K, Chakrabarty A, Ismail A, et al. [¹⁸F]flutemetamol amyloid positron emission tomography in preclinical and symptomatic Alzheimer's disease: Specific detection of advanced phases of amyloid-beta pathology. *Alzheimer's and Dementia*. 2015;11(8):975-85. - 배제사유: 1
42. Curtis C, Gamez JE, Singh U, Sadowsky CH, Villena T, Sabbagh MN, et al. Phase 3 trial of flutemetamol labeled with radioactive fluorine 18 imaging and neuritic plaque density. *JAMA Neurology*. 2015;72(3):287-94. - 배제사유: 1
43. Hochmeister S, Aeinehband S, Dorris C, Berglund R, Haindl MT, Velikic V, et al. Effect of Vitamin D on Experimental Autoimmune Neuroinflammation Is Dependent on Haplotypes Comprising Naturally Occurring Allelic Variants of CIITA (Mhc2ta). *Frontiers in Neurology*. 2020;11 (no pagination)(600401). - 배제사유: 1
44. Biechele G, Wind K, Blume T, Sacher C, Beyer L, Eckenweber F, et al. Microglial activation in the right amygdala-entorhinalhippocampal complex is associated with improved spatial learning in App^{NL-G-F} mice. *European Journal of Nuclear Medicine and Molecular Imaging*. 2020;47(SUPPL 1):S637. - 배제사유: 1
45. Biechele G, Franzmeier N, Ewers M, Blume T, Eckenweber F, Sacher C, et al. TSPO expression in vivo is moderated by sex in response to amyloidosis but not to tau pathology in mouse models of neurodegenerative diseases. *European Journal of Nuclear Medicine and Molecular Imaging*. 2020;47(SUPPL 1):S116-S7. - 배제사유: 1
46. Zulfiqar A, He R, Zhang J, Li J, Cui X, Xie Y. Molecular characterization of two isolates of sweet potato leaf curl virus infecting ipomoea indica in China. *African Journal of Biotechnology*. 2011;10(45):9061-7. - 배제사유: 1
47. Lerdsirisuk P, Harada R, Hayakawa Y, Shimizu Y, Ishikawa Y, Iwata R, et al. Synthesis and evaluation of 2-pyrrolopyridinylquinoline derivatives as selective tau PET tracers for the diagnosis of Alzheimer's disease. *Nuclear Medicine and Biology*. 2021;93:11-8. - 배제사유: 1
48. Barthel H, Luthardt J, Becker G, Patt M, Hammerstein E, Hartwig K, et al. Individualized quantification of brain beta-amyloid burden: Results of a proof of mechanism phase 0 florbetaben PET trial in patients with Alzheimer's disease and healthy controls. *European Journal of Nuclear Medicine and Molecular Imaging*. 2011;38(9):1702-14. - 배제사유: 1
49. Tago T, Toyohara J, Fujimaki R, Tatsuta M, Song R, Hirano K, et al. Effects of ¹⁸F-fluorinated neopentyl glycol side-chain on the biological characteristics of stilbene amyloid-beta PET ligands. *Nuclear Medicine and Biology*. 2021;94-95:38-45. - 배제사유: 1
50. Rowe CC, Ackerman U, Browne W, Mulligan R, Pike KL, O'Keefe G, et al. Imaging of amyloid beta in Alzheimer's disease with ¹⁸F-BAY94-9172, a novel PET tracer: proof of mechanism. *The Lancet Neurology*. 2008;7(2):129-35. - 배제사유: 1
51. Druzhinin Yu S, Syrtsova LA, Uzenskaja AM, Likhtenstein GI. The photoreduction of nitrogenase.

- Biochemical Journal. 1993;290(2):627-31. - 배제사유: 1
52. Palta P, Rippon B, Tahmi M, Sherwood G, Soto L, Ceballos F, et al. Metabolic syndrome and its components in relation to in vivo brain amyloid and neurodegeneration in late middle age. *Neurobiology of Aging*. 2021;97:89-96. - 배제사유: 1
 53. Biechele G, Franzmeier N, Blume T, Ewers M, Luque JM, Eckenweber F, et al. Glial activation is moderated by sex in response to amyloidosis but not to tau pathology in mouse models of neurodegenerative diseases. *Journal of Neuroinflammation*. 2020;17(1) (no pagination)(374). - 배제사유: 1
 54. Lauretani F, Ruffini L, Scarlattei M, Maggio M. Relationship between comprehensive geriatric assessment and amyloid PET in older persons with MCI. *BMC geriatrics*. 2020;20(1):337. - 배제사유: 1
 55. Tylenda CA, Enriquez E, Kolenbrander PE, Delisle AL. Simultaneous loss of bacteriophage receptor and coaggregation mediator activities in *Actinomyces viscosus* MG-1. *Infection and Immunity*. 1985;48(1):228-33. - 배제사유: 1
 56. Menconi V, Pastorino P, Momo I, Mugetti D, Bona MC, Levetti S, et al. Occurrence and spatial distribution of *dibothriocephalus latus* (Cestoda: Diphylobothriidea) in lake iseo (northern Italy): An update. *International Journal of Environmental Research and Public Health*. 2020;17(14):1-9. - 배제사유: 1
 57. Sundaram GSM, Jones L, Zhou Y, Laforest R, Sharma V. Fluselenamyl: Evaluation of radiation dosimetry in mice and pharmacokinetics in brains of non-human primate. *Nuclear Medicine and Biology*. 2020;82-83:33-40. - 배제사유: 1
 58. Scarioni M, Arighi A, Fenoglio C, Sorrentino F, Serpente M, Rotondo E, et al. Late-onset presentation and phenotypic heterogeneity of the rare R377W PSEN1 mutation. *European Journal of Neurology*. 2020;27(12):2630-4. - 배제사유: 1
 59. Baek MS, Cho H, Lee HS, Choi JY, Lee JH, Ryu YH, et al. Temporal trajectories of in vivo tau and amyloid-beta accumulation in Alzheimer's disease. *European Journal of Nuclear Medicine and Molecular Imaging*. 2020;47(12):2879-86. - 배제사유: 1
 60. Cho SH, Choe YS, Kim YJ, Kim HJ, Jang H, Kim Y, et al. Head-to-Head Comparison of ¹⁸F-Florbetaben and ¹⁸F-Flutemetamol in the Cortical and Striatal Regions. *Journal of Alzheimer's Disease*. 2020;76(1):281-90. - 배제사유: 1
 61. Franke TN, Irwin C, Bayer TA, Brenner W, Beindorff N, Bouter C, et al. In vivo Imaging With ¹⁸F-FDG- and ¹⁸F-Florbetaben-PET/MRI Detects Pathological Changes in the Brain of the Commonly Used 5XFAD Mouse Model of Alzheimer's Disease. *Frontiers in Medicine*. 2020;7 (no pagination)(529). - 배제사유: 1
 62. Andrade V, Cortes N, Pastor G, Gonzalez A, Ramos-Escobar N, Pastene E, et al. N-Acetyl Cysteine and Catechin-Derived Polyphenols: A Path Toward Multi-Target Compounds against Alzheimer's Disease. *Journal of Alzheimer's Disease*. 2020;75(4):1241-52. - 배제사유: 1
 63. Rejc L, Gomez-Vallejo V, Rios X, Cossio U, Baz Z, Mujica E, et al. Oral Treatment with Iododiflunisal Delays Hippocampal Amyloid-beta Formation in a Transgenic Mouse Model of Alzheimer's Disease: A Longitudinal in vivo Molecular Imaging Study. *Journal of Alzheimer's Disease*. 2020;77(1):99-112. - 배제사유: 1
 64. Lombardi G, Pupi A, Bessi V, Polito C, Padiglioni S, Ferrari C, et al. Challenges in Alzheimer's Disease Diagnostic Work-Up: Amyloid Biomarker Incongruences. *Journal of Alzheimer's Disease*. 2020;77(1):203-17. - 배제사유: 1
 65. Park BN, Kim JH, Lim TS, Park SH, Kim TG, Yoon BS, et al. Therapeutic effect of mesenchymal stem cells in an animal model of Alzheimer's disease evaluated by beta-amyloid positron emission tomography imaging. *Australian and New Zealand Journal of Psychiatry*. 2020;54(9):883-91. - 배제사유: 1

66. Vo VG, Pyun JM, Bagyinszky E, An SSA, Kim SY. Identification of a pathogenic psen1 ala285val mutation associated with early-onset alzheimer's disease. *Current Alzheimer Research*. 2020;17(5):438-45. - 배제사유: 1
67. Kramer V, Brooks AF, Haeger A, Kuljis RO, Rafique W, Koeppe RA, et al. Evaluation of [¹⁸F]- N-Methyl lansoprazole as a Tau PET Imaging Agent in First-in-Human Studies. *ACS Chemical Neuroscience*. 2020;11(3):427-35. - 배제사유: 1
68. Luchsinger JA, Palta P, Rippon B, Soto L, Ceballos F, Pardo M, et al. Sex Differences in in vivo Alzheimer's Disease Neuropathology in Late Middle-Aged Hispanics. *Journal of Alzheimer's Disease*. 2020;74(4):1243-52. - 배제사유: 1
69. Yun T, Lee W, Kang JH, Yang MP, Kang BT. Temporal and anatomical distribution of ¹⁸F-flutemetamol uptake in canine brain using positron emission tomography. *BMC Veterinary Research*. 2020;16(1) (no pagination)(17). - 배제사유: 1
70. Palta P, Rippon B, Reitz C, He H, Sherwood G, Ceballos F, et al. Apolipoprotein E genotype and in vivo amyloid burden in middle-aged Hispanics. *Neurology*. 2020;95(15):e2086-e94. - 배제사유: 1
71. Cho H, Choi JY, Lee HS, Lee JH, Ryu YH, Lee MS, et al. Progressive tau accumulation in Alzheimer disease: 2-year follow-up study. *Journal of Nuclear Medicine*. 2019;60(11):1611-21 - 배제사유: 1
72. Hellberg S, Silvola JMU, Liljenback H, Kiugel M, Eskola O, Hakovirta H, et al. Amyloid-Targeting PET Tracer [¹⁸F]Flutemetamol Accumulates in Atherosclerotic Plaques. *Molecules*. 2019;24(6). - 배제사유: 1
73. Beyer L, Sacher C, Blume T, Sauerbeck J, Eckenweber F, Focke C, et al. Asymmetry of plaque burden in amyloid mouse models. *NuklearMedizin*. 2020;59(2):156. - 배제사유: 1
74. Bouter C, Franke T, Irwin C, Beindorff N, Bouter Y. Prolonged Tetrahydrocannabinol treatment reduces amyloid plaque deposition and restores memory function in the 5XFAD mouse model of Alzheimer's disease. *NuklearMedizin*. 2020;59(2):155-6. - 배제사유: 1
75. Guruswami S, Zhou Y, Laforest R, Sharma V. Fluselenamyl: Evaluation of radiation dosimetry in mice and pharmacokinetics in brains of nonhuman primate. *Journal of Nuclear Medicine Conference*. 2020;61(Supplement 1). - 배제사유: 1
76. Guruswami S, Bogнар C, Sharma V. Fluselenamyl: Toxicology studies in mice, and automated synthesis of ¹⁸F-fluselenamyl. *Journal of Nuclear Medicine Conference*. 2020;61(Supplement 1). - 배제사유: 1
77. Galiano C, Pareja-Blanco F, Hidalgo de Mora J, Saez de Villarreal E. Low-Velocity Loss Induces Similar Strength Gains to Moderate-Velocity Loss During Resistance Training. *Journal of strength and conditioning research*. 2020;03. - 배제사유: 1
78. Kim JP, Kim J, Kim Y, Moon SH, Park YH, Yoo S, et al. Staging and quantification of florbetaben PET images using machine learning: impact of predicted regional cortical tracer uptake and amyloid stage on clinical outcomes. *European Journal of Nuclear Medicine and Molecular Imaging*. 2020;47(8):1971-83. - 배제사유: 1
79. Jang H, Jang YK, Park S, Kim SE, Kim SJ, Cho SH, et al. Presynaptic dopaminergic function in early-onset Alzheimer's disease: an FP-CIT image study. *Neurobiology of Aging*. 2020;86:75-80. - 배제사유: 1
80. Borrego-Ecija S, Antonell A, Puig-Butille JA, Pericot I, Prat-Bravo C, Abellan-Vidal MT, et al. Novel P397S MAPT variant associated with late onset and slow progressive frontotemporal dementia. *Annals of Clinical and Translational Neurology*. 2019;6(8):1559-65. - 배제사유: 1
81. Spallazzi M, Barocco F, Michelini G, Immovilli P, Taga A, Morelli N, et al. CSF biomarkers and amyloid PET: concordance and diagnostic accuracy in a MCI cohort. *Acta Neurologica Belgica*. 2019;119(3):445-52. - 배제사유: 1

82. Tible M, Mouton Liger F, Schmitt J, Giralt A, Farid K, Thomasseau S, et al. PKR knockout in the 5x3DAD model of Alzheimer's disease reveals beneficial effects on spatial memory and brain lesions. *Aging Cell*. 2019;18(3) (no pagination)(e12887) - 배제사유: 1
83. Sagnou M, Mavroidi B, Shegani A, Paravatou-Petsotas M, Raptopoulou C, Psycharis V, et al. Remarkable Brain Penetration of Cyclopentadienyl $M(\text{CO})_3^+$ ($M = {}^{99m}\text{Tc}$, Re) Derivatives of Benzothiazole and Benzimidazole Paves the Way for Their Application as Diagnostic, with Single-Photon-Emission Computed Tomography (SPECT), and Therapeutic Agents for Alzheimer's Disease. *Journal of Medicinal Chemistry*. 2019;62(5):2638-50. - 배제사유: 1
84. Sacher C, Blume T, Beyer L, Peters F, Eckenweber F, Sgobio C, et al. Longitudinal PET monitoring of amyloidosis and microglial activation in a second-generation amyloid- β mouse model. *Journal of Nuclear Medicine*. 2019;60(12):1787-93. - 배제사유: 1
85. Van Giau V, Pyun JM, Suh J, Bagyinszky E, An SSA, Kim SY. A pathogenic PSEN1 Trp165Cys mutation associated with early-onset Alzheimer's disease. *BMC Neurology*. 2019;19(1) (no pagination)(188). - 배제사유: 1
86. Femminella GD, Dani M, Wood M, Fan Z, Calsolaro V, Atkinson R, et al. Microglial activation in early Alzheimer trajectory is associated with higher gray matter volume. *Neurology*. 2019;92(12):E1331-E43. - 배제사유: 1
87. Besrou-Aouam N, Mohedano ML, Fhoula I, Zarour K, Najjari A, Aznar R, et al. Different modes of regulation of the expression of dextranucrase in *Leuconostoc lactis* AV1n and *Lactobacillus sakei* MN. *Frontiers in Microbiology*. 2019;10(MAY) (no pagination)(959). - 배제사유: 1
88. Rivera-Marrero S, Fernandez-Maza L, Leon-Chaviano S, Sablon-Carrazana M, Bencomo-Martinez A, Perera-Pintado A, et al. [^{18}F] amylovis as a potential PET probe for beta-amyloid plaque: Synthesis, in silico, in vitro and in vivo evaluations. *Current Radiopharmaceuticals*. 2019;12(1):58-71. - 배제사유: 1
89. Carullo G, Perri M, Manetti F, Aiello F, Caroleo MC, Cione E. Quercetin-3-oleoyl derivatives as new GPR40 agonists: Molecular docking studies and functional evaluation. *Bioorganic and Medicinal Chemistry Letters*. 2019;29(14):1761-4. - 배제사유: 1
90. Stenzel J, Ruhlmann C, Lindner T, Polei S, Teipel S, Kurth J, et al. [^{18}F] florbetaben pet/ct imaging in the Alzheimer's disease mouse model APP^{swe}/PS1^{de9}. *Current Alzheimer Research*. 2019;16(1):49-55. - 배제사유: 1
91. Hossain S, De Silva BCJ, Wimalasena SHMP, Pathirana HNKS, Dahanayake PS, Heo GJ. Characterization of Virulence Determinants and Multiple Antimicrobial Resistance Profiles in Motile *Aeromonas* Spp. Isolated from Ornamental Goldfish (*Carassius Auratus*). *Journal of Exotic Pet Medicine*. 2019;29:51-62. - 배제사유: 1
92. Lhommel R, Hanseeuw B, Malotau V, Dricot L, Ivanoiu A. In vivo amyloid plaques quantification using F18-flutemetamol PET/CT in 31 healthy controls and 130 MCI: Suvr methods's comparison and transposition in the centiloid scale. *European Journal of Nuclear Medicine and Molecular Imaging*. 2019;46(1 Supplement 1):S406. - 배제사유: 1
93. Rafiaa MC, Klein J, Brickman AM, Stern Y, Kreisl WC. In Vivo Comparison of Tau PET Radioligands 18f-Thk-5351 and 18f-Mk-6240. *Alzheimer's and Dementia*. 2019;15(7 Supplement):P137-P8. - 배제사유: 1
94. Yamamoto Y, Takahata K, Tezuka T, Sano Y, Kurokawa S, Kurose S, et al. IN VIVO RETENTION PATTERNS OF ^{18}F -PI-2620 IN DIVERSE TAUOPATHIES, AND ASSESSMENTS OF THOSE RESEMBLANCE TO PATHOGNOMONIC DISTRIBUTION OF TAU DEPOSITS. *Alzheimer's and Dementia*. 2019;15(7 Supplement):P1085. - 배제사유: 1
95. Cho H, Baek MS, Choi JY, Lee HS, Lee JH, Ryu YH, et al. TEMPORAL TRAJECTORIES OF IN VIVO TAU AND AMYLOID- β ACCUMULATION IN ALZHEIMER'S DISEASE. *Alzheimer's and Dementia*.

- 2019;15(7 Supplement):P130. - 배제사유: 1
96. Baek A, Choi G, Kim HK, Chang Y. Development of a novel amyloid specific gadolinium contrast agent for MR imaging modality in alzheimer's disease mouse brain. *IBRO Reports*. 2019;6(Supplement):S429. - 배제사유: 1
 97. Deussing M, Blume T, Peters F, Zott B, Schmidt C, Shi Y, et al. Chronic PPAR-gamma agonist treatment increases Fibrillar Amyloidosis but improves cognition in a mouse model of Alzheimer's disease. *NuklearMedizin*. 2019;58(2):144. - 배제사유: 1
 98. Beyer L, Sacher C, Blume T, Peters F, Eckenweber F, Deussing M, et al. Longitudinal in vivo PET assessment of cerebral beta-Amyloid deposition and glial activation in knock-in mice non-overexpressing beta-Amyloid precursor protein. *NuklearMedizin*. 2019;58(2):144. - 배제사유: 1
 99. Wu LW, Lin SZ, Harn HJ, Chiou TW. Micro RNA-29b can effectively inhibit Alzheimer's disease symptoms and maintain memory. *Cell Transplantation*. 2019;28(4):490. - 배제사유: 1
 100. Pichler V, Berroteran-Infante N, Philippe C, Vranka C, Klebermass EM, Balber T, et al. An overview of pet radiochemistry, part 1: The covalent labels ¹⁸F, ¹¹C, and ¹³N. *Journal of Nuclear Medicine*. 2018;59(9):1350-4. - 배제사유: 1
 101. Brendel M, Jaworska A, Overhoff F, Blume T, Probst F, Gildehaus FJ, et al. Efficacy of chronic BACE1 inhibition in PS2APP mice depends on the regional Abeta deposition rate and plaque burden at treatment initiation. *Theranostics*. 2018;8(18):4957-68. - 배제사유: 1
 102. Tiepolt S, Schafer A, Rullmann M, Roggenhofer E, Gertz HJ, Schroeter ML, et al. Quantitative Susceptibility Mapping of Amyloid-beta Aggregates in Alzheimer's Disease with 7T MR. *Journal of Alzheimer's Disease*. 2018;64(2):393-404. - 배제사유: 1
 103. Dani M, Wood M, Mizoguchi R, Fan Z, Walker Z, Morgan R, et al. Microglial activation correlates in vivo with both tau and amyloid in Alzheimer's disease. *Brain*. 2018;141(9):2740-54. - 배제사유: 1
 104. Son HJ, Jeong YJ, Yoon HJ, Lee SY, Choi GE, Park JA, et al. Assessment of brain beta-amyloid deposition in transgenic mouse models of Alzheimer's disease with PET imaging agents ¹⁸F-flutemetamol and ¹⁸F-florbetaben. *BMC Neuroscience*. 2018;19(1) (no pagination)(45). - 배제사유: 1
 105. Renard D, Collombier L, Demattei C, Wacongne A, Charif M, Ayrignac X, et al. Cerebrospinal fluid, MRI, and florbetaben-PET in cerebral amyloid angiopathy-related inflammation. *Journal of Alzheimer's Disease*. 2018;61(3):1107-17. - 배제사유: 1
 106. Wang LM, Wu Q, Kirk RA, Horn KP, Salem AHE, Hoffman JM, et al. Lipopolysaccharide endotoxemia induces amyloid-beta and p-tau formation in the rat brain. *American Journal of Nuclear Medicine and Molecular Imaging*. 2018;8(2):86-99. - 배제사유: 1
 107. Camacho V, Gomez-Grande A, Sopena P, Garcia-Solis D, Gomez Rio M, Lorenzo C, et al. Amyloid PET in neurodegenerative diseases with dementia. *Revista Espanola de Medicina Nuclear e Imagen Molecular*. 2018;37(6):397-406 - 배제사유: 1
 108. Blume T, Focke C, Peters F, Deussing M, Albert NL, Lindner S, et al. Microglial response to increasing amyloid load saturates with aging: A longitudinal dual tracer in vivo mupET-study 11 Medical and Health Sciences 1109 Neurosciences. *Journal of Neuroinflammation*. 2018;15(1) (no pagination)(307). - 배제사유: 1
 109. Josephson L, Stratman N, Liu Y, Qian F, Liang SH, Vasdev N, et al. The Binding of BF-227-Like Benzoxazoles to Human alpha-Synuclein and Amyloid beta Peptide Fibrils. *Molecular Imaging*. 2018;17(no pagination). - 배제사유: 1
 110. Chandran SR, Mulley WR, Kanellis J, Nikolic-Paterson DJ, Ma FY. A model of acute antibody-mediated renal allograft rejection in the sensitized rat. *Experimental and Clinical*

- Transplantation. 2018;16(3):294-300. - 배제사유: 1
111. Hill E, Clifton P, Goodwill AM, Dennerstein L, Campbell S, Szoeka C. Dietary patterns and beta-amyloid deposition in aging Australian women. *Alzheimer's and Dementia: Translational Research and Clinical Interventions*. 2018;4:535-41. - 배제사유: 1
 112. Papagiannopoulou D, Hadjipavlou-Litina D. Computational modeling of diagnostic imaging agents for alzheimer's disease: molecular imaging agents for the in vivo detection of amyloid plaques in Alzheimer's disease. *Neuroinformatics*. 2018;132:463-79. - 배제사유: 1
 113. Tonietto M, Auvity S, Caille F, Bodini B, Bottlaender M, Tournier N, et al. Repurposing stilbene derivatives as myelin radiotracers for PET imaging: A study comparing ^{11}C -MeDAS, ^{18}F -florbetapir and ^{18}F -florbetaben with the benzothiazole ^{11}C -PiB. *Multiple Sclerosis Journal*. 2018;24(2 Supplement):628-9 - 배제사유: 1
 114. Carotenuto A, Giordano B, Dervenoulas G, Wilson H, Veronese M, Chappell Z, et al. In vivo assessment of myelin breakdown pattern in multiple sclerosis: a hybrid PET/MR [^{18}F] florbetaben study. *Multiple Sclerosis Journal*. 2018;24(2 Supplement):104-5. - 배제사유: 1
 115. Brendel M, Focke C, Deussing M, Zott B, Blume T, Shi Y, et al. Early and longitudinal microglial activation but not fibrillar amyloid accumulation predict cognitive outcome and synaptic density in PS2APP mice. *European Journal of Nuclear Medicine and Molecular Imaging*. 2018;45(Supplement 1):S206-S7. - 배제사유: 1
 116. Brendel M, Focke C, Deussing M, Zott B, Blume T, Shi Y, et al. Early and longitudinal microglial activation but not fibrillar amyloid accumulation predict cognitive outcome in PS2APP mice. *Journal of Nuclear Medicine Conference: Society of Nuclear Medicine and Molecular Imaging Annual Meeting, SNMMI*. 2018;59(Supplement 1). - 배제사유: 1
 117. Brendel M, Blume T, Focke C, Peters F, Deussing M, Beyer L, et al. Microglial Response to Increasing Amyloidosis Saturates During Aging of an Alzheimer's Disease Mouse Model. *Journal of Nuclear Medicine Conference: Society of Nuclear Medicine and Molecular Imaging Annual Meeting, SNMMI*. 2018;59(Supplement 1). - 배제사유: 1
 118. Brendel M, Focke C, Deussing M, Zott B, Blume T, Shi Y, et al. Early and longitudinal microglial activation but not fibrillar amyloidosis predicts cognitive outcome in PS2APP mice. *NuklearMedizin*. 2018;57(2):A35. - 배제사유: 1
 119. Jang YK, Lyoo CH, Park S, Oh SJ, Cho H, Oh M, et al. Head to head comparison of [^{18}F] AV-1451 and [^{18}F] THK5351 for tau imaging in Alzheimer's disease and frontotemporal dementia. *European Journal of Nuclear Medicine and Molecular Imaging*. 2018;45(3):432-42. - 배제사유: 1
 120. Kim HJ, Cho H, Werring DJ, Jang YK, Kim YJ, Lee JS, et al. ^{18}F -AV-1451 PET Imaging in Three Patients with Probable Cerebral Amyloid Angiopathy. *Journal of Alzheimer's Disease*. 2017;57(3):711-6. - 배제사유: 1
 121. Son HJ, Kang DY, Jeong YJ, Yoon HJ, Lee YJ, Kim MH, et al. Comparison analysis of brain beta-amyloid deposition in transgenic mouse models of Alzheimer's disease with PET imaging agents ^{18}F -flutemetamol and ^{18}F -florbetaben. *Journal of Nuclear Medicine Conference: Society of Nuclear Medicine and Molecular Imaging Annual Meeting, SNMMI*. 2017;58(Supplement 1). - 배제사유: 1
 122. Bucerius J, Barthel H, Tiepolt S, Werner P, Sluimer JC, Wildberger JE, et al. Feasibility of in vivo ^{18}F -florbetaben PET/MR imaging of human carotid amyloid-beta. *European Journal of Nuclear Medicine and Molecular Imaging*. 2017;44(7):1119-28. - 배제사유: 1
 123. Deussing M, Brendel M, Zott B, Blume T, Shi Y, Kleinberger G, et al. Effects of pioglitazone on amyloidogenesis and neuroinflammation in a transgenic amyloid mouse model. *NuklearMedizin*. 2017;56(2):A12-A3. - 배제사유: 1
 124. Willuweit A, Schoneck M, Lohmann P, Niemiets N, Jiang N, Beer S, et al. Progressive amyloid

- load in the brains of transgenic Alzheimer's disease mice detected by florbetaben PET. *NuklearMedizin*. 2017;56(2):A12. - 배제사유: 1
125. Brendel M, Focke C, Blume T, Deussing M, Kleinberger G, Ozmen L, et al. Chronic dual treatment by anti-amyloid vaccination and gamma secretase modulation monitored by small animal PET. *NuklearMedizin*. 2017;56(2):A12 - 배제사유: 1
126. Kim HJ, Choe Y, Park S, Lee JS, Jang YK, Jang H, et al. In vivo BRAAK staging of amnesic MCI using ¹⁸F-THK5351 PET imaging. *Alzheimer's and Dementia*. 2017;13(7):P786-P7. - 배제사유: 1
127. Dani M, Fan Z, Wood M, Mizoguchi R, Morgan R, Walker Z, et al. Amyloid deposition, tau aggregation and microglial activation correlate with vascular burden in vivo in Alzheimer's disease. *Alzheimer's and Dementia*. 2017;13(7):P681-P2. - 배제사유: 1
128. Cho H, Choi JY, Lee HS, Lee JH, Ryu YH, Lee MS, et al. In vivo cortical spreading of tau and amyloid. *Alzheimer's and Dementia*. 2017;13(7):P541. - 배제사유: 1
129. You HJ, Seo S, Lee SY, Jeong HJ, Park KH, Yeon BK, et al. In vivo tau deposition reflects neuropsychiatric symptoms in cognitively impaired patients. *Alzheimer's and Dementia*. 2017;13(7):P716. - 배제사유: 1
130. Lim HK, Lee CU, Kang DW, Um YH, Hahn C, Joo SH. Longitudinal intrinsic functional connectivity changes in preclinical Alzheimer's disease: A two-year follow up study. *Alzheimer's and Dementia*. 2017;13(7):P30. - 배제사유: 1
131. Brendel M, Deussing M, Zott B, Blume T, Shi Y, Kleinberger G, et al. Effects of pioglitazone on amyloidogenesis, neuroinflammation and cognition in a transgenic amyloid mouse model. *European Journal of Nuclear Medicine and Molecular Imaging*. 2017;44(2 Supplement 1):S606. - 배제사유: 1
132. Sundaram G, Dhavale D, Cirrito J, Lee JM, Cairns N, Kotzbauer P, et al. Synthesis and preclinical validation of fluselenamyl: Novel F-18 PET probes for early detection of alzheimer's disease. *Journal of Nuclear Medicine Conference: Society of Nuclear Medicine and Molecular Imaging Annual Meeting, SNMMI*. 2017;58(Supplement 1). - 배제사유: 1
133. Kang SW, Baek M, Park H, Nam E, Suh YH, Chang KA. In vivo evaluation of amyloid and tau pathology in the novel 6XFAD mouse model of alzheimer's disease. *Neurodegenerative Diseases*. 2017;17(Supplement 1):1102. - 배제사유: 1
134. Rowe C, Cummins T, Elias A, Hopwood M, Rosenfeld J, Dore V, et al. In vivo assessment of markers of alzheimer's disease pathology in vietnam war veterans with chronic post-traumatic stress disorder or traumatic brain injury. *Neurodegenerative Diseases*. 2017;17(Supplement 1):1144. - 배제사유: 1
135. Albanell E, Manuelian CL, Rovai M, Salama AAK, Caja G. Using long-term averted goats for selective grazing in olive groves. *Animal : an international journal of animal bioscience*. 2017;11(10):1832-8. - 배제사유: 1
136. Ramessur Chandran S, Han Y, Tesch GH, J DIP, Mulley WR, Kanellis J, et al. Inhibition of Spleen Tyrosine Kinase Reduces Renal Allograft Injury in a Rat Model of Acute Antibody-Mediated Rejection in Sensitized Recipients. *Transplantation*. 2017;101(8):e240-e8. - 배제사유: 1
137. Smith R, Scholl M, Widner H, Van Westen D, Svenningsson P, Hagerstrom D, et al. In vivo retention of 18 F-AV-1451 in corticobasal syndrome. *Neurology*. 2017;89(8):845-53. - 배제사유: 1
138. Brendel M, Kleinberger G, Probst F, Jaworska A, Overhoff F, Blume T, et al. Increase of TREM2 during aging of an Alzheimer's disease mouse model is paralleled by microglial activation and amyloidosis. *Frontiers in Aging Neuroscience*. 2017;9(JAN) (no pagination)(8). - 배제사유: 1
139. Aardsma MP, Parsons CM. A slope-ratio precision-fed rooster assay for determination of relative metabolizable energy values for fats and oils. *Poultry science*. 2017;96(1):108-17. - 배제사유: 1

140. Smith R, Puschmann A, Scholl M, Ohlsson T, Van Swieten J, Honer M, et al. ¹⁸F-AV-1451 tau PET imaging correlates strongly with tau neuropathology in MAPT mutation carriers. *Brain*. 2016;139(9):2372-9. - 배제사유: 1
141. Ishihara-Hattori K, Barrow P. Review of embryo-fetal developmental toxicity studies performed for recent FDA-approved pharmaceuticals. *Reproductive Toxicology*. 2016;64:98-104 - 배제사유: 1
142. Cho H, Choi JY, Lee SH, Hwang MS, Ryu YH, Lee MS, et al. In vivo cortical spreading pattern of tau and amyloid pathology in the Alzheimer's disease spectrum. *Alzheimer's and Dementia*. 2016;12(7 Supplement):P349. - 배제사유: 1
143. Cummins TL, Elias A, Hopwood M, Rosenfeld JV, Dore V, Lamb F, et al. In vivo assessment of markers of Alzheimer's disease pathology in Vietnam war veterans with chronic post-traumatic stress disorder. *Alzheimer's and Dementia*. 2016;12(7 Supplement):P709. - 배제사유: 1
144. Cho H, Choi JY, Hwang MS, Lee JH, Kim YJ, Lee HM, et al. Tau PET in Alzheimer disease and mild cognitive impairment. *Neurology*. 2016;87(4):375-83. - 배제사유: 1
145. Brendel M, Probst F, Jaworska A, Overhoff F, Korzhova V, Albert NL, et al. Glial activation and glucose metabolism in a transgenic amyloid mouse model: A triple-tracer PET study. *Journal of Nuclear Medicine*. 2016;57(6):954-60. - 배제사유: 1
146. Voevodskaya O, Sundgren PC, Strandberg O, Zetterberg H, Minthon L, Blennow K, et al. Myo-inositol changes precede amyloid pathology and relate to APOE genotype in Alzheimer disease. *Neurology*. 2016;86(19):1754-61. - 배제사유: 1
147. Overhoff F, Brendel M, Jaworska A, Korzhova V, Delker A, Probst F, et al. Automated spatial brain normalization and hindbrain white matter reference tissue give improved [¹⁸F]-florbetaben PET quantitation in Alzheimer's model mice. *Frontiers in Neuroscience*. 2016;10(FEB) (no pagination)(45). - 배제사유: 1
148. Rullmann M, Dukart J, Hoffmann KT, Luthardt J, Tiepolt S, Patt M, et al. Partial-volume effect correction improves quantitative analysis of ¹⁸F-florbetaben beta-amyloid PET scans. *Journal of Nuclear Medicine*. 2016;57(2):198-203. - 배제사유: 1
149. Brendel M, Jaworska A, Lindner S, Gildehaus F, Albert N, Beck R, et al. Microglia, amyloidosis and TREM2 progress in lockstep during the life course of PS2APP mice. *NuklearMedizin*. 2016;55(2):A38-A9. - 배제사유: 1
150. Brendel M, Jaworska A, Overhoff F, Probst F, Gildehaus F, Carlsen J, et al. Long-term beta-secretase inhibition reduces progression of amyloid pathology in PS2APP mice dependent on the regional extent. *NuklearMedizin*. 2016;55(2):A12. - 배제사유: 1
151. Rowe C, Cummins T, Elias A, Hopwood M, Rosenfeld J, Dore V, et al. In vivo assessment of markers of abeta & tau pathology in Vietnam war veterans with chronic post-traumatic stress disorder. *Internal Medicine Journal*. 2016;46(Supplement 1):16. - 배제사유: 1
152. Brendel M, Jaworska A, Lindner S, Gildehaus F, Albert N, Beck R, et al. Microglia, amyloidosis and TREM2 progress in parallel during the life course of PS2APP mice. *European Journal of Nuclear Medicine and Molecular Imaging*. 2016;43(1 Supplement 1):S100. - 배제사유: 1
153. Lhommel R, Gerard T, Hanseeuw B, Ivanoiu A. In vivo amyloid plaques quantification using F18-Flutemetamol in 30 healthy elderly controls and 62 MCI patients: SUVr comparison between PMOD 3.2 and PNEURO 3.5 analysis. *Journal of Nuclear Medicine Conference: Society of Nuclear Medicine and Molecular Imaging Annual Meeting, SNMMI*. 2016;57(SUPPL. 2). - 배제사유: 1
154. Schmidt ME, Chiao P, Klein G, Matthews D, Thurfjell L, Cole PE, et al. The influence of biological and technical factors on quantitative analysis of amyloid PET: Points to consider and recommendations for controlling variability in longitudinal data. *Alzheimer's and Dementia*. 2015;11(9):1050-68. - 배제사유: 1

155. Yousefi BH, von Reutern B, Scherubl D, Manook A, Schwaiger M, Grimmer T, et al. FIBT versus florbetaben and PiB: a preclinical comparison study with amyloid-PET in transgenic mice. *EJNMMI Research*. 2015;5(1) (no pagination)(20). - 배제사유: 1
156. Waldron AM, Verhaeghe J, wyffels L, Schmidt M, Langlois X, Van Der Linden A, et al. Preclinical Comparison of the Amyloid-beta Radioligands [¹¹C]Pittsburgh compound B and [¹⁸F]florbetaben in Aged APPPS1-21 and BRI1-42 Mouse Models of Cerebral Amyloidosis. *Molecular Imaging and Biology*. 2015;17(5):688-96. - 배제사유: 1
157. Waldron AM, Verhaeghe J, wyffels L, Schmidt M, Langlois X, Van Der Linden A, et al. Erratum to: Preclinical Comparison of the Amyloid-beta Radioligands [¹¹C]Pittsburgh compound B and [¹⁸F]florbetaben in Aged APPPS1-21 and BRI1-42 Mouse Models of Cerebral Amyloidosis (*Mol Imaging Biol*, (2015), 17, (688-696), 10.1007/s11307-015-0833-9). *Molecular Imaging and Biology*. 2015;17(6):893. - 배제사유: 1
158. O'Brien JT, Herholz K. Amyloid imaging for dementia in clinical practice. *BMC Medicine*. 2015;13(1) (no pagination)(163). - 배제사유: 1
159. Brendel M, Jaworska A, Herms J, Trambauer J, Rotzer C, Gildehaus FJ, et al. Amyloid-PET predicts inhibition of de novo plaque formation upon chronic gamma-secretase modulator treatment. *Molecular Psychiatry*. 2015;20(10):1179-87. - 배제사유: 1
160. Weissert R. Actively induced experimental autoimmune encephalomyelitis in rats. *Methods in Molecular Biology*. 2015;1304:161-9. - 배제사유: 1
161. George B, Alam CM, Kumar RV, Gnanasekaran P, Chakraborty S. Potential linkage between compound microsatellites and recombination in geminiviruses: Evidence from comparative analysis. *Virology*. 2015;482:41-50. - 배제사유: 1
162. Brendel M, Jaworska A, Griessinger E, Rotzer C, Burgold S, Gildehaus FJ, et al. Cross-sectional comparison of small animal [¹⁸F]florbetaben amyloid-PET between transgenic AD mouse models. *PLoS ONE*. 2015;10(2) (no pagination)(e0116678). - 배제사유: 1
163. Wan HJ, Yuan W, Wang RQ, Ye QJ, Ruan MY, Li ZM, et al. Assessment of the genetic diversity of tomato yellow leaf curl virus. *Genetics and Molecular Research*. 2015;14(1):529-37. - 배제사유: 1
164. Vinoth Kumar R, Yadav T, Singh AK, Kushwaha N, Chattopadhyay B, Chakraborty S. Complexity of begomovirus and betasatellite populations associated with chilli leaf curl disease in India. *Journal of General Virology*. 2015;96(10):3143-58. - 배제사유: 1
165. Yip WL, Sande SA, Grace D, In TVDJ, Sontum PC, Solvang T, et al. The influence of polysorbate 80 on the radiochemical synthesis of a PET tracer in the FASTlab. *Pharmaceutical Research*. 2015;32(4):1425-37. - 배제사유: 1
166. Guruswami SS, Kotzbauer P, Cairns N, Cirrito JR, Lee JM, Sharma V. Design and synthesis of novel F-18 PET probes for early detection of alzheimer's disease. *Journal of Labelled Compounds and Radiopharmaceuticals*. 2015;1):S167. - 배제사유: 1
167. Guruswami S, Kotzbauer P, Cairns N, Cirrito J, Lee JM, Sharma V. Novel PET tracers for molecular imaging of Alzheimer's disease. *Journal of Nuclear Medicine Conference: Society of Nuclear Medicine and Molecular Imaging Annual Meeting, SNMMI*. 2015;56(SUPPL. 3). - 배제사유: 1
168. Zhang LM, Morrison CN, Kaiser JT, Rees DC. Nitrogenase MoFe protein from *Clostridium pasteurianum* at 1.08 Å resolution: comparison with the *Azotobacter vinelandii* MoFe protein. *Acta crystallographica*. 2015;Section D, Biological crystallography. Part 2. 71:274-82. - 배제사유: 1
169. Blockus S, Lesker T, Maiss E. Complete genome sequences of two biologically distinct isolates of Asparagus virus 1. *Archives of virology*. 2015;160(2):569-72. - 배제사유: 1
170. Morris JC, Blennow K, Froelich L, Nordberg A, Soininen H, Waldemar G, et al. Harmonized

- diagnostic criteria for Alzheimer's disease: Recommendations. *Journal of Internal Medicine*. 2014;275(3):204-13. - 배제사유: 1
171. Ashraf MA, Shahid AA, Rao AQ, Bajwa KS, Husnain T. Functional characterization of a bidirectional plant promoter from cotton leaf curl Burewala Virus using an Agrobacterium-mediated transient assay. *Viruses*. 2014;6(1):223-42. - 배제사유: 1
 172. Rinne JO, Frantzen J, Leinonen V, Lonrot K, Laakso A, Virtanen KA, et al. Prospective flutemetamol positron emission tomography and histopathology in normal pressure hydrocephalus. *Neurodegenerative Diseases*. 2014;13(4):237-45. - 배제사유: 1
 173. Nickell JR, Siripurapu KB, Vartak A, Crooks PA, Dwoskin LP. The vesicular monoamine transporter-2: An important pharmacological target for the discovery of novel therapeutics to treat methamphetamine abuse. *Advances in Pharmacology*. 2014;69:71-106. - 배제사유: 1
 174. Brendel M, Delker A, Rotzer C, Boning G, Carlsen J, Cyran C, et al. Impact of partial volume effect correction on cerebral beta-amyloid imaging in APP-Swe mice using [¹⁸F]-florbetaben PET. *NeuroImage*. 2014;84:843-53. - 배제사유: 1
 175. Hommet C, Mondon K, Camus V, Ribeiro MJ, Beaufils E, Arlicot N, et al. Neuroinflammation and beta amyloid deposition in alzheimer's disease: In vivo quantification with molecular imaging. *Dementia and Geriatric Cognitive Disorders*. 2014;37(1-2):1-18 - 배제사유: 1
 176. Snellman A, Rokka J, Lopez-Picon FR, Eskola O, Salmona M, Forloni G, et al. In vivo PET imaging of beta-amyloid deposition in mouse models of Alzheimer's disease with a high specific activity PET imaging agent [¹⁸F]flutemetamol. *EJNMMI Research*. 2014;4(1):1-11. - 배제사유: 1
 177. Baldrick P. Utility and importance of animal data in drug product labels. *Regulatory Toxicology and Pharmacology*. 2014;69(3):546-57. - 배제사유: 1
 178. Rominger A, Brendel M, Rotzer C, Gildehaus FJ, Baumann K, Haass C, et al. Monitoring of long-term gamma secretase modulation treatment in appsw mice by means of [18f]-florbetaben pet. *Alzheimer's and Dementia*. 2014;4:P149-P50. - 배제사유: 1
 179. Leinonen V, Rinne JO, Wong DF, Wolk DA, Trojanowski JQ, Sherwin PF, et al. Diagnostic effectiveness of quantitative [18F]flutemetamol PET imaging for detection of fibrillar amyloid beta using cortical biopsy histopathology as the standard of truth in subjects with idiopathic normal pressure hydrocephalus. *Acta neuropathologica communications*. 2014;2:46. - 배제사유: 1
 180. Liu Q, Zhang Z, Li J, Qiao Q, Qin Y, Zhang D, et al. Complete genome sequence of a novel monopartite begomovirus infecting sweet potato in China. *Archives of Virology*. 2014;159(6):1537-40. - 배제사유: 1
 181. Bahar-Fuchs A, Villemagne V, Ong K, Chetelat G, Lamb F, Reiningner CB, et al. Prediction of amyloid-beta pathology in amnesic mild cognitive impairment with neuropsychological tests. *Journal of Alzheimer's Disease*. 2013;33(2):451-62. - 배제사유: 1
 182. Baig MS, Khan JA. Identification of gossypium hirsutum mirna targets in the genome of cotton leaf curl multan virus and betasatellite. *Indian Journal of Biotechnology*. 2013;12(3):336-42. - 배제사유: 1
 183. Vu TV, Roy Choudhury N, Mukherjee SK. Transgenic tomato plants expressing artificial microRNAs for silencing the pre-coat and coat proteins of a begomovirus, Tomato leaf curl New Delhi virus, show tolerance to virus infection. *Virus Research*. 2013;172(1-2):35-45. - 배제사유: 1
 184. Mason NS, Mathis CA, Klunk WE. Positron emission tomography radioligands for in vivo imaging of Abeta plaques. *Journal of Labelled Compounds and Radiopharmaceuticals*. 2013;56(3-4):89-95. - 배제사유: 1

185. Ciarmiello A, Gaeta C, Guidotti C, del Sette M. Multiagent imaging of the brain. *Clinical and Translational Imaging*. 2013;1(6):365-76. - 배제사유: 1
186. Jeevalatha A, Kaundal P, Venkatasalam EP, Chakrabarti SK, Singh BP. Uniplex and duplex PCR detection of geminivirus associated with potato apical leaf curl disease in India. *Journal of Virological Methods*. 2013;193(1):62-7. - 배제사유: 1
187. Patel A, Falck P, Shah N, Immerzeel P, Adlercreutz P, Stalbrand H, et al. Evidence for xylooligosaccharide utilization in *Weissella* strains isolated from Indian fermented foods and vegetables. *FEMS Microbiology Letters*. 2013;346(1):20-8. - 배제사유: 1
188. Abrahamian PE, Abou-Jawdah Y. Detection and quantitation of the new world Squash leaf curl virus by TaqMan real-time PCR. *Journal of Virological Methods*. 2013;191(1):76-81. - 배제사유: 1
189. Hurlburt BK, Offermann LR, McBride JK, Majorek KA, Maleki SJ, Chruszcz M. Structure and function of the peanut panallergen Ara h 8. *Journal of Biological Chemistry*. 2013;288(52):36890-901. - 배제사유: 1
190. Liu Q, Zhang Z, Qiao Q, Qin Y, Zhang D, Tian Y, et al. Complete genome sequence of a novel monopartite begomovirus infecting sweet potato in China. *Virus Genes*. 2013;47(3):591-4. - 배제사유: 1
191. Rominger A, Brendel M, Burgold S, Keppler K, Baumann K, Xiong G, et al. Longitudinal assessment of cerebral beta-amyloid deposition in mice overexpressing swedish mutant beta-Amyloid precursor protein using ¹⁸F-florbetaben PET. *Journal of Nuclear Medicine*. 2013;54(7):1127-34. - 배제사유: 1
192. Srivastava A, Raj SK, Kumar S, Snehi SK, Kulshreshtha A, Hallan V, et al. Molecular identification of Ageratum enation virus, betasatellite and alphasatellite molecules isolated from yellow vein diseased *Amaranthus cruentus* in India. *Virus Genes*. 2013;47(3):584-90. - 배제사유: 1
193. Pan J, Mason NS, Debnath ML, Mathis CA, Klunk WE, Lin KS. Design, synthesis and structure-activity relationship of rhenium 2-arylbenzothiazoles as beta-amyloid plaque binding agents. *Bioorganic and Medicinal Chemistry Letters*. 2013;23(6):1720-6. - 배제사유: 1
194. Wang H, Guo X, Jiang S, Tang G. Automated synthesis of [¹⁸F]Florbetaben as Alzheimer's disease imaging agent based on a synthesis module system. *Applied Radiation and Isotopes*. 2013;71(1):41-6. - 배제사유: 1
195. Korsager S, Taaning RH, Lindhardt AT, Skrydstrup T. Reductive carbonylation of aryl halides employing a two-chamber reactor: A protocol for the synthesis of aryl aldehydes including ¹³C- and D-isotope labeling. *Journal of Organic Chemistry*. 2013;78(12):6112-20. - 배제사유: 1
196. Brendel M, Boning G, Delker A, Rotzer C, Gildehaus FJ, Baumann K, et al. PET imaging using [¹⁸F] florbetaben in Alzheimer's disease mouse models. *Alzheimer's and Dementia*. 2013;1:P29. - 배제사유: 1
197. Brendel M, Delker A, Boning G, Mille E, Gildehaus F, Baumann K, et al. Correction of partial volume effects in an Alzheimer's disease mouse model using [¹⁸F]florbetaben PET. *European Journal of Nuclear Medicine and Molecular Imaging*. 2013;2:S180. - 배제사유: 1
198. Simmons TJ, Uhrin D, Gregson T, Murray L, Sadler IH, Fry SC. An unexpectedly lichenase-stable hexasaccharide from cereal, horsetail and lichen mixed-linkage beta-glucans (MLGs): Implications for MLG subunit distribution. *Phytochemistry*. 2013;95:322-32. - 배제사유: 1
199. Seo HS, Cha SY, Kang M, Jang HK. Chicken embryo lethality assay for determining the virulence of *Riemerella anatipestifer* isolates. *Avian Pathology*. 2013;42(4):387-92. - 배제사유: 1
200. She X, He Z, Brown JK. A new, previously undescribed monopartite begomovirus infecting *Premna serratifolia* in Vietnam. *Archives of Virology*. 2013;158(11):2425-8. - 배제사유: 1

201. Singh-Pant P, Pant P, Mukherjee SK, Mazumdar-Leighton S. Spatial and temporal diversity of begomoviral complexes in papayas with leaf curl disease. *Archives of Virology*. 2012;157(7):1217-32. - 배제사유: 1
202. Benadiba M, Luurtsema G, Wichert-Ana L, Buchpigel CA, Filho GB. New molecular targets for PET and SPECT imaging in neurodegenerative diseases. *Revista Brasileira de Psiquiatria*. 2012;34(SUPPL2):125-48. - 배제사유: 1
203. Fodero-Tavoletti MT, Brockschnieder D, Villemagne VL, Martin L, Connor AR, Thiele A, et al. In vitro characterization of [¹⁸F]-florbetaben, an Abeta imaging radiotracer. *Nuclear Medicine and Biology*. 2012;39(7):1042-8. - 배제사유: 1
204. Cohen AD, Rabinovici GD, Mathis CA, Jagust WJ, Klunk WE, Ikonovic MD. Using Pittsburgh Compound B for In Vivo PET Imaging of Fibrillar Amyloid-Beta. *Advances in Pharmacology*. 2012;64:27-81. - 배제사유: 1
205. Dominguez CA, Strom M, Gao T, Zhang L, Olsson T, Wiesenfeld-Hallin Z, et al. Genetic and sex influence on neuropathic pain-like behaviour after spinal cord injury in the rat. *European Journal of Pain (United Kingdom)*. 2012;16(10):1368-77. - 배제사유: 1
206. Menezes SP, Santos JL, Cardoso THS, Pirovani CP, Micheli F, Noronha FSM, et al. Evaluation of the allergenicity potential of TcPR-10 protein from *Theobroma cacao*. *PLoS ONE*. 2012;7(6) (no pagination)(e37969). - 배제사유: 1
207. Swahn BM, Sandell J, Pyring D, Bergh M, Jeppsson F, Jureus A, et al. Synthesis and evaluation of pyridylbenzofuran, pyridylbenzothiazole and pyridylbenzoxazole derivatives as ¹⁸F-PET imaging agents for beta-amyloid plaques. *Bioorganic and Medicinal Chemistry Letters*. 2012;22(13):4332-7. - 배제사유: 1
208. Teipel SJ, Sabri O, Grothe M, Barthel H, Prvulovic D, Buerger K, et al. Perspectives for multimodal neurochemical and imaging biomarkers in Alzheimer's disease. *Alzheimer'S Disease: Advances For A New Century*. 2012;Advances in Alzheimer's Disease. 3:329-47. - 배제사유: 1
209. Brockschnieder D, Schmitt-Willich H, Heinrich T, Varrone A, Gulyas B, Toth M, et al. Preclinical characterization of a novel class of ¹⁸F-labeled PET tracers for amyloid-beta. *Journal of Nuclear Medicine*. 2012;53(11):1794-801. - 배제사유: 1
210. Ye Y, Jiang Y, Fan T, Jiang Q, Cheng Y, Lu J, et al. Resistance characterization, virulence factors, and ERIC-PCR fingerprinting of *aeromonas veronii* strains isolated from diseased *trionyx sinensis*. *Foodborne Pathogens and Disease*. 2012;9(11):1053-5. - 배제사유: 1
211. Snellman A, Rokka J, Lopez-Picon FR, Eskola O, Wilson I, Farrar G, et al. Pharmacokinetics of [¹⁸F]flutemetamol in wild-type rodents and its binding to beta amyloid deposits in a mouse model of Alzheimer's disease. *European Journal of Nuclear Medicine and Molecular Imaging*. 2012;39(11):1784-95. - 배제사유: 1
212. Borah BK, Dasgupta I. PCR-RFLP analysis indicates that recombination might be a common occurrence among the cassava infecting begomoviruses in India. *Virus Genes*. 2012;45(2):327-32. - 배제사유: 1
213. Tuncel J, Haag S, Carlsen S, Yau ACY, Lu S, Burkhardt H, et al. Class II major histocompatibility complex-associated response to type XI collagen regulates the development of chronic arthritis in rats. *Arthritis and Rheumatism*. 2012;64(8):2537-47. - 배제사유: 1
214. Ono M, Saji H. Molecular approaches to the treatment, prophylaxis, and diagnosis of Alzheimer's disease: Novel PET/SPECT imaging probes for diagnosis of Alzheimer's disease. *Journal of Pharmacological Sciences*. 2012;118(3):338-44. - 배제사유: 1
215. Tomassoli L, Tiberini A, Vetten HJ. Viruses of *Asparagus*. *Advances in Virus Research*. 2012;84:345-65. - 배제사유: 1
216. Snellman A, Lopez-Picon FR, Rokka J, Eskola O, Wilson I, Farrar G, et al. Small animal pet imaging

- of beta-amyloid deposition in the brain of app23, tg2576 and appswe-ps1de9 mice with [¹⁸F]flutemetamol. *Molecular Imaging and Biology*. 2012;1):S1094. - 배제사유: 1
217. Rominger A, Brendel M, Baumann K, Wangler B, Schlichtiger J, Niedermoser S, et al. Longitudinal assessment of amyloid-beta deposition in APP-Swe mice with [¹⁸F]florbetaben. *NuklearMedizin*. 2012;51(2):A112-A3. - 배제사유: 1
218. Hellberg SE, Saraste A, Silvola JMU, Eskola O, Liljenback H, Laine J, et al. Amyloid targeting tracer [¹⁸F]flutemetamol is accumulated in atherosclerotic plaques. *European Journal of Nuclear Medicine and Molecular Imaging*. 2012;2):S251-S2. - 배제사유: 1
219. Hooshyar Yousefi B, Von Reutern B, Manook A, Scherubl D, Schwaiger M, Henriksen G, et al. First Direct Comparison of 18F-labeled amyloid tracers [18F]FIBT and [18F]Florbetaben with [11C]PiB in transgenic Mouse Model of Alzheimer's Disease. *European Journal of Nuclear Medicine and Molecular Imaging*. 2012;2):S219. - 배제사유: 1
220. Rominger A, Brendel M, Baumann K, Gildehaus FJ, Niedermoser S, Wangler B, et al. Longitudinal imaging of cerebral betaamyloid in APP-SWE mice using [18F] florbetaben pet. *Alzheimer's and Dementia*. 2012;1):P152-P3. - 배제사유: 1
221. Rominger A, Brendel M, Baumann K, Gildehaus FJ, Niedermoser S, Wangler B, et al. Longitudinal imaging of cerebral Ab in APP-SWE mice using [18F] florbetaben pet. *Alzheimer's and Dementia*. 2012;1):P11. - 배제사유: 1
222. Virdee K, Cumming P, Caprioli D, Jupp B, Rominger A, Aigbirhio FI, et al. Applications of positron emission tomography in animal models of neurological and neuropsychiatric disorders. *Neuroscience and Biobehavioral Reviews*. 2012;36(4):1188-216. - 배제사유: 1
223. Shibasaki S, Yamashita K, Goto R, Oura T, Wakayama K, Hirokata G, et al. NK026680 inhibits T-cell function in an IL-2-dependent manner and prolongs cardiac allograft survival in rats. *Transplant Immunology*. 2012;26(1):42-9. - 배제사유: 1
224. Barthel H, Sabri O. Florbetaben to trace amyloid-beta in the Alzheimer Brain by means of PET. *Journal of Alzheimer's Disease*. 2011;26(SUPPL. 3):117-21. - 배제사유: 1
225. Vintila S, Selao T, Noren A, Bergman B, El-Shehawry R. Characterization of nifH gene expression, modification and rearrangement in *Nodularia spumigena* strain AV1. *FEMS Microbiology Ecology*. 2011;77(2):449-59. - 배제사유: 1
226. Lehtimäki N, Shunmugam S, Jokela J, Wahlsten M, Carmel D, Keranen M, et al. Nodularin uptake and induction of oxidative stress in spinach (*Spinachia oleracea*). *Journal of Plant Physiology*. 2011;168(6):594-600. - 배제사유: 1
227. Yang X, Wang Y, Guo W, Xie Y, Xie Q, Fan L, et al. Characterization of small interfering RNAs derived from the Geminivirus/Betasatellite complex using deep sequencing. *PLoS ONE*. 2011;6(2) (no pagination)(e16928). - 배제사유: 1
228. Jackson A, Smith GE, Brown SL, Morisson-Iveson V, Chau W, Durrant CL, et al. Radiosynthesis, biodistribution and metabolic fate of three PET agents for amyloid-beta in rats: [¹⁸F]Flutemetamol, florbetapir F18 (18F-AV-45) and florbetaben (BAY 94-9172). *European Journal of Nuclear Medicine and Molecular Imaging*. 2011;2):S231-S2. - 배제사유: 1
229. Chau WF, Durrant C, Jackson A, Morisson Iveson V, Smith G, Wilson IA. [¹⁸F]Flutemetamol, Florbetapir F18 (18F-AV-45) and Florbetaben (BAY 94-9172); Automated radiosynthesis and comparative study of in vivo biodistribution and metabolism in rat. *Neurodegenerative Diseases Conference: 10th International Conference AD/PD Alzheimer's and Parkinson's Diseases: Advances, Concepts and New Challenges Barcelona Spain Conference Publication*. 2011;8(SUPPL. 1). - 배제사유: 1
230. Fodero-Tavoletti MT, Villemagne VL, Martin L, Connor AR, Thiele A, Brockschneider D, et al. In vitro characterisation of [¹⁸F]-Florbetaben (BAY94-9172), an Ab imaging radiotracer. *Neurodegenerative Diseases Conference: 10th International Conference AD/PD*

Alzheimer's and Parkinson's Diseases: Advances, Concepts and New Challenges Barcelona Spain Conference Publication: 2011;8(SUPPL. 1). - 배제사유: 1

231. Saxena S, Singh N, Ranade SA, Babu SG. Strategy for a generic resistance to geminiviruses infecting tomato and papaya through in silico siRNA search. *Virus Genes*. 2011;43(3):409-34. - 배제사유: 1
232. Wolk DA, Grachev ID, Buckley C, Kazi H, Grady MS, Trojanowski JQ, et al. Association between in vivo fluorine 18-labeled flutemetamol amyloid positron emission tomography imaging and in vivo cerebral cortical histopathology. *Archives of Neurology*. 2011;68(11):1398-403. - 배제사유: 1
233. Al Nimer F, Beyeen AD, Lindblom R, Strom M, Aeinehband S, Lidman O, et al. Both MHC and non-MHC genes regulate inflammation and T-cell response after traumatic brain injury. *Brain, Behavior, and Immunity*. 2011;25(5):981-90. - 배제사유: 1
234. Alejos-Gonzalez F, Qu G, Zhou LL, Saravitz CH, Shurtleff JL, Xie DY. Characterization of development and artemisinin biosynthesis in self-pollinated *Artemisia annua* plants. *Planta*. 2011;234(4):685-97. - 배제사유: 1
235. Lister-James J, Pontecorvo MJ, Clark C, Joshi AD, Mintun MA, Zhang W, et al. Florbetapir F-18: A histopathologically validated beta-amyloid positron emission tomography imaging agent. *Seminars in Nuclear Medicine*. 2011;41(4):300-4. - 배제사유: 1
236. Dymond S, Schlund MW, Roche B, Whelan R, Richards J, Davies C. Inferred threat and safety: Symbolic generalization of human avoidance learning. *Behaviour Research and Therapy*. 2011;49(10):614-21. - 배제사유: 1
237. Nickell JR, Zheng G, Deaciuc AG, Crooks PA, Dwoskin LP. Phenyl ring-substituted lobelane analogs: Inhibition of [³H]dopamine uptake at the vesicular monoamine transporter-2. *Journal of Pharmacology and Experimental Therapeutics*. 2011;336(3):724-33. - 배제사유: 1
238. Wang H, Shi H, Yu H, Jiang S, Tang G. Facile and rapid one-step radiosynthesis of [18F]BAY94-9172 with a new precursor. *Nuclear Medicine and Biology*. 2011;38(1):121-7. - 배제사유: 1
239. Rabinovici GD, Jagust WJ. Amyloid imaging in aging and dementia: Testing the amyloid hypothesis in vivo. *Behavioural Neurology*. 2009;21(1-2):117-28. - 배제사유: 1
240. Tang H, Gong YZ, Wu CX, Jiang J, Wang Y, Li K. Variation of meat quality traits among five genotypes of chicken. *Poultry Science*. 2009;88(10):2212-8. - 배제사유: 1
241. Zakri AM, Ziegler A, Torrance L, Fischer R, Commandeur U. Generation and characterization of a scFv against recombinant coat protein of the geminivirus tomato leaf curl New Delhi virus. *Archives of virology*. 2010;155(3):335-42. - 배제사유: 1
242. Huynh TH, Mantel ML, Mikkelsen K, Lindhardt AT, Nielsen NC, Otzen D, et al. A versatile approach to beta-amyloid fibril-binding compounds exploiting the Shirakawa/Hayashi protocol for trans-alkene synthesis. *Organic letters*. 2009;11(4):999-1002. - 배제사유: 1
243. Choi SR, Golding G, Zhuang Z, Zhang W, Lim N, Hefti F, et al. Preclinical properties of [¹⁸F]F-AV-45: A PET agent for Abeta plaques in the brain. *Journal of Nuclear Medicine*. 2009;50(11):1887-94. - 배제사유: 1
244. Duffy S, Holmes EC. Validation of high rates of nucleotide substitution in geminiviruses: Phylogenetic evidence from East African cassava mosaic viruses. *Journal of General Virology*. 2009;90(6):1539-47. - 배제사유: 1
245. Vintila S, Jonasson S, Wadensten H, Nilsson A, Andren PE, El-Shehawry R. Proteomic profiling of the Baltic Sea cyanobacterium *Nodularia spumigena* strain AV1 during ammonium supplementation. *Journal of Proteomics*. 2010;73(9):1670-9. - 배제사유: 1

246. Swanberg M, Harnesk K, Strom M, Diez M, Lidman O, Piehl F. Fine mapping of gene regions regulating neurodegeneration. *PLoS ONE*. 2009;4(6) (no pagination)(e5906). - 배제사유: 1
247. Jureus A, Swahn BM, Sandell J, Jeppsson F, Johnson AE, Johnstrom P, et al. Characterization of AZD4694, a novel fluorinated Abeta plaque neuroimaging PET radioligand. *Journal of Neurochemistry*. 2010;114(3):784-94. - 배제사유: 1
248. Kwak YS, Bakker PAHM, Glandorf DCM, Rice JT, Paulitz TC, Weller DM. Isolation, characterization, and sensitivity to 2,4-diacetylphloroglucinol of isolates of *Phialophora* spp. from Washington wheat fields. *Phytopathology*. 2010;100(5):404-14. - 배제사유: 1
249. Kumar A, Kumar J, Khan JA. Sequence characterization of cotton leaf curl virus from Rajasthan: phylogenetic relationship with other members of geminiviruses and detection of recombination. *Virus Genes*. 2010;40(2):282-9. - 배제사유: 1
250. Pillsbury NR, Muller CW, Zwier TS. Conformational isomerization and collisional cooling dynamics of bis(2-hydroxyphenyl)methane. *Journal of Physical Chemistry A*. 2009;113(17):5013-21. - 배제사유: 1
251. Manning JR, Mitchell B, Appadurai DA, Ornelas L, Spangrude GJ. Ascorbic acid promotes increased mRNA expression of rearranged TCR-alpha and TCR-beta genes during in vitro T cell development. *Blood Conference: 52nd Annual Meeting of the American Society of Hematology, ASH*. 2010;116(21). - 배제사유: 1
252. Lee A, Kho C, Kawase Y, Teixeira A, Hajjar RJ. Proteomic profiling of SERCA2a overexpression in mitral valve Regurgitation-induced swine model of heart failure. *Journal of Molecular and Cellular Cardiology*. 2010;1):S131. - 배제사유: 1
253. Dzikaite V, Strandberg LS, Ambrosi A, Jagodic M, Janson P, Khademi M, et al. MHC genes determine fetal susceptibility in a rat model of congenital heart block. *Scandinavian Journal of Immunology*. 2010;72(3):269. - 배제사유: 1
254. Patt M, Schildan A, Barthel H, Becker G, Schultze-Mosgau MH, Rohde B, et al. Metabolite analysis of [¹⁸F]Florbetaben (BAY 94-9172) in human subjects: A substudy within a proof of mechanism clinical trial. *Journal of Radioanalytical and Nuclear Chemistry*. 2010;284(3):557-62. - 배제사유: 1
255. Wang Y, Cao L, Du G. Protective effects of Aloe vera extract on mitochondria of neuronal cells and rat brain. [Chinese]. *Zhongguo Zhongyao Zazhi*. 2010;35(3):364-8. - 배제사유: 1
256. Cole GB, Keum G, Liu J, Small GW, Satyamurthy N, Kepe V, et al. Specific estrogen sulfotransferase (SULT1E1) substrates and molecular imaging probe candidates. *Proceedings of the National Academy of Sciences of the United States of America*. 2010;107(14):6222-7. - 배제사유: 1
257. Naper C, Kveberg L, Engh E, Nestvold J, Rolstad B, Vaage JT. Partial NK cell tolerance induced by radioresistant host cells in rats transplanted with MHC-mismatched bone marrow. *International Immunology*. 2010;22(12):973-80. - 배제사유: 1
258. Strandberg LS, Ambrosi A, Jagodic M, Dzikaite V, Janson P, Khademi M, et al. Maternal MHC regulates generation of pathogenic antibodies and fetal MHC-encoded genes determine susceptibility in congenital heart block. *Journal of Immunology*. 2010;185(6):3574-82. - 배제사유: 1
259. Vintila S, El-Shehawey R. Variability in the response of the cyanobacterium *Nodularia spumigena* to nitrogen supplementation. *Journal of Environmental Monitoring*. 2010;12(10):1885-90. - 배제사유: 1
260. Lee H, Song W, Kwak HR, Kim JD, Park J, Auh CK, et al. Phylogenetic analysis and inflow route of Tomato yellow leaf curl virus (TYLCV) and *Bemisia tabaci* in Korea. *Molecules and Cells*. 2010;30(5):467-76. - 배제사유: 1
261. Packialakshmi RM, Srivastava N, Girish KR, Usha R. Molecular characterization of a distinct

- begomovirus species from *Vernonia cinerea* and its associated DNA-beta using the bacteriophage PHI29 DNA polymerase. *Virus Genes*. 2010;41(1):135-43. - 배제사유: 1
262. Sabri O, Barthel H, Becker G, Luthardt J, Patt M, Hammerstein E, et al. [¹⁸F]BAY 94-9172 PET - towards in vivo quantification of brain beta-amyloid plaque load in Alzheimer disease. *Alzheimer's and Dementia*. 2009;1(1):260. - 배제사유: 1
263. Sabri O, Barthel H, Becker G, Luthardt J, Patt M, Hammerstein E, et al. [¹⁸F]BAY 94-9172 Pet: Towards in vivo quantification of brain beta-amyloid plaque load in Alzheimer's disease. *Alzheimer's and Dementia*. 2009;1(1):47. - 배제사유: 1
264. Rokka J, Wilson I, Farrar G, Eskola O, Forsback S, Kalimo H, et al. In vitro evaluation of [¹⁸F]AH110690 (GE-067) for beta-amyloid plaque imaging of Alzheimer's disease. *Journal of Labelled Compounds and Radiopharmaceuticals*. 2009;1(1):S354. - 배제사유: 1
265. Barthel H, Luthardt J, Patt M, Hammerstein E, Becker G, Hartwig K, et al. In vivo diagnosis of Alzheimer's disease by means of [¹⁸F]BAY 94-9172 and PET. *Journal of Cerebral Blood Flow and Metabolism*. 2009;1(1):S69-S70. - 배제사유: 1
266. Rintisch C, Forster M, Holmdahl R. Detection of arthritis-susceptibility loci, including *Ncf1*, and variable effects of the major histocompatibility complex region depending on genetic background in rats. *Arthritis and Rheumatism*. 2009;60(2):419-27. - 배제사유: 1
267. Koole M, Lewis DM, Buckley C, Nelissen N, Vandenbulcke M, Brooks DJ, et al. Whole-body biodistribution and radiation dosimetry of [¹⁸F]-GE067: A radioligand for in vivo brain amyloid imaging. *Journal of Nuclear Medicine*. 2009;50(5):818-22. - 배제사유: 1
268. Dimou E, Booi J, Rodrigues M, Prosch H, Attems J, Knoll P, et al. Amyloid PET and MRI in Alzheimer's disease and mild cognitive impairment. *Current Alzheimer Research*. 2009;6(3):312-9. - 배제사유: 1
269. Luan YS, Zhang J, Liu DM, Li WL. Molecular characterization of sweet potato leaf curl virus isolate from China (SPLCV-CN) and its phylogenetic relationship with other members of the Geminiviridae. *Virus Genes*. 2007;35(2):379-85. - 배제사유: 1
270. Berkner H, Engelhorn J, Liscombe DK, Schweimer K, Wohrl BM, Facchini PJ, et al. High-yield expression and purification of isotopically labeled norcochlorine synthase, a Bet v 1-homologous enzyme, from *Thalictrum flavum* for NMR studies. *Protein Expression and Purification*. 2007;56(2):197-204. - 배제사유: 1
271. Marzban G, Herndl A, Kolarich D, Maghuly F, Mansfeld A, Hemmer W, et al. Identification of four IgE-reactive proteins in raspberry (*Rubus idaeus* L.). *Molecular Nutrition and Food Research*. 2008;52(12):1497-506. - 배제사유: 1
272. Uribe-Lorio L, Mora M, Stock SP. *Steinernema costaricense* n. sp. and *S. puntauvense* n. sp. (Rhabditida: Steinernematidae), two new entomopathogenic nematodes from Costa Rica. *Systematic Parasitology*. 2007;68(3):167-82. - 배제사유: 1
273. Harnesk K, Swanberg M, Ockinger J, Diez M, Lidman O, Wallstrom E, et al. *Vra4* congenic rats with allelic differences in the class II transactivator gene display altered susceptibility to experimental autoimmune encephalomyelitis. *Journal of Immunology*. 2008;180(5):3289-96. - 배제사유: 1
274. Rajeswaran R, Sunitha S, Shivaprasad PV, Pooggin MM, Hohn T, Veluthambi K. The mungbean yellow mosaic begomovirus transcriptional activator protein transactivates the viral promoter-driven transgene and causes toxicity in transgenic tobacco plants. *Molecular Plant-Microbe Interactions*. 2007;20(12):1545-54. - 배제사유: 1
275. Joshi B, Strugnell SS, Goetz JG, Kojic LD, Cox ME, Griffith OL, et al. Phosphorylated caveolin-1 regulates Rho/ROCK-dependent focal adhesion dynamics and tumor cell migration and invasion. *Cancer Research*. 2008;68(20):8210-20. - 배제사유: 1

276. Jonasson S, Vintila S, Sivonen K, El-Shehawry R. Expression of the nodularin synthetase genes in the Baltic Sea bloom-former cyanobacterium *Nodularia spumigena* strain AV1. *FEMS Microbiology Ecology*. 2008;65(1):31-9. - 배제사유: 1
277. Dominguez CA, Lidman O, Hao JX, Diez M, Tuncel J, Olsson T, et al. Genetic analysis of neuropathic pain-like behavior following peripheral nerve injury suggests a role of the major histocompatibility complex in development of allodynia. *Pain*. 2008;136(3):313-9. - 배제사유: 1
278. Dominguez CA, Li L, Lidman O, Olsson T, Wiesenfeld-Hallin Z, Piehl F, et al. Both MHC and non-MHC genes regulate development of experimental neuropathic pain in rats. *Neuroscience Letters*. 2008;442(3):284-6. - 배제사유: 1
279. Henriksen G, Yousefi BH, Drzezga A, Wester HJ. Development and evaluation of compounds for imaging of beta-amyloid plaque by means of positron emission tomography. *European Journal of Nuclear Medicine and Molecular Imaging*. 2008;35(SUPPL. 1):S75-S81. - 배제사유: 1
280. Xu XZ, Liu QP, Fan LJ, Cui XF, Zhou XP. Analysis of synonymous codon usage and evolution of begomoviruses. *Journal of Zhejiang University: Science B*. 2008;9(9):667-74. - 배제사유: 1
281. de Graaf KL, Barth S, Herrmann MM, Storch MK, Wiesmuller KH, Weissert R. Characterization of the encephalitogenic immune response in a model of multiple sclerosis. *European Journal of Immunology*. 2008;38(1):299-308. - 배제사유: 1
282. Dominguez CA, Lidman O, Olsson T, Wiesenfeld-Hallin Z, Piehl F, Xu XJ. Contrasting genetic effects of major histocompatibility complex on ischemic peripheral nerve and spinal cord injury in female rats. *Neuroscience Letters*. 2008;443(2):95-8. - 배제사유: 1
283. Paez A, Velasco-Villa A, Rey G, Rupprecht CE. Molecular epidemiology of rabies in Colombia 1994-2005 based on partial nucleoprotein gene sequences. *Virus Research*. 2007;130(1-2):172-81. - 배제사유: 1
284. Fontenelle MR, Luz DF, Gomes APS, Florentino LH, Zerbini FM, Fontes EPB. Functional analysis of the naturally recombinant DNA-A of the bipartite begomovirus Tomato chlorotic mottle virus. *Virus Research*. 2007;126(1-2):262-7. - 배제사유: 1
285. Bull SE, Briddon RW, Sserubombwe WS, Ngugi K, Markham PG, Stanley J. Infectivity, pseudorecombination and mutagenesis of Kenyan cassava mosaic begomoviruses. *Journal of General Virology*. 2007;88(5):1624-33. - 배제사유: 1
286. Birdsall Abrams M, Josephson A, Dominguez C, Oberg J, Diez M, Spenger C, et al. Recovery from spinal cord injury differs between rat strains in a major histocompatibility complex-independent manner. *European Journal of Neuroscience*. 2007;26(5):1118-27. - 배제사유: 1
287. Ribeiro SG, Lohuis H, Goldbach R, Prins M. Tomato chlorotic mottle virus is a target of RNA silencing but the presence of specific short interfering RNAs does not guarantee resistance in transgenic plants. *Journal of Virology*. 2007;81(4):1563-73. - 배제사유: 1
288. Vintila S, El-Shehawry R. Ammonium ions inhibit nitrogen fixation but do not affect heterocyst frequency in the bloom-forming cyanobacterium *Nodularia spumigena* strain AV1. *Microbiology*. 2007;153(11):3704-12. - 배제사유: 1
289. Jahn-Schmid B, Radakovics A, Luttkopf D, Scheurer S, Vieths S, Ebner C, et al. Bet v 1<inf>142-156</inf> is the dominant T-cell epitope of the major birch pollen allergen and important for cross-reactivity with Bet v 1-related food allergens. *Journal of Allergy and Clinical Immunology*. 2005;116(1):213-9. - 배제사유: 1
290. Kosaraju P, Pulakat L, Gavini N. Analysis of the genome of *Azotobacter vinelandii* revealed the presence of two genetically distinct group II introns on the chromosome. *Genetica*. 2005;124(2):107-15. - 배제사유: 1
291. Rojas A, Kvarnheden A, Marcenaro D, Valkonen JPT. Sequence characterization of Tomato leaf

- curl Sinaloa virus and Tomato severe leaf curl virus: Phylogeny of New World begomoviruses and detection of recombination. Archives of Virology. 2005;150(7):1281-99. - 배제사유: 1
292. Saito Y, Taguchi H, Akamatsu T. DNA taken into Bacillus subtilis competent cells by lysed-protoplast transformation is not ssDNA but dsDNA. Journal of Bioscience and Bioengineering. 2006;101(4):334-9. - 배제사유: 1
293. Ravindranathan S, Kim CH, Bodenhausen G. Determination of ¹³C CSA tensors: extension of the model-independent approach to an RNA kissing complex undergoing anisotropic rotational diffusion in solution. Journal of biomolecular NMR. 2005;33(3):163-74. - 배제사유: 1
294. Delisle AL, Barcak GJ, Guo M. Isolation and expression of the lysis genes of Actinomyces naeslundii phage Av-1. Applied and Environmental Microbiology. 2006;72(2):1110-7. - 배제사유: 1
295. Labarrere CA, Ortiz MA, Ruzmetov N, Sosa MJ, Campana G, Terry C, et al. Microvascular Thrombosis and Cardiac Allograft Vasculopathy in Rat Heart Transplantation. Journal of Heart and Lung Transplantation. 2006;25(10):1213-22. - 배제사유: 1
296. Reuter A, Lidholm J, Andersson K, Ostling J, Lundberg M, Scheurer S, et al. A critical assessment of allergen component-based in vitro diagnosis in cherry allergy across Europe. Clinical and Experimental Allergy. 2006;36(6):815-23. - 배제사유: 1
297. Usharani KS, Periasamy M, Malathi VG. Studies on the activity of a bidirectional promoter of Mungbean yellow mosaic India virus by agroinfiltration. Virus Research. 2006;119(2):154-62. - 배제사유: 1
298. Murcia MI, Tortoli E, Menendez MC, Palenque E, Garcia MJ. Mycobacterium colombiense sp. nov., a novel member of the Mycobacterium avium complex and description of MAC-X as a new ITS genetic variant. International Journal of Systematic and Evolutionary Microbiology. 2006;56(9):2049-54. - 배제사유: 1
299. Reuter A, Fortunato D, Garoffo LP, Napolitano L, Scheurer S, Giuffrida MG, et al. Novel isoforms of Pru av 1 with diverging immunoglobulin E binding properties identified by a synergistic combination of molecular biology and proteomics. Proteomics. 2005;5(1):282-9. - 배제사유: 1
300. Fisher K, Newton WE. Nitrogenase proteins from Gluconacetobacter diazotrophicus, a sugarcane-colonizing bacterium. Biochimica et Biophysica Acta - Proteins and Proteomics. 2005;1750(2):154-65. - 배제사유: 1
301. Sinisterra XH, McKenzie CL, Hunter WB, Powell CA, Shatters Jr RG. Differential transcriptional activity of plant-pathogenic begomoviruses in their whitefly vector (Bemisia tabaci, Gennadius: Hemiptera Aleyrodidae). Journal of General Virology. 2005;86(5):1525-32. - 배제사유: 1
302. Mittag D, Vieths S, Vogel L, Wagner-Loew D, Starke A, Hunziker P, et al. Birch pollen-related food allergy to legumes: Identification and characterization of the Bet v 1 homologue in mungbean (Vigna radiata), Vig r 1. Clinical and Experimental Allergy. 2005;35(8):1049-55. - 배제사유: 1
303. Wiche R, Gubesch M, König H, Fotisch K, Hoffmann A, Wangorsch A, et al. Molecular basis of pollen-related food allergy: Identification of a second cross-reactive IgE epitope on Pru av 1, the major cherry (Prunus avium) allergen. Biochemical Journal. 2005;385(1):319-27. - 배제사유: 1
304. Duyar H, Dengjel J, De Graaf KL, Wiesmuller KH, Stevanovic S, Weissert R. Peptide motif for the rat MHC class II molecule RT1.D^a: Similarities to the multiple sclerosis-associated HLA-DRB1*1501 molecule. Immunogenetics. 2005;57(1-2):69-76. - 배제사유: 1
305. Lory JA, Massey RE, Zulovich JM, Hoehne JA, Schmidt AM, Carlson MS, et al. Feasibility and costs of phosphorus application limits on 39 U.S. swine operations. Journal of Environmental Quality. 2004;33(3):1114-23. - 배제사유: 1
306. Sakuma H, Kohyama K, Park IK, Miyakoshi A, Tanuma N, Matsumoto Y. Clinicopathological study of a myelin oligodendrocyte glycoprotein-induced demyelinating disease in LEW.1AV1 rats.

- Brain. 2004;127(10):2201-13. - 배제사유: 1
307. Cramer R. Correlating IgE reactivity with three-dimensional structure. The Biochemical journal. 2003;376(Pt 1):e1-2. - 배제사유: 1
308. Lavender KJ, Ma BJ, Silver ET, Kane KP. The Rat RT1-A1^c MHC Molecule Is a Xenogeneic Ligand Recognized by the Mouse Activating Ly-49W and Inhibitory Ly-49G Receptors. Journal of Immunology. 2004;172(6):3518-26. - 배제사유: 1
309. Baker AM, Williams SA, Hughes JM. Patterns of spatial genetic structuring in a hydropterygine caddisfly (*Cheumatopsyche* sp. AV1) from southeastern Australia. Molecular Ecology. 2003;12(12):3313-24. - 배제사유: 1
310. Gruber P, Vieths S, Wangorsch A, Nerkamp J, Hofmann T. Maillard reaction and enzymatic browning affect the allergenicity of Pru av 1, the major allergen from cherry (*Prunus avium*). Journal of Agricultural and Food Chemistry. 2004;52(12):4002-7 - 배제사유: 1
311. Scheurer S, Lauer I, Foetisch K, Moncin MSM, Retzek M, Hartz C, et al. Strong allergenicity of Pru av 3, the lipid transfer protein from cherry, is related to high stability against thermal processing and digestion. Journal of Allergy and Clinical Immunology. 2004;114(4):900-7. - 배제사유: 1
312. Sigurdsson EM, Knudsen E, Asuni A, Fitzer-Attas C, Sage D, Quartermain D, et al. An attenuated immune response is sufficient to enhance cognition in an Alzheimer's disease mouse model immunized with amyloid-beta derivatives. Journal of Neuroscience. 2004;24(28):6277-82 - 배제사유: 1
313. Chou YK, Culbertson N, Rich C, LaTocha D, Buenafe AC, Huan J, et al. T-cell hybridoma specific for myelin oligodendrocyte glycoprotein-35-55 peptide produced from HLA-DRB1*1501-transgenic mice. Journal of Neuroscience Research. 2004;77(5):670-80. - 배제사유: 1
314. Valonen PK, Lehtimäki KK, Vaisanen TH, Kettunen MI, Grohn OHJ, Ylä-Herttuala S, et al. Water Diffusion in a Rat Glioma during Ganciclovir-Thymidine Kinase Gene Therapy-Induced Programmed Cell Death in Vivo: Correlation with Cell Density. Journal of Magnetic Resonance Imaging. 2004;19(4):389-96. - 배제사유: 1
315. Neudecker P, Lehmann K, Nerkamp J, Haase T, Wangorsch A, Foetisch K, et al. Mutational epitope analysis of Pru av 1 and Api g 1, the major allergens of cherry (*Prunus avium*) and celery (*Apium graveolens*): Correlating IgE reactivity with three-dimensional structure. Biochemical Journal. 2003;376(1):97-107. - 배제사유: 1
316. Zhang P, Gruissem W. Efficient replication of cloned African cassava mosaic virus in cassava leaf disks. Virus Research. 2003;92(1):47-54. - 배제사유: 1
317. Lobell A, Weissert R, Eltayeb S, De Graaf KL, Wefer J, Storch MK, et al. Suppressive DNA vaccination in myelin oligodendrocyte glycoprotein peptide-induced experimental autoimmune encephalomyelitis involves a T1-biased immune response. Journal of Immunology. 2003;170(4):1806-13. - 배제사유: 1
318. Lehtonen KK, Kankaanpää H, Leinistö S, Sipia VO, Pflugmacher S, Sandberg-Kilpi E. Accumulation of nodularin-like compounds from the cyanobacterium *Nodularia spumigena* and changes in acetylcholinesterase activity in the clam *Macoma balthica* during short-term laboratory exposure. Aquatic Toxicology. 2003;64(4):461-76. - 배제사유: 1
319. Weissert R, Wiendl H, Pfrommer H, Storch MK, Schreiner B, Barth S, et al. Action of treosulfan in myelin-oligodendrocyte-glycoprotein-induced experimental autoimmune encephalomyelitis and human lymphocytes. Journal of Neuroimmunology. 2003;144(1-2):28-37. - 배제사유: 1
320. Yamashita K, Masunaga T, Yanagida N, Takehara M, Hashimoto T, Kobayashi T, et al. Long-term acceptance of rat cardiac allografts on the basis of adenovirus mediated CD40Ig plus CTLA4IG

- gene therapies. *Transplantation*. 2003;76(7):1089-96. - 배제사유: 1
321. Kurkova D, Kriz J, Schmidt P, Dybal J, Rodriguez-Cabello JC, Alonso M. Structure and dynamics of two elastin-like polypentapeptides studied by NMR spectroscopy. *Biomacromolecules*. 2003;4(3):589-601. - 배제사유: 1
322. Becanovic K, Wallstrom E, Kornek B, Glaser A, Broman KW, Dahlman I, et al. New loci regulating rat myelin oligodendrocyte glycoprotein-induced experimental autoimmune encephalomyelitis. *Journal of Immunology*. 2003;170(2):1062-9. - 배제사유: 1
323. Svircev AM, Smith RJ, Zhou T, Day AW. Localization of fungal fimbriae by immunocytochemistry in pathogenic and nonpathogenic isolates of *Venturia inaequalis*. *Canadian Journal of Microbiology*. 2000;46(9):800-8. - 배제사유: 1
324. Johnson JL, Nyborg AC, Wilson PE, Tolley AM, Nordmeyer FR, Watt GD. Analysis of steady state Fe and MoFe protein interactions during nitrogenase catalysis. *Biochimica et Biophysica Acta - Protein Structure and Molecular Enzymology*. 2000;1543(1):24-35. - 배제사유: 1
325. Syrtsova LA, Nadtochenko VA, Denisov NN, Timofeeva EA, Shkondina NI, Gak VY. Kinetics of elementary steps of electron transfer in nitrogenase in the presence of a photodonor. *Biochemistry*. 2000;Biokhimiia. 65(10):1145-52. - 배제사유: 1
326. Morales FJ, Lastra R, De Uzategui RC, Calvert L. Potato yellow mosaic virus: A synonym of Tomato yellow mosaic virus. *Archives of Virology*. 2001;146(11):2249-53. - 배제사유: 1
327. Kirthi N, Maiya SP, Murthy MR, Savithri HS. Evidence for recombination among the tomato leaf curl virus strains/species from Bangalore, India. *Archives of virology*. 2002;147(2):255-72. - 배제사유: 1
328. Neudecker P, Schweimer K, Nerkamp J, Scheurer S, Vieths S, Sticht H, et al. Allergic cross-reactivity made visible. Solution structure of the major cherry allergen Pru av 1. *Journal of Biological Chemistry*. 2001;276(25):22756-63. - 배제사유: 1
329. Nomura M, Yamashita K, Murakami M, Takehara M, Echizenya H, Sunahara M, et al. Induction of donor-specific tolerance by adenovirus-mediated CD40lg gene therapy in rat liver transplantation. *Transplantation*. 2002;73(9):1403-10 - 배제사유: 1
330. Naper C, Hayashi S, Kveberg L, Niemi EC, Lanier LL, Vaage JT, et al. Ly-49s3 is a promiscuous activating rat NK cell receptor for nonclassical MHC class I-encoded target ligands. *Journal of Immunology*. 2002;169(1):22-30. - 배제사유: 1
331. Kankaanpaa H, Vuorinen PJ, Sipia V, Keinanen M. Acute effects and bioaccumulation of nodularin in sea trout (*Salmo trutta m. trutta L.*) exposed orally to *Nodularia spumigena* under laboratory conditions. *Aquatic Toxicology*. 2002;61(3-4):155-68. - 배제사유: 1
332. Dresske B, Lin X, Huang DS, Zhou X, Fandrich F. Spontaneous tolerance: Experience with the rat liver transplant model. *Human Immunology*. 2002;63(10):853-61. - 배제사유: 1
333. Karck M, Meliss R, Hestermann M, Mengel M, Pethig K, Levitzki A, et al. Inhibition of aortic allograft vasculopathy by local delivery of platelet-derived growth factor receptor tyrosine-kinase blocker AG-1295. *Transplantation*. 2002;74(9):1335-41 - 배제사유: 1
334. Scheurer S, Pastorello EA, Wangorsch A, Kastner M, Haustein D, Vieths S. Recombinant allergens Pru av 1 and Pru av 4 and a newly identified lipid transfer protein in the in vitro diagnosis of cherry allergy. *Journal of Allergy and Clinical Immunology*. 2001;107(4):724-31. - 배제사유: 1
335. Nakao A, Kobayashi E, Sun Don S, Yoshino T, Tanaka N. Impact of tacrolimus and bone marrow augmentation on intestinal allograft survival and intragraft cytokine expression in rats. *Journal of Medicine*. 2001;32(3-4):207-30. - 배제사유: 1
336. Chiu HJ, Peters JW, Lanzilotta WN, Ryle MJ, Seefeldt LC, Howard JB, et al. MgATP-bound and nucleotide-free structures of a nitrogenase protein complex between the Leu

- 127DELTA-Fe-protein and the MoFe-protein. *Biochemistry*. 2001;40(3):641-50. - 배제사유: 1
337. Clarke TA, Maritano S, Eady RR. Formation of a tight 1:1 complex of *Clostridium pasteurianum* Fe protein - *Azotobacter vinelandii* MoFe protein: Evidence for long-range interactions between the Fe protein binding sites during catalytic hydrogen evolution. *Biochemistry*. 2000;39(37):11434-40. - 배제사유: 1
338. Grohn OHJ, Kettunen MI, Penttonen M, Oja JME, Van Zijl PCM, Kauppinen RA. Graded reduction of cerebral blood flow in rat as detected by the nuclear magnetic resonance relaxation time T_2 : A theoretical and experimental approach. *Journal of Cerebral Blood Flow and Metabolism*. 2000;20(2):316-26. - 배제사유: 1
339. Owolabi AT, Proll E. Differentiation of celosia mosaic virus and asparagus virus 1 based on biological properties. *Acta Virologica*. 2000;44(3-4):179-81. - 배제사유: 1
340. Orloff SL, Yin Q, Corless CL, Orloff MS, Rabkin JM, Wagner CR. Tolerance induced by bone marrow chimerism prevents transplant vascular sclerosis in a rat model of small bowel transplant chronic rejection. *Transplantation*. 2000;69(7):1295-303. - 배제사유: 1
341. Means AL, Thompson JR, Gudas LJ. Transcriptional regulation of the cellular retinoic acid binding protein I gene in F9 teratocarcinoma cells. *Cell Growth and Differentiation*. 2000;11(2):71-82 - 배제사유: 1
342. Gulko PS, Kawahito Y, Remmers EF, Van Reese R, Wang J, Dracheva SV, et al. Identification of a new non-major histocompatibility complex genetic locus on chromosome 2 that controls disease severity in collagen-induced arthritis in rats. *Arthritis and Rheumatism*. 1998;41(12):2122-31. - 배제사유: 1
343. Grau V, Herbst B, Steiniger B. Dynamics of monocytes/macrophages and T lymphocytes in acutely rejecting rat renal allografts. *Cell and Tissue Research*. 1997;291(1):117-26. - 배제사유: 1
344. Takayama E, Ohsugi K. Purification of AV-1, a position-specific molecule, and the effects of its antiserum on chick limb pattern formation. *Developmental Biology*. 1996;174(1):148-59. - 배제사유: 1
345. Lee HI, Doan PE, Hoffman BM. General analysis of (^{14}N) ($I = 1$) electron spin echo envelope modulation. *Journal of magnetic resonance (San Diego, Calif. 1999;: 1997)*. 140(1):91-107. - 배제사유: 1
346. Johnson RR, Chaverra ME, Cranston HJ, Pleban T, Dyer WE. Degradation of oat mRNAs during seed development. *Plant Molecular Biology*. 1999;39(4):823-33. - 배제사유: 1
347. Syrtsova LA, Nadtochenko VA, Timofeeva EA. Kinetics of all stages of electron transfer in nitrogenase in the presence of a photodonor. *Biochemistry*. 1998;Biokhimiia. 63(8):1007-13. - 배제사유: 1
348. Druzhinin SY, Syrtsova LA, Denisov NN, Shkondina NI, Gak VY. Xanthene dyes as photochemical donors for the nitrogenase reaction. *Biochemistry*. 1998;Biokhimiia. 63(8):996-1006. - 배제사유: 1
349. Wada N, Ohsugi K, Yokouchi Y, Kuroiwa A, Ide H. Hox gene expression, AV-1 antigen expression, and cartilage pattern formation in chick recombinant limb buds. *Journal of Experimental Zoology*. 1998;281(1):26-35. - 배제사유: 1
350. Sanz AI, Fraile A, Gallego JM, Malpica JM, Garcia-Arenal F. Genetic variability of natural populations of cotton leaf curl geminivirus, a single-stranded DNA virus. *Journal of Molecular Evolution*. 1999;49(5):672-81. - 배제사유: 1
351. Sherburn RE, Large PJ. Amine borate catabolism by bacteria isolated from contaminated metal-working fluids. *Journal of Applied Microbiology*. 1999;87(5):668-75. - 배제사유: 1
352. Nakamura MC, Naper C, Niemi EC, Spusta SC, Rolstad B, Butcher GW, et al. Natural killing of

- xenogeneic cells mediated by the mouse Ly-49D receptor. *Journal of Immunology*. 1999;163(9):4694-700. - 배제사유: 1
353. Dahlman I, Jacobsson L, Glaser A, Lorentzen JC, Andersson M, Luthman H, et al. Genome-wide linkage analysis of chronic relapsing experimental autoimmune encephalomyelitis in the rat identifies a major susceptibility locus on chromosome 9. *Journal of Immunology*. 1999;162(5):2581-8. - 배제사유: 1
354. Naper C, Ryan JC, Kirsch R, Butcher GW, Rolstad B, Vaage JT. Genes in two major histocompatibility complex class I regions control selection, phenotype, and function of a rat Ly-49 natural killer cell subset. *European Journal of Immunology*. 1999;29(6):2046-53. - 배제사유: 1
355. Lukkarinen JA. Neuroprotective role of ornithine decarboxylase activation in transient focal cerebral ischaemia: A study using ornithine decarboxylase-overexpressing transgenic rats. *European Journal of Neuroscience*. 1998;10(6):2046-55. - 배제사유: 1
356. Owolabi TA, Taiwo MA, Thottappilly GA, Shoyinka SA, Proll E, Rabenstein F. Properties of a virus causing mosaic and leaf curl disease of *Celosia argentea* L. in Nigeria. *Acta Virologica*. 1998;42(3):133-9. - 배제사유: 1
357. Burke RD, Lail M, Nakajima Y. The apical lamina and its role in cell adhesion in sea urchin embryos. *Cell Adhesion and Communication*. 1998;5(2):97-108. - 배제사유: 1
358. Engh E, Benestad HB, Strom-Gundersen I, Vaage JT, Bell EB, Rolstad B. Role of classical (RT1.A) and nonclassical (RT1.C) MHC class I regions in natural killer cell-mediated bone marrow allograft rejection in rats. *Transplantation*. 1998;65(3):319-24. - 배제사유: 1
359. Weissert R, Svenningsson A, Lobell A, De Graaf KL, Andersson R, Olsson T. Molecular and genetic requirements for preferential recruitment of TCRBV8S2⁺ T cells in Lewis rat experimental autoimmune encephalomyelitis. *Journal of Immunology*. 1998;160(2):681-90. - 배제사유: 1
360. Grohn OHJ, Lukkarinen JA, Oja JME, Van Zijl PCM, Ulatowski JA, Traystman RJ, et al. Noninvasive detection of cerebral hypoperfusion and reversible ischemia from reductions in the magnetic resonance imaging relaxation time, T_2 . *Journal of Cerebral Blood Flow and Metabolism*. 1998;18(8):911-20. - 배제사유: 1
361. Fujii K, Sivonen K, Adachi K, Noguchi K, Sano H, Hirayama K, et al. Comparative study of toxic and non-toxic cyanobacterial products: Novel peptides from toxic *Nodularia spumigena* AV1. *Tetrahedron Letters*. 1997;38(31):5525-8. - 배제사유: 1
362. Qi Z, Riesbeck K, Ostraat O, Tufveson G, Ekberg H. Single dose anti-CD4 monoclonal antibody for induction of tolerance to cardiac allograft in high- and low-responder rat strain combinations. *Transplant Immunology*. 1997;5(3):204-11. - 배제사유: 1
363. Vollmer J, Fritz M, Dormoy A, Weltzien HU, Moulon C. Dominance of the BV17 element in nickel-specific human T-cell receptors relates to severity of contact sensitivity. *European Journal of Immunology*. 1997;27(8):1865-74. - 배제사유: 1
364. Lorentzen JC, Andersson M, Issazadeh S, Dahlman I, Luthman H, Weissert R, et al. Genetic analysis of inflammation, cytokine mRNA expression and disease course of relapsing experimental autoimmune encephalomyelitis in DA rats. *Journal of Neuroimmunology*. 1997;80(1-2):31-7. - 배제사유: 1
365. Muller A, Suer W, Pohlmann C, Schneider K, Thies WG, Appel H. Comparative in-vivo and in-vitro ⁹⁹Mo-time- differential-perturbed-angular-correlation studies on the nitrogenase MoFe protein and on other Mo species of different N_2 -fixing bacteria. *European Journal of Biochemistry*. 1997;246(2):311-9. - 배제사유: 1
366. Wei S, Charmley P, Concannon P. Organization, polymorphism, and expression of the human T-cell receptor AV1 subfamily. *Immunogenetics*. 1997;45(6):405-12. - 배제사유: 1

367. Johnson JL, Tolley AM, Erickson JA, Watt GD. Steady-state kinetic studies of dithionite utilization, component protein interaction, and the formation of an oxidized iron protein intermediate during *Azotobacter vinelandii* nitrogenase catalysis. *Biochemistry*. 1996;35(35):11336-42. - 배제사유: 1
368. McKenna CE, Simeonov AM, Eran H, Bravo-Leerabhandh M. Reduction of cyclic and acyclic diazene derivatives by *Azotobacter vinelandii* nitrogenase: Diazirine and trans-dimethyldiazene. *Biochemistry*. 1996;35(14):4502-14. - 배제사유: 1
369. Jen Tsi Y. Prediction of protein secondary structure from amino acid sequence. *Journal of Protein Chemistry*. 1996;15(2):185-91. - 배제사유: 1
370. Adrian T. Genome polymorphism of human adenoviruses of subgenus C. *Archives of Virology*. 1996;141(6):1021-31. - 배제사유: 1
371. Duyvis MG, Wassink H, Haaker H. Pre-steady-state kinetics of nitrogenase from *Azotobacter vinelandii*: Evidence for an ATP-induced conformational change of the nitrogenase complex as part of the reaction mechanism. *Journal of Biological Chemistry*. 1996;271(47):29632-6. - 배제사유: 1
372. Miyabe M, Mori S, Van Zijl PCM, Kirsch JR, Eleff SM, Koehler RC, et al. Correlation of the average water diffusion constant with cerebral blood flow and ischemic damage after transient middle cerebral artery occlusion in cats. *Journal of Cerebral Blood Flow and Metabolism*. 1996;16(5):881-91. - 배제사유: 1
373. Naper C, Rolstad B, Wonigeit K, Butcher GW, Vaage JT. Genes in two MHC class I regions control recognition of a single rat NK cell allodeterminant. *International Immunology*. 1996;8(11):1779-85. - 배제사유: 1
374. Lorentzen JC, Klareskog L. Susceptibility of DA rats to arthritis induced with adjuvant oil or rat collagen is determined by genes both within and outside the major histocompatibility complex. *Scandinavian Journal of Immunology*. 1996;44(6):592-8 - 배제사유: 1
375. Decanniere C, Eleff S, Davis D, Van Zijl PCM. Correlation of rapid changes in the average water diffusion constant and the concentrations of lactate and ATP breakdown products during global ischemia in cat brain. *Magnetic Resonance in Medicine*. 1995;34(3):343-52 - 배제사유: 1
376. Ravi N, Moore V, Lloyd SG, Hales BJ, Boi Hanh H. Mossbauer characterization of the metal clusters in *Azotobacter vinelandii* nitrogenase VFe protein. *Journal of Biological Chemistry*. 1994;269(33):20920-4. - 배제사유: 1
377. March KL, Madison JE, Trapnell BC. Pharmacokinetics of adenoviral vector-mediated gene delivery to vascular smooth muscle cells: Modulation by poloxamer 407 and implications for cardiovascular gene therapy. *Human Gene Therapy*. 1995;6(1):41-53. - 배제사유: 1
378. Hong Y, Stanley J. Regulation of African cassava mosaic virus complementary-sense gene expression by N-terminal sequences of the replication-associated protein AC1. *Journal of General Virology*. 1995;76(10):2415-22. - 배제사유: 1
379. Benham AM, Sawyer GJ, Fabre JW. Indirect T cell allorecognition of donor antigens contributes to the rejection of vascularized kidney allografts. *Transplantation*. 1995;59(7):1028-32. - 배제사유: 1
380. Harsi CM, Rolim DP, Gomes SA, Gilio AE, Stewien KE, Baldacci ER, et al. Adenovirus genome types isolated from stools of children with gastroenteritis in Sao Paulo, Brazil. *Journal of Medical Virology*. 1995;45(2):127-34. - 배제사유: 1
381. Jacobs D, Mitchell D, Watt GD. The concentration of cellular nitrogenase proteins in *Azotobacter vinelandii* whole cells as determined by activity measurements and electron paramagnetic resonance spectroscopy. *Archives of Biochemistry and Biophysics*. 1995;324(2):317-24. - 배제사유: 1

382. Larsen C, Christensen S, Watt GD. Reductant-independent ATP hydrolysis catalyzed by homologous nitrogenase proteins from *Azotobacter vinelandii* and heterologous crosses with *Clostridium pasteurianum*. *Archives of Biochemistry and Biophysics*. 1995;323(2):215-22. - 배제사유: 1
383. Murphy G, Dalchau R, Parker KE, Sawyer GJ, Carter CA, Fabre JW. T-cell recognition of an allogeneic RT1-Db(u) class II MHC peptide. *Immunology Letters*. 1994;41(2-3):195-9. - 배제사유: 1
384. Mittereder N, Yei S, Bachurski C, Cuppoletti J, Whitsett JA, Tolstoshev P, et al. Evaluation of the efficacy and safety of in vitro, adenovirus-mediated transfer of the human cystic fibrosis transmembrane conductance regulator cDNA. *Human Gene Therapy*. 1994;5(6):717-29. - 배제사유: 1
385. Kobayashi E, Kamada N, Enosawa S, Toyama N, Walker NI, Miyata M. Prevention by liver transplantation of the graft-versus-host reaction and allograft rejection in a rat model of small bowel transplantation. *Transplantation*. 1994;57(2):177-81 - 배제사유: 1
386. Watanabe A, Ide H. Basic FGF maintains some characteristics of the progress zone of chick limb bud in cell culture. *Developmental Biology*. 1993;159(1):223-31. - 배제사유: 1
387. Kim J, Woo D, Rees DC. X-ray crystal structure of the nitrogenase molybdenum-iron protein from *Clostridium pasteurianum* at 3.0-Å resolution. *Biochemistry*. 1993;32(28):7104-15. - 배제사유: 1
388. Pring-Akerblom P, Adrian T. The hexon genes of adenoviruses of subgenus C: Comparison of the variable regions. *Research in Virology*. 1993;144(2):117-27. - 배제사유: 1
389. Griffiths MM, Cannon GW, Leonard PA, Reese VR. Induction of autoimmune arthritis in rats by immunization with homologous rat type II collagen is restricted to the RT1(av1) haplotype. *Arthritis and Rheumatism*. 1993;36(2):254-8. - 배제사유: 1
390. Watanabe A, Ohsugi K, Ide H. Formation of distal structures from stumps of chick wing buds at stages 24-25 following the grafting of quail tissue from X-irradiated distal limb buds. *The Journal of experimental zoology*. 1993;267(4):447-53. - 배제사유: 1
391. Ohsugi K, Ide H. Expression of AV-1, a position-specific molecule, in response to retinoic acid beads and ZPA grafts in chick limb development. *Developmental Biology*. 1993;156(2):418-25. - 배제사유: 1
392. Takeuchi M, Iwasaki A, Nomoto K, Yoshikai Y. Rat thymic epithelium positively selects mouse T cells with specificity for rat MHC class II antigens but fails to induce detectable tolerance in the mouse T cells to the rat MHC antigens. *Immunobiology*. 1992;186(5):421-34. - 배제사유: 1
393. Haley A, Zhan X, Richardson K, Head K, Morris B. Regulation of the activities of African cassava mosaic virus promoters by the AC1, AC2, and AC3 gene products. *Virology*. 1992;188(2):905-9. - 배제사유: 1
394. Mostarica-Stojkovic M, Vukmanovic S, Ramic Z, Lukic ML. Evidence for target tissue regulation of resistance to the induction of experimental allergic encephalomyelitis in AO rats. *Journal of Neuroimmunology*. 1992;41(1):97-104. - 배제사유: 1
395. Diemann E, Branding A, Muller A. Towards the localization of metal clusters in proteins via molecular conductivity. Imaging of the metal cluster assembly in the FeMo protein of nitrogenase from *Azotobacter vinelandii* (*Av*₁) using scanning tunneling microscopy. *Naturwissenschaften*. 1992;79(6):267-8. - 배제사유: 1
396. Fangmann J, Dalchau R, Fabre JW. Rejection of skin allografts by indirect allorecognition of donor class I major histocompatibility complex peptides. *Journal of Experimental Medicine*. 1992;175(6):1521-9 - 배제사유: 1
397. Fangmann J, Dalchau R, Sawyer GJ, Priestley CA, Fabre JW. T cell recognition of donor major

- histocompatibility complex class I peptides during allograft rejection. *European Journal of Immunology*. 1992;22(6):1525-30. - 배제사유: 1
398. Hyman MR, Seefeldt LC, Morgan TV, Arp DJ, Mortenson LE. Kinetic and spectroscopic analysis of the inactivating effects of nitric oxide on the individual components of *Azotobacter vinelandii* nitrogenase. *Biochemistry*. 1992;31(11):2947-55. - 배제사유: 1
399. Kajon AE, Wadell G. Molecular epidemiology of adenoviruses associated with acute lower respiratory disease of children in Buenos Aires, Argentina (1984-1988). *Journal of Medical Virology*. 1992;36(4):292-7. - 배제사유: 1
400. Dalchau R, Fangmann J, Fabre JW. Allorecognition of isolated, denatured chains of class I and class II major histocompatibility complex molecules. Evidence for an important role for indirect allorecognition in transplantation. *European Journal of Immunology*. 1992;22(3):669-77. - 배제사유: 1
401. Morgan K, Reynolds I, Turner SL. Genetic control of the immune response to collagen by the major histocompatibility complex in the rat: I. Humoral responses to bovine and chick type II collagen. *Matrix*. 1992;12(1):50-5. - 배제사유: 1
402. Griffiths MM, Cremer MA, Harper DS, McCall S, Cannon GW. Immunogenetics of collagen-induced arthritis in rats: Both MHC and non-MHC gene products determine the epitope specificity of immune response to bovine and chick type II collagens. *Journal of Immunology*. 1992;149(1):309-16 - 배제사유: 1
403. Yokouchi Y, Ohsugi K, Uchiyama K, Ide H. Control of the expression of AV-1 protein, a position-specific antigen, by ZPA (zone of polarizing activity) factor in the chick limb bud. *Development Growth and Differentiation*. 1991;33(2):173-80. - 배제사유: 1
404. McKenna CE, Gutheil WG, Song W. A method for preparing analytically pure sodium dithionite. Dithionite quality and observed nitrogenase-specific activities. *Biochimica et Biophysica Acta - General Subjects*. 1991;1075(1):109-17. - 배제사유: 1
405. Morris B, Richardson K, Eddy P, Zhan X, Haley A, Gardner R. Mutagenesis of the AC3 open reading frame of African cassava mosaic virus DNA A reduces DNA B replication and ameliorates disease symptoms. *Journal of General Virology*. 1991;72(6):1205-13. - 배제사유: 1
406. Davies JD, Wilson DH, Butcher GW, Wilson DB. Generation of T cells with lytic specificity for atypical antigens. II. A novel antigen system in the rat dependent on homozygous expression of major histocompatibility complex genes of the class I-like RT1C region. *Journal of Experimental Medicine*. 1991;173(4):833-9. - 배제사유: 1
407. Berthod A, Borgerding MF, Hinze WL. Investigation of the causes of reduced efficiency in micellar liquid chromatography. *Journal of Chromatography*. 1991;556(1-2):263-75. - 배제사유: 1
408. Fellingner E, Sztan M, Rez G. Time course of neutral red-induced autophagy in murine pancreatic acinar cells. A morphometrical and cytochemical study. *Acta biologica Hungarica*. 1991;42(1-3):101-18. - 배제사유: 1
409. Fasel T, Schirmer U, Wick C, Pfenninger E, Siegler W, Altemeyer KH. Mechanical ventilation on a pediatric circle system - In vitro and animal experimental investigations of the minimal tidal volume delivered by three different anesthesia ventilators. [German]. *Anaesthesist*. 1991;40(11):624-8. - 배제사유: 1
410. Binder A, Gartner K, Hedrich HJ, Hermanns W, Kirchhoff H, Wonigeit K. Strain differences in sensitivity of rats to *Mycoplasma arthritis* ISR 1 infection are under multiple gene control. *Infection and Immunity*. 1990;58(6):1584-90. - 배제사유: 1
411. Deits TL, Howard JB. Effect of salts on *Azotobacter vinelandii* nitrogenase activities. Inhibition of iron chelation and substrate reduction. *Journal of Biological Chemistry*. 1990;265(7):3859-67. - 배제사유: 1

412. Rez G, Laszlo L, Fellingner E, Kovacs AL, Kovacs J. Time course of the quantitative changes in the autophagic-lysosomal and secretory granule compartments of murine liver cells under the influence of vinblastine. *Virchows Archiv - B Cell Pathology Including Molecular Pathology*. 1990;58(3):189-97. - 배제사유: 1
413. Quigley RL, Wood KJ, Morris PJ. Transfusion induces blood donor-specific suppressor cells. *Journal of Immunology*. 1989;142(2):463-70. - 배제사유: 1
414. Willing AH, Georgiadis MM, Rees DC, Howard JB. Cross-linking of nitrogenase components. Structure and activity of the covalent complex. *The Journal of biological chemistry*. 1989;264(15):8499-503. - 배제사유: 1
415. Vaughn SA, Burgess BK. Nitrite, a new substrate for nitrogenase. *Biochemistry*. 1989;28(2):419-24. - 배제사유: 1
416. Fukushi H, Hirai K. Genetic diversity of avian and mammalian *Chlamydia psittaci* strains and relation to host origin. *Journal of Bacteriology*. 1989;171(5):2850-5. - 배제사유: 1
417. Sakagami K, Ohsaki T, Ohnishi T, Saito S, Matsuoka J, Orita K. The effect of anti-interleukin 2 monoclonal antibody treatment on the survival of rat cardiac allograft. *Journal of Surgical Research*. 1989;46(3):262-6. - 배제사유: 1
418. Morgan TV, Mortenson LE, McDonald JW, Watt GD. Comparison of redox and EPR properties of the molybdenum iron proteins of *Clostridium pasteurianum* and *Azotobacter vinelandii* nitrogenases. *Journal of inorganic biochemistry*. 1988;33(2):111-20. - 배제사유: 1
419. Ohsugi K, Ide H, Momoi T. Temporal and spatial expression of a position specific antigen, AV-1, in chick limb buds. *Developmental Biology*. 1988;130(2):454-63. - 배제사유: 1
420. Nandedkar TD, Kadam AL, Moodbidri SB. Control of follicular maturation in the mouse by a nonsteroidal regulator from sheep follicular fluid. *International Journal of Fertility*. 1988;33(1):52-9. - 배제사유: 1
421. Delisle AL, Donkersloot JA, Kolenbrander PE, Tylenda CA. Use of lytic bacteriophage for *Actinomyces viscosus* T14V as a probe for cell surface components mediating intergeneric coaggregation. *Infection and Immunity*. 1988;56(1):54-9. - 배제사유: 1
422. Murrell SA, Lowery RG, Ludden PW. ADP-ribosylation of dinitrogenase reductase from *Clostridium pasteurianum* prevents its inhibition of nitrogenase from *Azotobacter vinelandii*. *Biochemical Journal*. 1988;251(2):609-12. - 배제사유: 1
423. Walsh CA, Singer LP, Mercado AD, Furman S. Differentiation of arrhythmias in the dog by measurement of activation sequence using an atrial and two ventricular electrodes. *PACE - Pacing and Clinical Electrophysiology*. 1988;11(11 II):1732-8. - 배제사유: 1
424. Dingler C, Kuhla J, Wassink H, Oelze J. Levels and activities of nitrogenase proteins in *Azotobacter vinelandii* grown at different dissolved oxygen concentrations. *Journal of bacteriology*. 1988;170(5):2148-52. - 배제사유: 1
425. Burgess BK, Jacobs DB, Stiefel EI. Large-scale purification of high activity *Azotobacter vinelandii* nitrogenase. *Biochimica et biophysica acta*. 1980;614(1):196-209. - 배제사유: 1
426. Adam E, Dan P, Nasz I, Lengyel A, Erdei J, Facht J. Distribution pattern of adenovirus hexon epitopes in infected cells determined with monoclonal antibodies by immunofluorescence analysis. *Acta microbiologica Hungarica*. 1987;34(3-4):247-54. - 배제사유: 1
427. Herbert J, Roser B. Lymphocyte subpopulations and memory of MHC antigens: I. Quantitative aspects of neonatal heart graft rejection in normal and immune rats. *Transplantation*. 1987;43(4):556-60. - 배제사유: 1
428. Hales BJ, Langosch DJ, Case EE. Isolation and characterization of a second nitrogenase Fe-protein from *Azotobacter vinelandii*. *The Journal of biological chemistry*. 1986;261(32):15301-6. -

배제사유: 1

429. Delisle AL. Growth of *Actinomyces viscosus* bacteriophage Av-1 in the presence of serum, saliva and dental plaque. *Microbios Letters*. 1986;33(131-132):107-13. - 배제사유: 1
430. Hales BJ, Case EE, Morningstar JE. Isolation of a new vanadium-containing nitrogenase from *Azotobacter vinelandii*. *Biochemistry*. 1986;25(23):7251-5. - 배제사유: 1
431. Watt GD, Wang ZC. Further redox reactions of metal clusters in the molybdenum-iron protein of *Azotobacter vinelandii* nitrogenase. *Biochemistry*. 1986;25(18):5196-202. - 배제사유: 1
432. Sasaki T, Furihata K, Shimazu A. A novel macrolide antibiotic, notonesomycin A. *Journal of Antibiotics*. 1986;39(4):502-9. - 배제사유: 1
433. Rubinson JF, Burgess BK, Corbin JL, Dilworth MJ. Nitrogenase reactivity: Azide reduction. *Biochemistry*. 1985;24(2):273-83. - 배제사유: 1
434. Stephenson SP, Morley RC, Butcher GW. Genetics of the rat CT system: Its apparent complexity is a consequence of cross-reactivity between the distinct MHC class I antigens RT1.C and RT1.A. *Journal of Immunogenetics*. 1985;12(2):101-14. - 배제사유: 1
435. Cordewener J, Haaker H, Van Ewijk P, Veeger C. Properties of the MgATP and MgADP binding sites on the Fe protein of nitrogenase from *Azotobacter vinelandii*. *European Journal of Biochemistry*. 1985;148(3):499-508. - 배제사유: 1
436. Nakahiro M, Saito K, Yamada I, Yoshida H. Antagonistic effect of delta-aminovaleric acid on bicuculline-insensitive gamma-aminobutyric acid(B) (GABA(B)) sites in the rat's brain. *Neuroscience Letters*. 1985;57(3):263-6 - 배제사유: 1
437. Griffiths MM, DeWitt CW. Modulation of collagen-induced arthritis in rats by non-RT1-linked genes. *Journal of Immunology*. 1984;133(6):3043-6. - 배제사유: 1
438. Silvius JR, McMillen DA, Saley ND, Jost PC, Griffith OH. Competition between cholesterol and phosphatidylcholine for the hydrophobic surface of sarcoplasmic reticulum Ca²⁺ ATPase. *Biochemistry*. 1984;23(3):538-47. - 배제사유: 1
439. Voordouw G, Haaker H, Van Breemen JF, Van Bruggen EF, Eady RR. Structure of the Mo-Fe protein component of *Azotobacter vinelandii* nitrogenase. Analytical ultracentrifugation and electron microscopy studies. *European journal of biochemistry / FEBS*. 1983;136(2):397-401. - 배제사유: 1
440. Scherings G, Haaker H, Wassink H, Veeger C. On the formation of an oxygen-tolerant three-component nitrogenase complex from *Azotobacter vinelandii*. *European journal of biochemistry / FEBS*. 1983;135(3):591-9. - 배제사유: 1
441. Braaksma A, Haaker H, Veeger C. Fully active Fe-protein of the nitrogenase from *Azotobacter vinelandii* contains at least eight iron atoms and eight sulphide atoms per molecule. *European journal of biochemistry / FEBS*. 1983;133(1):71-6. - 배제사유: 1
442. Rubinson JF, Corbin JL, Burgess BK. Nitrogenase reactivity: methyl isocyanide as substrate and inhibitor. *Biochemistry*. 1983;22(26):6260-8. - 배제사유: 1
443. Li J, Burgess BK, Corbin JL. Nitrogenase reactivity: cyanide as substrate and inhibitor. *Biochemistry*. 1982;21(18):4393-402. - 배제사유: 1
444. Stephens PJ, McKenna CE, McKenna MC, Nguyen HT, Devlin F. Circular dichroism and magnetic circular dichroism of reduced molybdenum-iron protein of *Azotobacter vinelandii* nitrogenase. *Biochemistry*. 1981;20(10):2857-64. - 배제사유: 1
445. Burgess BK, Stiefel EI, Newton WE. Oxidation-reduction properties and complexation reactions of the iron-molybdenum cofactor of nitrogenase. *The Journal of biological chemistry*. 1980;255(2):353-6. - 배제사유: 1

446. Hierholzer JC, Pumarola A. Antigenic characterization of intermediate adenovirus 14-11 strains associated with upper respiratory illness in a military camp. *Infection and Immunity*. 1976;13(2):354-9. - 배제사유: 1
447. Risser R, Potter M, Rowe WP. Abelson virus-induced lymphomagenesis in mice. *Journal of Experimental Medicine*. 1978;148(3):714-26. - 배제사유: 1
448. Bourland JD, Tacker Jr WA, Geddes LA, Chafee V. Comparative efficacy of damped sine wave and square wave current for transchest ventricular defibrillation in animals. *Medical Instrumentation*. 1978;12(1):42-5. - 배제사유: 1
449. Bourland JD, Tacker Jr WA, Geddes LA. Strength-duration curves for trapezoidal waveforms of various tilts for transchest defibrillation in animals. *Medical Instrumentation*. 1978;12(1):38-41. - 배제사유: 1
450. Kish ML, Young BG. Some factors affecting the expression of Epstein Barr virus associated membrane antigens. *Journal of the National Cancer Institute*. 1977;59(5):1375-81. - 배제사유: 1
451. Dumont F, Robert F. Electrokinetic properties of lymphocytes separated from mouse Peyer's patches. *Immunology*. 1977;33(3):295-303. - 배제사유: 1
452. Shan L. ¹⁸F-Labeled 5-(5-(2-(2-(2-fluoroethoxy)ethoxy)ethoxy)benzofuran-2-yl)-N,N-dimethylpyridin-2-amine. *National Center for Biotechnology Information*. 2004. - 배제사유: 1
453. Podkoscielna B, Wawrzekiewicz M, Klapiszewski L. Synthesis, Characterization and Sorption Ability of Epoxy Resin-Based Sorbents with Amine Groups. *Polymers*. 2021;13(23):27. - 배제사유: 1
454. Castro RM, Moreira L, Rojas MR, Gilbertson RL, Hernandez E, Mora F, et al. Occurrence of Squash yellow mild mottle virus and Pepper golden mosaic virus in Potential New Hosts in Costa Rica. *Plant Pathology Journal*. 2013;29(3):285-93. - 배제사유: 1
455. Biel D, Brendel M, Rubinski A, Buerger K, Janowitz D, Dichgans M, et al. Tau-PET and in vivo Braak-staging as prognostic markers of future cognitive decline in cognitively normal to demented individuals. *Alzheimer's Research & Therapy*. 2021;13(1):137. - 배제사유: 1
456. Rejc L, Gomez-Vallejo V, Rios X, Cossio U, Baz Z, Mujica E, et al. Oral Treatment with Iododiflunisal Delays Hippocampal Amyloid-beta Formation in a Transgenic Mouse Model of Alzheimer's Disease: A Longitudinal in vivo Molecular Imaging Study1. *Journal of Alzheimer's Disease*. 2020;77(1):99-112. - 배제사유: 1
457. Al Haddad T, Khoury E, Farhat Mchayleh N. Comparison of the Remineralizing Effect of Brushing with Aloe vera versus Fluoride Toothpaste. *European journal of dentistry*. 2021;15(1):133-8. - 배제사유: 1
458. Wang ZC, Watt GD. Large anions induce H₂-production from the nitrogenase MoFe proteins of *Clostridium Pasteurianum* and *Azotobacter vinelandii*. *Journal of Inorganic Biochemistry*. 2020;208:111075. - 배제사유: 1
459. Auvity S, Tonietto M, Caille F, Bodini B, Bottlaender M, Tournier N, et al. Repurposing radiotracers for myelin imaging: a study comparing ¹⁸F-florbetaben, ¹⁸F-florbetapir, ¹⁸F-flutemetamol, ¹¹C-MeDAS, and ¹¹C-PiB. *European Journal of Nuclear Medicine & Molecular Imaging*. 2020;47(2):490-501. - 배제사유: 1
460. Sacher C, Blume T, Beyer L, Peters F, Eckenweber F, Sgobio C, et al. Longitudinal PET Monitoring of Amyloidosis and Microglial Activation in a Second-Generation Amyloid-beta Mouse Model. *Journal of Nuclear Medicine*. 2019;60(12):1787-93. - 배제사유: 1
461. Blume T, Focke C, Peters F, Deussing M, Albert NL, Lindner S, et al. Microglial response to increasing amyloid load saturates with aging: a longitudinal dual tracer in vivo muPET-study.

- Journal of Neuroinflammation. 2018;15(1):307. - 배제사유: 1
462. Kim HJ, Cho H, Werring DJ, Jang YK, Kim YJ, Lee JS, et al. 18F-AV-1451 PET Imaging in Three Patients with Probable Cerebral Amyloid Angiopathy. *Journal of Alzheimer's Disease*. 2017;57(3):711-6. - 배제사유: 1
463. Esposito M, Dubbioso R, Tozza S, Iodice R, Aiello M, Nicolai E, et al. In vivo evidence of cortical amyloid deposition in the adult form of Niemann Pick type C. *Heliyon*. 2019;5(11):e02776. - 배제사유: 1
464. Besrou-Aouam N, Mohedano ML, Fhoula I, Zarour K, Najjari A, Aznar R, et al. Different Modes of Regulation of the Expression of Dextranucrase in *Leuconostoc lactis* AV1n and *Lactobacillus sakei* MN1. *Frontiers in Microbiology*. 2019;10:959. - 배제사유: 1
465. Goicoechea JR, Cuadrado S, Pety J, Bron E, Black JH, Cernicharo J, et al. Spatially resolved images of reactive ions in the Orion Bar. *Astronomy & Astrophysics*. 2017;601. - 배제사유: 1
466. Lata P, Govindarajan SS, Qi F, Li JL, Maurya SK, Sahoo MK. Draft Genome Sequences of Extended-Spectrum-Beta-Lactamase-Producing *Morganella morganii* Strains AAI and AV1, Isolated from a Freshwater Lake and *Eichhornia crassipes* Roots. *Genome Announcements*. 2017;5(24):15. - 배제사유: 1
467. Smith R, Puschmann A, Scholl M, Ohlsson T, van Swieten J, Honer M, et al. 18F-AV-1451 tau PET imaging correlates strongly with tau neuropathology in MAPT mutation carriers. *Brain*. 2016;139(Pt 9):2372-9. - 배제사유: 1
468. Senda M, Brooks DJ, Farrar G, Somer EJ, Paterson CL, Sasaki M, et al. The clinical safety, biodistribution and internal radiation dosimetry of flutemetamol (18F) injection in healthy Japanese adult volunteers. *Annals of Nuclear Medicine*. 2015;29(7):627-35. - 배제사유: 1
469. Brendel M, Jaworska A, Griesinger E, Rotzer C, Burgold S, Gildehaus FJ, et al. Cross-sectional comparison of small animal [18F]-florbetaben amyloid-PET between transgenic AD mouse models. *PLoS ONE [Electronic Resource]*. 2015;10(2):e0116678. - 배제사유: 1
470. Waldron AM, Verhaeghe J, wyffels L, Schmidt M, Langlois X, Van Der Linden A, et al. Preclinical Comparison of the Amyloid-beta Radioligands [(11)C]Pittsburgh compound B and [(18)F]florbetaben in Aged APPPS1-21 and BRI1-42 Mouse Models of Cerebral Amyloidosis. *Molecular Imaging & Biology*. 2015;17(5):688-96. - 배제사유: 1
471. Brendel M, Delker A, Rotzer C, Boning G, Carlsen J, Cyran C, et al. Impact of partial volume effect correction on cerebral beta-amyloid imaging in APP-Swe mice using [(18)F]-florbetaben PET. *Neuroimage*. 2014;84:843-53. - 배제사유: 1
472. Wong DF, Moghekar AR, Rigamonti D, Brasic JR, Rousset O, Willis W, et al. An in vivo evaluation of cerebral cortical amyloid with [18F]flutemetamol using positron emission tomography compared with parietal biopsy samples in living normal pressure hydrocephalus patients. *Molecular Imaging & Biology*. 2013;15(2):230-7. - 배제사유: 1
473. Rominger A, Brendel M, Burgold S, Keppler K, Baumann K, Xiong G, et al. Longitudinal assessment of cerebral beta-amyloid deposition in mice overexpressing Swedish mutant beta-amyloid precursor protein using 18F-florbetaben PET. *Journal of Nuclear Medicine*. 2013;54(7):1127-34. - 배제사유: 1
474. Leinonen V, Rinne JO, Virtanen KA, Eskola O, Rummukainen J, Huttunen J, et al. Positron emission tomography with [18F]flutemetamol and [11C]PiB for in vivo detection of cerebral cortical amyloid in normal pressure hydrocephalus patients. *European Journal of Neurology*. 2013;20(7):1043-52. - 배제사유: 1
475. Vu TV, Choudhury NR, Mukherjee SK. Transgenic tomato plants expressing artificial microRNAs for silencing the pre-coat and coat proteins of a begomovirus, Tomato leaf curl New Delhi virus, show tolerance to virus infection. *Virus Research*. 2013;172(1-2):35-45. - 배제사유: 1

476. Kim JS, Lee GB, Hong YJ, Park KW. Corticobasal Degeneration Presenting as Non-Fluent/Agrammatic Primary Progressive Aphasia: A Case Report. *Dementia and Neurocognitive Disorders*. 2016;15(2):55-8. - 배제사유: 1
477. Overhoff F, Brendel M, Jaworska A, Korzhova V, Delker A, Probst F, et al. Automated Spatial Brain Normalization and Hindbrain White Matter Reference Tissue Give Improved [(18)F]-Florbetaben PET Quantitation in Alzheimer's Model Mice. *Frontiers in Neuroscience*. 2016;10:45. - 배제사유: 1
478. Waldron AM, Verhaeghe J, Wyffels L, Schmidt M, Langlois X, Van Der Linden A, et al. Erratum to: Preclinical Comparison of the Amyloid-beta Radioligands [(11)C]Pittsburgh compound B and [(18)F]florbetaben in Aged APPPS1-21 and BRI1-42 Mouse Models of Cerebral Amyloidosis. *Molecular Imaging & Biology*. 2015;17(6):893. - 배제사유: 1
479. Yoon JY, Choi GS, Cho IS, Choi SK. First Report of Cucumber mosaic virus in *Saintpaulia ionantha* in Korea. *Plant Disease*. 2014;98(4):573. - 배제사유: 1
480. Shahid MS, Natsuaki KT. Identification of Tomato yellow leaf curl virus Naturally Infecting Common Bean in Japan. *Plant Disease*. 2014;98(10):1447. - 배제사유: 1
481. Snellman A, Rokka J, Lopez-Picon FR, Eskola O, Salmona M, Forloni G, et al. In vivo PET imaging of beta-amyloid deposition in mouse models of Alzheimer's disease with a high specific activity PET imaging agent [(18)F]flutemetamol. *EJNMMI Research*. 2014;4:37. - 배제사유: 1
482. Qin Y, Zhang Z, Qiao Z, Qiao Q, Zhang D, Tian Y, et al. First Report of Sweet potato leaf curl Georgia virus on Sweet Potato in China. *Plant Disease*. 2013;97(10):1388. - 배제사유: 1
483. Guerrero EB, De Francesco A, Garcia ML, Balatti PA, Bo ED. First Report of Tomato rugose yellow leaf curl virus Infecting Tomato in Argentina. *Plant Disease*. 2013;97(12):1662. - 배제사유: 1
484. Snellman A, Rokka J, Lopez-Picon FR, Eskola O, Wilson I, Farrar G, et al. Pharmacokinetics of [18F]flutemetamol in wild-type rodents and its binding to beta amyloid deposits in a mouse model of Alzheimer's disease. *European Journal of Nuclear Medicine & Molecular Imaging*. 2012;39(11):1784-95. - 배제사유: 1
485. Menezes SP, dos Santos JL, Cardoso TH, Pirovani CP, Micheli F, Noronha FS, et al. Evaluation of the allergenicity potential of TcPR-10 protein from *Theobroma cacao*. *PLoS ONE [Electronic Resource]*. 2012;7(6):e37969. - 배제사유: 1
486. Fodero-Tavoletti MT, Brockschnieder D, Villemagne VL, Martin L, Connor AR, Thiele A, et al. In vitro characterization of [18F]-florbetaben, an Abeta imaging radiotracer. *Nuclear Medicine & Biology*. 2012;39(7):1042-8. - 배제사유: 1
487. Tuncel J, Haag S, Carlsen S, Yau AC, Lu S, Burkhardt H, et al. Class II major histocompatibility complex-associated response to type XI collagen regulates the development of chronic arthritis in rats. *Arthritis & Rheumatism*. 2012;64(8):2537-47. - 배제사유: 1
488. Ali-Shtayeh MS, Jamous RM, Hussein EY, Mallah OB, Abu-Zaitoun SY. First Report of Watermelon chlorotic stunt virus in Watermelon in the Palestinian Authority. *Plant Disease*. 2012;96(1):149. - 배제사유: 1
489. Barkley NA, Pinnow DL, Wang ML, Ling KS, Jarret RL. Detection and Classification of SPLCV Isolates in the U.S. Sweetpotato Germplasm Collection via a Real-Time PCR Assay and Phylogenetic Analysis. *Plant Disease*. 2011;95(11):1385-91. - 배제사유: 1
490. Shih SL, Tsai WS, Lee LM, Wang JT, Green SK, Kenyon L. First Report of Tomato yellow leaf curl Thailand virus Associated with Pepper Leaf Curl Disease in Taiwan. *Plant Disease*. 2010;94(5):637. - 배제사유: 1
491. Ali-Shtayeh MS, Jamous RM, Husein EY, Alkhader MY. First Report of Squash leaf curl virus in Squash (*Cucurbita pepo*), Melon (*Cucumis melo*), and Cucumber (*Cucumis sativa*) in the Northern West Bank of the Palestinian Authority. *Plant Disease*. 2010;94(5):640. - 배제사유: 1

492. Jan FJ, Green SK, Shih SL, Lee LM, Ito H, Kimbara J, et al. First Report of Tomato yellow leaf curl Thailand virus in Taiwan. *Plant Disease*. 2007;91(10):1363. - 배제사유: 1
493. Singh AK, Chattopadhyay B, Pandey PK, Singh AK, Chakraborty S. A New Begomovirus Species Causing Leaf Curl Disease of Radish in India. *Plant Disease*. 2007;91(8):1053. - 배제사유: 1
494. Luan YS, Zhang J, An LJ. First Report of Sweet potato leaf curl virus in China. *Plant Disease*. 2006;90(8):1111. - 배제사유: 1
495. Green SK, Tsai WS, Shih SL, Rezaian MA, Duangsong U. Molecular Characterization of a New Begomovirus Associated with Tomato Yellow Leaf Curl and Eggplant Yellow Mosaic Diseases in Thailand. *Plant Disease*. 2003;87(4):446. - 배제사유: 1
496. Shih SL, Tsai WS, Green SK, Khalid S, Ahmad I, Rezaian MA, et al. Molecular Characterization of Tomato and Chili Leaf Curl Begomoviruses from Pakistan. *Plant Disease*. 2003;87(2):200. - 배제사유: 1
497. Samretwanich K, Chiemsombat P, Kittipakorn K, Ikegami M. Yellow Leaf Disease of Cantaloupe and Wax Gourd from Thailand Caused by Tomato leaf curl virus. *Plant Disease*. 2000;84(2):200. - 배제사유: 1
498. Lotrakul P, Valverde RA, De La Torre R, Sim J, Gomez A. Occurrence of a Strain of Texas pepper virus in Tabasco and Habanero Pepper in Costa Rica. *Plant Disease*. 2000;84(2):168-72. - 배제사유: 1
499. Guzman P, Sudarshana MR, Seo YS, Rojas MR, Natwick E, Turini T, et al. A New Bipartite Geminivirus (Begomovirus) Causing Leaf Curl and Crumpling in Cucurbits in the Imperial Valley of California. *Plant Disease*. 2000;84(4):488. - 배제사유: 1
500. Pietersen G, Idris AM, Kruger K, Brown JK. Tomato curly stunt virus, a New Begomovirus of Tomato Within the Tomato yellow leaf curl virus-IS Cluster in South Africa. *Plant Disease*. 2000;84(7):810. - 배제사유: 1
501. Lotrakul P, Valverde RA, Landry AD. Biological and Molecular Properties of a Begomovirus from *Dicliptera sexangularis*. *Phytopathology*. 2000;90(7):723-9. - 배제사유: 1
502. King TC, Kuo YK. Phase properties of a zigzag chain lattice gas with Coulomb interactions. *Physical Review E Statistical, Nonlinear, & Soft Matter Physics*. 2003;68(3 Pt 2):036116. - 배제사유: 1
503. Nickell JR, Zheng G, Deaciuc AG, Crooks PA, Dwoskin LP. Phenyl ring-substituted lobelane analogs: inhibition of [³H]dopamine uptake at the vesicular monoamine transporter-2. *Journal of Pharmacology & Experimental Therapeutics*. 2011;336(3):724-33. - 배제사유: 1
504. Cavassani SS, Junqueira VB, Moraes JB, Luzo KK, Silva CM, Barros M, et al. Short courses of mechanical ventilation with high-O₂ levels in elderly rat lungs. *Acta Cirurgica Brasileira*. 2011;26(2):107-13. - 배제사유: 1
505. Koole M, Lewis DM, Buckley C, Nelissen N, Vandenbulcke M, Brooks DJ, et al. Whole-body biodistribution and radiation dosimetry of ¹⁸F-GE067: a radioligand for in vivo brain amyloid imaging. *Journal of Nuclear Medicine*. 2009;50(5):818-22. - 배제사유: 1
506. Matsuzaki Y, Xu Y, Ikegami M, Besnard V, Park KS, Hull WM, et al. Stat3 is required for cytoprotection of the respiratory epithelium during adenoviral infection. *Journal of Immunology*. 2006;177(1):527-37. - 배제사유: 1
507. Chou YK, Culbertson N, Rich C, LaTocha D, Buenafe AC, Huan J, et al. T-cell hybridoma specific for myelin oligodendrocyte glycoprotein-35-55 peptide produced from HLA-DRB1 1501-transgenic mice. *Journal of Neuroscience Research*. 2004;77(5):670-80. - 배제사유: 1
508. Kleine H, Wilke R, Pelargus C, Rott K, Puhler A, Reiss G, et al. Absence of intrinsic electric conductivity in single dsDNA molecules. *Journal of Biotechnology*. 2004;112(1-2):91-5. - 배제사유:

509. Lukkarinen JA, Kauppinen RA, Grohn OH, Oja JM, Sinervirta R, Jarvinen A, et al. Neuroprotective role of ornithine decarboxylase activation in transient focal cerebral ischaemia: a study using ornithine decarboxylase-overexpressing transgenic rats. *European Journal of Neuroscience*. 1998;10(6):2046-55. - 배제사유: 1
510. Muller A, Suer W, Pohlmann C, Schneider K, Thies WG, Appel H. Comparative in-vivo and in-vitro ⁹⁹Mo-time-differential-perturbed-angular-correlation studies on the nitrogenase MoFe protein and on other Mo species of different N₂-fixing bacteria. *European Journal of Biochemistry*. 1997;246(2):311-9. - 배제사유: 1
511. Miller RW, Eady RR, Gormal C, Fairhurst SA, Smith BE. Covalent modification of nitrogenase MoFe protein by ADP. *Biochemical Journal*. 1997;322(Pt 3):737-44. - 배제사유: 1
512. McKenna CE, Simeonov AM, Eran H, Bravo-Leerabhandh M. Reduction of cyclic and acyclic diazene derivatives by *Azotobacter vinelandii* nitrogenase: diazirine and trans-dimethyldiazene. *Biochemistry*. 1996;35(14):4502-14. - 배제사유: 1
513. Tittsworth RC, Hales BJ. Oxidative titration of the nitrogenase VFe protein from *Azotobacter vinelandii*: an example of redox-gated electron flow. *Biochemistry*. 1996;35(2):479-87. - 배제사유: 1
514. Blanchard CZ, Hales BJ. Isolation of two forms of the nitrogenase VFe protein from *Azotobacter vinelandii*. *Biochemistry*. 1996;35(2):472-8. - 배제사유: 1
515. Idris AM, Brown JK. Sinaloa Tomato Leaf Curl Geminivirus: Biological and Molecular Evidence for a New Subgroup III Virus. *Phytopathology*. 1998;88(7):648-57. - 배제사유: 1
516. Liu Y, Cai J, Li D, Qin B, Tian B. Chinese tomato yellow leaf curl virus- a new species of geminivirus. *Science in China Series C, Life Sciences*. 1998;41(4):337-43. - 배제사유: 1
517. Chiang BT, Nakhla MK, Maxwell DP, Schoenfelder M, Green SK. A New Geminivirus Associated with a Leaf Curl Disease of Tomato in Tanzania. *Plant Disease*. 1997;81(1):111. - 배제사유: 1
518. Faria JC, Souza-Dias JAC, Slack SA, Maxwell DP. A New Geminivirus Associated with Tomato in the State of Sao Paulo, Brazil. *Plant Disease*. 1997;81(4):423. - 배제사유: 1
519. Guzman P, Arredondo CR, Emmatty D, Portillo RJ, Gilbertson RL. Partial Characterization of Two Whitefly-Transmitted Geminiviruses Infecting Tomatoes in Venezuela. *Plant Disease*. 1997;81(3):312. - 배제사유: 1
520. Roye ME, McLaughlin WA, Nakhla MK, Maxwell DP. Genetic Diversity Among Geminiviruses Associated with the Weed Species *Sida* spp., *Macroptilium lathyroides*, and *Wissadula amplissima* from Jamaica. *Plant Disease*. 1997;81(11):1251-8. - 배제사유: 1
521. Piloyan GO, Dolinina YV. On the theory of thermometric titration. *Talanta*. 1974;21(9):975-8. - 배제사유: 1
522. Ravi N, Moore V, Lloyd SG, Hales BJ, Huynh BH. Mossbauer characterization of the metal clusters in *Azotobacter vinelandii* nitrogenase VFe protein. *Journal of Biological Chemistry*. 1994;269(33):20920-4. - 배제사유: 1
523. Rybicki EP. A phylogenetic and evolutionary justification for three genera of Geminiviridae. *Archives of Virology*. 1994;139(1-2):49-77. - 배제사유: 1
524. Yei S, Mittereder N, Tang K, O'Sullivan C, Trapnell BC. Adenovirus-mediated gene transfer for cystic fibrosis: quantitative evaluation of repeated in vivo vector administration to the lung. *Gene Therapy*. 1994;1(3):192-200. - 배제사유: 1
525. Rez G, Fellinger E, Reti M, Biczo I, Kovacs AL. Time course of quantitative morphological changes of the autophagic-lysosomal compartment of murine seminal vesicle epithelial cells under the influence of vinblastine. *Journal of Submicroscopic Cytology & Pathology*. 1990;22(4):529-34.

- 배제사유: 1

526. Adrian T, Sassinek J, Wigand R. Genome type analysis of 480 isolates of adenovirus types 1, 2, and 5. *Archives of Virology*. 1990;112(3-4):235-48. - 배제사유: 1
527. Adrian T, Wigand R, Knocke KW, Schafer G, Grundmann M. Genome type analysis of adenoviruses: isolates from one year from the Hannover area. *Archives of Virology*. 1989;105(1-2):89-101. - 배제사유: 1
528. Spencer SC, Fabre JW. Water-soluble form of RT1.A class I MHC molecules in the kidney and liver of the rat. *Immunogenetics*. 1987;25(2):91-8. - 배제사유: 1
529. Adam E, Nasz I, Lengyel A, Erdei J, Facht J. Determination of different antigenic sites on the adenovirus hexon using monoclonal antibodies. *Archives of Virology*. 1987;93(3-4):261-71. - 배제사유: 1
530. Ohsugi K, Ide H. Position specific binding of a monoclonal antibody in chick limb buds. *Developmental Biology*. 1986;117(2):676-9. - 배제사유: 1
531. Hales BJ, Case EE, Morningstar JE, Dzeda MF, Mauterer LA. Isolation of a new vanadium-containing nitrogenase from *Azotobacter vinelandii*. *Biochemistry*. 1986;25(23):7251-5. - 배제사유: 1
532. Stephens PJ, McKenna CE, Smith BE, Nguyen HT, McKenna MC, Thomson AJ, et al. Circular dichroism and magnetic circular dichroism of nitrogenase proteins. *Proceedings of the National Academy of Sciences of the United States of America*. 1979;76(6):2585-9. - 배제사유: 1
533. Emerich DW, Ljones T, Burris RH. Nitrogenase: properties of the catalytically inactive complex between the *Azotobacter vinelandii* MoFe protein and the *Clostridium pasteurianum* Fe protein. *Biochimica et Biophysica Acta*. 1978;527(2):359-69. - 배제사유: 1
534. Bass LR, Hetrick FM. Human lymphoblastoid cells as hosts for parvoviruses H-1 and rat virus. *Journal of Virology*. 1978;25(2):486-90. - 배제사유: 1
535. Kish ML, Young BG. Some factors affecting the expression of Epstein-Barr virus-associated membrane antigens. *Journal of the National Cancer Institute*. 1977;59(5):1375-81. - 배제사유: 1
536. Hye Joo S. Assessment of brain beta-amyloid deposition in transgenic mouse models of Alzheimer's disease with PET imaging agents ^{18}F -flutemetamol and ^{18}F -florbetaben. *한국실험동물학회 학술발표대회 논문집*. 2020;2020(7):126- - 배제사유: 1
537. 조국. Classification of ^{18}F -Florbetaben Amyloid Brain PET Image using PCA-SVM. *대한의생명과학회지*. 2019;25(1):99-106 - 배제사유: 1
538. Cerman J, Laczó J, Vyhnalek M, Malinová J, Hanzalová J, Hort J. Cerebrospinal fluid ratio of phosphorylated tau protein and beta amyloid predicts amyloid pet positivity. [Czech]. *Ceska a Slovenska Neurologie a Neurochirurgie*. 2020;83(2):173-9. - 배제사유: 2
539. Peng YS, Chen M, Tian L, Li H, Li DW, Zhang FF. Influence factors and differences of posterior corneal elevation measured by Pentacam system combined with Corvis ST. [Chinese]. [Zhonghua yan ke za zhi] *Chinese journal of ophthalmology*. 2020;56(2):110-7. - 배제사유: 2
540. Zorc B, Pavic K. Organofluorine drugs. [Croatian]. *Farmaceutski Glasnik*. 2018;74(5):351-60. - 배제사유: 2
541. Busatta BB, Medeiro KC, Velozo LR, Kakihata CMM, Soares FS, Azevedo MRB, et al. Use of low level laser therapy in striae distensae: A randomized controlled trial. [Portuguese]. *Scientia Medica*. 2018;28(2) (no pagination)(ID28710). - 배제사유: 2
542. Dong J, Zhang ZH, Gao XW, Hu YK, Li XH, Li WJ, et al. A biomechanical study of keratoconus at different stages of progression. [Chinese]. *International Eye Science*. 2017;17(8):1540-4. - 배제사유: 2

543. Schonecker S, Prix C, Raiser T, Ackl N, Wlasich E, Stenglein-Krapf G, et al. Amyloid positron-emission-tomography with [¹⁸F]-florbetaben in the diagnostic workup of dementia patients. [German]. *Nervenarzt*. 2017;88(2):156-61. - 배제사유: 2
544. Renard D, Jacob M, Mine M, Lehmann S, Collombier L, Delfort F. Amyloid imaging by ¹⁸F-florbetaben PET in a patient with isolated microbleeds and leukoencephalopathy. *Acta Neurologica Belgica*. 2016;116(4):623-5. - 배제사유: 2
545. Ferda J, Ferdova E, Baxa J, Matousek V, Hort J, Cerman J. PET/MRI in the neurodegenerative disorders with cognitive impairment. [Czech]. *Ceska Radiologie*. 2015;69(4):229-37. - 배제사유: 2
546. Cavassani SS, Junqueira VBC, Moraes JB, Luzo KK, Silva CMA, Barros M, et al. Short courses of mechanical ventilation with high-O₂ levels in elderly rat lungs. [Portuguese]. *Acta Cirurgica Brasileira*. 2011;26(2):107-13. - 배제사유: 2
547. Herholz K. Amyloid PET: Its diagnostic potential compared to FDG. [French]. *Medecine Nucleaire*. 2011;35(5):322-6. - 배제사유: 2
548. Grimmer T, Drzegza A, Kurz A. Visualization of amyloid with positron emission tomography : Useful improvement in the diagnosis of dementia?. [German]. *Nervenarzt*. 2010;81(5):602-6. - 배제사유: 2
549. Busch A. Research and development of new drugs, the ways of Bayer Schering Pharma. [Chinese]. *Chinese Journal of New Drugs*. 2009;18(17):1597-601. - 배제사유: 2
550. Attena F, Ferrante MN, D'Antonio A, Agozzino E. Reasons for turning to healthcare services outside of own area of residence: a study among patients of the AV1 Local Health Unit in Italy. [Italian]. *Igiene e sanita pubblica*. 2006;62(2):143-54. - 배제사유: 2
551. He ZF, Yu H, Luo FF. Molecular characteristics of DNA-A of tomato leaf curl Guangdong virus isolate G2. [Chinese]. *Wei sheng wu xue bao = Acta microbiologica Sinica*. 2005;45(1):48-52. - 배제사유: 2
552. Pauli G, Metz-Favre C, Fontaine JF. Food allergens that cross-react with pollen allergens. [French]. *Revue Francaise d'Allergologie et d'Immunologie Clinique*. 2006;46(3):153-7. - 배제사유: 2
553. Bjerre B, Heed B, Kers S. Only 1 out of 1 000 patients with alcohol dependence problems are reported according to the Driver's Licence Act. Physicians estimate to increase the number of reports some 70 times with a two-year ignition interlock program. [Swedish]. *Lakartidningen*. 2004;101(20):1814-9. - 배제사유: 2
554. Pennarola E, Barletta R, Ferrante M, Cordua F, Landi S, Marino M, et al. Assessment of the psychological wellbeing among nurses in operating theatres and intensive care units. [Italian]. *Giornale Italiano di Medicina del Lavoro ed Ergonomia*. 2004;26(4 SUPPL.):314-5. - 배제사유: 2
555. Ionescu DL. Heart blocks in gallstone. [Romanian]. *Revista medico-chirurgicala a Societatii de Medici si Naturalisti din Iasi*. 2000;104(3):53-6. - 배제사유: 2
556. Yin Q, Yang H, Wang H, Cai J, Qin B, Zhang Z, et al. Cloning and sequencing of Chinese squash leaf curl virus. [Chinese]. *Wei sheng wu xue bao = Acta microbiologica Sinica*. 2001;41(1):31-4. - 배제사유: 2
557. Karlsson L, Hakansson A, Nordenskiold B. Opportunistic cancer screening in primary health care. A person out of 13 has symptoms and three out of 1,000 have a tumor. [Swedish]. *Lakartidningen*. 2002;99(23):2636-8 - 배제사유: 2
558. Scheck RJ, Copenrath EM, Kellner MW, Lehmann KJ, Mayer M, Rock C, et al. Dosimetry in conventional and spiral CT in eight spiral-CT scanners of the latest generation. [German]. *RoFo Fortschritte auf dem Gebiete der Rontgenstrahlen und der Neuen Bildgebenden Verfahren*. 1998;168(6):562-6. - 배제사유: 2

559. Raabe NK, Fossa SD, Karesen R. Primary invasive breast cancer in Oslo 1980-89. A population based study of 1942 unselected patients treated by radical surgery. [Norwegian]. Tidsskrift for den Norske laegeforening. 1997;117(26):3778-83. - 배제사유: 2
560. Gustafsson J, Lenninger K, Ribbe E, Andren-Sandberg A. Prospective assessment of 1,270 trauma cases in Lund. A national registry could improve the quality. [Swedish]. Lakartidningen. 1996;93(34):2857-9. - 배제사유: 2
561. Boethius G, Gilljam H. Of 1000 youngsters who smoke 500 will die because of smoking. Is further documentation necessary?. [Swedish]. Lakartidningen. 1995;92(5):375. - 배제사유: 2
562. Steine S, Loken K. Quality control and use of resources in colonoscopy. A prospective evaluation of 1000 colonoscopies. [Norwegian]. Tidsskrift for den Norske laegeforening. 1994;114(12):1464. - 배제사유: 2
563. Kawamata M, Mayumi T, Miyabe M, Namiki A. An unusual cause of anesthetic ventilator malfunction. [Japanese]. Japanese Journal of Anesthesiology. 1992;41(12):1994-7. - 배제사유: 2
564. Feigenwinter P, Zbinden AM. Inspiratory and expiratory resistance in eight semi-closed circle systems. [German]. Anaesthesist. 1991;40(8):441-5. - 배제사유: 2
565. Bund M, Kirchner E. Respirator-associated changes in ventilation parameters on reduction of fresh gas flow. [German]. Anasthesiologie und Intensivmedizin. 1991;32(6):179-83. - 배제사유: 2
566. Latorre F, Jantzen JP. Effects of fresh gas flow on minute volume of anesthesia ventilators with a reservoir bag. [German]. Anaesthesist. 1990;39(7):382-3. - 배제사유: 2
567. Oliveri MB, Ladizesky M, Somoza J, Martinez L, Mautalen C. Winter serum levels of 25-hydroxy-vitamin D in Ushuaia and Buenos Aires. [Spanish]. Medicina. 1990;50(4):310-4. - 배제사유: 2
568. Rodolakis A, Souriau A. Vaccination against bovine chlamydial abortion with a temperature-sensitive mutant of Chlamydia psittaci. [French]. Annales de recherches veterinaires. 1987;Annals of veterinary research. 18(4):439-41. - 배제사유: 2
569. Buanes T. Analgesics in acute abdomen. A prospective study of a 1-year material. [Norwegian]. Tidsskrift for den Norske laegeforening. 1981;101(28):1559-63. - 배제사유: 2
570. Conti G, Natali A, Valcavi P, Schito GC. Phosphorylation of viral polypeptides in influenza virus-infected cells. [Italian]. Bollettino dell'Istituto Sieroterapico Milanese. 1980;59(6):581-90. - 배제사유: 2
571. Dimitrin S, Scurtu C, Nastase V, Clincin D. Electrocardiographic findings in purulent pericarditis. Report on twenty one cases. [German]. Infection. 1975;3(3):150-3. - 배제사유: 2
572. Gertner G. The AV 1 respirator. [French]. Agressologie. 1977;18(D):307-11. - 배제사유: 2
573. Sato K, Kimura S, Okuyama Y. [Consideration of the Residual Radioactivity of Amyloid Imaging Agent ¹⁸F-flutemetamol Adsorbed on Materials Used in Amyloid PET]. Nippon Hoshasen Gijutsu Gakkai Zasshi. 2020;76(12):1276-80. - 배제사유: 2
574. Peng YS, Chen M, Tian L, Li H, Li DW, Zhang FF. [Influence factors and differences of posterior corneal elevation measured by Pentacam system combined with Corvis ST]. Chung-Hua Yen Ko Tsa Chih [Chinese Journal of Ophthalmology]. 2020;56(2):110-7. - 배제사유: 2
575. Schonecker S, Prix C, Raiser T, Ackl N, Wlasich E, Stenglein-Krapf G, et al. [Amyloid positron-emission-tomography with ¹⁸F-florbetaben in the diagnostic workup of dementia patients]. Nervenarzt. 2017;88(2):156-61. - 배제사유: 2
576. Wang Y, Cao L, Du G. [Protective effects of Aloe vera extract on mitochondria of neuronal cells and rat brain]. Zhongguo Zhong Yao Za Zhi/Zhongguo Zhongyao Zazhi/China Journal of Chinese Materia Medica. 2010;35(3):364-8. - 배제사유: 2

577. Attena F, Ferrante MN, D'Antonio A, Agozzino E. [Reasons for turning to healthcare services outside of own area of residence: a study among patients of the AV1 Local Health Unit in Italy]. *Igiene e Sanita Pubblica*. 2006;62(2):143-54. - 배제사유: 2
578. He ZF, Yu H, Luo FF. [Molecular characteristics of DNA-A of tomato leaf curl Guangdong virus isolate G2]. *Wei Sheng Wu Hsueh Pao - Acta Microbiologica Sinica*. 2005;45(1):48-52. - 배제사유: 2
579. Bjerre B, Heed B, Kers S. [Only 1 out of 1 000 patients with alcohol dependence problems are reported according to the Driver's Licence Act. Physicians estimate to increase the number of reports some 70 times with a two-year ignition interlock program]. *Lakartidningen*. 2004;101(20):1814-9. - 배제사유: 2
580. Karlsson L, Hakansson A, Nordenskiold B. [Opportunistic cancer screening in primary health care. A person out of 13 has symptoms and three out of 1,000 have a tumor]. *Lakartidningen*. 2002;99(23):2636-8. - 배제사유: 2
581. Yin Q, Yang H, Wang H, Cai J, Qin B, Zhang Z, et al. [Cloning and sequencing of Chinese squash leaf curl virus]. *Wei Sheng Wu Hsueh Pao - Acta Microbiologica Sinica*. 2001;41(1):31-4. - 배제사유: 2
582. Ionescu DL. [Heart blocks in gallstone]. *Revista Medico-Chirurgicala a Societatii de Medici Si Naturalisti Din Iasi*. 2000;104(3):53-6. - 배제사유: 2
583. Raabe NK, Fossa SD, Karesen R. [Primary invasive breast cancer in Oslo 1980-89. A population based study of 1942 unselected patients treated by radical surgery]. *Tidsskrift for Den Norske Laegeforening*. 1997;117(26):3778-83. - 배제사유: 2
584. Gustafsson J, Lenninger K, Ribbe E, Andren-Sandberg A. [Prospective assessment of 1,270 trauma cases in Lund. A national registry could improve the quality]. *Lakartidningen*. 1996;93(34):2857-9. - 배제사유: 2
585. Boethius G, Gilljam H. [Of 1000 youngsters who smoke 500 will die because of smoking. Is further documentation necessary?]. *Lakartidningen*. 1995;92(5):375. - 배제사유: 2
586. Steine S, Loken K. [Quality control and use of resources in colonoscopy. A prospective evaluation of 1000 colonoscopies]. *Tidsskrift for Den Norske Laegeforening*. 1994;114(12):1464. - 배제사유: 2
587. Kawamata M, Mayumi T, Miyabe M, Namiki A. [An unusual cause of anesthetic ventilator malfunction]. *Masui - Japanese Journal of Anesthesiology*. 1992;41(12):1994-7. - 배제사유: 2
588. Feigenwinter P, Zbinden AM. [Inspiratory and expiratory resistance of 8 semi-closed circle systems]. *Anaesthesist*. 1991;40(8):441-5. - 배제사유: 2
589. Fasel T, Schirmer U, Wick C, Pfenninger E, Siegler W, Altemeyer KH. [Mechanical ventilation in an anesthetic circle system using the lowest tidal volume--studies of 3 anesthesia ventilators in a lung model and an animal experiment]. *Anaesthesist*. 1991;40(11):624-8. - 배제사유: 2
590. Latorre F, Jantzen JP. [The effect of fresh gas flow on the minute volume of anesthesia ventilators with a gas reservoir]. *Anaesthesist*. 1990;39(7):382-3. - 배제사유: 2
591. Baum J, Sachs G. [Fresh gas flow and artificial respiration in anesthesia. Technical requirements for the adequate use of rebreathing systems]. *Anasthesie, Intensivtherapie, Notfallmedizin*. 1990;25(1):72-8. - 배제사유: 2
592. Oliveri MB, Ladizesky M, Somoza J, Martinez L, Mautalen C. [Winter serum levels of 25-hydroxy-vitamin D in Ushuaia and Buenos Aires]. *Medicina*. 1990;50(4):310-4. - 배제사유: 2
593. Rodolakis A, Souriau A. [Vaccination against bovine chlamydial abortion with a temperature-sensitive mutant of *Chlamydia psittaci*]. *Annales de Recherches Veterinaires*. 1987;18(4):439-41. - 배제사유: 2

594. Buanes T. [Analgesics in acute abdomen. A prospective study of a 1-year material]. Tidsskrift for Den Norske Laegeforening. 1981;101(28):1559-63. - 배제사유: 2
595. Berstad A, Carlsen E, Semb LS, Kruse Jensen A, Myren J, Aadland E. [Long-term treatment of recurrent duodenal ulcer with cimetidine. A controlled trial of the effects of 1 year's medication]. Tidsskrift for Den Norske Laegeforening. 1979;99(32):1645-7. - 배제사유: 2
596. Gertner G. [AV-1 respirator]. Agressologie. 1977;18(D):307-11. - 배제사유: 2
597. Dimitriu S, Scurtu C, Nastase V, Clinciu D. [Electrocardiogram changes in purulent pericarditis. Report on 21 cases]. Infection. 1975;3(3):150-3. - 배제사유: 2
598. Eilertsen E. [Isolated fracture of the 1st rib]. Nordisk Medicin. 1970;83(24):773. - 배제사유: 2
599. Ofstad J. [General toxic symptoms after conjunctival instillation of 1% scopolamine bromide solution]. Tidsskrift for Den Norske Laegeforening. 1957;77(15):633-5. - 배제사유: 2
600. Sallstrand M. [The geriatric clinic at Sodersjukhuset; experience during a year and a half]. Svenska Lakartidningen. 1956;53(9):517-24. - 배제사유: 2
601. Evang K. [Sterilization according to the law of 1 June, 1934 on permission for sterilization]. Nordisk Medicin. 1955;54(49):1826-9; discussion, 9-39. - 배제사유: 2
602. Hallqvist B. [Methergine therapy in 1000 deliveries]. Svenska Lakartidningen. 1951;48(43):2569-75. - 배제사유: 2
603. 권형진, 최진욱, 이형진, 우재룡, 김유경, Kwon HJ, et al. ¹⁸F-Florbetaben 주사 시 Activity 손실과 통증 감소를 위한 방법. 핵의학 기술. 2016;20(2):42-5 - 배제사유: 2
604. Cecchin D, Garibotto V, Law I, Goffin K. PET Imaging in Neurodegeneration and Neuro-oncology: Variants and Pitfalls. Seminars in Nuclear Medicine. 2021;51(5):408-18. - 배제사유: 3
605. Fishman PS, Fischell JM. Focused Ultrasound Mediated Opening of the Blood-Brain Barrier for Neurodegenerative Diseases. Frontiers in Neurology. 2021;12 (no pagination)(749047). - 배제사유: 3
606. Park SH, Baik K, Jeon S, Chang WS, Ye BS, Chang JW. Extensive frontal focused ultrasound mediated blood-brain barrier opening for the treatment of Alzheimer's disease: a proof-of-concept study. Translational Neurodegeneration. 2021;10(1) (no pagination)(44). - 배제사유: 3
607. Saokham K, Hemniam N, Roekwan S, Hunsawattanakul S, Thawinampan J, Siriwan W. Survey and molecular detection of Sri Lankan cassava mosaic virus in Thailand. PLoS ONE. 2021;16(10 October) (no pagination)(e0252846). - 배제사유: 3
608. Sheng J, Wang L, Cheng H, Zhang Q, Zhou R, Shi Y. Strategies for multivariate analyses of imaging genetics study in Alzheimer's disease. Neuroscience Letters. 2021;762 (no pagination)(136147). - 배제사유: 3
609. Bullich S, Roe-Vellve N, Marquie M, Landau SM, Barthel H, Villemagne VL, et al. Early detection of amyloid load using ¹⁸F-florbetaben PET. Alzheimer's Research and Therapy. 2021;13(1) (no pagination)(67). - 배제사유: 3
610. Bao W, Xie F, Zuo C, Guan Y, Huang YH. PET Neuroimaging of Alzheimer's Disease: Radiotracers and Their Utility in Clinical Research. Frontiers in Aging Neuroscience. 2021;13 (no pagination)(624330). - 배제사유: 3
611. Kitson SL, Mansi L. Preface. Current Radiopharmaceuticals. 2021;14(1):1-2. - 배제사유: 3
612. Sriranjana RS, Tarkin JM, Evans NR, Le EPV, Chowdhury MM, Rudd JHF. Atherosclerosis imaging using PET: Insights and applications. British Journal of Pharmacology. 2021;178(11):2186-203. - 배제사유: 3
613. Ho YJ, Huang CC, Fan CH, Liu HL, Yeh CK. Ultrasonic technologies in imaging and drug delivery.

- Cellular and Molecular Life Sciences. 2021;78(17-18):6119-41. - 배제사유: 3
614. Paeng JC, Choi JY. Nuclear Imaging for Cardiac Amyloidosis: Bone Scan, SPECT/CT, and Amyloid-Targeting PET. *Nuclear Medicine and Molecular Imaging*. 2021;55(2):61-70. - 배제사유: 3
615. Mittal P, Singh N, Chaturvedi S, Jyoti A, Mishra AK, Hazari PP. Comprehensive review on design perspective of PET ligands based on beta-amyloids, tau and neuroinflammation for diagnostic intervention of Alzheimer's disease. *Clinical and Translational Imaging*. 2021;9(2):153-75. - 배제사유: 3
616. Kaushik D, Jangra P, Verma R, Purohit D, Pandey P, Sharma S, et al. Radiopharmaceuticals: An insight into the latest advances in medical uses and regulatory perspectives. *Journal of Biosciences*. 2021;46(1) (no pagination)(27). - 배제사유: 3
617. Ashford MT, Veitch DP, Neuhaus J, Nosheny RL, Tosun D, Weiner MW. The search for a convenient procedure to detect one of the earliest signs of Alzheimer's disease: A systematic review of the prediction of brain amyloid status. *Alzheimer's and Dementia*. 2021;17(5):866-87. - 배제사유: 3
618. Genovesi D, Giorgetti A. 18F-Florbetaben: a potential nuclear protagonist in the diagnosis of cardiac amyloidosis. *Clinical and Translational Imaging*. 2021. - 배제사유: 3
619. Mallon DH, Malhotra P, Edison P, Perry R, Carswell C, Win Z. The role of amyloid PET in patient selection for extra-ventricular shunt insertion for the treatment of idiopathic normal pressure hydrocephalus: A pooled analysis. *Journal of Clinical Neuroscience*. 2021;90:325-31. - 배제사유: 3
620. Sabri O, Seibyl J, Rowe C, Barthel H. Beta-amyloid imaging with florbetaben. *Clinical and Translational Imaging*. 2015;3(1):13-26. - 배제사유: 3
621. Catafau AM, Bullich S. Amyloid PET imaging: applications beyond Alzheimer's disease. *Clinical and Translational Imaging*. 2015;3(1):39-55. - 배제사유: 3
622. Herscovitch P. Regulatory approval and insurance reimbursement: the final steps in clinical translation of amyloid brain imaging. *Clinical and Translational Imaging*. 2015;3(1):75-7. - 배제사유: 3
623. Saidlitz P, Voisin T, Vellas B, Payoux P, Gabelle A, Formaglio M, et al. Amyloid imaging in Alzheimer's disease: A literature review. *Journal of Nutrition, Health and Aging*. 2014;18(7):723-40. - 배제사유: 3
624. Schindler TH, Sharma M, Valenta I, Imperiale A, Dilsizian V. Potential Cardiac Amyloid PET/CT Imaging Targets for Differentiating Immunoglobulin Light Chain From Transthyretin Amyloidosis. *Current Cardiology Reports*. 2021;23(7) (no pagination)(76). - 배제사유: 3
625. Park S, Oh M, Kim JS, Lee JH, Yoon YW, Roh JH. 18f-thk-5351, fluorodeoxyglucose, and florbetaben pet images in atypical alzheimer's disease: A pictorial insight into disease pathophysiology. *Brain Sciences*. 2021;11(4) (no pagination)(465). - 배제사유: 3
626. Wilson H, Politis M, Rabiner EA, Middleton LT. Novel pet biomarkers to disentangle molecular pathways across age-related neurodegenerative diseases. *Cells*. 2020;9(12):1-37. - 배제사유: 3
627. Morbelli S, Bauckneht M. Amyloid PET imaging: Standardization and integration with other Alzheimer's disease biomarkers. *Methods in Molecular Biology*. 2018;1750:203-12. - 배제사유: 3
628. Nordberg A. The use of amyloid imaging in clinical praxis: a critical review. *Clinical and Translational Imaging*. 2015;3(1):7-11. - 배제사유: 3
629. Chiotis K, Saint-Aubert L, Boccardi M, Gietl A, Picco A, Varrone A, et al. Clinical validity of increased cortical uptake of amyloid ligands on PET as a biomarker for Alzheimer's disease in the context of a structured 5-phase development framework. *Neurobiology of Aging*.

2017;52:214-27. - 배제사유: 3

630. Martinez G, Vernooij RW, Fuentes Padilla P, Zamora J, Flicker L, Bonfill Cosp X. 18F PET with florbetaben for the early diagnosis of Alzheimer's disease dementia and other dementias in people with mild cognitive impairment (MCI). *Cochrane Database of Systematic Reviews*. 2017;2017(11) (no pagination)(CD012883) - 배제사유: 3
631. Martinez G, Vernooij RWM, Fuentes Padilla P, Zamora J, Flicker L, Bonfill Cosp X. 18F PET with flutemetamol for the early diagnosis of Alzheimer's disease dementia and other dementias in people with mild cognitive impairment (MCI). *Cochrane Database of Systematic Reviews*. 2017;2017(11) (no pagination)(CD012884). - 배제사유: 3
632. Ishizuchi K, Takizawa T, Tezuka T, Takahata K, Seki M, Tabuchi H, et al. A case of progressive supranuclear palsy with predominant cerebellar ataxia diagnosed by [¹⁸F]PM-PBB3 tau PET. *Journal of the Neurological Sciences*. 2021;425 (no pagination)(117440). - 배제사유: 3
633. Lilja J, Thurfjell L, Sorensen J. Visualization and quantification of 3-Dimensional stereotactic surface projections for ¹⁸F-flutemetamol pet using variable depth. *Journal of Nuclear Medicine*. 2016;57(7):1078-83. - 배제사유: 3
634. Heurling K, Leuzy A, Zimmer ER, Lubberink M, Nordberg A. Imaging beta-amyloid using [¹⁸F]flutemetamol positron emission tomography: from dosimetry to clinical diagnosis. *European Journal of Nuclear Medicine and Molecular Imaging*. 2016;43(2):362-73. - 배제사유: 3
635. Syed YY, Deeks E. Florbetaben: A Review in beta-Amyloid PET Imaging in Cognitive Impairment. *CNS Drugs*. 2015;29(7):605-13 - 배제사유: 3
636. Jovalekic A, Koglin N, Mueller A, Stephens AW. New protein deposition tracers in the pipeline. *EJNMMI Radiopharmacy and Chemistry*. 2017;1(1) (no pagination)(11). - 배제사유: 3
637. De Lartigue J. Flutemetamol (18F): A beta-amyloid positron emission tomography tracer for alzheimer's and dementia diagnosis. *Drugs of Today*. 2014;50(3):219-29. - 배제사유: 3
638. Joseph V, Julien HM, Bravo PE. Radionuclide Imaging of Cardiac Amyloidosis. *PET Clinics*. 2021;16(2):285-93. - 배제사유: 3
639. Richards D, Sabbagh MN. Florbetaben for PET Imaging of Beta-Amyloid Plaques in the Brain. *Neurology and Therapy*. 2014;3(2):79-88. - 배제사유: 3
640. Leuzy A, Zimmer ER, Gauthier S, Rosa-Neto P. Amyloid imaging in Alzheimer's disease: A potential new era of personalized medicine? *Translational Neuroscience*. 2014;5(1):51-6. - 배제사유: 3
641. Koh S, Lee SM, Moon SY. Orbitofrontal hemorrhage and mild cognitive impairment associated with othello syndrome. *Journal of Clinical Neurology (Korea)*. 2021;17(1):142-4. - 배제사유: 3
642. Li JR, Lau CI, Huang MH, Hu LY, Tsai CF, Liu MN. Language impairment as diagnostic clue to lvPPA in a young-onset dementia patient mimicking bvFTD. *Australian and New Zealand Journal of Psychiatry*. 2021;55(2):225-6. - 배제사유: 3
643. Okamura N, Fodero-Tavoletti MT, Kudo Y, Rowe CC, Furumoto S, Arai H, et al. Advances in molecular imaging for the diagnosis of dementia. *Expert Opinion on Medical Diagnostics*. 2009;3(6):705-16. - 배제사유: 3
644. Schindler TH, Sharma V, Imperiale A. ¹⁸F-Florbetaben and PET/CT Holds Promise for the Identification and Differentiation Among Cardiac Amyloidosis Entities. *JACC: Cardiovascular Imaging*. 2021;14(1):256-8. - 배제사유: 3
645. Gan F, Luo P, Lin J, Ding Q. Recent Advances in the Synthesis and Applications of 2-Arylbenzothiazoles. *Synthesis (Germany)*. 2020;52(23):3530-48. - 배제사유: 3
646. Jellinger KA. Striatal dopamine transporter activity may predict beta-Amyloid pathology in dementia with Lewy bodies. *Neurology*. 2020;94(13):557-8. - 배제사유: 3

647. Boers J, de Vries EFJ, Glaudemans AWJM, Hospers GAP, Schroder CP. Application of PET Tracers in Molecular Imaging for Breast Cancer. *Current Oncology Reports*. 2020;22(8) (no pagination)(85). - 배제사유: 3
648. Moonis G, Subramaniam RM, Trofimova A, Burns J, Bykowski J, Chakraborty S, et al. ACR Appropriateness Criteria Dementia. *Journal of the American College of Radiology*. 2020;17(5 Supplement):S100-S12. - 배제사유: 3
649. Cuddy S, Jerosch-Herold M, Dorbala S. Phenotyping of Cardiac Amyloidosis: Advancing from Macro to Micro. *Circulation: Cardiovascular Imaging*. 2020;13(5) - 배제사유: 3
650. Mattoli MV, Treglia G, Calcagni ML, Mangiola A, Anile C, Trevisi G. Usefulness of brain positron emission tomography with different tracers in the evaluation of patients with idiopathic normal pressure hydrocephalous. *International Journal of Molecular Sciences*. 2020;21(18):1-22. - 배제사유: 3
651. Gallegos C, Miller EJ. Advances in PET-Based Cardiac Amyloid Radiotracers. *Current Cardiology Reports*. 2020;22(6) (no pagination)(40). - 배제사유: 3
652. De Paula Faria D. Myelin positron emission tomography (PET) imaging in multiple sclerosis. *Neural Regeneration Research*. 2020;15(10):1842-3 - 배제사유: 3
653. Hameed S, Fuh JL, Senanarong V, Ebenezer EGM, Looi I, Dominguez JC, et al. Role of Fluid Biomarkers and PET Imaging in Early Diagnosis and its Clinical Implication in the Management of Alzheimer's Disease. *Journal of Alzheimer's Disease Reports*. 2020;4(1):21-37. - 배제사유: 3
654. Papathanasiou M, Carpinteiro A, Hagenacker T, Herrmann K, Rassaf T, Rischpler C, et al. Publisher Correction to: 18F-florbetaben positron emission tomography detects cardiac involvement in systemic AA amyloidosis (*European Journal of Nuclear Medicine and Molecular Imaging*, (2020), 47, 13, (3186-3187), 10.1007/s00259-020-04861-4). *European Journal of Nuclear Medicine and Molecular Imaging*. 2020;47(13):3196. - 배제사유: 3
655. Kim JP, Kim J, Kim Y, Moon SH, Park YH, Yoo S, et al. Correction to: Staging and quantification of florbetaben PET images using machine learning: impact of predicted regional cortical tracer uptake and amyloid stage on clinical outcomes (*European Journal of Nuclear Medicine and Molecular Imaging*, (2019), 10.1007/s00259-019-04663-3). *European Journal of Nuclear Medicine and Molecular Imaging*. 2020;47(6):1611-2. - 배제사유: 3
656. Kim JP, Kim J, Kim Y, Moon SH, Park YH, Yoo S, et al. Correction to: Staging and quantification of florbetaben PET images using machine learning: impact of predicted regional cortical tracer uptake and amyloid stage on clinical outcomes (*European Journal of Nuclear Medicine and Molecular Imaging*, (2020), 47, 8, (1971-1983), 10.1007/s00259-019-04663-3). *European Journal of Nuclear Medicine and Molecular Imaging*. 2020;47(10):2480. - 배제사유: 3
657. Cho SH, Choe YS, Kim HJ, Jang H, Kim Y, Kim SE, et al. Correction to: A new Centiloid method for ¹⁸F-florbetaben and ¹⁸F-flutemetamol PET without conversion to PiB (*European Journal of Nuclear Medicine and Molecular Imaging*, (2019), 10.1007/s00259-019-04596-x). *European Journal of Nuclear Medicine and Molecular Imaging*. 2020;47(6):1610. - 배제사유: 3
658. Chen KT, Gong E, De Carvalho Macruz FB, Xu J, Boumis A, Khalighi M, et al. Erratum: Ultra-low-dose ¹⁸F-florbetaben amyloid PET imaging using deep learning with multi-contrast MRI inputs (*Radiology* (2019) 290:3 (649-656) DOI: 10.1148/radiol.2018180940). *Radiology*. 2020;296(3). - 배제사유: 3
659. Bram JMF, Talib LL, Joaquim HPG, Carvalho CL, Gattaz WF, Forlenza OV. Alzheimer's disease-related biomarkers in aging adults with down syndrome: Systematic review. *Current Psychiatry Research and Reviews*. 2019;15(1):49-57. - 배제사유: 3
660. Fish PV, Steadman D, Bayle ED, Whiting P. New approaches for the treatment of Alzheimer's disease. *Bioorganic and Medicinal Chemistry Letters*. 2019;29(2):125-33. - 배제사유: 3

661. Zhu Y, Zhu X. MRI-driven PET image optimization for neurological applications. *Frontiers in Genetics*. 2019;10(JUL) (no pagination)(782). - 배제사유: 3
662. Dumba M, Khan S, Patel N, Perry L, Malhotra P, Perry R, et al. Clinical ¹⁸F-FDG and amyloid brain positron emission tomography/CT in the investigation of cognitive impairment: Where are we now? *British Journal of Radiology*. 2019;92(1101) (no pagination)(20181027). - 배제사유: 3
663. Shirani J, Meera S, Dilsizian V. The Cardiorenal Axis: Myocardial Perfusion, Metabolism, and Innervation. *Current Cardiology Reports*. 2019;21(7) (no pagination)(60). - 배제사유: 3
664. Barc K, Kuzma-Kozakiewicz M. Positron emission tomography neuroimaging in neurodegenerative diseases: Alzheimer's disease, Parkinson's disease, and amyotrophic lateral sclerosis. *Neurologia i Neurochirurgia Polska*. 2019;53(2):99-112. - 배제사유: 3
665. Nobili F, Cagnin A, Calcagni ML, Chincarini A, Guerra UP, Morbelli S, et al. Emerging topics and practical aspects for an appropriate use of amyloid PET in the current Italian context. *Quarterly Journal of Nuclear Medicine and Molecular Imaging*. 2019;63(1):83-92. - 배제사유: 3
666. Kim YJ, Ha S, Kim YI. Cardiac amyloidosis imaging with amyloid positron emission tomography: A systematic review and meta-analysis. *Journal of Nuclear Cardiology*. 2020;27(1):123-32. - 배제사유: 3
667. Budinsky M, Kozakova S. Experience with instrumental methods in radiopharmacy as a tool of radiation protection optimization. *European Journal of Oncology Pharmacy*. 2018;1(1) (no pagination)(e2). - 배제사유: 3
668. Villemagne VL, Dore V, Burnham SC, Masters CL, Rowe CC. Imaging tau and amyloid- β proteinopathies in Alzheimer disease and other conditions. *Nature Reviews Neurology*. 2018;14(4):225-36. - 배제사유: 3
669. Ikonovic MD, Fantoni ER, Farrar G, Salloway S. Infrequent false positive [¹⁸F]flutemetamol PET signal is resolved by combined histological assessment of neuritic and diffuse plaques. *Alzheimer's Research and Therapy*. 2018;10(1) (no pagination)(60). - 배제사유: 3
670. Konijnenberg E, Carter SF, Ten Kate M, Den Braber A, Tomassen J, Amadi C, et al. The EMIF-AD PreclinAD study: Study design and baseline cohort overview. *Alzheimer's Research and Therapy*. 2018;10(1) (no pagination)(75). - 배제사유: 3
671. Nagga K, Gustavsson AM, Stomrud E, Lindqvist D, Van Westen D, Blennow K, et al. Increased midlife triglycerides predict brain beta-amyloid and tau pathology 20 years later. *Neurology*. 2018;90(1):E73-E81. - 배제사유: 3
672. Lipsman N, Meng Y, Bethune AJ, Huang Y, Lam B, Masellis M, et al. Blood-brain barrier opening in Alzheimer's disease using MR-guided focused ultrasound. *Nature Communications*. 2018;9(1) (no pagination)(2336). - 배제사유: 3
673. Byrne A, Prichard J. Beta-amyloid PET imaging for Alzheimer's dementia diagnosis. *Progress in Neurology and Psychiatry*. 2018;22(4):31-5. - 배제사유: 3
674. Cistaro A, Alongi P, Caobelli F, Cassalia L. Radiotracers for amyloid imaging in neurodegenerative disease: State-of-the-art and novel concepts. *Current Medicinal Chemistry*. 2018;25(26):3131-40. - 배제사유: 3
675. Filippi L, Chiaravalloti A, Bagni O, Schillaci O. ¹⁸F-labeled radiopharmaceuticals for the molecular neuroimaging of amyloid plaques in Alzheimer's disease. *American Journal of Nuclear Medicine and Molecular Imaging*. 2018;8(4):268-81. - 배제사유: 3
676. Okamura N, Harada R, Ishiki A, Kikuchi A, Nakamura T, Kudo Y. The development and validation of tau PET tracers: current status and future directions. *Clinical and Translational Imaging*. 2018;6(4):305-16. - 배제사유: 3

677. Chen M, Du ZY, Zheng X, Li DL, Zhou RP, Zhang K. Use of curcumin in diagnosis, prevention, and treatment of Alzheimer's disease. *Neural Regeneration Research*. 2018;13(4):742-52. - 배제사유: 3
678. Pietrzak K, Czarnecka K, Mikiciuk-Olasik E, Szymanski PB. New perspectives of Alzheimer disease diagnosis - The most popular and future methods. *Medicinal Chemistry*. 2018;14(1):34-43. - 배제사유: 3
679. Weiner MW, Veitch DP, Aisen PS, Beckett LA, Cairns NJ, Green RC, et al. The Alzheimer's Disease Neuroimaging Initiative 3: Continued innovation for clinical trial improvement. *Alzheimer's and Dementia*. 2017;13(5):561-71. - 배제사유: 3
680. Vandenbulcke M, Bouckaert F, De Winter FL, Koole M, Adamczuk K, Vandenberghe R, et al. Asymmetric Amyloid Deposition in the Brain Following Unilateral Electroconvulsive Therapy. *Biological Psychiatry*. 2017;81(2):e11-e3. - 배제사유: 3
681. Malhotra S, Soman P. Nuclear cardiology in the literature: A selection of recent, original research papers. *Journal of Nuclear Cardiology*. 2017;24(1):9-11. - 배제사유: 3
682. Vavere AL, Scott PJH. Guest Editorial. *Seminars in Nuclear Medicine*. 2017;47(5):427-8. - 배제사유: 3
683. Dibble EH, Yoo DC. Precision Medicine and PET/Computed Tomography in Cardiovascular Disorders. *PET Clinics*. 2017;12(4):459-73. - 배제사유: 3
684. Bao W, Jia H, Finnema S, Cai Z, Carson RE, Huang YH. PET Imaging for Early Detection of Alzheimer's Disease: From Pathologic to Physiologic Biomarkers. *PET Clinics*. 2017;12(3):329-50. - 배제사유: 3
685. Xia C, Dickerson BC. Multimodal PET Imaging of Amyloid and Tau Pathology in Alzheimer Disease and Non-Alzheimer Disease Dementias. *PET Clinics*. 2017;12(3):351-9. - 배제사유: 3
686. Palumbo B. Molecular imaging in dementia: From the state of the art to the new perspectives. *Current Alzheimer Research*. 2017;14(2):124-6. - 배제사유: 3
687. Balamurugan K, Murugan NA, Langstrom B, Nordberg A, Agren H. Effect of Alzheimer Familial Chromosomal Mutations on the Amyloid Fibril Interaction with Different PET Tracers: Insight from Molecular Modeling Studies. *ACS Chemical Neuroscience*. 2017;8(12):2655-66. - 배제사유: 3
688. Perani D, Iaccarino L, Sala A, Caminiti SP. The emerging role of PET imaging in dementia. *F1000Research*. 2017;6 (no pagination)(1830). - 배제사유: 3
689. Bravo PE, Dorbala S. Targeted Nuclear Imaging Probes for Cardiac Amyloidosis. *Current Cardiology Reports*. 2017;19(7) (no pagination)(59). - 배제사유: 3
690. Masdeu JC. Future Directions in Imaging Neurodegeneration. *Current Neurology and Neuroscience Reports*. 2017;17(1) (no pagination)(9). - 배제사유: 3
691. Chiaravalloti A, Danieli R, Lacanfora A, Palumbo B, Caltagirone C, Schillaci O. Usefulness of ¹⁸F florbetaben in diagnosis of alzheimer's disease and other types of dementia. *Current Alzheimer Research*. 2017;14(2):154-60. - 배제사유: 3
692. Anand K, Sabbagh M. Amyloid Imaging: Poised for Integration into Medical Practice. *Neurotherapeutics*. 2017;14(1):54-61. - 배제사유: 3
693. Subramaniam RM. Guest editorial: Nuclear medicine and molecular imaging-an impactful decade of contributions to patient care and driving precision medicine. *American Journal of Roentgenology*. 2017;209(2):241-2. - 배제사유: 3
694. Liu H, Yang J, Wang L, Xu Y, Zhang S, Lv J, et al. Targeting beta-amyloid plaques and oligomers: Development of near-IR fluorescence imaging probes. *Future Medicinal Chemistry*. 2017;9(2):179-98. - 배제사유: 3

695. Chen K, Cui M. Recent progress in the development of metal complexes as beta-amyloid imaging probes in the brain. *MedChemComm*. 2017;8(7):1393-407. - 배제사유: 3
696. Sabbagh MN. Editorial Introduction to the Special Issue from the International Symposium on Biomarkers for Alzheimer's Disease and Related Disorders. *Neurology and Therapy*. 2017;6(Supplement 1). - 배제사유: 3
697. Zhang XY, Zhang PY. Positron emission tomography in neuroimaging - an update. *Current Medical Imaging Reviews*. 2017;13(2):108-12 - 배제사유: 3
698. Choi SR, Ploessl K, Zhu L, Kung HF. PET imaging agents for Alzheimer's disease. *Topics in Medicinal Chemistry*. 2017;24(no pagination). - 배제사유: 3
699. Dupont AC, Santiago Ribeiro MJ, Guilloteau D, Arlicot N. beta-amyloid PET neuroimaging: A review of radiopharmaceutical development. *Medecine Nucleaire*. 2017;41(1):27-35. - 배제사유: 3
700. Nabavizadeh SA, Nasrallah I, Dubroff J. Emerging PET/MRI applications in neuroradiology and neuroscience. *Clinical and Translational Imaging*. 2017;5(2):121-33. - 배제사유: 3
701. Koric L, Guedj E, Habert MO, Semah F, Branger P, Payoux P, et al. Molecular imaging in the diagnosis of Alzheimer's disease and related disorders. *Revue Neurologique*. 2016;172(12):725-34. - 배제사유: 3
702. Frey KA, Koeppe RA. PET amyloid analyses. *Journal of Nuclear Medicine*. 2016;57(8):1168-9. - 배제사유: 3
703. Bodini B, Veronese M, Turkheimer F, Stankoff B. Benzothiazole and stilbene derivatives as promising positron emission tomography myelin radiotracers for multiple sclerosis. *Annals of Neurology*. 2016;80(1):166-7. - 배제사유: 3
704. LeVine H, Walker LC. What amyloid ligands can tell us about molecular polymorphism and disease. *Neurobiology of Aging*. 2016;42:205-12 - 배제사유: 3
705. Villemagne VL, Okamura N. Tau imaging in the study of ageing, Alzheimer's disease, and other neurodegenerative conditions. *Current Opinion in Neurobiology*. 2016;36:43-51 - 배제사유: 3
706. Brooks AF, Drake LR, Stewart MN, Cary BP, Jackson IM, Mallette D, et al. Fluorine-18 patents (2009-2015). Part 1: Novel radiotracers. *Pharmaceutical Patent Analyst*. 2016;5(1):17-47. - 배제사유: 3
707. Frey KA, Lodge MA, Meltzer CC, Peller PJ, Wong TZ, Hess CP, et al. ACR-ASNR Practice Parameter for Brain PET/CT Imaging Dementia. *Clinical Nuclear Medicine*. 2016;41(2):118-25. - 배제사유: 3
708. Matias-Guiu JA, Oreja-Guevara C, Cabrera-Martin MN, Moreno-Ramos T, Carreras JL, Matias-Guiu J. Amyloid proteins and their role in multiple sclerosis. Considerations in the use of amyloid-PET imaging. *Frontiers in Neurology*. 2016;7(MAR) (no pagination)(53). - 배제사유: 3
709. Martinez G, Flicker L, Vernooij RW, Fuentes Padilla P, Zamora J, Roque i Figuls M, et al. ¹⁸F PET ligands for the early diagnosis of Alzheimer's disease dementia and other dementias in people with mild cognitive impairment (MCI). *Cochrane Database of Systematic Reviews*. 2016;2016(5) (no pagination)(CD012216). - 배제사유: 3
710. Arora A, Bhagat N. Insight into the Molecular Imaging of Alzheimer's Disease. *International Journal of Biomedical Imaging*. 2016;2016 (no pagination)(7462014). - 배제사유: 3
711. Rayment D, Biju M, Zheng R, Kuruvilla T. Neuroimaging in dementia: An update for the general clinician. *Progress in Neurology and Psychiatry*. 2016;20(2):16-20. - 배제사유: 3
712. Morris E, Chalkidou A, Hammers A, Peacock J, Summers J, Keevil S. Diagnostic accuracy of ¹⁸F amyloid PET tracers for the diagnosis of Alzheimer's disease: a systematic review

- and meta-analysis. *European Journal of Nuclear Medicine and Molecular Imaging*. 2016;43(2):374-85. - 배제사유: 3
713. The Royal College of R, Royal College of Physicians of L, Royal College of P, Surgeons of G, Royal College of Physicians of E, British Nuclear Medicine S, et al. Evidence-based indications for the use of PET-CT in the United Kingdom 2016. *Clinical Radiology*. 2016;71(7):e171-e88. - 배제사유: 3
714. Martin-Macintosh EL, Broski SM, Johnson GB, Hunt CH, Cullen EL, Peller PJ. Multimodality imaging of neurodegenerative processes: Part 2, atypical dementias. *American Journal of Roentgenology*. 2016;207(4):883-95. - 배제사유: 3
715. Uhl P, Fricker G, Haberkorn U, Mier W. Radionuclides in drug development. *Drug Discovery Today*. 2015;20(2):198-208. - 배제사유: 3
716. McConathy J, Sheline YI. Imaging biomarkers associated with cognitive decline: A review. *Biological Psychiatry*. 2015;77(8):685-92. - 배제사유: 3
717. Sarikaya I. PET imaging in neurology: Alzheimer's and Parkinson's diseases. *Nuclear Medicine Communications*. 2015;36(8):775-81. - 배제사유: 3
718. Machulla HJ. Alzheimer disease: Approaches to early diagnosis and high-accuracy imaging. *Journal of Nuclear Medicine*. 2015;56(9):1466-7. - 배제사유: 3
719. Mukaetova-Ladinska EB. Molecular imaging biomarkers for dementia with Lewy bodies: An update. *International Psychogeriatrics*. 2015;27(4):555-77. - 배제사유: 3
720. Ono M, Saji H. Recent advances in molecular imaging probes for beta-amyloid plaques. *MedChemComm*. 2015;6(3):391-402. - 배제사유: 3
721. Ono M, Saji H. Recent advances in molecular imaging probes for beta-amyloid plaques. *MedChemComm*. 2015;6(3):391-402. - 배제사유: 3
722. Menchola M, Weiss BD. Addressing Alzheimer's: A pragmatic approach. *Journal of Family Practice*. 2015;64(1):10-8. - 배제사유: 3
723. Rabinovici GD. The translational journey of brain beta-amyloid imaging: From positron emission tomography to autopsy to clinic. *JAMA Neurology*. 2015;72(3):265-6. - 배제사유: 3
724. James OG, Doraiswamy PM, Borges-Neto S. PET imaging of tau pathology in Alzheimer's disease and tauopathies. *Frontiers in Neurology*. 2015;6(MAR) (no pagination)(038). - 배제사유: 3
725. Vuksic M, Klepac N. New diagnostic criteria for Alzheimer's disease. *Neurologia Croatica*. 2015;64(1-2):5-12. - 배제사유: 3
726. Dinkelborg L. Piramal imaging. *Neurodegenerative Disease Management*. 2015;5(4):283-8 - 배제사유: 3
727. Marcus C, Mena E, Subramaniam RM. Brain PET in the diagnosis of Alzheimer's disease. *Clinical Nuclear Medicine*. 2014;39(10):e413-e26. - 배제사유: 3
728. Navarro D, Gonzalez Brao MM, Mila M. Pipeline on the move september 2014. *Drugs of the Future*. 2014;39(9):645-50. - 배제사유: 3
729. Navarro D, Gonzalez Brao MM, Mila M. Pipeline on the move. *Drugs of the Future*. 2014;39(4):287-90. - 배제사유: 3
730. Richards D, Sabbagh MN. Florbetaben for PET Imaging of Beta-Amyloid Plaques in the Brain. *Neurology and Therapy*. 2014;3(2):79-88. - 배제사유: 3
731. Adlard PA, Tran BA, Finkelstein DI, Desmond PM, Johnston LA, Bush AI, et al. A review of beta-amyloid neuroimaging in Alzheimer's disease. *Frontiers in Neuroscience*. 2014;8(OCT) (no pagination)(327). - 배제사유: 3

732. Pampaloni MH, Nardo L. PET/MRI radiotracer beyond ^{18}F -FDG. *PET Clinics*. 2014;9(3):345-9. - 배제사유: 3
733. Worley S. After disappointments, Alzheimer's researchers seek out new paths: Biomarkers and combination therapies may lead to disease-modifying treatments, experts say. *P and T*. 2014;39(5):365-9+74. - 배제사유: 3
734. Camacho V, Lleo A. Amyloid imaging in depression: A predictor of Alzheimer's disease? *European Journal of Nuclear Medicine and Molecular Imaging*. 2014;41(4):711-3. - 배제사유: 3
735. Zwan MD, Okamura N, Fodero-Tavoletti MT, Furumoto S, Masters CL, Rowe C, et al. Voyage au bout de la nuit: Abeta and tau imaging in dementias. *Quarterly Journal of Nuclear Medicine and Molecular Imaging*. 2014;58(4):398-412. - 배제사유: 3
736. Wehrl HF, Wiehr S, Divine MR, Gatidis S, Gullberg GT, Maier FC, et al. Preclinical and translational PET/MR imaging. *Journal of Nuclear Medicine*. 2014;55(6 SUPPL. 2):11S-8S. - 배제사유: 3
737. Leuzy A, Zimmer ER, Heurling K, Rosa-Neto P, Gauthier S. Use of amyloid PET across the spectrum of Alzheimer's disease: Clinical utility and associated ethical issues. *Amyloid*. 2014;21(3):143-8. - 배제사유: 3
738. Perani D, Iaccarino L, Bettinardi V. The need for "objective measurements" in FDG and amyloid PET neuroimaging. *Clinical and Translational Imaging*. 2014;2(4):331-42. - 배제사유: 3
739. Kepe V, Moghbel MC, Langstromd B, Zaidi H, Vinters HV, Huang SC, et al. Amyloid-beta positron emission tomography imaging probes: A critical review. *Journal of Alzheimer's Disease*. 2013;36(4):613-31. - 배제사유: 3
740. Zeng F, Goodman MM. Fluorine-18 radiolabeled heterocycles as PET tracers for imaging beta-amyloid plaques in Alzheimer's disease. *Current Topics in Medicinal Chemistry*. 2013;13(8):909-19. - 배제사유: 3
741. Jack Jr CR, Barrio JR, Kepe V. Cerebral amyloid PET imaging in Alzheimer's disease. *Acta Neuropathologica*. 2013;126(5):643-57. - 배제사유: 3
742. Watkin A, Sikdar S, Majumdar B, Richman AV. New diagnostic concepts in Alzheimer's disease. *Advances in Psychiatric Treatment*. 2013;19(4):242-9. - 배제사유: 3
743. Gandy S, DeKosky ST. Toward the treatment and prevention of alzheimer's disease: Rational strategies and recent progress. *Annual Review of Medicine*. 2013;64:367-83. - 배제사유: 3
744. Booij J, Arbizu J, Darcourt J, Hesse S, Nobili F, Payoux P, et al. Appropriate use criteria for amyloid PET imaging cannot replace guidelines: On behalf of the European Association of Nuclear Medicine. *European Journal of Nuclear Medicine and Molecular Imaging*. 2013;40(7):1122-5. - 배제사유: 3
745. Langsteger W, Beheshti M. Highlights of the 25th Anniversary EANM Congress Milan 2012: Nuclear medicine and molecular imaging at its best. *European Journal of Nuclear Medicine and Molecular Imaging*. 2013;40(9):1438-61. - 배제사유: 3
746. Varghese T, Sheelakumari R, James JS, Mathuranath PS. A review of neuroimaging biomarkers of Alzheimer's disease. *Neurology Asia*. 2013;18(3):239-48. - 배제사유: 3
747. Portnow LH, Vaillancourt DE, Okun MS. The history of cerebral PET scanning: From physiology to cutting-edge technology. *Neurology*. 2013;80(10):952-6. - 배제사유: 3
748. Gajdosik Z. Biomarkers in neurological disease - Snapshot. *Drugs of the Future*. 2013;38(2):115-22. - 배제사유: 3
749. Sheth PD. Drugs and cosmetics (amendment) bill, 2013: Views and comments. *Pharma Times*. 2013;45(11):38-9. - 배제사유: 3
750. Hinds SR, Stocker DJ, Bradley YC. Role of positron emission tomography/computed tomography

- in Dementia. *Radiologic Clinics of North America*. 2013;51(5):927-34. - 배제사유: 3
751. Koo J, Byun Y. Current status of PET-imaging probes of beta-amyloid plaques. *Archives of Pharmacal Research*. 2013;36(10):1178-84. - 배제사유: 3
752. Petrella JR. Neuroimaging and the search for a cure for Alzheimer disease. *Radiology*. 2013;269(3):671-91. - 배제사유: 3
753. Molinuevo JL, Rami L. Applying the IWG Research Criteria in Clinical Practice. Feasibility and Ethical Issues. *Medical Clinics of North America*. 2013;97(3):477-84. - 배제사유: 3
754. Rowe CC, Villemagne VL. Amyloid Imaging with PET in Early Alzheimer Disease Diagnosis. *Medical Clinics of North America*. 2013;97(3):377-98. - 배제사유: 3
755. Vandenberghe R, Adamczuk K, Dupont P, Laere KV, Chetelat G. Amyloid PET in clinical practice: Its place in the multidimensional space of Alzheimer's disease. *NeuroImage: Clinical*. 2013;2(1):497-511. - 배제사유: 3
756. Vandenberghe R, Adamczuk K, Laere KV. The interest of amyloid PET imaging in the diagnosis of Alzheimer's disease. *Current Opinion in Neurology*. 2013;26(6):646-55. - 배제사유: 3
757. Zimmermann RG. Why are investors not interested in my radiotracer? The industrial and regulatory constraints in the development of radiopharmaceuticals. *Nuclear Medicine and Biology*. 2013;40(2):155-66 - 배제사유: 3
758. Johnson KA, Minoshima S, Bohnen NI, Donohoe KJ, Foster NL, Herscovitch P, et al. Appropriate use criteria for Amyloid PET: A report of the Amyloid imaging task force the society of nuclear medicine and molecular imaging and the Alzheimer's association. *Journal of Nuclear Medicine*. 2013;54(3):476-90. - 배제사유: 3
759. Williams SC. Alzheimer's imaging agents struggle to find a market outside trials. *Nature medicine*. 2013;19(12):1551 - 배제사유: 3
760. Schipke. Erratum: Impact of beta-amyloid-specific florbetaben PET imaging on confidence in early diagnosis of Alzheimer's disease (*Dementia and Geriatric Cognitive Disorders* (2012) 33 (416-422) DOI:10.1159/000339367). *Dementia and Geriatric Cognitive Disorders*. 2012;34(3-4):262. - 배제사유: 3
761. Price JC, Lopresti BJ, Villemagne VL. Emission imaging in dementia. *Molecular Imaging in the Clinical Neurosciences*. 2012;Neuromethods. 71:223-47. - 배제사유: 3
762. Kung HF. The beta-amyloid hypothesis in Alzheimer's disease: Seeing is believing. *ACS Medicinal Chemistry Letters*. 2012;3(4):265-7. - 배제사유: 3
763. Gelosa G, Brooks DJ. The prognostic value of amyloid imaging. *European Journal of Nuclear Medicine and Molecular Imaging*. 2012;39(7):1207-19. - 배제사유: 3
764. Braskie MN, Toga AW, Thompson PM. Recent advances in imaging Alzheimer's disease. *Alzheimer's Disease: Advances For A New Century*. 2012;Advances in Alzheimer's Disease. 3:313-27. - 배제사유: 3
765. Henderson TA. The diagnosis and evaluation of dementia and mild cognitive impairment with emphasis on SPECT perfusion neuroimaging. *CNS Spectrums*. 2012;17(4):176-206. - 배제사유: 3
766. Herholz K. Imaging cerebral amyloid plaques: Clinical perspective. *The Lancet Neurology*. 2012;11(8):652-3. - 배제사유: 3
767. Sperling RA, Johnson KA. Dementia: New criteria but no new treatments. *The Lancet Neurology*. 2012;11(1):4-5. - 배제사유: 3
768. McEvoy LK, Brewer JB. Biomarkers for the clinical evaluation of the cognitively impaired elderly: Amyloid is not enough. *Imaging in Medicine*. 2012;4(3):343-57. - 배제사유: 3

769. Svedberg MM, Rahman O, Hall H. Preclinical studies of potential amyloid binding PET/SPECT ligands in Alzheimer's disease. *Nuclear Medicine and Biology*. 2012;39(4):484-501. - 배제사유: 3
770. Frisoni GB. PET and ¹⁸F ligands in the diagnosis of Alzheimer's disease. *The Lancet Neurology*. 2011;10(5):397-9. - 배제사유: 3
771. Fu YK, Shen LH, Tseng YC, Liao MH. The role of molecular imaging in the diagnosis and management of neuropsychiatric disorders. *Journal of Biomedicine and Biotechnology*. 2011;2011 (no pagination)(439397). - 배제사유: 3
772. Seibyl J, Zubal IG, Jennings D, Marek K, Doraiswamy PM. Molecular PET imaging in multicenter Alzheimer's therapeutic trials: Current trends and implementation strategies. *Expert Review of Neurotherapeutics*. 2011;11(12):1783-93. - 배제사유: 3
773. Jagust WJ. Amyloid imaging: Liberal or conservative? Let the data decide. *Archives of Neurology*. 2011;68(11):1377-8. - 배제사유: 3
774. Rowe CC, Villemagne VL. Brain amyloid imaging. *Journal of Nuclear Medicine*. 2011;52(11):1733-40. - 배제사유: 3
775. Hassan A, Whitwell JL, Josephs KA. The corticobasal syndrome-Alzheimer's disease conundrum. *Expert Review of Neurotherapeutics*. 2011;11(11):1569-78. - 배제사유: 3
776. Quigley H, Colloby SJ, O'Brien JT. PET imaging of brain amyloid in dementia: A review. *International Journal of Geriatric Psychiatry*. 2011;26(10):991-9. - 배제사유: 3
777. Vallabhajosula S, Solnes L, Vallabhajosula B. A broad overview of positron emission tomography radiopharmaceuticals and clinical applications: What is new? *Seminars in Nuclear Medicine*. 2011;41(4):246-64. - 배제사유: 3
778. Vallabhajosula S. Positron emission tomography radiopharmaceuticals for imaging brain beta-amyloid. *Seminars in Nuclear Medicine*. 2011;41(4):283-99. - 배제사유: 3
779. Eckelman W. Review of new clinical applications of radiometal labeled radiopharmaceuticals. *Nuclear Medicine and Biology*. 2011;38(5):613-6. - 배제사유: 3
780. Carrio I. Current research in nuclear medicine and molecular imaging: Highlights of the 23rd Annual EANM Congress. *European Journal of Nuclear Medicine and Molecular Imaging*. 2011;38(2):378-99. - 배제사유: 3
781. Herholz K, Ebmeier K. Clinical amyloid imaging in Alzheimer's disease. *The Lancet Neurology*. 2011;10(7):667-70. - 배제사유: 3
782. Kadir A, Nordberg A. Target-specific PET probes for neurodegenerative disorders related to dementia. *Journal of Nuclear Medicine*. 2010;51(9):1418-30. - 배제사유: 3
783. Kung HF, Choi SR, Qu W, Zhang W, Skovronsky D. ¹⁸F stilbenes and styrylpyridines for PET imaging of Abeta plaques in Alzheimer's disease: A miniperspective. *Journal of Medicinal Chemistry*. 2010;53(3):933-41. - 배제사유: 3
784. Nordberg A. The future: New methods of imaging exploration in Alzheimer's disease. *Dementia in Clinical Practice*. 2009;Frontiers of Neurology and Neuroscience. 24:47-53. - 배제사유: 3
785. Drzezga A. Amyloid-plaque imaging in early and differential diagnosis of dementia. *Annals of Nuclear Medicine*. 2010;24(2):55-66. - 배제사유: 3
786. Nordberg A, Rinne JO, Kadir A, Lngstrom B. The use of PET in Alzheimer disease. *Nature Reviews Neurology*. 2010;6(2):78-87. - 배제사유: 3
787. Xiong KL, Yang QW, Gong SG, Zhang WG. The role of positron emission tomography imaging of beta-amyloid in patients with Alzheimer's disease. *Nuclear Medicine Communications*. 2010;31(1):4-11. - 배제사유: 3

788. Szymanski P, Markowicz M, Janik A, Ciesielski M, Mikiciuk-Olasik E. Neuroimaging diagnosis in neurodegenerative diseases. *Nuclear Medicine Review*. 2010;13(1):23-31. - 배제사유: 3
789. Herholz K. PET project. *European Pharmaceutical Contractor*. 2009(WINTER):30-5. - 배제사유: 3
790. Fodero-Tavoletti MT, Cappai R, McLean CA, Pike KE, Adlard PA, Cowie T, et al. Amyloid imaging in alzheimer's disease and other dementias. *Brain Imaging and Behavior*. 2009;3(3):246-61. - 배제사유: 3
791. Vasiliou S. 12th International Conference on Alzheimer's Disease (ICAD) 2009: Emerging therapeutic strategies, diagnostic techniques and imaging technologies for AD. *Drugs of the Future*. 2009;34(7):587-97. - 배제사유: 3
792. Bednar MM. Anti-amyloid antibody drugs in clinical testing for Alzheimer's disease. *IDrugs*. 2009;12(9):566-75. - 배제사유: 3
793. Mistur R, Mosconi L, De Santi S, Li Y, Tsui W, de Leon M. Positron emission tomography in Alzheimer's disease: Early prediction and differentiation. *Future Neurology*. 2009;4(1):23-38. - 배제사유: 3
794. Frisoni GB. Imaging of amyloid comes of age. *The Lancet Neurology*. 2008;7(2):114-5. - 배제사유: 3
795. Shinotoh H, Suhara T. Beyond PIB: The next generation of amyloid-imaging ligands. *Psychogeriatrics*. 2008;8(3):105-7. - 배제사유: 3
796. Small GW, Bookheimer SY, Thompson PM, Cole GM, Huang SC, Kepe V, et al. Current and future uses of neuroimaging for cognitively impaired patients. *The Lancet Neurology*. 2008;7(2):161-72. - 배제사유: 3
797. Klunk WE, Mathis CA. The future of amyloid-beta imaging: A tale of radionuclides and tracer proliferation. *Current Opinion in Neurology*. 2008;21(6):683-7. - 배제사유: 3
798. Nasz I. The composed antigenic structure of the adenovirus hexon protein. *Virologie*. 1988;39(4):267-80. - 배제사유: 3
799. Zeydan B, Schwarz CG, Przybelski SA, Lesnick TG, Kremers WK, Senjem ML, et al. Comparison of ¹¹C-Pittsburgh compound-B and ¹⁸F-Flutemetamol White Matter Binding in PET. *Journal of Nuclear Medicine*. 2021;16:16. - 배제사유: 3
800. Anonymous. Florbetaben F 18. National Library of Medicine. 2006. - 배제사유: 3
801. Leung K.
(E)-4-(2-(6-(2-(2-(2-(¹⁸F)-fluoroethoxy)ethoxy)ethoxy)pyridin-3-yl)vinyl)-N-methylbenzenamine. National Center for Biotechnology Information. 2004. - 배제사유: 3
802. Leung K.
Trans-4-(N-Methylamino)-4'-[2-[2-(2-(¹⁸F)fluoro-ethoxy)-ethoxy]-ethoxy]-stilbene. National Center for Biotechnology Information. 2004. - 배제사유: 3
803. Chopra A. ¹⁸F-Labeled 6-amino-2-(4'-fluorophenyl)-1,3-benzothiazole and other derivatives. National Center for Biotechnology Information. 2004. - 배제사유: 3
804. Cho SH, Choe YS, Kim YJ, Lee B, Kim HJ, Jang H, et al. Author Correction: Concordance in detecting amyloid positivity between ¹⁸F-florbetaben and ¹⁸F-flutemetamol amyloid PET using quantitative and qualitative assessments. *Scientific Reports*. 2021;11(1):5461. - 배제사유: 3
805. Kim JP, Kim J, Kim Y, Moon SH, Park YH, Yoo S, et al. Correction to: Staging and quantification of florbetaben PET images using machine learning: impact of predicted regional cortical tracer uptake and amyloid stage on clinical outcomes. *European Journal of Nuclear Medicine & Molecular Imaging*. 2020;47(10):2480. - 배제사유: 3

806. Chiaravalloti A, Danieli R, Lacanfora A, Palumbo B, Caltagirone C, Schillaci O. Usefulness of 18F Florbetaben in Diagnosis of Alzheimer's Disease and Other Types of Dementia. *Current Alzheimer Research*. 2017;14(2):154-60. - 배제사유: 3
807. Chun KA. Beta-amyloid imaging in dementia. *Yeungnam University Journal of Medicine*. 2018;35(1):1-6. - 배제사유: 3
808. Duff K, Hammers DB, Dalley BCA, Suhrie KR, Atkinson TJ, Rasmussen KM, et al. Short-Term Practice Effects and Amyloid Deposition: Providing Information Above and Beyond Baseline Cognition. *Jpad*. 2017;4(2):87-92. - 배제사유: 3
809. Morris E, Chalkidou A, Hammers A, Peacock J, Summers J, Keevil S. Diagnostic accuracy of (18)F amyloid PET tracers for the diagnosis of Alzheimer's disease: a systematic review and meta-analysis. *European Journal of Nuclear Medicine & Molecular Imaging*. 2016;43(2):374-85. - 배제사유: 3
810. Heurling K, Leuzy A, Zimmer ER, Lubberink M, Nordberg A. Imaging beta-amyloid using [(18)F]flutemetamol positron emission tomography: from dosimetry to clinical diagnosis. *European Journal of Nuclear Medicine & Molecular Imaging*. 2016;43(2):362-73. - 배제사유: 3
811. Syed YY, Deeks E. [(18)F]Florbetaben: a review in beta-amyloid PET imaging in cognitive impairment. *CNS Drugs*. 2015;29(7):605-13. - 배제사유: 3
812. Jimenez Bonilla JF, Carril Carril JM. Molecular neuroimaging in degenerative dementias. *Revista Espanola de Medicina Nuclear e Imagen Molecular*. 2013;32(5):301-9. - 배제사유: 3
813. Yeo JM, Waddell B, Khan Z, Pal S. A systematic review and meta-analysis of (18)F-labeled amyloid imaging in Alzheimer's disease. *Alzheimer's & Dementia : Diagnosis, Assessment & Disease Monitoring*. 2015;1(1):5-13. - 배제사유: 3
814. Rinne JO, Wong DF, Wolk DA, Leinonen V, Arnold SE, Buckley C, et al. [(18)F]Flutemetamol PET imaging and cortical biopsy histopathology for fibrillar amyloid beta detection in living subjects with normal pressure hydrocephalus: pooled analysis of four studies. *Acta Neuropathologica*. 2012;124(6):833-45. - 배제사유: 3
815. Martínez G, Vernooij RWM, Fuentes Padilla P, Zamora J, Flicker L, Bonfill Cosp X. 18F PET with flutemetamol for the early diagnosis of Alzheimer's disease dementia and other dementias in people with mild cognitive impairment (MCI). *Cochrane Database of Systematic Reviews*. 2017(11). - 배제사유: 3
816. Yeo K-K, Kang D-S. CNN-based Alzheimer's Disease Image Learning and Accuracy Measurement Using 18F-Florbetaben PET Image Edited Database. *韓國情報技術學會論文誌 = Journal of Korean institute of information technology*. 2017;15(10):1-8 - 배제사유: 3
817. KIM H-Y, Hong S-C, Jeong J-H, Seo H-J, Kim T-W, Kim S-M, et al. Correlation between Sleep and C-reactive Protein of Patients in Amnesic Mild Cognitive Impairment and Alzheimer's Dementia. *Journal of Korean Geriatric Psychiatry*. 2020:69-74. - 배제사유: 3
818. Um YH, Choi WH, Jung WS, Park YH, Lee C-U, Lim HK. Whole Brain Voxel-Wise Analysis of Cerebral Retention of Beta-Amyloid in Cognitively Normal Older Adults Using 18 F-Florbetaben. *Psychiatry investigation*. 2017;14(6):883-6 - 배제사유: 3
819. Duff K, Suhrie K, Hammers D, Dixon A, Hoffman J. Can scores on the repeatable battery for the assessment of neuropsychological status predict amyloid deposition? *Journal of Prevention of Alzheimer's Disease*. 2021;8(SUPPL 1):S132. - 배제사유: 4
820. Bullich S, Mueller A, De Santi S, Koglin N, Krause S, Kaplow J, et al. Evaluation of tau deposition using 18F-PI-2620 pet in mci and early AD-a missionad tau sub-study. *Journal of Prevention of Alzheimer's Disease*. 2021;8(SUPPL 1):S68-S9. - 배제사유: 4
821. Verbel D, Gee M, Kaplow J, Kanekiyo M, Irizarry M, Dhadda S, et al. Prediction of brain amyloid pathology using plasma AB42/40 ratio measured using the C2N precivityadtm test in the mission

- AD study samples. *Journal of Prevention of Alzheimer's Disease*. 2021;8(SUPPL 1):S68. - 배제사유: 4
822. Cho H, Baek MS, Kim HK, Lee JH, Chun JH, Ryu YH, et al. Longitudinal tau accumulation in alzheimer's disease: Prospective 5-year follow-up study. *Journal of Prevention of Alzheimer's Disease*. 2021;8(SUPPL 1):S100. - 배제사유: 4
823. Sol O, Delpretti S, Vukicevic M, Hallikainen M, Jones R, Borjesson-Hanson A, et al. ACI-24, an anti-beta amyloid vaccine, in patients with mild alzheimer's disease: Results of a phase 2, randomized, double-blind, placebo-controlled study. *Journal of Prevention of Alzheimer's Disease*. 2021;8(SUPPL 1):S123. - 배제사유: 4
824. Gispert JD, Collij L, Gray K, Vallez-Garcia D, Heeman F, Salvado G, et al. Current status and quantitative results of the amyloid prognostic and natural history study. *Journal of Prevention of Alzheimer's Disease*. 2021;8(SUPPL 1):S25-S6. - 배제사유: 4
825. Bin BJ, Woong KK. Diagnostic performance for alzheimer's disease of the deep learning-based classification system using brain magnetic resonance imaging. *Journal of Prevention of Alzheimer's Disease*. 2021;8(SUPPL 1):S91. - 배제사유: 4
826. Yang DW, Hong YJ, Cho J, Youn YC. Comparison of ct and mri based standardized uptake value ratio for the amyloid pet analysis in subjective cognitive decline and mild cognitive impairment subjects. *Journal of Prevention of Alzheimer's Disease*. 2021;8(SUPPL 1):S91. - 배제사유: 4
827. Pereira J, Janelidze S, Smith R, Niklas MC, Palmqvist S, Teunissen C, et al. Plasma GFAP is an early marker of AB but not TAU pathology in alzheimer's disease. *Journal of Prevention of Alzheimer's Disease*. 2021;8(SUPPL 1):S14. - 배제사유: 4
828. Stage E, Wooten D, Jin Z, Locke C, Hesterman J, Seibyl J, et al. Characteristics of subjects with discordant amyloid status between visual read and centiloid from the phase 2 clinical study of tilavonemab in early alzheimer's disease. *Journal of Prevention of Alzheimer's Disease*. 2021;8(SUPPL 1):S42-S3. - 배제사유: 4
829. Brendel M, Schnabel J, Schonecker S, Wagner L, Brendel E, Meyer-Wilmes J, et al. Additive value of amyloid-PET in routine cases of clinical dementia work-up after FDG-PET. *European Journal of Nuclear Medicine and Molecular Imaging*. 2017;1-10. - 배제사유: 4
830. Lhommel R, Sempoux C, Ivanoiu A, Michaux L, Gerber B. Is 18F-flutemetamol PET/CT able to objectify cardiac amyloidosis? *Clinical Nuclear Medicine*. 2014;21. - 배제사유: 4
831. Ong KT, Villemagne VL, Bahar-Fuchs A, Lamb F, Langdon N, Catafau AM, et al. Abeta imaging with 18F-florbetaben in prodromal Alzheimer's disease: A prospective outcome study. *Journal of Neurology, Neurosurgery and Psychiatry*. 2014;26. - 배제사유: 4
832. Thurfjell L, Lotjonen J, Lundqvist R, Koikkalainen J, Soininen H, Waldemar G, et al. Combination of Biomarkers: PET [F]Flutemetamol Imaging and Structural MRI in Dementia and Mild Cognitive Impairment. *Neurodegenerative Diseases*. 2012;01. - 배제사유: 4
833. Villemagne VL, Okamura N, Pejoska S, Drago J, Mulligan RS, Chetelat G, et al. Differential Diagnosis in Alzheimer's Disease and Dementia with Lewy Bodies via VMAT2 and Amyloid Imaging. *Neurodegenerative Diseases*. 2012;17. - 배제사유: 4
834. Eftychiou N, Vera J, Barthel H, Shuerer M, Rullman M, Sabri O, et al. Emerging role of [¹⁸F]florbetaben-PET/CT in assessment and management of people living with HIV and subjective cognitive impairment. *Nuclear Medicine Communications*. 2021;42(10):1162. - 배제사유: 4
835. Kangi H, Kang DY. Early Phase F18-Florbetaben Imaging Can Be Used to Improve Alzheimer's Disease Detection. *Journal of Nuclear Medicine Conference: Society of Nuclear Medicine and Molecular Imaging Annual Meeting, SNMMI*. 2021;62(SUPPL 1). - 배제사유: 4
836. Sacchi L, Carandini T, Fumagalli G, Pietroboni A, Contarino V, Siggillino S, et al. Unravelling

- the association between amyloid-pet and CSF biomarkers: Who really deserves an A+? Journal of the Neurological Sciences. 2021;Conference: World Congress of Neurology (WCN 2021). Rome Italy. 429(Supplement) (no pagination)(117853). - 배제사유: 4
837. Yoo SW, Kim JS, Lee KS, Ha S. Paradoxical cerebral hyperperfusion in Parkinson's disease with orthostatic hypotension. Movement Disorder. 2021;36(SUPPL 1):S391. - 배제사유: 4
838. Oh YS, Yoo SW, Lyoo CH, Lee KS, Kim JS. The association of beta-amyloid with cognition and striatal dopamine in early, non-demented Parkinson's disease. Movement Disorder. 2021;36(SUPPL 1):S369. - 배제사유: 4
839. Mihascu A, Valli M, Diez-Cirarda M, Koshimori Y, Kim J, Strafella A. Characteristics of the amyloid beta networks in Parkinson's disease patients: A PPMI study. Movement Disorder. 2021;36(SUPPL 1):S368-S9. - 배제사유: 4
840. Villa-Carpes J, Marin-Sanchez JM, Fernandez EJ, Bueno JM. Visual acuity changes with time following vision through bangerter filters. Investigative Ophthalmology and Visual Science Conference: Annual Meeting Association for Research in Vision and Ophthalmology, ARVO. 2021;62(8) - 배제사유: 4
841. Johansson M, Stomrud E, Lindberg O, Westman E, Johansson PM, van Westen D, et al. Apathy and anxiety are early markers of Alzheimer's disease. Neurobiology of Aging. 2020;85:74-82. - 배제사유: 4
842. Schurer M, Chen KT, Jochimsen T, Rullmann M, Patt M, Tiepolt S, et al. Impact of deep learning artificial intelligence approaches on amyloid PET diagnosis. European Journal of Nuclear Medicine and Molecular Imaging. 2019;46(1 Supplement 1):S20-S1. - 배제사유: 4
843. Lisova K, Wang J, Rios A, Van Dam RM. Adaptation and optimization of [¹⁸F]Florbetaben ([¹⁸F]FBB) radiosynthesis to a microdroplet reactor. Journal of Labelled Compounds and Radiopharmaceuticals. 2019;62(Supplement 1):S353-S4. - 배제사유: 4
844. Sfakianaki E, Georgiou M, Goryawala M, Cid RC, Loewenstein D. Visual interpretation of ¹⁸F-florbetaben brain PET/CT for evaluation of abnormal amyloid plaque deposition is corroborated and enhanced with a quantitative analysis software package. Journal of Nuclear Medicine Conference: Society of Nuclear Medicine and Molecular Imaging Annual Meeting, SNMMI. 2021;62(SUPPL 1). - 배제사유: 4
845. Petrover D, Giliberto L, Clouston S, Gordon M, Franceschi A. Semiquantitative Approach to Amyloid PET Interpretation in Clinical Practice. Journal of Nuclear Medicine Conference: Society of Nuclear Medicine and Molecular Imaging Annual Meeting, SNMMI. 2021;62(SUPPL 1). - 배제사유: 4
846. Gershensom J, Goddard J, Hongs I, Mandelkern M. Motion correction for PET: brain imaging case series comparisons of optical-pose and data-driven methods. Journal of Nuclear Medicine Conference: Society of Nuclear Medicine and Molecular Imaging Annual Meeting, SNMMI. 2021;62(SUPPL 1). - 배제사유: 4
847. Lee S, Jung JH, Lim HK, Park MA, Kim G, So M, et al. Positron emission tomography/computed tomography for brain amyloid: A feasibility study for scan time reduction by deep learning. Journal of Nuclear Medicine Conference: Society of Nuclear Medicine and Molecular Imaging Annual Meeting, SNMMI. 2021;62(SUPPL 1). - 배제사유: 4
848. Ward L, Burnham SC, Villemagne VL, Li QX, Collins S, Fowler CJ, et al. Elecsys CSF biomarker immunoassays demonstrate concordance with results of amyloid-PET imaging in AIBL patient samples. Journal of Prevention of Alzheimer's Disease. 2018;5(1):S30-S1. - 배제사유: 4
849. Weidlich D, Martinez-Lage P, Roncancio-Diaz E, Sampedro A. COST-EFFECTIVENESS OF USING [¹⁸F]FLUTEMETAMOL IN THE CLINICAL EVALUATION OF PATIENTS WITH MILD COGNITIVE IMPAIRMENT OR SUSPECTED DEMENTIA IN SPAIN. Value in Health. 2018;21(Supplement 3):S260. - 배제사유: 4

850. Ramusino MC, Altomare D, Assal F, Mendes A, Costa A, Morbelli S, et al. The Incremental Value of Amyloid Pet Versus Csf Biomarkers for the Diagnosis of Alzheimer's Disease (India-Fbb Study). *Alzheimer's and Dementia*. 2018;14(7 Supplement):P17-P8. - 배제사유: 4
851. Apostolova LG, Aisen P, Eloyan A, Fagan A, Fargo KN, Foroud T, et al. The Longitudinal Early-onset Alzheimer's Disease Study (LEADS): Framework and methodology. *Alzheimer's and Dementia*. 2021. - 배제사유: 4
852. Caroppo P, Marucci G, Maccagnano E, Gobbo CL, Bizzozero I, Tiraboschi P, et al. Cerebral amyloid angiopathy in a 51-year-old patient with embolization by dura mater extract and surgery for nasopharyngeal angiofibroma at age 17. *Amyloid*. 2021;28(2):142-3. - 배제사유: 4
853. Cho H, Baek MS, Choi JY, Lee SH, Kim JS, Ryu YH, et al. ¹⁸F-AV-1451 binds to motor-related subcortical gray and white matter in corticobasal syndrome. *Neurology*. 2017;89(11):1170-8. - 배제사유: 4
854. Frisoni GB, Barkhof F, Farrar G, Raffa N, Gismondi R, Schmidt ME, et al. The AMYPAD-DX controlled trial on the diagnostic value of amyloid PET. *Alzheimer's and Dementia*. 2017;13(7):P1523 - 배제사유: 4
855. Wang SM. Default mode network dissociation linking cerebral beta amyloid retention and depression in cognitively normal older adults. *Asia Pacific Psychiatry Conference: 19th International Congress of the Pacific Rim College of Psychiatrists Seoul South Korea*. 2021;13(SUPPL 1). - 배제사유: 4
856. Kang DW, Lim HK. Impact of transcranial direct current stimulation on cognitive function, brain functional activity in MCI patients according to amyloid-beta retention and APOE 4 allele. *Asia Pacific Psychiatry Conference: 19th International Congress of the Pacific Rim College of Psychiatrists Seoul South Korea*. 2021;13(SUPPL 1). - 배제사유: 4
857. Cho SH, Choe YS, Kim YJ, Lee B, Kim HJ, Jang H, et al. Erratum: Author Correction: Concordance in detecting amyloid positivity between ¹⁸F-florbetaben and ¹⁸F-flutemetamol amyloid PET using quantitative and qualitative assessments (Scientific reports (2020) 10 1 (19576)). *Scientific reports*. 2021;11(1):5461. - 배제사유: 4
858. Pesini P, Perez-Grijalba V, Fandos N, Olmos S, Bossa M, Masters CL, et al. Total plasma Abeta42/40 ratio is an early biomarker of Alzheimer's disease progression. *Alzheimer's and Dementia*. 2015;1):P871-P2. - 배제사유: 4
859. Rowe CC, Dore V, Bourgeat P, Veljanoski R, Buckley R, Salvado O, et al. Higher AB burden in healthy APOE-E4 carriers is associated with subjective memory complaints: Results from the flutemetamol and PIB AIBL cohorts. *Internal Medicine Journal*. 2014;44(Supplement 1):15. - 배제사유: 4
860. Rowe CC, Dore V, Bourgeat P, Buckley R, Veljanovski R, Salvado O, et al. Higher ab burden in healthyapoe-E4 carriers is associated with subjective memory complaints: Results from the flutemetamol and PiB AIBL cohorts. *Alzheimer's and Dementia*. 2014;4):P186-P7. - 배제사유: 4
861. Kang H, Park JS, Kang DY. Improved detection of Alzheimer's disease via addition of early FBB PET. *Alzheimer's and Dementia Conference: Alzheimer's Association International Conference, AAIC*. 2020;16(SUPPL 12). - 배제사유: 4
862. Rowe CC, Dore V, Bourgeat P, Buckley R, Veljanovski R, Salvado O, et al. Higher abetaburden in healthyapoe-e4 carriers is associated with subjective memory complaints: Results from the flutemetamol and pib AiBL cohorts. *Alzheimer's and Dementia*. 2014;4):P42. - 배제사유: 4
863. Ferreira S, Oliveira F, Silva M, Oliveira R, Silva A, Oliveira C, et al. Correlation assessment between brain ¹⁸F-Florbetaben PET/CT SUVR late acquisitions and parametric images obtained from dynamic acquisitions compartmental analysis. *European Journal of Nuclear Medicine and Molecular Imaging*. 2020;47(SUPPL 1):S166-S7. - 배제사유: 4
864. Patel NH, Perry L, Lilja J, Golemme M, McMeekin H, Alves L, et al. Quantification of

- 18F-Florbetaben amyloid PET images in patients with Alzheimer's disease. *European Journal of Nuclear Medicine and Molecular Imaging*. 2020;47(SUPPL 1):S166. - 배제사유: 4
865. Balci E, Akdemir U, Atay LO. Tracer effect on partial volume correction of Brain PET/MR imaging. *European Journal of Nuclear Medicine and Molecular Imaging*. 2020;47(SUPPL 1):S20. - 배제사유: 4
866. Anton Rodriguez J, Matthews JC, Scott L, Lohezic M, Herholz K, Parkes LM. Comparison between regional cerebral blood flow estimates using different MR arterial spin labelling approaches and early-phase amyloid PET on a simultaneous PET/MR. *European Journal of Nuclear Medicine and Molecular Imaging*. 2020;47(SUPPL 1):S498-S9. - 배제사유: 4
867. Rullmann M, Flender PL, Villemagne VL, Sabri O, Barthel H. The homogeneity of beta amyloid PET: Different white matter properties of [18F]Florbetaben and [11C]PiB. *European Journal of Nuclear Medicine and Molecular Imaging*. 2020;47(SUPPL 1):S445. - 배제사유: 4
868. Marotta G, Sacchi L, Fumagalli GG, Pietroboni AM, Arighi A, Ghezzi L, et al. Concordance between amyloid PET imaging and CSF biomarkers in clinical setting. *European Journal of Nuclear Medicine and Molecular Imaging*. 2020;47(SUPPL 1):S519. - 배제사유: 4
869. Giovacchini G, Giovannini E, Riondato M, Ferrando O, Foppiano F, De Biasi M, et al. Deep learning radiomics for prediction of Alzheimer disease by using amyloid PET images. *European Journal of Nuclear Medicine and Molecular Imaging*. 2020;47(SUPPL 1):S275. - 배제사유: 4
870. Pastatter R, Uhl-hochgraber K, Blankenburg M. Cost savings and improved utility through the use of florbetaben beta-amyloid pet imaging in dementia diagnosis. *Value in Health*. 2011;14(7):A253. - 배제사유: 4
871. Fairway S, Mantzilas D, Horn E, Powell N. Development of a solid phase extraction (SPE) based purification method for production of the amyloid imaging agent [18F]flutemetamol. *Journal of Nuclear Medicine Conference: Society of Nuclear Medicine and Molecular Imaging Annual Meeting, SNMMI*. 2010;51(SUPPL. 2). - 배제사유: 4
872. Vera J, Eftychiou N, Schuerer M, Rullmann M, Barthel H, Sabri O, et al. Clinical utility of beta-amyloid PET imaging in people living with HIV with cognitive symptoms. *Journal of the International AIDS Society Conference: HIV Glasgow Virtual*. 2020;23(SUPPL 7). - 배제사유: 4
873. Vera J, Eftychiou N, Barthel H, Sabri O, Schuerer M, Gisslen M, et al. Clinical utility of b-amyloid PET imaging in people living with HIV with cognitive symptoms. *HIV Medicine*. 2020;21(SUPPL 4):48-9. - 배제사유: 4
874. Hagberg G, Fure B, Thommessen B, Ihle-Hansen H, Oksengard A, Beyer M, et al. 18f-flutemetamol pet post-stroke-a seven year follow-up study. *International Journal of Stroke*. 2020;15(1 SUPPL):555-6. - 배제사유: 4
875. Hameed S, Syed W. The clinical role of pet imaging biomarker in diagnosis of early onset Alzheimer's disease dementia. *Journal of Neuropsychiatry and Clinical Neurosciences*. 2019;31(3):e13. - 배제사유: 4
876. Chylinski D, Van Egroo M, Narbutas J, Coppieters D, Degueldre C, Berthomier C, et al. Arousals during sleep are associated with cortical amyloid-beta burden and cognition in healthy older adults. *Journal of Sleep Research Conference: 25th Congress of the European Sleep Research Society, ESRS*. 2020;29(SUPPL 1). - 배제사유: 4
877. Pesini P. A β blood based test as surrogate markers of cortical amyloid pathology for clinical trials on Alzheimer's disease. *Journal of prevention of alzheimer's disease*. 2018;5(1):S2-S3. - 배제사유: 4
878. Moren AF, Varrone A. Timing is everything: Tau imaging across stages of Alzheimer's disease. *Brain*. 2020;143(9):2634-6. - 배제사유: 4
879. Rullmann M, Flender PL, Villemagne V, Sabri O, Barthel H. As a (white) matter of fact-Different

- white matter properties of beta-amyloid PET tracers. *NuklearMedizin*. 2020;59(2):192. - 배제사유: 4
880. Daamen M, Li S, Scheef L, Gartner F, Amthauer H, Buchert R, et al. Amyloid-related changes of basal forebrain volume and precuneus functional connectivity in Subjective Cognitive Decline patients. *NuklearMedizin*. 2020;59(2):190. - 배제사유: 4
881. Mathies F, Lange C, Apostolova I, Frings L, Klutmann S, Meyer PT, et al. Support of visual interpretation of amyloid-B PET by co-registration to the early uptake image. *NuklearMedizin*. 2020;59(2):184. - 배제사유: 4
882. Kang SK, Choi H, Lee JS. Translating amyloid PET of different radiotracers by a deep generative model for interchangeability. *Journal of Nuclear Medicine Conference*. 2020;61(Supplement 1). - 배제사유: 4
883. Roe-Vellve N, Bullich S, Marquie M, Barthel H, Villemagne V, Sanabria A, et al. Early detection of amyloid load using ¹⁸F-Florbetaben PET. *Journal of Nuclear Medicine Conference*. 2020;61(Supplement 1). - 배제사유: 4
884. Franceschi A, Kritikos M, Cruciata G, Clouston S, Vaska P, Huang C, et al. Neuritic plaques and neurofibrillary tangles in a positron emission tomography feasibility study of Alzheimer's disease in World Trade Center cognitively impaired responders. *Journal of Nuclear Medicine Conference*. 2020;61(Supplement 1). - 배제사유: 4
885. Rullmann M, Tiepolt S, Messerschmidt K, Gerhards T, Schurer M, Hesse S, et al. Can partial volume effect correction or gray/white matter boundary delineation improve the visual reading of [18F]Florbetaben PET images? *Journal of Nuclear Medicine Conference*. 2020;61(Supplement 1). - 배제사유: 4
886. Otani T, Otsuka H, Matsushita K, Otomi Y, Kunikane Y, Azane S, et al. Possibility of shortening examination time in amyloid PET using flutemetamol. *Journal of Nuclear Medicine Conference*. 2020;61(Supplement 1). - 배제사유: 4
887. Chang Y, Li C, Yang H, Lin M, Xu B, Ning J, et al. F-Florbetaben amyloid imaging PET: A Chinese study in cognitively normal controls, mild cognitive impairment and Alzheimer's disease patients. *Journal of Nuclear Medicine Conference*. 2020;61(Supplement 1). - 배제사유: 4
888. Jin Kwon S, Ha S, Yoon H, Kim J, Park SY, Yoo SW, et al. Alteration of posteromedial corticothalamic connectivity in moderate staged Parkinson disease identified by early-phase Florbetaben PET. *Journal of Nuclear Medicine Conference*. 2020;61(Supplement 1). - 배제사유: 4
889. Rullmann M, Flender P, Villemagne V, Sabri O, Barthel H. The homogeneity of beta amyloid PET: Comparing white matter properties of [18F]Florbetaben and [11C]PiB. *Journal of Nuclear Medicine Conference*. 2020;61(Supplement 1). - 배제사유: 4
890. Hattori N, Yamamoto S, Nakano S, Udo N, Nakada K, Ohno S, et al. Basic clinical characteristics of dementia with Lewy bodies with vs. without concomitant beta-amyloid pathology. *Journal of Nuclear Medicine Conference*. 2020;61(Supplement 1). - 배제사유: 4
891. Chen K, Holley D, Halbert K, Toueg T, Boumis A, Kennedy G, et al. Quantitative assessment of deep learning-enhanced actual ultra-low-dose amyloid PET/MR imaging. *Journal of Nuclear Medicine Conference*. 2020;61(Supplement 1). - 배제사유: 4
892. Vasireddi A, Nguyen N. Sinclide-stimulated cholescintigraphy: A retrospective study and proposal of a modified workflow. *Journal of Nuclear Medicine Conference*. 2020;61(Supplement 1). - 배제사유: 4
893. Sanlier M, Yilmaz Y, Topcular B. Amyloid imaging findings in familial and sporadic patients with Alzheimer's disease. *European Journal of Neurology*. 2020;27(Supplement 1):1030. - 배제사유: 4
894. Delgado S, Ferreira MI, Figueiredo C, Casimiro C, Costa C, Santos M. Cerebral amyloid

- angiopathy-related inflammation: A rare and treatable cause of severe subacute leukoencephalopathy. *European Journal of Neurology*. 2020;27(Supplement 1):561-2. - 배제사유: 4
895. Lucas-Del-Pozo S, Moreno-Martinez D, Molto-Abad M, Tigri-Santina A, Lorenzo-Bosquet C, Hernandez-Vara J, et al. Amyloid deposition in a patient with the complex Gaucher disease/Parkinson disease. *Molecular Genetics and Metabolism*. 2020;129(2):S102. - 배제사유: 4
896. Laroy M, Emsell L, Vansteelandt K, De Winter FL, Dols A, Stek M, et al. P.406 Hippocampal volume increase in electroconvulsive therapy is independent of amyloid deposition in late-life depression. *European Neuropsychopharmacology*. 2020;31(Supplement 1):S79. - 배제사유: 4
897. Anonymous. Alzheimer's Association International Conference 2019. *Alzheimer's and Dementia*. 2019;15(7 Supplement):A1-A10. - 배제사유: 4
898. Zhang M, Liu J, Li B, Chen S. ¹⁸F-florbetapir PET/MRI for quantitatively monitoring demyelination and remyelination in acute disseminated encephalomyelitis. *EJNMMI Research*. 2019;9(1) (no pagination)(96). - 배제사유: 4
899. Dewolf AH, Lejeune T, Willems PA. The on-off ground asymmetry during running on sand. *Computer Methods in Biomechanics and Biomedical Engineering*. 2019;22(Supplement 1):S291-S3. - 배제사유: 4
900. Kim HJ, Rhee E, Chung S, Lee JH. Elucidating the risk factors for disease progression to dementia in patients with amyloid negative amnesic mild cognitive impairment. *Journal of Prevention of Alzheimer's Disease*. 2019;6(Supplement 1):S127-S8. - 배제사유: 4
901. Lee JH, Lee EH, Kim HJ, Koh SH, Park SH. Soluble TREM2 (triggering receptor expressed on myeloid cells 2) as a new blood based biomarker in Alzheimer's disease. *Journal of Prevention of Alzheimer's Disease*. 2019;6(Supplement 1):S97. - 배제사유: 4
902. Hong YJ, Kim YB, Kim SH, Shin HE, Lee SB, Ryu DW, et al. Prediction of clinical progression using amyloid biomarkers in subjective cognitive decline: A longitudinal observational study. *Journal of Prevention of Alzheimer's Disease*. 2019;6(Supplement 1):S86-S7. - 배제사유: 4
903. Dickerson B, Collins J, Vemuri P, Borowski B, Iaccarino L, La Joie R, et al. ATN characteristics of imaging biomarkers of the current leads sample. *Journal of Prevention of Alzheimer's Disease*. 2019;6(Supplement 1):S80. - 배제사유: 4
904. Kang DW, Lim HK. Differential effects of the interaction between the education and APOE e4 allele on amyloid-beta retention and memory performances in cognitively normal older adults and Alzheimer's disease patients. *Journal of Prevention of Alzheimer's Disease*. 2019;6(Supplement 1):S106-S7. - 배제사유: 4
905. Paik IH, Lim HK. Development of Alzheimer's disease biomarker using AB*56 soluble oligomer in human nasal secretions. *Journal of Prevention of Alzheimer's Disease*. 2019;6(Supplement 1):S105. - 배제사유: 4
906. Dong Won Y, Yun Jung H, Seonghee H, Jee Hyang J, Kee Hyung P, Sangyun K, et al. Clinical characteristics and amyloid accumulation in the brain and the blood in amnesic subjective cognitive decline. *Journal of Prevention of Alzheimer's Disease*. 2019;6(Supplement 1):S104-S5. - 배제사유: 4
907. Stephens A, Bullich S, Mueller A, Berndt M, De santi S, Scott D, et al. Association between neuraceq levels and [18F]PI-2620 tau pet tracer accumulation in baseline scans of the elenbecestat missionad program. *Journal of Prevention of Alzheimer's Disease*. 2019;6(Supplement 1):S39-S40 - 배제사유: 4
908. Novak G, Baker S, Udeh-momo C, Price G, Watermeyer T, Loots C, et al. The chariot-pro substudy: Baseline characteristics of the fully enrolled cohort. *Journal of Prevention of Alzheimer's Disease*. 2019;6(Supplement 1):S39. - 배제사유: 4

909. Carrillo M, Sperling R. BACE inhibition: What do we know and what do need to know? *Journal of Prevention of Alzheimer's Disease*. 2019;6(Supplement 1):S7. - 배제사유: 4
910. Kim J, Linortner P, Toueg T, Mormino EC, Poston KL. Amyloid deposition on PET correlates with CSF biomarkers and cognitive dysfunction in Parkinson's disease. *Annals of Neurology*. 2019;86(Supplement 24):S177. - 배제사유: 4
911. Schubert JJ, Veronese M, Bodini B, Toniello M, Stankoff B, Martin-Bastida A, et al. Dynamic PET with 11C- and 18F-tracers for measuring cerebrospinal fluid alterations in multiple sclerosis. *Multiple Sclerosis Journal*. 2019;25(Supplement 2):706-7. - 배제사유: 4
912. Fernandez-Rodriguez B, Gasca-Salas C, Rodriguez-Rojas R, Guida P, Mata-Marin D, Obeso-Martin I, et al. Visual hallucinations in Parkinson's disease and amyloid burden: 18F-Flutemetamol PET-MRI study. *Movement Disorder*. 2019;34(Supplement 2):S687. - 배제사유: 4
913. Palleis C, Levin J, Brendel M, Beyer L, Rauchmann BS, Loosli S, et al. Activity of cerebral networks, Amyloid and microglia in corticobasal syndrome: The ActiGliA study. *Movement Disorder*. 2019;34(Supplement 2):S921-S2. - 배제사유: 4
914. Stark M, Melzer T, Myall D, Keenan R, Pitcher T, Horne KL, et al. Amyloid load and cognitive decline in Parkinson's disease: Preliminary longitudinal findings. *Movement Disorder*. 2019;34(Supplement 2):S831. - 배제사유: 4
915. Van Wamelen D, Politis M, Aarsland D, Odin P, Van Laar T, Henriksen T, et al. APOmorphine infusion and aMYLoid deposition in Parkinson's disease (APOMYL): Preliminary clinical and amyloid imaging data. *Movement Disorder*. 2019;34(Supplement 2):S462. - 배제사유: 4
916. Woo KA, Yoo D, Lee JY. Spontaneous pisa syndrome in a patient with early-onset Alzheimer's disease. *Movement Disorder*. 2019;34(Supplement 2):S716-S7. - 배제사유: 4
917. Tezuka T, Takahata K, Tabuchi H, Mashima K, Oyama M, Okada K, et al. Next-generation tau PET imaging with 18F-PI-2620 in Alzheimer's disease(AD) and non-AD tauopathy. *Clinical Neurology*. 2019;59(Supplement 1):S214. - 배제사유: 4
918. Kang DW, Lee CU, Lim HK. Differential effects of the interaction between the education and APOE 4 allele on amyloid-beta retention and memory performances in cognitively normal older adults and Alzheimer's disease patients. *International Psychogeriatrics*. 2019;31(Supplement 1):146-7. - 배제사유: 4
919. Meng Y, Shirzadi Z, MacIntosh B, Heyn C, Smith GS, Aubert I, et al. Blood-brain barrier opening in Alzheimer's disease using MR-guided focused ultrasound. *Clinical Neurosurgery*. 2019;66(Supplement 1):65. - 배제사유: 4
920. Kim HS, Park KH. Rem sleep behavior disorder in patients with alzheimer's disease. *Sleep Medicine*. 2019;64(Supplement 1):S294 - 배제사유: 4
921. Johansson M, Stomrud E, Lindberg O, Westman E, Johansson MP, Van Westen D, et al. P.780 Apathy and anxiety are early markers of Alzheimer's disease. *European Neuropsychopharmacology*. 2019;29(Supplement 6):S522-S3. - 배제사유: 4
922. Van De Kreeke A, Nguyen HT, Konijnenberg E, Tomassen J, Braber AD, Kate MT, et al. Optical Coherence Tomography Angiography in Preclinical Alzheimer's Disease. *Investigative Ophthalmology and Visual Science Conference*. 2019;60(9). - 배제사유: 4
923. Gerhards T, Rullmann M, Roicke H, Lobsien D, Hoffmann K, Classen J, et al. Multimodal imaging of x-linked adrenoleukodystrophies with [18F]florbetaben PET/MRI. *European Journal of Nuclear Medicine and Molecular Imaging*. 2019;46(1 Supplement 1):S406-S7. - 배제사유: 4
924. Santos-Holgueras P, Dodich A, Andryszak P, Rakotomiarmanana B, Scheffler M, Lovblad K, et al. Agreement between amyloid-PET early phase images and FDG-PET: A single subject validation in amyloid positive and amyloid negative subjects. *European Journal of Nuclear Medicine and*

- Molecular Imaging. 2019;46(1 Supplement 1):S405-S6. - 배제사유: 4
925. Lee E, Youn H, Lee S, Jeong H, Eo J. Task-specific regional cerebral metabolic pattern according to amyloid deposition in MCI patients: SPM analysis with paired FDG PET images. *European Journal of Nuclear Medicine and Molecular Imaging*. 2019;46(1 Supplement 1):S404. - 배제사유: 4
926. Kessler L, Papathanasiou M, Brainman A, Kersting D, Ludike P, Weber M, et al. Evaluation of F-18-Flutemetamol in hybrid PET-imaging of cardiac amyloidosis: A pilot study. *European Journal of Nuclear Medicine and Molecular Imaging*. 2019;46(1 Supplement 1):S381. - 배제사유: 4
927. Alongi P, Laudicella R, Sardina D, Giliberto S, Russo G, Stefano A, et al. Spm MRI-less 18F-florbetaben PET for amyloid burden quantification and potential ad patients selection in clinical trials. *European Journal of Nuclear Medicine and Molecular Imaging*. 2019;46(1 Supplement 1):S402. - 배제사유: 4
928. Sauerbeck J, Beyer L, Schonecker S, Palleis C, Hoglinger G, Schuh E, et al. Translocator protein in 4R tauopathies-experience from the ActiGliA study. *European Journal of Nuclear Medicine and Molecular Imaging*. 2019;46(1 Supplement 1):S325. - 배제사유: 4
929. Rodriguez-Bel L, Martinez De Bourio-Allona M, Mora-Salvado J, Rico-Pons I, Rene-Ramirez R, Gascon-Bayarri J, et al. Amyloid PET/CT for the diagnosis of alzheimer's disease dementia and other dementias in patients with cognitive impairment and its relationship with cognitive functioning. *European Journal of Nuclear Medicine and Molecular Imaging*. 2019;46(1 Supplement 1):S418-S9. - 배제사유: 4
930. Buckley CJ, Foley C, Battle M, Grecchi E, Farrar G, Gispert J, et al. AmyPype: An automated system to quantify AMYPAD's [¹⁸F]flutemetamol and [¹⁸F]florbetaben images including regional SUVR and Centiloid analysis. *European Journal of Nuclear Medicine and Molecular Imaging*. 2019;46(1 Supplement 1):S323-S4. - 배제사유: 4
931. Battle M, Buckley C, Smith A, Farrar G, Thal DR, Molineuvo J, et al. Comparison of centiloid scaling values with visual read assessment in a pathology verified autopsy cohort. *European Journal of Nuclear Medicine and Molecular Imaging*. 2019;46(1 Supplement 1):S322-S3. - 배제사유: 4
932. Kim J, Choi H, Paeng J, Cheon G, Kang K, Lee D. Direct quantification of native-space amyloid PET via endto-end training of a deep learning. *European Journal of Nuclear Medicine and Molecular Imaging*. 2019;46(1 Supplement 1):S322. - 배제사유: 4
933. Chedumbarum Pillay L, Wilkens P, Buckley CJ. Baseline assessments of striatal amyloid plaque load, hippocampal and ventricular volumes via [¹⁸F] flutemetamol PET and MRI imaging predicts clinical progression to pAD in a 3-year observational aMCI cohort study. *European Journal of Nuclear Medicine and Molecular Imaging*. 2019;46(1 Supplement 1):S321-S2 - 배제사유: 4
934. Rullmann M, Tiepolt S, Messerschmidt K, Gerhards T, Schurer M, Hesse S, et al. At first sight-Can gray matter/white matter boundary delineation or partial volume effect correction improve the visual read of [18F]Florbetaben PET images? *European Journal of Nuclear Medicine and Molecular Imaging*. 2019;46(1 Supplement 1):S321 - 배제사유: 4
935. Buckley CJ, Battle M, Farrar G, Foley C, Smith A, Thal D. Assessment of centiloid [¹⁸F]flutemetamol values relative to CERAD-style pathology categories from a well characterised autopsy cohort. *European Journal of Nuclear Medicine and Molecular Imaging*. 2019;46(1 Supplement 1):S319-S20. - 배제사유: 4
936. Agudelo M, Bernal J, Martinez-Sanchis B, Sopena-Novales P, Yepes-Agudelo A, Utrera-Costero A, et al. Imaging and CSF biomarkers for cognitive impairment. *European Journal of Nuclear Medicine and Molecular Imaging*. 2019;46(1 Supplement 1):S414. - 배제사유: 4
937. Schurer M, Jochimsen T, Rullmann M, Patt M, Tiepolt S, Schroeter M, et al. Impact of MR-based

- head motion correction on amyloid PET diagnosis—a simultaneous PET/MRI study. *European Journal of Nuclear Medicine and Molecular Imaging*. 2019;46(1 Supplement 1):S410-S1. - 배제사유: 4
938. Giovannini E, Lazzeri P, Borso E, Riondato M, Ciarmiello A. Impact of tracer retention level on visual classification of amyloid pet images. *European Journal of Nuclear Medicine and Molecular Imaging*. 2019;46(1 Supplement 1):S410. - 배제사유: 4
939. Lhommel R, Hanseeuw B, Malotiaux V, Cerman J, Ivanoiu A. How to convert F18-Flutemetamol centiloid SUVr to Centiloid scale values ? A simple-method using PNEURO 3.9 software. *European Journal of Nuclear Medicine and Molecular Imaging*. 2019;46(1 Supplement 1):S33. - 배제사유: 4
940. Ferreira S, Oliveira FPM, Silva M, Silva A, Oliveira C, Castanheira JC, et al. Noninvasive tracer kinetic analysis of brain ¹⁸F-Florbetaben PET: A comparison of kinetic models. *European Journal of Nuclear Medicine and Molecular Imaging*. 2019;46(1 Supplement 1):S768-S9. - 배제사유: 4
941. Heeman F, Yaqub M, Collij L, Ingala S, Salvado G, Wink A, et al. The impact of reference region choice on the apparent ordering of amyloid deposition. *European Journal of Nuclear Medicine and Molecular Imaging*. 2019;46(1 Supplement 1):S787-S8. - 배제사유: 4
942. Ruzza A, Filippi L, Cicco G, Basile P, Pirisino R, Bagni O. Dual time-point ¹⁸F-Flutemetamol PET protocol for the imaging of neurodegenerative and amyloid biomarkers in mild cognitive impairment. *European Journal of Nuclear Medicine and Molecular Imaging*. 2019;46(1 Supplement 1):S187. - 배제사유: 4
943. Alves L, Williams B, Vilic D, Win Z. Amyloid positron emission tomography (PET) scanning: Process and pathway pitfalls and review. *European Journal of Nuclear Medicine and Molecular Imaging*. 2019;46(1 Supplement 1):S213-S4. - 배제사유: 4
944. Li T, Lesuer W, Singh A, Hernandez JD, Zhang X, Jelinek D, et al. The role of adipose tissue-resident eosinophils in adipocyte metabolism and whole-body energy homeostasis. *Diabetes Conference: 79th Scientific Sessions of the American Diabetes Association, ADA*. 2019;68(Supplement 1). - 배제사유: 4
945. Choi SH, Hwang J, Jeong JH, Yoon SJ, Park KW, Kim EJ, et al. Clinical and Biomarker Characteristics According to Clinical Spectrum of Alzheimer's Disease (Ad): The Validation Cohort of Korean Brain Aging Study for the Early Diagnosis and Prediction of Ad (Kbase-V) Baseline Results. *Alzheimer's and Dementia*. 2019;15(7 Supplement):P1364. - 배제사유: 4
946. Zou J, Tao S, Johnson AS, Tomljanovic Z, Polly K, Klein J, et al. Microglial Activation, but Not Tau Deposition, Is Independently Associated with Amyloid Positivity and Memory Impairment. *Alzheimer's and Dementia*. 2019;15(7 Supplement):P743-P4. - 배제사유: 4
947. Venkataraman AV, Mansur A, Lewis Y, Kocagoncu E, Lingford-Hughes A, Huiban M, et al. QUANTIFYING MITOCHONDRIAL AND SYNAPTIC FUNCTION IN ALZHEIMER'S DISEASE USING [¹⁸F]BCPP-EF, [¹¹C]SA4503 AND [¹¹C]UCB-J PET IMAGING. *Alzheimer's and Dementia*. 2019;15(7 Supplement):P740-P1. - 배제사유: 4
948. Preiss D, Billette OV, Nestor PJ. A Low Digit Span Forward Score Is Not a Predictor for Ad Pathology in Ppa Patients. *Alzheimer's and Dementia*. 2019;15(7 Supplement):P433-P4. - 배제사유: 4
949. Cerman J, Laczó J, Andel R, Vyhnaček M, Parizkova M, Belohlavek O, et al. Spatial Navigation Impairment Is More Pronounced in Amyloid Positive MCI Patients: Data from the Czech Brain Ageing Study. *Alzheimer's and Dementia*. 2019;15(7 Supplement):P1046-P7. - 배제사유: 4
950. Kim HJ, Park JE, Kim YE, Jang H, Cho SH, Kim SJ, et al. ANALYSIS OF DEMENTIA-RELATED GENE VARIANTS IN APOE ε4 NONCARRYING KOREAN PATIENTS WITH EARLY-ONSET ALZHEIMER'S DISEASE. *Alzheimer's and Dementia*. 2019;15(7 Supplement):P619. - 배제사유: 4
951. Risacher SL, WuDunn D, Tallman EF, Vosmeier A, West JD, Deardorff R, et al. Plasma Amyloid-Beta

- and Tau and Visual Contrast Sensitivity Synergistically Predict Cerebral Amyloid and Tau Deposition on Pet in Preclinical and Prodromal Ad. *Alzheimer's and Dementia*. 2019;15(7 Supplement):P82. - 배제사유: 4
952. Flores S, Su Y, Gordon BA, Adedokun A, Marple LM, Wang Q, et al. Regional and Voxel-Wise Spatial Relationships among Fluorine-18 Amyloid Pet Tracers and Pittsburgh Compound B. *Alzheimer's and Dementia*. 2019;15(7 Supplement):P148. - 배제사유: 4
953. Apostolova LG, Iaccarino L, Collins JA, Aisen PS, Borowski BJ, Eloyan A, et al. Advancing Clinical and Biomarker Research in Ad: The Lead Study. *Alzheimer's and Dementia*. 2019;15(7 Supplement):P383-P4. - 배제사유: 4
954. Schwarz C, Lange C, Benson G, Horn N, Wurdack K, Calzado IW, et al. AMYLOID-beta AND ITS ASSOCIATION WITH CORTICAL THICKNESS, MEMORY, AND COGNITIVE COMPLAINTS IN OLDER ADULTS. *Alzheimer's and Dementia*. 2019;15(7 Supplement):P428-P9. - 배제사유: 4
955. Duara R, Loewenstein DA, Lizarraga G, Adjouadi M, Barker WW, Greig-Custo MT, et al. The Relationship between Hispanic Ethnicity, Amyloid Load and Apoe4 Carrier Status. *Alzheimer's and Dementia*. 2019;15(7 Supplement):P775-P6. - 배제사유: 4
956. Scheef L, Daamen M, Grothe MJ, Li S, Gaertner F, Peters O, et al. Cortical Amyloid Burden Correlates with Atrophy of the Posterior Part of the Nucleus Basalis Meynert in Amyloid-Positive Scd. *Alzheimer's and Dementia*. 2019;15(7 Supplement):P736-P7. - 배제사유: 4
957. Bischof GN, Bartenstein P, Barthel H, Van Berckel BNM, Dore V, van Eimeren T, et al. The Captains Study: Standardizing Visual Interpretation Strategies for Amyloid Pet Tracers. *Alzheimer's and Dementia*. 2019;15(7 Supplement):P14-P5. - 배제사유: 4
958. Sanjay AB, Hwang K, Svaldi DO, Duran T, Goukasian N, Apostolova LG. Predicting Brain Amyloidosis Using Peripheral Blood-Based Gene Expression and Early Stage Neurodegeneration Biomarkers. *Alzheimer's and Dementia*. 2019;15(7 Supplement):P52-P3. - 배제사유: 4
959. Battle MR, Buckley CJ, Farrar G. DETERMINING THE STABILITY OF CENTILOID VALUES FOR [¹⁸F]FLUTEMETAMOL WITHIN DIFFERENT IMAGING WINDOWS. *Alzheimer's and Dementia*. 2019;15(7 Supplement):P14. - 배제사유: 4
960. Handels R, Zwan MD, Pelkmans W, Bouwman FH, Biessels GJ, Roks G, et al. Added Diagnostic Value of 18f-Flutemetamol Pet Scanning in Young Patients with Dementia. *Alzheimer's and Dementia*. 2019;15(7 Supplement):P740. - 배제사유: 4
961. Um YH, Lee CU, Lim HK. Whole Brain Voxel-Wise Analysis of Cerebral Retention of Beta-Amyloid in Cognitively Normal Older Adults Using 18f-Florbetaben. *Alzheimer's and Dementia*. 2019;15(7 Supplement):P1091. - 배제사유: 4
962. Ikonovic MD, Buckley CJ, Abrahamson EE, Mathis C, Klunk WE, Farrar G. Selectivity of Pet Amyloid Imaging Ligands in the Alzheimer's Disease Neuropathology Spectrum. *Alzheimer's and Dementia*. 2019;15(7 Supplement):P1222. - 배제사유: 4
963. Li S, Daamen M, Gaertner F, Peters O, Amthauer H, Buchert R, et al. Patterns of Increased and Decreased Precuneus Functional Connectivity in Scd Depending on Amyloid Status. *Alzheimer's and Dementia*. 2019;15(7 Supplement):P35-P6. - 배제사유: 4
964. Kreisl WC, Johnson AS, Tomljanovic Z, Klein J, Polly K, Razlighi Q, et al. PATTERNS OF TAU PATHOLOGY IDENTIFIED WITH ¹⁸F-MK-6240 PET IMAGING. *Alzheimer's and Dementia*. 2019;15(7 Supplement):P133-P4. - 배제사유: 4
965. Swinford CG, Risacher SL, West JD, Apostolova LG, Wu YC, Farlow MR, et al. Regional Association of Cerebral Blood Flow with Amyloid and Tau in Alzheimer's Disease. *Alzheimer's and Dementia*. 2019;15(7 Supplement):P414. - 배제사유: 4
966. Leuzy A, Lilja J, Janelidze S, Palmqvist S, Stomrud E, Strandberg O, et al. DERIVATION AND POTENTIAL UTILITY OF AN Abeta-PET-IMAGING-BASED WEIGHTING FACTOR FOR

- ESTIMATION OF Abeta LOAD. *Alzheimer's and Dementia*. 2019;15(7 Supplement):P539-P40. -
배제사유: 4
967. Arenaza-Urquijo EM, Salvado G, Minguillon C, Crous-Bou M, Sanchez-Benavides G, Suarez-Calvet M, et al. PROXIMITY TO PARENTAL ONSET AND APOE epsilon4 INDEPENDENTLY CONTRIBUTE TO AMYLOID BURDEN IN MIDDLE-AGED ADULTS WITH A FAMILY HISTORY OF SPORADIC ALZHEIMER'S DISEASE. *Alzheimer's and Dementia*. 2019;15(7 Supplement):P1539. - 배제사유: 4
968. Adamczuk K, Sampat M, Bracoud L, Runkle M, Gorman B, Suhy J, et al. Centiloid Scale in Practice: Effect of Different Suvr Reference Regions and Comparison of Centiloid Cut-Offs. *Alzheimer's and Dementia*. 2019;15(7 Supplement):P14. - 배제사유: 4
969. Noh Y, Cho J, Shin JH, Park KH, Na DL, Seong JK. Heterogeneity of Factors Associated with Cognitive Decline and Cortical Thinning in Early- Versus Late-Onset Alzheimer's Disease. *Alzheimer's and Dementia*. 2019;15(7 Supplement):P1041-P2. - 배제사유: 4
970. Lim HK, Wang S, Kang DW, Lee CU. Characteristics of Functional Brain Reserve in the Oldest Old Preclinical Alzheimer's Disease: A Longitudinal Study. *Alzheimer's and Dementia*. 2019;15(7 Supplement):P1412. - 배제사유: 4
971. Pillay LC, Buckley CJ, Smith A, Battle MR, Jenkinson M, Beach TG, et al. STRIATAL AMYLOID VIA ¹⁸F-FLUTEMETAMOL PREDICTS CONVERSION FROM AMCI TO PAD. *Alzheimer's and Dementia*. 2019;15(7 Supplement):P1108-P9. - 배제사유: 4
972. Kim BC, Lee KH, Park JE, Choi KY, Lee JJ, Choi YY, et al. Csf Biomarkers and Mri Analysis in Prodromal Alzheimer's Disease. *Alzheimer's and Dementia*. 2019;15(7 Supplement):P376. - 배제사유: 4
973. Jang H, Kim HJ, Park S, Lyoo CH, Cho H, Ryu YH, et al. Distinctive Effects of Amyloid and Tau on Cognitive Decline According to Cerebrovascular Disease Burden. *Alzheimer's and Dementia*. 2019;15(7 Supplement):P888. - 배제사유: 4
974. Johnson AS, Tomljanovic Z, Klein J, de Santi S, Honig LS, Kreisl WC. Does Acquisition Time Affect the Results of ¹⁸F-Florbetaben Imaging? *Alzheimer's and Dementia*. 2019;15(7 Supplement):P20-P1. - 배제사유: 4
975. Alves IL, Doull L, Gunn F, Farrar G, Barkhof F, Ford L, et al. The Added Value of Quantitative Amyloid Pet in Determining Alzheimer's Disease (Ad) Dementia Risk: The AmyPad Prognostic and Natural History Study. *Alzheimer's and Dementia*. 2019;15(7 Supplement):P1408-P9. - 배제사유: 4
976. Cho H, Choi JY, Baek MS, Lee HS, Lee JH, Ryu YH, et al. Progressive Tau Accumulation in Alzheimer's Disease: Two-Year Follow-up Study. *Alzheimer's and Dementia*. 2019;15(7 Supplement):P1405. - 배제사유: 4
977. Park KW, Kim JY, Kang DY, Jeong YJ, Kim JW. The Impact of Clinical Characteristics and Subtypes on Amyloid Positivity in Patients with Amnesic Mild Cognitive Impairment. *Alzheimer's and Dementia*. 2019;15(7 Supplement):P1087-P8. - 배제사유: 4
978. Cho H, Baek MS, Lee HS, Choi JY, Lee JH, Ryu YH, et al. Medial Temporal Tau Can Be a Predictor of Amyloid-Positivity in Mild Cognitive Impairment. *Alzheimer's and Dementia*. 2019;15(7 Supplement):P130. - 배제사유: 4
979. Albrecht D, Isenberg L, Stradford J, Monreal T, Toga AW, Zlokovic BV, et al. Associations between Cerebral Blood Flow and Amyloid and Tau Pet Binding in Ad-Specific Regions: Findings from 2 Independent Cohorts. *Alzheimer's and Dementia*. 2019;15(7 Supplement):P416-P7. - 배제사유: 4
980. Sano Y, Takahata K, Yamamoto Y, Tezuka T, Kurose S, Kurokawa S, et al. CLINICAL CHARACTERIZATION OF ¹⁸F-PI2620 IN ALZHEIMER'S DISEASE AND OTHER TAUOPATHIES. *Alzheimer's and Dementia*. 2019;15(7 Supplement):P1093-P4. - 배제사유: 4

981. Roh HW, Choi JG, Youn KS, Yoon D, Seo SW, Kim EY, et al. Behavioral and Cellular Circadian Rhythms Are Associated with Cognition and Disability, but Not with Cortical Amyloid Burden in Patient with Cognitive Impairment. *Alzheimer's and Dementia*. 2019;15(7 Supplement):P670-P1. - 배제사유: 4
982. Billette OV, Preiss D, Nestor PJ. Psycholinguistic Features of Ppa Patients with Confirmed Amyloid Pathology. *Alzheimer's and Dementia*. 2019;15(7 Supplement):P357-P8. - 배제사유: 4
983. Villemagne VL, Burnham SC, Bourgeat P, Dore V, Laws SM, Fripp J, et al. ASSESSING GLOBAL AND REGIONAL Abeta-AMYLOID DEPOSITION IN THE BRAIN WITH MULTIPLE Abeta-TRACERS USING THE CENTILOID SCALE. *Alzheimer's and Dementia*. 2019;15(7 Supplement):P219. - 배제사유: 4
984. Son HJ, Oh JS, Oh M, Kim SJ, Lee JH, Roh JH, et al. The Clinical Feasibility of Deep Learning Based Classification of Amyloid Pet Image in Visually Equivocal Cases. *Alzheimer's and Dementia*. 2019;15(7 Supplement):P1400-P1. - 배제사유: 4
985. Choo IH, Chong A, Chung JY, Ha JM, Kim H. Patients with Amnesic Mild Cognitive Impairment with Mild Depression Have Lower Amyloid Burden Than Those with Less Depression in the Cingulate Gyrus. *Alzheimer's and Dementia*. 2019;15(7 Supplement):P1082. - 배제사유: 4
986. Hong YJ, Park JW, Kim SH, Shin HE, Lee SB, Ryu DW, et al. Alzheimer's Pathologic Changes in Subjective Cognitive Decline Using Self-Report Questionnaire and Imaging Biomarkers. *Alzheimer's and Dementia*. 2019;15(7 Supplement):P722. - 배제사유: 4
987. Sanchez-Benavides G, Salvado G, Grau-Rivera O, Suarez-Calvet M, Minguillon C, Perissinotti A, et al. Higher Amyloid Deposition in Scd Subjects Fulfilling More Than 3 Scdplus Features. *Alzheimer's and Dementia*. 2019;15(7 Supplement):P1375. - 배제사유: 4
988. Kudo K, Sato R, Yamaguchi A, Udo N, Matsushima M, Yabe I, et al. A Multicenter Study of the Correlation between the Quantitative Susceptibility Mapping of Magnetic Resonance Imaging and Amyloid Positron Emission Tomography. *Alzheimer's and Dementia*. 2019;15(7 Supplement):P114-P5. - 배제사유: 4
989. Cho SH, Choe Y, Kim HJ, Jang H, Kim Y, Kim SE, et al. ¹⁸F-FLORBETABEN AND ¹⁸F-FLUTEMETAMOL PET BETA-AMYLOID BINDING EXPRESSED IN CENTILOIDS WITHOUT CONVERSION TO PIB. *Alzheimer's and Dementia*. 2019;15(7 Supplement):P749-P50. - 배제사유: 4
990. Leuzy A, Mattsson N, Janelidze S, Palmqvist S, Stomrud E, Strandberg O, et al. Different Approaches to Define Atn in Alzheimer's Disease. *Alzheimer's and Dementia*. 2019;15(7 Supplement):P1052-P3. - 배제사유: 4
991. Wang SM, Lim HK. DEVELOPMENT OF ALZHEIMER'S DISEASE BIOMARKER USING Abeta*56 SOLUBLE OLIGOMER IN HUMAN NASAL SECRETIONS. *Alzheimer's and Dementia*. 2019;15(7 Supplement):P1525-P6. - 배제사유: 4
992. Bao Y, Chau AC, Ka-Chun Chiu P, Shea YF, Kwan JS, Mak H. The Efficacy of 18f-Flutemetamol in Discrimination of Cognitive Impairment and Dementia by Pet-Ct. *Alzheimer's and Dementia*. 2019;15(7 Supplement):P395. - 배제사유: 4
993. Sur C, Kost J, Scott D, Adamczuk K, Fox NC, Cummings JL, et al. Verubecestat-Induced Brain Volume Loss Occurs Rapidly and Only in Amyloid-Enriched Brain Regions in Epoch, a Phase 3 Trial in Mild-to-Moderate Alzheimer's Disease Patients. *Alzheimer's and Dementia*. 2019;15(7 Supplement):P909. - 배제사유: 4
994. Giannakopoulos P, Haller S, Rodriguez CK, Montandon ML, Hermann F. Amyloid Load, Apoe4 and Cognitive Trajectories Are Independently Related to Brain Volume Loss in Normal Brain Aging. *Alzheimer's and Dementia*. 2019;15(7 Supplement):P1067. - 배제사유: 4
995. Sanchez-Benavides G, Salvado G, Grau-Rivera O, Suarez-Calvet M, Minguillon C, Gispert JD, et al. Informant Ratings, but Not Self-Reports, of Cognitive Decline Predict Amyloid Pet Positivity

- in Cognitively Unimpaired Middle-Aged Individuals. *Alzheimer's and Dementia*. 2019;15(7 Supplement):P910-P1. - 배제사유: 4
996. Roll E, Grossman M, Ungrady M, Vaddi P, Dominguez-Perez S, Cousins K, et al. Clinical and molecular pet imaging markers of primary progressive aphasia due to likely Alzheimer's disease pathology. *Neurology Conference: 71st Annual Meeting of the American Academy of Neurology, AAN*. 2019;92(15 Supplement 1). - 배제사유: 4
997. Matias-Guiu JA, Pytel V, Cabrera-Martin MN, Cortes-Martinez A, Moreno-Ramos T, Carreras JL, et al. Amyloid PET in multiple sclerosis predicts cognitive decline at 18 months. *Neurology Conference: 71st Annual Meeting of the American Academy of Neurology, AAN*. 2019;92(15 Supplement 1). - 배제사유: 4
998. Inomata N, Takahashi S, Tanaka M, Aihara M. Identification of gibberellinregulated protein as a new allergen in cherry allergy. *Allergy: European Journal of Allergy and Clinical Immunology*. 2019;74(Supplement 106):107. - 배제사유: 4
999. Khosravi M, Jahangiri P, Raynor W, Werner T, Alavi A. The overall impact of amyloid PET on diagnosis and management of dementia. *Journal of Nuclear Medicine Conference*. 2019;60(Supplement 1). - 배제사유: 4
1000. Deussing M, Blume T, Zott B, Shi Y, Kleinberger G, Focke C, et al. Increasing fibrillar amyloidosis is associated with improved cognition and synaptic preservation caused by microglia modulation. *Journal of Nuclear Medicine Conference*. 2019;60(Supplement 1). - 배제사유: 4
1001. Bullich S, Barthel H, Koglin N, De Santi S, Becker G, Perrotin A, et al. Effect of cerebral blood flow changes on ¹⁸F-florbetaben SUVR. *Journal of Nuclear Medicine Conference*. 2019;60(Supplement 1). - 배제사유: 4
1002. Villemagne V, Burnham S, Bourgeat P, Dore V, Laws S, Salvado O, et al. Assessing global and regional Abeta-amyloid deposition in the brain with multiple Abeta-tracers using the Centiloid scale. *Journal of Nuclear Medicine Conference*. 2019;60(Supplement 1). - 배제사유: 4
1003. Seo M, Cha HJ, Jo JC, Park SH. [¹⁸F]Florbetaben positron emission tomography for imaging amyloidosis in multiple myeloma patients. *Journal of Nuclear Medicine Conference*. 2019;60(Supplement 1). - 배제사유: 4
1004. Gerhards T, Rullmann M, Bergh FT, Stoppe M, Classen J, Hoffmann KT, et al. Multimodal imaging of leukodystrophies with [¹⁸F] florbetaben-PET/MRI. *Journal of Nuclear Medicine Conference*. 2019;60(Supplement 1). - 배제사유: 4
1005. Wang S, Son G, Moon C, Lim HK. Development of Alzheimer's disease biomarker using Abeta*56 soluble oligomer in human nasal secretions. *IBRO Reports*. 2019;6(Supplement):S103. - 배제사유: 4
1006. Choi M, Jeong B, Youn H, Jeong HG, Han CE. Regional patterns of amyloid-beta accumulation in Alzheimer's disease: Comparison between autoencoder and the non-negative matrix factorization (NMF). *IBRO Reports*. 2019;6(Supplement):S108 - 배제사유: 4
1007. Van Wamelen D, Politis M, Aarsland D, Odin P, Van Laar T, Henriksen T, et al. Apomorphine infusion and amyloid deposition in Parkinson's disease (APOMYL): Preliminary clinical and amyloid imaging data. *Neurology Conference: 71st Annual Meeting of the American Academy of Neurology, AAN*. 2019;92(15 Supplement 1) - 배제사유: 4
1008. Kim W, La Y, Choi Y. EP.107Transthyretin amyloidosis with variant Ile93Val mutation. *Neuromuscular Disorders*. 2019;29(Supplement 1):S199. - 배제사유: 4
1009. Chun K, Kong E. Comparison of the amyloid brain PET/MR to that of simultaneous PET/CT. *Journal of Cerebral Blood Flow and Metabolism*. 2019;39(1 Supplement):572. - 배제사유: 4
1010. Venkataraman AV, Mansur A, Huiban M, Passchier J, Rowe JB, Tsukada H, et al. Evaluation of mitochondrial and synaptic function in Alzheimer's disease (AD): A [¹⁸F]BCPP-EF,

- [¹¹C]SA4503 and [¹¹C]UCB-J PET study. *Journal of Cerebral Blood Flow and Metabolism*. 2019;39(1 Supplement):121-2. - 배제사유: 4
1011. Soucy JP, Chevretil C, Sylvestre JP, Bealieu S, Pascoal TA, Robillard A, et al. Brain PET-retina reflectance correlation for the presence of amyloid deposits in normal and Alzheimer's disease human subjects. *Journal of Cerebral Blood Flow and Metabolism*. 2019;39(1 Supplement):569-70. - 배제사유: 4
1012. Chen KT, Schurer M, Ouyang J, Gong E, Tiepolt S, Sabri O, et al. Investigating the optimal method to generalize an ultra-low-dose amyloid PET/MRI deep learning network across scanner models. *Journal of Cerebral Blood Flow and Metabolism*. 2019;39(1 Supplement):113-4. - 배제사유: 4
1013. Heeman F, Yaqub M, Lopes Alves I, Heurling K, Gispert J, Bullich S, et al. Simulating the effect of cerebral blood flow changes on quantification of [¹⁸F]flutemetamol and [¹⁸F]florbetaben studies. *Journal of Cerebral Blood Flow and Metabolism*. 2019;39(1 Supplement):107-8. - 배제사유: 4
1014. Lindstrom E, Oddstig J, Danfors T, Lindsjo L, Hansson O, Lubberink M. Image reconstruction methods affect computer-aided assessment of patient pathologies of flutemetamol and FDG brain PET examinations in patients with neurodegenerative diseases. *Journal of Cerebral Blood Flow and Metabolism*. 2019;39(1 Supplement):104-5. - 배제사유: 4
1015. Cerman J, Laczko J, Vyhnalek M, Malinowska J, Belohlavek O, Hort J. Clinical utility of amyloid pet in primary progressive aphasia. *European Journal of Neurology*. 2019;26(Supplement 1):352. - 배제사유: 4
1016. Sacchi L, Fumagalli GG, Arighi A, Mercurio M, Fenoglio C, Pietroboni AM, et al. Concordance between CSF biomarkers and amyloid PET imaging in clinical setting. *European Journal of Neurology*. 2019;26(Supplement 1):118. - 배제사유: 4
1017. Rogne AG, Dahlberg D, Udnaes E, Raudeberg R, Sigurdardottir S, Hassel B. Cognitive dysfunction in brain abscess patients is not attributable to betaamyloid deposition. *European Journal of Neurology*. 2019;26(Supplement 1):299. - 배제사유: 4
1018. Carotenuto A, Giordano B, Dervenoulas G, Wilson H, Veronese M, Chappell Z, et al. Direct comparison between T1/T2-weighted ratio MRI and [18F] florbetaben PET imaging as measures of myelin integrity in multiple sclerosis. *European Journal of Neurology*. 2019;26(Supplement 1):162. - 배제사유: 4
1019. Uneus E, Wilhelmsson C, Suhr O, Anan I, Wixner J, Pilebro B, et al. Visualisation of amyloid deposition within the brain of long-term hereditary transthyretin amyloidosis survivors by 18F-flutemetamol positron emission tomography. *European Journal of Neurology*. 2019;26(Supplement 1):287. - 배제사유: 4
1020. Meng Y, Bethune AJ, Huang Y, Lam B, Masellis M, Hermann N, et al. Blood-brain barrier opening in alzheimer's disease using MR-guided focused ultrasound. *Stereotactic and Functional Neurosurgery*. 2019;97(Supplement 1):185-6. - 배제사유: 4
1021. Papathanasiou M, Kessler L, Rischpler C, Herrmann K, Carpinteiro A, Hagenacker T, et al. 18F-Flutemetamol PET/MR imaging of cardiac amyloidosis. *European Journal of Heart Failure*. 2019;21(Supplement 1):496. - 배제사유: 4
1022. Schmidt T, Predel HG, Schulte-Eistrup S, Sindermann J, Mommertz S, Bjarnason-Wehrens B, et al. Exercise hemodynamics, metabolisms and related values over timer in heart failure patients after implantation of a left ventricular assist device. *European Journal of Preventive Cardiology*. 2019;26(Supplement 1):S144-S5. - 배제사유: 4
1023. Weibel M, Nielsen MKF, Tropperzer MK, Schmiegelow K, Larsen HB. Back to school with robot technology. *Supportive Care in Cancer*. 2019;27(1 Supplement):S193. - 배제사유: 4
1024. Namgial T, Kaldis A, Chakraborty S, Voloudakis A. Topical application of double-stranded RNA molecules containing sequences of Tomato leaf curl virus and Cucumber mosaic virus provides

- resistance against the cognate viruses. *VirusDisease*. 2019;30(1):153. - 배제사유: 4
1025. Singh A, Bailey E, Schembri G, Roach P, Hain S, Bailey D. Optimized F18-Florbetaben amyloid PET brain reconstruction parameters for qualitative and quantitative review. *Internal Medicine Journal*. 2019;49(Supplement 2):39. - 배제사유: 4
1026. Giovannini E, Giovacchini G, Borso E, Lazzeri P, Duce V, Ferrando O, et al. Impact of tracer retention level on visual classification of amyloid PET images. *Clinical and Translational Imaging*. 2019;7(Supplement 1):S29. - 배제사유: 4
1027. Alongi P, Sardina DS, Gilberto S, Coppola R, Scalisi S, Puglisi V, et al. 18F-Florbetaben PET/CT for clinical assessment of Alzheimer's disease in a multidisciplinary team study: Value into anti-amyloid clinical trials and new imaging analysis method for amyloid regional burden quantification. *Clinical and Translational Imaging*. 2019;7(Supplement 1):S27-S8. - 배제사유: 4
1028. Baldoncini A, Montelatici G, Rossi V, Agnolucci M, Zolo P, Tiezzi A, et al. Clinical utility of amyloid PET imaging in the diagnostic pathway of Alzheimer's disease. *Clinical and Translational Imaging*. 2019;7(Supplement 1):S37. - 배제사유: 4
1029. Capitanio S, Peira E, Morbelli S, Pardini M, Bauckneht M, Arbizu J, et al. Semi-quantification and grading of amyloid PET (AMY-PET): A project of the European Alzheimer disease consortium (EADC). *Clinical and Translational Imaging*. 2019;7(Supplement 1):S10-S1. - 배제사유: 4
1030. Puccini G, Polito C, Lombardi G, Nerattini M, Nacmias B, De Cristofaro MT, et al. Correlation between CSF and PET amyloid burden in patients with suspected AD: Florence experience. *Clinical and Translational Imaging*. 2019;7(Supplement 1):S35. - 배제사유: 4
1031. Calabria F, Tavolaro R, Bruni A, Petrone A, Bagnato A. 18F-FDG and 18F-flutemetamol PET in differential diagnosis of dementia. *Clinical and Translational Imaging*. 2019;7(Supplement 1):S34. - 배제사유: 4
1032. Carapelle E, Mundi C, Avolio C, Modoni SG. Flutemetamol amyloid PET/CT and CSF amyloid load in differentiating neuropathological entities of Alzheimer disease. *Clinical and Translational Imaging*. 2019;7(Supplement 1):S8-S9. - 배제사유: 4
1033. Van De Kreeke JA, Nguyen HT, Konijnenberg E, Tomassen J, Den Braber A, Ten Kate M, et al. Optical coherence tomography angiography in preclinical Alzheimer's disease. *Acta Ophthalmologica*. 2019;97(Supplement 262):33. - 배제사유: 4
1034. Sharma A, Rutherford BR, Lin F, Golub JS, Brewster KK. AGE-RELATED HEARING LOSS AS A RISK FACTOR FOR LATE LIFE DEPRESSION AND COGNITIVE DECLINE: Session 408. *American Journal of Geriatric Psychiatry*. 2019;27(3 Supplement):S43-S4. - 배제사유: 4
1035. Hill E, Szoek C, Dennerstein L, Campbell S, Clifton P. Adherence to the Mediterranean Diet Is not Related to Beta-Amyloid Deposition: Data from the Women's Healthy Ageing Project. *Journal of Prevention of Alzheimer's Disease*. 2018;5(2):137-41. - 배제사유: 4
1036. Williams J. Amyloid imaging. *Journal of Nuclear Medicine Technology*. 2018;46(4):341-2. - 배제사유: 4
1037. Fox TA, Lunn M, Wechalekar A, Bomanji J, Wan S, D'Sa S. [¹⁸F]florbetaben PET-CT confirms AL amyloidosis in a patient with waldenstrom's macroglobulinemia. *Haematologica*. 2018;103(7):e322-e4. - 배제사유: 4
1038. Lee JS, Rhee HY, Park KC. Amyloid-positive late-onset semantic variant primary progressive aphasia. *Neurological Sciences*. 2018;39(10):1811-2. - 배제사유: 4
1039. Mori H. Japanese preclinical AD clinical study (AMED preclinical study). *Clinical Neurology*. 2018;58(Supplement 1):S44. - 배제사유: 4
1040. Adamczuk K, Scott D, Newton B, Suhy J, Egan M, Sur C. Cut-off for 18F-flutemetamol SUVR

- with white matter reference region. *Journal of Prevention of Alzheimer's Disease*. 2018;5(1):S74-S5. - 배제사유: 4
1041. Salvado G, Foley C, Grecchi E, Cardoso MJ, Lopes-Alves I, Markiewicz P, et al. Reference for longitudinal quantification of [18F]flutemetamol scans. *Journal of Prevention of Alzheimer's Disease*. 2018;5(1):S73-S4. - 배제사유: 4
1042. Apostolova LG, Aisen P, Eloyan A, Fagan A, Foroud T, Gatsonis C, et al. Advancing clinical and biomarker research in AD: The lead study. *Journal of Prevention of Alzheimer's Disease*. 2018;5(1):S111. - 배제사유: 4
1043. Pesini P. Abeta blood based test as surrogate markers of cortical amyloid pathology for clinical trials on Alzheimer's disease. *Journal of Prevention of Alzheimer's Disease*. 2018;5(1):S2-S3. - 배제사유: 4
1044. Rabinovici GD, Gatsonis C, Apgar C, Chaudhary K, Gareen I, Hanna L, et al. Impact of amyloid PET on the management of cognitively impaired patients: Results from the ideas study. *Journal of Prevention of Alzheimer's Disease*. 2018;5(1):S13-S4. - 배제사유: 4
1045. Hansson O, Zink K, Wahl S, Widmann M, Rutz S, Simon M, et al. Concordance of the CSF abeta42/abeta40 ratio with amyloid-pet in the biofinder study. *Journal of Prevention of Alzheimer's Disease*. 2018;5(1):S83-S4. - 배제사유: 4
1046. Lynch SY, Kaplow J, Zhao J, Dhadda S, Luthman J, Albala B. Elenbecestat in MCI-to-moderate Alzheimer's disease: Safety and effectiveness as measured by amyloid pet and the ADCOMS clinical endpoints. *Journal of Prevention of Alzheimer's Disease*. 2018;5(1):S11-S2. - 배제사유: 4
1047. De Rojas I, Romero J, Rodriguez-Gomez O, Pesini P, Sanabria A, Perez-Cordon A, et al. Inverse association between AB42/40 plasma ratios and fibrillary amyloid deposition in the brain: Results of the facehbi study. *Journal of Prevention of Alzheimer's Disease*. 2018;5(1):S82-S3. - 배제사유: 4
1048. Bogdanovic N, Fantoni E, Farrar G. Measurement of pathological amyloid in a patient cohort in routine clinical assessment: Comparison of visual [18F] Flutemetamol pet read and CSFS measures. *Journal of Prevention of Alzheimer's Disease*. 2018;5(1):S180. - 배제사유: 4
1049. Rofael H, Novak G, Bracoud L, Raghavan N, Saad Z, Einstein S, et al. Age and APOE genotype-specific population frequencies of cerebral beta-amyloidosis and hippocampal atrophy among cognitively normal individuals in chariot-pro. *Journal of Prevention of Alzheimer's Disease*. 2018;5(1):S40-S1. - 배제사유: 4
1050. Collij L, Heeman F, Blasco GS, Konijnenberg E, Den Braber A, Yaqub M, et al. Extension and validation of an amyloid staging model: Associations with clinical measures. *Journal of Prevention of Alzheimer's Disease*. 2018;5(1):S24-S5. - 배제사유: 4
1051. Bullich S, Koglin N, De Santi S, Becker GA, Perroti A, Jovalekic A, et al. Impact of cerebral blood flow changes on 18F-Florbetaben suvr. A simulation study. *Journal of Prevention of Alzheimer's Disease*. 2018;5(1):S68-S9. - 배제사유: 4
1052. Meyer M, Zanotti-Fregonara P, Catheline G, Lamare F, Helmer C, Peres K, et al. Amyloid load and cognitive performances in a non-demented elderly population: A 18F-flutemetamol PET study. *European Journal of Nuclear Medicine and Molecular Imaging*. 2018;45(Supplement 1):S135. - 배제사유: 4
1053. Buckley CJ, Moreland J, Wolber J, Urhema T, Van Gils M, Lotjonen J. The value of combining molecular and structural imaging biomarkers with psychometric data in a system for predicting neurological decline validated by a 3 year outcomes study. *European Journal of Nuclear Medicine and Molecular Imaging*. 2018;45(Supplement 1):S228. - 배제사유: 4
1054. Grassetto G, L'Erario R, Marzola M, Dal Santo P, Amista P, Rampin L, et al. ¹⁸F-flutemetamol cerebral PET/CT: Our initial experience. *European Journal of*

- Nuclear Medicine and Molecular Imaging. 2018;45(Supplement 1):S422. - 배제사유: 4
1055. Pirozzi S, Mirando D, Kruzer A, Piper J, Nelson A. Assessment of the accuracy of volumetric statistical amyloid burden (VSAB) for identifying amyloid positive and negative subjects with 18F-flutemetamol PET. *European Journal of Nuclear Medicine and Molecular Imaging*. 2018;45(Supplement 1):S146-S7. - 배제사유: 4
1056. Lindstrom E, Oddstig J, Danfors T, Lindsjo L, Hansson O, Lubberink M. Flutemetamol and FDG brain-PET image reconstruction methods affect software-aided diagnosis in patients with neurodegenerative diseases. *European Journal of Nuclear Medicine and Molecular Imaging*. 2018;45(Supplement 1):S305. - 배제사유: 4
1057. Camacho V, Lopez-Mora D, Fernandez-Leon A, Fuentes F, Fortea J, Duch J, et al. Digital PET/CT compared to analog PET/CT in 18F-flutemetamol studies. *European Journal of Nuclear Medicine and Molecular Imaging*. 2018;45(Supplement 1):S393. - 배제사유: 4
1058. Alongi P, Sardina D, Coppola R, Puglisi V, Arnone A, Di Raimondo G, et al. Quantification of amyloid regional burden using 18F-florbetaben PET for clinical assessment of alzheimer's disease in a multidisciplinary team study. *European Journal of Nuclear Medicine and Molecular Imaging*. 2018;45(Supplement 1):S391-S2. - 배제사유: 4
1059. Chiaravalloti A, Castellano AE, Sannino P, Schillaci O. Comparison between early-onset and late-onset alzheimer disease patients with amnesic presentation: A 18F-FBB PET study. *European Journal of Nuclear Medicine and Molecular Imaging*. 2018;45(Supplement 1):S390. - 배제사유: 4
1060. Gonzalez-Jimenez AD, Trivino-Ibanez EM, Sanchez-Sanchez R, Rashki M, Ramos-Font C, Carnero-Pardo C, et al. Utility of 18F-florbetaben PET/CT in patients with mild cognitive impairment and cerebrospinal fluid biomarkers non-conclusive: Preliminary results. *European Journal of Nuclear Medicine and Molecular Imaging*. 2018;45(Supplement 1):S388. - 배제사유: 4
1061. Russo G, Sardina DS, Alongi P, Coppola R, Puglisi V, Stefano A, et al. Amyloid-PET analysis based on tissue probability maps. *Physica Medica*. 2018;56(Supplement 2):111-2. - 배제사유: 4
1062. Den Braber A, Boomsma DI, Konijnenberg E, Ten Kate M, Tomassen J, Teunissen C, et al. Monozygotic twin similarities for AD biomarkers: The Twin601 study. *Behavior Genetics*. 2018;48(6):465. - 배제사유: 4
1063. Risacher SL, Tallman EF, WuDunn D, West JD, Apostolova LG, Farlow MR, et al. Combinatorial Sensory Modality Assessment in Prodromal Alzheimer's Disease: Relation to Mri and Amyloid and Tau Pet. *Alzheimer's and Dementia*. 2018;14(7 Supplement):P92-P3. - 배제사유: 4
1064. Lynch SY, Kaplow J, Zhao J, Dhadda S, Luthman J, Albala B. Elenbecestat, E2609, a Bace Inhibitor: Results from a Phase-2 Study in Subjects with Mild Cognitive Impairment and Mild-to-Moderate Dementia Due to Alzheimer's Disease. *Alzheimer's and Dementia*. 2018;14(7 Supplement):P1623. - 배제사유: 4
1065. Cerman J, Laczo J, Vyhnaek M, Parizkova M, Belohlavek O, Malinovska J, et al. Egocentric Spatial Navigation Impairment Is More Pronounced in Amyloid Positive Mci Patients: Pilot Data from the Czech Brain Ageing Study. *Alzheimer's and Dementia*. 2018;14(7 Supplement):P1648. - 배제사유: 4
1066. Fan Z, Dani M, Hinz R, Edison P. Voxel-Level Interaction between Nft and Amyloid Influences/Predicts the Decline Rate of Cognition in Patients with Mild Cognitive Impairment. *Alzheimer's and Dementia*. 2018;14(7 Supplement):P1636-P7. - 배제사유: 4
1067. Fan Z, Calsolaro V, Mayers J, Tyacke R, Venkataraman A, Femminella GD, et al. Relationship between Astrocyte Activation Using [11c]Bu99008 Pet, Glucose Metabolism and Amyloid in Alzheimer's Disease: A Dementia Platform Uk Experimental Medicine Study. *Alzheimer's and Dementia*. 2018;14(7 Supplement):P1640. - 배제사유: 4

1068. Kim JP, Kim J, Kim Y, Moon SH, Park Y, Yoo S, et al. REPLICATING VISUAL ASSESSMENTS OF ¹⁸F-FLORBETABEN PET USING MACHINE LEARNING TECHNIQUE. *Alzheimer's and Dementia*. 2018;14(7 Supplement):P1473-P4. - 배제사유: 4
1069. Goodwill AM, Campbell S, Gorelik A, Szoeki C. MIDLIFE DYSLIPIDEMIA COMBINED WITH THE PRESENCE OF APOE-epsilon4 IS ASSOCIATED WITH AN INCREASED RISK OF LATE-LIFE CEREBRAL AMYLOID-BETA. *Alzheimer's and Dementia*. 2018;14(7 Supplement):P594. - 배제사유: 4
1070. Noh Y, Seong JK, Shin DJ, Park KH, Na DL, Ido T. IDENTIFICATION OF HETEROGENEOUS GROUPS OF MILD COGNITIVE IMPAIRMENT BASED ON [¹⁸F]THK5351 RETENTION PATTERNS. *Alzheimer's and Dementia*. 2018;14(7 Supplement):P173-P4. - 배제사유: 4
1071. Kim SE, Lee B, Jeong JH, Yoon SJ, Park KW, Kim EJ, et al. CLINICAL SIGNIFICANCE OF FOCAL ¹⁸F-FLUTEMETAMOL UPTAKE. *Alzheimer's and Dementia*. 2018;14(7 Supplement):P1478. - 배제사유: 4
1072. Chen KT, Macruz F, Gong E, Khalighi M, Zaharchuk G. Low-Dose Amyloid Pet Reconstruction Using a Pre-Trained, Multimodal Deep Learning Network. *Alzheimer's and Dementia*. 2018;14(7 Supplement):P1574-P5. - 배제사유: 4
1073. Seibyl J. Clinical Interpretation of Amyloid Imaging, Visual Versus Suvr. *Alzheimer's and Dementia*. 2018;14(7 Supplement):P1005. - 배제사유: 4
1074. Roh JH. Sleep Changes in Alzheimer's Disease Spectrum Disorders Measured by a Portable Polysomnography. *Alzheimer's and Dementia*. 2018;14(7 Supplement):P762. - 배제사유: 4
1075. Alves IL, Collij L, Heeman F, Wottschel V, Konijnenberg E, Braber AD, et al. EVENT-BASED MODELING OF THE TEMPORAL ORDERING OF REGIONAL beta-AMYLOID DEPOSITION IN THE BRAIN. *Alzheimer's and Dementia*. 2018;14(7 Supplement):P152. - 배제사유: 4
1076. Soucy JP, Chevrefils C, Sylvestre JP, Arbour JD, Rheaume MA, Beaulieu S, et al. An Amyloid Ligand-Free Optical Retinal Imaging Method to Predict Cerebral Amyloid Pet Status. *Alzheimer's and Dementia*. 2018;14(7 Supplement):P158. - 배제사유: 4
1077. Jeon S, Na DL, Noh Y, Evans AC. Surface-Based Multimodal Cluster Analysis Reveals Topographical Heterogeneity of Alzheimer's Disease. *Alzheimer's and Dementia*. 2018;14(7 Supplement):P118-P20. - 배제사유: 4
1078. Risacher SL, Fandos N, Romero J, Sherriff I, Saykin AJ, Apostolova LG. ASSOCIATION BETWEEN PLASMA Abeta LEVELS AND CEREBRAL AMYLOID AND TAU DEPOSITION. *Alzheimer's and Dementia*. 2018;14(7 Supplement):P1551. - 배제사유: 4
1079. Kreisl WC, Zou J, Klein J, Polly K, Razlighi Q, Stern Y. Translocator Protein Binding Is Elevated in Clinical Alzheimer's Disease but Not in Impaired Patients with Suspected Non-Ad Pathophysiology. *Alzheimer's and Dementia*. 2018;14(7 Supplement):P151-P2. - 배제사유: 4
1080. Jang H, Kim HJ, Park S, Cho H, San Lee J, Ryu YH, et al. Clinical Significance of a/T/N System in Subcortical Vascular Cognitive Impairment Patients. *Alzheimer's and Dementia*. 2018;14(7 Supplement):P69. - 배제사유: 4
1081. Ossenkoppele R, Smith R, Strandberg O, Insel P, Ohlsson T, Mattsson N, et al. ASSOCIATIONS BETWEEN TAU, Abeta AND CORTICAL THICKNESS WITH COGNITION IN ALZHEIMER'S DISEASE. *Alzheimer's and Dementia*. 2018;14(7 Supplement):P1018-P9. - 배제사유: 4
1082. Braber AD, Stickney K, Ent DV, Kate MT, Konijnenberg E, Tomassen J, et al. White Matter Microstructure and Amyloid Aggregation in Cognitively Healthy, Elderly Identical Twins. *Alzheimer's and Dementia*. 2018;14(7 Supplement):P59-P60. - 배제사유: 4
1083. Gabel S, Schaefferbeke J, Adamczuk K, Van Laere K, Dupont P, Van Broeckhoven C, et al. A Polygenic Ad Risk Score Predicts Amyloid Accumulation over a 6-Year Interval in Cognitively

- Intact Older Adults. *Alzheimer's and Dementia*. 2018;14(7 Supplement):P61-P2. - 배제사유: 4
1084. Collij L, Heeman F, Konijnenberg E, Braber AD, Yaqub MM, Visser PJ, et al. Extension and Validation of an Amyloid Staging Model: Associations with Clinical Measures. *Alzheimer's and Dementia*. 2018;14(7 Supplement):P643. - 배제사유: 4
1085. Palmqvist S, Mattsson N, Strandberg O, Insel P, Janelidze S, Stomrud E, et al. Csf, Plasma and Mri Biomarker Trajectories during the Development of Alzheimer's Disease. *Alzheimer's and Dementia*. 2018;14(7 Supplement):P641. - 배제사유: 4
1086. Reimand J, de Wilde A, van Berckel BNM, Teunissen CE, Scheltens P, Ossenkoppele R, et al. Longitudinal Cognitive Trajectories of Patients with Discordant Csf and Pet Amyloid Biomarkers. *Alzheimer's and Dementia*. 2018;14(7 Supplement):P621-P2. - 배제사유: 4
1087. Lee WJ, Kim SW, Jeong HJ, Noh Y, Seong JK. Tau and Amyloid Cause Disruption in White Matter Connectivity Differently for Early- and Late-Onset Alzheimer's Disease. *Alzheimer's and Dementia*. 2018;14(7 Supplement):P256. - 배제사유: 4
1088. Noh Y, Lim TS, Lee SY, Park KH, Shin DJ, Na DL, et al. DIFFERENT EFFECTS OF APOE epsilon4 ALLELE ON THE RELATIONSHIP BETWEEN TAU AND beta-AMYLOID IN EARLY-ONSET AND LATE-ONSET ALZHEIMER DISEASE. *Alzheimer's and Dementia*. 2018;14(7 Supplement):P1039-P40 - 배제사유: 4
1089. Rowe CC, Amadoru S, Dore V, McLean C, Hinton F, Shepherd C, et al. Correlation of Amyloid Pet Expressed in Centiloid Units with Neuropathological Findings in Alzheimer's Disease. *Alzheimer's and Dementia*. 2018;14(7 Supplement):P634. - 배제사유: 4
1090. Cummins TL, Xia Y, Elias A, Lamb F, Pannek K, Dore V, et al. TAU, Abeta-AMYLOID, BRAIN STRUCTURE AND COGNITIVE FUNCTION FOLLOWING SERVICE-RELATED TRAUMATIC BRAIN INJURY IN AUSTRALIAN VIETNAM WAR VETERANS. *Alzheimer's and Dementia*. 2018;14(7 Supplement):P1417-P8. - 배제사유: 4
1091. Hahn A, Strandberg O, Stomrud E, Nilsson M, Ossenkoppele R, Palmqvist S, et al. Positive Association between the Earliest Stage of Amyloid Uptake and Functional Connectivity in Non-Demented Elderly Subjects. *Alzheimer's and Dementia*. 2018;14(7 Supplement):P206. - 배제사유: 4
1092. Fiorenzato E, Biundo R, Cecchin D, Frigo A, Weis L, Kim J, et al. Amyloid deposition affects cognitive manifestations in Parkinson's disease: The PPMI dataset. *Movement Disorders*. 2018;33(Supplement 2):S573-S5. - 배제사유: 4
1093. Melzer T, Stark M, Myall D, Keenan R, Livingston L, Almuqbel M, et al. Amyloid PET and cognition in Parkinson's disease. *Movement Disorders*. 2018;33(Supplement 2):S698. - 배제사유: 4
1094. Lao PJ, Hale C, Rizvi B, Razlighi Q, Schupf N, Stern Y, et al. Vasomotor Reactivity Is Associated with Amyloid Accumulation in Older Adults. *Alzheimer's and Dementia*. 2018;14(7 Supplement):P479. - 배제사유: 4
1095. Jang H, Kim Y, Jang YK, Park S, Choe YM, Cho H, et al. Comparison of Ad Pathologies in Hypertensive Subcortical Vascular Cognitive Impairment and Cerebral Amyloid Angiopathy. *Alzheimer's and Dementia*. 2018;14(7 Supplement):P445-P6. - 배제사유: 4
1096. Thayanandan T, Alexopoulou Z, Bailey A, Patel N, Mikhail R, Wood M, et al. Are Depressive Symptoms Associated with Amyloid Status in Subjective Cognitive Impairment? *Alzheimer's and Dementia*. 2018;14(7 Supplement):P590. - 배제사유: 4
1097. Oh JSS, Oh M, Kim SJ, Seo SW, Roh JH, Seong JK, et al. Data-Driven Pathological Positivity of Alzheimer Disease: An Exploratory Study of Dynamic Biomarker Causality. *Alzheimer's and Dementia*. 2018;14(7 Supplement):P1099-P100. - 배제사유: 4
1098. Cho H, Kim HJ, Choi JY, Ryu YH, Lee MS, Na DL, et al. ¹⁸F-FLORTAUCIPIR BINDING PATTERNS IN CLINICAL SUBTYPES OF PRIMARY PROGRESSIVE APHASIA. *Alzheimer's and*

- Dementia. 2018;14(7 Supplement):P446. - 배제사유: 4
1099. Zetterberg H, Andreasson U, Janelidze S, Palmqvist S, Stomrud E, Mattsson N, et al. BIMODAL DISTRIBUTION OF THE CSF Aβ₄₂/Aβ₄₀ RATIO IN CLINICAL LABORATORY PRACTICE. Alzheimer's and Dementia. 2018;14(7 Supplement):P389-P90. - 배제사유: 4
1100. Collij L, Konijnenberg E, Reimand J, Kate MT, Braber AD, Alves IL, et al. ASSESSMENT OF EARLY AMYLOID PATHOLOGY USING [¹⁸F]FLUTEMETAMOL POSITRON EMISSION TOMOGRAPHY: COMPARING VISUAL READ, SEMI-QUANTITATIVE AND QUANTITATIVE METHODS. Alzheimer's and Dementia. 2018;14(7 Supplement):P16-P7. - 배제사유: 4
1101. Mattsson N, Ossenkoppele R, Smith R, Strandberg O, Ohlsson T, Jogi J, et al. EFFECTS OF APOE ε₄ ON TAU, AMYLOID, ATROPHY AND COGNITION IN ALZHEIMER'S DISEASE. Alzheimer's and Dementia. 2018;14(7 Supplement):P473-P4. - 배제사유: 4
1102. Oh M, Oh JSS, Oh SJ, Lee SJ, Roh JH, Seo SW, et al. Cognition and Neurofibrillary Degeneration in Patients with Amyloid-Negative Mild Cognitive Impairment and Alzheimer's Disease. Alzheimer's and Dementia. 2018;14(7 Supplement):P454. - 배제사유: 4
1103. Sala-Llonch R, Falgas N, Bosch B, Fernandez-Villullas G, Antonell A, Balasa M, et al. Regional Patterns of 18f-Florbetaben Uptake in Presenilin 1 Mutation Carriers. Alzheimer's and Dementia. 2018;14(7 Supplement):P475. - 배제사유: 4
1104. Dore V, Bourgeat P, Cummins TL, Raniga P, Williams S, Amadoru S, et al. VISUAL ASSESSMENT OF β-AMYLOID PET SCAN IS IMPROVED BY CAPAIBL. Alzheimer's and Dementia. 2018;14(7 Supplement):P459. - 배제사유: 4
1105. Adamczuk K, Dentamaro A, Pannetier N, Scott D, Suh J, Egan MF, et al. Comparative Study of Partial Volume Correction Methods for 18f-Flutemetamol Suvr with Subcortical White Matter Reference Region. Alzheimer's and Dementia. 2018;14(7 Supplement):P1267-P8. - 배제사유: 4
1106. Ikonovic MD, Buckley CJ, Abrahamson EE, Mathis C, Klunk WE, Farrar G. Confocal Analysis of Fluorescent Signal Derived from Cn-Flutemetamol Labeled Diffuse and Neuritic Plaques in Alzheimer's Disease. Alzheimer's and Dementia. 2018;14(7 Supplement):P21. - 배제사유: 4
1107. Kameyama M, Ishibashi K, Toyohara J, Tokumaru AM, Ishii K. Origin of the Superiority of White Matter Reference Region. Alzheimer's and Dementia. 2018;14(7 Supplement):P21-P2. - 배제사유: 4
1108. Preiss D, Billette O, Nestor P. Cortical Atrophy in Ad-Related Primary Progressive Aphasia Affects the Entire Left Hemisphere Language Network. Alzheimer's and Dementia. 2018;14(7 Supplement):P455. - 배제사유: 4
1109. Boada M, Rodriguez-Gomez O, Gil S, Sanabria A, Alegret M, Moreno-Grau S, et al. Apoe Status Modulates Brain Patterns of Amyloid Distribution in Individuals with Subjective Cognitive Decline (Scd) from the Facehbi Study. Alzheimer's and Dementia. 2018;14(7 Supplement):P471-P3. - 배제사유: 4
1110. Leuzy A, Lilja J, Heurling K, Chiotis K, Savitcheva I, Nordberg AK. ESTIMATION OF AMYLOID LOAD USING [¹⁸F]FLUTEMETAMOL AND A NORMALIZATION DERIVED WEIGHTING FACTOR: POTENTIAL APPLICATIONS IN AMYLOID PET. Alzheimer's and Dementia. 2018;14(7 Supplement):P22. - 배제사유: 4
1111. Shin JH, Seo SW, Roh JH, Oh M, Oh JSS, Oh SJ, et al. Relation Networks of Neurodegeneration in Alzheimer's Disease Spectrum: Tau, Amyloid, and Cortical Atrophy. Alzheimer's and Dementia. 2018;14(7 Supplement):P827. - 배제사유: 4
1112. Legdeur N, Badissi M, Collij L, Heeman F, van Berckel BNM, Barkhof F, et al. Is the Relation between Blood Pressure and Cognition Dependent on Amyloid Pathology or Physical Performance? Results of the Emif-Ad 90+ Study. Alzheimer's and Dementia. 2018;14(7 Supplement):P1153. - 배제사유: 4

1113. Grecchi E, Foley C, Gispert JD, Wolz R. Centiloid Pet Suvr Analysis Using the Supratentorial White Matter as Reference Region. *Alzheimer's and Dementia*. 2018;14(7 Supplement):P1278. - 배제사유: 4
1114. Lee DH, Seo SW, Roh JH, Oh M, Oh JSS, Oh SJ, et al. Neural Substrates of Cognitive Reserve in the Alzheimer's Disease Spectrum. *Alzheimer's and Dementia*. 2018;14(7 Supplement):P1277-P8. - 배제사유: 4
1115. Kameyama M, Ishibashi K, Toyohara J, Tokumaru AM, Ishii K. Origin of the Superiority of the White Matter Reference Region. *Alzheimer's and Dementia*. 2018;14(7 Supplement):P899. - 배제사유: 4
1116. D'Andrea K, Farotti L, Tranfaglia C, Eusebi P, Dottorini ME, Parnetti L. Abeta⁴²/TAU SPECIES RATIOS ARE ASSOCIATED WITH AMYLOID-PET POSITIVITY IN ALZHEIMER'S DISEASE. *Alzheimer's and Dementia*. 2018;14(7 Supplement):P490. - 배제사유: 4
1117. Ramaswamy S, Nair SP, Nair A. Clinical Correlation of Amyloid-Pet Imaging to Montreal Cognitive Assessment (Moca) Evaluation. *Alzheimer's and Dementia*. 2018;14(7 Supplement):P846-P7. - 배제사유: 4
1118. Leuzy A, Lilja J, Heurling K, Chiotis K, Savitcheva I, Nordberg AK. ESTIMATION OF AMYLOID LOAD USING [¹⁸F]FLUTEMETAMOL AND A NORMALIZATION-DERIVED WEIGHTING FACTOR: POTENTIAL APPLICATIONS IN AMYLOID PET. *Alzheimer's and Dementia*. 2018;14(7 Supplement):P504-P5. - 배제사유: 4
1119. Ribaldi F, Merlin G, Marizzoni M, Garibotto V, Andryszak P, Tarallo A, et al. Amyloid-Pet for Myelin Imaging in Alzheimer's Disease. *Alzheimer's and Dementia*. 2018;14(7 Supplement):P836. - 배제사유: 4
1120. Duara R, Loewenstein DA, Lizarraga G, Adjouadi M, Barker WW, Greig-Custo MT, et al. Effect of Age, Gender, Ethnicity, Cognition and Apoe Genotype on Amyloid Load among Normal, Mci and Mild Dementia Subjects Using [F-18] Florbetaben. *Alzheimer's and Dementia*. 2018;14(7 Supplement):P1237-P8. - 배제사유: 4
1121. Esteban E, Buckley CJ, Wilkens PJ. Identification of Ftd Candidates in Mci-Snap Groups by Cortical Thickness Analysis. *Alzheimer's and Dementia*. 2018;14(7 Supplement):P883. - 배제사유: 4
1122. Gispert JD, Salvado G, Cacciaglia R, Operto G, Falcon C, Brugulat A, et al. Reduced Entorhinal Gray Matter Volume in Healthy Amyloid-Negative Apoe-E4 Homozygotes of the Alfa Cohort. *Alzheimer's and Dementia*. 2018;14(7 Supplement):P326-P7. - 배제사유: 4
1123. Correa D, Kryza-Lacombe M, Zhou X, Baser R, Beattie B, Beiene Z, et al. A pilot study of neuropsychological functions, APOE, and amyloid imaging in patients with gliomas. *Cancer Epidemiology Biomarkers and Prevention Conference: 10th AACR Conference on the Science of Cancer Health Disparities in Racial/Ethnic Minorities and the Medically Underserved Atlanta, GA United States*. 2018;27(7 Supplement). - 배제사유: 4
1124. Narbutas J, Van Egroo M, Chylinski D, Villar Gonzalez P, Borraita-Amador G, Muto V, et al. Sleep-wake fragmentation is linked to amyloid beta brain deposition in healthy ageing. *Journal of Sleep Research*. 2018;27(Supplement 1):47-8. - 배제사유: 4
1125. Chylinski D, Rudzik F, Coppieters 't Wallant D, Van Egroo M, Muto V, Narbutas J, et al. Arousals during sleep are associated with brain tau and amyloid-beta burden in healthy older adults. *Journal of Sleep Research*. 2018;27(Supplement 1):89. - 배제사유: 4
1126. Taillard J, Berthomier P, Brandewinder M, Berthomier C. Guidelines for the application of the objective sleepiness scale for drowsiness assessment. *Journal of Sleep Research*. 2018;27(Supplement 1):265. - 배제사유: 4
1127. Park S, Kim JE, Roh JH, Lee JH. Sleep in Alzheimer's disease spectrum disorders measured by WatchPAT, a home-based polysomnography. *Journal of Sleep Research*. 2018;27(Supplement

1):213-4. - 배제사유: 4

1128. Van Egroo M, Narbutas J, Besson G, Muto V, Chylinski D, Villar-Gonzalez P, et al. Preserved neuron reactivity dynamics during prolonged wakefulness is linked to cognitive fitness in aging, independently of tau and amyloid beta burden. *Journal of Sleep Research*. 2018;27(Supplement 1):1. - 배제사유: 4
1129. Cerman J, Laczko J, Vyhnaek M, Belohlavek O, Malinovska J, Sheardova K, et al. Concordance of amyloid PET and CSF metabolic biomarkers in Alzheimer's disease and how to improve it: Data from the Czech Brain Ageing Study. *European Journal of Neurology*. 2018;25(Supplement 2):277. - 배제사유: 4
1130. Rullmann M, Haars S, Werner P, Schmidt R, Orthgie S, Tiepolt S, et al. Hybrid 18F-Florbetaben PET/MRI in Patients with White Matter Diseases: A Pilot Study. *Journal of Nuclear Medicine Conference: Society of Nuclear Medicine and Molecular Imaging Annual Meeting, SNMMI*. 2018;59(Supplement 1). - 배제사유: 4
1131. Rowe C, Amadoru S, Dore V, McLean C, Hinton F, Shepherd C, et al. Correlation of Amyloid PET in Centiloid units with neuropathological findings in Alzheimer's disease. *Journal of Nuclear Medicine Conference: Society of Nuclear Medicine and Molecular Imaging Annual Meeting, SNMMI*. 2018;59(Supplement 1). - 배제사유: 4
1132. Hattori N, Ono S, Udo N, Yamamoto S, Ogawa M, Sugie H. Clinical impact of F-18 Flutemetamol (FMM) PET to assess cerebral Abeta pathology in patients with various cognitive disorders. *Journal of Nuclear Medicine Conference: Society of Nuclear Medicine and Molecular Imaging Annual Meeting, SNMMI*. 2018;59(Supplement 1). - 배제사유: 4
1133. Lee ES, Youn HC, Lee S, Jeong HG, Eo JS. Differences in regional cerebral glucose metabolism pattern according to amyloid accumulation in depressed patients with MCI: SPM analysis. *Journal of Nuclear Medicine Conference: Society of Nuclear Medicine and Molecular Imaging Annual Meeting, SNMMI*. 2018;59(Supplement 1). - 배제사유: 4
1134. Auvity S, Tonietto M, Caille F, Bodini B, Bottlaender M, Tournier N, et al. Repurposing radiotracers for myelin imaging: A study comparing ¹¹C-MeDAS, F-florbetapir and ¹⁸F-florbetaben with ¹¹C-PiB. *Journal of Nuclear Medicine Conference: Society of Nuclear Medicine and Molecular Imaging Annual Meeting, SNMMI*. 2018;59(Supplement 1). - 배제사유: 4
1135. Yoon HJ, Jeong YJ, Jeong J, Kang DY. Classification of AD/MCI/NC from Amyloid PET Images using Deep Learning CNN Algorithm. *Journal of Nuclear Medicine Conference: Society of Nuclear Medicine and Molecular Imaging Annual Meeting, SNMMI*. 2018;59(Supplement 1). - 배제사유: 4
1136. Pirozzi S, Mirando D, Kruzer A, Nelson A. Evaluation of a quantitative analysis method using SUVRs for Flutemetamol PET. *Journal of Nuclear Medicine Conference: Society of Nuclear Medicine and Molecular Imaging Annual Meeting, SNMMI*. 2018;59(Supplement 1). - 배제사유: 4
1137. Barthel H, Bullich S, Koglin N, Becker G, Jovalekic A, De Santi S, et al. Simplified Non-Invasive Tracer Kinetic Analysis for ¹⁸F-Florbetaben PET Using a Dual Time-Window Acquisition Protocol. *Journal of Nuclear Medicine Conference: Society of Nuclear Medicine and Molecular Imaging Annual Meeting, SNMMI*. 2018;59(Supplement 1) - 배제사유: 4
1138. Jeong J, Yoon HJ, Kang DY, Jeong YJ. Analysis of cerebral beta amyloid deposition with increasing age in cognitively normal adults using Florbetaben PET. *Journal of Nuclear Medicine Conference: Society of Nuclear Medicine and Molecular Imaging Annual Meeting, SNMMI*. 2018;59(Supplement 1). - 배제사유: 4
1139. Bischof G, Bartenstein P, Barthel H, Van Berckel B, Dore V, Van Eimeren T, et al. Comparing Amyloid PET Tracers and Interpretation Strategies: First Results from the CAPTAINS Study. *Journal of Nuclear Medicine Conference: Society of Nuclear Medicine and Molecular Imaging*

- Annual Meeting, SNMMI. 2018;59(Supplement 1). - 배제사유: 4
1140. Loureiro APC, Moreira GM, Lima EMR, Machado IT, Casarotti GD, Maffra EF. The effect of virtual reality to enhance balance in chronic stroke patients. *Cerebrovascular Diseases*. 2018;45(Supplement 1):93. - 배제사유: 4
1141. Bhardwaj A, Kulshrestha S. Detection and characterization of a virus causing leaf curl disease in *Capsicum annuum* in Himachal Pradesh. *VirusDisease*. 2018;29(2):252. - 배제사유: 4
1142. Kwun J, Li J, Rouse C, Park J, Kirk A, Markert L. Thymus co-transplantation promotes donor-specific tolerance in allogeneic heart transplantation. *American Journal of Transplantation*. 2018;18(Supplement 4):620. - 배제사유: 4
1143. Lim TS, Kim HJ, Moon SY. CSF amyloid-B 40 and 42 are decreased in amyloid pet (-) normal pressure hydrocephalus. *Parkinsonism and Related Disorders*. 2018;46(Supplement 2):e60-e1. - 배제사유: 4
1144. Florek L, Tiepolt S, Schroeter ML, Berrouschot J, Saur D, Hesse S, et al. Providing dual biomarker information in mild cognitive impairment (MCI) and Alzheimer's disease dementia (ADD) using [¹⁸F]florbetaben (FBB) PET in a dual-time point manner. *NuklearMedizin*. 2018;57(2):A38-A9. - 배제사유: 4
1145. Finley AN, Maleki SJ, Wild LG, Hurlburt BK. Characterizing the IgE reactivity in oral allergy syndrome to celery and carrots. *Journal of Allergy and Clinical Immunology*. 2018;141(2 Supplement 1):AB244. - 배제사유: 4
1146. Law WP, Wang W, Moore P, Mollee P, Ng A. Cardiac amyloid imaging with [¹⁸F]florbetaben positron emission tomography: a pilot study. *Amyloid*. 2017;24(Supplement 1):162. - 배제사유: 4
1147. Drzezga A. 2017 SNMMI highlights lecture: Neuroscience. *Journal of Nuclear Medicine*. 2017;58(10):9N-15N. - 배제사유: 4
1148. Van De Kreeke A, Runhart EH, Nguyen HT, Konijnenberg E, Ponsioen TL, Visser PJ, et al. Retinal biomarkers for early Alzheimer's disease. *Investigative Ophthalmology and Visual Science Conference*. 2017;58(8). - 배제사유: 4
1149. Brendel M, Schnabel J, Schonecker S, Brendel E, Meyer-Wilmes J, Catak C, et al. Impact of amyloid-PET in unclear clinical routine cases. *NuklearMedizin*. 2017;56(2):A11. - 배제사유: 4
1150. Barthel H, Jovalekic A, Bullich S, DeSanti S, Koglin N, Stephens A, et al. Scan time-window flexibility of [¹⁸F]florbetaben (FBB) amyloid PET imaging. *NuklearMedizin*. 2017;56(2):A10-A1. - 배제사유: 4
1151. Barthel H, Werner P, Rullmann M, Mildner T, Jochimsen T, Tiepolt S, et al. Arterial spin labeling in hybrid dementia PET/MRI. *NuklearMedizin*. 2017;56(2):A10. - 배제사유: 4
1152. Podolecki T, Kowalczyk J, Lenarczyk R, Jedrzejczyk-Patej E, Mazurek M, Sedkowska A, et al. Risk factors for complex ventricular arrhythmias complicating ST-segment elevation myocardial infarction - Data from a 10-year prospective study. *European Heart Journal*. 2017;38(Supplement 1):15. - 배제사유: 4
1153. Roh JH, Park S. Sleep changes in Alzheimer's disease spectrum disorders measured by home-based polysomnography. *Sleep Medicine*. 2017;40(Supplement 1):e281. - 배제사유: 4
1154. Guo C. A perspective imaging study of ageing (PISA): Genetic risk prediction for studying an at-risk population for Alzheimer's disease. *Alzheimer's and Dementia*. 2017;13(7):P1099-P100. - 배제사유: 4
1155. Elias A, Cummins TL, Hopwood M, Rosenfeld JV, Dore V, Lamb F, et al. PTSD and risk of Alzheimer's disease in Australian Vietnam Veterans: Amyloid and tau PET findings from AIBL-VETS. *Alzheimer's and Dementia*. 2017;13(7):P1094-P5. - 배제사유: 4

1156. Woodard JL, Hanseeuw BJ, Dricot L, Quenon L, Lhommel R, Ivanoiu A. Improved prediction of cognitive performance using a weighted linear composite of biomarkers of Alzheimer's disease. *Alzheimer's and Dementia*. 2017;13(7):P1149-P50. - 배제사유: 4
1157. Hearn N, Dore V, Fripp J, Grothe MJ, Teipel SJ, Masters CL, et al. Global tau burden correlates with basal forebrain atrophy in healthy aging subjects. *Alzheimer's and Dementia*. 2017;13(7):P1089. - 배제사유: 4
1158. Ikonovic MD, Abrahamson EE, Buckley CJ, Mathis C, Klunk BE, Farrar G. Determination of neuritic versus diffuse plaque contribution to signal derived from ¹⁸F-flutemetamol. *Alzheimer's and Dementia*. 2017;13(7):P1115. - 배제사유: 4
1159. Femminella GD, Dani M, Wood M, Fan Z, Calsolaro V, Mizoguchi R, et al. Microglial activation is associated with higher grey matter density and hippocampal volume in MCI subjects. *Alzheimer's and Dementia*. 2017;13(7):P921. - 배제사유: 4
1160. Gispert JD, Foley C, Lammertsma AA, Van Berckel BNM, Yaqub MM, Cardoso MJ, et al. Methodological and logistic strategies for a large multicenter beta-amyloid PET European project: Amyloid imaging to prevent Alzheimer's disease (AMYPAD). *Alzheimer's and Dementia*. 2017;13(7):P794. - 배제사유: 4
1161. Verfaillie SCJ, Witteman J, Slot RER, Pruis IJ, Vermaat LEW, Mulder J, et al. The effects of amyloid on semantic complexity in spontaneous speech in subjective cognitive decline. *Alzheimer's and Dementia*. 2017;13(7):P821-P2. - 배제사유: 4
1162. Bourgeat P, Dore V, Ames D, Masters CL, Fripp J, Salvado O, et al. Implementing the centiloid transformation for ¹⁸F-florbetaben and ¹⁸F-NAV4694 using capabl. *Alzheimer's and Dementia*. 2017;13(7):P920. - 배제사유: 4
1163. De Wilde A, Van Der Flier WM, Bouwman FH, Ossenkoppele R, Pelkmans W, Groot C, et al. Concordance between cerebrospinal fluid amyloid- β and [¹⁸F]florbetaben pet in an unselected cohort of memory clinic patients. *Alzheimer's and Dementia*. 2017;13(7):P688. - 배제사유: 4
1164. Palmqvist S, Insel P, Stomrud E, Mattsson N, Hansson O. The amyloid risk score: An accurate and cross-validated method that predicts cerebral beta-amyloidosis. *Alzheimer's and Dementia*. 2017;13(7):P548. - 배제사유: 4
1165. Rolandi E, Cavedo E, Pievani M, Galluzzi S, Ribaldi F, Buckley CJ, et al. Postoperative delirium is associated with markers of neurodegeneration but no brain amyloidosis. *Alzheimer's and Dementia*. 2017;13(7):P760. - 배제사유: 4
1166. Yoon SH, Cho H, Choi JY, Lee SH, Baek MS, Ryu YH, et al. Excessive neocortical tau accumulation in down syndrome. *Alzheimer's and Dementia*. 2017;13(7):P754-P5. - 배제사유: 4
1167. Foster NL, DuPrey R, King RD, Hoffman JM, Yap JT, Minoshima S, et al. How amyloid PET changes cognitive care: A broader view. *Alzheimer's and Dementia*. 2017;13(7):P781-P2. - 배제사유: 4
1168. Elias A, Cummins TL, Hopwood M, Lamb F, Dore V, Williams R, et al. beta-amyloid and tau imaging in obstructive sleep Apnoea: Australian imaging biomarkers and lifestyle-veterans study (AIBL-VETS). *Alzheimer's and Dementia*. 2017;13(7):P568. - 배제사유: 4
1169. Salmon E, Bahri MA, Manard M, Plenevaux A, Becker G, Seret A, et al. Decreased synaptic density in early Alzheimer's disease assessed with [¹⁸F]UCB-H-PET. *Alzheimer's and Dementia*. 2017;13(7):P781. - 배제사유: 4
1170. Baek MS, Cho H, Choi JY, Lee SH, Choi YS, Ryu YH, et al. ¹⁸F-AV-1451 binds to the motor-related subcortical gray and white matter in corticobasal syndrome. *Alzheimer's and Dementia*. 2017;13(7):P753. - 배제사유: 4
1171. Rowe CC, Dore V, Bourgeat P, Williams R, Ames D, Salvado O, et al. Longitudinal assessment of A β accumulation with flutemetamol. *Alzheimer's and Dementia*. 2017;13(7):P778. -

배제사유: 4

1172. Mattsson N, Eriksson O, Lindberg O, Lampinen B, Nilsson M, Insel P, et al. Effects of Apoe E4 in prodromal Alzheimer's disease. *Alzheimer's and Dementia*. 2017;13(7):P562-P3. - 배제사유: 4
1173. Paghera B, Paolo Guerra U, Peli A, Altomare D, Morbelli S, Buschiazzo A, et al. Visual interpretation of ¹⁸F-Florbetapir PET/CT images in patients with cognitive impairment from a multicenter clinical research project (India-FBP study): Are the different visual criteria of amyloid image assessment similar in clinical practice? *Alzheimer's and Dementia*. 2017;13(7):P776-P7. - 배제사유: 4
1174. Konijnenberg E, Den Braber A, Ten Kate M, Adriaanse S, Yaqub MM, Van Uffelen KWJ, et al. Twin correlations for amyloid pathology measured with positronemission tomography and in cerebrospinal fluid in cognitively healthy elderly monozygotic twin pairs. *Alzheimer's and Dementia*. 2017;13(7):P559-P60. - 배제사유: 4
1175. Kim Y, Jang H, Jang YK, Kim KW, Lee JS, Park Y, et al. Protective effects of education on THK-5351 uptakes in mild cognitive impairment with suspected non-Alzheimer pathology. *Alzheimer's and Dementia*. 2017;13(7):P798. - 배제사유: 4
1176. Parra MA, Gazes Y, Stern Y. From cognition to molecules: Tracking brain amyloid-b with memory markers for alzheimer's disease. *Alzheimer's and Dementia*. 2017;13(7):P692. - 배제사유: 4
1177. Kim Y, Jang H, Jang YK, Kim KW, Lee JS, Park Y, et al. Positive association between education and THK-5351 uptakes in patients with Alzheimer's disease. *Alzheimer's and Dementia*. 2017;13(7):P460-P1. - 배제사유: 4
1178. Brown BM, Rainey-Smith SR, Dore V, Peiffer JJ, Laws SM, Taddei K, et al. Self-reported physical activity is associated with tau burden as measured by pet. *Alzheimer's and Dementia*. 2017;13(7):P528. - 배제사유: 4
1179. Farrar G, Barkhof F, Pla S, Gispert JD, Foley C, Mett A, et al. Amypad: A European public-private partnership to investigate the value of beta-amyloid brain scans as a diagnostic and therapeutic marker for Alzheimer's disease. *Alzheimer's and Dementia*. 2017;13(7):P420. - 배제사유: 4
1180. Buckley CJ, Inglis F, Cherubini A, Zanette M, Farrar G, Brooks DJ, et al. [¹⁸F]flutemetamol amyloid scanning in a phase iii amnesic mild cognitive impairment study: Additional influence of other biomarkers in estimating risk of conversion to probable Alzheimers disease. *Alzheimer's and Dementia*. 2017;13(7):P221. - 배제사유: 4
1181. Cummins TL, Elias A, Hopwood M, Rosenfeld JV, Dore V, Lamb F, et al. Tau, Abeta-amyloid, and cognitive function following service related traumatic brain injury in Vietnam war veterans. *Alzheimer's and Dementia*. 2017;13(7):P101. - 배제사유: 4
1182. Cho H, Choi JY, Lee SH, Choi YS, Ryu YH, Lee MS, et al. Principal component analysis of tau PET in Alzheimer's disease and healthy elderly. *Alzheimer's and Dementia*. 2017;13(7):P133-P4. - 배제사유: 4
1183. Lee SH, Cho H, Choi JY, Choi YS, Lee JH, Ryu YH, et al. Distinct tauaccumulation pattern in dementia with lewy body. *Alzheimer's and Dementia*. 2017;13(7):P414. - 배제사유: 4
1184. Gille B, Schaeverbeke J, Vanderstichele HM, Adamczuk K, Demeyer L, Francois C, et al. Synaptic markers in liquor inversely correlate with gray matter volume in cognitively healthy individuals. *Alzheimer's and Dementia*. 2017;13(7):P215-P6. - 배제사유: 4
1185. Kim HR, Seo SW, Roh JH, Oh M, Oh JS, Oh SJ, et al. Prediction model of tau propagation in AD spectrum using functional network. *Alzheimer's and Dementia*. 2017;13(7):P291. - 배제사유: 4
1186. Bogdanovic N, Farrar G, Fantoni ER. Measurement of pathological amyloid in routine clinical assessment: the clinical impact of visual [¹⁸F]flutemetamol pet and CSF analysis.

Alzheimer's and Dementia. 2017;13(7):P411. - 배제사유: 4

1187. Ceccaldi M, Jonveaux T, Verger A, Salmon PK, Houzard C, Godefroy O, et al. Added value of florbetaben pet imaging on diagnosis and management in complex cases of patients with mild dementia eligible for CSF analysis in the French clinical practice setting. Alzheimer's and Dementia. 2017;13(7):P409-P10. - 배제사유: 4
1188. Hausner L, Buesing K, Schoenberg S, Frolich L. Concordancy of amyloid-beta-1-42 in CSF and [¹⁸F]florbetaben-pet in clinical practise of a memory clinic. Alzheimer's and Dementia. 2017;13(7):P355. - 배제사유: 4
1189. Leuzy A, Chiotis K, Jelic V, Andersen P, Friman J, Lilja J, et al. Investigating the clinical impact of [¹⁸F]flutemetamol PET in a tertiary memory clinic setting in patients with uncertain diagnosis. Alzheimer's and Dementia. 2017;13(7):P19-P20. - 배제사유: 4
1190. Kim HJ, Cho H, Park S, Jang YK, Lee JS, Jang H, et al. 18F-AV1451 PET imaging in subcortical vascular cognitive impairment. Alzheimer's and Dementia. 2017;13(7):P329-P30. - 배제사유: 4
1191. Ikonovic MD, Abrahamson EE, Buckley CJ, Mathis C, Klunk BE, Farrar G. Determination of neuritic versus diffuse plaque contribution to signal derived from CN-flutemetamol. Alzheimer's and Dementia. 2017;13(7):P16-P7. - 배제사유: 4
1192. Hwang J, Oh M, Oh JS, Seo SW, Oh SJ, Lee JH, et al. Patterns of regional tau accumulation indicative of three different types of Alzheimer's disease (AD): THK5351-PET-based replication of pathology-based AD classification. Alzheimer's and Dementia. 2017;13(7):P206-P7. - 배제사유: 4
1193. Dore V, Bullich S, Rowe CC, Bourgeat P, Konate S, Stephens A, et al. Comparison of ¹⁸F-florbetaben quantification results using MR-based and MR-less capabl: Validation against histopathology. Alzheimer's and Dementia. 2017;13(7):P123. - 배제사유: 4
1194. De Wilde A, Van Der Flier WM, Bouwman FH, Ossenkoppele R, Pelkmans W, Groot C, et al. Concordance between cerebrospinal fluid amyloid-beta and [18F]Florbetaben PET in an unselected cohort of memory clinic patients. Alzheimer's and Dementia. 2017;13(7):P13-P4. - 배제사유: 4
1195. Bourgeat P, Dore V, Ames D, Masters CL, Fripp J, Salvado O, et al. Implementing the centiloid transformation for ¹⁸F-florbetaben and ¹⁸F-NAV4694 using CapAIBL. Alzheimer's and Dementia. 2017;13(7):P120-P1. - 배제사유: 4
1196. Falgas N, Lomena F, Llado A, Fernandez G, Bosch B, Sanchez-Valle R. Visual patterns of florbetaben uptake in presenilin 1 mutation carriers. Alzheimer's and Dementia. 2017;13(7):P435. - 배제사유: 4
1197. Den Braber A, Prent N, Ten Kate M, Konijnenberg E, Barkhof F, Van Berckel BNM, et al. Early alterations in resting-state functional connectivity is associated with amyloid pathology in cognitively healthy elderly monozygotic twins. Alzheimer's and Dementia. 2017;13(7):P43-P4. - 배제사유: 4
1198. Cho H, Kim HJ, Choi JY, Ryu YH, Lee MS, Na DL, et al. Predominant subcortical ¹⁸F-AV-1451 binding in behavioral variant frontotemporal dementia. Alzheimer's and Dementia. 2017;13(7):P399. - 배제사유: 4
1199. Battle MR, Buckley CJ, Smith A, Lowe V. Determining the utility of PMOD image quantification software for processing [¹¹C]PIB and [¹⁸F] flutemetamol images in a PET-only pipeline to generate SUVR for quantification on the centiloid scale. Alzheimer's and Dementia. 2017;13(7):P11-P2. - 배제사유: 4
1200. Aigbirhio FI, Arstad E, Carroll M, Gee TD, Long N, Lucatelli C, et al. Establishment of a PET radiotracer network for dementia research. Alzheimer's and Dementia. 2017;13(7):P117. - 배제사유: 4

1201. Ghetti C, Scarlattei M, Lauretani F, Baldari G, Serreli G, Cidda C, et al. Efficacy of [¹⁸F]flutemetamol 10-minute versus 20-minute summation imaging method: Visual assessment and quantitative validation. *Alzheimer's and Dementia*. 2017;13(7):P11. - 배제사유: 4
1202. Doecke JD, Li QX, Fowler C, Collins S, Dore V, Rowe CC, et al. CSF P-tau is correlated with tau PET, while Abeta PET correlates with Abeta1-42 and the T-tau/ Abeta1-42 ratio. *Alzheimer's and Dementia*. 2017;13(7):P202-P3. - 배제사유: 4
1203. Alegret M, Sanabria A, Rodriguez-Gomez O, Valero S, Sotolongo-Grau O, Assdelnour C, et al. The Spanish version of face-name associative memory exam (S-FNAME) performance is related to amyloid burden in subjective cognitive decline. *Alzheimer's and Dementia*. 2017;13(7):P228. - 배제사유: 4
1204. Schoonenboom NSM, Kalisvaart K, Akarriou M. Use of pet scan in early diagnosis of Alzheimer's disease in a secondary care memory clinic. *Alzheimer's and Dementia*. 2017;13(7):P342. - 배제사유: 4
1205. Noh Y, Na HK, Seo S, Lee SY, Jeong HJ, Okamura N, et al. Relationship among tau, amyloid burden and brain atrophy in early onset Alzheimer's disease and late-onset Alzheimer's disease. *Alzheimer's and Dementia*. 2017;13(7):P2-P3. - 배제사유: 4
1206. Heise V, Firouzian A, Thomas DL, Newbould RD, Aigbirhio FI, Williams GB, et al. Deep and frequent phenotyping study: PET and MR imaging protocol. *Alzheimer's and Dementia*. 2017;13(7):P71-P2. - 배제사유: 4
1207. Moreno-Grau S, Rodriguez O, Sanabria A, Perez A, Sanchez D, Abdelnour C, et al. Exploring APOE genotype effects on AD risk and beta-amyloid burden in individuals with subjective cognitive decline: The FACEHBI study results. *Alzheimer's and Dementia*. 2017;13(7):P296-P7. - 배제사유: 4
1208. Kang DW, Choi WH, Lee CU, Um YH, Lim HK. Impact of amyloid burden on regional coherence changes in preclinical Alzheimer's disease: A resting state fMRI study. *Alzheimer's and Dementia*. 2017;13(7):P1538-P9. - 배제사유: 4
1209. Dore V, Bullich S, Rowe CC, Bourgeat P, Konate S, Stephens A, et al. Comparison of 18F-florbetaben quantification results using MR-based and MR-less capabl: Validation against histopathology. *Alzheimer's and Dementia*. 2017;13(7):P1387. - 배제사유: 4
1210. Lee S, Jeong HG, Youn HC. Comparison of gray matter volume and fractional anisotropy in mild cognitive impairment patients with and without amyloidopathy. *Alzheimer's and Dementia*. 2017;13(7):P1350. - 배제사유: 4
1211. Strandberg O, Hahn A, Stomrud E, Scholl M, Palmqvist S, Hansson O. The earliest stages of amyloid accumulation are associated with increased functional connectivity in non-demented elderly subjects. *Alzheimer's and Dementia*. 2017;13(7):P1531-P2. - 배제사유: 4
1212. Jang YK, Lyoo CH, Rabinovici GD, Oh SJ, Cho H, Oh M, et al. Head-to-head comparison of [¹⁸F]AV-1451 and [¹⁸F] THK5351 for tau imaging in alzheimer's disease and frontotemporal dementia. *Alzheimer's and Dementia*. 2017;13(7):P1347-P8. - 배제사유: 4
1213. Villemagne VL, Burnham S, Bourgeat P, Dore V, Rainey-Smith SR, Laws SM, et al. Refining the natural history of global and regional Abeta-amyloid deposition in sporadic Alzheimer's disease. *Alzheimer's and Dementia*. 2017;13(7):P1530. - 배제사유: 4
1214. Kang S, Jeon S, Yun M, Ye BS. Effect of Lewy body disease and Alzheimer's disease on cognition and brain atrophy. *Alzheimer's and Dementia*. 2017;13(7):P1526-P7. - 배제사유: 4
1215. Oh M, Oh JS, Oh SJ, Lee SJ, Roh JH, Seo SW, et al. Quantitative analysis and correlation with cognitive function of F-18 THK-5351 pet in subjective memory impairment, mild cognitive impairment, and Alzheimer's disease. *Alzheimer's and Dementia*. 2017;13(7):P1377-P8. - 배제사유: 4

1216. Oh JS, Oh M, Kim SJ, Seo SW, Roh JH, Lee SJ, et al. Partial volume susceptibility of tau pet: Region wise assessment and comparison with amyloid PET. *Alzheimer's and Dementia*. 2017;13(7):P1274. - 배제사유: 4
1217. De Wilde A, Pelkmans W, Bouwman FH, Verwer J, Groot C, Van Buchem M, et al. The impact of amyloid PET on diagnosis and patient management in an unselected memory clinic cohort: The ABIDE project. *Alzheimer's and Dementia*. 2017;13(7):P1474-P5. - 배제사유: 4
1218. Oh H, Narkhede A, Razlighi Q, Stern Y, Mayeux R, Manly JJ, et al. Lower white matter integrity is associated with higher amyloid deposition and retrospective cognitive decline in older adults without dementia. *Alzheimer's and Dementia*. 2017;13(7):P1244. - 배제사유: 4
1219. Tabuchi H, Horigome T, Konishi M, Mimura M. Agraphia as an initial symptom of Alzheimer's disease: Case report. *Alzheimer's and Dementia*. 2017;13(7):P1518-P9. - 배제사유: 4
1220. Burnham S, Bourgeat P, Dore V, Laws SM, Salvado O, Li QX, et al. Implementing the ATN classification in AIBL. *Alzheimer's and Dementia*. 2017;13(7):P1511 - 배제사유: 4
1221. Jang H, Kim Y, Kim KW, San Lee J, Jang YK, Lyoo CH, et al. Synergistic effect of tau, amyloid, and vascular burden on cognitive decline in patients with subcortical vascular cognitive impairments. *Alzheimer's and Dementia*. 2017;13(7):P1235-P6. - 배제사유: 4
1222. Choi WH, Han EJ, Park YH, Lim HK. Clinical significance of striatal uptake in amyloid positron emission tomography. *Alzheimer's and Dementia*. 2017;13(7):P1354 - 배제사유: 4
1223. Jang YK, Kim SH, Kim JS, Oh SJ, Roh JH, Na DL, et al. THK5351 uptakes in early and late stages of amnesic mild cognitive impairment. *Alzheimer's and Dementia*. 2017;13(7):P1082-P3. - 배제사유: 4
1224. Kim HA, Kim JE. Qualitative comparison of semantic memory deficit in amnesic mild cognitive impairment patients based on amyloid status. *Alzheimer's and Dementia*. 2017;13(7):P1053. - 배제사유: 4
1225. Schaeverbeke J, Adamczuk K, Goffin K, Bruffaerts R, Tournoy J, Peeters R, et al. Visual reading of amyloid-PET in MCI challenged: Should we consider alternative methods? *Alzheimer's and Dementia*. 2017;13(7):P1107-P8. - 배제사유: 4
1226. De Rojas I, Romero J, Rodriguez-Gomez O, Pesini P, Sanabria A, Perez A, et al. Correlations between plasma and brain beta-amyloid levels in individuals with subjective cognitive decline: The fundacio ace healthy brain initiative (FACEHBI). *Alzheimer's and Dementia*. 2017;13(7):P1027-P8. - 배제사유: 4
1227. Murayama S, Sengoku R, Kanemaru K, Nishina Y, Takada T, Kobayashi M, et al. The brain bank for aging research project, Tokyo, Japan. *Journal of the Neurological Sciences*. 2017;381(Supplement 1):845. - 배제사유: 4
1228. Cerman J, Laczko J, Vyhnalek M, Sheardova K, Ferda J, Belohlavek O, et al. Cerebrospinal fluid ratio of phosphorylated tau protein to betaamyloid may improve the prediction of amyloid pet positivity: Pilot data from the Czech brain ageing study. *Journal of the Neurological Sciences*. 2017;381(Supplement 1):320 - 배제사유: 4
1229. Okamura N. Amyloid and TAU imaging. *Journal of the Neurological Sciences*. 2017;381(Supplement 1):13. - 배제사유: 4
1230. Kim Y, Kim H, Kim T, Yim T, Chang J. Levels of CSF amyloid-beta 40 and 42 are decreased in amyloid PET (-) normal pressure hydrocephalus patients. *Molecular Biology of the Cell Conference*. 2017;28(26). - 배제사유: 4
1231. Correa D, Kryza-Lacombe M, Zhou X, Baser R, Beattie B, Beiene Z, et al. A pilot study of cognitive functions, APOE and amyloid imaging in glioma patients. *Neuro-Oncology*. 2017;19(Supplement 6):vi141. - 배제사유: 4

1232. Kojori ES, Wang GJ, Wiers C, Demiral S, Guo M, Kim S, et al. Subcortical beta-amyloid burden is independently linked to sleep history and genetic risk factors of alzheimer's disease. *Neuropsychopharmacology*. 2017;43(Supplement 1):S442-S3. - 배제사유: 4
1233. Van Keer K, Schaevebeke J, Barbosa Breda J, Evenepoel C, Abegao Pinto L, Stalmans I, et al. Optical coherence tomography in cerebral amyloidosis. *Acta Ophthalmologica Conference: 22nd European Association for Vision and Eye Research Conference, EVER*. 2017;95(Supplement 259). - 배제사유: 4
1234. Haars S, Werner P, Schmidt R, Rullmann M, Orthgiess J, Tiepolt S, et al. [¹⁸F]-Florbetaben-PET/MRI as myelin-specific molecular imaging: A pilot study in patients with different white matter diseases. *Multiple Sclerosis Journal*. 2017;23(3 Supplement 1):817-8. - 배제사유: 4
1235. Podolecki T, Lenarczyk R, Kowalczyk J, Jedrzejczyk-Patej E, Mazurek M, Swiatkowski A, et al. Risk factors for complex ventricular arrhythmias complicating ST-segment elevation myocardial infarction - Data from a 10-year prospective study. *Kardiologia Polska*. 2017;75(Supplement 4):157-8. - 배제사유: 4
1236. Park S, Baratto L, Gulaka P, Herfkens R, Witteles R, Iagaru A. Florbetaben whole-body PET/MRI for evaluation of systemic amyloid deposition. *European Journal of Nuclear Medicine and Molecular Imaging*. 2017;44(2 Supplement 1):S418. - 배제사유: 4
1237. Varrone A, Arakawa R, Takano A, Nag S, Stepanov V, Stenkrona P, et al. Human Whole-body biodistribution and radiation dosimetry of [¹⁸F]PF-06684511, a Novel Radioligand for Brain Imaging of Beta-secretase. *European Journal of Nuclear Medicine and Molecular Imaging*. 2017;44(2 Supplement 1):S172. - 배제사유: 4
1238. Rullmann M, Haars S, Werner P, Schmidt R, Orthgiess J, Tiepolt S, et al. A pilot study on hybrid 18F-florbetaben PET/MRI in patients with white matter diseases. *European Journal of Nuclear Medicine and Molecular Imaging*. 2017;44(2 Supplement 1):S171-S2. - 배제사유: 4
1239. Brendel M, Schnabel J, Schonecker S, Brendel E, Meyer-Wilmes J, Catak C, et al. Impact of 18F-Florbetaben PET on differential diagnosis of unclear clinical routine cases. *European Journal of Nuclear Medicine and Molecular Imaging*. 2017;44(2 Supplement 1):S169-S70. - 배제사유: 4
1240. De Kwaasteniet B, Raaymakers D, De Klerk J. Clinical value of 18F Florbetaben Amyloid-beta PET in a memory clinic. *European Journal of Nuclear Medicine and Molecular Imaging*. 2017;44(2 Supplement 1):S592. - 배제사유: 4
1241. Guedj E, Jonveaux T, Verger A, Krolak-Salmon P, Houzard C, Godefroy O, et al. Incremental value of 18F-florbetaben amyloid PET in the diagnostic work-up of most complex patients with dementia in France: A naturalistic study. *European Journal of Nuclear Medicine and Molecular Imaging*. 2017;44(2 Supplement 1):S169. - 배제사유: 4
1242. Battle M, Buckley C. Assessment of the impact of repeat scanning on centiloid scaling values using PMOD image quantification software. *European Journal of Nuclear Medicine and Molecular Imaging*. 2017;44(2 Supplement 1):S615-S6. - 배제사유: 4
1243. Bullich S, Jovalekic A, Koglin N, Becker G, De Santi S, Sabri O, et al. Validation of non-invasive tracer kinetic analysis of 18F-Florbetaben PET using a patient-friendly dual timewindow acquisition protocol. *European Journal of Nuclear Medicine and Molecular Imaging*. 2017;44(2 Supplement 1):S614. - 배제사유: 4
1244. Genovesi D, Vergaro G, Giorgetti A, Emdin M, Volpi E, Alduini S, et al. [¹⁸F]-Florbetaben PET/CT in cardiac amyloidosis: Results from the FLORAMICAR study. *European Journal of Nuclear Medicine and Molecular Imaging*. 2017;44(2 Supplement 1):S248. - 배제사유: 4
1245. Kircher M, Brumberg J, Reiter T, Ihne S, Knop S, Kortum K, et al.

- [¹⁸F]-Florbetaben-PET/CT for Imaging of cardiac amyloidosis. *European Journal of Nuclear Medicine and Molecular Imaging*. 2017;44(2 Supplement 1):S248. - 배제사유: 4
1246. Budinsky M, Kozakova S. DDSA-A, microDDS-A and KAR1100, what else. *European Journal of Nuclear Medicine and Molecular Imaging*. 2017;44(2 Supplement 1):S882. - 배제사유: 4
1247. Isolani M, Pieri A, Serreli G, Ghetti C, Scarlattei M, Lazzara C, et al. Optimization of acquisition time for ¹⁸F-FLUTEMETAMOL PET/CT in patients with early-onset dementia. *European Journal of Nuclear Medicine and Molecular Imaging*. 2017;44(2 Supplement 1):S286. - 배제사유: 4
1248. Scarlattei M, Migliari S, Sammartano A, Baldari G, Cidda C, Serreli G, et al. Planning of multi-tracer session for clinical and research activity in a PET center. *European Journal of Nuclear Medicine and Molecular Imaging*. 2017;44(2 Supplement 1):S877-S8. - 배제사유: 4
1249. Sanchez-Vano R, Prado-Wohlwend S, Gomez-Rio M, Segovia-Roman F, Sopena Novales P, Uruburu-Garcia E, et al. Semi-quantitative assessment with PETRA soft-platform of ¹⁸F-Florbetaben PET in patients with cognitive impairment. *European Journal of Nuclear Medicine and Molecular Imaging*. 2017;44(2 Supplement 1):S486. - 배제사유: 4
1250. Segovia Roman F, Testart Dardel N, Sanchez Vano R, Sopena-Navales P, Gonzalez-Jimenez A, Sanchez Sanchez R, et al. Semiquantitative analysis of amyloid PET/CT and the performance of its own CT images for ROI's delimitation. *European Journal of Nuclear Medicine and Molecular Imaging*. 2017;44(2 Supplement 1):S596-S7. - 배제사유: 4
1251. Chiaravallotti A, Castellano A, Sannino P, Zinzi M, Di Giorgio E, Scalone F, et al. Coupled imaging with ¹⁸F FBB and ¹⁸F FDG in AD subjects show a selective association between amyloid burden and cortical dysfunction in brain. *European Journal of Nuclear Medicine and Molecular Imaging*. 2017;44(2 Supplement 1):S595-S6. - 배제사유: 4
1252. Salvado G, Ninerola-Baizan A, Garcia M, Pavia J, Ros D, Lomena F, et al. Monte-Carlo simulated amyloid PET for testing the performance of Partial Volume Correction methods. *European Journal of Nuclear Medicine and Molecular Imaging*. 2017;44(2 Supplement 1):S445. - 배제사유: 4
1253. Bullich S, Koglin N, Becker G, De Santi S, Jovalekic A, Barthel H, et al. Effect of blood flow on ¹⁸F-Florbetaben PET quantitation: A simulation study. *European Journal of Nuclear Medicine and Molecular Imaging*. 2017;44(2 Supplement 1):S419. - 배제사유: 4
1254. Bouckaert F, Dols A, Emsell L, Dewinter FL, Vansteelandt K, Sunaert S, et al. Neural predictors and correlates of electroconvulsive therapy in late-life depression. *Biological Psychiatry*. 2017;81(10 Supplement 1):S181. - 배제사유: 4
1255. Zaharchuk G, Fan A, Gulaka P, Guo J, Poston K, Greicius M, et al. Early uptake Amyloid PET imaging correlates strongly with cerebral blood flow based on arterial spin labeling MRI: A simultaneous PET/MRI study. *Journal of Cerebral Blood Flow and Metabolism*. 2017;37(1 Supplement 1):224-5. - 배제사유: 4
1256. Barthel H, Werner P, Rullmann M, Mildner T, Jochimsen T, Tiepolt S, et al. Arterial spin labeling in the hybrid PET/ MRI workup of dementia patients. *Journal of Cerebral Blood Flow and Metabolism*. 2017;37(1 Supplement 1):157-8. - 배제사유: 4
1257. Fantoni E. Visual [¹⁸F]Flutemetamol PET read and CSFs measures in routine geriatric assessment of dementia. *European Geriatric Medicine*. 2017;8(Supplement 1):S59 - 배제사유: 4
1258. Ciarmiello A, Giovannini E, Borso E, Lazzeri P, Riondato M, De Biasi M, et al. [¹⁸F]-Florbetaben PET/CT uptake as a biomaker for cognitive decline in dementia. *Clinical and Translational Imaging*. 2017;5(Supplement 1):S21-S2. - 배제사유: 4
1259. Lilja J, Leuzu A, Chiotis K, Savitcheva I, Sorensen J, Nordberg A. Spatial normalization of [¹⁸F]flutemetamol PET images utilizing an adaptive principal components template. *Journal of Nuclear Medicine Conference: Society of Nuclear Medicine and Molecular*

Imaging Annual Meeting, SNMMI. 2017;58(Supplement 1). - 배제사유: 4

1260. Villemagne V, Dore V, Burnham S, Bourgeat P, Cummins T, Mulligan R, et al. Combining categorical and continuous tau burden measures from four different tau tracers: ¹⁸F-AV1451, ¹⁸F-THK5317, ¹⁸F-THK5351, and ¹⁸F-MK6420. Journal of Nuclear Medicine Conference: Society of Nuclear Medicine and Molecular Imaging Annual Meeting, SNMMI. 2017;58(Supplement 1). - 배제사유: 4
1261. Kong Y, Guan Y, Hua F, Zhao B. Multi-target molecular probes in the early diagnosis of Alzheimer's disease. Journal of Nuclear Medicine Conference: Society of Nuclear Medicine and Molecular Imaging Annual Meeting, SNMMI. 2017;58(Supplement 1). - 배제사유: 4
1262. Wang GJ, Wiers C, Kojori ES, Demiral S, Lindgren E, Miller G, et al. PET imaging of amyloid beta retention in sleep deprivation. Journal of Nuclear Medicine Conference: Society of Nuclear Medicine and Molecular Imaging Annual Meeting, SNMMI. 2017;58(Supplement 1). - 배제사유: 4
1263. Farrar G. Regional visual read inspection of [18F]flutemetamol brain images from end-of-life and amnesic MCI subjects. Journal of Nuclear Medicine Conference: Society of Nuclear Medicine and Molecular Imaging Annual Meeting, SNMMI. 2017;58(Supplement 1). - 배제사유: 4
1264. Ceccaldi M, Jonveaux T, Verger A, Salmon PK, Houzard C, Godefroy O, et al. Impact of florbetaben PET imaging on diagnosis and management of patients with suspected Alzheimer's Disease eligible for CSF analysis in France. Journal of Nuclear Medicine Conference: Society of Nuclear Medicine and Molecular Imaging Annual Meeting, SNMMI. 2017;58(Supplement 1). - 배제사유: 4
1265. Villemagne V, Burnham S, Bourgeat P, Dore V, Ames D, Salvado O, et al. Assessing the natural history of As-amyloid deposition with five different amyloid tracers using the Centiloid transformation. Journal of Nuclear Medicine Conference: Society of Nuclear Medicine and Molecular Imaging Annual Meeting, SNMMI. 2017;58(Supplement 1). - 배제사유: 4
1266. Rowe C, Dore V, Jones G, Baxendale D, Mulligan R, Stephens A, et al. Application of the Centiloid transformation to ¹⁸F-florbetaben. Journal of Nuclear Medicine Conference: Society of Nuclear Medicine and Molecular Imaging Annual Meeting, SNMMI. 2017;58(Supplement 1). - 배제사유: 4
1267. Florek L, Tiepolt S, Schroeter M, Saur D, Hesse S, Jochimsen T, et al. Dual time-point [¹⁸F]florbetaben PET delivers dual biomarker information in mild cognitive impairment and Alzheimer's dementia. Journal of Nuclear Medicine Conference: Society of Nuclear Medicine and Molecular Imaging Annual Meeting, SNMMI. 2017;58(Supplement 1). - 배제사유: 4
1268. Barthel H, Jovalekic A, Bullich S, De Santi S, Koglin N, Stephens A, et al. How flexible is [¹⁸F]florbetaben (FBB) amyloid PET imaging regarding scan start time? Journal of Nuclear Medicine Conference: Society of Nuclear Medicine and Molecular Imaging Annual Meeting, SNMMI. 2017;58(Supplement 1). - 배제사유: 4
1269. Paghera B, Peli A, Guerra U, Altomare D, Giubbini R. Visual interpretation of 18F-Florbetapir PET-CT images in patients with cognitive impairment of a multicenter clinical research project-INDIA-FBP study: Are the different visual criteria of amyloid images assessment similar in clinical practice and could their incorporation reduce the inter-reader variability? Journal of Nuclear Medicine Conference: Society of Nuclear Medicine and Molecular Imaging Annual Meeting, SNMMI. 2017;58(Supplement 1). - 배제사유: 4
1270. Cerman J, Laczo J, Vyhnalek M, Matoska V, Kaplan V, Ferda J, et al. Use of amyloid PET imaging and cerebrospinal fluid biomarkers in clinical practice: Data from the Czech brain ageing study. European Journal of Neurology. 2017;24(Supplement 1):449. - 배제사유: 4

1271. Kubiak MM, Pendlebury ST, Bradley K, Rothwell PM. Pet imaging of cerebral amyloid load and cognition in tia and minor stroke. *European Stroke Journal*. 2017;2(1 Supplement 1):290. - 배제사유: 4
1272. Foster NL, DuPrey R, King RD, Hoffman JM, Yap JT, Minoshima S, et al. Implications for Management of PET amyloid classification technology (IMPACT). *Neurology Conference: 69th American Academy of Neurology Annual Meeting, AAN*. 2017;88(16 Supplement 1). - 배제사유: 4
1273. Baillet M, Meyer M, Dilharreguy B, Peres K, Helmer C, Dartigues J, et al. Frontal b-amyloid burden and sleep duration in aging. *Sleep*. 2017;40(Supplement 1):A103-A4. - 배제사유: 4
1274. Sundaram GSM, Dhavale D, Cirrito J, Lee JM, Kotzbauer P, Cairns N, et al. Fluselenamyl: Design, synthesis, and preclinical validation of a pet tracer for early detection of alzheimer's disease. *Journal of Labelled Compounds and Radiopharmaceuticals*. 2017;60(Supplement 1):S548. - 배제사유: 4
1275. Kim HJ, Seo SW, Kim Y, Jang H, Kim KW, Lee JS, et al. Anatomical subtypes of amnesic mild cognitive impairment. *Neurodegenerative Diseases*. 2017;17(Supplement 1):1039. - 배제사유: 4
1276. Kim BC, Lee KH, Park JE, Choi KY, Lee JJ, Choi YY, et al. CSF biomarkers in prodromal alzheimer's disease. *Neurodegenerative Diseases*. 2017;17(Supplement 1):623. - 배제사유: 4
1277. Ceccaldi M, Jonveaux T, Krolak Salmon P, Godefroy O, Perrotin A, Gismondi R, et al. Impact of florbetaben pet imaging on diagnosis and management of patients with suspected AD eligible for CSF analysis in France. *Neurodegenerative Diseases*. 2017;17(Supplement 1):352. - 배제사유: 4
1278. Hansson O, Blennow K, Trojanowski J, Seibyl J, Stomrud E, Bittner T, et al. Concordance between new elecsys(R) CSF assays (abeta(1-42), total tau and phosphorylated tau) and amyloid pet imaging in biofinder and ADNI. *Neurodegenerative Diseases*. 2017;17(Supplement 1):72. - 배제사유: 4
1279. Hill E, Szoek C. The role of individual mediterranean diet components on beta-amyloid deposition in ageing australian women: Data from the women's healthy ageing project. *Neurodegenerative Diseases*. 2017;17(Supplement 1):1851. - 배제사유: 4
1280. Rolandi E, Cavedo E, Pievani M, Galluzzi S, Ribaldi F, Buckley C, et al. Neurodegeneration markers in absence of brain amyloidosis in older patients with delirium after hip-fracture surgery. *Neurodegenerative Diseases*. 2017;17(Supplement 1):967. - 배제사유: 4
1281. Park S, Kim J, Roh JH, Lee JH. Clinical, demographic, cognitive, and neuroimaging differences in the alzheimer's spectrum disorder as a function of APOE genotype. *Neurodegenerative Diseases*. 2017;17(Supplement 1):853. - 배제사유: 4
1282. Van Keer K, Schaevebeke J, Barbosa Breda J, Evenepoel C, Abegao Pinto L, Stalmans I, et al. Optical coherence tomography in cerebral amyloidosis. *Neurodegenerative Diseases*. 2017;17(Supplement 1):384. - 배제사유: 4
1283. Villemagne VL, Dore V, Burnham S, Bourgeat P, Cummins T, Bozinovski S, et al. Combination of continuous and categorical tau burden measures obtained with three different tau tracers: ¹⁸F-AV1451, ¹⁸F-THK5317 and ¹⁸F-THK5351. *Neurodegenerative Diseases*. 2017;17(Supplement 1):311. - 배제사유: 4
1284. Rowe C, Dore V, Burnham S, Bourgeat P, Cummins T, Mulligan R, et al. Evaluation of Tau tracers in normal ageing and Alzheimer's disease. *Internal Medicine Journal*. 2017;47(Supplement 1):18. - 배제사유: 4
1285. Vano RS, Novales PS, Rio MG, Wohlwend SP, Garcia EU, Lozano MDM, et al. Visual and quantitative assessment comparison of 18fflorbetaben and 18f-fdg pet in patients with mild cognitive impairment in a multicenter clinical series. *Neuroradiology*. 2017;59(2):190. -

백제사유: 4

1286. Rodriguez-Gomez O, Sanabria A, Perez A, Ruiz S, Tarragona M, Sanchez D, et al. Fundacio ace healthy brain initiative: A study of cognition and biomarkers in individuals with subjective cognitive decline. *Alzheimer's and Dementia*. 2016;12(7 Supplement):P667. - 백제사유: 4
1287. Buckley RF, Rowe CC, Dore V, Laws SM, Bourgeat P, Burnham S, et al. Mesial temporal tau burden in older adults with subjective memory complaints relates to poorer memory function. *Alzheimer's and Dementia*. 2016;12(7 Supplement):P344-P5 - 백제사유: 4
1288. Smith R, Puschmann A, Olsson T, Englund E, Hansson O. ¹⁸F-AV1451 pet detects tau pathology in mapt mutation carriers and correlates strongly with immunohistochemistry of tau aggregates. *Alzheimer's and Dementia*. 2016;12(7 Supplement):P723-P4. - 백제사유: 4
1289. Vermunt L, Konijnenberg E, Ten Kate M, Den Braber A, Yaqub MM, Serne E, et al. Large-vessel disease and [18F] flutemetamol-amyloid deposition in cognitively healthy elderly twins. *Alzheimer's and Dementia*. 2016;12(7 Supplement):P1069-P70. - 백제사유: 4
1290. Carter SF, Parkes L, Hinz R, Herholz K. Cerebral brain perfusion in cognitively normal advanced elderly (79-93 years) measured with arterial spin labelling and [18F]Flutemetamol PET: A cross modality comparison. *Alzheimer's and Dementia*. 2016;12(7 Supplement):P1166. - 백제사유: 4
1291. Mattsson N, Lindberg O, Insel PS, Palmqvist S, Stomrud E, Van Westen D, et al. Increased amyloidogenic app processing in ApoE e4-negative individuals with cerebral bamyloidosis. *Alzheimer's and Dementia*. 2016;12(7 Supplement):P182. - 백제사유: 4
1292. Jones GR, Villemagne VL, Cummins TL, Rowe CC. Comparison of early dynamic amyloid and tau-pet scans to 18F-FDG-PET image. *Alzheimer's and Dementia*. 2016;12(7 Supplement):P134. - 백제사유: 4
1293. Noh Y, Lee H, Lee SY, Lee YB, Lee KM, Park KH, et al. Tau PET imaging in semantic variant primary progressive aphasia using ¹⁸F-THK5351 PET. *Alzheimer's and Dementia*. 2016;12(7 Supplement):P1166. - 백제사유: 4
1294. De Wilde A, Van Der Flier WM, Bouwman FH, Ossenkuppele R, Pelkmans W, Groot C, et al. The diagnostic value of amyloid pet in an unselected cohort of memory clinic patients. *Alzheimer's and Dementia*. 2016;12(7 Supplement):P534-P5. - 백제사유: 4
1295. Cho H, Choi JY, Hwang MS, Ryu YH, Lee MS, Lyoo CH. Tau pet in Alzheimer's disease and mild cognitive impairment. *Alzheimer's and Dementia*. 2016;12(7 Supplement):P933. - 백제사유: 4
1296. Hwang KS, Chow N, Goukasian N, Nho K, Saykin AJ, Apostolova LG. Predicting cognitive decline and brain amyloidosis using cognitive and peripheral blood gene expression measures. *Alzheimer's and Dementia*. 2016;12(7 Supplement):P55-P6. - 백제사유: 4
1297. Oh H, Razlighi Q, Habeck C, Stern Y. Extraversion is associated with lower amyloid deposition in cognitively normal elderly. *Alzheimer's and Dementia*. 2016;12(7 Supplement):P231-P2. - 백제사유: 4
1298. Hwang J, Kim CM, Kim JE, Hong YJ, Kim JS, Roh JH, et al. Clinical implication of amyloid-beta accumulation in occipital lobes using a [18F]-florbetaben pet. *Alzheimer's and Dementia*. 2016;12(7 Supplement):P1099. - 백제사유: 4
1299. Femminella GD, Dani M, Fan Z, Calsolaro V, Atkinson R, Waldman A, et al. Does neuroinflammation predate amyloid formation in subjects at risk for Alzheimer's disease? *Alzheimer's and Dementia*. 2016;12(7 Supplement):P283. - 백제사유: 4
1300. Abdelnour C, Rodriguez-Gomez O, Alegret M, Ruiz A, Moreno S, Valero S, et al. Impact of recruitment methods in subjective cognitive decline. *Alzheimer's and Dementia*. 2016;12(7 Supplement):P437-P8. - 백제사유: 4
1301. Konijnenberg E, Den Braber A, Ten Kate M, Adriaanse S, Yaqub MM, Boomsma DI, et al.

- Concordance of [¹⁸F]flutemetamol amyloid deposition in cognitively healthy elderly monozygotic twin pairs. *Alzheimer's and Dementia*. 2016;12(7 Supplement):P23. - 배제사유: 4
1302. Battle MR, Buckley CJ, Smith A, Van Laere K, Vandenberghe R, Lowe VJ. Utility of pmod image quantification software for processing [11C]PIB and [18F]flutemetamol images for suvr quantitation on the centiloid scale. *Alzheimer's and Dementia*. 2016;12(7 Supplement):P126. - 배제사유: 4
1303. Ikonovic MD, Salloway S, Thal DR, Sherwin P, Farrar G, Zanette M, et al. Performance of [18f]flutemetamol amyloid imaging against the current (2012) nia-aa recommendations for the neuropathological diagnosis of Alzheimer's disease. *Alzheimer's and Dementia*. 2016;12(7 Supplement):P926. - 배제사유: 4
1304. Dore V, Porter T, Bourgeat P, Fripp J, Burnham S, Macaulay SL, et al. Effects of MAPT over brain grey matter atrophy in the aibl cohort. *Alzheimer's and Dementia*. 2016;12(7 Supplement):P50. - 배제사유: 4
1305. Robertson JS, Savage G, Dore V, Kamer A, Salvado O, Macaulay SL, et al. Tau, As and cognition in healthy elderly: Preliminary data from the AIBL cohort. *Alzheimer's and Dementia*. 2016;12(7 Supplement):P1143-P4. - 배제사유: 4
1306. Apostolova LG, Goukasian N, Gylys KH, Cole GM, Teng E, Bredesen DE, et al. Neuronally-derived exosomal proteins can predict brain amyloidosis. *Alzheimer's and Dementia*. 2016;12(7 Supplement):P46-P7. - 배제사유: 4
1307. Turner RS, Chadwick M, Jiang X, Esposito G. An amyloid pet-positive subject with HIV and dementia. *Alzheimer's and Dementia*. 2016;12(7 Supplement):P687 - 배제사유: 4
1308. Cho H, Choi JY, Lee SH, Hwang MS, Ryu YH, Lee MS, et al. Tau burden and cognition in early-onset versus late-onset Alzheimer's disease spectrum. *Alzheimer's and Dementia*. 2016;12(7 Supplement):P711-P2. - 배제사유: 4
1309. Oh H, Razlighi Q, Gazes Y, Habeck C, Stern Y. Protective mechanisms of cognitive reserve revealed by multimodal neuroimaging markers. *Alzheimer's and Dementia*. 2016;12(7 Supplement):P81-P2. - 배제사유: 4
1310. Bullich S, Catafau AM, Villemagne VL, Rowe CC, De Santi S. Optimal reference region to measure longitudinal amyloid-beta change with [¹⁸F]-florbetaben pet. *Alzheimer's and Dementia*. 2016;12(7 Supplement):P14. - 배제사유: 4
1311. Kim HJ, Cho H, Jang YK, Kim YJ, Lee JS, Lee J, et al. Tau distribution in probable CAA. *Alzheimer's and Dementia*. 2016;12(7 Supplement):P145. - 배제사유: 4
1312. De Santi S, Catafau AM, Seibyl JP, Bullich S. [¹⁸F]-florbetaben SUVR cutoff quantification across reference regions and standards of truth and comparison to visual assessment. *Alzheimer's and Dementia*. 2016;12(7 Supplement):P13. - 배제사유: 4
1313. Rodriguez-Gomez O, Sanabria A, Perez A, Sanchez D, Ruiz S, Tarragona M, et al. White matter microstructure disruption could be an early phenomenon in the pathophysiology of preclinical Alzheimer's disease: Fundacio ace healthy brain initiative. *Alzheimer's and Dementia*. 2016;12(7 Supplement):P548. - 배제사유: 4
1314. Goozee KG, Chatterjee P, Sohrabi HR, Shen KK, Ball B, Dave P, et al. Targeting preclinical stages of Alzheimer's disease: A clinical trial to assess the efficacy of curcumin using brain biomarkers. *Alzheimer's and Dementia*. 2016;12(7 Supplement):P616. - 배제사유: 4
1315. Evenepoel C, Schaevebeke J, Adamczuk K, Nelissen N, Van Laere K, Dupont P, et al. The effect of gray matter volume and amyloid load on normal cognitive performance in cognitively intact older adults. *Alzheimer's and Dementia*. 2016;12(7 Supplement):P547. - 배제사유: 4
1316. Lee CU, Lim HK. Classification of amyloid-positivity in cognitively normal older adults using

- [18F]Florbetaben. *Alzheimer's and Dementia*. 2016;12(7 Supplement):P1081 - 배제사유: 4
1317. Bullich S, Catafau AM, Villemagne VL, Rowe CC, De Santi S. Optimal reference region to measure longitudinal amyloid-beta change with 18F-florbetaben pet. *Alzheimer's and Dementia*. 2016;12(7 Supplement):P733. - 배제사유: 4
1318. Villemagne VL, Dore V, Bourgeat P, Cummins TL, Pejoska S, Mulligan RS, et al. The tau meter scale for the generation of continuous and categorical measures of tau deposits in the brain: Results from ¹⁸F-av1451 and ¹⁸F-thk5351 tau imaging studies. *Alzheimer's and Dementia*. 2016;12(7 Supplement):P244. - 배제사유: 4
1319. De Santi S, Catafau AM, Seibyl JP, Bullich S. 18F-Florbetaben suvr cutoff quantification across reference regions and standards of truth and comparison to visual assessment. *Alzheimer's and Dementia*. 2016;12(7 Supplement):P1079-P80. - 배제사유: 4
1320. Baird AL, Hye A, Westwood S, Ashton NJ, Liu BY, Bazenet C, et al. Cross-sectional studies of plasma proteomic biomarkers relating to pet amyloid and csf amyloid and tau. *Alzheimer's and Dementia*. 2016;12(7 Supplement):P321. - 배제사유: 4
1321. Murayama S, Sengoku R, Kaneda D, Nishina Y, Nakano Y, Fujigasaki J, et al. The establishment of the biobank-brain bank for aging research, Tokyo Japan. *Journal of Neuro pathology and Experimental Neurology*. 2016;75(6):579. - 배제사유: 4
1322. Van Bergen J, Quevenco FC, Leh S, Gietl A, Treyer V, Meyer R, et al. Simultaneous quantitative susceptibility mapping-MRI and 18F-flutemetamol-pet indicate functional impact of cerebral iron and amyloid-0 plaque burden in cognitively normal super-agers. *Neurobiology of Aging*. 2016;39(Supplement 1):S9. - 배제사유: 4
1323. Janelidze S, Zetterberg H, Mattsson N, Palmqvist S, Vanderstichele H, Lindberg O, et al. Cerebrospinal fluid A042/AP40 and A042/AP38 as biomarkers of alzheimer's disease. *Neurobiology of Aging*. 2016;39(Supplement 1):S28. - 배제사유: 4
1324. Sabri O, Catafau AM, Barthel H, Seibyl J, Ghetti B, Leverenz J, et al. Morphologically distinct amyloid s (As) depositsHow imaged with ¹⁸F-florbetaben (FBB) PET? *NuklearMedizin*. 2016;55(2):A35-A6. - 배제사유: 4
1325. Barthel H, Bullich S, Sabri O, Seibyl J, Villemagne V, Rowe C, et al. What is the optimal reference region (RR) for semiquantitative analysis of ¹⁸F-florbetaben (FBB) PET images? *NuklearMedizin*. 2016;55(2):A35 - 배제사유: 4
1326. Namgial T, Kaldis A, Chakraborty S, Voloudakis A. Induction of resistance against tomato leaf curl Gujarat virus using external application of dsRNA molecules-initial observations. *VirusDisease*. 2016;27(4):431 - 배제사유: 4
1327. Shahakar S, Phadnis S, Peter A, Savitramma DL, Keerthi SV, Sangeetha M. Molecular and serological detection of mungbean yellow mosaic virus (MYMV) infecting mungbean [*Vigna radiata*(L.) wilczek]. *VirusDisease*. 2016;27(4):445. - 배제사유: 4
1328. Sharma N, Sharma VK, Chakraborty S. RNAi mediated broad spectrum resistance against chilli infecting begomoviruses. *VirusDisease*. 2016;27(4):430. - 배제사유: 4
1329. Kulshreshtha A, Hallan V. AC4 protein of Tomato leaf curl Palampur virus is a pathogenicity determinant and it interacts with Oxygen evolving enhancer protein 1 (OEE1) of *Solanum lycopersicum*. *VirusDisease*. 2016;27(4):436. - 배제사유: 4
1330. Jangid A, Chandel V, Kumar Y, Rishi N. Suppressors of RNA silencing encoded by Velvet bean severe mosaic virus. *VirusDisease*. 2016;27(4):448. - 배제사유: 4
1331. Gupta N, Vinoth Kumar R, Singh AK, Singh D, Chakraborty S. Emergence of chilli-infecting begomoviruses in India and the role of associated satellites in pathogenesis. *VirusDisease*. 2016;27(4):438-9. - 배제사유: 4

1332. Akmal M, Khan JA. RNAi-mediated resistance against cotton leaf curl disease in *Gossypium hirsutum*. *VirusDisease*. 2016;27(4):423. - 배제사유: 4
1333. Mukherjee SK. Artificial small RNA mediated resistance against the deadly tomato virus ToLCV. *VirusDisease*. 2016;27(4):422. - 배제사유: 4
1334. Zarreen F, Dasgupta I. Transcript mapping of Sri Lankan cassava mosaic virusDNA-A. *VirusDisease*. 2016;27(4):441. - 배제사유: 4
1335. De Moraes Rego C, Nakasu EYT, Inoue-Nagata AK. Genome diversity of begomoviruses in resistant and susceptible tomato cultivars. *VirusDisease*. 2016;27(4):442-3. - 배제사유: 4
1336. Rowe C, Dore V, Bourgeat P, Cummings T, Pejoska S, Mulligan R, et al. The tau meter scale for continuous and categorical measures of tau deposits in the brain: Results from 18FAV1451 and 18F-THK5351 tau imaging studies. *Internal Medicine Journal*. 2016;46(Supplement 1):17. - 배제사유: 4
1337. Gameiro C, Oxley I, Abrunhosa A, Kramer V, Vosjan M, Spaans A. Combining commercial production of multi-products in a GMP environment with Clinical and RandD activities. *EJNMMI Radiopharmacy and Chemistry Conference: 18th European Symposium on Radiopharmacy and Radiopharmaceuticals Salzburg Austria*. 2016;1(Supplement 1). - 배제사유: 4
1338. Spallazzi M, Barocco F, Ruffini L, Gardini S, Caffarra P. Diagnostic utility of [¹⁸F] Florbetaben PET and its concordance with amyloid-beta1-42 in cerebrospinal fluid in patients with dementia. *Journal of Alzheimer's Disease*. 2016;52(Supplement 1):S27-S8. - 배제사유: 4
1339. Giampietri L, Volpi L, Kiferle L, Vergallo A, Pagni C, Bonuccelli U, et al. Atypical variant of Alzheimer disease with mismatching biomarkers of beta-amyloid pathology: A case report. *Journal of Alzheimer's Disease*. 2016;52(Supplement 1):S20-S1. - 배제사유: 4
1340. Cerami C, Dodich A, Iannaccone S, Magnani G, Alongi P, Marcone A, et al. Functional metabolic temporo-limbic dysfunction in amnesic MCI subjects without amyloid load: A [¹⁸F]FDG and [¹⁸F]Florbetaben PET imaging study. *Journal of Alzheimer's Disease*. 2016;52(Supplement 1):S15-S6. - 배제사유: 4
1341. Collins J, Lazari M, Slavik R, Sadeghi S, Hermann K, Murphy J, et al. Routine production of ¹⁸F-labeled PET Tracers in a single hot cell using the fully automated ELIXYS FLEX/CHEM radiosynthesizer. *Molecular Imaging and Biology*. 2016;18(2 Supplement):S503. - 배제사유: 4
1342. Linstad E, Vavere AL, Hu B, Kempinger J, Snyder SE, DiMagno SG. [¹⁸F]Fluorination of aniline-derived radiopharmaceuticals using diaryliodonium salts. *Molecular Imaging and Biology*. 2016;18(2 Supplement):S155-S6. - 배제사유: 4
1343. Gandy S, Dickstein D, Fernandez C, Short J, Pullman M, Sano M, et al. Cortical grey matter-white matter junction pattern of retention of the tauopathy ligand 18FT807 (Avid-1451) in clinically probable CTE. *Brain Injury*. 2016;30(5-6):703. - 배제사유: 4
1344. Barthel H, Jovalekic A, Bullich S, DeSanti S, Koglin N, Stephens A, et al. Scan time-windows and diagnostic performance of florbetaben amyloid PET imaging. *European Journal of Nuclear Medicine and Molecular Imaging*. 2016;43(1 Supplement 1):S118-S9. - 배제사유: 4
1345. Buckley CJ, Zanette M, Cherubini A. Conversion of aMCI subjects to AD in relation to [¹⁸F]flutemetamol Amyloid status, white matter hyper-intensities and hippocampal volume in a phase III longitudinal study. *European Journal of Nuclear Medicine and Molecular Imaging*. 2016;43(1 Supplement 1):S118. - 배제사유: 4
1346. Testart Dardel N, Trivino-Ibanez E, Sanchez Vano R, Gonzalez Jimenez A, Carnero-Pardo C, Rodriguez-Fernandez A, et al. PET-amyloid (18F-Florbetaben) and CSF: Biomarkers agreement for alzheimer disease diagnosis. *European Journal of Nuclear Medicine and Molecular Imaging*. 2016;43(1 Supplement 1):S117-S8. - 배제사유: 4

1347. Gulliver N, Havariyoun G, Ruiz D, Eccles A, Mulholland N, Vivian G. Amyloid brain PET: Does SUVr semi-quantitation help reader confidence including cases of suspected mixed proteinopathies? *European Journal of Nuclear Medicine and Molecular Imaging*. 2016;43(1 Supplement 1):S85-S86. - 배제사유: 4
1348. Oh JS, Moon H, Oh M, Oh S, Roh J, Lee J, et al. Amyloid burden clusters: An exploratory study. *European Journal of Nuclear Medicine and Molecular Imaging*. 2016;43(1 Supplement 1):S389. - 배제사유: 4
1349. Farrar G, Zanette M. Regional visual read inspection of [¹⁸F]flutemetamol brain images from a large autopsy cohort. *European Journal of Nuclear Medicine and Molecular Imaging*. 2016;43(1 Supplement 1):S81-S82. - 배제사유: 4
1350. Swallen A, Nelson A, Piper J. Evaluation of a novel quantitative metric, volumetric statistical amyloid burden (VSAB), for 18-F florbetaben PET using a probabilistic gray matter brain mask. *European Journal of Nuclear Medicine and Molecular Imaging*. 2016;43(1 Supplement 1):S81. - 배제사유: 4
1351. Sopena-Navales P. Brodmann 's areas agreement between the early acquisition of FLORBETABEN-PET and FDG-PET. Multicenter study. *European Journal of Nuclear Medicine and Molecular Imaging*. 2016;43(1 Supplement 1):S252. - 배제사유: 4
1352. Bullich S, Catafau AM, Villemagne VL, Rowe CC, De Santi S. Optimal reference region to measure longitudinal amyloid-beta change with 18F-florbetaben PET. *European Journal of Nuclear Medicine and Molecular Imaging*. 2016;43(1 Supplement 1):S251-S2. - 배제사유: 4
1353. Shin K, Oh J, Oh M, Moon H, Hwang J, Roh J, et al. Aging effect on F-18 florbetaben uptake in cognitive normal and visually PET negative older adults. *European Journal of Nuclear Medicine and Molecular Imaging*. 2016;43(1 Supplement 1):S625. - 배제사유: 4
1354. Meyer M, Zanotti-Fregonara P, Lamare F, Catheline G, Helmer C, Peres K, et al. Amyloid load and cognitive performances in non-demented elderly population: Preliminary results of a 18F-Flutemetamol PET study. *European Journal of Nuclear Medicine and Molecular Imaging*. 2016;43(1 Supplement 1):S624. - 배제사유: 4
1355. Bullich S, Catafau AM, Seibyl J, Barthel H, Sabri O, De Santi S. 18F-Florbetaben SUVr cutoff quantification across reference regions and standards of truth and comparison to visual assessment. *European Journal of Nuclear Medicine and Molecular Imaging*. 2016;43(1 Supplement 1):S621-S2. - 배제사유: 4
1356. Giovannini E, Riondato M, Leoncini R, Passera C, Carabelli E, Ferrando O, et al. Unsupervised quantitative assessment of Beta amyloid images using Florbetaben(18F). *European Journal of Nuclear Medicine and Molecular Imaging*. 2016;43(1 Supplement 1):S620-S1. - 배제사유: 4
1357. Scarlattei M, Baldari G, Cidda C, Migliari S, Sammartano A, Serreli G, et al. Assessment of training efficacy in scoring and reporting 18Ffluorbetaben pet imaging. *European Journal of Nuclear Medicine and Molecular Imaging*. 2016;43(1 Supplement 1):S617. - 배제사유: 4
1358. Moon H, Oh JS, Park J, Oh M, Oh S, Kim J. A Resolution and noise level matching-based simulated SPECT image generation using PET. *European Journal of Nuclear Medicine and Molecular Imaging*. 2016;43(1 Supplement 1):S496. - 배제사유: 4
1359. Hwang KS, Chow N, Goukasian N, Nho K, Saykin AJ, Apostolova LG. Predicting brain amyloidosis using peripheral blood-based gene expression measures. *Annals of Neurology*. 2016;80(Supplement 20):S167-S8. - 배제사유: 4
1360. Kodydek MAA, Hoffmann-Sommergruber K, Keller W, Pavkov-Keller T, Valenta R, Focke-Tejkl M. Identification of IgE epitopes of plant food allergens cross-reacting with the major birch pollen allergen, Bet v1. *Allergy: European Journal of Allergy and Clinical Immunology*. 2016;71(Supplement 102):628. - 배제사유: 4
1361. Preiss D, Billette O, Acosta-Cabronero J, Nestor P. DTI changes in individuals with primary

- progressive aphasia. *Journal of Neurochemistry*. 2016;138(Supplement 1):398. - 배제사유: 4
1362. Heurling K, Buckley C, Van Laere K, Vandenberghe R, Lubberink M. Spectral analysis of [18F]flutemetamol grey and white matter kinetics. *Journal of Cerebral Blood Flow and Metabolism*. 2016;36(Supplement 1):80-1. - 배제사유: 4
1363. Bullich S, Catafau A, Seibyl J, De Santi S. Classification of positive and negative 18F-Florbetaben scans: Comparison of SUVR cutoff quantification and visual assessment performance. *Journal of Nuclear Medicine Conference: Society of Nuclear Medicine and Molecular Imaging Annual Meeting, SNMMI*. 2016;57(SUPPL. 2). - 배제사유: 4
1364. Werner P, Rullmann M, Mildner T, Tiepolt S, Schrter M, Gertz HJ, et al. Simultaneous [18F]Florbetaben amyloid PET/arterial spin labeling MRI for dual biomarker assessment of alzheimer's disease. *Journal of Nuclear Medicine Conference: Society of Nuclear Medicine and Molecular Imaging Annual Meeting, SNMMI*. 2016;57(SUPPL. 2). - 배제사유: 4
1365. Gerard T, Ivanoiu A, Hanseeuw B, Lhommel R. Is there an interest to perform regional amyloid quantification in comparison to overall cortical index in MCI patients? *Journal of Nuclear Medicine Conference: Society of Nuclear Medicine and Molecular Imaging Annual Meeting, SNMMI*. 2016;57(SUPPL. 2). - 배제사유: 4
1366. De Santi S, Catafau A, Seibyl J, Bullich S. Robustness of 18F-Florbetaben SUVR cutoff quantification across reference regions and standards of truth. *Journal of Nuclear Medicine Conference: Society of Nuclear Medicine and Molecular Imaging Annual Meeting, SNMMI*. 2016;57(SUPPL. 2). - 배제사유: 4
1367. Kim DH, Jung JH, Lee CH, Jeong SY, Lee SW, Lee J, et al. Semiautomatic quantification of beta-amyloid PET imaging and verification of its diagnostic value for alzheimer's disease. *Journal of Nuclear Medicine Conference: Society of Nuclear Medicine and Molecular Imaging Annual Meeting, SNMMI*. 2016;57(SUPPL. 2). - 배제사유: 4
1368. Bullich S, Catafau A, Senda M, Khodaverdi-Afaghi V, Stephens A. Performance of 18F-Florbetaben PET image reading training in Japanese language. *Journal of Nuclear Medicine Conference: Society of Nuclear Medicine and Molecular Imaging Annual Meeting, SNMMI*. 2016;57(SUPPL. 2). - 배제사유: 4
1369. Villemagne V, Dore V, Bourgeat P, Cummins T, Mulligan R, Salvado O, et al. Generating continuous and categorical measures from tau imaging studies with 18-AV1451 and 18-THK5351: The Tau MeTeR scale. *Journal of Nuclear Medicine Conference: Society of Nuclear Medicine and Molecular Imaging Annual Meeting, SNMMI*. 2016;57(SUPPL. 2). - 배제사유: 4
1370. Cummins T, Elias A, Hopwood M, Rosenfeld J, Dora V, Lamb F, et al. Assessing Abeta & tau pathology in vietnam war veterans with chronic post-traumatic stress disorder. *Journal of Nuclear Medicine Conference: Society of Nuclear Medicine and Molecular Imaging Annual Meeting, SNMMI*. 2016;57(SUPPL. 2). - 배제사유: 4
1371. Guruswami S, Dhavale D, Cirrito J, Lee JM, Cairns N, Kotzbauer P, et al. Fluselenamyl: A Novel F-18 PET tracer for detection of Alzheimer's disease. *Molecular Imaging and Biology*. 2016;18(1):S52. - 배제사유: 4
1372. Goukasian N, Do T, Grotts J, Silverman D, Elashoff D, Apostolova L. FERMT2 is associated with brain amyloidosis in cognitively normal and mild cognitive impairment subjects. *Neurology Conference: 68th American Academy of Neurology Annual Meeting, AAN*. 2016;86(16 SUPPL. 1). - 배제사유: 4
1373. Parsons-Wingerter PA, Radhakrishnan K, Chalam KV, Grant MB. VESGEN analysis of generational branching patterns in arteries and veins for investigating diabetic retinopathy by Spectralis angiographic imaging. *Investigative Ophthalmology and Visual Science*. 2015;56(7):5960. - 배제사유: 4
1374. Yeo JM, Waddell B, Khan Z, Pal S. A systematic review & meta-analysis of f-18-labelled amyloid

- imaging in Alzheimer's disease. Journal of Neurology, Neurosurgery and Psychiatry Conference: Association of British Neurologists, ABN. 2015;86(11). - 배제사유: 4
1375. Townsend T, Binz K, Sharma V, Guruswami S. Interrogation of status of Thioflavin T in human epidermal carcinoma cells using fluorescence imaging. Journal of Labelled Compounds and Radiopharmaceuticals. 2015;1):S171. - 배제사유: 4
1376. Schillaci O. Pet MR : The role of hybrid imaging in neuroradiology. Neuroradiology. 2015;1):S32. - 배제사유: 4
1377. Oh H, Steffener J, Razlighi R, Habeck C, Liu D, Gazes Y, et al. Abeta-related functional alteration in a frontoparietal control network in cognitively normal elderly. Alzheimer's and Dementia. 2015;1):P552. - 배제사유: 4
1378. Ni R, Gillberg PG, Viitanen M, Myllykangas L, Bogdanovic N, Nennesmo I, et al. Characterization of regional binding of clinical amyloid tracers in autosomal dominant and sporadic Alzheimer's disease brains and their interactions with resveratrol. Alzheimer's and Dementia. 2015;1):P878. - 배제사유: 4
1379. Egan M, Mo Y, Stromswold J, Wilson K, Holder D, Sur C, et al. Acase-control cohort study to define a threshold for the tau/abeta42 ratio in cerebrospinal fluid optimized for diagnosis of Alzheimer's disease. Alzheimer's and Dementia. 2015;1):P873. - 배제사유: 4
1380. Janelidze S, Pannee J, Vanderstichele H, Zetterberg H, Blennow K, Hansson O. CSF Abeta42/40 and Abeta42/38 ratios by PRM mass spectrometry or elisa: Improved biomarkers of Alzheimer's disease. Alzheimer's and Dementia. 2015;1):P866. - 배제사유: 4
1381. Klein G, Sampat M, Staewen D, Suhy J, Bullich S, De Santi S. A study of optimal suvr cutpoints and reference regions for florbetaben pet. Alzheimer's and Dementia. 2015;1):P847-P8. - 배제사유: 4
1382. Lingler J, Hu L, Butters M, McDade E, Parker LS, Roberts JS, et al. PET amyloid imaging: Implications for estimating risk of progression to Alzheimer's disease in individuals with mild cognitive impairment. Alzheimer's and Dementia. 2015;1):P809. - 배제사유: 4
1383. Murayama S, Obata M, Saito Y, Akatsu H, Takao M. Japanese brain bank network for neuroscience research. Alzheimer's and Dementia. 2015;1):P702-P3. - 배제사유: 4
1384. Apostolova LG, Goukasian N, LeClair H, Porat S, Hwang K, Silverman D, et al. Brain amyloidosis is associated with worse cognitive performance in both the cognitively normal and impaired stages: A [18F]flutemetamol PET study. Alzheimer's and Dementia. 2015;1):P682-P3. - 배제사유: 4
1385. Zwan MD, Bouwman F, Konijnenburg E, Van Der Flier WM, Lammertsma AA, Van Berckel BNM, et al. Diagnostic impact of [¹⁸F]flutemetamol amyloid imaging in young onset dementia. Alzheimer's and Dementia. 2015;1):P411-P2. - 배제사유: 4
1386. Bourgeat P, Dore V, Burnham S, Brown BM, Ames D, Martins RN, et al. Characterizing patterns of atrophy between cognitively unimpaired healthy elderly controls with either Alzheimer's disease or suspected nonAlzheimer's disease pathophysiology. Alzheimer's and Dementia. 2015;1):P410-P1. - 배제사유: 4
1387. Goukasian N, LeClair H, Porat S, Hwang KS, Ringman JM, Silverman D, et al. Anxiety is associated with brain amyloidosis in cognitively normal and mild cognitive impairment subjects: A [18F]flutemetamol pet study. Alzheimer's and Dementia. 2015;1):P316-P7. - 배제사유: 4
1388. Dore V, Bourgeat P, Fripp J, Macaulay L, Ames D, Ellis KA, et al. Interaction between ¹⁸f-thk5317, ¹⁸f-flutemetamol SUVR, and cortical thickness. Alzheimer's and Dementia. 2015;1):P313. - 배제사유: 4
1389. Catafau AM, Bullich S, Seibyl J, Barthel H, Ghetti B, Leverenz JB, et al. Do cerebellar plaques influence 18F-florbetaben amyloid pet scan quantification? Alzheimer's and Dementia.

- 2015:1):P286-P7. - 배제사유: 4
1390. Leverenz JB, Sabri O, Catafau AM, Barthel H, Seibyl J, Ghetti B, et al. Impact of morphologically distinct amyloid s (as) deposits on 18F-florbetaben (FBB) pet scans. *Alzheimer's and Dementia*. 2015:1):P286. - 배제사유: 4
1391. Scheltens P, Zwan MD, Bouwman F, Van Berckel BNM. Diagnostic impact of biomarkers including CSF and pet in a tertiary memory clinic. *Alzheimer's and Dementia*. 2015:1):P263. - 배제사유: 4
1392. Dore V, Laws SM, Bourgeat P, Fripp J, Macaulay L, Ames D, et al. BDNF, Abeta, and cortical atrophy in preclinical Alzheimer's disease. *Alzheimer's and Dementia*. 2015:1):P196-P7. - 배제사유: 4
1393. Rowe CC, Dore V, Bourgeat P, Brown BM, Thurfjell L, Macaulay L, et al. Abeta accumulation in non-demented individuals: A longitudinal F-18-flutemetamol study. *Alzheimer's and Dementia*. 2015:1):P125. - 배제사유: 4
1394. Burnham S, Bourgeat P, Dore V, Brown BM, Salvado O, Martins RN, et al. The cognitive and brain volumetric trajectories of healthy elderly controls with either Alzheimer's pathology, neurodegeneration (SNAP), or both. *Alzheimer's and Dementia*. 2015:1):P123. - 배제사유: 4
1395. Dore V, Bourgeat P, Fripp J, Macaulay L, Ames D, Ellis KA, et al. Interaction between 18F-Thk5317, 18F-flutemetamol SUVR and cortical thickness. *Alzheimer's and Dementia*. 2015:1):P113. - 배제사유: 4
1396. Dore V, Laws SM, Bourgeat P, Fripp J, Martins RN, Ellis KA, et al. BDNF, abeta, and cortical atrophy in preclinical Alzheimer's disease. *Alzheimer's and Dementia*. 2015:1):P112-P3. - 배제사유: 4
1397. Apostolova LG, Goukasian N, LeClair H, Porat S, Hwang K, Silverman D, et al. Brain amyloidosis is associated with worse cognitive performance in both the cognitively normal and impaired stages: A [¹⁸F]Flutemetamol PET study. *Alzheimer's and Dementia*. 2015:1):P23-P4. - 배제사유: 4
1398. Villemagne VL, Bourgeat P, Dore V, Macaulay L, Williams R, Ames D, et al. Amyloid imaging in therapeutic trials: The quest for the optimal reference region. *Alzheimer's and Dementia*. 2015:1):P21-P2. - 배제사유: 4
1399. Goukasian N, LeClair H, Porat S, Hwang KS, Ringman JM, Silverman D, et al. Anxiety is associated with brain amyloidosis in cognitively normal and mild cognitive impairment subjects: A [¹⁸F]flutemetamol PET study. *Alzheimer's and Dementia*. 2015:1):P17. - 배제사유: 4
1400. Catafau AM, Bullich S, Seibyl J, Barthel H, Ghetti B, Leverenz JB, et al. Do cerebellar plaques influence ¹⁸F-florbetaben amyloid PET scan quantification? *Alzheimer's and Dementia*. 2015:1):P13. - 배제사유: 4
1401. Zwan MD, Bouwman F, Konijnenburg E, Van Der Flier WM, Lammertsma AA, Van Berckel BNM, et al. Diagnostic impact of [¹⁸F]flutemetamol amyloid imaging in young-onset dementia. *Alzheimer's and Dementia*. 2015:1):P3-P4. - 배제사유: 4
1402. Qureshi MS, Motallebzadeh R, Conlon T, Negus M, Rehakova S, Chhabra M, et al. Germinal centre autoimmunity mediates progression of allograft vasculopathy, with essential help being provided by recipient follicular helper t cells. *Transplant International*. 2015:4):59. - 배제사유: 4
1403. Seibyl J, Bullich S, Jennings D, Sabbagh M, Stephens A, Barthel H, et al. Comparison of visual and quantitative 18F-Florbetaben PET scan assessment. *European Journal of Nuclear Medicine and Molecular Imaging*. 2015:1):S292-S3. - 배제사유: 4
1404. Barthel H, Bullich S, Sabri O, Seibyl J, Villemagne V, Rowe C, et al. Comparison of reference regions to semiquantitatively analyse 18F-Florbetaben PET images. *European Journal of Nuclear*

Medicine and Molecular Imaging. 2015;1):S238-S9. - 배제사유: 4

1405. Daerr S, Brendel M, Zach C, Danek A, Barthel H, Sabri O, et al. Clinical [¹⁸F]Florbetaben-PET imaging-benefit of early acquisition. European Journal of Nuclear Medicine and Molecular Imaging. 2015;1):S134-S5. - 배제사유: 4
1406. Catafau AM, Bullich S, Seibyl J, Barthel H, Ghetti B, Leverenz JB, et al. 18F-Florbetaben beta-amyloid PET scan quantification: Do cerebellar plaques influence SUVR? European Journal of Nuclear Medicine and Molecular Imaging. 2015;1):S134. - 배제사유: 4
1407. Sabri O, Catafau AM, Barthel H, Seibyl J, Ghetti B, Leverenz J, et al. 18F-Florbetaben PET imaging of morphologically distinct amyloid beta deposits. European Journal of Nuclear Medicine and Molecular Imaging. 2015;1):S133-S4. - 배제사유: 4
1408. Mollee P, Phillip Law W, Wang WYS, Moore PT, Ng ACT. Cardiac amyloid imaging with 18F-florbetaben positron emission tomography: A pilot study. Clinical Lymphoma, Myeloma and Leukemia. 2015;3):e187. - 배제사유: 4
1409. Marquez Hernandez D, Bastidas Parlanti JA, Mederos E, Herraes L, Mielgo Ballesteros R, Fernandez Rodriguez C. Aspirin-exacerbated respiratory disease and pulmonary lymphangioleiomyomatosis: A case report. Allergy: European Journal of Allergy and Clinical Immunology. 2015;101):557. - 배제사유: 4
1410. Teresinska A, Wozniak O, Maciag A, Wnuk J, Dabrowski A, Czerwiec A, et al. Iodine-123 metaiodobenzylguanidine cardiac SPECT imaging in nondiabetic heart failure patients qualified for an implantable cardioverter defibrillator. European Heart Journal Cardiovascular Imaging. 2015;1):i45. - 배제사유: 4
1411. Barthel H, Fritzscht D, Schutz L, Tiepolt S, Werner P, Gertz HJ, et al. Feasibility and patient acceptance of One-stop shop amyloid PET/MR imaging. Journal of Nuclear Medicine Conference: Society of Nuclear Medicine and Molecular Imaging Annual Meeting, SNMMI. 2015;56(SUPPL. 3). - 배제사유: 4
1412. Seibyl J, Bullich S, Jennings D, Sabbagh M, Stephens A, Marek K, et al. Comparison of visual and quantitative 18F-Florbetaben PET scan assessment. Journal of Nuclear Medicine Conference: Society of Nuclear Medicine and Molecular Imaging Annual Meeting, SNMMI. 2015;56(SUPPL. 3). - 배제사유: 4
1413. Barthel H, Bullich S, Sabri O, Seibyl J, Villemagne V, Rowe C, et al. ¹⁸F-Florbetaben (FBB) PET SUVR quantification: Which reference region? Journal of Nuclear Medicine Conference: Society of Nuclear Medicine and Molecular Imaging Annual Meeting, SNMMI. 2015;56(SUPPL. 3). - 배제사유: 4
1414. Tiepolt S, Gertz HJ, Drzezga A, Bartenstein P, Seibyl J, Patt M, et al. Brain amyloid load and cognitive reserve in Alzheimer's disease (AD)-Results of a multicenter study. Journal of Nuclear Medicine Conference: Society of Nuclear Medicine and Molecular Imaging Annual Meeting, SNMMI. 2015;56(SUPPL. 3). - 배제사유: 4
1415. Farrar G, Ikonovic M, Smith A, Buckley C, Zanette M, Sherwin P. Amyloid PET Imaging: Understanding the diagnostic accuracy of [18F]Flutemetamol derived from a large autopsy cohort. Journal of Nuclear Medicine Conference: Society of Nuclear Medicine and Molecular Imaging Annual Meeting, SNMMI. 2015;56(SUPPL. 3). - 배제사유: 4
1416. Burnham S, Rowe C, Bourgeat P, Dore V, Brown B, Salvado O, et al. Between SNAP and a hard Abeta rock: Characterizing the fate of preclinical Alzheimer's disease. Journal of Nuclear Medicine Conference: Society of Nuclear Medicine and Molecular Imaging Annual Meeting, SNMMI. 2015;56(SUPPL. 3). - 배제사유: 4
1417. Sabri O, Catafau A, Barthel H, Seibyl J, Ghetti B, Leverenz J, et al. Impact of morphologically distinct amyloid beta (Abeta) deposits on 18F-Florbetaben (FBB) PET scans. Journal of Nuclear Medicine Conference: Society of Nuclear Medicine and Molecular Imaging Annual Meeting,

SNMMI. 2015;56(SUPPL. 3). - 배제사유: 4

1418. Catafau A, Bullich S, Seibyl J, Barthel H, Ghetti B, Leverenz J, et al. Cerebellar senile plaques: How frequent are they, and do they influence 18F-Florbetaben SUVR? Journal of Nuclear Medicine Conference: Society of Nuclear Medicine and Molecular Imaging Annual Meeting, SNMMI. 2015;56(SUPPL. 3). - 배제사유: 4
1419. Rowe C, Dore V, Bourgeat P, Thurfjell L, Macaulay S, Williams R, et al. Longitudinal assessment of Abeta accumulation in non-demented individuals: A ¹⁸F-flutemetamol study. Journal of Nuclear Medicine Conference: Society of Nuclear Medicine and Molecular Imaging Annual Meeting, SNMMI. 2015;56(SUPPL. 3). - 배제사유: 4
1420. Bourgeat P, Dore V, Frupp J, Villemagne V, Rowe C, Salvado O. Computational Analysis of PET by AIBL (CapAIBL): A cloud-based processing pipeline for the quantification of PET images. Journal of Nuclear Medicine Conference: Society of Nuclear Medicine and Molecular Imaging Annual Meeting, SNMMI. 2015;56(SUPPL. 3). - 배제사유: 4
1421. Qureshi M, Motallebzadeh R, Chhabra M, Negus M, Rehakova S, Bolton E, et al. Germinal centre autoimmunity mediates progression of allograft vasculopathy, with essential help provided by T follicular cells. American Journal of Transplantation Conference: 15th American Transplant Congress, ATC. 2015;15(SUPPL. 3). - 배제사유: 4
1422. Furuya S, Kono H, Sun C, Hirayama K, Hara M, Fujii H. Macrophage colony-stimulating factor induces vascular endothelial growth factor production from liver macrophage and is associated with early recurrence after curative resection of hepatocellular carcinoma. Gastroenterology. 2015;1):S1018. - 배제사유: 4
1423. Voevodskaya O, Sundgren PM, Nagga K, Stomrud E, Wollmer P, Minthon L, et al. Magnetic resonance spectroscopy and Abeta42 deposition in preclinical alzheimer's disease, subjective and objective cognitive impairment. Neurodegenerative Diseases. 2015;1):942. - 배제사유: 4
1424. Gertz HJ, Weise D, Tjepolt S, Awissus C, Hoffmann KT, Lobsien D, et al. Comparison of clinical diagnosis and biomarker constellation in ad in a clinical setting. Neurodegenerative Diseases. 2015;1):910. - 배제사유: 4
1425. Rominger A, Daerr S, Brendel M, Oestreicher D, Zach C, Patt M, et al. [18F]Florbetaben-PET imaging in clinical routine cases-benefit of early acquisition. Neurodegenerative Diseases. 2015;1):906. - 배제사유: 4
1426. Rowe CC, Dore V, Bourgeat P, Thurfjell L, Macaulay L, Williams R, et al. Longitudinal assessment of abeta accumulation in non-demented individuals: A 18F-flutemetamol study. Neurodegenerative Diseases. 2015;1):904. - 배제사유: 4
1427. Smith R, Palmqvist S, Ljung H, Hagerstrom D, Van Westen D, Cronberg T, et al. The role of cerebral hypoperfusion for brain beta-amyloid deposition in patients without memory impairment, an 18F-Flutemetamol study. Neurodegenerative Diseases. 2015;1):895. - 배제사유: 4
1428. Burnham S, Bourgeat P, Dore V, Brown B, Salvado O, Martins R, et al. Between SNAP and a hard abeta rock: Characterizing the fate of preclinical alzheimer's disease. Neurodegenerative Diseases. 2015;1):252. - 배제사유: 4
1429. Adamczuk K, Schaefferbeke J, Bruffaerts R, Nelissen N, Neyens V, Dupont P, et al. Comparison of three amyloid biomarkers for preclinical alzheimer's disease. Neurodegenerative Diseases. 2015;1):181. - 배제사유: 4
1430. Savio E. Providing global views to address local challenges. American Journal of Health-System Pharmacy. 2014;71(12):1039-43. - 배제사유: 4
1431. Daniela P, Orazio S, Alessandro P, Mariano NF, Leonardo I, Pasquale Anthony DR, et al. A survey of FDG- and amyloid-PET imaging in dementia and grade analysis. BioMed Research International. 2014;2014 (no pagination)(785039). - 배제사유: 4

1432. Mullard A. 2013 FDA drug approvals. *Nature Reviews Drug Discovery*. 2014;13(2):85-9. - 배제사유: 4
1433. Ong KT, Villemagne VL, Bahar-Fuchs A, Lamb F, Langdon N, Catafau AM, et al. Detection of prodromal alzheimer's disease with ¹⁸F-florbetaben imaging: A prospective outcome study. *Internal Medicine Journal*. 2014;44(Supplement 1):14 - 배제사유: 4
1434. Bustos Morell C, Sanchez Sanchez A, Mateos Rubio J, Labrador Andujar N, Fernandez-Corada Sanchez A, Moya Gomez P. Cost and use analysis of adding pre-filled adrenaline syringes to the CPR medical kits. *European Journal of Hospital Pharmacy*. 2014;21(Supplement 1):A115. - 배제사유: 4
1435. Thal DR, Beach TG, Zanetti M, Heurling K, Buckley C, Smith A. Diagnostic value of [18F]flutemetamol amyloid PET: Comparison between imaging and neuropathology. *Neurobiology of Aging*. 2014;1):S22. - 배제사유: 4
1436. Scheltens P. Clinical value of amyloid imaging. The dutch experience. *Neurobiology of Aging*. 2014;1):S19. - 배제사유: 4
1437. Sabbagh M. Research advances in diagnostics and therapeutics in alzheimer's disease. *Neurobiology of Aging*. 2014;35(3):720. - 배제사유: 4
1438. Vanacore N, Lacorte E, Ferrigno L, Di Pucchio A. Questioning the clinical utility of amyloid pet in the diagnostic management of subjects with cognitive impairment. *Neuroepidemiology*. 2014;43(3-4):174. - 배제사유: 4
1439. Schiller D, Berkner H, Hartl M, Von Loetzen CS, Gubesch M, Husslik F, et al. Find the match! A tool for residue-specific analysis of epitopes in Bet v 1-like allergens. *Clinical and Translational Allergy Conference: 5th International Symposium on Molecular Allergology, ISMA*. 2013;4(SUPPL. 2). - 배제사유: 4
1440. Verschuren M, Knaven E, Bastiaan-Net S, Foetisch K, Scheurer S, Noij T, et al. Analysis of Pru av 1.0101 protein expression in Prunus avium cultivars with ELISA and liquid chromatography/mass spectrometry. *Clinical and Translational Allergy Conference: 5th International Symposium on Molecular Allergology, ISMA*. 2013;4(SUPPL. 2). - 배제사유: 4
1441. Gamboa D, Bendezu J, Torres K, Akinyi S, Huber CS, Villasis E, et al. Geographical dispersion and genetic characterization of pfhrp2 negative plasmodium falciparum parasites in the peruvian Amazon: Implications for rapid diagnostic tests (RDTs) based on detection of hrp2. *American Journal of Tropical Medicine and Hygiene*. 2014;1):551-2 - 배제사유: 4
1442. Hutton C, Sibille L, Thomas B, Declerck J. Quantification of 18F-flutemetamol PET: Comparison of purely PET with MR & PET-based methods. *European Journal of Nuclear Medicine and Molecular Imaging*. 2014;2):S631. - 배제사유: 4
1443. Tiepolt S, Hesse S, Patt M, Luthardt J, Rullmann M, Schroeter M, et al. Early after injection beta-amyloid PET images - As new surrogate biomarker of neuronal injury in dementia. *European Journal of Nuclear Medicine and Molecular Imaging*. 2014;2):S619. - 배제사유: 4
1444. Hutton C, Sibille L, Bullich S, Catafau A, Koglin N, Pfeiffer R, et al. Comparison of two methods, with and without mri, for quantification of florbetaben (18F) PET. *European Journal of Nuclear Medicine and Molecular Imaging*. 2014;2):S324. - 배제사유: 4
1445. Nelson AS, Javorek AR, Piper JW. Evaluation of a quantitative method of analysis for florbetaben pet using SUVR. *European Journal of Nuclear Medicine and Molecular Imaging*. 2014;2):S286-S7. - 배제사유: 4
1446. Barthel H, Fritzsich D, Tiepolt S, Werner P, Gertz HJ, Schroeter ML, et al. First experiences with one-stop shop imaging of subjects with mild cognitive impairment or Alzheimer's dementia by combined amyloid PET/MRI. *European Journal of Nuclear Medicine and Molecular Imaging*. 2014;2):S259-S60. - 배제사유: 4

1447. Sabri O, Catafau A, Barthel H, Ishii K, Rowe C, Leverenz J, et al. Visual assessment of 18F-florbetaben PET scans-Post mortem histopathology-proved efficacy and reliability in the detection of cerebral beta-amyloid neuritic plaques. *European Journal of Nuclear Medicine and Molecular Imaging*. 2014;2):S259. - 배제사유: 4
1448. Seibyl J, Stephens A, Barthel H, Ishii K, Takao M, Akatsu H, et al. A negative florbetaben PET scan reliably excludes amyloid pathology-A histopathology confirmation multi-centre study. *European Journal of Nuclear Medicine and Molecular Imaging*. 2014;2):S259. - 배제사유: 4
1449. Zubal G, Bullich S, Catafau AM, Ichise M, Kuo PM, Stephens A, et al. An automated, operator-independent method for quantitative analysis of 18F-florbetaben PET scans. *European Journal of Nuclear Medicine and Molecular Imaging*. 2014;2):S186. - 배제사유: 4
1450. Wolk DA, Duara R, Sadowsky C. [18F]flutemetamol amyloid pet imaging: Outcome of a phase III study in subjects with amnesic mild cognitive impairment after a 3-year follow-up. *Alzheimer's and Dementia*. 2014;4):P898. - 배제사유: 4
1451. Mueller-Sarnowski F, Meisner J, Laub C, Wlasich E, Raiser T, Rominger A, et al. First proven observation of a de novo PSEN1 mutation from Germany. *Alzheimer's and Dementia*. 2014;4):P894. - 배제사유: 4
1452. Heurling K, Miki T, Shimada H, Shiomi S, Yamamoto Y, Kowa H, et al. Blinded visual evaluation and quantitative suvr threshold classification of [18f]flutemetamol pet images in Japanese subjects. *Alzheimer's and Dementia*. 2014;4):P710. - 배제사유: 4
1453. Adamczuk K, De Weer AS, Nelissen N, Dupont P, Van Laere K, Vandenberghe R. Functional changes in the language network in cognitively intact older adults in relation to cerebral amyloid load. *Alzheimer's and Dementia*. 2014;4):P710. - 배제사유: 4
1454. Leinonen V, Rinne J, Wong D, Wolk DA, Arnold SE, Trojanowski JQ, et al. Diagnostic effectiveness of quantitative [18F]flutemetamol pet imaging in subjects with normal pressure hydrocephalus using biopsy histopathology standard of truth for detection of fibrillar amyloid B. *Alzheimer's and Dementia*. 2014;4):P699. - 배제사유: 4
1455. Palmqvist S, Vestberg S, Nilsson K, Johansson P, Sundgren P, Wollmer P, et al. Biomarkers for identifying neurodegenerative disorders early and reliably (biofinder): Methodology and preliminary results of a new large prospective cohort study. *Alzheimer's and Dementia*. 2014;4):P583-P4. - 배제사유: 4
1456. Sabri O, Catafau A, Barthel H, Ishii K, Rowe CC, Leverenz J, et al. Postmortem histopathology-validated efficacy and reliability of the visual assessment of 18F-Florbetaben pet scans in the detection of cerebral beta amyloid neuritic plaques. *Alzheimer's and Dementia*. 2014;4):P557. - 배제사유: 4
1457. Ossenkoppele R, Jansen WJ, Scheltens P, Van Berckel B, Visser PJ. Prevalence of amyloid in demented subjects. *Alzheimer's and Dementia*. 2014;4):P542-P3. - 배제사유: 4
1458. Bourgeat P, Williams R, Rowe CC, Salvado O, Villemagne VL, Dore V, et al. Does enhanced reconstruction methodology change the quantification of Amyloid pet with flumetamol? *Alzheimer's and Dementia*. 2014;4):P401-P2. - 배제사유: 4
1459. Bourgeat P, Dore V, Zhou L, Frapp J, Martins R, Macaulay L, et al. Automated reporting of amyloid PET quantification on brain surface through a web interface. *Alzheimer's and Dementia*. 2014;4):P264-P5. - 배제사유: 4
1460. Zwan MD, Bouwman FH, Van Der Flier WM, Lammertsma A, Van Berckel B, Scheltens P. Diagnostic value of amyloid imaging in early onset dementia. *Alzheimer's and Dementia*. 2014;4):P248. - 배제사유: 4
1461. Yates P, Villemagne VL, Robertson J, Li C, Dennerstein L, Szoek C, et al. Midlife vascular risk, apolipoprotein E-E4, and amyloid status 20 years later: Results from the women's healthy ageing project. *Alzheimer's and Dementia*. 2014;4):P228. - 배제사유: 4

1462. Hansson O, Palmqvist S, Zetterberg H, Blennow K, Brooks DJ, Owenius R, et al. Cerebrospinal fluid abeta42 analyzed as part of clinical routine can accurately distinguish amyloid-positive from amyloid-negative individuals. *Alzheimer's and Dementia*. 2014;4):P219-P20. - 배제사유: 4
1463. Ong K, Villemagne VL, Bahar-Fuchs A, Lamb F, Langdon N, Catafau A, et al. Detection of prodromal Alzheimer's disease with 18F-florbetaben ab imaging: A prospective outcome study. *Alzheimer's and Dementia*. 2014;4):P211. - 배제사유: 4
1464. Yates P, Villemagne VL, Dennerstein L, Robertson J, Li C, Desmond P, et al. Evidence of amyloid on florbetaben-pet is associated with reduced episodic memory 10 years prior: Results from the women's healthy ageing project. *Alzheimer's and Dementia*. 2014;4):P187. - 배제사유: 4
1465. Hanseeuw B, Dricot L, Grandin C, Lhommel R, Quenon L, Ivanoiu A. Regional brain metabolism and cortical thickness in F18-flutemetamol amyloid-positive versus-negative mild cognitive impairment patients. *Alzheimer's and Dementia*. 2014;4):P167-P8. - 배제사유: 4
1466. Schaevebeke J, Adamczuk K, Bruffaerts R, Nelissen N, Neyens V, Dupont P, et al. Comparison of 18F-flutemetamol uptake and CSF measurements in cognitively intact older individuals. *Alzheimer's and Dementia*. 2014;4):P144. - 배제사유: 4
1467. Adamczuk K, Schaevebeke J, Nelissen N, Neyens V, Goffin K, Vandenbulcke M, et al. Comparison between semiquantitative measures and reader concordance of amyloid load based on 18f flutemetamol versus 11C-PiB in cognitively intact older adults. *Alzheimer's and Dementia*. 2014;4):P143. - 배제사유: 4
1468. Stephens A, Barthel H, Ishii K, Takao M, Akatsu H, Murayama S, et al. A negative florbetaben pet scan reliably excludes amyloid pathology as confirmed by histopathology. *Alzheimer's and Dementia*. 2014;4):P131. - 배제사유: 4
1469. Thal D, Beach TG, Zante M, Heurling K, Buckley C, Smith A. [18f]flutemetamol amyloid pet in symptomatic Alzheimer's disease (AD) and pathologically preclinical ad (P-PREAD) in comparison to non-ad controls: impact of cerebral amyloid angiopathy. *Alzheimer's and Dementia*. 2014;4):P130. - 배제사유: 4
1470. Jones G, O'Keefe G, Veljanovski R, Williams R, Masters CL, Rowe CC, et al. Assessing the accuracy of a CT-based approach to the partial volume correction of flutemetamol-pet images. *Alzheimer's and Dementia*. 2014;4):P110. - 배제사유: 4
1471. Ong K, Villemagne VL, Bahar-Fuchs A, Lamb F, Langdon N, Catafau A, et al. Detection of prodromal Alzheimer's disease with 18f-florbetaben abeta imaging: A prospective outcome study. *Alzheimer's and Dementia*. 2014;4):P42. - 배제사유: 4
1472. Ataka S, Takeda A, Mino T, Yamakawa Y, Yamamoto K, Tsutada T, et al. Comparison of [18F] flutemetamol and [11c] PiB pet images. *Alzheimer's and Dementia*. 2014;4):P21. - 배제사유: 4
1473. Yates P, Villemagne VL, Robertson J, Li C, Dennerstein L, Szoeki C, et al. Midlife vascular risk, apolipoprotein EE4, and amyloid status 20 years later: Results from the women's healthy ageing project. *Alzheimer's and Dementia*. 2014;4):P16-P7 - 배제사유: 4
1474. Anonymous. Emerging Science Abstracts - 66th American Academy of Neurology Annual Meeting, AAN 2014. Neurology Conference: 66th American Academy of Neurology Annual Meeting, AAN. 2014;83(2). - 배제사유: 4
1475. Sabbagh M, Seibyl J, Stephens A, Barthel H, Ishii K, Takao M, et al. A negative florbetaben PET scan reliably excludes amyloid pathology as confirmed by histopathology in a large Phase 3 trial. *Neurology*. 2014;83(2):e34-e5. - 배제사유: 4
1476. Anonymous. Joint Congress of European Neurology 2014. Journal of Neurology Conference: Joint Congress of European Neurology. 2014;261(SUPPL. 1). - 배제사유: 4
1477. Stephens A. Overview on the clinical development of the PET imaging agent florbetaben to assist

in the clinical diagnosis of cognitively impaired subjects. *Journal of Neurology*. 2014;1):S15.
- 배제사유: 4

1478. Herrold AA, Harton BC, Jordan N, Parrish T, Wang X, Chambers RA, et al. Neural responsivity and connectivity: A case series of individuals with alcohol use disorder and co-occurring conditions. *Alcoholism: Clinical and Experimental Research*. 2014;1):119A. - 배제사유: 4
1479. Beach T, Thal D, Smith A, Buckley C. Reliable detection of striatal amyloid with 18f flutemetamol: Validation with postmortem histopathology. *Neurology Conference: 66th American Academy of Neurology Annual Meeting, AAN*. 2014;82(10 SUPPL. 1). - 배제사유: 4
1480. Hirayama J, Yamashita A, Nagao M, Tokuda R, Kainuma K, Fujisawa T. Cross-sensitization to rosaceae fruits and their molecular components in Japanese school children. *Journal of Allergy and Clinical Immunology*. 2014;1):AB115 - 배제사유: 4
1481. Darvesh S. Butyrylcholinesterase radioligands to image Alzheimer's disease brain. *Chemico-Biological Interactions*. 2013;203(1):354-7. - 배제사유: 4
1482. Pereira C, Moreira S, Grencho D, Escalera D, Richard RS, Valenca J. Automatic respiratory scoring, reality or illusion? *European Respiratory Journal Conference: European Respiratory Society Annual Congress*. 2013;42(SUPPL. 57). - 배제사유: 4
1483. Sedgwick J, Secomb A, Sherman J, Benjamin A, Denman R, Burstow D, et al. The role of modern-era transthoracic echocardiography for detection of cardiac device-related infective endocarditis. *Heart Lung and Circulation*. 2013;1):S201-S2. - 배제사유: 4
1484. Schulz-Schaeffer WJ, Hoffmann A, Sabri O, Seibyl J, Akatsu H, Takao M, et al. Detection of beta-amyloid by florbetaben PET: Histopathological verification in a global Phase 3 clinical trial. *Clinical Neuropathology*. 2013;32(5):437-8. - 배제사유: 4
1485. Yates P, Rowe C, Villemagne V, Desmond P, Masters C, Ames D, et al. Midlife vascular risk and late-life amyloid burden: Data from the women's healthy ageing project (WHAP). *Alzheimer's and Dementia*. 2013;1):P544-P5. - 배제사유: 4
1486. Jansen W, Ossenkoppele R, Verhey FRJ, Visser PJ. The prevalence of amyloid pathology in healthy individuals and individuals with mild cognitive impairment: A metaanalysis of amyloid-pet studies. *Alzheimer's and Dementia*. 2013;1):P533. - 배제사유: 4
1487. Hatashita S, Yamasaki H, Suzuki Y, Tanaka K, Tamiguchi K, Wakebe T, et al. Comparison of [18F] flutemetamol betaamyloid imaging with [11C] pibacross the spectrum of Alzheimer's disease. *Alzheimer's and Dementia*. 2013;1):P419. - 배제사유: 4
1488. Ivanoiu A, Dricot L, Gilis N, Grandin C, Lhommel R, Quenon L, et al. The classification of nondemented people attending a memory clinic according to the nia and Alzheimer's association guidelines on Alzheimer's disease-related biomarkers. *Alzheimer's and Dementia*. 2013;1):P414. - 배제사유: 4
1489. Thurfjell L, Lundqvist R, Buckley C, Lilja J, Smith A, Sherwin P. Fullyautomated quantification of [18f] flutemetamol images used to categorize scans into either normal or abnormal amyloid levels: Sensitivity and specificityagainst histopathology and concordance with visual read results. *Alzheimer's and Dementia*. 2013;1):P407-P8. - 배제사유: 4
1490. Yates P, Szoek C, Rowe C, Villemagne V, Steward C, Masters C, et al. Ten-year MRI changes and FBB-PET: Results from the women's healthy aging project (WHAP). *Alzheimer's and Dementia*. 2013;1):P401. - 배제사유: 4
1491. Sabri O, Seibyl J, Ischihara K, Tateno A, Drzezga A, Grimmer T, et al. Multicenter phase II trial of florbetaben beta-amyloid PET imaging in Alzheimer's disease: Results in a close to clinically routine situation. *Alzheimer's and Dementia*. 2013;1):P264. - 배제사유: 4
1492. Dore V, Bourgeat P, Zhou L, Frupp J, Martins R, Macaulay L, et al. Cortical surface projection of pet images from 11C-and 18F-labeled radiotracers without magnetic resonance imaging.

- Alzheimer's and Dementia. 2013;1):P263-P4. - 배제사유: 4
1493. Hanseeuw B, Dricot L, Nathalie G, Grandin C, Lhommel R, Quenon L, et al. Hippocampal subfield atrophy in preclinical and predementia Alzheimer's disease is different from atrophy observed in non-Alzheimer's pathology. Alzheimer's and Dementia. 2013;1):P93. - 배제사유: 4
1494. Hatashita S, Yamasaki H, Suzuki Y, Tanaka K, Taniguchi K, Wakebe T, et al. [18F] flutemetamol pet imaging for beta amyloid deposition across the spectrum of Alzheimer's disease. Alzheimer's and Dementia. 2013;1):P22. - 배제사유: 4
1495. Dore V, Bourgeat P, Zhou L, Fripp J, Martins R, Macaulay L, et al. Mr-less cortical surface-projection of pet images from 11C-and 18F-labeled radiotracers. Alzheimer's and Dementia. 2013;1):P18-P9. - 배제사유: 4
1496. Barthel H, Rullmann M, Dukart J, Herbert S, Luthardt J, Tiepolt S, et al. Atrophy correction enhances the diagnostic performance of florbetaben beta-amyloid pet imaging. Alzheimer's and Dementia. 2013;1):P11. - 배제사유: 4
1497. Stephens A. How to develop clinical products. F-18 Florbetaben as an example of molecular imaging development. Molecular Imaging and Biology. 2013;1):S28. - 배제사유: 4
1498. Hatashita S, Yamasaki H, Suzuki Y, Tanaka K, Taniguchi K, Wakebe T, et al. [18F] Flutemetamol amyloid-beta PET imaging compared with [11C] PIB across the spectrum of Alzheimer's disease. European Journal of Nuclear Medicine and Molecular Imaging. 2013;2):S419. - 배제사유: 4
1499. Sabri O, Seibyl J, Ishihara K, Taneto A, Drzezga A, Grimmer T, et al. Beta-amyloid PET imaging in alzheimer's disease in a close to clinical routine situation - Results of a multi-center phase 2 tria. European Journal of Nuclear Medicine and Molecular Imaging. 2013;2):S254. - 배제사유: 4
1500. Dicken V, Weiler F, Geisler BS, Strehlow J, Hirsch J, Semah F, et al. Automated analysis of 18F-florbetaben PET scans. European Journal of Nuclear Medicine and Molecular Imaging. 2013;2):S181. - 배제사유: 4
1501. Tuszynski T, Rullmann M, Luthardt J, Seese A, Butzke D, Tiepolt S, et al. Evaluation of software tools for automated identification of neuroanatomical structures in beta-amyloid PET imaging to diagnose Alzheimer's disease. European Journal of Nuclear Medicine and Molecular Imaging. 2013;2):S181. - 배제사유: 4
1502. Nordberg A. Molecular neuroimaging biomarkers for amyloid and Tau. International Psychogeriatrics. 2013;1):S26-S7. - 배제사유: 4
1503. Walker Z, Inglis F, Sadowsky C, Safirstein B, Farrar G, Buckley C, et al. Reproducibility of [18f]flutemetamol pet amyloid image interpretation. Journal of the Neurological Sciences. 2013;1):e352. - 배제사유: 4
1504. Reiningner CB. The role of brain histopathology in neuro-pet and spect tracer development. Neuropathology. 2013;33(3):333. - 배제사유: 4
1505. Hatashita S, Yamasaki H, Suzuki Y. [18F] flutemetamol amyloid-beta imaging across the spectrum of alzheimer's disease. Neurology Conference: 65th American Academy of Neurology Annual Meeting San Diego, CA United States Conference Publication:. 2013;80(1 MeetingAbstracts). - 배제사유: 4
1506. Salloway S, Gamez J, Singh U, Sadowsky C, Sherwin P, Smith A, et al. Comparison of [18f]flutemetamol pet image interpretation with clinical diagnosis of alzheimer's disease: Neuritic plaque density standard based on consortium to establish a registry for alzheimer's disease criteria. Neurology Conference: 65th American Academy of Neurology Annual Meeting San Diego, CA United States Conference Publication:. 2013;80(1 MeetingAbstracts). - 배제사유: 4
1507. Brust P, Barthel H, Sabri O. Neuroimaging of Alzheimer's disease (AD) with Positron Emission

- Tomography (PET). *Journal of Neurochemistry*. 2013;1):41. - 배제사유: 4
1508. Elias A. Amyloid positron emission tomography: Breakthrough in Alzheimer's dementia research? *Indian Journal of Psychiatry*. 2013;55(SUPPL.1):S16-S7. - 배제사유: 4
1509. Hurlburt BK, Celeste L, Majorek KA, McBride J, Maleki SJ, Minor W, et al. Structure and function of the peanut panallergen Ara h 8. *Journal of Allergy and Clinical Immunology*. 2013;1):AB19. - 배제사유: 4
1510. Hatashita S, Yamasaki H, Suzuki Y, Tanaka K, Wakebe T, Hayakawa H. [18F] flutemetamol amyloid-beta imaging across the spectrum of Alzheimers disease. *Neuroradiology*. 2013;55(10):1276 - 배제사유: 4
1511. Anonymous. GE beta-amyloid agent approved. *Journal of nuclear medicine : official publication, Society of Nuclear Medicine*. 2013;54(12):10N. - 배제사유: 4
1512. Chiaravalloti A, Schillaci O. ^{18}F -FDG and amyloid PET imaging in Alzheimer's disease. *Journal of Alzheimer's Disease*. 2012;29(SUPPL. 1):13-5. - 배제사유: 4
1513. Al-Shamahi A, Jago C. Spotlight on Alzheimer's disease: A pharma matters report - July-September 2012. *Drugs of the Future*. 2012;37(12):885-94. - 배제사유: 4
1514. Chuang T, Tokuda R, Amano N, Kubota H, Hovanec-Burns D, Fujisawa T. Study of cross-reactive rosaceae component allergens in Japanese school-age children. *Clinical Chemistry*. 2012;1):A137-A8. - 배제사유: 4
1515. Ghani S, Sheikh N, Neminathan N, Raju H, Zaidi A, Gati S, et al. Pre-participation cardiovascular screening in school student athletes: Feasibility of large scale school screening program in United Kingdom. *European Journal of Preventive Cardiology*. 2012;1):S134. - 배제사유: 4
1516. Van Laere K. Amyloid imaging: A boost for drug development. *International Journal of Neuropsychopharmacology*. 2012;1):39. - 배제사유: 4
1517. Anonymous. Proceedings of the 2012 World Molecular Imaging Congress, WMIC 2012. *Molecular Imaging and Biology Conference*. 2012;14(2 SUPPL. 1). - 배제사유: 4
1518. Hellberg S, Saraste A, Silvola JM, Eskola O, Liljenback H, Laine J, et al. Amyloid imaging agent ^{18}F -flutemetamol is accumulated in atherosclerotic plaques. *Molecular Imaging and Biology*. 2012;1):S1039. - 배제사유: 4
1519. Chuang T, Tokuda R, Amano N, Kubota H, Hovanec-Burns D, Fujisawa T. Study of cross-reactive Rosaceae component allergens in Japanese patients with fruit allergy. *Allergy: European Journal of Allergy and Clinical Immunology*. 2012;96):376. - 배제사유: 4
1520. Schulz-Schaeffer W, Hoffmann A, Sabri O, Seibyl J, Akatsu H, Takao M, et al. Detection of Q-amyloid by florbetaben pet: Histopathological verification in a global phase 3 clinical trial. *Journal of Neuropathology and Experimental Neurology*. 2012;71(6):554. - 배제사유: 4
1521. Minchev T, Donuru S, Manolov E, Marinchev V, Keltchev A, Kazakov S, et al. Omentoplasty in treatment of mediastinitis after cardiac surgical operation. *Heart Surgery Forum*. 2012;15(6):E345. - 배제사유: 4
1522. Barthel H, Gertz HJ, Ischihara K, Tateno A, Drzezga A, Grimmer T, et al. Florbetaben beta-amyloid brain positron emission tomography in alzheimer's disease-a global phase 2B efficacy and safety trial. *NuklearMedizin*. 2012;51(2):A34-A5. - 배제사유: 4
1523. Rannou M, Lheureux N, Prangere T, Legrand J, Huglo D. Adsorption of radiopharmaceuticals to plastic syringes : Measurement and consequences. *European Journal of Nuclear Medicine and Molecular Imaging*. 2012;2):S528-S9. - 배제사유: 4
1524. Rullmann M, Dukart J, Herbert S, Luthardt J, Tiepolt S, Gertz H, et al. Using partial volume effect correction to enhance diagnostic performance of florbetaben beta-amyloid PET imaging. *European Journal of Nuclear Medicine and Molecular Imaging*. 2012;2):S302. - 배제사유: 4

1525. Sabri O, Seibyl J, Akatsu H, Ouchi Y, Barthel H, Senda K, et al. Florbetaben for s-amyloid brain PET in Alzheimer disease - Results of a multicentre phase 3 trial. *European Journal of Nuclear Medicine and Molecular Imaging*. 2012;2):S221. - 배제사유: 4
1526. Walker Z, Gamez J, Sadowsky C, Singh U, Sabbagh M, Rinne J, et al. A strong concordance between [18F]flutemetamol PET and amyloid-beta pathology demonstrated in brain autopsy and in vivo cortical biopsy trials. *European Journal of Nuclear Medicine and Molecular Imaging*. 2012;2):S220. - 배제사유: 4
1527. Rinne J, Gamez J, Sadowsky C, Singh U, Wong D, Wolk D, et al. A strong concordance between [18F] flutemetamol PET and amyloid-beta pathology demonstrated in brain autopsy and in-vivo cortical biopsy trials. *European Journal of Neurology*. 2012;19(SUPPL.1):74. - 배제사유: 4
1528. Sabbagh M, Seibyl J, Akatsu H, Yasuomi O, Beach T, Charney A, et al. Results of a multicentre phase 3 trial on florbetaben for β -amyloid brain pet in alzheimer disease. *Neurology*. 2012;79(11):e89. - 배제사유: 4
1529. Hammers D, Duff K, Dennett K, Hoffman J, Chelune G, Thurfjell L, et al. Flutemetamol uptake and cognitive performance in non-demented community-dwelling elders. *Neurology*. 2012;79(11):e88-e9. - 배제사유: 4
1530. Wolk D, Gomez J, Sadowsky C, Upinder S, Rinne J, Wong D, et al. Brain autopsy and in-vivo cortical brain biopsy trials show a strong concordance between [18F]flutemetamol pet and amyloid- β pathology. *Neurology*. 2012;79(11):e88. - 배제사유: 4
1531. Ong K, Villemagne VL, Bahar-Fuchs A, Lamb F, Jones G, Reiningger C, et al. A two-year longitudinal assessment of abeta deposition in MCI with ¹⁸f-florbetaben. *Internal Medicine Journal*. 2012;42(SUPPL.3):12. - 배제사유: 4
1532. Seibyl J, Sabri O, Sabbagh M, Akatsu H, Ouchi Y, Beach T, et al. Techniques for histopathological verification of florbetaben pet in a global phase iii clinical trial. *Alzheimer's and Dementia*. 2012;1):P694. - 배제사유: 4
1533. Adamczuk K, De Weer AS, Slegers K, Nelissen N, Farrar G, Thurfjell L, et al. Gene-gene interaction and subclinical amyloid levels in cognitively intact elderly individuals. *Alzheimer's and Dementia*. 2012;1):P619. - 배제사유: 4
1534. Vandenberghe R, De ASW, Vandenberghe M, Nelissen N, Farrar G, Thurfjell L, et al. Comparison of three diagnostic methods for determining amyloid positivity in cognitively intact elderly controls : FFFlutemetamol in Flander's aging population (Fluflag study). *Alzheimer's and Dementia*. 2012;1):P328. - 배제사유: 4
1535. Grigg J, Cassandra S, Ellis K, Rowe C, Desmond P, Masters C, et al. AIBLWHAP: Methodology and baseline characteristics of a population-based sample recruited for a longitudinal study of risk factors and later-life cognitive decline. *Alzheimer's and Dementia*. 2012;1):P321-P2. - 배제사유: 4
1536. Ong K, Villemagne V, Bahar-Fuchs A, Lamb F, Reiningger C, Putz B, et al. Cognitive change and beta-amyloid deposition in MCI subjects studied with serial 18F-florbetaben pet over 2 years. *Alzheimer's and Dementia*. 2012;1):P258. - 배제사유: 4
1537. Arnold S, Rinne J, Wong D, Leinonen V, Wolk D, Buckley C, et al. Prospective and retrospective evaluation of [18F]flutemetamol for beta-amyloid detection in the brain of living subjects with normal pressure hydrocephalus. *Alzheimer's and Dementia*. 2012;1):P91. - 배제사유: 4
1538. Buckley C, Ikonovic M, Smith A, Heurling K, Farrar G, Brooks D, et al. Flutemetamol F 18 injection PET images reflect brain beta-amyloid levels. *Alzheimer's and Dementia*. 2012;1):P90. - 배제사유: 4
1539. Sabbagh M, Seibyl J, Akatsu H, Ouchi Y, Beach T, Charney A, et al. Multicentre phase 3 trial on florbetaben for beta-amyloid brain pet in Alzheimer's disease. *Alzheimer's and Dementia*. 2012;1):P90. - 배제사유: 4

1540. Svensson S, Jeppsson F, Jur A, Johnstrom P, Sandell J, Swahn BM, et al. Comparison of beta-amyloid imaging using Congo red and thioflavint derivatives. *Alzheimer's and Dementia*. 2012;1):P29-P30. - 배제사유: 4
1541. Ong K, Villemagne V, Bahar AF, Lamb F, Reiningger C, Putz B, et al. Cognitive change and Ab deposition in MCI subjects studied with serial 18 fflorbetaben PET over 2 years. *Alzheimer's and Dementia*. 2012;1):P22-P3. - 배제사유: 4
1542. Barthel H, Rullmann M, Dukart J, Herbert S, Luthardt J, Gertz HJ, et al. Improved diagnostic performance of florbetaben b-amyloid PET via partial volume effect correction. *Journal of Cerebral Blood Flow and Metabolism*. 2012;1):S148. - 배제사유: 4
1543. Fratta F, Di Salvo G, Morelli C, Ricci C, Di Pietto L, D'Alto M, et al. Prenatal diagnosis and management of fetal arrhythmias. *Cardiology in the Young*. 2012;1):S76-S7 - 배제사유: 4
1544. Ikonovic M, Price J, Abrahamson E, Mathis C, Paljug W, Debnath M, et al. Direct correlations of [H-3]flutemetamol binding with [H-3]PiB binding and amyloid-beta concentration and plaque load in [C-11]PiB imaged brains. *Neurology Conference: 64th American Academy of Neurology Annual Meeting New Orleans, LA United States Conference Publication*:. 2012;78(1 Meeting Abstract). - 배제사유: 4
1545. Wolk D, Rinne J, Wong D, Leinonen V, Arnold S, Buckley C, et al. ¹⁸F-Flutemetamol PET amyloid imaging and cortical biopsy histopathology in normal pressure hydrocephalus: Pooled analysis of four studies. *Neurology Conference: 64th American Academy of Neurology Annual Meeting New Orleans, LA United States Conference Publication*:. 2012;78(1 Meeting Abstract). - 배제사유: 4
1546. Cole P. News from the 10TH International Conference on Alzheimer's and Parkinson's Diseases (AD/PD). *Drugs of the Future*. 2011;36(6):491-8. - 배제사유: 4
1547. Doraiswamy PM. What is the utility of amyloid imaging from the point of view of the clinician? *Neurodegenerative Disease Management*. 2011;1(2):101-3. - 배제사유: 4
1548. Fleisher A, Wolk D. Ask the experts: PET amyloid imaging: Can its diagnostic potential be effectively realized in the clinic? *Neurodegenerative Disease Management*. 2011;1(6):445-51. - 배제사유: 4
1549. Turaev FF, Karaskov AM, Zheleznev SI. Prognostic value of initial anatomic-functional indicators on results of surgical treatment of aortal disease in patients with the narrow fibrous ring. *Interactive Cardiovascular and Thoracic Surgery*. 2011;1):S130. - 배제사유: 4
1550. Ong D, Villemagne V, Bahar-Fuchs A, Lamb F, Jones G, Reinlinger C, et al. Conversion from mild cognitive impairment to Alzheimer's disease over 12 months: Predictive value of AB imaging with 18F-Florbetaben. *Internal Medicine Journal*. 2011;3):39 - 배제사유: 4
1551. Granados JF, Sobenes PE, Bertoli MT. Assessment of artificial ventilation in Salvadorian public hospitals. *Critical Care*. 2011;1):S182. - 배제사유: 4
1552. Gameiro C, Lambert B, Sauvage C, Kozirowski J, Ziv I, Schmitz A, et al. Easy and reliable production of multiple ¹⁸F-radiopharmaceuticals on disposable-based fully automated synthesizer. *European Journal of Nuclear Medicine and Molecular Imaging*. 2011;2):S209. - 배제사유: 4
1553. Dyrstad KR, Powell N. Robust yield of [¹⁸F]Flutemetamol by chemometric optimisation of the labelling reaction. *European Journal of Nuclear Medicine and Molecular Imaging*. 2011;2):S208-S9. - 배제사유: 4
1554. Horn E. Driving increased reliability of PET tracer manufacture using FASTlab and SPE purification. *European Journal of Nuclear Medicine and Molecular Imaging*. 2011;2):S208. - 배제사유: 4
1555. Farrar G, Buckley C, Sherwin P. Nuances in of (18F) flutemetamol reader methodology: High

- inter and intra reader agreement rates. *European Journal of Nuclear Medicine and Molecular Imaging*. 2011;2):S122. - 배제사유: 4
1556. Sabri O, Gertz H, Ischihara K, Tateno A, Drzezga A, Grimmer T, et al. Global phase 2b efficacy and safety trial of florbetaben for beta-amyloid brain positron emission tomography in Alzheimer's disease. *European Journal of Nuclear Medicine and Molecular Imaging*. 2011;2):S121. - 배제사유: 4
1557. Thomas BA, Erlandsson K, Thurfjell L, Vandenberghe R, Ourselin S, Hutton BF. White matter variability for two amyloid brain PET tracers: Implications for partial volume correction. *European Journal of Nuclear Medicine and Molecular Imaging*. 2011;2):S108. - 배제사유: 4
1558. Tiepolt S, Barthel H, Butzke D, Hesse S, Patt M, Gertz H, et al. Influence of PET scan duration on automated and visual evaluation of beta-amyloid PET with florbetaben in patients with Alzheimer's disease (AD) and healthy volunteers (HVs). *European Journal of Nuclear Medicine and Molecular Imaging*. 2011;2):S108. - 배제사유: 4
1559. Barthel H, Butzke D, Diemling M, Senda M, Sattler B, Zubal G, et al. The HERMES BRASS tool for an accurate automated regional and voxelwise quantification of brain beta-amyloid load as imaged with florbetaben PET. *European Journal of Nuclear Medicine and Molecular Imaging*. 2011;2):S108. - 배제사유: 4
1560. Wolk D, Grachev I, Buckley C, Heurling K, Hamilton R, Arnold S. [¹⁸F]-Flutemetamol amyloid pet imaging in patients with normal pressure hydrocephalus. *Alzheimer's and Dementia*. 2011;1):S728. - 배제사유: 4
1561. Thurfjell L, Lundqvist R, Lilja J, Lotjonen J, Soininen H, Waldemar G, et al. Automated quantification of [¹⁸F] flutemetamol amyloid imaging data. *Alzheimer's and Dementia*. 2011;1):S726. - 배제사유: 4
1562. Ikonovic M, Abrahamson E, Mathis C, Price J, Paljug W, Debnath M, et al. Characterization of flutemetamol binding in autopsy brains from [C-11]PIB imaged subjects. *Alzheimer's and Dementia*. 2011;1):S718. - 배제사유: 4
1563. Duara R, Loewenstein D, Shen Q, Barker W, Potter E, Varon D, et al. Comparison of [F-18] flutemetamol PET imaging and MTA measures in Alzheimer disease. *Alzheimer's and Dementia*. 2011;1):S716. - 배제사유: 4
1564. Vandenberghe R, Nelissen N, Van Laere K, Thurfjell L, Buckley C, Farrar G, et al. Support vector machine-based classification of 18f-flutemetamol scans in Alzheimer's disease, mci and controls: Comparison with visual reads and structural mri-based classification. *Alzheimer's and Dementia*. 2011;1):S697. - 배제사유: 4
1565. Osama S, Gertz HJ, Ischihara K, Tateno A, Drzezga A, Grimmer T, et al. Efficacy and safety of florbetaben for beta-amyloid brain positron emission tomography in Alzheimer's disease: Results from a global phase 2b trial. *Alzheimer's and Dementia*. 2011;1):S696-S7. - 배제사유: 4
1566. Zubal G, Barret O, Wisniewski G, Barthel H, Pessel M, Reininger C, et al. An automated, operator-independent method for evaluating various brain areas of florbetaben pet scans to compare regional normal versus diseased beta-amyloid burdens. *Alzheimer's and Dementia*. 2011;1):S344. - 배제사유: 4
1567. Ong K, Villemagne V, Bahar-Fuchs A, Lamb F, Chetelat G, Holl G, et al. Conversion from mild cognitive impairment to Alzheimer's disease over 12 months: Predictive value of AB imaging with 18F-florbetaben. *Alzheimer's and Dementia*. 2011;1):S217. - 배제사유: 4
1568. Jeppsson F, Jureus A, Sandell J, Swahn BM, Cselenyi Z, Farde L, et al. Beta-amyloid binding of [³H]AZD4694 and [³H]AV45 in vitro. *Alzheimer's and Dementia*. 2011;1):S42-S3. - 배제사유: 4
1569. Buckley C, Farrar G, Sherwin P. Nuances in [¹⁸F] flutemetamol reader methodology: high inter- and intra-reader agreement rates. *Alzheimer's and Dementia*.

- 2011;1):S55. - 배제사유: 4
1570. Barthel H, Butzke D, Diemling M, Senda M, Sattler B, Zubal G, et al. Automated regional and voxel-wise quantification of florbetaben beta-amyloid brain pet. *Alzheimer's and Dementia*. 2011;1):S54-S5. - 배제사유: 4
1571. Jennings D, Sabbagh M, Pfefferer C, Fristch A, Russell D, Seibyl J, et al. Evaluation of the efficacy and safety of florbetaben pet in adults with down syndrome. *Alzheimer's and Dementia*. 2011;1):S49. - 배제사유: 4
1572. Herholz K. Fluorinated amyloid ligands for pet. *Alzheimer's and Dementia*. 2011;1):S1. - 배제사유: 4
1573. Crespo-Leiro MG, Paniagua-Martin MJ, Marzoa-Rivas R, Barge-Caballero E, Grille-Cancela Z, Prada-Delgado O, et al. Incidence of cardiac acute rejection after late replacement of calcineurin inhibitors by a proliferation signal inhibitor. *American Journal of Transplantation*. 2011;2):239. - 배제사유: 4
1574. Hartono B, Chang HY, Lin YJ, Chang SL, Lo LW, Hu YF, et al. Right atrial substrate remodeling and atrioventricular node conduction property in atrial fibrillation patients. *Heart Rhythm*. 2011;1):S240-S1. - 배제사유: 4
1575. Strobel G. 12th international conference on Alzheimer's disease (ICAD), Vienna, Austria. *Journal of Alzheimer's Disease*. 2009;18(4):973-90. - 배제사유: 4
1576. Hongliang W, Huixian S, Shende J, Tang G. One-step radiosynthesis of [18F]BAY94-9172 with a new precursor. *Journal of Nuclear Medicine Conference: Society of Nuclear Medicine and Molecular Imaging Annual Meeting, SNMMI*. 2010;51(SUPPL. 2). - 배제사유: 4
1577. Sattler B, Barthel H, Patt M, Zimmermann T, Reiningger C, Gertz H, et al. Radiation exposure by [18F]Florbetaben, a new PET tracer for detection of cerebral beta-amyloid in Caucasian and Asian healthy volunteers. *Journal of Nuclear Medicine Conference: Society of Nuclear Medicine and Molecular Imaging Annual Meeting, SNMMI*. 2010;51(SUPPL. 2) - 배제사유: 4
1578. Sabri O, Gertz H, Dresel S, Heuser I, Bartenstein P, Buerger K, et al. Multicentre phase 2 trial on florbetaben for beta-amyloid brain PET in Alzheimer disease. *Journal of Nuclear Medicine Conference: Society of Nuclear Medicine and Molecular Imaging Annual Meeting, SNMMI*. 2010;51(SUPPL. 2). - 배제사유: 4
1579. Barthel H, Senda M, Yamane T, Patt M, Sattler B, Seibyl J, et al. Phase 1 trials on florbetaben brain PET in elderly normal controls. *Journal of Nuclear Medicine Conference: Society of Nuclear Medicine and Molecular Imaging Annual Meeting, SNMMI*. 2010;51(SUPPL. 2). - 배제사유: 4
1580. Ichise M, Becker G, Barthel H, Patt M, Luthardt J, Gertz H, et al. Quantification of beta-amyloid binding with Florbetaben PET in the human brain. *Journal of Nuclear Medicine Conference: Society of Nuclear Medicine and Molecular Imaging Annual Meeting, SNMMI*. 2010;51(SUPPL. 2). - 배제사유: 4
1581. Ong K, Villemagne V, Bahar-Fuchs A, Langdon N, Holl G, Reiningger C, et al. Assessment of Abeta deposition in mild cognitive impairment with 18F-Florbetaben. *Journal of Nuclear Medicine Conference: Society of Nuclear Medicine and Molecular Imaging Annual Meeting, SNMMI*. 2010;51(SUPPL. 2). - 배제사유: 4
1582. Villemagne V, Ong K, Mulligan R, Holl G, Langdon N, Reiningger C, et al. 18F-Florbetaben-PET imaging in the differential diagnosis of dementia. *Journal of Nuclear Medicine Conference: Society of Nuclear Medicine and Molecular Imaging Annual Meeting, SNMMI*. 2010;51(SUPPL. 2). - 배제사유: 4
1583. Becker G, Ichise M, Barthel H, Luthardt J, Patt M, Schultze-Mosgau M, et al. Kinetic modeling of Florbetaben (BAY 94-9172) binding to beta-amyloid in human brains using one and two input functions. *Journal of Nuclear Medicine Conference: Society of Nuclear Medicine and Molecular Imaging Annual Meeting, SNMMI*. 2010;51(SUPPL. 2). - 배제사유: 4

1584. Senda M, Yamane T, Sasaki M, Shimizu K, Barthel H, Sattler B, et al. Ethnic comparability of safety and pharmacokinetics of florbetaben (BAY 94-9172) in normal Caucasian and Asian subjects. *Journal of Nuclear Medicine Conference: Society of Nuclear Medicine and Molecular Imaging Annual Meeting, SNMMI.* 2010;51(SUPPL. 2). - 배제사유: 4
1585. Barret O, Zubal G, Hiemeyer F, Reininger C, Barthel H, Batis J, et al. Objective SUVr determination using MRI segmentation maps in florbetaben beta-amyloid brain PET. *Journal of Nuclear Medicine Conference: Society of Nuclear Medicine and Molecular Imaging Annual Meeting, SNMMI.* 2010;51(SUPPL. 2). - 배제사유: 4
1586. Koole M, Nelissen N, Khela M, Buckley C, Mortelmans L, Van Laere K. Template comparison for spatial normalization of [18F]flutemetamol brain PET images. *Journal of Nuclear Medicine Conference: Society of Nuclear Medicine and Molecular Imaging Annual Meeting, SNMMI.* 2010;51(SUPPL. 2). - 배제사유: 4
1587. Sattler B, Barthel H, Patt M, Zimmermann T, Rohde B, Reiniger C, et al. Radiation exposure by [F18]Florbetaben, a new PET tracer for detection of cerebral beta-amyloid in Caucasian and Asian healthy volunteers. *European Journal of Nuclear Medicine and Molecular Imaging.* 2010;2):S274. - 배제사유: 4
1588. Sabri O, Gertz HJ, Dresel S, Heuser I, Bartenstein P, Burger K, et al. Results of a multicentre Phase 2 trial to test Florbetaben for beta-amyloid brain PET in Alzheimer's disease. *European Journal of Nuclear Medicine and Molecular Imaging.* 2010;2):S260. - 배제사유: 4
1589. Barthel H, Senda M, Luthardt J, Strick A, Yamane T, Sattler B, et al. Phase 1 trials on Florbetaben beta-amyloid brain PET in elderly normal controls - Influence of ethnic group, age, gender, and tracer mass dose. *European Journal of Nuclear Medicine and Molecular Imaging.* 2010;2):S235. - 배제사유: 4
1590. Barthel H, Butzke D, Diemling M, Sattler B, Luthardt J, Strick A, et al. New analysis tool for automated regional and voxelwise quantification of beta-amyloid (Abeta) brain load as imaged by Florbetaben PET. *European Journal of Nuclear Medicine and Molecular Imaging.* 2010;2):S234-S5. - 배제사유: 4
1591. Becker G, Ichise M, Barthel H, Luthardt J, Patt M, Schultze-Mosgau M, et al. Kinetic modeling of the beta-amyloid tracer florbetaben in human brains using one and two input functions. *European Journal of Nuclear Medicine and Molecular Imaging.* 2010;2):S234. - 배제사유: 4
1592. Villemagne V, Ong K, Mulligan R, Reininger C, Putz B, Rhode B, et al. 18F-Florbetaben-PET imaging in the differential diagnosis of dementia. *Internal Medicine Journal.* 2010;2):13. - 배제사유: 4
1593. Ong K, Villemagne V, Bahar-Fuchs A, Reininger C, Putz B, Rohde B, et al. Assessment of abeta deposition in mild cognitive impairment with 18F-Florbetaben. *Internal Medicine Journal.* 2010;2):11. - 배제사유: 4
1594. Nickerson P, Blydt-Hansen T, Rush D, Birk P, Ho J, Karpinski M, et al. De novo donor specific antibody (DSA) is associated with decreased kidney graft survival and subclinical antibody mediated rejection. *American Journal of Transplantation.* 2010;4):124. - 배제사유: 4
1595. Wang H, Deng H, Shi H, Jiang S, Tang G. One-step automated synthesis and biodistribution of [¹⁸F]Bay94-9172. *Molecular Imaging and Biology.* 2010;2):S940. - 배제사유: 4
1596. Herholz K. Molecular imaging in degenerative dementias. *European Journal of Neurology.* 2010;3):17. - 배제사유: 4
1597. Nordberg A. Amyloid imaging in early detection of Alzheimer's disease. *Neurodegenerative Diseases.* 2010;7(1-3):136-8. - 배제사유: 4
1598. Leslie DB, Swan TW, Kellogg TA, Slusarek BM, Bantle JP, Henry BB, et al. Efficacy and durability of the roux-en-y gastric bypass in achieving type 2 diabetes remission one year and more after surgery. *Diabetes Conference: 69th Annual Meeting of the American Diabetes Association New*

- Orleans, LA United States Conference Publication. 2009;58(SUPPL. 1A). - 배제사유: 4
1599. Van Laere K, Vandenberghe R, Ivanoiu A, Triau E, Law I, Hasselbalch S, et al. Correlation between ¹⁸F-GE-067 and ¹¹C-PIB uptake in Alzheimer's disease and MCI. *Alzheimer's and Dementia*. 2009;1):263 - 배제사유: 4
1600. Rowe CC, Pejoska S, Mulligan RS, Chan G, Fels L, Kusi H, et al. Test-retest variability studies in Alzheimer's disease and normal ageing of the new amyloid imaging agent [18f]bay 94-9172. *Alzheimer's and Dementia*. 2009;1):262-3. - 배제사유: 4
1601. Mathis CA, Ikonovic MD, Mason NS, Debnath ML, Hamilton RL, Price JC, et al. Pharmacologic and pharmacokinetic equivalence studies of GE-067 to PIB. *Alzheimer's and Dementia*. 2009;1):262. - 배제사유: 4
1602. Vandenberghe R, Van Laere K, Ivanoiu A, Salmon E, Triau E, Waldemar G, et al. Phase II study of the ¹⁸F labelled PIB derivative GE067. *Alzheimer's and Dementia*. 2009;1):77. - 배제사유: 4
1603. Thomas BA, Thurfjell L, Rinne JO, Ourselin S, Hutton B. The application of partial-volume correction to Alzheimer's disease discrimination. *Alzheimer's and Dementia*. 2009;1):20-1. - 배제사유: 4
1604. Seibyl J, Marek K. Amyloid plaque imaging in vivo. *Journal of Cancer Education*. 2009;1):S211-S2. - 배제사유: 4
1605. Becker G, Barthel H, Patt M, Luthardt J, Seese A, Hammerstein E, et al. Kinetic parameters of BAY 94-9172 binding to beta-amyloid in human brains computed from PET data. *Journal of Cerebral Blood Flow and Metabolism*. 2009;1):S371. - 배제사유: 4
1606. Barthel H, Gertz HJ, Dresel S, Heuser I, Bartenstein P, Buerger K, et al. [¹⁸F]BAY 94-9172 positron emission tomography in the detection/exclusion of cerebral amyloid beta: An pen-label, multicentre study in patients with probable Alzheimer's disease compared with healthy volunteers. *Journal of the Neurological Sciences*. 2009;1):S126. - 배제사유: 4
1607. Croydon L. Society of Nuclear Medicine - 54th annual meeting. New directions in molecular imaging of the brain. *IDrugs*. 2007;10(8):527-9. - 배제사유: 4
1608. Wallstrom E, Weissert R, Lorentzen J, Olsson T. Major histocompatibility complex haplotype RT1(av1) is associated with relapsing/remitting experimental autoimmune encephalomyelitis. *Transplantation Proceedings*. 1997;29(3):1686-9. - 배제사유: 4
1609. Sempere R, Kawamura K. Low molecular weight dicarboxylic acids and related polar compounds in the remote marine rain samples collected from western Pacific. *Atmospheric Environment*. 1996;30(10-11):1609-19. - 배제사유: 4
1610. Chen KT, Gong E, de Carvalho Macruz FB, Xu J, Boumis A, Khalighi M, et al. Ultra-Low-Dose ¹⁸F-Florbetaben Amyloid PET Imaging Using Deep Learning with Multi-Contrast MRI Inputs. *Radiology*. 2020;296(3):E195. - 배제사유: 4
1611. Ntr. Dutch Flutemetamol Study. <https://trialssearchwho.int/Trial2.aspx?TrialID=NTR3743>. 2012. - 배제사유: 4
1612. Ikonovic MD, Salloway S, Thal DR, Sherwin P, Farrar G, Zanette M, et al. Performance of flutemetamol amyloid imaging against the current (2012) nia-aa recommendations for the neuropathological diagnosis of Alzheimer's disease. *Alzheimer's and dementia Conference: alzheimer's association international conference 2016 Canada Conference start: 20160722 Conference end: 20160728*. 2016;12(7 Supplement):P926. - 배제사유: 4
1613. CN-01449105 - 배제사유: 4
1614. Farrar G. Regional visual read inspection of flutemetamol brain images from end-of-life and amnesic MCI subjects. *Journal of nuclear medicine Conference: society of nuclear medicine*

and molecular imaging annual meeting, SNMMI 2017 United states. 2017;58(no pagination).
- 배제사유: 4

1615. Euctr IT. Incremental diagnostic value of Florbetaben Imaging vs other core biomarkers for Alzheimer Disease in patients with Mild Cognitive Impairment. An Investigator-Initiated Sponsored Study. <https://trialssearchwhooint/Trial2.aspx?TrialID=EUCTR2014-005389-31-IT>. 2015. - 배제사유: 4
1616. Euctr FI. A principal, prospective, open-label biopsy study to validate detection of cerebral cortical amyloid with Flutemetamol (18F) Injection in NPH subjects - GE-067-011 Prospective Biopsy. <https://trialssearchwhooint/Trial2.aspx?TrialID=EUCTR2010-018715-15-FI>. 2010. - 배제사유: 4
1617. Buckley CJ, Zanette M, Cherubini A. Conversion of aMCI subjects to AD in relation to flutemetamol Amyloid status, white matter hyper-intensities and hippocampal volume in a phase III longitudinal study. European journal of nuclear medicine and molecular imaging Conference: 29th annual congress of the european association of nuclear medicine, EANM 2016 Spain Conference start: 20161015 Conference end: 20161019. 2016;43(1 Supplement 1):S118. - 배제사유: 4
1618. Euctr GB. Dementia study. <https://trialssearchwhooint/Trial2.aspx?TrialID=EUCTR2009-010227-62-GB>. 2009. - 배제사유: 4
1619. Nct. Comparison of PET Amyloid Imaging in Japanese and Western Subjects. <https://clinicaltrials.gov/show/NCT02813070>. 2016. - 배제사유: 4
1620. Euctr GB. Autopsy brain protein study. <https://trialssearchwhooint/Trial2.aspx?TrialID=EUCTR2009-013030-25-GB>. 2010. - 배제사유: 4
1621. Nct. An Efficacy and Safety Trial of Verubecestat (MK-8931) in Mild to Moderate Alzheimer's Disease (P07738). <https://clinicaltrials.gov/show/NCT01739348>. 2012. - 배제사유: 4
1622. JapicCTI J. Effect of Gantenerumab on amyloid PET SUVR in patients with early Alzheimer's disease (AD). <https://trialssearchwhooint/Trial2.aspx?TrialID=JPRN-JapicCTI-194638>. 2019. - 배제사유: 4
1623. Jprn U. Elucidation of the pathophysiological mechanism of dementia and clinical research for creation of drug discovery targets. <https://trialssearchwhooint/Trial2.aspx?TrialID=JPRN-UMIN000032027>. 2018. - 배제사유: 4
1624. Jprn U. Clinical and neuroimaging study on preclinical Alzheimer's disease. <https://trialssearchwhooint/Trial2.aspx?TrialID=JPRN-UMIN000019926>. 2015. - 배제사유: 4
1625. Gille B, Schaeferbeke J, Vanderstichele HM, Adamczuk K, Demeyer L, Francois C, et al. Synaptic markers in liquor inversely correlate with gray matter volume in cognitively healthy individuals. Alzheimer's and dementia Conference: alzheimer's association international conference, AAIC 2017 United kingdom. 2017;13(7):P215-P6. - 배제사유: 4
1626. Euctr FI. A study comparing the safety and clinical effects of different formulations of a new vaccine, ACI-24 with placebo in patients with mild Alzheimer's disease. <https://trialssearchwhooint/Trial2.aspx?TrialID=EUCTR2018-000445-39-FI>. 2018. - 배제사유: 4
1627. Drks. Metabolic and neurovascular brain plasticity in amyloid-positive older people with metabolic risk factors. <https://trialssearchwhooint/Trial2.aspx?TrialID=DRKS00013501>. 2017. - 배제사유: 4
1628. Nct. Study to Identify Clinical, Imaging and Biologic Markers of Parkinson Disease Progression. <https://clinicaltrials.gov/show/NCT01141023>. 2010. - 배제사유: 4
1629. Actrn. A study investigating whether testosterone and omega 3 from fish oil has an effect on the accumulation of protein plaques linked to Alzheimer's disease in older men concerned about their memories. <https://trialssearchwhooint/Trial2.aspx?TrialID=ACTRN12618000761268>.

2018. - 배제사유: 4

1630. Euctr ES. A Safety and Efficacy Study for Alzheimer's Disease (Prodromal AD). <https://trialssearchwhooint/Trial2.aspx?TrialID=EUCTR2012-005542-38-ES>. 2013. - 배제사유: 4
1631. Euctr SE. A study comparing the safety and effects of a new compound, ACI-24 with placebo in patients with mild to moderate Alzheimer's disease. <https://trialssearchwhooint/Trial2.aspx?TrialID=EUCTR2008-006257-40-SE>. 2008. - 배제사유: 4
1632. Yoon HJ, Jeong YJ, Kang D-Y, Kang H, Yeo KK, Jeong JE, et al. Effect of Data Augmentation of F-18-Florbetaben Positron-Emission Tomography Images by Using Deep Learning Convolutional Neural Network Architecture for Amyloid Positive Patients. *Journal of the Korean Physical Society*. 2019;75(8):597-604 - 배제사유: 4
1633. Reseco L, Atienza M, Fernandez-Alvarez M, Carro E, Cantero JL. Salivary lactoferrin is associated with cortical amyloid-beta load, cortical integrity, and memory in aging. *Alzheimer's Research and Therapy*. 2021;13(1) (no pagination)(150). - 배제사유: 5
1634. Chung SJ, Lee S, Yoo HS, Baik K, Lee HS, Jung JH, et al. Different patterns of beta-amyloid deposition in patients with Alzheimer's disease according to the presence of mild parkinsonism. *Neurobiology of Aging*. 2021;101:199-206. - 배제사유: 5
1635. Wang SM, Kim NY, Um YH, Kang DW, Na HR, Lee CU, et al. Default mode network dissociation linking cerebral beta amyloid retention and depression in cognitively normal older adults. *Neuropsychopharmacology*. 2021;46(12):2180-7. - 배제사유: 5
1636. Wu Z, Yu C. Diagnostic performance of CMR, SPECT, and PET imaging for the detection of cardiac amyloidosis: a meta-analysis. *BMC Cardiovascular Disorders*. 2021;21(1) (no pagination)(482). - 배제사유: 5
1637. Rogne AG, Muller EG, Udnaes E, Sigurdardottir S, Raudeberg R, Connelly JP, et al. beta-Amyloid may accumulate in the human brain after focal bacterial infection: An ¹⁸F-flutemetamol positron emission tomography study. *European Journal of Neurology*. 2021;28(3):877-83. - 배제사유: 5
1638. Genovesi D, Vergaro G, Giorgetti A, Marzullo P, Scipioni M, Santarelli MF, et al. [18F]-Florbetaben PET/CT for Differential Diagnosis Among Cardiac Immunoglobulin Light Chain, Transthyretin Amyloidosis, and Mimicking Conditions. *JACC: Cardiovascular Imaging*. 2021;14(1):246-55. - 배제사유: 5
1639. Narbutas J, Van Egroo M, Chylinski D, Bahri MA, Koshmanova E, Talwar P, et al. Associations between Cognitive Complaints, Memory Performance, Mood, and Amyloid-beta Accumulation in Healthy Amyloid Negative Late-Midlife Individuals. *Journal of Alzheimer's Disease*. 2021;83(1):127-41. - 배제사유: 5
1640. Lanza M, De Rosa L, Sbordone S, Boccia R, Carnevale UAG, Simonelli F. Analysis of corneal distortion after myopic prk. *Journal of Clinical Medicine*. 2021;10(1):1-8. - 배제사유: 5
1641. van de Kreeke JA, Nguyen HT, Konijnenberg E, Tomassen J, den Braber A, ten Kate M, et al. Longitudinal retinal layer changes in preclinical Alzheimer's disease. *Acta Ophthalmologica*. 2021;99(5):538-44. - 배제사유: 5
1642. Yoo SW, Ha S, Yoon H, Yoo JY, Lee KS, Kim JS. Paradoxical Cerebral Perfusion in Parkinson's Disease Patients with Orthostatic Hypotension: A Dual-Phase ¹⁸F-Florbetaben Positron Emission Tomography Study. *Journal of Parkinson's Disease*. 2021;11(3):1335-44. - 배제사유: 5
1643. Kagerer SM, van Bergen JMG, Li X, Quevenco FC, Gietl AF, Studer S, et al. APOE4 moderates effects of cortical iron on synchronized default mode network activity in cognitively healthy old-aged adults. *Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring*. 2020;12(1) (no pagination)(e12002). - 배제사유: 5

1644. Hahn A, Strandberg TO, Stomrud E, Nilsson M, Van Westen D, Palmqvist S, et al. Association between earliest amyloid uptake and functional connectivity in cognitively unimpaired elderly. *Cerebral Cortex*. 2019;29(5):2173-82. - 배제사유: 5
1645. Pedrero-Chamizo R, Szoeko C, Dennerstein L, Campbell S. Influence of Physical Activity Levels and Functional Capacity on Brain beta-Amyloid Deposition in Older Women. *Frontiers in Aging Neuroscience*. 2021;13 (no pagination)(697528). - 배제사유: 5
1646. Treyer V, Meyer RS, Buchmann A, Cramer GAG, Studer S, Saake A, et al. Physical activity is associated with lower cerebral beta-amyloid and cognitive function benefits from lifetime experience—a study in exceptional aging. *PLoS ONE*. 2021;16(2 February) (no pagination)(e0247225). - 배제사유: 5
1647. Santarelli MF, Genovesi D, Positano V, Scipioni M, Vergaro G, Favilli B, et al. Deep-learning-based cardiac amyloidosis classification from early acquired pet images. *International Journal of Cardiovascular Imaging*. 2021;37(7):2327-35. - 배제사유: 5
1648. Sanchez-Benavides G, Salvado G, Arenaza-Urquijo EM, Grau-Rivera O, Suarez-Calvet M, Mila-Aloma M, et al. Quantitative informant- and self-reports of subjective cognitive decline predict amyloid beta PET outcomes in cognitively unimpaired individuals independently of age and APOE epsilon4. *Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring*. 2020;12(1) (no pagination)(e12127). - 배제사유: 5
1649. Quaia E, Bertolotto M, Forgacs B, Rimondini A, Locatelli M, Mucelli RP. Detection of liver metastases by pulse inversion harmonic imaging during Levovist late phase: Comparison with conventional ultrasound and helical CT in 160 patients. *European Radiology*. 2003;13(3):475-83. - 배제사유: 5
1650. van Egroo M, Chylinski D, Narbutas J, Besson G, Muto V, Schmidt C, et al. Early brainstem ^[18F]THK5351 uptake is linked to cortical hyperexcitability in healthy aging. *JCI Insight*. 2021;6(2) (no pagination)(e142514). - 배제사유: 5
1651. Wu N, Chen Y, Yang Y, Sun X. The changes of corneal biomechanical properties with long-term treatment of prostaglandin analogue measured by Corvis ST. *BMC ophthalmology*. 2020;20(1):422. - 배제사유: 5
1652. Santarelli MF, Genovesi D, Scipioni M, Positano V, Favilli B, Giorgetti A, et al. Cardiac amyloidosis characterization by kinetic model fitting on [18F]florbetaben PET images. *Journal of Nuclear Cardiology*. 2021. - 배제사유: 5
1653. Lee H, Cho H, Choe YS, Seo SW, Joo EY. Association Between Amyloid Accumulation and Sleep in Patients With Idiopathic REM Sleep Behavior Disorder. *Frontiers in Neurology*. 2020;11 (no pagination)(547288). - 배제사유: 5
1654. Pelkmans W, Legdeur N, ten Kate M, Barkhof F, Yaqub MM, Holstege H, et al. Amyloid-beta, cortical thickness, and subsequent cognitive decline in cognitively normal oldest-old. *Annals of Clinical and Translational Neurology*. 2021;8(2):348-58. - 배제사유: 5
1655. Bauckneht M, Capitanio S, Raffa S, Roccatagliata L, Pardini M, Lapucci C, et al. Molecular imaging of multiple sclerosis: from the clinical demand to novel radiotracers. *EJNMMI Radiopharmacy and Chemistry*. 2019;4(1) (no pagination)(6). - 배제사유: 5
1656. Giannakopoulos P, Rodriguez C, Montandon ML, Garibotto V, Haller S, Herrmann FR. Personality Factors' Impact on the Structural Integrity of Mentalizing Network in Old Age: A Combined PET-MRI Study. *Frontiers in Psychiatry*. 2020;11 (no pagination)(552037). - 배제사유: 5
1657. Chittarath K, Jimenez J, Vongphachanh P, Leiva AM, Sengsay S, Lopez-Alvarez D, et al. First report of Sri Lankan cassava mosaic virus and Cassava Mosaic Disease in Laos. *Plant disease*. 2021;12. - 배제사유: 5
1658. Matias-Guiu JA, Cabrera-Martin MN, Matias-Guiu J, Oreja-Guevara C, Riola-Parada C, Moreno-Ramos T, et al. Amyloid PET imaging in multiple sclerosis: an (18)F-florbetaben study.

BMC Neurology. 2015;15:243. - 배제사유: 5

1659. Chatterjee P, Mohammadi M, Goozee K, Shah TM, Sohrabi HR, Dias CB, et al. Serum Hepcidin Levels in Cognitively Normal Older Adults with High Neocortical Amyloid-beta Load. *Journal of Alzheimer's Disease*. 2020;76(1):291-301. - 배제사유: 5
1660. Mockelind S, Axelsson J, Pilebro B, Lindqvist P, Suhr OB, Sundstrom T. Quantification of cardiac amyloid with [¹⁸F]Flutemetamol in patients with V30M hereditary transthyretin amyloidosis. *Amyloid*. 2020;27(3):191-9. - 배제사유: 5
1661. Marquie M, Valero S, Castilla-Marti M, Martinez J, Rodriguez-Gomez O, Sanabria A, et al. Association between retinal thickness and beta-amyloid brain accumulation in individuals with subjective cognitive decline: Fundacio ACE Healthy Brain Initiative. *Alzheimer's Research and Therapy*. 2020;12(1) (no pagination)(37). - 배제사유: 5
1662. Quevenco FC, van Bergen JM, Treyer V, Studer ST, Kagerer SM, Meyer R, et al. Functional Brain Network Connectivity Patterns Associated With Normal Cognition at Old-Age, Local beta-amyloid, Tau, and APOE4. *Frontiers in Aging Neuroscience*. 2020;12 (no pagination)(46). - 배제사유: 5
1663. Elias A, Cummins T, Lamb F, Tyrrell R, Dore V, Williams R, et al. Amyloid-beta, Tau, and ¹⁸F-Fluorodeoxyglucose Positron Emission Tomography in Posttraumatic Stress Disorder. *Journal of Alzheimer's Disease*. 2020;73(1):163-73. - 배제사유: 5
1664. Papathanasiou M, Carpinteiro A, Hagenacker T, Herrmann K, Rassaf T, Rischpler C, et al. ¹⁸F-florbetaben positron emission tomography detects cardiac involvement in systemic AA amyloidosis. *European Journal of Nuclear Medicine and Molecular Imaging*. 2020;47(13):3186-7. - 배제사유: 5
1665. Papathanasiou M, Kessler L, Carpinteiro A, Hagenacker T, Nensa F, Umutlu L, et al. ¹⁸F-flutemetamol positron emission tomography in cardiac amyloidosis. *Journal of Nuclear Cardiology*. 2020. - 배제사유: 5
1666. Baker JE, Pietrzak RH, Laws SM, Ames D, Villemagne VL, Rowe CC, et al. Visual paired associate learning deficits associated with elevated beta-amyloid in cognitively normal older adults. *Neuropsychology*. 2019;33(7):964-74. - 배제사유: 5
1667. van de Kreeke JA, Nguyen HT, den Haan J, Konijnenberg E, Tomassen J, den Braber A, et al. Retinal layer thickness in preclinical Alzheimer's disease. *Acta Ophthalmologica*. 2019;97(8):798-804. - 배제사유: 5
1668. Becker MD, Butler PF, Siam M, Gress DA, Ghesani M, Harkness BA, et al. U.S. PET/CT and gamma camera diagnostic reference levels and achievable administered activities for noncardiac nuclear medicine studies. *Radiology*. 2019;293(1):203-11. - 배제사유: 5
1669. Kim HJ, Lim TS, Lee SM, Kim TS, Kim Y, An YS, et al. Cerebrospinal fluid levels of beta-amyloid 40 and beta-amyloid 42 are proportionately decreased in amyloid positron-emission tomography negative idiopathic normal-pressure hydrocephalus patients. *Journal of Clinical Neurology (Korea)*. 2019;15(3):353-9. - 배제사유: 5
1670. Dietemann S, Nkoulou R. Amyloid PET imaging in cardiac amyloidosis: a pilot study using ¹⁸F-flutemetamol positron emission tomography. *Annals of Nuclear Medicine*. 2019;33(8):624-8. - 배제사유: 5
1671. Kircher M, Ihne S, Brumberg J, Morbach C, Knop S, Kortum KM, et al. Detection of cardiac amyloidosis with ¹⁸F-Florbetaben-PET/CT in comparison to echocardiography, cardiac MRI and DPD-scintigraphy. *European Journal of Nuclear Medicine and Molecular Imaging*. 2019;46(7):1407-16. - 배제사유: 5
1672. Jadidi K, Mohazzab-Torabi S, Pirhadi S, Naderi M, Yekta A, Sardari S, et al. A Study of Corneal Biomechanics in Delayed-Onset Mustard Gas Keratopathy Compared to Cases with Corneal Scarring and Normal Corneas. *Eye and Contact Lens*. 2019;45(2):112-6. - 배제사유: 5

1673. Jeong J, Jeong YJ, Park KW, Kang DY. Cerebral Amyloid Quantification in Cognitively Normal Korean Adults Using F-18 Florbetaben PET. *Nuclear Medicine and Molecular Imaging*. 2019;53(5):334-9. - 배제사유: 5
1674. Van De Kreeke JA, Nguyen HT, Konijnenberg E, Tomassen J, Den Braber A, Ten Kate M, et al. Optical coherence tomography angiography in preclinical Alzheimer's disease. *British Journal of Ophthalmology*. 2019. - 배제사유: 5
1675. Giorgetti A, Genovesi D, Emdin M. Cardiac amyloidosis: The starched heart. *Journal of Nuclear Cardiology*. 2020;27(1):133-6. - 배제사유: 5
1676. Chatterjee P, Goozee K, Sohrabi HR, Shen K, Shah T, Asih PR, et al. Association of Plasma Neurofilament Light Chain with Neocortical Amyloid-beta Load and Cognitive Performance in Cognitively Normal Elderly Participants. *Journal of Alzheimer's Disease*. 2018;63(2):479-87. - 배제사유: 5
1677. Hansson O, Palmqvist S, Ljung H, Cronberg T, van Westen D, Smith R. Cerebral hypoperfusion is not associated with an increase in amyloid beta pathology in middle-aged or elderly people. *Alzheimer's and Dementia*. 2018;14(1):54-61. - 배제사유: 5
1678. Correa DD, Kryza-Lacombe M, Zhou X, Baser RE, Beattie BJ, Beiene Z, et al. A pilot study of neuropsychological functions, APOE and amyloid imaging in patients with gliomas. *Journal of Neuro-Oncology*. 2018;136(3):613-22. - 배제사유: 5
1679. Dang C, Harrington KD, Lim YY, Ames D, Hassenstab J, Laws SM, et al. Relationship between Amyloid-beta Positivity and Progression to Mild Cognitive Impairment or Dementia over 8 Years in Cognitively Normal Older Adults. *Journal of Alzheimer's Disease*. 2018;65(4):1313-25. - 배제사유: 5
1680. Oh H, Razlighi QR, Stern Y. Multiple pathways of reserve simultaneously present in cognitively normal older adults. *Neurology*. 2018;90(3):E197-E205. - 배제사유: 5
1681. van Bergen JMG, Li X, Quevenco FC, Gietl AF, Treyer V, Meyer R, et al. Simultaneous quantitative susceptibility mapping and Flutemetamol-PET suggests local correlation of iron and beta-amyloid as an indicator of cognitive performance at high age. *NeuroImage*. 2018;174:308-16. - 배제사유: 5
1682. Kang K, Yoon U, Hong J, Jeong SY, Ko PW, Lee SW, et al. Amyloid Deposits and Idiopathic Normal-Pressure Hydrocephalus: An ¹⁸F-Florbetaben Study. *European Neurology*. 2018;79(3-4):192-9. - 배제사유: 5
1683. Shokri-Kojori E, Wang GJ, Wiers CE, Demiral SB, Guo M, Kim SW, et al. beta-Amyloid accumulation in the human brain after one night of sleep deprivation. *Proceedings of the National Academy of Sciences of the United States of America*. 2018;115(17):4483-8. - 배제사유: 5
1684. Rolandi E, Cavedo E, Pievani M, Galluzzi S, Ribaldi F, Buckley C, et al. Association of postoperative delirium with markers of neurodegeneration and brain amyloidosis: a pilot study. *Neurobiology of Aging*. 2018;61:93-101. - 배제사유: 5
1685. Wagner D, El Hafci H, Bensidhoum M, Petite H, Bolender Y, Remond Y, et al. Periodontal ligament histology for orthodontic bone remodeling: First quantification. *Journal of Cellular Immunotherapy*. 2018;4(1):41-3. - 배제사유: 5
1686. Baratto L, Park SY, Hatami N, Gulaka P, Vasanawala S, Yohannan TK, et al. ¹⁸F-florbetaben whole-body PET/MRI for evaluation of systemic amyloid deposition. *EJNMMI Research*. 2018;8 (no pagination)(66). - 배제사유: 5
1687. Zhao J, Fan J, Shen H, Yang C, Chen Y, Li M. Characteristics of Cobb angle distribution in the main thoracolumbar/lumbar curve in adolescent idiopathic scoliosis: A retrospective controlled clinical study. *Medicine (United States)*. 2018;97(25) (no pagination)(e11216). - 배제사유: 5

1688. Sundaram GSM, Binz K, Yeung M, Sharma V. Live-cell fluorescence imaging: Assessment of thioflavin T uptake in human epidermal carcinoma cells. *MedChemComm*. 2018;9(6):946-50. - 배제사유: 5
1689. van Bergen JMG, Li X, Quevenco FC, Gietl AF, Treyer V, Leh SE, et al. Low cortical iron and high entorhinal cortex volume promote cognitive functioning in the oldest-old. *Neurobiology of Aging*. 2018;64:68-75. - 배제사유: 5
1690. Boutoleau-Bretonniere C, Pallardy A. Down syndrome with posterior cortical atrophy. *BMJ Case Reports*. 2018;2018 (no pagination)(223108). - 배제사유: 5
1691. McCluskey GE, Yates P, Villemagne VL, Rowe C, Szoeke CEI. Self-reported confusion is related to global and regional beta-amyloid: data from the Women's healthy ageing project. *Brain Imaging and Behavior*. 2018;12(1):78-86. - 배제사유: 5
1692. Kang DW, Choi WH, Jung WS, Um YH, Lee CU, Lim HK. Impact of Amyloid Burden on Regional Functional Synchronization in the Cognitively Normal Older Adults. *Scientific reports*. 2017;7(1):14690. - 배제사유: 5
1693. Liu Q, Wang Y, Zhang Z, Lv H, Qiao Q, Qin Y, et al. Diversity of Sweepviruses Infecting Sweet Potato in China. *Plant disease*. 2017;101(12):2098-103. - 배제사유: 5
1694. Jang H, Park SB, Kim Y, Kim KW, Lee JI, Kim ST, et al. Prognostic value of amyloid PET scan in normal pressure hydrocephalus. *Journal of Neurology*. 2018;265(1):63-73. - 배제사유: 5
1695. Badolato M, Carullo G, Perri M, Cione E, Manetti F, Di Gioia ML, et al. Quercetin/oleic acid-based G-protein-coupled receptor 40 ligands as new insulin secretion modulators. *Future Medicinal Chemistry*. 2017;9(16):1873-85. - 배제사유: 5
1696. Matias-Guiu JA, Cabrera-Martin MN, Cortes-Martinez A, Pytel V, Moreno-Ramos T, Oreja-Guevara C, et al. Amyloid PET in pseudotumoral multiple sclerosis. *Multiple Sclerosis and Related Disorders*. 2017;15:15-7. - 배제사유: 5
1697. Singh J, Khanna S, Ranjan K, Pant RP, Kumar P, Sirohi A, et al. Evidence of association of begomovirus with the yellow vein disease of an ornamental plant pot marigold (*Calendula officinalis*) from western Uttar Pradesh. *Journal of Pure and Applied Microbiology*. 2017;11(3):1609-15. - 배제사유: 5
1698. Linstad EJ, Vavere AL, Hu B, Kempinger JJ, Snyder SE, DiMagno SG. Thermolysis and radiofluorination of diaryliodonium salts derived from anilines. *Organic & biomolecular chemistry*. 2017;15(10):2246-52 - 배제사유: 5
1699. Mehranian A, Belzunce MA, Niccolini F, Politis M, Prieto C, Turkheimer F, et al. PET image reconstruction using multi-parametric anato-functional priors. *Physics in medicine and biology*. 2017;62(15):5975-6007. - 배제사유: 5
1700. Bueno KS, Dallacorte DA, Sprizon GS, Hotz PG, Aragao FA, Bertolini GRF. Comparison of the effects of interferential current between male and female healthy adults. *Scientia Medica*. 2017;27(3) (no pagination)(ID27660). - 배제사유: 5
1701. Lata P, Govindarajan SS, Qi F, Li JL, Maurya SK, Sahoo MK. Draft genome sequences of extended-spectrum-beta-lactamase-producing *Morganella morganii* strains AA1 and AV1, isolated from a freshwater lake and *Eichhornia crassipes* roots. *Genome Announcements*. 2017;5(24) (no pagination)(e00527-17). - 배제사유: 5
1702. De Winter FL, Emsell L, Bouckaert F, Claes L, Jain S, Farrar G, et al. No association of lower Hippocampal volume with Alzheimer's disease pathology in late-life depression. *American Journal of Psychiatry*. 2017;174(3):237-45. - 배제사유: 5
1703. Kushwaha NK, Chakraborty S. Chilli leaf curl virus-based vector for phloem-specific silencing of endogenous genes and overexpression of foreign genes. *Applied Microbiology and Biotechnology*. 2017;101(5):2121-9. - 배제사유: 5

1704. Naghi Shokri A, Ghasemi HA, Taherpour K. Evaluation of Aloe vera and synbiotic as antibiotic growth promoter substitutions on performance, gut morphology, immune responses and blood constituents of broiler chickens. *Animal science journal = Nihon chikusan Gakkaiho*. 2017;88(2):306-13. - 배제사유: 5
1705. Herrmann MM, Barth S, Greve B, Schumann KM, Bartels A, Weissert R. Identification of gene expression patterns crucially involved in experimental autoimmune encephalomyelitis and multiple sclerosis. *DMM Disease Models and Mechanisms*. 2016;9(10):1211-20. - 배제사유: 5
1706. Cattell L, Platsch G, Pfeiffer R, Declerck J, Schnabel JA, Hutton C. Classification of amyloid status using machine learning with histograms of oriented 3D gradients. *NeuroImage: Clinical*. 2016;12:990-1003. - 배제사유: 5
1707. Oh H, Steffener J, Razlighi QR, Habeck C, Stern Y. beta-amyloid deposition is associated with decreased right prefrontal activation during task switching among cognitively normal elderly. *Journal of Neuroscience*. 2016;36(6):1962-70. - 배제사유: 5
1708. Law WP, Wang WYS, Moore PT, Mollie PN, Ng ACT. Cardiac amyloid imaging with ¹⁸F-Florbetaben PET: A pilot study. *Journal of Nuclear Medicine*. 2016;57(11):1733-9. - 배제사유: 5
1709. Adamczuk K, De Weer AS, Nelissen N, Dupont P, Sunaert S, Bettens K, et al. Functional Changes in the Language Network in Response to Increased Amyloid beta Deposition in Cognitively Intact Older Adults. *Cerebral Cortex*. 2016;26(1):358-73. - 배제사유: 5
1710. Del Rosso JQ. Topical and oral antibiotics for acne vulgaris. *Seminars in Cutaneous Medicine and Surgery*. 2016;35(2):57-61. - 배제사유: 5
1711. Matias-Guiu JA, Pytel V, Cabrera-Martin MN, Galan L, Valles-Salgado M, Guerrero A, et al. Amyloid- and FDG-PET imaging in amyotrophic lateral sclerosis. *European Journal of Nuclear Medicine and Molecular Imaging*. 2016;43(11):2050-60. - 배제사유: 5
1712. Marcatili S, Villoing D, Mauxion T, McParland BJ, Bardies M. Model-based versus specific dosimetry in diagnostic context: Comparison of three dosimetric approaches. *Medical Physics*. 2015;42(3):1288-96. - 배제사유: 5
1713. Spatzal T, Perez KA, Howard JB, Rees DC. Catalysis-dependent selenium incorporation and migration in the nitrogenase active site iron-molybdenum cofactor. *eLife*. 2015;4(DECEMBER2015) (no pagination)(e11620). - 배제사유: 5
1714. Ntui VO, Kong K, Khan RS, Igawa T, Janavi GJ, Rabindran R, et al. Resistance to Sri Lankan cassava mosaic virus (SLCMV) in genetically engineered cassava cv. KU50 through RNA silencing. *PLoS ONE*. 2015;10(4) (no pagination)(e0120551). - 배제사유: 5
1715. Pierrot N, Lhommel R, Quenon L, Hanseeuw B, Dricot L, Sindic C, et al. Targretin improves cognitive and biological markers in a patient with Alzheimer's disease. *Journal of Alzheimer's Disease*. 2015;49(2):271-6. - 배제사유: 5
1716. Ivanoiu A, Dricot L, Gilis N, Grandin C, Lhommel R, Quenon L, et al. Classification of non-demented patients attending a memory clinic using the new diagnostic criteria for Alzheimer's disease with disease-related biomarkers. *Journal of Alzheimer's Disease*. 2015;43(3):835-47. - 배제사유: 5
1717. Oh H, Steffener J, Razlighi QR, Habeck C, Liu D, Gazes Y, et al. Abeta-related hyperactivation in frontoparietal control regions in cognitively normal elderly. *Neurobiology of Aging*. 2015;36(12):3247-54. - 배제사유: 5
1718. Senda M, Sasaki M, Yamane T, Shimizu K, Patt M, Barthel H, et al. Ethnic comparison of pharmacokinetics of ¹⁸F-florbetaben, a PET tracer for beta-amyloid imaging, in healthy Caucasian and Japanese subjects. *European Journal of Nuclear Medicine and Molecular Imaging*. 2015;42(1):89-96. - 배제사유: 5

1719. Matias-Guiu JA, Cabrera-Martin MN, Matias-Guiu J, Oreja-Guevara C, Riola-Parada C, Moreno-Ramos T, et al. Amyloid PET imaging in multiple sclerosis: An ¹⁸F-florbetaben study. *BMC Neurology*. 2015;15(1) (no pagination)(243). - 배제사유: 5
1720. Senda M, Brooks DJ, Farrar G, Somer EJ, Paterson CL, Sasaki M, et al. The clinical safety, biodistribution and internal radiation dosimetry of flutemetamol (¹⁸F) injection in healthy Japanese adult volunteers. *Annals of Nuclear Medicine*. 2015;29(7):627-35. - 배제사유: 5
1721. Kunz M. A comparison of analysis procedures for correlated binary data in dedicated multi-rater imaging trials. *Pharmaceutical Statistics*. 2015;14(1):34-43. - 배제사유: 5
1722. Jennings D, Seibyl J, Sabbagh M, Lai F, Hopkins W, Bullich S, et al. Age dependence of brain b-amyloid deposition in Down syndrome: An [¹⁸F]florbetaben PET study. *Neurology*. 2015;84(5):500-7. - 배제사유: 5
1723. Adamczuk K, Schaefferbeke J, Vanderstichele HMJ, Lilja J, Nelissen N, Van Laere K, et al. Diagnostic value of cerebrospinal fluid Abeta ratios in preclinical Alzheimer's disease. *Alzheimer's Research and Therapy*. 2015;7(1) (no pagination)(75). - 배제사유: 5
1724. Giuliani C, Agostinelli A, Fioretti S, Nardo FD, Burattini L. Abnormal repolarization in the acute myocardial infarction patients: A frequency-based characterization. *Open Biomedical Engineering Journal*. 2015;8:42-51. - 배제사유: 5
1725. Foster NL, Hackett JSM, White G, Chenevert S, Svarvar P, Bain L, et al. Justifying reimbursement for Alzheimer's diagnostics and treatments: Seeking alignment on evidence. *Alzheimer's and Dementia*. 2014;10(4):503-8. - 배제사유: 5
1726. Challener CA. Fda approves novel treatments in 2014. *Pharmaceutical Technology*. 2014;38(12):28-31. - 배제사유: 5
1727. Reddy DS. Novel drugs and new chemical entities in 2013. *Pharma Times*. 2014;46(6):20-2. - 배제사유: 5
1728. Kim E, Howes OD, Kapur S. Molecular imaging as a guide for the treatment of central nervous system disorders. *Dialogues in Clinical Neuroscience*. 2013;15(3):315-28. - 배제사유: 5
1729. Adamczuk K, De Weer AS, Nelissen N, Chen K, Slegers K, Bettens K, et al. Polymorphism of brain derived neurotrophic factor influences beta amyloid load in cognitively intact apolipoprotein e epsilon4 carriers. *NeuroImage: Clinical*. 2013;2(1):512-20. - 배제사유: 5
1730. Eberling JL, Dave KD, Frasier MA. alpha-synuclein imaging: A critical need for parkinson's disease research. *Journal of Parkinson's Disease*. 2013;3(4):565-7. - 배제사유: 5
1731. Bucarechi F, De Capitani EM, Branco MM, Fernandes LCR, Hyslop S. Coagulopathy as the main systemic manifestation after envenoming by a juvenile South American rattlesnake (*Crotalus durissus terrificus*): Case report. *Clinical Toxicology*. 2013;51(6):505-8. - 배제사유: 5
1732. Charoensak A, Nantavithya P, Apisarnthanarak P. Abdominal CT findings to distinguish between tuberculous peritonitis and peritoneal carcinomatosis. *Journal of the Medical Association of Thailand*. 2012;95(11):1449-56. - 배제사유: 5
1733. Harachand S. CMOs get spirited on discovery models. *Contract Pharma*. 2012(pagination). - 배제사유: 5
1734. Downes BJ, Lancaster J. Does dispersal control population densities in advection-dominated systems? A fresh look at critical assumptions and a direct test. *Journal of Animal Ecology*. 2010;79(1):235-48. - 배제사유: 5
1735. Santos LL, Fonseca CG, Starling ALP, Januario JN, Aguiar MJB, Peixoto MGCD, et al. Variations in genotype-phenotype correlations in phenylketonuria patients. *Genetics and Molecular*

Research. 2010;9(1):1-8. - 배제사유: 5

1736. Mittag D, Batori V, Neudecker P, Wiche R, Friis EP, Ballmer-Weber BK, et al. A novel approach for investigation of specific and cross-reactive IgE epitopes on Bet v 1 and homologous food allergens in individual patients. *Molecular Immunology*. 2006;43(3):268-78. - 배제사유: 5
1737. Schmidt C, Theilmeier G, Van Aken H, Flottmann C, Wirtz SP, Kehl HG, et al. Effective systolic orifice area of the aortic valve: Implications for Doppler echocardiographic cardiac output determinations. *Acta Anaesthesiologica Scandinavica*. 2005;49(8):1135-41. - 배제사유: 5
1738. Shivaprasad PV, Akbergenov R, Trinks D, Rajeswaran R, Veluthambi K, Hohn T, et al. Promoters, transcripts, and regulatory proteins of Mungbean yellow mosaic geminivirus. *Journal of Virology*. 2005;79(13):8149-63. - 배제사유: 5
1739. Van Gelder BM, Bracke FA, Meijer A, Pijls NHJ. The hemodynamic effect of intrinsic conduction during left ventricular pacing as compared to biventricular pacing. *Journal of the American College of Cardiology*. 2005;46(12):2305-10. - 배제사유: 5
1740. Ballmer-Weber BK, Scheurer S, Fritsche P, Enrique E, Cistero-Bahima A, Haase T, et al. Component-resolved diagnosis with recombinant allergens in patients with cherry allergy. *Journal of Allergy and Clinical Immunology*. 2002;110(1):167-73. - 배제사유: 5
1741. Gamagami R, Istvan G, Cabarrot P, Liagre A, Chiotasso P, Lazorthes F. Fecal continence following partial resection of the anal canal in distal rectal cancer: Long-term results after coloanal anastomoses. *Surgery*. 2000;127(3):291-5. - 배제사유: 5
1742. Petersson E, Qi Z, Hedlund G, Ekberg H. Activation of donor-specific CTL in a tolerant recipient of cardiac allograft. *Cellular Immunology*. 1998;189(1):19-24. - 배제사유: 5
1743. Ulug AM, Beauchamp Jr N, Bryan RN, Van Zijl PCM. Absolute quantitation of diffusion constants in human stroke. *Stroke*. 1997;28(3):483-90. - 배제사유: 5
1744. Ueda Y, Kawai H, Adachi K, Naruo T, Saito S. Cardiac dysfunction in female gene carriers of Duchenne muscular dystrophy. *Clinical Neurology*. 1996;35(11):1191-8. - 배제사유: 5
1745. Gotoh T, Kuroda T, Yamasawa M, Nishinaga M, Mitsunashi T, Seino Y, et al. Correlation between lipoprotein(a) and aortic valve sclerosis assessed by echocardiography (the JMS cardiac echo and cohort study). *American Journal of Cardiology*. 1995;76(12):928-32. - 배제사유: 5
1746. Leuenberger M, Feigenwinter P, Zbinden AM. Gas leakage in eight anaesthesia circle systems. *European Journal of Anaesthesiology*. 1992;9(2):121-7. - 배제사유: 5
1747. Zbinden AM, Feigenwinter P, Hutmacher M. Fresh gas utilization of eight circle systems. *British Journal of Anaesthesia*. 1991;67(4):492-9. - 배제사유: 5
1748. Ohe T, Konoe A, Shimizu A, Daikoku S, Kamakura S, Matsuhisa M, et al. Differentiation between late potentials of right ventricular and of left ventricular origin. *American Journal of Cardiology*. 1989;64(1):37-41. - 배제사유: 5
1749. Robertson DH, Laing A. A trigger for the philips AV1 ventilator. *Anaesthesia*. 1977;32(4):353-4. - 배제사유: 5
1750. Andreasen F, Jakobsen P. Determination of furosemide in blood plasma and its binding to proteins in normal plasma and in plasma from patients with acute renal failure. *Acta Pharmacologica et Toxicologica*. 1974;35(1):49-57. - 배제사유: 5
1751. Chylinski DO, Van Egroo M, Narbutas J, Grignard M, Koshmanova E, Berthomier C, et al. Heterogeneity in the links between sleep arousals, amyloid-beta and cognition. *Jci Insight*. 2021;16:16. - 배제사유: 5
1752. Sperry BW, Bock A, DiFilippo FP, Donnelly JP, Hanna M, Jaber WA. Pilot Study of F18-Florbetapir in the Early Evaluation of Cardiac Amyloidosis. *Frontiers in Cardiovascular Medicine*. 2021;8:693194. - 배제사유: 5

1753. Weibel M, Nielsen MKF, Topperzer MK, Hammer NM, Moller SW, Schmiegelow K, et al. Back to school with telepresence robot technology: A qualitative pilot study about how telepresence robots help school-aged children and adolescents with cancer to remain socially and academically connected with their school classes during treatment. *Nursing Open*. 2020;7(4):988-97. - 배제사유: 5
1754. Law WP, Wang WY, Moore PT, Mollee PN, Ng AC. Cardiac Amyloid Imaging with 18F-Florbetaben PET: A Pilot Study. *Journal of Nuclear Medicine*. 2016;57(11):1733-9. - 배제사유: 5
1755. Wu N, Chen Y, Yu X, Li M, Wen W, Sun X. Changes in Corneal Biomechanical Properties after Long-Term Topical Prostaglandin Therapy. *PLoS ONE [Electronic Resource]*. 2016;11(5):e0155527. - 배제사유: 5
1756. Lhommel R, Sempoux C, Ivanoiu A, Michaux L, Gerber B. Is 18F-flutemetamol PET/CT able to reveal cardiac amyloidosis? *Clinical Nuclear Medicine*. 2014;39(8):747-9. - 배제사유: 5
1757. van Gelder BM, Bracke FA, Meijer A, Pijls NH. The hemodynamic effect of intrinsic conduction during left ventricular pacing as compared to biventricular pacing. *Journal of the American College of Cardiology*. 2005;46(12):2305-10. - 배제사유: 5
1758. Schirmer T, Hoffmann-Sommergrube K, Susani M, Breiteneder H, Markovic-Housley Z. Crystal structure of the major celery allergen Api g 1: molecular analysis of cross-reactivity. *Journal of Molecular Biology*. 2005;351(5):1101-9. - 배제사유: 5
1759. Kampinga GA, Simonon A, Van de Perre P, Karita E, Msellati P, Goudsmit J. Primary infections with HIV-1 of women and their offspring in Rwanda: findings of heterogeneity at seroconversion, coinfection, and recombinants of HIV-1 subtypes A and C. *Virology*. 1997;227(1):63-76. - 배제사유: 5
1760. Gotoh T, Kuroda T, Yamasawa M, Nishinaga M, Mitsunashi T, Seino Y, et al. Correlation between lipoprotein(a) and aortic valve sclerosis assessed by echocardiography (the JMS Cardiac Echo and Cohort Study). *American Journal of Cardiology*. 1995;76(12):928-32. - 배제사유: 5
1761. Leijten DT, Reijger VS, Mouton RP. Bacterial contamination and the effect of filters in anaesthetic circuits in a simulated patient model. *Journal of Hospital Infection*. 1992;21(1):51-60. - 배제사유: 5
1762. Jprn U. Establishment of a (18)F-florbetaben PET normative database of Japanese nondemented subjects and its application to detection of early cortical amyloid deposition. <https://trialsearchwho.int/Trial2.aspx?TrialID=JPRN-UMIN000025420>. 2016. - 배제사유: 5
1763. Nct. Brain Amyloid- Retention During Wakefulness and Following Emergence From Sleep in Healthy People. <https://clinicaltrials.gov/show/NCT02669225>. 2016. - 배제사유: 5
1764. Taesik Y, Ji-Houn K, Mhan-Pyo Y, Byeong-Teck K. Physiologic Uptake of 18F-Flutemetamol in Canine Brain with Positron Emission Tomography. *한국임상수의학회 학술대회논문집*. 2019;2019(5):2- - 배제사유: 5
1765. Kang H, Kim W-G, Yang G-S, Kim H-W, Jeong J-E, Yoon H-J, et al. VGG-based BAPL Score Classification of 18F-Florbetaben Amyloid Brain PET. *Biomedical science letters = 대한의생명과학회지*. 2018;24(4):418-25 - 배제사유: 5
1766. Um YH, Choi WH, Jung WS, Park YH, Lee C-U, Lim HK. Whole brain voxel-wise analysis of cerebral retention of Beta-amyloid in cognitively normal older adults using 18F-florbetaben. *Psychiatry investigation*. 2017;14(6):883. - 배제사유: 5
1767. Kim JS, Lee GB, Hong YJ, Park KW. Corticobasal degeneration presenting as non-fluent/agrammatic primary progressive aphasia: a case report. *Dementia and Neurocognitive Disorders*. 2016;15(2):55-8. - 배제사유: 5
1768. Um YH, Kim T-W, Jeong J-H, Seo H-J, Han J-H, Hong S-C, et al. Visual Hallucinations and Amyloid Deposition in Parkinson's Disease Dementia: A Case Report. *Psychiatry Investigation*.

2016;13(3):364. - 배제사유: 5

1769. Liu Y, Yue L, Xiao S, Yang W, Shen D, Liu M. Assessing clinical progression from subjective cognitive decline to mild cognitive impairment with incomplete multi-modal neuroimages. *Medical Image Analysis*. 2022;75 (no pagination)(102266). - 배제사유: 6
1770. Choi BW, Kang S, Kim HW, Kwon OD, Vu HD, Youn SW. Faster region-based convolutional neural network in the classification of different parkinsonism patterns of the striatum on maximum intensity projection images of [¹⁸F]FP-CIT positron emission tomography. *Diagnostics*. 2021;11(9) (no pagination)(1557). - 배제사유: 6
1771. Lisova K, Wang J, Hajagos TJ, Lu Y, Hsiao A, Elizarov A, et al. Economical droplet-based microfluidic production of [¹⁸F]FET and [¹⁸F]Florbetaben suitable for human use. *Scientific reports*. 2021;11(1):20636. - 배제사유: 6
1772. Kim HR, Jung SH, Kim J, Jang H, Kang SH, Hwangbo S, et al. Identifying novel genetic variants for brain amyloid deposition: a genome-wide association study in the Korean population. *Alzheimer's Research and Therapy*. 2021;13(1) (no pagination)(117). - 배제사유: 6
1773. Kim SH, Choi KY, Park Y, McLean C, Park J, Lee JH, et al. Enhanced expression of microRNA-1273g-3p contributes to alzheimer's disease pathogenesis by regulating the expression of mitochondrial genes. *Cells*. 2021;10(10) (no pagination)(2697). - 배제사유: 6
1774. Song M, Beyer L, Kaiser L, Barthel H, van Eimeren T, Marek K, et al. Binding characteristics of [¹⁸F]PI-2620 distinguish the clinically predicted tau isoform in different tauopathies by PET. *Journal of Cerebral Blood Flow and Metabolism*. 2021;41(11):2957-72. - 배제사유: 6
1775. Ponsiglione A, Ascione R, Nappi C, Imbriaco M, Klain M, Cuocolo R, et al. Cardiac hybrid imaging: Novel tracers for novel targets. *Journal of Geriatric Cardiology*. 2021;18(9):748-58. - 배제사유: 6
1776. Lee ES, Youn H, Hyung WSW, Suh S, Han CE, Eo JS, et al. The effects of cerebral amyloidopathy on regional glucose metabolism in older adults with depression and mild cognitive impairment while performing memory tasks. *European Journal of Neuroscience*. 2021;54(7):6663-72. - 배제사유: 6
1777. Narbutas J, Chylinski D, Van Egroo M, Bahri MA, Koshmanova E, Besson G, et al. Positive Effect of Cognitive Reserve on Episodic Memory, Executive and Attentional Functions Taking Into Account Amyloid-Beta, Tau, and Apolipoprotein E Status. *Frontiers in Aging Neuroscience*. 2021;13 (no pagination)(666181). - 배제사유: 6
1778. Pegueroles J, Montal V, Bejanin A, Vilaplana E, Aranha M, Santos-Santos MA, et al. AMYQ: An index to standardize quantitative amyloid load across PET tracers. *Alzheimer's and Dementia*. 2021;17(9):1499-508. - 배제사유: 6
1779. Hestad KA, Engedal K, Selbaek G, Strand BH. Blood pressure in dementia, mild cognitive impairment, and subjective cognitive decline related to time of death. *Brain and Behavior*. 2021;11(7) (no pagination)(e02166). - 배제사유: 6
1780. Harada R, Okamura N, Furumoto S, Yanai K. Imaging protein misfolding in the brain using beta-sheet ligands. *Frontiers in Neuroscience*. 2018;12(AUG) (no pagination)(585). - 배제사유: 6
1781. Joo SH, Lee CU. Cerebral amyloid positivity prediction models using clinical data in subjects with mild cognitive impairment and dementia. *Psychiatry Investigation*. 2021;18(9):864-70. - 배제사유: 6
1782. Rodrigo-Herrero S, Luque-Tirado A, Mendez-Barrío C, Garcia-Solis D, Bernal Sanchez-Arjona M, Oropesa-Ruiz JM, et al. TMA-93 Validation by Alzheimer's Disease Biomarkers: A Comparison with the Free and Cued Selective Reminding Test on a Biobank Sample. *Journal of Alzheimer's Disease*. 2021;82(1):401-10. - 배제사유: 6

1783. Lee HJ, Lee EC, Seo S, Ko KP, Kang JM, Kim WR, et al. Identification of Heterogeneous Subtypes of Mild Cognitive Impairment Using Cluster Analyses Based on PET Imaging of Tau and Astrogliosis. *Frontiers in Aging Neuroscience*. 2020;12 (no pagination)(615467). - 배제사유: 6
1784. Koike H, Okumura T, Murohara T, Katsuno M. Multidisciplinary Approaches for Transthyretin Amyloidosis. *Cardiology and Therapy*. 2021;10(2):289-311. - 배제사유: 6
1785. Brickman AM, Manly JJ, Honig LS, Sanchez D, Reyes-Dumeyer D, Lantigua RA, et al. Plasma p-tau181, p-tau217, and other blood-based Alzheimer's disease biomarkers in a multi-ethnic, community study. *Alzheimer's and Dementia*. 2021;17(8):1353-64. - 배제사유: 6
1786. Palleis C, Brendel M, Finze A, Weidinger E, Botzel K, Danek A, et al. Cortical [¹⁸F]PI-2620 Binding Differentiates Corticobasal Syndrome Subtypes. *Movement Disorders*. 2021;36(9):2104-15. - 배제사유: 6
1787. Nascimento FAO, Trabuco MH, Macchiavello B, Gusmao DB, Costa MVC. Improved two-dimensional dynamic S-EMG Signal compression with robust automatic segmentation. *Biomedical Signal Processing and Control*. 2021;68 (no pagination)(102578). - 배제사유: 6
1788. Alabi OJ, Diaz-Lara A, Erickson TM, Al Rwahnih M. *Olea europaea* geminivirus is present in a germplasm repository and in California and Texas olive (*Olea europaea* L.) groves. *Archives of virology*. 2021;21. - 배제사유: 6
1789. Bacchin R, Salgarello M, Trentin M, Zanette G, Tamburin S. Brain [¹⁸F]-FDG and [¹⁸F]-Flumetamol PET Imaging of Fragile X-Associated Tremor Ataxia Syndrome. *Clinical Nuclear Medicine*. 2021;46(7):E344-E6. - 배제사유: 6
1790. Jabbarvand M, Moravvej Z, Shahraki K, Hashemian H, Ghasemi H, Berijani S, et al. Corneal biomechanical outcome of collagen cross-linking in keratoconic patients evaluated by Corvis ST. *European Journal of Ophthalmology*. 2021;31(4):1577-83. - 배제사유: 6
1791. Li W, Uppal D, Wang YC, Xu X, Kokkinidis DG, Travin MI, et al. Nuclear imaging for the diagnosis of cardiac amyloidosis in 2021. *Diagnostics*. 2021;11(6) (no pagination)(996). - 배제사유: 6
1792. Kang DW, Wang SM, Kim TY, Kim D, Na HR, Kim NY, et al. Impact of transcranial direct current stimulation on cognitive function, brain functional segregation, and integration in patients with mild cognitive impairment according to amyloid-beta deposition and apoe epsilon4-allele: A pilot study. *Brain Sciences*. 2021;11(6) (no pagination)(772). - 배제사유: 6
1793. Banks SJ, Andrews MJ, Digma L, Madsen J, Reas ET, Caldwell JZK, et al. Sex differences in Alzheimer's disease: do differences in tau explain the verbal memory gap? *Neurobiology of Aging*. 2021;107:70-7. - 배제사유: 6
1794. Jeong HJ, Lee H, Lee SY, Seo S, Park KH, Lee YB, et al. [¹⁸F]THK5351 PET imaging in patients with mild cognitive impairment. *Journal of Clinical Neurology (Korea)*. 2020;16(2):202-14. - 배제사유: 6
1795. Jeyaseelan TC, De Costa DM, Shaw MW. Two different begomovirus species are associated with yellow vein mosaic disease of okra in Sri Lanka. *Molecular Biology Reports*. 2021;48(2):1383-91. - 배제사유: 6
1796. Cucciniello R, Raia L, Vasca E. Air quality evaluation during COVID-19 in Southern Italy: the case study of Avellino city. *Environmental Research*. 2022;203 (no pagination)(111803). - 배제사유: 6
1797. Fowler C, Rainey-Smith SR, Bird S, Bomke J, Bourgeat P, Brown BM, et al. Fifteen Years of the Australian Imaging, Biomarkers and Lifestyle (AIBL) Study: Progress and Observations from 2,359 Older Adults Spanning the Spectrum from Cognitive Normality to Alzheimer's Disease. *Journal of Alzheimer's Disease Reports*. 2021;5(1):443-68. - 배제사유: 6
1798. Zou J, Tao S, Johnson A, Tomljanovic Z, Polly K, Klein J, et al. Microglial activation, but not tau pathology, is independently associated with amyloid positivity and memory impairment.

- Neurobiology of Aging. 2020;85:11-21. - 배제사유: 6
1799. Kang SH, Park YH, Kim JP, Kim JS, Kim CH, Jang H, et al. Cortical neuroanatomical changes related to specific neuropsychological deficits in subcortical vascular cognitive impairment. *NeuroImage: Clinical*. 2021;30 (no pagination)(102685). - 배제사유: 6
1800. Babapour Mofrad R, Scheltens P, Kim SY, Kang S, Youn YC, An SSA, et al. Plasma amyloid-beta oligomerization assay as a pre-screening test for amyloid status. *Alzheimer's Research and Therapy*. 2021;13(1) (no pagination)(133). - 배제사유: 6
1801. Ossenkoppele R, Reimand J, Smith R, Leuzy A, Strandberg O, Palmqvist S, et al. Tau PET correlates with different Alzheimer's disease-related features compared to CSF and plasma p-tau biomarkers. *EMBO Molecular Medicine*. 2021;13(8) (no pagination)(e14398). - 배제사유: 6
1802. No HJ, Yi HA, Won KS, Chang HW, Kim HW. Association between white matter lesions and the cerebral glucose metabolism in patients with cognitive impairment. *Revista Espanola de Medicina Nuclear e Imagen Molecular*. 2019;38(3):160-6. - 배제사유: 6
1803. Carpenter JS, Mehta RI, Haut MW, Ranjan M, Najib U, Lockman P, et al. Blood-brain barrier opening with MRI-guided focused ultrasound elicits meningeal venous permeability in humans with early Alzheimer disease. *Radiology*. 2021;298(3):654-62. - 배제사유: 6
1804. Klink J. A Method of Codec Comparison and Selection for Good Quality Video Transmission Over Limited-Bandwidth Networks. *Sensors*. 2021;21(13). - 배제사유: 6
1805. Palhaugen L, Sudre CH, Tecelao S, Nakling A, Almdahl IS, Kalheim LF, et al. Brain amyloid and vascular risk are related to distinct white matter hyperintensity patterns. *Journal of Cerebral Blood Flow and Metabolism*. 2021;41(5):1162-74. - 배제사유: 6
1806. Gardener SL, Weinborn M, Sohrabi HR, Doecke JD, Bourgeat P, Rainey-Smith SR, et al. Longitudinal Trajectories in Cortical Thickness and Volume Atrophy: Superior Cognitive Performance Does Not Protect against Brain Atrophy in Older Adults. *Journal of Alzheimer's Disease*. 2021;81(3):1039-52. - 배제사유: 6
1807. Bagyinszky E, Youn YC, An SSA, Kim S. Diagnostic methods and biomarkers for alzheimer's disease. *Toxicology and Environmental Health Sciences*. 2014;6(3):133-47. - 배제사유: 6
1808. Son HJ, Oh JS, Roh JH, Seo SW, Oh M, Lee SJ, et al. Differences in gray and white matter ¹⁸F-THK5351 uptake between behavioral-variant frontotemporal dementia and other dementias. *European Journal of Nuclear Medicine and Molecular Imaging*. 2019;46(2):357-66 - 배제사유: 6
1809. Salvado G, Mila-Aloma M, Shekari M, Minguillon C, Fauria K, Ninerola-Baizan A, et al. Cerebral amyloid-beta load is associated with neurodegeneration and gliosis: Mediation by p-tau and interactions with risk factors early in the Alzheimer's continuum. *Alzheimer's and Dementia*. 2021;17(5):788-800. - 배제사유: 6
1810. Lee H, Seo S, Lee SY, Jeong HJ, Woo SH, Lee KM, et al. [¹⁸F]-THK5351 PET Imaging in Patients with Semantic Variant Primary Progressive Aphasia. *Alzheimer Disease and Associated Disorders*. 2018;32(1):62-9. - 배제사유: 6
1811. Baik K, Yang JJ, Jung JH, Lee YH, Chung SJ, Yoo HS, et al. Structural connectivity networks in Alzheimer's disease and Lewy body disease. *Brain and Behavior*. 2021;11(5) (no pagination)(e02112). - 배제사유: 6
1812. Lee JH, Ahn SY, Lee HA, Won KS, Chang HW, Oh JS, et al. Dietary intake of pantothenic acid is associated with cerebral amyloid burden in patients with cognitive impairment. *Food and Nutrition Research*. 2018;62 (no pagination)(1415). - 배제사유: 6
1813. Suhy J. Task force on alzheimer's disease trial methodology: Recruitment and retention, data management and analysis. the use of imaging in recruitment: Maintenance and methodological issues in Alzheimer's trials. *Journal of Nutrition, Health and Aging*. 2012;16(4):349-51. - 배제사유:

1814. Aksnes M, Aass HCD, Tiiman A, Edwin TH, Terenius L, Bogdanovic N, et al. Associations of cerebrospinal fluid amyloidogenic nanoplaques with cytokines in Alzheimer's disease. *Translational Neurodegeneration*. 2021;10(1) (no pagination)(18). - 배제사유: 6
1815. Frey KA, Petrou M. Imaging amyloidopathy in Parkinson disease and parkinsonian dementia syndromes. *Clinical and Translational Imaging*. 2015;3(1):57-64. - 배제사유: 6
1816. Planche V, Bouteloup V, Mangin JF, Dubois B, Delrieu J, Pasquier F, et al. Clinical relevance of brain atrophy subtypes categorization in memory clinics. *Alzheimer's and Dementia*. 2021;17(4):641-52. - 배제사유: 6
1817. Franzmeier N, Rubinski A, Neitzel J, Kim Y, Damm A, Na DL, et al. Functional connectivity associated with tau levels in ageing, Alzheimer's, and small vessel disease. *Brain*. 2019;142(4):1093-107. - 배제사유: 6
1818. Gasca-Salas C, Fernandez-Rodriguez B, Pineda-Pardo JA, Rodriguez-Rojas R, Obeso I, Hernandez-Fernandez F, et al. Blood-brain barrier opening with focused ultrasound in Parkinson's disease dementia. *Nature Communications*. 2021;12(1) (no pagination)(779). - 배제사유: 6
1819. Hoiland-Carlsen PF, Barrio JR, Werner TJ, Newberg A, Alavi A. Amyloid Hypothesis: The Emperor's New Clothes? *Journal of Alzheimer's Disease*. 2020;78(4):1363-6. - 배제사유: 6
1820. Moon S, Kim S, Mankhong S, Choi SH, Vandijck M, Kostanjevecki V, et al. Alzheimer's cerebrospinal biomarkers from Lumipulse fully automated immunoassay: concordance with amyloid-beta PET and manual immunoassay in Koreans: CSF AD biomarkers measured by Lumipulse in Koreans. *Alzheimer's Research and Therapy*. 2021;13(1) (no pagination)(22). - 배제사유: 6
1821. Krombach GA, Schmitz-Rode T, Prescher A, DiMartino E, Weidner J, Gunther RW. The petromastoid canal on computed tomography. *European Radiology*. 2002;12(11):2770-5. - 배제사유: 6
1822. Goozee K, Chatterjee P, James I, Shen K, Sohrabi HR, Asih PR, et al. Alterations in erythrocyte fatty acid composition in preclinical Alzheimer's disease. *Scientific reports*. 2017;7(1):676. - 배제사유: 6
1823. Konijnenberg E, Tomassen J, den Braber A, ten Kate M, Yaqub M, Mulder SD, et al. Onset of Preclinical Alzheimer Disease in Monozygotic Twins. *Annals of Neurology*. 2021;89(5):987-1000. - 배제사유: 6
1824. Almdahl IS, Lauridsen C, Selnes P, Kalheim LF, Coello C, Gajdzik B, et al. Cerebrospinal fluid levels of amyloid beta 1-43 mirror 1-42 in relation to imaging biomarkers of Alzheimer's disease. *Frontiers in Aging Neuroscience*. 2017;9(FEB) (no pagination)(9). - 배제사유: 6
1825. Hanseeuw B, Dricot L, Lhommel R, Quenon L, Ivanoiu A. Patients with Amyloid-Negative Mild Cognitive Impairment have Cortical Hypometabolism but the Hippocampus is Preserved. *Journal of Alzheimer's Disease*. 2016;53(2):651-60. - 배제사유: 6
1826. Riscart-Lopez J, Rendeiro-Pinho G, Mil-Homens P, Soares-daCosta R, Loturco I, Pareja-Blanco F, et al. Effects of Four Different Velocity-Based Training Programming Models on Strength Gains and Physical Performance. *Journal of strength and conditioning research*. 2021;35(3):596-603. - 배제사유: 6
1827. Mautalen C, Reyes HR, Ghiringhelli G, Fromm G. Cortical bone mineral content in primary hyperparathyroidism. Changes after parathyroidectomy. *Acta Endocrinologica*. 1986;111(4):494-7. - 배제사유: 6
1828. Villemagne VL, Barkhof F, Garibotto V, Landau SM, Nordberg A, van Berckel BNM. Molecular imaging approaches in dementia. *Radiology*. 2021;298(3):517-30. - 배제사유: 6

1829. Vivash L, Malpas CB, Churilov L, Walterfang M, Brodtmann A, Piguet O, et al. A study protocol for a phase II randomised, double-blind, placebo-controlled trial of sodium selenate as a disease-modifying treatment for behavioural variant frontotemporal dementia. *BMJ Open*. 2020;10(11) (no pagination)(040100). - 배제사유: 6
1830. Crocco E, Curiel-Cid RE, Kitaigorodsky M, Gonzalez-Jimenez CJ, Zheng D, Duara R, et al. A Brief Version of the LASSI-L Detects Prodromal Alzheimer's Disease States. *Journal of Alzheimer's Disease*. 2020;78(2):789-99. - 배제사유: 6
1831. Ravona-Springer R, Sharvit-Ginon I, Ganmore I, Greenbaum L, Bendlin BB, Sternberg SA, et al. The Israel Registry for Alzheimer's Prevention (IRAP) Study: Design and Baseline Characteristics. *Journal of Alzheimer's Disease*. 2020;78(2):777-88. - 배제사유: 6
1832. Wang J, van Dam RM. High-Efficiency Production of Radiopharmaceuticals via Droplet Radiochemistry: A Review of Recent Progress. *Molecular Imaging*. 2020;19(no pagination). - 배제사유: 6
1833. Boeve BF. Mild cognitive impairment associated with underlying Alzheimer's disease versus Lewy body disease. *Parkinsonism and Related Disorders*. 2012;18(SUPPL. 1):S41-S4. - 배제사유: 6
1834. Jeong YJ, Park HS, Jeong JE, Yoon HJ, Jeon K, Cho K, et al. Restoration of amyloid PET images obtained with short-time data using a generative adversarial networks framework. *Scientific reports*. 2021;11(1):4825. - 배제사유: 6
1835. Shanley A, Goodman I, Khosravani N, Cicilioni K. Evaluating patients with cognitive changes: A new imaging option. *Consultant*. 2015;55(1):14-8. - 배제사유: 6
1836. Montandon ML, Herrmann FR, Garibotto V, Rodriguez C, Haller S, Giannakopoulos P. Microbleeds and Medial Temporal Atrophy Determine Cognitive Trajectories in Normal Aging: A Longitudinal PET-MRI Study. *Journal of Alzheimer's Disease*. 2020;77(4):1431-42. - 배제사유: 6
1837. Sumit, Kumar A, Mishra AK. Advancement in pharmacological activities of benzothiazole and its derivatives: An up to date review. *Mini-Reviews in Medicinal Chemistry*. 2021;21(3):314-25. - 배제사유: 6
1838. Busby PA, Tong YC, Clark GM. Underlying structure of auditory-visual consonant perception by hearing-impaired children and the influences of syllabic compression. *Journal of Speech and Hearing Research*. 1988;31(2):156-65. - 배제사유: 6
1839. Janelidze S, Berron D, Smith R, Strandberg O, Proctor NK, Dage JL, et al. Associations of Plasma Phospho-Tau217 Levels with Tau Positron Emission Tomography in Early Alzheimer Disease. *JAMA Neurology*. 2021;78(2):149-56. - 배제사유: 6
1840. Ni R, Gillberg PG, Bergfors A, Marutle A, Nordberg A. Amyloid tracers detect multiple binding sites in Alzheimer's disease brain tissue. *Brain*. 2013;136(7):2217-27. - 배제사유: 6
1841. Schroeter ML, Albrecht F, Ballarini T, Leuthold D, Legler A, Hartwig S, et al. Capgras Delusion in Posterior Cortical Atrophy-A Quantitative Multimodal Imaging Single Case Study. *Frontiers in Aging Neuroscience*. 2020;12 (no pagination)(133). - 배제사유: 6
1842. Barker W, Quinonez C, Greig MT, Behar R, Chirinos C, Rodriguez RA, et al. Utility of Plasma Neurofilament Light in the 1Florida Alzheimer's Disease Research Center (ADRC). *Journal of Alzheimer's Disease*. 2021;79(1):59-70. - 배제사유: 6
1843. Park J, Suh SW, Kim GE, Lee S, Kim JS, Kim HS, et al. Smaller pineal gland is associated with rapid eye movement sleep behavior disorder in Alzheimer's disease. *Alzheimer's Research and Therapy*. 2020;12(1) (no pagination)(157). - 배제사유: 6
1844. Sturchio A, Dwivedi AK, Young CB, Malm T, Marsili L, Sharma JS, et al. High cerebrospinal amyloid-beta 42 is associated with normal cognition in individuals with brain amyloidosis. *EClinicalMedicine*. 2021;38:100988. - 배제사유: 6

1845. Lauricella E, d'Amati A, Ingravallo G, Foresio M, Ribatti D, de Tommaso M, et al. Cerebellar ataxia and exercise intolerance in Erdheim-Chester disease. *Cerebellum and Ataxias*. 2021;8(1) (no pagination)(3). - 배제사유: 6
1846. Jeong HJ, Lee H, Lee SY, Seo S, Park KH, Lee YB, et al. [18F]THK5351 PET Imaging in Patients with Mild Cognitive Impairment. *Journal of Clinical Neurology*. 2020;16(2):202-14. - 배제사유: 6
1847. Tahmi M, Rippon B, Palta P, Soto L, Ceballos F, Pardo M, et al. Brain Amyloid Burden and Resting-State Functional Connectivity in Late Middle-Aged Hispanics. *Frontiers in Neurology*. 2020;11 (no pagination)(529930). - 배제사유: 6
1848. Xia Y, Yassi N, Raniga P, Bourgeat P, Desmond P, Doecke J, et al. Comorbidity of Cerebrovascular and Alzheimer's Disease in Aging. *Journal of Alzheimer's Disease*. 2020;78(1):321-34. - 배제사유: 6
1849. Kim M, Kim HJ, Koh W, Li L, Heo H, Cho H, et al. Modeling of frontotemporal dementia using IPSC technology. *International Journal of Molecular Sciences*. 2020;21(15):1-16. - 배제사유: 6
1850. Verberk IMW, Thijssen E, Koelewijn J, Mauroo K, Vanbrabant J, De Wilde A, et al. Combination of plasma amyloid beta($1-42/1-40$) and glial fibrillary acidic protein strongly associates with cerebral amyloid pathology. *Alzheimer's Research and Therapy*. 2020;12(1) (no pagination)(118). - 배제사유: 6
1851. Brendel M, Catak C, Beyer L, Linn J, Wahl H, Janowitz D, et al. Colocalization of Tau but Not beta-Amyloid with Cortical Superficial Siderosis in a Case with Probable CAA. *Case Reports in Neurology*. 2020;12(2):232-7. - 배제사유: 6
1852. Oh M, Oh SJ, Lee SJ, Oh JS, Roh JH, Chung SJ, et al. Clinical Evaluation of ¹⁸F-PI-2620 as a Potent PET Radiotracer Imaging Tau Protein in Alzheimer Disease and Other Neurodegenerative Diseases Compared with ¹⁸F-THK-5351. *Clinical Nuclear Medicine*. 2020;45(11):841-7. - 배제사유: 6
1853. Bergland AK, Proitsi P, Kirsebom BE, Soennesyn H, Hye A, Larsen AI, et al. Exploration of Plasma Lipids in Mild Cognitive Impairment due to Alzheimer's Disease. *Journal of Alzheimer's Disease*. 2020;77(3):1117-27. - 배제사유: 6
1854. Palmqvist S, Janelidze S, Quiroz YT, Zetterberg H, Lopera F, Stomrud E, et al. Discriminative Accuracy of Plasma Phospho-tau217 for Alzheimer Disease vs Other Neurodegenerative Disorders. *JAMA - Journal of the American Medical Association*. 2020;324(8):772-81 - 배제사유: 6
1855. Youn YC, Lee BS, Kim GJ, Ryu JS, Lim K, Lee R, et al. Blood Amyloid-beta Oligomerization as a Biomarker of Alzheimer's Disease: A Blinded Validation Study. *Journal of Alzheimer's Disease*. 2020;75(2):493-9. - 배제사유: 6
1856. Black CM, Woodward M, Ambegaonkar BM, Philips A, Pike J, Jones E, et al. Quantifying the diagnostic pathway for patients with cognitive impairment: Real-world data from Australia. *International Psychogeriatrics*. 2020;32(5):601-10. - 배제사유: 6
1857. Lopes Alves I, Collij LE, Altomare D, Frisoni GB, Saint-Aubert L, Payoux P, et al. Quantitative amyloid PET in Alzheimer's disease: the AMYPAD prognostic and natural history study. *Alzheimer's and Dementia*. 2020;16(5):750-8. - 배제사유: 6
1858. Pak K, Kim J, Kim K, Kim SJ, Kim IJ. Sleep and Neuroimaging. *Nuclear Medicine and Molecular Imaging*. 2020;54(2):98-104. - 배제사유: 6
1859. Jung NY, Kim ES, Kim HS, Jeon S, Lee MJ, Pak K, et al. Comparison of Diagnostic Performances between Cerebrospinal Fluid Biomarkers and Amyloid PET in a Clinical Setting. *Journal of Alzheimer's Disease*. 2020;74(2):473-90. - 배제사유: 6
1860. Goh F, Zhang MM, Lim TR, Low KN, Nge CE, Heng E, et al. Identification and engineering of

- 32 membered antifungal macrolactone notonesomycins. *Microbial Cell Factories*. 2020;19(1) (no pagination)(71). - 배제사유: 6
1861. Mishra M, Verma RK, Gaur RK. Identification of Chilli leaf curl virus and associated betasatellite infecting *Osteospermum fruticosum* in Rajasthan, India. *3 Biotech*. 2020;10(4) (no pagination)(169). - 배제사유: 6
1862. Giannakopoulos P, Rodriguez C, Montandon ML, Garibotto V, Haller S, Herrmann FR. Less agreeable, better preserved? A PET amyloid and MRI study in a community-based cohort. *Neurobiology of Aging*. 2020;89:24-31. - 배제사유: 6
1863. Hanseeuw B, Lhommel R. Defining a Centiloid Scale threshold predicting long-term progression to dementia in patients attending the Memory Clinic: An [¹⁸F]-Flutemetamol amyloid-PET study. *Medecine Nucleaire*. 2020;44(2):138-9. - 배제사유: 6
1864. Benussi A, Grassi M, Palluzzi F, Koch G, Di Lazzaro V, Nardone R, et al. Classification Accuracy of Transcranial Magnetic Stimulation for the Diagnosis of Neurodegenerative Dementias. *Annals of Neurology*. 2020;87(3):394-404. - 배제사유: 6
1865. Wang ZC, Watt GD. Large anions induce H₂-production from the nitrogenase MoFe proteins of *Clostridium Pasteurianum* and *Azotobacter vinelandii*. *Journal of Inorganic Biochemistry*. 2020;208 (no pagination)(111075). - 배제사유: 6
1866. Moradi S, Lidestam B, Ning Ng EH, Danielsson H, Ronnberg J. Perceptual Dopning: An Audiovisual Facilitation Effect on Auditory Speech Processing, From Phonetic Feature Extraction to Sentence Identification in Noise. *Ear and hearing*. 2019;40(2):312-27. - 배제사유: 6
1867. Volpato MP, Breda ICA, de Carvalho RC, de Castro Moura C, Ferreira LL, Silva ML, et al. Single Cupping Therapy Session Improves Pain, Sleep, and Disability in Patients with Nonspecific Chronic Low Back Pain. *JAMS Journal of Acupuncture and Meridian Studies*. 2020;13(2):48-52. - 배제사유: 6
1868. Yoo HS, Lee EC, Chung SJ, Lee YH, Lee SG, Yun M, et al. Effects of Alzheimer's disease and Lewy body disease on subcortical atrophy. *European Journal of Neurology*. 2020;27(2):318-26. - 배제사유: 6
1869. Lee JS, Lee KM, Kim HG, Hong IK. Multiple cerebral microbleeds and atypical beta-amyloid deposits: A case report. *Medicine (United States)*. 2019;98(51) (no pagination)(e18296). - 배제사유: 6
1870. Tariq H, Zia M, Ihsan Ul H, Muhammad SA, Khan SA, Fatima N, et al. Antioxidant, Antimicrobial, Cytotoxic, and Protein Kinase Inhibition Potential in Aloe vera L. *BioMed Research International*. 2019;2019 (no pagination)(6478187). - 배제사유: 6
1871. Kim JP, Kim J, Park YH, Park SB, Lee JS, Yoo S, et al. Machine learning based hierarchical classification of frontotemporal dementia and Alzheimer's disease. *NeuroImage: Clinical*. 2019;23 (no pagination)(101811). - 배제사유: 6
1872. Mohajeri M, Behnam B, Barreto GE, Sahebkar A. Carbon nanomaterials and amyloid-beta interactions: potentials for the detection and treatment of Alzheimer's disease? *Pharmacological Research*. 2019;143:186-203. - 배제사유: 6
1873. Kim HJ, Park JY, Seo SW, Jung YH, Kim Y, Jang H, et al. Cortical atrophy pattern-based subtyping predicts prognosis of amnesic MCI: an individual-level analysis. *Neurobiology of Aging*. 2019;74:38-45. - 배제사유: 6
1874. Cerami C, Dodich A, Iannaccone S, Magnani G, Santangelo R, Presotto L, et al. A biomarker study in long-lasting amnesic mild cognitive impairment. *Alzheimer's Research and Therapy*. 2019;10(1) (no pagination)(42). - 배제사유: 6
1875. Jeong HJ, Yoon CW, Seo S, Lee SY, Suh MK, Seo HE, et al. Relationships between [¹⁸F]-THK5351 retention and language functions in primary progressive aphasia.

Journal of Clinical Neurology (Korea). 2019;15(4):527-36. - 배제사유: 6

1876. de Wilde A, Ossenkoppele R, Pelkmans W, Bouwman F, Groot C, van Maurik I, et al. Assessment of the appropriate use criteria for amyloid PET in an unselected memory clinic cohort: The ABIDE project. *Alzheimer's and Dementia*. 2019;15(11):1458-67. - 배제사유: 6
1877. Kim HR, Lee P, Seo SW, Roh JH, Oh M, Oh JS, et al. Comparison of Amyloid beta and Tau Spread Models in Alzheimer's Disease. *Cerebral Cortex*. 2019;29(10):4291-302. - 배제사유: 6
1878. Chatterjee P, Zetterberg H, Goozee K, Lim CK, Jacobs KR, Ashton NJ, et al. Plasma neurofilament light chain and amyloid-beta are associated with the kynurenine pathway metabolites in preclinical Alzheimer's disease. *Journal of Neuroinflammation*. 2019;16(1) (no pagination)(186) - 배제사유: 6
1879. Insel PS, Weiner M, Scott MacKin R, Mormino E, Lim YY, Stomrud E, et al. Determining clinically meaningful decline in preclinical Alzheimer disease. *Neurology*. 2019;93(4):E322-E33. - 배제사유: 6
1880. Sharafi SM, Sylvestre JP, Chevrefils C, Soucy JP, Beaulieu S, Pascoal TA, et al. Vascular retinal biomarkers improves the detection of the likely cerebral amyloid status from hyperspectral retinal images. *Alzheimer's and Dementia: Translational Research and Clinical Interventions*. 2019;5:610-7. - 배제사유: 6
1881. Carr SJA, Jaeger J, Bian S, He P, Maserejian N, Wang W, et al. Associating Cognition With Amyloid Status Using Partially Ordered Set Analysis. *Frontiers in Neurology*. 2019;10 (no pagination)(976). - 배제사유: 6
1882. Suppiah S, Didier MA, Vinjamuri S. The who, when, why, and how of PET amyloid imaging in management of Alzheimer's disease-review of literature and interesting images. *Diagnostics*. 2019;9(2) (no pagination)(65). - 배제사유: 6
1883. Kim HJ, Cho H, Park S, Jang H, Ryu YH, Choi JY, et al. THK5351 and flortaucipir PET with pathological correlation in a Creutzfeldt-Jakob disease patient: A case report. *BMC Neurology*. 2019;19(1) (no pagination)(211). - 배제사유: 6
1884. Jang JW, Kim Y, Choi YH, Lee JM, Yoon B, Park KW, et al. Association of nutritional status with cognitive stage in the elderly Korean population: The Korean brain aging study for the early diagnosis and prediction of alzheimer's disease. *Journal of Clinical Neurology (Korea)*. 2019;15(3):292-300. - 배제사유: 6
1885. Bagyinszky E, Kang MJ, Pyun J, Giau VV, An SSA, Kim S. Early-onset alzheimer's disease patient with prion (PRNP) p.val180ile mutation. *Neuropsychiatric Disease and Treatment*. 2019;15:2003-13. - 배제사유: 6
1886. Digma LA, Madsen JR, Reas ET, Dale AM, Brewer JB, Banks SJ. Tau and atrophy: Domain-specific relationships with cognition. *Alzheimer's Research and Therapy*. 2019;11(1) (no pagination)(65). - 배제사유: 6
1887. Falgas N, Tort-Merino A, Balasa M, Borrego-Ecija S, Castellvi M, Olives J, et al. Clinical applicability of diagnostic biomarkers in early-onset cognitive impairment. *European Journal of Neurology*. 2019;26(8):1098-104. - 배제사유: 6
1888. Wenke BB, Arias RJ, Spatzal T. Crystallization of nitrogenase proteins. *Methods in Molecular Biology*. 2019;1876:155-65. - 배제사유: 6
1889. Robinson AA, Bourque JM. Emerging techniques for cardiovascular PET. *Cardiovascular Innovations and Applications*. 2019;4(1):13-24. - 배제사유: 6
1890. Vaquero J, Zurita M, Mucientes J, Pascual ML, Fernandez-Mateos C, Garcia E, et al. Intrathecal cell therapy with autologous stromal cells increases cerebral glucose metabolism and can offer a new approach to the treatment of Alzheimer's type dementia. *Cytotherapy*. 2019;21(4):428-32. - 배제사유: 6

1891. Giorgetti A, Genovesi D, Milan E, Acampa W, Giubbini R, Cuocolo A, et al. Cardiac amyloidosis. *Clinical and Translational Imaging*. 2019;7(1):21-32. - 배제사유: 6
1892. Kim JE, Kim SW, Choi M, Seong JK, Lee JH. Identifying Brain Connectivity Using Network-Based Statistics in Amnesic Mild Cognitive Impairment Stratified by beta-Amyloid Positivity. *American Journal of Alzheimer's Disease and other Dementias*. 2019;34(2):104-11. - 배제사유: 6
1893. Palmqvist S, Insel PS, Zetterberg H, Blennow K, Brix B, Stomrud E, et al. Accurate risk estimation of beta-amyloid positivity to identify prodromal Alzheimer's disease: Cross-validation study of practical algorithms. *Alzheimer's and Dementia*. 2019;15(2):194-204. - 배제사유: 6
1894. Kim JE, Park SH, Hong YJ, Hwang J, Han NE, Lee SM, et al. Qualitative comparison of semantic memory impairment in patients with amnesic mild cognitive impairment based on beta-amyloid status. *Journal of Clinical Neurology (Korea)*. 2019;15(1):27-37. - 배제사유: 6
1895. Min JH, Park DG, Yoon JH, An YS. Dual-phase ¹⁸F-FP-CIT PET in corticobasal syndrome. *Clinical Nuclear Medicine*. 2019;44(1):e49-e50. - 배제사유: 6
1896. de Carvalho RC, Parisi JR, Prado WA, de Araujo JE, Silva AM, Silva JRT, et al. Single or Multiple Electroacupuncture Sessions in Nonspecific Low Back Pain: Are We Low-Responders to Electroacupuncture? *JAMS Journal of Acupuncture and Meridian Studies*. 2018;11(2):54-61. - 배제사유: 6
1897. Sanabria A, Alegret M, Rodriguez-Gomez O, Valero S, Sotolongo-Grau O, Monte-Rubio G, et al. The Spanish version of Face-Name Associative Memory Exam (S-FNAME) performance is related to amyloid burden in Subjective Cognitive Decline. *Scientific reports*. 2018;8(1):3828. - 배제사유: 6
1898. Orilio AF, Blawid R, Costa GA, Gomes SSVSF, Nagata T, Madeira NR, et al. High-throughput sequencing reveals a novel closterovirus in arracacha (*Arracacia xanthorrhiza*). *Archives of virology*. 2018;163(9):2547-50. - 배제사유: 6
1899. Groot C, Sudre CH, Barkhof F, Teunissen CE, Van Berckel BNM, Seo SW, et al. Clinical phenotype, atrophy, and small vessel disease in APOE 2 carriers with Alzheimer disease. *Neurology*. 2018;91(20):E1851-E9. - 배제사유: 6
1900. Tijms BM, Willemsse EAJ, Zwan MD, Mulder SD, Visser PJ, Van Berckel BNM, et al. Unbiased approach to counteract upward drift in cerebrospinal fluid amyloid-beta 1-42 analysis results. *Clinical Chemistry*. 2018;64(3):576-85. - 배제사유: 6
1901. Carswell CJ, Win Z, Muckle K, Kennedy A, Waldman A, Dawe G, et al. Clinical utility of amyloid PET imaging with (18)F-florbetapir: A retrospective study of 100 patients. *Journal of Neurology, Neurosurgery and Psychiatry*. 2018;89(3):294-9. - 배제사유: 6
1902. Bergeron D, Ossenkoppele R, Laforce R. Evidence-based Interpretation of Amyloid-beta PET Results: A Clinician's Tool. *Alzheimer Disease and Associated Disorders*. 2018;32(1):28-34. - 배제사유: 6
1903. Dance I. What is the role of the isolated small water pool near FeMo-co, the active site of nitrogenase? *FEBS Journal*. 2018;285(16):2972-86. - 배제사유: 6
1904. Lindstrom E, Sundin A, Trampal C, Lindsjo L, Ilan E, Danfors T, et al. Evaluation of penalized-likelihood estimation reconstruction on a digital time-of-flight PET/CT scanner for ¹⁸F-FDG whole-body examinations. *Journal of Nuclear Medicine*. 2018;59(7):1152-8. - 배제사유: 6
1905. Jessen F, Spotke A, Boecker H, Brosseron F, Buerger K, Catak C, et al. Design and first baseline data of the DZNE multicenter observational study on predementia Alzheimer's disease (DELCODE). *Alzheimer's Research and Therapy*. 2018;10(1) (no pagination)(15). - 배제사유: 6
1906. Wake T, Tabuchi H, Funaki K, Ito D, Yamagata B, Yoshizaki T, et al. The psychological impact of disclosing amyloid status to Japanese elderly: A preliminary study on asymptomatic patients

- with subjective cognitive decline. *International Psychogeriatrics*. 2018;30(5):635-9. - 배제사유: 6
1907. Elias A, Cummins T, Tyrrell R, Lamb F, Dore V, Williams R, et al. Risk of Alzheimer's disease in obstructive sleep apnea syndrome: Amyloid-beta and tau imaging. *Journal of Alzheimer's Disease*. 2018;66(2):733-41. - 배제사유: 6
1908. Kim SE, Woo S, Kim SW, Chin J, Kim HJ, Lee BI, et al. A nomogram for predicting amyloid PET positivity in amnesic mild cognitive impairment. *Journal of Alzheimer's Disease*. 2018;66(2):681-91 - 배제사유: 6
1909. Stankoff B, Poirion E, Tonietto M, Bodini B. Exploring the heterogeneity of MS lesions using positron emission tomography: a reappraisal of their contribution to disability. *Brain Pathology*. 2018;28(5):723-34. - 배제사유: 6
1910. Kim Y, Rosenberg P, Oh E. A review of diagnostic impact of amyloid positron emission tomography imaging in clinical practice. *Dementia and Geriatric Cognitive Disorders*. 2018;46(3-4):154-67. - 배제사유: 6
1911. Cho H, Seo SW, Choi JY, Lee HS, Ryu YH, Lee MS, et al. Predominant subcortical accumulation of ¹⁸F-flortaucipir binding in behavioral variant frontotemporal dementia. *Neurobiology of Aging*. 2018;66:112-21. - 배제사유: 6
1912. Burrell LD, Holley D. ¹⁸F-FDG and Amyloid PET in Dementia. *Journal of Nuclear Medicine Technology*. 2018;46(2):151-2. - 배제사유: 6
1913. Jeong YJ, Park KW, Kang DY. Role of Positron Emission Tomography as a Biologic Marker in the Diagnosis of Primary Progressive Aphasia: Two Case Reports. *Nuclear Medicine and Molecular Imaging*. 2018;52(5):384-8. - 배제사유: 6
1914. Cuddy S, Falk R, Dorbala S. Molecular Imaging of Cardiac Amyloidosis. *Current Cardiovascular Imaging Reports*. 2018;11(7) (no pagination)(17). - 배제사유: 6
1915. Shimizu S, Hirose D, Hatanaka H, Takenoshita N, Kaneko Y, Ogawa Y, et al. Role of neuroimaging as a biomarker for neurodegenerative diseases. *Frontiers in Neurology*. 2018;9(APR) (no pagination)(265). - 배제사유: 6
1916. Clarke BN. PET radiopharmaceuticals: What's new, what's reimbursed, and what's next? *Journal of Nuclear Medicine Technology*. 2018;46(1):12-6. - 배제사유: 6
1917. Grimmer T, Perryman JG. Imaging of brain amyloid load in early Alzheimer's disease. *Neuroinformatics*. 2018;137:149-56. - 배제사유: 6
1918. Condello C, Stoehr J. Abeta propagation and strains: Implications for the phenotypic diversity in Alzheimer's disease. *Neurobiology of Disease*. 2018;Part B. 109:191-200. - 배제사유: 6
1919. Schrauth M, Portela JSE, Goth F. Violation of the Harris-Barghathi-Vojta Criterion. *Physical review letters*. 2018;121(10):100601. - 배제사유: 6
1920. Mo Y, Stromswold J, Wilson K, Holder D, Sur C, Laterza O, et al. A multinational study distinguishing Alzheimer's and healthy patients using cerebrospinal fluid tau/Abeta42 cutoff with concordance to amyloid positron emission tomography imaging. *Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring*. 2017;6:201-9. - 배제사유: 6
1921. Taylor NJ, Emer E, Preshlock S, Schedler M, Tredwell M, Verhoog S, et al. Derisking the Cu-Mediated ¹⁸F-Fluorination of Heterocyclic Positron Emission Tomography Radioligands. *Journal of the American Chemical Society*. 2017;139(24):8267-76. - 배제사유: 6
1922. Pietrzak RH, Laws SM, Lim YY, Bender SJ, Porter T, Doecke J, et al. Plasma Cortisol, Brain Amyloid-beta, and Cognitive Decline in Preclinical Alzheimer's Disease: A 6-Year Prospective Cohort Study. *Biological Psychiatry: Cognitive Neuroscience and Neuroimaging*. 2017;2(1):45-52. - 배제사유: 6

1923. Renard D, Wacogne A, Thouvenot E. Radiologically Isolated Cerebral Amyloid Angiopathy-Related Inflammation. *Journal of Stroke and Cerebrovascular Diseases*. 2017;26(11):e218-e20. - 배제사유: 6
1924. Genovesi D, Vergaro G, Emdin M, Giorgetti A, Marzullo P. PET-CT evaluation of amyloid systemic involvement with [¹⁸F]-florbetaben in patient with proved cardiac amyloidosis: a case report. *Journal of Nuclear Cardiology*. 2017;24(6):2025-9. - 배제사유: 6
1925. Risacher SL, Tallman EF, West JD, Yoder KK, Hutchins GD, Fletcher JW, et al. Olfactory identification in subjective cognitive decline and mild cognitive impairment: Association with tau but not amyloid positron emission tomography. *Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring*. 2017;9:57-66. - 배제사유: 6
1926. Wolfe MS. Targets and strategies toward the development of Alzheimer therapeutics. *Topics in Medicinal Chemistry*. 2017;24:1-26. - 배제사유: 6
1927. Brown BM, Rainey-Smith SR, Villemagne VL, Weinborn M, Bucks RS, Sohrabi HR, et al. The relationship between sleep quality and brain amyloid burden. *Sleep*. 2016;39(5):1063-8. - 배제사유: 6
1928. Burnham SC, Bourgeat P, Dore V, Savage G, Brown B, Laws S, et al. Clinical and cognitive trajectories in cognitively healthy elderly individuals with suspected non-Alzheimer's disease pathophysiology (SNAP) or Alzheimer's disease pathology: a longitudinal study. *The Lancet Neurology*. 2016;15(10):1044-53. - 배제사유: 6
1929. Reitz C. Toward precision medicine in Alzheimer's disease. *Annals of Translational Medicine*. 2016;4(6) (no pagination)(107). - 배제사유: 6
1930. Quenon L, Dricot L, Woodard JL, Hanseeuw B, Gilis N, Lhommel R, et al. Prediction of Free and Cued Selective Reminding Test Performance Using Volumetric and Amyloid-Based Biomarkers of Alzheimer's Disease. *Journal of the International Neuropsychological Society : JINS*. 2016;22(10):991-1004. - 배제사유: 6
1931. Zwan MD, Villemagne VL, Dore V, Buckley R, Bourgeat P, Veljanoski R, et al. Subjective memory complaints in APOE epsilon4 carriers are associated with high Amyloid-beta Burden. *Journal of Alzheimer's Disease*. 2015;49(4):1115-22. - 배제사유: 6
1932. Tjepolt S, Patt M, Hoffmann KT, Schroeter ML, Sabri O, Barthel H. Alzheimer's Disease FDG PET Imaging Pattern in an Amyloid-Negative Mild Cognitive Impairment Subject. *Journal of Alzheimer's Disease*. 2015;47(3):539-43. - 배제사유: 6
1933. Geetha R, Sivaprasad N. Radiopharmaceuticals used in CNS disorders and disease. *Pharma Times*. 2015;47(5):46-9. - 배제사유: 6
1934. Cohen JP, Dong J, Lu CY, Chakravarthy R. Restricting access to florbetapir: Medicare coverage criteria for diagnostics and drugs are inconsistent. *BMJ (Online)*. 2015;351 (no pagination)(h3333). - 배제사유: 6
1935. Kohyama K, Matsumoto Y. Alzheimer's disease and immunotherapy: What is wrong with clinical trials? *ImmunoTargets and Therapy*. 2015;4:27-34. - 배제사유: 6
1936. Lim YY, Maruff P, Pietrzak RH, Ames D, Ellis KA, Harrington K, et al. Effect of amyloid on memory and non-memory decline from preclinical to clinical Alzheimer's disease. *Brain*. 2014;137(1):221-31. - 배제사유: 6
1937. Medhi B, Misra S, Avti PK, Kumar P, Kumar H, Singh B. Role of neuroimaging in drug development. *Reviews in the Neurosciences*. 2014;25(5):663-73. - 배제사유: 6
1938. Yu J, Ritchie TK, Mulgaonkar A, Ragueneau-Majlessi I. Drug disposition and drug-drug interaction data in 2013 FDA new drug applications: A systematic review. *Drug Metabolism and Disposition*. 2014;42(12):1991-2001. - 배제사유: 6

1939. Alberici A, Benussi A, Premi E, Borroni B, Padovani A. Clinical, genetic, and neuroimaging features of early onset alzheimer disease: The challenges of diagnosis and treatment. *Current Alzheimer Research*. 2014;11(10):909-17. - 배제사유: 6
1940. Dubois B, Feldman HH, Jacova C, Hampel H, Molinuevo JL, Blennow K, et al. Advancing research diagnostic criteria for Alzheimer's disease: The IWG-2 criteria. *The Lancet Neurology*. 2014;13(6):614-29. - 배제사유: 6
1941. Kim SH, Jeong HR, Kim IU, Yang MY, Cho SM, Kang EK. A comparison of clinical characteristics between adenoviral and group a streptococcal pharyngitis in children. [Korean]. *Journal of Pediatric Infectious Diseases*. 2014;21(2):121-8. - 배제사유: 6
1942. Ambure P, Roy K. Advances in quantitative structure-activity relationship models of anti-Alzheimer's agents. *Expert Opinion on Drug Discovery*. 2014;9(6):697-723. - 배제사유: 6
1943. Honig P, Huang SM. Intelligent pharmaceuticals: Beyond the tipping point. *Clinical Pharmacology and Therapeutics*. 2014;95(5):455-9. - 배제사유: 6
1944. Nasrallah IM, Wolk DA. Multimodality imaging of Alzheimer disease and other neurodegenerative dementias. *Journal of Nuclear Medicine*. 2014;55(12):2003-11. - 배제사유: 6
1945. Cui M. Past and recent progress of molecular imaging probes for beta-amyloid plaques in the brain. *Current Medicinal Chemistry*. 2014;21(1):82-112. - 배제사유: 6
1946. Gomperts SN. Imaging the role of amyloid in PD dementia and dementia with Lewy bodies. *Current Neurology and Neuroscience Reports*. 2014;14(8) (no pagination)(472). - 배제사유: 6
1947. Vandenberghe R. The relationship between amyloid deposition, neurodegeneration, and cognitive decline in dementia: a systematic review of neuroimaging. *Current Neurology and Neuroscience Reports*. 2014;14(11) (no pagination)(498). - 배제사유: 6
1948. Villemagne VL, Rowe CC. Long night's journey into the day: Amyloid-beta imaging in Alzheimer's disease. *Journal of Alzheimer's Disease*. 2013;33(SUPPL. 1):S349-S59. - 배제사유: 6
1949. Kepe V. Amyloid PET imaging: MCI and AD. *PET Clinics*. 2013;8(4):431-45. - 배제사유: 6
1950. Lin LF, Liao MJ, Xue XY, Zhang W, Yan L, Cai L, et al. Combination of Abeta clearance and neurotrophic factors as a potential treatment for Alzheimer's disease. *Neuroscience Bulletin*. 2013;29(1):111-20. - 배제사유: 6
1951. Peters KR, Lynn Beattie B, Feldman HH, Illes J. A conceptual framework and ethics analysis for prevention trials of alzheimer disease. *Progress in Neurobiology*. 2013;110:114-23. - 배제사유: 6
1952. Ashraf A, Mehta P, Edison P. Amyloid imaging in dementia. *Reviews in Clinical Gerontology*. 2013;23(1):43-60. - 배제사유: 6
1953. Froestl W, Pfeifer A, Muhs A. Cognitive enhancers (Nootropics). Part 3: Drugs interacting with targets other than receptors or enzymes. Disease-modifying drugs. *Journal of Alzheimer's Disease*. 2013;34(1):1-114 - 배제사유: 6
1954. Johnson KA, Fox NC, Sperling RA, Klunk WE. Brain imaging in Alzheimer disease. *Cold Spring Harbor Perspectives in Medicine*. 2012;2(4) (no pagination)(a006213). - 배제사유: 6
1955. Tang CY, Narula J, Friedman JI. Novel imaging strategies for assessment of cerebrovascular involvement. *Mount Sinai Journal of Medicine*. 2012;79(6):674-82. - 배제사유: 6
1956. Mathis CA, Mason NS, Lopresti BJ, Klunk WE. Development of positron emission tomography beta-Amyloid plaque imaging agents. *Seminars in Nuclear Medicine*. 2012;42(6):423-32. - 배제사유: 6
1957. Chen W, Dilsizian V. Molecular imaging of amyloidosis: Will the heart be the next target after

- the brain? *Current Cardiology Reports*. 2012;14(2):226-33. - 배제사유: 6
1958. Resnick SM, Sojkova J. Amyloid imaging and memory change for prediction of cognitive impairment. *Alzheimer's Research and Therapy*. 2011;3(1) (no pagination)(3). - 배제사유: 6
1959. Kerchner GA. Amyloid imaging for Alzheimer's disease. *Expert Opinion on Medical Diagnostics*. 2011;5(6):527-38. - 배제사유: 6
1960. Prvulovic D, Hampel H. Amyloid beta (Aβ) and phospho-tau (p-tau) as diagnostic biomarkers in Alzheimer's disease. *Clinical Chemistry and Laboratory Medicine*. 2011;49(3):367-74. - 배제사유: 6
1961. Mosconi L, Berti V, McHugh P, Pupi A, De Leon MJ. A tale of two tracers: Glucose metabolism and amyloid positron emission tomography imaging in Alzheimer's disease. *Handbook of Imaging the Alzheimer Brain*. 2011;Advances in Alzheimer's Disease. 2:219-34. - 배제사유: 6
1962. Furst AJ, Sabri O. Section 3: Imaging of cerebral blood flow, glucose metabolism, amyloid plaques and neurofibrillary tangles in AD. *Handbook of Imaging the Alzheimer Brain*. 2011;Advances in Alzheimer's Disease. 2:161-2. - 배제사유: 6
1963. Pontecorvo MJ, Mintun MA. PET amyloid imaging as a tool for early diagnosis and identifying patients at risk for progression to Alzheimer's disease. *Alzheimer's Research and Therapy*. 2011;3(2) (no pagination)(11). - 배제사유: 6
1964. Okamura N, Yanai K. Florbetapir (¹⁸F), a PET imaging agent that binds to amyloid plaques for the potential detection of Alzheimer's disease. *IDrugs*. 2010;13(12):890-9. - 배제사유: 6
1965. Villemagne VL, Rowe CC. Amyloid PET ligands for dementia. *PET Clinics*. 2010;5(1):33-53. - 배제사유: 6
1966. Musiek ES, Torigian DA, Newberg AB. Investigation of Nonneoplastic Neurologic Disorders with PET and MRI. *PET Clinics*. 2008;3(3):317-34. - 배제사유: 6
1967. Sacchi L, Carandini T, Fumagalli GG, Pietroboni AM, Contarino VE, Siggillino S, et al. Unravelling the Association Between Amyloid-PET and Cerebrospinal Fluid Biomarkers in the Alzheimer's Disease Spectrum: Who Really Deserves an A+? *Journal of Alzheimer's Disease*. 2021;09:09. - 배제사유: 6
1968. Leung K. 5-(2E,4E)-5-(6-hydroxy-4-oxo-2-thioxo-1,2,3,4-tetrahydroxy-5-pyrimidinyl)-2,4-pentadienylidene-2-thioxodihydro-4,6(1H,5H)-pyrimidinedione. *National Center for Biotechnology Information*. 2004. - 배제사유: 6
1969. Salvado G, Mila-Aloma M, Shekari M, Minguillon C, Fauria K, Ninerola-Baizan A, et al. Cerebral amyloid-beta load is associated with neurodegeneration and gliosis: Mediation by p-tau and interactions with risk factors early in the Alzheimer's continuum. *Alzheimer's & Dementia*. 2021;17(5):788-800. - 배제사유: 6
1970. Van Egroo M, Chylinski D, Narbutas J, Besson G, Muto V, Schmidt C, et al. Early brainstem [18F]THK5351 uptake is linked to cortical hyperexcitability in healthy aging. *Jci Insight*. 2021;6(2):25. - 배제사유: 6
1971. Jung YH, Jang H, Park SB, Choe YS, Park Y, Kang SH, et al. Strictly Lobar Microbleeds Reflect Amyloid Angiopathy Regardless of Cerebral and Cerebellar Compartments. *Stroke*. 2020;51(12):3600-7. - 배제사유: 6
1972. Insel PS, Weiner M, Mackin RS, Mormino E, Lim YY, Stomrud E, et al. Determining clinically meaningful decline in preclinical Alzheimer disease. *Neurology*. 2019;93(4):e322-e33. - 배제사유: 6
1973. Hong YJ, Park KW, Kang DY, Lee JH. Prediction of Alzheimer's Pathological Changes in Subjective Cognitive Decline Using the Self-report Questionnaire and Neuroimaging Biomarkers.

Dementia and Neurocognitive Disorders. 2019;18(1):19-29. - 배제사유: 6

1974. Lauretani F, Ruffini L, Ticinesi A, Nouvenne A, Maggio M, Meschi T. Accuracy of Quantitative Positron Emission Tomography Assessment for Differentiating Cerebral Age-related from Pathological Amyloid Deposition: A Preliminary Report from a Case-series Study. *World Journal of Nuclear Medicine*. 2018;17(2):106-11. - 배제사유: 6
1975. Mattsson N, Insel PS, Palmqvist S, Stomrud E, van Westen D, Minthon L, et al. Increased amyloidogenic APP processing in APOE e4-negative individuals with cerebral beta-amyloidosis. *Nature communications*. 2016;7:10918. - 배제사유: 6
1976. Bucarechi F, De Capitani EM, Branco MM, Fernandes LC, Hyslop S. Coagulopathy as the main systemic manifestation after envenoming by a juvenile South American rattlesnake (*Crotalus durissus terrificus*): case report. *Clinical Toxicology: The Official Journal of the American Academy of Clinical Toxicology & European Association of Poisons Centres & Clinical Toxicologists*. 2013;51(6):505-8. - 배제사유: 6
1977. Syvanen S, Blomquist G, Appel L, Hammarlund-Udenaes M, Langstrom B, Bergstrom M. Predicting brain concentrations of drug using positron emission tomography and venous input: modeling of arterial-venous concentration differences. *European Journal of Clinical Pharmacology*. 2006;62(10):839-48. - 배제사유: 6
1978. Jeong J, Jeong YJ, Park KW, Kang D-Y. Cerebral amyloid quantification in cognitively normal Korean adults using F-18 Florbetaben PET. *Nuclear Medicine and Molecular Imaging*. 2019;53(5):334-9. - 배제사유: 6
1979. 최지원. Association of Sub-Threshold Amyloid Retention With Neuropsychological Performance in Cognitively Normal Older Adults Without the APOE ε4 Allele. *노인정신의학*. 2021;25(2):76-82 - 배제사유: 6
1980. 김민혜, 이준호, 김홍남, 신인자, 이근, 김윤섭, et al. 뇌척수액 생체표지자 양성/베타아밀로이드양성자단층촬영 음성 조기발병 알츠하이머병 치매의 추적 관찰. *대한신경과학회지*. 2021;39(3):214-8 - 배제사유: 6
1981. Kim J-Y, Jo S, Park YJ, Jung HJ, Koo YS, Lee J-H. Patterns of Cerebrospinal Fluid Biomarkers and Amyloid Positron Emission Tomography in a Patient with Cerebral Amyloid Angiopathy-Related Inflammation. *Journal of the Korean Neurological Association*. 2021;39(3):172-6. - 배제사유: 6
1982. Kang MJ, Park YH, Kim S, Yi S. Hydrocephalus in a Patient with Alzheimer's Disease. *Dementia and Neurocognitive Disorders*. 2018;17(1):32-6. - 배제사유: 6
1983. Van Der Gucht A, Cleret de Langavant L, Rabu C, Cottureau AS, Evangelista E, Chalaye J, et al. Brain 18 F-FDG, 18 F-Florbetaben PET/CT, 123 I-FP-CIT SPECT and Cardiac 123 I-MIBG Imaging for Diagnosis of a. *Nuclear Medicine and Molecular Imaging*. 2016;50(3):258-60. - 배제사유: 6
1984. Hattori N, Sherwin P, Farrar G. Initial Physician Experience with 18 F Flutemetamol Amyloid PET Imaging following Availability for Routine Clinical Use in Japan. *Journal of Alzheimer's Disease Reports*. 2020;4(1):165-74. - 배제사유: 6
1985. Duff K, Horn KP, Hoffman JM. Long-term Changes in F-Flutemetamol Uptake in Nondemented Older Adults. *Alzheimer Disease and Associated Disorders*. 2019;33(2):113-7. - 배제사유: 6
1986. Leuzy A, Savitcheva I, Chiotis K, Lilja J, Andersen P, Bogdanovic N, et al. Clinical impact of 18 F flutemetamol PET among memory clinic patients with an unclear diagnosis. *European journal of nuclear medicine and molecular imaging*. 2019;46(6):1276-86. - 배제사유: 6
1987. Wolk DA, Sadowsky C, Safirstein B, Rinne JO, Duara R, Perry R, et al. Use of flutemetamol 18 F-labeled positron emission tomography and other biomarkers to assess risk of clinical progression in patients with amnesic mild cognitive impairment. *JAMA Neurology*. 2018;75(9):1114-23. - 배제사유: 6

1988. Miki T, Shimada H, Kim JS, Yamamoto Y, Sugino M, Kowa H, et al. Brain uptake and safety of Flutemetamol F 18 injection in Japanese subjects with probable Alzheimer's disease, subjects with amnesic mild cognitive impairment and healthy volunteers. *Annals of Nuclear Medicine*. 2017;31(3):260-72. - 배제사유: 6
1989. Zwan MD, Bouwman FH, Konijnenberg E, Van Der Flier WM, Lammertsma AA, Verhey FRJ, et al. Diagnostic impact of 18F flutemetamol PET in early-onset dementia. *Alzheimer's Research and Therapy*. 2017;9(1) (no pagination)(2). - 배제사유: 6
1990. Hatashita S, Yamasaki H, Suzuki Y, Tanaka K, Wakebe D, Hayakawa H. 18F Flutemetamol amyloid-beta PET imaging compared with 11C PIB across the spectrum of Alzheimer's disease. *European Journal of Nuclear Medicine and Molecular Imaging*. 2014;41(2):290-300. - 배제사유: 6
1991. Vandenberghe R, Van Laere K, Ivanoiu A, Salmon E, Bastin C, Triau E, et al. 18F-flutemetamol amyloid imaging in Alzheimer disease and mild cognitive impairment a phase 2 trial. *Annals of Neurology*. 2010;68(3):319-29. - 배제사유: 6
1992. Yoon B, Yang DW, Hong YJ, Kim T, Na S, Noh SM, et al. Cognitive decline according to amyloid uptake in patients with poststroke cognitive impairment. *Medicine (United States)*. 2021;100(38) (no pagination)(e27252). - 배제사유: 7
1993. Iaccarino L, La Joie R, Koeppe R, Siegel BA, Hillner BE, Gatsonis C, et al. rPOP: Robust PET-only processing of community acquired heterogeneous amyloid-PET data. *NeuroImage*. 2022;246 (no pagination)(118775). - 배제사유: 7
1994. Ikari Y, Akamatsu G, Nishio T, Ishii K, Ito K, Iwatsubo T, et al. Phantom criteria for qualification of brain FDG and amyloid PET across different cameras. *EJNMMI Physics*. 2016;3(1) (no pagination)(23). - 배제사유: 7
1995. Garcia Vicente AM, Tello Galan MJ, Pena Pardo FJ, Amo-Salas M, Mondejar Marin B, Navarro Munoz S, et al. Increasing the confidence of ¹⁸F-florbetaben PET interpretations: Machine learning quantitative approximation. *Revista Espanola de Medicina Nuclear e Imagen Molecular*. 2021. - 배제사유: 7
1996. Kwon SJ, Ha S, Yoo SW, Shin NY, O JH, Yoo IR, et al. Comparison of early F-18 Florbetaben PET/CT to Tc-99m ECD SPECT using voxel, regional, and network analysis. *Scientific reports*. 2021;11(1):16738. - 배제사유: 7
1997. Berron D, Vogel JW, Insel PS, Pereira JB, Xie L, Wisse LEM, et al. Early stages of tau pathology and its associations with functional connectivity, atrophy and memory. *Brain*. 2021;144(9):2771-83 - 배제사유: 7
1998. Hong YJ, Park JW, Lee SB, Kim SH, Kim Y, Ryu DW, et al. The Influence of Amyloid Burden on Cognitive Decline over 2 years in Older Adults with Subjective Cognitive Decline: A Prospective Cohort Study. *Dementia and Geriatric Cognitive Disorders*. 2021. - 배제사유: 7
1999. Thijssen EH, La Joie R, Strom A, Fonseca C, Iaccarino L, Wolf A, et al. Plasma phosphorylated tau 217 and phosphorylated tau 181 as biomarkers in Alzheimer's disease and frontotemporal lobar degeneration: a retrospective diagnostic performance study. *The Lancet Neurology*. 2021;20(9):739-52. - 배제사유: 7
2000. Van Der Doelen DM, Handels RLH, Zwan MD, Van Kuijk SMJ, Pelkmans W, Bouwman FH, et al. The Impact of Amyloid PET Disclosure on Quality of Life in Patients with Young Onset Dementia. *Alzheimer Disease and Associated Disorders*. 2021. - 배제사유: 7
2001. Youn H, Hyung WSW, Kim J, Lee ES, Eo JS, Han CE, et al. Brain amyloid accumulation possibly exacerbates concurrent mild cognitive impairment with subthreshold depression in older adults: A 1-year follow-up study. *Journal of Affective Disorders*. 2021;295:93-100. - 배제사유: 7
2002. Schmitt J, Palleis C, Sauerbeck J, Unterrainer M, Harris S, Prix C, et al. Dual-Phase beta-Amyloid PET Captures Neuronal Injury and Amyloidosis in Corticobasal Syndrome. *Frontiers in Aging*

- Neuroscience. 2021;13 (no pagination)(661284). - 배제사유: 7
2003. Zukotynski K, Black SE, Kuo PH, Bhan A, Adamo S, Scott CJM, et al. Exploratory Assessment of K-means Clustering to Classify ¹⁸F-Flutemetamol Brain PET as Positive or Negative. *Clinical Nuclear Medicine*. 2021;46(8):616-20. - 배제사유: 7
2004. Laudicella R, Burger IA, Panasiti F, Longo C, Scalisi S, Minutoli F, et al. Subcutaneous Uptake on [18F]Florbetaben PET/CT: a Case Report of Possible Amyloid-Beta Immune-Reactivity After COVID-19 Vaccination. *SN Comprehensive Clinical Medicine*. 2021;3(12):2626-8. - 배제사유: 7
2005. Bucci M, Chiotis K, Nordberg A. Alzheimer's disease profiled by fluid and imaging markers: tau PET best predicts cognitive decline. *Molecular Psychiatry*. 2021. - 배제사유: 7
2006. An YS, Yoon JH, Son SJ, Hong CH, Lee SJ, Yoon JK. Early-phase ¹⁸F-FP-CIT and ¹⁸F-flutemetamol PET were significantly correlated. *Scientific reports*. 2021;11(1):12297. - 배제사유: 7
2007. Hwang J, Kim CM, Kim JE, Oh M, Oh JS, Yoon YW, et al. Clinical implications of amyloid-beta accumulation in occipital lobes in alzheimer's continuum. *Brain Sciences*. 2021;11(9) (no pagination)(1232). - 배제사유: 7
2008. Royse SK, Minhas DS, Lopresti BJ, Murphy A, Ward T, Koeppe RA, et al. Validation of amyloid PET positivity thresholds in centiloids: a multisite PET study approach. *Alzheimer's Research and Therapy*. 2021;13(1) (no pagination)(99). - 배제사유: 7
2009. Yoon HJ, Kim BS, Jeong JH, Kim GH, Park HK, Chun MY. Asymmetric Amyloid Deposition as an Early Sign of Progression in Mild Cognitive Impairment Due to Alzheimer Disease. *Clinical Nuclear Medicine*. 2021;46(7):527-31. - 배제사유: 7
2010. Bao YW, Chau ACM, Chiu PKC, Shea YF, Kwan JSK, Chan FHW, et al. Heterogeneity of Amyloid Binding in Cognitively Impaired Patients Consecutively Recruited from a Memory Clinic: Evaluating the Utility of Quantitative 18F-Flutemetamol PET-CT in Discrimination of Mild Cognitive Impairment from Alzheimer's Disease and Other Dementias. *Journal of Alzheimer's disease : JAD*. 2021;79(2):819-32. - 배제사유: 7
2011. Kim HJ, Cho H, Park M, Kim JW, Ahn SJ, Lyoo CH, et al. Mri-visible perivascular spaces in the centrum semiovale are associated with brain amyloid deposition in patients with alzheimer disease-related cognitive impairment. *American Journal of Neuroradiology*. 2021;42(7):1231-8. - 배제사유: 7
2012. Heeman F, Yaqub M, Lopes Alves I, Heurling K, Bullich S, Gispert JD, et al. Simulating the effect of cerebral blood flow changes on regional quantification of [¹⁸F]flutemetamol and [¹⁸F]florbetaben studies. *Journal of Cerebral Blood Flow and Metabolism*. 2021;41(3):579-89. - 배제사유: 7
2013. Bucci M, Savitcheva I, Farrar G, Salvado G, Collij L, Dore V, et al. A multisite analysis of the concordance between visual image interpretation and quantitative analysis of [¹⁸F]flutemetamol amyloid PET images. *European Journal of Nuclear Medicine and Molecular Imaging*. 2021;48(7):2183-99. - 배제사유: 7
2014. Altomare D, Caprioglio C, Assal F, Allali G, Mendes A, Ribaldi F, et al. Diagnostic value of amyloid-PET and tau-PET: a head-to-head comparison. *European Journal of Nuclear Medicine and Molecular Imaging*. 2021;48(7):2200-11. - 배제사유: 7
2015. Salvado G, Grothe MJ, Groot C, Moscoso A, Scholl M, Gispert JD, et al. Differential associations of APOE-epsilon2 and APOE-epsilon4 alleles with PET-measured amyloid-beta and tau deposition in older individuals without dementia. *European Journal of Nuclear Medicine and Molecular Imaging*. 2021;48(7):2212-24. - 배제사유: 7
2016. Ortega G, Espinosa A, Alegret M, Monte-Rubio G, Sotolongo-Grau O, Sanabria A, et al. Combination of white matter hyperintensities and Abeta burden is related to cognitive

- composites domain scores in subjective cognitive decline: the FACEHBI cohort. *Alzheimer's Research and Therapy*. 2021;13(1) (no pagination)(141). - 배제사유: 7
2017. Seiffert AP, Gomez-Grande A, Villarejo-Galende A, Gonzalez-Sanchez M, Bueno H, Gomez EJ, et al. High Correlation of Static First-Minute-Frame (FMF) PET Imaging after ¹⁸F-Labeled Amyloid Tracer Injection with [¹⁸F]FDG PET Imaging. *Sensors*. 2021;21(15). - 배제사유: 7
2018. Strom A, Iaccarino L, Edwards L, Lesman-Segev OH, Soleimani-Meigooni DN, Pham J, et al. Cortical hypometabolism reflects local atrophy and tau pathology in symptomatic Alzheimer's disease. *Brain : a journal of neurology*. 2021;09. - 배제사유: 7
2019. Lee SY, Kang H, Jeong JH, Kang DY. Performance evaluation in [¹⁸F]Florbetaben brain PET images classification using 3D Convolutional Neural Network. *PLoS ONE*. 2021;16(10 October 2021) (no pagination)(e0258214). - 배제사유: 7
2020. Spangler-Bickell MG, Hurley SA, Deller TW, Jansen F, Bettinardi V, Carlson M, et al. Optimizing the frame duration for data-driven rigid motion estimation in brain PET imaging. *Medical Physics*. 2021;48(6):3031-41. - 배제사유: 7
2021. Takamiya A, Vande Casteele T, Koole M, De Winter FL, Bouckaert F, Van den Stock J, et al. Lower regional gray matter volume in the absence of higher cortical amyloid burden in late-life depression. *Scientific reports*. 2021;11(1):15981. - 배제사유: 7
2022. Yoon HJ, Kim BS, Jeong JH, Kim GH, Park HK, Chun MY, et al. Dual-phase ¹⁸F-florbetaben PET provides cerebral perfusion proxy along with beta-amyloid burden in Alzheimer's disease. *NeuroImage: Clinical*. 2021;31 (no pagination)(102773). - 배제사유: 7
2023. Lin RR, Xue YY, Li XY, Chen YH, Tao QQ, Wu ZY. Optimal Combinations of AT(N) Biomarkers to Determine Longitudinal Cognition in the Alzheimer's Disease. *Frontiers in Aging Neuroscience*. 2021;13 (no pagination)(718959). - 배제사유: 7
2024. Pereira JB, Janelidze S, Stomrud E, Palmqvist S, Van Westen D, Dage JL, et al. Plasma markers predict changes in amyloid, tau, atrophy and cognition in non-demented subjects. *Brain*. 2021;144(9):2826-36. - 배제사유: 7
2025. Kang SH, Kim J, Kim JP, Cho SH, Choe YS, Jang H, et al. Harmonisation of PET imaging features with different amyloid ligands using machine learning-based classifier. *European Journal of Nuclear Medicine and Molecular Imaging*. 2021. - 배제사유: 7
2026. Lee S, Jung JH, Kim D, Lim HK, Park MA, Kim G, et al. PET/CT for Brain Amyloid: A Feasibility Study for Scan Time Reduction by Deep Learning. *Clinical Nuclear Medicine*. 2021;46(3):e133-e40. - 배제사유: 7
2027. Pereira JB, Janelidze S, Ossenkoppele R, Kvarnberg H, Brinkmalm A, Mattsson-Carlsson N, et al. Untangling the association of amyloid-beta and tau with synaptic and axonal loss in Alzheimer's disease. *Brain*. 2021;144(1):310-24. - 배제사유: 7
2028. Gallucci M, Mazzarolo AP, Focella L, Berlin E, Fiore V, Di Paola F, et al. More Atypical than Atypical Alzheimer's Disease Phenotypes: A Treviso Dementia (TREDem) Registry Case Report. *Journal of Alzheimer's Disease Reports*. 2021;5(1):365-74. - 배제사유: 7
2029. Lee WJ, Yoon CW, Kim SW, Jeong HJ, Seo S, Na DL, et al. Effects of Alzheimer's and Vascular Pathologies on Structural Connectivity in Early- and Late-Onset Alzheimer's Disease. *Frontiers in Neuroscience*. 2021;15 (no pagination)(606600). - 배제사유: 7
2030. Kim SE, Lee B, Jang H, Chin J, Khoo CS, Choe YS, et al. Cognitive trajectories of patients with focal s-amyloid deposition. *Alzheimer's Research and Therapy*. 2021;13(1) (no pagination)(48). - 배제사유: 7
2031. Bischof GN, Bartenstein P, Barthel H, van Berckel B, Dore V, van Eimeren T, et al. Toward a

- Universal Readout for ¹⁸F-Labeled Amyloid Tracers: The CAPTAINS Study. *Journal of nuclear medicine : official publication, Society of Nuclear Medicine*. 2021;62(7):999-1005. - 배제사유: 7
2032. Nuebling GS, Prix C, Brendel M, Beyer L, Wlasich E, Loosli SV, et al. Low-degree trisomy 21 mosaicism promotes early-onset Alzheimer disease. *Neurobiology of Aging*. 2021;103:147.e1-.e5. - 배제사유: 7
2033. Kang SW, Jeon S, Lee YG, Park M, Baik K, Jung JH, et al. Implication of metabolic and dopamine transporter PET in dementia with Lewy bodies. *Scientific reports*. 2021;11(1):14394. - 배제사유: 7
2034. Roberts C, Kaplow J, Giroux M, Krause S, Kanekiyo M. Amyloid and APOE Status of Screened Subjects in the Elenbecestat MissionAD Phase 3 Program. *Journal of Prevention of Alzheimer's Disease*. 2021;8(2):218-23. - 배제사유: 7
2035. Benussi A, Grassi M, Palluzzi F, Cantoni V, Cotelli MS, Premi E, et al. Classification accuracy of TMS for the diagnosis of mild cognitive impairment. *Brain Stimulation*. 2021;14(2):241-9. - 배제사유: 7
2036. Kim HJ, Cheong EN, Jo S, Lee S, Shim WH, Kwon M, et al. The cerebellum could serve as a potential imaging biomarker of dementia conversion in patients with amyloid-negative amnesic mild cognitive impairment. *European Journal of Neurology*. 2021;28(5):1520-7. - 배제사유: 7
2037. Collij LE, Ingala S, Top H, Wottschel V, Stickney KE, Tomassen J, et al. White matter microstructure disruption in early stage amyloid pathology. *Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring*. 2021;13(1) (no pagination)(e12124). - 배제사유: 7
2038. Kim HJ, Cheong EN, Jo S, Lee S, Shim WH, Kang DW, et al. Early Impairment in the Ventral Visual Pathway Can Predict Conversion to Dementia in Patients with Amyloid-negative Amnesic Mild Cognitive Impairment. *Alzheimer Disease and Associated Disorders*. 2021. - 배제사유: 7
2039. Lisova K, Wang J, Chao PH, van Dam RM. A simple and efficient automated microvolume radiosynthesis of [¹⁸F]Florbetaben. *EJNMMI Radiopharmacy and Chemistry*. 2020;5(1) (no pagination)(30). - 배제사유: 7
2040. Li J, Antonecchia E, Camerlenghi M, Chiaravalloti A, Chu Q, Costanzo AD, et al. Correlation of [¹⁸F]florbetaben textural features and age of onset of Alzheimer's disease: a principal components analysis approach. *EJNMMI Research*. 2021;11(1) (no pagination)(40). - 배제사유: 7
2041. Aghakhanyan G, Saur D, Rullmann M, Weise CM, Schroeter ML, Marek K, et al. Pet/mri delivers multimodal brain signature in alzheimer's disease with de novo psen1 mutation. *Current Alzheimer Research*. 2021;18(2):178-84. - 배제사유: 7
2042. Vera JH, Eftychiou N, Schuerer M, Rullmann M, Barthel H, Sabri O, et al. Clinical Utility of beta-Amyloid PET Imaging in People Living With HIV With Cognitive Symptoms. *Journal of acquired immune deficiency syndromes (1999)*. 2021;87(2):826-33. - 배제사유: 7
2043. Schaeverbeke JM, Gabel S, Meersmans K, Luckett ES, De Meyer S, Adamczuk K, et al. Baseline cognition is the best predictor of 4-year cognitive change in cognitively intact older adults. *Alzheimer's Research and Therapy*. 2021;13(1) (no pagination)(75). - 배제사유: 7
2044. Cho SH, Choe YS, Kim YJ, Lee B, Kim HJ, Jang H, et al. Concordance in detecting amyloid positivity between ¹⁸F-florbetaben and ¹⁸F-flutemetamol amyloid PET using quantitative and qualitative assessments. *Scientific reports*. 2020;10(1):19576. - 배제사유: 7
2045. Oh YS, Yoo SW, Lyoo CH, Yoo JY, Yoon H, Ha S, et al. The Association of beta-Amyloid with Cognition and Striatal Dopamine in Early, Non-Demented Parkinson's Disease. *Journal of Parkinson's Disease*. 2021;11(2):605-13. - 배제사유: 7

2046. Kang DW, Wang SM, Na HR, Lee CU, Baek IH, Lim HK. Differential effects of the interaction between the education and apoe epsilon4 allele on amyloid-beta retention and memory performances in cognitively normal older adults and alzheimer's disease patients. *Current Alzheimer Research*. 2020;17(11):1023-32. - 배제사유: 7
2047. Librizzi D, Cabanel N, Zavorotnyy M, Riehl E, Kircher T, Luster M, et al. Clinical Relevance of [¹⁸F]Florbetaben and [¹⁸F]FDG PET/CT Imaging on the Management of Patients with Dementia. *Molecules*. 2021;26(5). - 배제사유: 7
2048. You JC, Jones E, Cross DE, Lyon AC, Kang H, Newberg AB, et al. Association of beta-Amyloid Burden with Sleep Dysfunction and Cognitive Impairment in Elderly Individuals with Cognitive Disorders. *JAMA Network Open*. 2019;2(10) (no pagination)(e1913383). - 배제사유: 7
2049. Chen KT, Schurer M, Ouyang J, Koran MEI, Davidzon G, Mormino E, et al. Generalization of deep learning models for ultra-low-count amyloid PET/MRI using transfer learning. *European Journal of Nuclear Medicine and Molecular Imaging*. 2020;47(13):2998-3007. - 배제사유: 7
2050. Jang H, Kim HJ, Choe YS, Kim SJ, Park S, Kim Y, et al. The Impact of Amyloid-beta or Tau on Cognitive Change in the Presence of Severe Cerebrovascular Disease. *Journal of Alzheimer's Disease*. 2020;78(2):573-85. - 배제사유: 7
2051. Perez-Cordon A, Monte-Rubio G, Sanabria A, Rodriguez-Gomez O, Valero S, Abdelnour C, et al. Subtle executive deficits are associated with higher brain amyloid burden and lower cortical volume in subjective cognitive decline: the FACEHBI cohort. *Scientific reports*. 2020;10(1):17721. - 배제사유: 7
2052. Chae S, Park J, Byun MS, Yi D, Lee JH, Byeon GH, et al. Decreased Alpha Reactivity from Eyes-Closed to Eyes-Open in Non-Demented Older Adults with Alzheimer's Disease: A Combined EEG and [¹⁸F]florbetaben PET Study. *Journal of Alzheimer's Disease*. 2020;77(4):1681-92. - 배제사유: 7
2053. Sur C, Kost J, Scott D, Adamczuk K, Fox NC, Cummings JL, et al. BACE inhibition causes rapid, regional, and non-progressive volume reduction in Alzheimer's disease brain. *Brain*. 2020;143(12):3816-26. - 배제사유: 7
2054. Iaccarino L, La Joie R, Lesman-Segev OH, Lee E, Hanna L, Allen IE, et al. Association between Ambient Air Pollution and Amyloid Positron Emission Tomography Positivity in Older Adults with Cognitive Impairment. *JAMA Neurology*. 2021;78(2):197-207. - 배제사유: 7
2055. Papanastasiou G, Rodrigues MA, Wang C, Heurling K, Lucatelli C, Salman RAS, et al. Pharmacokinetic modelling for the simultaneous assessment of perfusion and [¹⁸F]flutemetamol uptake in cerebral amyloid angiopathy using a reduced PET-MR acquisition time: Proof of concept. *NeuroImage*. 2021;225 (no pagination)(117482). - 배제사유: 7
2056. Kim HJ, Lee JH, Cheong EN, Chung SE, Jo S, Shim WH, et al. Elucidating the risk factors for progression from amyloid-negative amnesic mild cognitive impairment to dementia. *Current Alzheimer Research*. 2020;17(10):893-903. - 배제사유: 7
2057. Gertje EC, van Westen D, Panizo C, Mattsson-Carlgrén N, Hansson O. Association of Enlarged Perivascular Spaces and Measures of Small Vessel and Alzheimer Disease. *Neurology*. 2021;96(2):e193-e202. - 배제사유: 7
2058. Hanseeuw BJ, Malotau V, Dricot L, Quenon L, Sznajder Y, Cerman J, et al. Defining a Centiloid scale threshold predicting long-term progression to dementia in patients attending the memory clinic: an [¹⁸F] flutemetamol amyloid PET study. *European Journal of Nuclear Medicine and Molecular Imaging*. 2021;48(1):302-10. - 배제사유: 7
2059. Lee EC, Kang JM, Seo S, Seo HE, Lee SY, Park KH, et al. Association of Subcortical Structural Shapes With Tau, Amyloid, and Cortical Atrophy in Early-Onset and Late-Onset Alzheimer's Disease. *Frontiers in Aging Neuroscience*. 2020;12 (no pagination)(563559). - 배제사유: 7

2060. Yoo HS, Lee S, Chung SJ, Lee YH, Ye BS, Sohn YH, et al. Clinical and striatal dopamine transporter predictors of beta-Amyloid in dementia with Lewy bodies. *Neurology*. 2020;94(13):E1344-E52. - 배제사유: 7
2061. Suh H, Lee YM, Park JM, Lee BD, Moon E, Jeong H, et al. Smaller hippocampal volume in APOE epsilon4 carriers independent of amyloid-beta (Abeta) burden. *Psychiatry Research - Neuroimaging*. 2021;317 (no pagination)(111381). - 배제사유: 7
2062. Hyung WSW, Kang J, Kim J, Lee S, Youn H, Ham BJ, et al. Cerebral amyloid accumulation is associated with distinct structural and functional alterations in the brain of depressed elders with mild cognitive impairment. *Journal of Affective Disorders*. 2021;281:459-66. - 배제사유: 7
2063. Leuzy A, Lilja J, Buckley CJ, Ossenkoppele R, Palmqvist S, Battle M, et al. Derivation and utility of an Abeta-PET pathology accumulation index to estimate Abeta load. *Neurology*. 2020;95(21):e2834-e44. - 배제사유: 7
2064. Baek MS, Cho H, Ryu YH, Lyoo CH. Customized FreeSurfer-based brain atlas for diffeomorphic anatomical registration through exponentiated lie algebra tool. *Annals of Nuclear Medicine*. 2020;34(4):280-8. - 배제사유: 7
2065. Roh HW, Choi JG, Kim NR, Choe YS, Choi JW, Cho SM, et al. Associations of rest-activity patterns with amyloid burden, medial temporal lobe atrophy, and cognitive impairment. *EBioMedicine*. 2020;58 (no pagination)(102881) - 배제사유: 7
2066. Cho H, Baek MS, Lee HS, Lee JH, Ryu YH, Lyoo CH. Principal components of tau positron emission tomography and longitudinal tau accumulation in Alzheimer's disease. *Alzheimer's Research and Therapy*. 2020;12(1) (no pagination)(114). - 배제사유: 7
2067. Baek MS, Cho H, Lee HS, Lee JH, Ryu YH, Lyoo CH. Effect of APOE epsilon4 genotype on amyloid-beta and tau accumulation in Alzheimer's disease. *Alzheimer's Research and Therapy*. 2020;12(1) (no pagination)(140). - 배제사유: 7
2068. D'Haese PF, Ranjan M, Song A, Haut MW, Carpenter J, Dieb G, et al. beta-Amyloid Plaque Reduction in the Hippocampus After Focused Ultrasound-Induced Blood-Brain Barrier Opening in Alzheimer's Disease. *Frontiers in Human Neuroscience*. 2020;14 (no pagination)(593672). - 배제사유: 7
2069. Aksnes M, Muller EG, Tiiman A, Edwin TH, Terenius L, Revheim ME, et al. Amyloidogenic Nanoplaques in Cerebrospinal Fluid: Relationship to Amyloid Brain Uptake and Clinical Alzheimer's Disease in a Memory Clinic Cohort. *Journal of Alzheimer's Disease*. 2020;77(2):831-42. - 배제사유: 7
2070. He H, Liu A, Zhang W, Yang H, Zhang M, Xu H, et al. Novel Plasma miRNAs as Biomarkers and Therapeutic Targets of Alzheimer's Disease at the Prodromal Stage. *Journal of Alzheimer's Disease*. 2021;83(2):779-90. - 배제사유: 7
2071. Na S, Jeong H, Park JS, Chung YA, Song IU. The impact of amyloid-beta positivity with 18f-florbetaben pet on neuropsychological aspects in parkinson's disease dementia. *Metabolites*. 2020;10(10):1-7 - 배제사유: 7
2072. Leuzy A, Heurling K, De Santi S, Bullich S, Hansson O, Lilja J. Validation of a spatial normalization method using a principal component derived adaptive template for [¹⁸F]florbetaben pet. *American Journal of Nuclear Medicine and Molecular Imaging*. 2020;10(4):161-7. - 배제사유: 7
2073. Thomas J, Ooms SJ, Mentink LJ, Booij J, Olde Rikkert MGM, Overeem S, et al. Effects of long-term sleep disruption on cognitive function and brain amyloid-beta burden: A case-control study. *Alzheimer's Research and Therapy*. 2020;12(1) (no pagination)(101). - 배제사유: 7
2074. Chang Y, Li C, Yang H, Wu Y, Xu B, Zhang J, et al. ¹⁸F-Florbetaben Amyloid PET Imaging: A Chinese Study in Cognitive Normal Controls, Mild Cognitive Impairment, and

- Alzheimer's Disease Patients. *Frontiers in Neuroscience*. 2020;14 (no pagination)(745). - 배제사유: 7
2075. Segovia F, Ramirez J, Castillo-Barnes D, Salas-Gonzalez D, Gomez-Rio M, Sopena-Novales P, et al. Multivariate analysis of dual-point amyloid PET intended to assist the diagnosis of Alzheimer's disease. *Neurocomputing*. 2020;417:1-9. - 배제사유: 7
2076. Arabi H, Bortolin K, Ginovart N, Garibotto V, Zaidi H. Deep learning-guided joint attenuation and scatter correction in multitracer neuroimaging studies. *Human Brain Mapping*. 2020;41(13):3667-79. - 배제사유: 7
2077. Rauchmann BS, Ghaseminejad F, Mekala S, Perneckzy R. Cerebral microhemorrhage at mri in mild cognitive impairment and early alzheimer disease: association with tau and amyloid b at pet imaging. *Radiology*. 2020;296(1):134-42. - 배제사유: 7
2078. Um YH, Wang SM, Kim NY, Kang DW, Na HR, Lee CU, et al. Effects of moderate intensity exercise on the cortical thickness and subcortical volumes of preclinical alzheimer's disease patients: A pilot study. *Psychiatry Investigation*. 2020;17(6):613-9. - 배제사유: 7
2079. Hagberg G, Fure B, Thommessen B, Ihle-Hansen H, Oksengard AR, Beyer MK, et al. No evidence for amyloid pathology as a key mediator of neurodegeneration post-stroke - A seven-year follow-up study. *BMC Neurology*. 2020;20(1) (no pagination)(174). - 배제사유: 7
2080. Yoo HS, Chung SJ, Lee YH, Lee PH, Sohn YH, Lee S, et al. Dopaminergic Depletion, beta-Amyloid Burden, and Cognition in Lewy Body Disease. *Annals of Neurology*. 2020;87(5):739-50. - 배제사유: 7
2081. Son SH, Kang K, Ko PW, Lee HW, Lee SW, Ahn BC, et al. Early-Phase ¹⁸F-Florbetaben PET as an Alternative Modality for ¹⁸F-FDG PET. *Clinical Nuclear Medicine*. 2020;45(1):E8-E14. - 배제사유: 7
2082. Ye BS, Lee S, Yoo H, Chung SJ, Lee YH, Choi Y, et al. Distinguishing between dementia with Lewy bodies and Alzheimer's disease using metabolic patterns. *Neurobiology of Aging*. 2020;87:11-7. - 배제사유: 7
2083. Lim EY, Ryu SY, Shim YS, Yang DW, Cho AH. Coexistence of cerebral microbleeds and amyloid pathology in patients with cognitive complaints. *Journal of Clinical Neurology (Korea)*. 2020;16(1):83-9. - 배제사유: 7
2084. Spallazzi M, Michelini G, Barocco F, Dieci F, Copelli S, Messa G, et al. The Role of Free and Cued Selective Reminding Test in Predicting [¹⁸F]Florbetaben PET Results in Mild Cognitive Impairment and Mild Dementia. *Journal of Alzheimer's Disease*. 2020;73(4):1647-59. - 배제사유: 7
2085. Jang H, Kim HJ, Park S, Park YH, Choe Y, Cho H, et al. Application of an amyloid and tau classification system in subcortical vascular cognitive impairment patients. *European Journal of Nuclear Medicine and Molecular Imaging*. 2020;47(2):292-303. - 배제사유: 7
2086. Kim SE, Lee B, Park S, Cho SH, Kim SJ, Kim Y, et al. Clinical significance of focal s-amyloid deposition measured by ¹⁸F-flutemetamol PET. *Alzheimer's Research and Therapy*. 2020;12(1) (no pagination)(6). - 배제사유: 7
2087. Pytel V, Matias-Guiu JA, Matias-Guiu J, Cortes-Martinez A, Montero P, Moreno-Ramos T, et al. Amyloid PET findings in multiple sclerosis are associated with cognitive decline at 18 months. *Multiple Sclerosis and Related Disorders*. 2020;39 (no pagination)(101926). - 배제사유: 7
2088. Arenaza-Urquijo EM, Salvado G, Operto G, Minguillon C, Sanchez-Benavides G, Crous-Bou M, et al. Association of years to parent's sporadic onset and risk factors with neural integrity and Alzheimer biomarkers. *Neurology*. 2020;95(15):e2065-e74. - 배제사유: 7
2089. Cho SH, Choe YS, Park S, Kim YJ, Kim HJ, Jang H, et al. Appropriate reference region selection of ¹⁸F-florbetaben and ¹⁸F-flutemetamol beta-amyloid PET

- expressed in Centiloid. *Scientific reports*. 2020;10(1):14950. - 배제사유: 7
2090. Mattsson-Carlgrén N, Leuzy A, Janelidze S, Palmqvist S, Stomrud E, Strandberg O, et al. The implications of different approaches to define AT(N) in Alzheimer disease. *Neurology*. 2020;94(21):e2233-e44. - 배제사유: 7
2091. Guo T, Korman D, Baker SL, Landau SM, Jagust WJ. Longitudinal Cognitive and Biomarker Measurements Support a Unidirectional Pathway in Alzheimer's Disease Pathophysiology. *Biological Psychiatry*. 2021;89(8):786-94. - 배제사유: 7
2092. Müller EG, Edwin TH, Stokke C, Navelsaker SS, Babovic A, Bogdanovic N, et al. Amyloid-beta PET-Correlation with cerebrospinal fluid biomarkers and prediction of Alzheimer's disease diagnosis in a memory clinic. *PLoS ONE*. 2019;14(8) (no pagination)(e0221365). - 배제사유: 7
2093. Cho SH, Choe YS, Kim HJ, Jang H, Kim Y, Kim SE, et al. A new Centiloid method for ¹⁸F-florbetaben and ¹⁸F-flutemetamol PET without conversion to PiB. *European Journal of Nuclear Medicine and Molecular Imaging*. 2020;47(8):1938-48. - 배제사유: 7
2094. Altomare D, De Wilde A, Ossenkoppele R, Pelkmans W, Bouwman F, Groot C, et al. Applying the ATN scheme in a memory clinic population: The ABIDE project. *Neurology*. 2019;93(17):E1635-E46. - 배제사유: 7
2095. Bastin C, Bahri MA, Meyer F, Manard M, Delhaye E, Plenevaux A, et al. In vivo imaging of synaptic loss in Alzheimer's disease with [18F]UCB-H positron emission tomography. *European Journal of Nuclear Medicine and Molecular Imaging*. 2020;47(2):390-402. - 배제사유: 7
2096. Choo IH, Chong A, Chung JY, Kim H, Seo SW. Association of Subjective Memory Complaints with the Left Parahippocampal Amyloid Burden in Mild Cognitive Impairment. *Journal of Alzheimer's Disease*. 2019;72(4):1261-8. - 배제사유: 7
2097. Thal DR, Ronisz A, Tousseyn T, Rijal Upadhaya A, Balakrishnan K, Vandenberghe R, et al. Different aspects of Alzheimer's disease-related amyloid beta-peptide pathology and their relationship to amyloid positron emission tomography imaging and dementia. *Acta neuropathologica communications*. 2019;7(1):178. - 배제사유: 7
2098. Schwarz C, Lange C, Benson GS, Horn N, Wurdack K, Lukas M, et al. Severity of Subjective Cognitive Complaints and Worries in Older Adults Are Associated With Cerebral Amyloid-beta Load. *Frontiers in Aging Neuroscience*. 2021;13 (no pagination)(675583). - 배제사유: 7
2099. Lilja J, Leuzy A, Chiotis K, Savitcheva I, Sorensen J, Nordberg A. Spatial normalization of ¹⁸F-flutemetamol PET images using an adaptive principal-component template. *Journal of Nuclear Medicine*. 2019;60(2):285-91. - 배제사유: 7
2100. Sala-Llonch R, Falgas N, Bosch B, Fernandez-Villullas G, Balasa M, Antonell A, et al. Regional patterns of 18F-florbetaben uptake in presenilin 1 mutation carriers. *Neurobiology of Aging*. 2019;81:1-8. - 배제사유: 7
2101. Duara R, Loewenstein DA, Lizarraga G, Adjouadi M, Barker WW, Greig-Custo MT, et al. Effect of age, ethnicity, sex, cognitive status and APOE genotype on amyloid load and the threshold for amyloid positivity. *NeuroImage: Clinical*. 2019;22 (no pagination)(101800). - 배제사유: 7
2102. Bouckaert F, Emsell L, Vansteelandt K, De Winter FL, Van den Stock J, Obbels J, et al. Electroconvulsive therapy response in late-life depression unaffected by age-related brain changes. *Journal of Affective Disorders*. 2019;251:114-20. - 배제사유: 7
2103. Schaefferbeke J, Gille B, Adamczuk K, Vanderstichele H, Chassaing E, Bruffaerts R, et al. Cerebrospinal fluid levels of synaptic and neuronal integrity correlate with gray matter volume and amyloid load in the precuneus of cognitively intact older adults. *Journal of Neurochemistry*. 2019;149(1):139-57. - 배제사유: 7
2104. Szoëke C, Goodwill AM, Gorelik A, Dennerstein L, Caeyenberghs K, Simpson S, et al.

- Apolipoprotein E4 Mediates the Association between Midlife Dyslipidemia and Cerebral Amyloid in Aging Women. *Journal of Alzheimer's Disease*. 2019;68(1):105-14. - 배제사유: 7
2105. Youn H, Lee S, Han C, Kim SH, Jeong HG. Association between brain amyloid accumulation and neuropsychological characteristics in elders with depression and mild cognitive impairment. *International Journal of Geriatric Psychiatry*. 2019;34(12):1907-15. - 배제사유: 7
2106. Kim JY, Suh HY, Ryoo HG, Oh D, Choi H, Paeng JC, et al. Amyloid PET Quantification Via End-to-End Training of a Deep Learning. *Nuclear Medicine and Molecular Imaging*. 2019;53(5):340-8. - 배제사유: 7
2107. Ossenkoppele R, Smith R, Ohlsson T, Strandberg O, Mattsson N, Insel PS, et al. Associations between tau, Aβeta, and cortical thickness with cognition in Alzheimer disease. *Neurology*. 2019;92(6):e601-e12. - 배제사유: 7
2108. Kang SW, Jeon S, Yoo HS, Chung SJ, Lee PH, Sohn YH, et al. Effects of Lewy body disease and Alzheimer disease on brain atrophy and cognitive dysfunction. *Neurology*. 2019;92(17):E2015-E26. - 배제사유: 7
2109. Chatterjee P, Elmi M, Goozee K, Shah T, Sohrabi HR, Dias CB, et al. Ultrasensitive Detection of Plasma Amyloid-βeta as a Biomarker for Cognitively Normal Elderly Individuals at Risk of Alzheimer's Disease. *Journal of Alzheimer's Disease*. 2019;71(3):775-83. - 배제사유: 7
2110. Hatashita S, Wakebe D, Kikuchi Y, Ichijo A. Longitudinal Assessment of Amyloid-βeta Deposition by [18F]-Flutemetamol PET Imaging Compared With [11C]-PIB Across the Spectrum of Alzheimer's Disease. *Frontiers in Aging Neuroscience*. 2019;11 (no pagination)(251). - 배제사유: 7
2111. Jeon S, Kang JM, Seo S, Jeong HJ, Funck T, Lee SY, et al. Topographical heterogeneity of Alzheimer's disease based on MR imaging, tau PET, and amyloid PET. *Frontiers in Aging Neuroscience*. 2019;10(JUL) (no pagination)(211). - 배제사유: 7
2112. Seo M, Cha HJ, Kim M, Lim JH, Choi Y, Lee YJ, et al. Clinical utility of ¹⁸F-florbetaben PET for detecting amyloidosis associated with multiple myeloma a prospective case-control study. *Clinical Nuclear Medicine*. 2019;44(9):E503-E9. - 배제사유: 7
2113. Dani M, Wood M, Mizoguchi R, Fan Z, Edginton T, Hinz R, et al. Tau Aggregation Correlates with Amyloid Deposition in Both Mild Cognitive Impairment and Alzheimer's Disease Subjects. *Journal of Alzheimer's Disease*. 2019;70(2):453-63. - 배제사유: 7
2114. Melzer TR, Stark MR, Keenan RJ, Myall DJ, MacAskill MR, Pitcher TL, et al. Beta amyloid deposition is not associated with cognitive impairment in Parkinson's disease. *Frontiers in Neurology*. 2019;10(APR) (no pagination)(391). - 배제사유: 7
2115. Chen KT, Toueg TN, Koran MEI, Davidzon G, Zeineh M, Holley D, et al. True ultra-low-dose amyloid PET/MRI enhanced with deep learning for clinical interpretation. *European Journal of Nuclear Medicine and Molecular Imaging*. 2021;48(8):2416-25. - 배제사유: 7
2116. Dore V, Bullich S, Rowe CC, Bourgeat P, Konate S, Sabri O, et al. Comparison of ¹⁸F-florbetaben quantification results using the standard Centiloid, MR-based, and MR-less CapAIBL approaches: Validation against histopathology. *Alzheimer's and Dementia*. 2019;15(6):807-16. - 배제사유: 7
2117. Ouyang J, Chen KT, Gong E, Pauly J, Zaharchuk G. Ultra-low-dose PET reconstruction using generative adversarial network with feature matching and task-specific perceptual loss. *Medical Physics*. 2019;46(8):3555-64. - 배제사유: 7
2118. Yan Y, Somer E, Grau V. Classification of amyloid PET images using novel features for early diagnosis of Alzheimer's disease and mild cognitive impairment conversion. *Nuclear Medicine Communications*. 2019;40(3):242-8. - 배제사유: 7
2119. Fiorenzato E, Biundo R, Cecchin D, Frigo AC, Kim J, Weis L, et al. Brain Amyloid Contribution

- to Cognitive Dysfunction in Early-Stage Parkinson's Disease: The PPMI Dataset. *Journal of Alzheimer's disease* : JAD. 2018;66(1):229-37. - 배제사유: 7
2120. Renard D, Tatu L, Collombier L, Wacogne A, Aygnac X, Charif M, et al. Cerebral Amyloid Angiopathy and Cerebral Amyloid Angiopathy-Related Inflammation: Comparison of Hemorrhagic and DWI MRI Features. *Journal of Alzheimer's disease* : JAD. 2018;64(4):1113-21. - 배제사유: 7
2121. Thal DR, Beach TG, Zanette M, Lilja J, Heurling K, Chakrabarty A, et al. Estimation of amyloid distribution by [¹⁸F]flutemetamol PET predicts the neuropathological phase of amyloid beta-protein deposition. *Acta Neuropathologica*. 2018;136(4):557-67. - 배제사유: 7
2122. Kim HJ, Park S, Cho H, Jang YK, Lee JS, Jang H, et al. Assessment of extent and role of tau in subcortical vascular cognitive impairment using 18F-AV1451 positron emission tomography imaging. *JAMA Neurology*. 2018;75(8):999-1007. - 배제사유: 7
2123. Segovia F, Gomez-Rio M, Sanchez-Vano R, Gorris JM, Ramirez J, Trivino-Ibanez E, et al. Usefulness of dual-point amyloid PET scans in appropriate use criteria: A multicenter study. *Journal of Alzheimer's Disease*. 2018;65(3):765-79. - 배제사유: 7
2124. Youn H, Lee ES, Lee S, Suh S, Jeong HG, Eo JS. Regional glucose metabolism due to the presence of cerebral amyloidopathy in older adults with depression and mild cognitive impairment. *Journal of Affective Disorders*. 2018;239:30-6. - 배제사유: 7
2125. Kim HJ, Jo S, Lee S, Oh M, Lee JH. Crossed Hemispheric Accumulation of beta-Amyloid and Tau Protein in a Patient with Typical Alzheimer Disease. *Alzheimer Disease and Associated Disorders*. 2021. - 배제사유: 7
2126. Shea YF, Barker W, Greig-Gusto MT, Loewenstein DA, Dekosky ST, Duara R. Utility of Amyloid PET Scans in the Evaluation of Patients Presenting with Diverse Cognitive Complaints. *Journal of Alzheimer's Disease*. 2018;66(4):1599-608. - 배제사유: 7
2127. Florek L, Tjepolt S, Schroeter ML, Berroushot J, Saur D, Hesse S, et al. Dual Time-Point [¹⁸F]Florbetaben PET Delivers Dual Biomarker Information in Mild Cognitive Impairment and Alzheimer's Disease. *Journal of Alzheimer's Disease*. 2018;66(3):1105-16. - 배제사유: 7
2128. De Rojas I, Romero J, Rodriguez-Gomez O, Pesini P, Sanabria A, Perez-Cordon A, et al. Correlations between plasma and PET beta-amyloid levels in individuals with subjective cognitive decline: The Fundacio ACE Healthy Brain Initiative (FACEHBI) 11 Medical and Health Sciences 1109 Neurosciences. *Alzheimer's Research and Therapy*. 2018;10(1) (no pagination)(119). - 배제사유: 7
2129. Hansson O, Seibyl J, Stomrud E, Zetterberg H, Trojanowski JQ, Bittner T, et al. CSF biomarkers of Alzheimer's disease concord with amyloid-beta PET and predict clinical progression: A study of fully automated immunoassays in BioFINDER and ADNI cohorts. *Alzheimer's and Dementia*. 2018;14(11):1470-81. - 배제사유: 7
2130. Lee YG, Jeon S, Yoo HS, Chung SJ, Lee SK, Lee PH, et al. Amyloid-beta-related and unrelated cortical thinning in dementia with Lewy bodies. *Neurobiology of Aging*. 2018;72:32-9. - 배제사유: 7
2131. Kalheim LF, Fladby T, Coello C, Bjornerud A, Selnes P. [¹⁸F]-Flutemetamol Uptake in Cortex and White Matter: Comparison with Cerebrospinal Fluid Biomarkers and [¹⁸F]-Fludeoxyglucose. *Journal of Alzheimer's Disease*. 2018;62(4):1595-607. - 배제사유: 7
2132. Chiaravalloti A, Castellano AE, Ricci M, Barbagallo G, Sannino P, Ursini F, et al. Coupled Imaging with [¹⁸F]FBB and [¹⁸F]FDG in AD Subjects Show a Selective Association Between Amyloid Burden and Cortical Dysfunction in the Brain. *Molecular Imaging and Biology*. 2018;20(4):659-66. - 배제사유: 7

2133. Yi HA, Won KS, Chang HW, Kim HW. Association between white matter lesions and cerebral Abeta burden. PLoS ONE. 2018;13(9) (no pagination)(e0204313). - 배제사유: 7
2134. Fan Z, Dani M, Femminella GD, Wood M, Calsolaro V, Veronese M, et al. Parametric mapping using spectral analysis for ¹¹C-PBR28 PET reveals neuroinflammation in mild cognitive impairment subjects. European Journal of Nuclear Medicine and Molecular Imaging. 2018;45(8):1432-41 - 배제사유: 7
2135. Presotto L, Iaccarino L, Sala A, Vanoli EG, Muscio C, Nigri A, et al. Low-dose CT for the spatial normalization of PET images: A validation procedure for amyloid-PET semi-quantification. NeuroImage: Clinical. 2018;20:153-60. - 배제사유: 7
2136. Nedelska Z, Senjem ML, Przybelski SA, Lesnick TG, Lowe VJ, Boeve BF, et al. Regional cortical perfusion on arterial spin labeling MRI in dementia with Lewy bodies: Associations with clinical severity, glucose metabolism and tau PET. NeuroImage: Clinical. 2018;19:939-47. - 배제사유: 7
2137. Cho H, Lee HS, Choi JY, Lee JH, Ryu YH, Lee MS, et al. Predicted sequence of cortical tau and amyloid-beta deposition in Alzheimer disease spectrum. Neurobiology of Aging. 2018;68:76-84. - 배제사유: 7
2138. Moreland J, Urhema T, Van Gils M, Lotjonen J, Wolber J, Buckley CJ. Validation of prognostic biomarker scores for predicting progression of dementia in patients with amnesic mild cognitive impairment. Nuclear Medicine Communications. 2018;39(4):297-303. - 배제사유: 7
2139. Battle MR, Pillay LC, Lowe VJ, Knopman D, Kemp B, Rowe CC, et al. Centiloid scaling for quantification of brain amyloid with [¹⁸F]flutemetamol using multiple processing methods. EJNMMI Research. 2018;8 (no pagination)(107). - 배제사유: 7
2140. Segovia F, Sanchez-Vano R, Gorriz JM, Ramirez J, Sopena-Navales P, Dardel NT, et al. Using CT data to improve the quantitative analysis of ¹⁸F-FBB PET neuroimages. Frontiers in Aging Neuroscience. 2018;10(JUN) (no pagination)(158). - 배제사유: 7
2141. Kim JY, Oh D, Sung K, Choi H, Paeng JC, Cheon GJ, et al. Visual interpretation of [¹⁸F]Florbetaben PET supported by deep learning-based estimation of amyloid burden. European Journal of Nuclear Medicine and Molecular Imaging. 2021;48(4):1116-23. - 배제사유: 7
2142. Belohlavek O, Jaruskova M. An easy way to increase confidence in beta-amyloid PET evaluation. Nuclear Medicine Review. 2017;20(2):107-9. - 배제사유: 7
2143. Lowe VJ, Lundt E, Knopman D, Senjem ML, Gunter JL, Schwarz CG, et al. Comparison of [¹⁸F]Flutemetamol and [¹¹C]Pittsburgh Compound-B in cognitively normal young, cognitively normal elderly, and Alzheimer's disease dementia individuals. NeuroImage: Clinical. 2017;16:295-302. - 배제사유: 7
2144. Hammers DB, Atkinson TJ, Dalley BCA, Suhrie KR, Horn KP, Rasmussen KM, et al. Amyloid positivity using [¹⁸F]Flutemetamol-PET and cognitive deficits in nondemented community-dwelling older adults. American Journal of Alzheimer's Disease and other Dementias. 2017;32(6):320-8. - 배제사유: 7
2145. Bullich S, Seibyl J, Catafau AM, Jovalekic A, Koglin N, Barthel H, et al. Optimized classification of ¹⁸F-Florbetaben PET scans as positive and negative using an SUVR quantitative approach and comparison to visual assessment. NeuroImage: Clinical. 2017;15:325-32. - 배제사유: 7
2146. Sabbagh MN, Schauble B, Anand K, Richards D, Murayama S, Akatsu H, et al. Histopathology and Florbetaben PET in Patients Incorrectly Diagnosed with Alzheimer's Disease. Journal of Alzheimer's Disease. 2017;56(2):441-6. - 배제사유: 7
2147. Jeong YJ, Yoon HJ, Kang DY. Assessment of change in glucose metabolism in white matter of amyloid-positive patients with Alzheimer disease using F-18 FDG PET. Medicine (United States).

2017;96(48) (no pagination)(e9042). - 배제사유: 7

2148. Mashima K, Ito D, Kameyama M, Osada T, Tabuchi H, Nihei Y, et al. Extremely low prevalence of amyloid positron emission tomography positivity in Parkinson's disease without dementia. *European Neurology*. 2017;77(5-6):231-7. - 배제사유: 7
2149. Haas B, Schipke CG, Koglin N, Bullich S, Barthel H, Sabri O, et al. Correlation of florbetaben PET imaging and the amyloid peptide As42 in cerebrospinal fluid. *Psychiatry Research - Neuroimaging*. 2017;265:98-101. - 배제사유: 7
2150. Rowe CC, Dore V, Jones G, Baxendale D, Mulligan RS, Bullich S, et al. ¹⁸F-Florbetaben PET beta-amyloid binding expressed in Centiloids. *European Journal of Nuclear Medicine and Molecular Imaging*. 2017;44(12):2053-9. - 배제사유: 7
2151. Heeman F, Yaqub M, Alves IL, Heurling K, Berkhof J, Gispert JD, et al. Optimized dual-time-window protocols for quantitative [¹⁸F]flutemetamol and [¹⁸F]florbetaben PET studies. *EJNMMI Research*. 2019;9(1):1-14. - 배제사유: 7
2152. Um YH, Choi WH, Jung WS, Park YH, Lee CU, Lim HK. Whole brain voxel-wise analysis of cerebral retention of beta-amyloid in cognitively normal older adults using ¹⁸F-florbetaben. *Psychiatry Investigation*. 2017;14(6):883-6. - 배제사유: 7
2153. Hammers DB, Suhrie K, Dixon A, Gradwohl BD, Archibald ZG, King JB, et al. Relationship between a novel learning slope metric and Alzheimer's disease biomarkers. *Neuropsychology, development, and cognition*. 2021:Section B, Aging, neuropsychology and cognition.:1-21. - 배제사유: 7
2154. Cho H, Choi JY, Lee SH, Lee JH, Choi YC, Ryu YH, et al. Excessive tau accumulation in the parieto-occipital cortex characterizes early-onset Alzheimer's disease. *Neurobiology of Aging*. 2017;53:103-111. - 배제사유: 7
2155. Choi BW, Kim S, Kang S, Won KS, Yi HA, Kim HW. Relationship between thyroid hormone levels and the pathology of alzheimer's disease in euthyroid subjects. *Thyroid*. 2020;30(11):1547-55. - 배제사유: 7
2156. Daerr S, Brendel M, Zach C, Mille E, Schilling D, Zacherl MJ, et al. Evaluation of early-phase [¹⁸F]-florbetaben PET acquisition in clinical routine cases. *NeuroImage: Clinical*. 2017;14:77-86. - 배제사유: 7
2157. Hammers DB, Atkinson TJ, Dalley BC, Suhrie KR, Beardmore BE, Burrell LD, et al. Relationship between ¹⁸F-Flutemetamol uptake and RBANS performance in non-demented community-dwelling older adults. *The Clinical neuropsychologist*. 2017;31(3):531-43. - 배제사유: 7
2158. Bullich S, Villemagne VL, Catafau AM, Jovalekic A, Koglin N, Rowe CC, et al. Optimal reference region to measure longitudinal amyloid- β change with ¹⁸F-Florbetaben PET. *Journal of Nuclear Medicine*. 2017;58(8):1300-6. - 배제사유: 7
2159. Buckley CJ, Sherwin PF, Smith APL, Wolber J, Weick SM, Brooks DJ. Validation of an electronic image reader training programme for interpretation of [¹⁸F]flutemetamol beta-amyloid PET brain images. *Nuclear Medicine Communications*. 2017;38(3):234-41. - 배제사유: 7
2160. Catafau AM, Bullich S, Seibyl JP, Barthel H, Ghetti B, Leverenz J, et al. Cerebellar Amyloid- β plaques: How frequent are they, and do they influence ¹⁸F-Florbetaben SUV ratios? *Journal of Nuclear Medicine*. 2016;57(11):1740-5. - 배제사유: 7
2161. Wollenweber FA, Darr S, Muller C, Duering M, Buerger K, Zietemann V, et al. Prevalence of Amyloid Positron Emission Tomographic Positivity in Poststroke Mild Cognitive Impairment. *Stroke*. 2016;47(10):2645-8. - 배제사유: 7
2162. Akamatsu G, Ikari Y, Nishio T, Nishida H, Ohnishi A, Aita K, et al. Optimization of image reconstruction conditions with phantoms for brain FDG and amyloid PET imaging. *Annals of*

Nuclear Medicine. 2016;30(1):18-28. - 배제사유: 7

2163. Adamczuk K, Schaeverbeke J, Nelissen N, Neyens V, Vandenbulcke M, Goffin K, et al. Amyloid imaging in cognitively normal older adults: comparison between ¹⁸F-flutemetamol and ¹¹C-Pittsburgh compound B. *European Journal of Nuclear Medicine and Molecular Imaging*. 2016;43(1):142-51. - 배제사유: 7
2164. Tuszynski T, Rullmann M, Luthardt J, Butzke D, Tiepolt S, Gertz HJ, et al. Evaluation of software tools for automated identification of neuroanatomical structures in quantitative beta-amyloid PET imaging to diagnose Alzheimer's disease. *European Journal of Nuclear Medicine and Molecular Imaging*. 2016;43(6):1077-87. - 배제사유: 7
2165. Tiepolt S, Hesse S, Patt M, Luthardt J, Schroeter ML, Hoffmann KT, et al. Early [¹⁸F]florbetaben and [¹¹C]PiB PET images are a surrogate biomarker of neuronal injury in Alzheimer's disease. *European Journal of Nuclear Medicine and Molecular Imaging*. 2016;43(9):1700-9. - 배제사유: 7
2166. Schutz L, Lobsien D, Fritsch D, Tiepolt S, Werner P, Schroeter ML, et al. Feasibility and acceptance of simultaneous amyloid PET/MRI. *European Journal of Nuclear Medicine and Molecular Imaging*. 2016;43(12):2236-43. - 배제사유: 7
2167. Kim HG, Kong EJ, Cheon EJ, Kim HW, Koo BH. Association between cerebral amyloid deposition and clinical factors including cognitive function in geriatric depression: Pilot study using amyloid positron emission tomography. *Clinical Psychopharmacology and Neuroscience*. 2016;14(4):378-82. - 배제사유: 7
2168. van Westen D, Lindqvist D, Blennow K, Minthon L, Nagga K, Stomrud E, et al. Cerebral white matter lesions - associations with Aβ isoforms and amyloid PET. *Scientific reports*. 2016;6:20709. - 배제사유: 7
2169. Shin YY, Lee JS, Park KC, Rhee HY. Delirium caused by topical administration of cyclopentolate for cataract surgery in mild cognitive impairment due to Alzheimer's disease: A case report. *Medicine*. 2021;100(8):e24394. - 배제사유: 7
2170. Pietrzak RH, Lim YY, Neumeister A, Ames D, Ellis KA, Harrington K, et al. Amyloid-β, anxiety, and cognitive decline in preclinical Alzheimer disease: a multicenter, prospective cohort study. *JAMA Psychiatry*. 2015;72(3):284-91. - 배제사유: 7
2171. Li QX, Villemagne VL, Doecke JD, Rembach A, Sarros S, Varghese S, et al. Alzheimer's disease normative cerebrospinal fluid biomarkers validated in PET amyloid-β characterized subjects from the Australian Imaging, Biomarkers and Lifestyle (AIBL) study. *Journal of Alzheimer's Disease*. 2015;48(1):175-87. - 배제사유: 7
2172. Mountz JM, Laymon CM, Cohen AD, Zhang Z, Price JC, Boudhar S, et al. Comparison of qualitative and quantitative imaging characteristics of [¹¹C]PiB and [¹⁸F]flutemetamol in normal control and Alzheimer's subjects. *NeuroImage: Clinical*. 2015;9:592-8. - 배제사유: 7
2173. Gu Y, Razlighi QR, Zahodne LB, Janicki SC, Ichise M, Manly JJ, et al. Brain amyloid deposition and longitudinal cognitive decline in nondemented older subjects: Results from a multi-ethnic population. *PLoS ONE*. 2015;10(7) (no pagination)(123743). - 배제사유: 7
2174. Heurling K, Buckley C, Vandenberghe R, Laere KV, Lubberink M. Separation of beta-amyloid binding and white matter uptake of ¹⁸F-flutemetamol using spectral analysis. *American Journal of Nuclear Medicine and Molecular Imaging*. 2015;5(5):515-23. - 배제사유: 7
2175. Lee YH, Jeon S, Yoo HS, Chung SJ, Jung JH, Baik K, et al. Effect of Alzheimer's Disease and Lewy Body Disease on Metabolic Changes. *Journal of Alzheimer's Disease*. 2021;79(4):1471-87. - 배제사유: 7
2176. Duff K, Foster NL, Hoffman JM. Practice effects and amyloid deposition: Preliminary data on

- a method for enriching samples in clinical trials. *Alzheimer Disease and Associated Disorders*. 2014;28(3):247-52. - 배제사유: 7
2177. Landau SM, Thomas BA, Thurfjell L, Schmidt M, Margolin R, Mintun M, et al. Amyloid PET imaging in Alzheimer's disease: A comparison of three radiotracers. *European Journal of Nuclear Medicine and Molecular Imaging*. 2014;41(7):1398-407. - 배제사유: 7
2178. Thurfjell L, Lilja J, Lundqvist R, Buckley C, Smith A, Vandenberghe R, et al. Automated quantification of ¹⁸F-flutemetamol PET activity for categorizing scans as negative or positive for brain amyloid: Concordance with visual image reads. *Journal of Nuclear Medicine*. 2014;55(10):1623-8. - 배제사유: 7
2179. Lautner R, Palmqvist S, Mattsson N, Andreasson U, Wallin A, Palsson E, et al. Apolipoprotein e genotype and the diagnostic accuracy of cerebrospinal fluid biomarkers for alzheimer disease. *JAMA Psychiatry*. 2014;71(10):1183-91. - 배제사유: 7
2180. Ong K, Villemagne VL, Bahar-Fuchs A, Lamb F, Chetelat G, Raniga P, et al. ¹⁸F-florbetaben Ab imaging in mild cognitive impairment. *Alzheimer's Research and Therapy*. 2013;5(1) (no pagination)(4). - 배제사유: 7
2181. Becker GA, Ichise M, Barthel H, Luthardt J, Patt M, Seese A, et al. PET quantification of ¹⁸F-florbetaben binding to beta-amyloid deposits in human brains. *Journal of Nuclear Medicine*. 2013;54(5):723-31. - 배제사유: 7
2182. Vandenberghe R, Nelissen N, Salmon E, Ivanoiu A, Hasselbalch S, Andersen A, et al. Binary classification of ¹⁸F-flutemetamol PET using machine learning: Comparison with visual reads and structural MRI. *NeuroImage*. 2013;64(1):517-25. - 배제사유: 7
2183. Leinonen V, Rinne JO, Virtanen KA, Eskola O, Rummukainen J, Huttunen J, et al. Positron emission tomography with [¹⁸F]flutemetamol and [¹¹C]PiB for in vivo detection of cerebral cortical amyloid in normal pressure hydrocephalus patients. *European Journal of Neurology*. 2013;20(7):1043-52. - 배제사유: 7
2184. Duara R, Loewenstein DA, Shen Q, Barker W, Potter E, Varon D, et al. Amyloid positron emission tomography with ¹⁸F-flutemetamol and structural magnetic resonance imaging in the classification of mild cognitive impairment and Alzheimer's disease. *Alzheimer's and Dementia*. 2013;9(3):295-301. - 배제사유: 7
2185. Schipke CG, Peters O, Heuser I, Grimmer T, Sabbagh MN, Sabri O, et al. Impact of beta-amyloid-specific florbetaben pet imaging on confidence in early diagnosis of Alzheimer's disease. *Dementia and Geriatric Cognitive Disorders*. 2012;33(6):416-22. - 배제사유: 7
2186. Rinne JO, Wong DF, Wolk DA, Leinonen V, Arnold SE, Buckley C, et al. Flutemetamol PET imaging and cortical biopsy histopathology for fibrillar amyloid beta detection in living subjects with normal pressure hydrocephalus: Pooled analysis of four studies. *Acta Neuropathologica*. 2012;124(6):833-45. - 배제사유: 7
2187. Villemagne VL, Mulligan RS, Pejoska S, Ong K, Jones G, O'Keefe G, et al. Comparison of ¹¹C-PiB and ¹⁸F-florbetaben for Abeta imaging in ageing and Alzheimer's disease. *European Journal of Nuclear Medicine and Molecular Imaging*. 2012;39(6):983-9. - 배제사유: 7
2188. O'Keefe GJ, Saunder TH, Ng S, Ackerman U, Tochon-Danguy HJ, Chan JG, et al. Radiation dosimetry of beta-amyloid tracers ¹¹C-PiB and ¹⁸F-BAY94-9172. *Journal of Nuclear Medicine*. 2009;50(2):309-15. - 배제사유: 7
2189. Leuzy A, Smith R, Cullen NC, Strandberg O, Vogel JW, Binette AP, et al. Biomarker-Based Prediction of Longitudinal Tau Positron Emission Tomography in Alzheimer Disease. *JAMA Neurology*. 2021;20:20. - 배제사유: 7
2190. Muller EG, Edwin TH, Strand BH, Stokke C, Revheim ME, Knapskog AB. Is Amyloid Burden Measured by ¹⁸F-Flutemetamol PET Associated with Progression in Clinical Alzheimer's

- Disease? Journal of Alzheimer's Disease. 2021;11:11. - 배제사유: 7
2191. Barthelemy NR, Toth B, Manser PT, Sanabria-Bohorquez S, Teng E, Keeley M, et al. Site-Specific Cerebrospinal Fluid Tau Hyperphosphorylation in Response to Alzheimer's Disease Brain Pathology: Not All Tau Phospho-Sites are Hyperphosphorylated. Journal of Alzheimer's Disease. 2021;18:18. - 배제사유: 7
2192. Rudolphi-Solero T, Trivino Ibanez EM, Aroui T, Navidad RH, Gomez-Rio M. Dual-Phase 18F-Florbetaben PET/CT: Unsuspected Thalamic Infarction Mimicking Alzheimer Disease. Clinical Nuclear Medicine. 2021;02:02. - 배제사유: 7
2193. Matsuda H, Yamao T, Shakado M, Shigemoto Y, Okita K, Sato N. Amyloid PET quantification using low-dose CT-guided anatomic standardization. EJNMMI Research. 2021;11(1):125. - 배제사유: 7
2194. Eger SJ, Le Guen Y, Khan RR, Hall JN, Kennedy G, Zaharchuk G, et al. Confirming Pathogenicity of the F386L PSEN1 Variant in a South Asian Family With Early-Onset Alzheimer Disease. Neurology Genetics. 2022;8(1):e647. - 배제사유: 7
2195. Paghera B, Altomare D, Peli A, Morbelli S, Buschiazzo A, Bauckneht M, et al. Comparison of visual criteria for amyloid-pet reading: Could criteria merging reduce inter-rater variability? Quarterly Journal of Nuclear Medicine and Molecular Imaging. 2021;64(4):414-21. - 배제사유: 7
2196. Biundo R, Weis L, Fiorenzato E, Pistonesi F, Cagnin A, Bertoldo A, et al. The contribution of beta-amyloid to dementia in Lewy body diseases: a 1-year follow-up study. Brain Communications. 2021;3(3):fcab180. - 배제사유: 7
2197. Park S, Oh M, Kim JS, Lee JH, Yoon YW, Roh JH. ¹⁸F-THK-5351, Fluorodeoxyglucose, and Florbetaben PET Images in Atypical Alzheimer's Disease: A Pictorial Insight into Disease Pathophysiology. Brain Sciences. 2021;11(4):06. - 배제사유: 7
2198. Jeong HE, Shin DH, Lee DC. Medial Temporal Atrophy Alone is Insufficient to Predict Underlying Alzheimer's Disease Pathology. Korean Journal of Family Medicine. 2020;41(5):352-8. - 배제사유: 7
2199. Kim JY, Lim JH, Jeong YJ, Kang DY, Park KW. The Effect of Clinical Characteristics and Subtypes on Amyloid Positivity in Patients with Amnesic Mild Cognitive Impairment. Dementia and Neurocognitive Disorders. 2019;18(4):130-7. - 배제사유: 7
2200. Kim JH, Lee EJ, Park SS, Heo JH. A Case of Early Onset Alzheimer's Disease Diagnosed by ¹⁸F Flutemetamol PET Image. Dementia and Neurocognitive Disorders. 2018;17(4):174-5. - 배제사유: 7
2201. Rullmann M, Dukart J, Hoffmann KT, Luthardt J, Tiepolt S, Patt M, et al. Partial-Volume Effect Correction Improves Quantitative Analysis of 18F-Florbetaben beta-Amyloid PET Scans. Journal of Nuclear Medicine. 2016;57(2):198-203. - 배제사유: 7
2202. Jennings D, Seibyl J, Sabbagh M, Lai F, Hopkins W, Bullich S, et al. Age dependence of brain beta-amyloid deposition in Down syndrome: An [18F]florbetaben PET study. Neurology. 2015;84(5):500-7. - 배제사유: 7
2203. Lindstrom E, Oddstig J, Danfors T, Jogi J, Hansson O, Lubberink M. Image reconstruction methods affect software-aided assessment of pathologies of [¹⁸F]flutemetamol and [¹⁸F]FDG brain-PET examinations in patients with neurodegenerative diseases. NeuroImage: Clinical. 2020;28 (no pagination)(102386). - 배제사유: 7
2204. Thurffjell L, Lotjonen J, Lundqvist R, Koikkalainen J, Soinen H, Waldemar G, et al. Combination of biomarkers: PET [18F]flutemetamol imaging and structural MRI in dementia and mild cognitive impairment. Neurodegenerative Diseases. 2012;10(1-4):246-9. - 배제사유: 7
2205. Marondedze EF, Govender KK, Govender PP. Ligand-based pharmacophore modelling and

- virtual screening for the identification of amyloid-beta diagnostic molecules. *Journal of Molecular Graphics and Modelling*. 2020;101 (no pagination)(107711). - 배제사유: 7
2206. Luchsinger JA, Palta P, Rippon B, Sherwood G, Soto L, Ceballos F, et al. Pre-Diabetes, but not Type 2 Diabetes, Is Related to Brain Amyloid in Late Middle-Age. *Journal of Alzheimer's Disease*. 2020;75(4):1273-82. - 배제사유: 7
2207. Marondedze EF, Govender KK, Govender PP. Computational investigation of the binding characteristics of beta-amyloid fibrils. *Biophysical Chemistry*. 2020;256 (no pagination)(106281). - 배제사유: 7
2208. Ng KP, Wong B, Xie W, Kandiah N. Capgras Syndrome in the Young: Schizophrenia or Alzheimer Disease? *Alzheimer Disease and Associated Disorders*. 2020;34(1):94-6. - 배제사유: 7
2209. Ramusino MC, Garibotto V, Bacchin R, Altomare D, Dodich A, Assal F, et al. Incremental value of amyloid-PET versus CSF in the diagnosis of Alzheimer's disease. *European Journal of Nuclear Medicine and Molecular Imaging*. 2020;47(2):270-80. - 배제사유: 7
2210. Son HJ, Oh JS, Oh M, Kim SJ, Lee JH, Roh JH, et al. The clinical feasibility of deep learning-based classification of amyloid PET images in visually equivocal cases. *European Journal of Nuclear Medicine and Molecular Imaging*. 2020;47(2):332-41. - 배제사유: 7
2211. Pereira JB, Ossenkoppele R, Palmqvist S, Strandberg TO, Smith R, Westman E, et al. Amyloid and tau accumulate across distinct spatial networks and are differentially associated with brain connectivity. *eLife*. 2019;8 (no pagination)(e50830). - 배제사유: 7
2212. Chen KT, Gong E, de Carvalho Macruz FB, Xu J, Boumis A, Khalighi M, et al. Ultra-Low-Dose ¹⁸F-Florbetaben Amyloid PET Imaging Using Deep Learning with Multi-Contrast MRI Inputs. *Radiology*. 2019;290(3):649-56. - 배제사유: 7
2213. Neitzel J, Franzmeier N, Rubinski A, Ewers M. Left frontal connectivity attenuates the adverse effect of entorhinal tau pathology on memory. *Neurology*. 2019;93(4):E347-E57. - 배제사유: 7
2214. Jo H, Kim M, Park S, Park JE, Cho SH, Kim SJ, et al. Dopa Responsive Parkinsonism in an Early Onset Alzheimer's Disease Patient with a Presenilin 1 Mutation (A434T). *Journal of Alzheimer's Disease*. 2019;71(1):7-13. - 배제사유: 7
2215. Ordidge K, Gandy N, Arshad M, Win Z. The Racoon Eye Sign in the Investigation of Dementia Using ¹⁸F-Florbetaben. *Clinical Nuclear Medicine*. 2019;44(5):408-9. - 배제사유: 7
2216. Belohlavek O, Jaruskova M, Skopalova M, Szarazova G, Simonova K. Improved beta-amyloid PET reproducibility using two-phase acquisition and grey matter delineation. *European Journal of Nuclear Medicine and Molecular Imaging*. 2019;46(2):297-303. - 배제사유: 7
2217. Gallucci M, Dell'Acqua C, Bergamelli C, Fenoglio C, Serpente M, Galimberti D, et al. A Case with Early Onset Alzheimer's Disease, Frontotemporal Hypometabolism, ApoE Genotype 4/4 and C9ORF72 Intermediate Expansion: A Treviso Dementia (TREDem) Registry Case Report. *Journal of Alzheimer's Disease*. 2019;67(3):985-93. - 배제사유: 7
2218. Mattsson N, Eriksson O, Lindberg O, Scholl M, Lampinen B, Nilsson M, et al. Effects of APOE epsilon4 on neuroimaging, cerebrospinal fluid biomarkers, and cognition in prodromal Alzheimer's disease. *Neurobiology of Aging*. 2018;71:81-90. - 배제사유: 7
2219. Bullich S, Barthel H, Koglin N, Becker GA, De Santi S, Jovalekic A, et al. Validation of noninvasive tracer kinetic analysis of ¹⁸F-Florbetaben PET using a dual-time-window acquisition protocol. *Journal of Nuclear Medicine*. 2018;59(7):1104-10. - 배제사유: 7
2220. Curiel RE, Loewenstein DA, Rosselli M, Penate A, Greig-Custo MT, Bauer RM, et al. Semantic intrusions and failure to recover from semantic interference in mild cognitive impairment: Relationship to amyloid and cortical thickness. *Current Alzheimer Research*. 2018;15(9):848-55. - 배제사유: 7

2221. Bourgeat P, Dore V, Fripp J, Ames D, Masters CL, Salvado O, et al. Implementing the centiloid transformation for ¹¹C-PiB and beta-amyloid ¹⁸F-PET tracers using CapAIBL. *NeuroImage*. 2018;183:387-93. - 배제사유: 7
2222. Golzan SM, Goozee K, Georgevsky D, Avolio A, Chatterjee P, Shen K, et al. Retinal vascular and structural changes are associated with amyloid burden in the elderly: Ophthalmic biomarkers of preclinical Alzheimer's disease. *Alzheimer's Research and Therapy*. 2017;9(1) (no pagination)(13). - 배제사유: 7
2223. Matias-Guiu JA, Guerrero-Marquez C, Cabrera-Martin MN, Gomez-Pinedo U, Romeral M, Mayo D, et al. Amyloid- and FDG-PET in sporadic Creutzfeldt-Jakob disease: Correlation with pathological prion protein in neuropathology. *Prion*. 2017;11(3):205-13. - 배제사유: 7
2224. Ni R, Gillberg PG, Bogdanovic N, Viitanen M, Myllykangas L, Nennesmo I, et al. Amyloid tracers binding sites in autosomal dominant and sporadic Alzheimer's disease. *Alzheimer's and Dementia*. 2017;13(4):419-30. - 배제사유: 7
2225. Rodriguez-Gomez O, Sanabria A, Perez-Cordon A, Sanchez-Ruiz D, Abdelnour C, Valero S, et al. FACEHBI: A Prospective Study of Risk Factors, Biomarkers and Cognition in a Cohort of Individuals with Subjective Cognitive Decline. Study Rationale and Research Protocols. *The journal of prevention of Alzheimer's disease*. 2017;4(2):100-8. - 배제사유: 7
2226. Arakawa Y, Nai Y, Shidahara M, Furumoto S, Seki C, Okamura N, et al. Prediction of the clinical SUV ratio in amyloid PET imaging using a biomathematic modeling approach toward the efficient development of a radioligand. *Journal of Nuclear Medicine*. 2017;58(8):1285-92. - 배제사유: 7
2227. Um YH, Choi WH, Jung WS, Park YH, Lee CU, Lim HK. A case report of a 37-year-old Alzheimer's disease patient with prominent striatum amyloid retention. *Psychiatry Investigation*. 2017;14(4):521-4. - 배제사유: 7
2228. Smith R, Wibom M, Olsson T, Hagerstrom D, Jogi J, Rabinovici GD, et al. Posterior accumulation of tau and concordant hypometabolism in an early-onset Alzheimer's disease patient with presenilin-1 mutation. *Journal of Alzheimer's Disease*. 2016;51(2):339-43. - 배제사유: 7
2229. D'Estaque E, Chambert B, Moranne O, Kotzki PO, Boudousq V. ¹⁸F-florbetaben: A new tool for amyloidosis staging? *Clinical Nuclear Medicine*. 2016;42(1):50-3. - 배제사유: 7
2230. Um YH, Kim TW, Jeong JH, Seo HJ, Han JH, Hong SC, et al. Visual hallucinations and Amyloid deposition in Parkinson's disease dementia: A case report. *Psychiatry Investigation*. 2016;13(3):364-9. - 배제사유: 7
2231. Turner RS, Chadwick M, Horton WA, Simon GL, Jiang X, Esposito G. An individual with human immunodeficiency virus, dementia, and central nervous system amyloid deposition. *Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring*. 2016;4:1-5. - 배제사유: 7
2232. Mattsson N, Insel PS, Palmqvist S, Stomrud E, Van Westen D, Minthon L, et al. Increased amyloidogenic APP processing in APOE epsilon4-negative individuals with cerebral beta-amyloidosis. *Nature Communications*. 2016;7 (no pagination)(10918). - 배제사유: 7
2233. Choi WH, Um YH, Jung WS, Kim SH. Automated quantification of amyloid positron emission tomography: a comparison of PMOD and MIMneuro. *Annals of Nuclear Medicine*. 2016;30(10):682-9. - 배제사유: 7
2234. Van Der Gucht A, Cleret de Langavant L, Belissant O, Rabu C, Cottureau AS, Evangelista E, et al. Brain ¹⁸F-FDG, ¹⁸F-Florbetaben PET/CT, ¹²³I-FP-CIT SPECT and Cardiac ¹²³I-MIBG Imaging for Diagnosis of a "Cerebral Type" of Lewy Body Disease. *Nuclear Medicine and Molecular Imaging*. 2016;50(3):258-60. - 배제사유: 7
2235. Heurling K, Buckley C, Van Laere K, Vandenberghe R, Lubberink M. Parametric imaging and quantitative analysis of the PET amyloid ligand [¹⁸F]flutemetamol. *NeuroImage*.

- 2015;121:184-92. - 배제사유: 7
2236. Palmqvist S, Zetterberg H, Blennow K, Vestberg S, Andreasson U, Brooks DJ, et al. Accuracy of brain amyloid detection in clinical practice using cerebrospinal fluid beta-Amyloid 42: A cross-validation study against amyloid positron emission tomography. *JAMA Neurology*. 2014;71(10):1282-9. - 배제사유: 7
2237. Lundqvist R, Lilja J, Thomas BA, Lotjonen J, Villemagne VL, Rowe CC, et al. Implementation and validation of an adaptive template registration method for ¹⁸F-flutemetamol imaging data. *Journal of Nuclear Medicine*. 2013;54(8):1472-8. - 배제사유: 7
2238. Thomas BA, Erlandsson K, Modat M, Thurfjell L, Vandenberghe R, Ourselin S, et al. The importance of appropriate partial volume correction for PET quantification in Alzheimer's disease. *European Journal of Nuclear Medicine and Molecular Imaging*. 2011;38(6):1104-19. - 배제사유: 7
2239. Yoo SW, Ha S, Yoon H, Yoo JY, Lee KS, Kim JS. Paradoxical Cerebral Perfusion in Parkinson's Disease Patients with Orthostatic Hypotension: A Dual-Phase ¹⁸F-Florbetaben Positron Emission Tomography Study. *Journal of Parkinsons Disease Print*. 2021;11(3):1335-44. - 배제사유: 7
2240. Heeman F, Yaqub M, Lopes Alves I, Heurling K, Berkhof J, Gispert JD, et al. Optimized dual-time-window protocols for quantitative [¹⁸F]flutemetamol and [¹⁸F]florbetaben PET studies. *EJNMMI Research*. 2019;9(1):32. - 배제사유: 7
2241. Kang MJ, Park YH, Kim S, Yi S. Hydrocephalus in a Patient with Alzheimer's Disease. *Dementia and Neurocognitive Disorders*. 2018;17(1):32-6. - 배제사유: 7
2242. Lundqvist R, Lilja J, Thomas BA, Lotjonen J, Villemagne VL, Rowe CC, et al. Implementation and validation of an adaptive template registration method for ¹⁸F-flutemetamol imaging data. *Journal of Nuclear Medicine*. 2013;54(8):1472-8. - 배제사유: 7
2243. Van Der Gucht A, Cleret de Langavant L, Belissant O, Rabu C, Cottureau AS, Evangelista E, et al. Brain (18)F-FDG, (18)F-Florbetaben PET/CT, (123)I-FP-CIT SPECT and Cardiac (123)I-MIBG Imaging for Diagnosis of a "Cerebral Type" of Lewy Body Disease. *Nuclear Medicine & Molecular Imaging*. 2016;50(3):258-60. - 배제사유: 7
2244. Kim JY, Oh D, Sung K, Choi H, Paeng JC, Cheon GJ, et al. Visual interpretation of [¹⁸F]Florbetaben PET supported by deep learning-based estimation of amyloid burden. *European journal of nuclear medicine and molecular imaging*. 2020. - 배제사유: 7
2245. Lim E-Y, Ryu S-Y, Shim YS, Yang D-W, Cho A-H. Coexistence of cerebral microbleeds and amyloid pathology in patients with cognitive complaints. *Journal of Clinical Neurology*. 2020;16(1):83-9. - 배제사유: 7
2246. Lee J, Kim HN, Kim MH, Shin IJ, Lee K, Kim YS, et al. Asymmetric Amyloid- β Burden and Neurodegeneration in Late-Onset Alzheimer's Disease Dementia. *대한신경과학회지 = Journal of the Korean neurological association*. 2021;39(3):197-201 - 배제사유: 7
2247. Kim J-Y, Jo S, Park YJ, Jung HJ, Koo YS, Lee J-H. Patterns of Cerebrospinal Fluid Biomarkers and Amyloid Positron Emission Tomography in a Patient with Cerebral Amyloid Angiopathy-Related Inflammation. *대한신경과학회지 = Journal of the Korean neurological association*. 2021;39(3):172-6 - 배제사유: 7
2248. 김하연. 기억상실형 경도인지장애와 알츠하이머 치매에서의 수면과 C-반응단백질의 연관성. *노인정신의학*. 2020;24(2):69-74 - 배제사유: 7
2249. Lee J, Kim HN, Kim MH, Shin IJ, Lee K, Kim YS, et al. Asymmetric Amyloid- β Burden and Neurodegeneration in Late-Onset Alzheimer's Disease Dementia. *Journal of the Korean Neurological Association*. 2021;39(3):197-201. - 배제사유: 7
2250. 이준호, 김홍남, 김민혜, 신인자, 이근, 김윤섭, et al. 후기발병 알츠하이머병 치매에서의 비대칭적 아밀로이드

- 침착과 신경퇴행. 대한신경과학회지. 2021;39(3):197-201 - 배제사유: 7
2251. 류찬주. LIST mode를 이용한 18F-Flutemetamol 의최적 영상획득 시간에 관한 연구. 한국방사선학회논문지. 2021;15(6):891-7 - 배제사유: 7
2252. 김지연, 조성양, 박윤직, 정희재, 정희재, 구용서, et al. 뇌 아밀로이드 혈관병증-관련염증 증례를 통해 분석한 뇌척수액 아밀로이드 베타 및 플로르베타벤 뇌 양전자 단층촬영 소견. 대한신경과학회지. 2021;39(3):172-6 - 배제사유: 7
2253. Kim MH, Lee J, Kim HN, Shin IJ, Lee K, Kim YS, et al. Longitudinal Observation of Early-Onset Alzheimer's Disease Dementia with Positive CSF Biomarkers/Negative Amyloid- β Positron-Emission Tomography. 대한신경과학회지 = Journal of the Korean neurological association. 2021;39(3):214-8 - 배제사유: 7
2254. Kim J-H, Lee E-J, Park S-S, Heo J-H. A Case of Early Onset Alzheimer's Disease Diagnosed by 18 F Flutemetamol PET Image. Dementia and neurocognitive disorders : official journal of the Korean Dementia Association. 2018;17(4):174-5 - 배제사유: 7
2255. 여강국, 강대성. ¹⁸F-Florbetaben PET 영상 편집을 통해 얻어진 데이터베이스를 사용하여 CNN기반의 치매 영상 학습 및 정확도 측정. 한국정보기술학회논문지. 2017;15(10):1-8 - 배제사유: 7
2256. 이효영, 임인철, 송민재, 신성규, Lee H-Y, Im I-C, et al. 알츠하이머병 진단에서 ¹⁸F-Florbetaben의 유용성. 한국방사선학회 논문지. 2016;10(5):307-12 - 배제사유: 7
2257. 이효영, 임인철, 송민재, 신성규. 알츠하이머병 진단에서 18F-Florbetaben의 유용성. 한국방사선학회논문지. 2016;10(5):307-12 - 배제사유: 7
2258. Chun KA. Beta-amyloid imaging in dementia. Yeungnam University Journal of Medicine. 2018;35(1):1-6. - 배제사유: 7
2259. Kim J-H, Lee E-J, Park S-S, Heo J-H. A Case of Early Onset Alzheimer's Disease Diagnosed by 18F Flutemetamol PET Image. Dementia and Neurocognitive Disorders. 2018;17(4):174-5. - 배제사유: 7
2260. Um YH, Choi WH, Jung WS, Park YH, Lee C-U, Lim HK. A case report of a 37-year-old Alzheimer's disease patient with prominent striatum amyloid retention. Psychiatry Investigation. 2017;14(4):521. - 배제사유: 7
2261. 김현재, 임태성, 이선민, 김태성, 김영빈, 안영실, et al. Cerebrospinal Fluid Levels of β -Amyloid 40 and β -Amyloid 42 are Proportionately Decreased in Amyloid Positron-Emission Tomography Negative Idiopathic Normal-Pressure Hydrocephalus Patients. Journal of Clinical Neurology. 2019;15(3):353-9 - 배제사유: 7
2262. Ngeemasara T. A Comparative Study of [F-18] Florbetaben (FBB) PET Imaging, Pathology, and Cognition between Normal and Alzheimer Transgenic Mice. 대한의생명과학회지. 2019;25(1):7-14 - 배제사유: 7
2263. Jeong HE, Lee D-C. Medial Temporal Atrophy Alone is Insufficient to Predict Underlying Alzheimer's Disease Pathology. Korean Journal of Family Medicine. 2020;41(5):352. - 배제사유: 7
2264. Lee SH, Lee JH, Byun MS, Yi D, Jung G, Park JE, et al. Comparison of Amyloid Positivity Rate and Accumulation Pattern between Amnesic and Non-Amnesic Type Mild Cognitive Impairment. Psychiatry Investigation. 2020;17(6):603. - 배제사유: 7
2265. Senda M, Yamamoto Y, Sasaki M, Yamane T, Brooks DJ, Farrar G, et al. An exploratory efficacy study of the amyloid imaging agent [¹⁸F]flutemetamol in Japanese Subjects. Annals of Nuclear Medicine. 2015;29(5):391-9. - 배제사유: 8
2266. Nelissen N, Van Laere K, Thurfjell L, Owenius R, Vandenbulcke M, Koole M, et al. Phase 1 study of the Pittsburgh compound B derivative¹⁸F- flutemetamol in healthy volunteers and patients with probable Alzheimer disease. Journal of Nuclear Medicine. 2009;50(8):1251-9.

- 배제사유: 8

2267. Ong K, Villemagne VL, Bahar-Fuchs A, Lamb F, Chetelat G, Raniga P, et al. (18)F-florbetaben Abeta imaging in mild cognitive impairment. *Alzheimer's Research & Therapy*. 2013;5(1):4. - 배제사유: 8
2268. Kalheim LF, Fladby T, Coello C, Bjornerud A, Selnes P. [18F]-Flutemetamol Uptake in Cortex and White Matter: Comparison with Cerebrospinal Fluid Biomarkers and [18F]-Fludeoxyglucose. *Journal of Alzheimer's Disease*. 2018;62(4):1595-607. - 배제사유: 8
2269. Lee H, Seo S, Lee SY, Jeong HJ, Woo SH, Lee KM, et al. [18F]-THK5351 PET Imaging in Patients With Semantic Variant Primary Progressive Aphasia. *Alzheimer Disease & Associated Disorders*. 2018;32(1):62-9. - 배제사유: 8
2270. Martinez G, Vernooij RW, Fuentes Padilla P, Zamora J, Flicker L, Bonfill Cosp X. 18F PET with flutemetamol for the early diagnosis of Alzheimer's disease dementia and other dementias in people with mild cognitive impairment (MCI). *Cochrane Database of Systematic Reviews*. 2017;11:CD012884. - 배제사유: 8
2271. Mountz JM, Laymon CM, Cohen AD, Zhang Z, Price JC, Boudhar S, et al. Comparison of qualitative and quantitative imaging characteristics of [11C]PiB and [18F]flutemetamol in normal control and Alzheimer's subjects. *NeuroImage Clinical*. 2015;9:592-8. - 배제사유: 8
2272. Hatashita S, Yamasaki H, Suzuki Y, Tanaka K, Wakebe D, Hayakawa H. [18F]Flutemetamol amyloid-beta PET imaging compared with [11C]PiB across the spectrum of Alzheimer's disease. *European Journal of Nuclear Medicine & Molecular Imaging*. 2014;41(2):290-300. - 배제사유: 8
2273. Thurfjell L, Lilja J, Lundqvist R, Buckley C, Smith A, Vandenberghe R, et al. Automated quantification of 18F-flutemetamol PET activity for categorizing scans as negative or positive for brain amyloid: concordance with visual image reads. *Journal of Nuclear Medicine*. 2014;55(10):1623-8. - 배제사유: 8
2274. Duara R, Loewenstein DA, Shen Q, Barker W, Potter E, Varon D, et al. Amyloid positron emission tomography with (18)F-flutemetamol and structural magnetic resonance imaging in the classification of mild cognitive impairment and Alzheimer's disease. *Alzheimer's & Dementia*. 2013;9(3):295-301. - 배제사유: 8
2275. Barthel H, Gertz HJ, Dresel S, Peters O, Bartenstein P, Buerger K, et al. Cerebral amyloid-beta PET with florbetaben (18F) in patients with Alzheimer's disease and healthy controls: a multicentre phase 2 diagnostic study. *Lancet Neurology*. 2011;10(5):424-35. - 배제사유: 8
2276. Vandenberghe R, Van Laere K, Ivanoviu A, Salmon E, Bastin C, Triau E, et al. 18F-flutemetamol amyloid imaging in Alzheimer disease and mild cognitive impairment: a phase 2 trial. *Annals of Neurology*. 2010;68(3):319-29. - 배제사유: 8
2277. Nelissen N, Van Laere K, Thurfjell L, Owenius R, Vandebulcke M, Koole M, et al. Phase 1 study of the Pittsburgh compound B derivative 18F-flutemetamol in healthy volunteers and patients with probable Alzheimer disease. *Journal of Nuclear Medicine*. 2009;50(8):1251-9. - 배제사유: 8
2278. Giuliani C, Agostinelli A, Fioretti S, Di Nardo F, Burattini L. Abnormal repolarization in the acute myocardial infarction patients: A frequency-based characterization. *Open Biomedical Engineering Journal*. 2014;8(1):42-51. - 배제사유: 8
2279. Iaccarino L, La Joie R, Koeppe R, Siegel BA, Hillner BE, Gatsonis C, et al. rPOP: Robust PET-only processing of community acquired heterogeneous amyloid-PET data. *Neuroimage*. 2021;246:118775. - 배제사유: 8
2280. Bucci M, Chiotis K, Nordberg A, Alzheimer's Disease Neuroimaging I. Alzheimer's disease profiled by fluid and imaging markers: tau PET best predicts cognitive decline. *Molecular Psychiatry*. 2021;01:01. - 배제사유: 8

2281. Shan L. ¹⁸F-Labeled 4-(5-(2-(2-(2-fluoroethoxy)ethoxy)ethoxy)benzofuran-2-yl)-N,N-dimethylbenzamine. National Center for Biotechnology Information. 2004. - 배제사유: 8
2282. Lee SY, Kang H, Jeong JH, Kang DY. Performance evaluation in [¹⁸F]Florbetaben brain PET images classification using 3D Convolutional Neural Network. PLoS ONE [Electronic Resource]. 2021;16(10):e0258214. - 배제사유: 8
2283. Bao YW, Chau ACM, Chiu PK, Shea YF, Kwan JSK, Chan FHW, et al. Heterogeneity of Amyloid Binding in Cognitively Impaired Patients Consecutively Recruited from a Memory Clinic: Evaluating the Utility of Quantitative ¹⁸F-Flutemetamol PET-CT in Discrimination of Mild Cognitive Impairment from Alzheimer's Disease and Other Dementias. Journal of Alzheimer's Disease. 2021;79(2):819-32. - 배제사유: 8
2284. Ortega G, Espinosa A, Alegret M, Monte-Rubio GC, Sotolongo-Grau O, Sanabria A, et al. Combination of white matter hyperintensities and Abeta burden is related to cognitive composites domain scores in subjective cognitive decline: the FACEHBI cohort. Alzheimer's Research & Therapy. 2021;13(1):141. - 배제사유: 8
2285. Chae S, Park J, Byun MS, Yi D, Lee JH, Byeon GH, et al. Decreased Alpha Reactivity from Eyes-Closed to Eyes-Open in Non-Demented Older Adults with Alzheimer's Disease: A Combined EEG and [¹⁸F]florbetaben PET Study. Journal of Alzheimer's Disease. 2020;77(4):1681-92. - 배제사유: 8
2286. Heeman F, Yaqub M, Lopes Alves I, Heurling K, Bullich S, Gispert JD, et al. Simulating the effect of cerebral blood flow changes on regional quantification of [¹⁸F]flutemetamol and [¹⁸F]florbetaben studies. Journal of Cerebral Blood Flow & Metabolism. 2021;41(3):579-89. - 배제사유: 8
2287. Zukotynski K, Black SE, Kuo PH, Bhan A, Adamo S, Scott CJM, et al. Exploratory Assessment of K-means Clustering to Classify ¹⁸F-Flutemetamol Brain PET as Positive or Negative. Clinical Nuclear Medicine. 2021;46(8):616-20. - 배제사유: 8
2288. Schmitt J, Palleis C, Sauerbeck J, Unterrainer M, Harris S, Prix C, et al. Dual-Phase beta-Amyloid PET Captures Neuronal Injury and Amyloidosis in Corticobasal Syndrome. Frontiers in aging neuroscience. 2021;13:661284. - 배제사유: 8
2289. Collij LE, Ingala S, Top H, Wottschel V, Stickney KE, Tomassen J, et al. White matter microstructure disruption in early stage amyloid pathology. Alzheimer's & Dementia : Diagnosis, Assessment & Disease Monitoring. 2021;13(1):e12124. - 배제사유: 8
2290. Papanthasiou M, Carpinteiro A, Hagenacker T, Herrmann K, Rassaf T, Rischpler C, et al. Publisher Correction to: ¹⁸F-florbetaben positron emission tomography detects cardiac involvement in systemic AA amyloidosis. European Journal of Nuclear Medicine & Molecular Imaging. 2020;47(13):3196. - 배제사유: 8
2291. Matsuda H, Ito K, Ishii K, Shimosegawa E, Okazawa H, Mishina M, et al. Quantitative Evaluation of ¹⁸F-Flutemetamol PET in Patients With Cognitive Impairment and Suspected Alzheimer's Disease: A Multicenter Study. Frontiers in neurology [electronic resource]. 2020;11:578753. - 배제사유: 8
2292. Lanza M, De Rosa L, Sbordone S, Boccia R, Gironi Carnevale UA, Simonelli F. Analysis of Corneal Distortion after Myopic PRK. Journal of Clinical Medicine. 2020;10(1):28. - 배제사유: 8
2293. Sanchez-Benavides G, Salvado G, Arenaza-Urquijo EM, Grau-Rivera O, Suarez-Calvet M, Mila-Aloma M, et al. Quantitative informant- and self-reports of subjective cognitive decline predict amyloid beta PET outcomes in cognitively unimpaired individuals independently of age and APOE epsilon4. Alzheimer's & Dementia : Diagnosis, Assessment & Disease Monitoring. 2020;12(1):e12127. - 배제사유: 8
2294. Cho SH, Choe YS, Kim HJ, Jang H, Kim Y, Kim SE, et al. Correction to: A new Centiloid method

- for ¹⁸F-florbetaben and ¹⁸F-flutemetamol PET without conversion to PiB. *European Journal of Nuclear Medicine & Molecular Imaging*. 2020;47(6):1610. - 배제사유: 8
2295. Papanastasiou G, Rodrigues MA, Wang C, Heurling K, Lucatelli C, Al-Shahi Salman R, et al. Pharmacokinetic modelling for the simultaneous assessment of perfusion and ¹⁸F-flutemetamol uptake in cerebral amyloid angiopathy using a reduced PET-MR acquisition time: Proof of concept. *Neuroimage*. 2021;225:117482. - 배제사유: 8
2296. Collij LE, Salvado G, Shekari M, Lopes Alves I, Reimand J, Wink AM, et al. Visual assessment of [¹⁸F]flutemetamol PET images can detect early amyloid pathology and grade its extent. *European Journal of Nuclear Medicine & Molecular Imaging*. 2021;48(7):2169-82. - 배제사유: 8
2297. Salvado G, Grothe MJ, Groot C, Moscoso A, Scholl M, Gispert JD, et al. Differential associations of APOE-epsilon2 and APOE-epsilon4 alleles with PET-measured amyloid-beta and tau deposition in older individuals without dementia. *European Journal of Nuclear Medicine & Molecular Imaging*. 2021;48(7):2212-24. - 배제사유: 8
2298. Rauchmann BS, Ghaseminejad F, Mekala S, Perneczky R, Alzheimer's Disease Neuroimaging I. Cerebral Microhemorrhage at MRI in Mild Cognitive Impairment and Early Alzheimer Disease: Association with Tau and Amyloid beta at PET Imaging. *Radiology*. 2020;296(1):134-42. - 배제사유: 8
2299. Royse SK, Minhas DS, Lopresti BJ, Murphy A, Ward T, Koeppe RA, et al. Validation of amyloid PET positivity thresholds in centiloids: a multisite PET study approach. *Alzheimer's Research & Therapy*. 2021;13(1):99. - 배제사유: 8
2300. Thomas J, Ooms SJ, Mentink LJ, Booij J, Olde Rikkert MGM, Overeem S, et al. Effects of long-term sleep disruption on cognitive function and brain amyloid-beta burden: a case-control study. *Alzheimer's Research & Therapy*. 2020;12(1):101. - 배제사유: 8
2301. Guo T, Korman D, La Joie R, Shaw LM, Trojanowski JQ, Jagust WJ, et al. Normalization of CSF pTau measurement by Aβ₄₀ improves its performance as a biomarker of Alzheimer's disease. *Alzheimer's Research & Therapy*. 2020;12(1):97. - 배제사유: 8
2302. Jang H, Kim HJ, Choe YS, Kim SJ, Park S, Kim Y, et al. The Impact of Amyloid-beta or Tau on Cognitive Change in the Presence of Severe Cerebrovascular Disease. *Journal of Alzheimer's Disease*. 2020;78(2):573-85. - 배제사유: 8
2303. Cho SH, Choe YS, Kim YJ, Kim HJ, Jang H, Kim Y, et al. Head-to-Head Comparison of ¹⁸F-Florbetaben and ¹⁸F-Flutemetamol in the Cortical and Striatal Regions. *Journal of Alzheimer's Disease*. 2020;76(1):281-90. - 배제사유: 8
2304. Spallazzi M, Michelini G, Barocco F, Dieci F, Copelli S, Messa G, et al. The Role of Free and Cued Selective Reminding Test in Predicting [¹⁸F]Florbetaben PET Results in Mild Cognitive Impairment and Mild Dementia. *Journal of Alzheimer's Disease*. 2020;73(4):1647-59. - 배제사유: 8
2305. Guo T, Korman D, Baker SL, Landau SM, Jagust WJ, Alzheimer's Disease Neuroimaging I. Longitudinal Cognitive and Biomarker Measurements Support a Unidirectional Pathway in Alzheimer's Disease Pathophysiology. *Biological Psychiatry*. 2021;89(8):786-94. - 배제사유: 8
2306. Arenaza-Urquijo EM, Salvado G, Operto G, Minguillon C, Sanchez-Benavides G, Crous-Bou M, et al. Association of years to parent's sporadic onset and risk factors with neural integrity and Alzheimer biomarkers. *Neurology*. 2020;95(15):e2065-e74. - 배제사유: 8
2307. Choo IH, Chong A, Chung JY, Kim H. Association of Subjective Memory Complaints with the Left Parahippocampal Amyloid Burden in Mild Cognitive Impairment. *Journal of Alzheimer's Disease*. 2019;72(4):1261-8. - 배제사유: 8
2308. Son SH, Kang K, Ko PW, Lee HW, Lee SW, Ahn BC, et al. Early-Phase ¹⁸F-Florbetaben PET as

- an Alternative Modality for 18F-FDG PET. *Clinical Nuclear Medicine*. 2020;45(1):e8-e14. - 배제사유: 8
2309. Hagberg G, Ihle-Hansen H, Fure B, Thommessen B, Ihle-Hansen H, Oksengard AR, et al. No evidence for amyloid pathology as a key mediator of neurodegeneration post-stroke - a seven-year follow-up study. *BMC Neurology*. 2020;20(1):174. - 배제사유: 8
2310. Yoo HS, Lee S, Chung SJ, Lee YH, Lee PH, Sohn YH, et al. Dopaminergic Depletion, beta-Amyloid Burden, and Cognition in Lewy Body Disease. *Annals of Neurology*. 2020;87(5):739-50. - 배제사유: 8
2311. Seo M, Cha HJ, Kim M, Park SH, Lim JH, Choi Y, et al. Clinical Utility of 18F-Florbetaben PET for Detecting Amyloidosis Associated With Multiple Myeloma: A Prospective Case-Control Study. *Clinical Nuclear Medicine*. 2019;44(9):e503-e9. - 배제사유: 8
2312. Neitzel J, Franzmeier N, Rubinski A, Ewers M, Alzheimer's Disease Neuroimaging I. Left frontal connectivity attenuates the adverse effect of entorhinal tau pathology on memory. *Neurology*. 2019;93(4):e347-e57. - 배제사유: 8
2313. Tahmi M, Bou-Zeid W, Razlighi QR. A Fully Automatic Technique for Precise Localization and Quantification of Amyloid-beta PET Scans. *Journal of Nuclear Medicine*. 2019;60(12):1771-9. - 배제사유: 8
2314. Dore V, Bullich S, Rowe CC, Bourgeat P, Konate S, Sabri O, et al. Comparison of ¹⁸F-florbetaben quantification results using the standard Centiloid, MR-based, and MR-less CapAIBL ^R approaches: Validation against histopathology. *Alzheimer's & Dementia*. 2019;15(6):807-16. - 배제사유: 8
2315. Salvado G, Molinuevo JL, Brugulat-Serrat A, Falcon C, Grau-Rivera O, Suarez-Calvet M, et al. Centiloid cut-off values for optimal agreement between PET and CSF core AD biomarkers. *Alzheimer's Research & Therapy*. 2019;11(1):27. - 배제사유: 8
2316. Gallucci M, Dell'Acqua C, Bergamelli C, Fenoglio C, Serpente M, Galimberti D, et al. A Case with Early Onset Alzheimer's Disease, Frontotemporal Hypometabolism, ApoE Genotype e4/e4 and C9ORF72 Intermediate Expansion: A Treviso Dementia (TREDDEM) Registry Case Report. *Journal of Alzheimer's Disease*. 2019;67(3):985-93. - 배제사유: 8
2317. Duff K, Horn KP, Hoffman JM. Long-term Changes in 18F-Flutemetamol Uptake in Nondemented Older Adults. *Alzheimer Disease & Associated Disorders*. 2019;33(2):113-7. - 배제사유: 8
2318. Collij LE, Konijnenberg E, Reimand J, Kate MT, Braber AD, Lopes Alves I, et al. Assessing Amyloid Pathology in Cognitively Normal Subjects Using ¹⁸F-Flutemetamol PET: Comparing Visual Reads and Quantitative Methods. *Journal of Nuclear Medicine*. 2019;60(4):541-7. - 배제사유: 8
2319. Camacho V, Gomez-Grande A, Sopena P, Garcia-Solis D, Gomez Rio M, Lorenzo C, et al. Amyloid PET in neurodegenerative diseases with dementia. *Revista Espanola De Medicina Nuclear E Imagen Molecular*. 2018;37(6):397-406. - 배제사유: 8
2320. de Rojas I, Romero J, Rodriguez-Gomez O, Pesini P, Sanabria A, Perez-Cordon A, et al. Correlations between plasma and PET beta-amyloid levels in individuals with subjective cognitive decline: the Fundacio ACE Healthy Brain Initiative (FACEHBI). *Alzheimer's Research & Therapy*. 2018;10(1):119. - 배제사유: 8
2321. Florek L, Tiepolt S, Schroeter ML, Berrouschot J, Saur D, Hesse S, et al. Dual Time-Point [18F]Florbetaben PET Delivers Dual Biomarker Information in Mild Cognitive Impairment and Alzheimer's Disease. *Journal of Alzheimer's Disease*. 2018;66(3):1105-16. - 배제사유: 8
2322. Kim HJ, Park S, Cho H, Jang YK, San Lee J, Jang H, et al. Assessment of Extent and Role of Tau in Subcortical Vascular Cognitive Impairment Using 18F-AV1451 Positron Emission Tomography Imaging. *JAMA Neurology*. 2018;75(8):999-1007. - 배제사유: 8

2323. Orilio AF, Blawid R, Costa GA, Gomes S, Nagata T, Madeira NR, et al. High-throughput sequencing reveals a novel closterovirus in arracacha (*Arracacia xanthorrhiza*). *Archives of Virology*. 2018;163(9):2547-50. - 배제사유: 8
2324. Kang K, Yoon U, Hong J, Jeong SY, Ko PW, Lee SW, et al. Amyloid Deposits and Idiopathic Normal-Pressure Hydrocephalus: An 18F-Florbetaben Study. *European Neurology*. 2018;79(3-4):192-9. - 배제사유: 8
2325. Hansson O, Seibyl J, Stomrud E, Zetterberg H, Trojanowski JQ, Bittner T, et al. CSF biomarkers of Alzheimer's disease concord with amyloid-beta PET and predict clinical progression: A study of fully automated immunoassays in BioFINDER and ADNI cohorts. *Alzheimer's & Dementia*. 2018;14(11):1470-81. - 배제사유: 8
2326. Renard D, Collombier L, Demattei C, Wacogne A, Charif M, Ayrignac X, et al. Cerebrospinal Fluid, MRI, and Florbetaben-PET in Cerebral Amyloid Angiopathy-Related Inflammation. *Journal of Alzheimer's Disease*. 2018;61(3):1107-17. - 배제사유: 8
2327. Ceccaldi M, Jonveaux T, Verger A, Krolak-Salmon P, Houzard C, Godefroy O, et al. Added value of ¹⁸F-florbetaben amyloid PET in the diagnostic workup of most complex patients with dementia in France: A naturalistic study. *Alzheimer's & Dementia*. 2018;14(3):293-305. - 배제사유: 8
2328. Bullich S, Villemagne VL, Catafau AM, Jovalekic A, Koglin N, Rowe CC, et al. Optimal Reference Region to Measure Longitudinal Amyloid-beta Change with ¹⁸F-Florbetaben PET. *Journal of Nuclear Medicine*. 2017;58(8):1300-6. - 배제사유: 8
2329. Zwan MD, Bouwman FH, Konijnenberg E, van der Flier WM, Lammertsma AA, Verhey FR, et al. Diagnostic impact of [¹⁸F]flutemetamol PET in early-onset dementia. *Alzheimer's Research & Therapy*. 2017;9(1):2. - 배제사유: 8
2330. Hammers DB, Atkinson TJ, Dalley BC, Suhrie KR, Beardmore BE, Burrell LD, et al. Relationship between ¹⁸F-Flutemetamol uptake and RBANS performance in non-demented community-dwelling older adults. *Clinical Neuropsychologist*. 2017;31(3):531-43. - 배제사유: 8
2331. Buckley CJ, Sherwin PF, Smith AP, Wolber J, Weick SM, Brooks DJ. Validation of an electronic image reader training programme for interpretation of [18F]flutemetamol beta-amyloid PET brain images. *Nuclear Medicine Communications*. 2017;38(3):234-41. - 배제사유: 8
2332. D'Estanque E, Chambert B, Moranne O, Kotzki PO, Boudousq V. 18F-Florbetaben: A New Tool for Amyloidosis Staging? *Clinical Nuclear Medicine*. 2017;42(1):50-3. - 배제사유: 8
2333. Kim JY, Suh HY, Ryoo HG, Oh D, Choi H, Paeng JC, et al. Amyloid PET Quantification Via End-to-End Training of a Deep Learning. *Nuclear Medicine & Molecular Imaging*. 2019;53(5):340-8. - 배제사유: 8
2334. Sundaram GSM, Binz K, Sharma V, Yeung M, Sharma V. Live-cell fluorescence imaging: assessment of thioflavin T uptake in human epidermal carcinoma cells. *Medchemcomm*. 2018;9(6):946-50. - 배제사유: 8
2335. Segovia F, Sanchez-Vano R, Gorriz JM, Ramirez J, Sopena-Novales P, Testart Dardel N, et al. Using CT Data to Improve the Quantitative Analysis of ¹⁸F-FBB PET Neuroimages. *Frontiers in aging neuroscience*. 2018;10:158. - 배제사유: 8
2336. Wang LM, Wu Q, Kirk RA, Horn KP, Ebada Salem AH, Hoffman JM, et al. Lipopolysaccharide endotoxemia induces amyloid-beta and p-tau formation in the rat brain. *American Journal of Nuclear Medicine and Molecular Imaging*. 2018;8(2):86-99. - 배제사유: 8
2337. Pannee J, Portelius E, Minthon L, Gobom J, Andreasson U, Zetterberg H, et al. Reference measurement procedure for CSF amyloid beta (Aβ₁₋₄₂) and the CSF Aβ₁₋₄₂/Aβ₁₋₄₀ ratio - a cross-validation study against amyloid PET. *Journal of Neurochemistry*. 2016;139(4):651-8. - 배제사유: 8

2338. Schutz L, Lobsien D, Fritzsich D, Tiepolt S, Werner P, Schroeter ML, et al. Feasibility and acceptance of simultaneous amyloid PET/MRI. *European Journal of Nuclear Medicine & Molecular Imaging*. 2016;43(12):2236-43. - 배제사유: 8
2339. Catafau AM, Bullich S, Seibyl JP, Barthel H, Ghetti B, Leverenz J, et al. Cerebellar Amyloid-beta Plaques: How Frequent Are They, and Do They Influence 18F-Florbetaben SUV Ratios? *Journal of Nuclear Medicine*. 2016;57(11):1740-5. - 배제사유: 8
2340. Voevodskaya O, Sundgren PC, Strandberg O, Zetterberg H, Minthon L, Blennow K, et al. Myo-inositol changes precede amyloid pathology and relate to APOE genotype in Alzheimer disease. *Neurology*. 2016;86(19):1754-61. - 배제사유: 8
2341. Beach TG, Thal DR, Zhanette M, Smith A, Buckley C. Detection of Striatal Amyloid Plaques with [18F]flutemetamol: Validation with Postmortem Histopathology. *Journal of Alzheimer's Disease*. 2016;52(3):863-73. - 배제사유: 8
2342. Tiepolt S, Hesse S, Patt M, Luthardt J, Schroeter ML, Hoffmann KT, et al. Early [(18)F]florbetaben and [(11)C]PiB PET images are a surrogate biomarker of neuronal injury in Alzheimer's disease. *European Journal of Nuclear Medicine & Molecular Imaging*. 2016;43(9):1700-9. - 배제사유: 8
2343. Lilja J, Thurfjell L, Sorensen J. Visualization and Quantification of 3-Dimensional Stereotactic Surface Projections for 18F-Flutemetamol PET Using Variable Depth. *Journal of Nuclear Medicine*. 2016;57(7):1078-83. - 배제사유: 8
2344. Seibyl J, Catafau AM, Barthel H, Ishii K, Rowe CC, Leverenz JB, et al. Impact of Training Method on the Robustness of the Visual Assessment of 18F-Florbetaben PET Scans: Results from a Phase-3 Study. *Journal of Nuclear Medicine*. 2016;57(6):900-6. - 배제사유: 8
2345. Zwan MD, Villemagne VL, Dore V, Buckley R, Bourgeat P, Veljanoski R, et al. Subjective Memory Complaints in APOEε4 Carriers are Associated with High Amyloid-beta Burden. *Journal of Alzheimer's Disease*. 2016;49(4):1115-22. - 배제사유: 8
2346. Akamatsu G, Ikari Y, Nishio T, Nishida H, Ohnishi A, Aita K, et al. Optimization of image reconstruction conditions with phantoms for brain FDG and amyloid PET imaging. *Annals of Nuclear Medicine*. 2016;30(1):18-28. - 배제사유: 8
2347. Adamczuk K, Schaefferbeke J, Nelissen N, Neyens V, Vandenbulcke M, Goffin K, et al. Amyloid imaging in cognitively normal older adults: comparison between (18)F-flutemetamol and (11)C-Pittsburgh compound B. *European Journal of Nuclear Medicine & Molecular Imaging*. 2016;43(1):142-51. - 배제사유: 8
2348. Yip WL, Sande SA, Grace D, in't Veld DJ, Sontum PC, Solvang T, et al. The influence of polysorbate 80 on the radiochemical synthesis of a PET tracer in the FASTlab. *Pharmaceutical Research*. 2015;32(4):1425-37. - 배제사유: 8
2349. Senda M, Sasaki M, Yamane T, Shimizu K, Patt M, Barthel H, et al. Ethnic comparison of pharmacokinetics of (18)F-florbetaben, a PET tracer for beta-amyloid imaging, in healthy Caucasian and Japanese subjects. *European Journal of Nuclear Medicine & Molecular Imaging*. 2015;42(1):89-96. - 배제사유: 8
2350. Adamczuk K, Schaefferbeke J, Vanderstichele HM, Lilja J, Nelissen N, Van Laere K, et al. Diagnostic value of cerebrospinal fluid Aβ ratios in preclinical Alzheimer's disease. *Alzheimer's Research & Therapy*. 2015;7(1):75. - 배제사유: 8
2351. Palmqvist S, Zetterberg H, Mattsson N, Johansson P, Alzheimer's Disease Neuroimaging I, Minthon L, et al. Detailed comparison of amyloid PET and CSF biomarkers for identifying early Alzheimer disease. *Neurology*. 2015;85(14):1240-9. - 배제사유: 8
2352. Kumar RV, Singh AK, Singh AK, Yadav T, Basu S, Kushwaha N, et al. Complexity of begomovirus and betasatellite populations associated with chilli leaf curl disease in India. *Journal of General Virology*. 2015;96(10):3143-58. - 배제사유: 8

2353. Heurling K, Buckley C, Van Laere K, Vandenberghe R, Lubberink M. Parametric imaging and quantitative analysis of the PET amyloid ligand [(18)F]flutemetamol. *Neuroimage*. 2015;121:184-92. - 배제사유: 8
2354. Thal DR, Beach TG, Zanette M, Heurling K, Chakrabarty A, Ismail A, et al. [(18)F]flutemetamol amyloid positron emission tomography in preclinical and symptomatic Alzheimer's disease: specific detection of advanced phases of amyloid-beta pathology. *Alzheimer's & Dementia*. 2015;11(8):975-85. - 배제사유: 8
2355. Senda M, Yamamoto Y, Sasaki M, Yamane T, Brooks DJ, Farrar G, et al. An exploratory efficacy study of the amyloid imaging agent [(18)F]flutemetamol in Japanese Subjects. *Annals of Nuclear Medicine*. 2015;29(5):391-9. - 배제사유: 8
2356. Pietrzak RH, Lim YY, Neumeister A, Ames D, Ellis KA, Harrington K, et al. Amyloid-beta, anxiety, and cognitive decline in preclinical Alzheimer disease: a multicenter, prospective cohort study. *JAMA Psychiatry*. 2015;72(3):284-91. - 배제사유: 8
2357. Landau SM, Thomas BA, Thurfjell L, Schmidt M, Margolin R, Mintun M, et al. Amyloid PET imaging in Alzheimer's disease: a comparison of three radiotracers. *European Journal of Nuclear Medicine & Molecular Imaging*. 2014;41(7):1398-407. - 배제사유: 8
2358. Lautner R, Palmqvist S, Mattsson N, Andreasson U, Wallin A, Palsson E, et al. Apolipoprotein E genotype and the diagnostic accuracy of cerebrospinal fluid biomarkers for Alzheimer disease. *JAMA Psychiatry*. 2014;71(10):1183-91. - 배제사유: 8
2359. Vandenberghe R, Nelissen N, Salmon E, Ivanoiu A, Hasselbalch S, Andersen A, et al. Binary classification of 18F-flutemetamol PET using machine learning: comparison with visual reads and structural MRI. *Neuroimage*. 2013;64:517-25. - 배제사유: 8
2360. Korsager S, Taaning RH, Lindhardt AT, Skrydstrup T. Reductive carbonylation of aryl halides employing a two-chamber reactor: a protocol for the synthesis of aryl aldehydes including ¹³C- and D-isotope labeling. *Journal of Organic Chemistry*. 2013;78(12):6112-20. - 배제사유: 8
2361. Becker GA, Ichise M, Barthel H, Luthardt J, Patt M, Seese A, et al. PET quantification of 18F-florbetaben binding to beta-amyloid deposits in human brains. *Journal of Nuclear Medicine*. 2013;54(5):723-31. - 배제사유: 8
2362. Wang H, Guo X, Jiang S, Tang G. Automated synthesis of [18F]Florbetaben as Alzheimer's disease imaging agent based on a synthesis module system. *Applied Radiation & Isotopes*. 2013;71(1):41-6. - 배제사유: 8
2363. Janelidze S, Zetterberg H, Mattsson N, Palmqvist S, Vanderstichele H, Lindberg O, et al. CSF Abeta42/Abeta40 and Abeta42/Abeta38 ratios: better diagnostic markers of Alzheimer disease. *Annals of Clinical & Translational Neurology*. 2016;3(3):154-65. - 배제사유: 8
2364. Heurling K, Buckley C, Vandenberghe R, Laere KV, Lubberink M. Separation of beta-amyloid binding and white matter uptake of (18)F-flutemetamol using spectral analysis. *American Journal of Nuclear Medicine and Molecular Imaging*. 2015;5(5):515-26. - 배제사유: 8
2365. Villemagne VL, Mulligan RS, Pejoska S, Ong K, Jones G, O'Keefe G, et al. Comparison of ¹¹C-PiB and 18F-florbetaben for Abeta imaging in ageing and Alzheimer's disease. *European Journal of Nuclear Medicine & Molecular Imaging*. 2012;39(6):983-9. - 배제사유: 8
2366. Swahn BM, Sandell J, Pyring D, Bergh M, Jeppsson F, Jureus A, et al. Synthesis and evaluation of pyridylbenzofuran, pyridylbenzothiazole and pyridylbenzoxazole derivatives as 18F-PET imaging agents for beta-amyloid plaques. *Bioorganic & Medicinal Chemistry Letters*. 2012;22(13):4332-7. - 배제사유: 8
2367. Villemagne VL, Ong K, Mulligan RS, Holl G, Pejoska S, Jones G, et al. Amyloid imaging with (18)F-florbetaben in Alzheimer disease and other dementias. *Journal of Nuclear Medicine*. 2011;52(8):1210-7. - 배제사유: 8

2368. Kwak YS, Bakker PA, Glandorf DC, Rice JT, Paulitz TC, Weller DM. Isolation, characterization, and sensitivity to 2,4-diacetylphloroglucinol of isolates of *Phialophora* spp. from Washington wheat fields. *Phytopathology*. 2010;100(5):404-14. - 배제사유: 8
2369. Santos LL, Fonseca CG, Starling AL, Januario JN, Aguiar MJ, Peixoto MG, et al. Variations in genotype-phenotype correlations in phenylketonuria patients. *Genetics & Molecular Research*. 2010;9(1):1-8. - 배제사유: 8
2370. O'Keefe GJ, Saunder TH, Ng S, Ackerman U, Tochon-Danguy HJ, Chan JG, et al. Radiation dosimetry of beta-amyloid tracers 11C-PiB and 18F-BAY94-9172. *Journal of Nuclear Medicine*. 2009;50(2):309-15. - 배제사유: 8
2371. Rowe CC, Ackerman U, Browne W, Mulligan R, Pike KL, O'Keefe G, et al. Imaging of amyloid beta in Alzheimer's disease with 18F-BAY94-9172, a novel PET tracer: proof of mechanism. *Lancet Neurology*. 2008;7(2):129-35. - 배제사유: 8
2372. Fontenelle MR, Luz DF, Gomes AP, Florentino LH, Zerbini FM, Fontes EP. Functional analysis of the naturally recombinant DNA-A of the bipartite begomovirus Tomato chlorotic mottle virus. *Virus Research*. 2007;126(1-2):262-7. - 배제사유: 8
2373. Jahn-Schmid B, Radakovics A, Luttkopf D, Scheurer S, Vieths S, Ebner C, et al. Bet v 1142-156 is the dominant T-cell epitope of the major birch pollen allergen and important for cross-reactivity with Bet v 1-related food allergens. *Journal of Allergy & Clinical Immunology*. 2005;116(1):213-9. - 배제사유: 8
2374. Sinisterra XH, McKenzie CL, Hunter WB, Powell CA, Shatters RG. Differential transcriptional activity of plant-pathogenic begomoviruses in their whitefly vector (*Bemisia tabaci*, Gennadius: Hemiptera Aleyrodidae). *Journal of General Virology*. 2005;86(Pt 5):1525-32. - 배제사유: 8
2375. Rojas A, Kvarnheden A, Marcenaro D, Valkonen JP. Sequence characterization of tomato leaf curl Sinaloa virus and tomato severe leaf curl virus: phylogeny of New World begomoviruses and detection of recombination. *Archives of Virology*. 2005;150(7):1281-99. - 배제사유: 8
2376. Scheurer S, Lauer I, Foetisch K, San Miguel Moncin M, Retzek M, Hartz C, et al. Strong allergenicity of Pru av 3, the lipid transfer protein from cherry, is related to high stability against thermal processing and digestion. *Journal of Allergy & Clinical Immunology*. 2004;114(4):900-7. - 배제사유: 8
2377. Chiu H, Peters JW, Lanzilotta WN, Ryle MJ, Seefeldt LC, Howard JB, et al. MgATP-Bound and nucleotide-free structures of a nitrogenase protein complex between the Leu 127 Delta-Fe-protein and the MoFe-protein. *Biochemistry*. 2001;40(3):641-50. - 배제사유: 8
2378. Grohn OH, Lukkarinen JA, Oja JM, van Zijl PC, Ulatowski JA, Traystman RJ, et al. Noninvasive detection of cerebral hypoperfusion and reversible ischemia from reductions in the magnetic resonance imaging relaxation time, T2. *Journal of Cerebral Blood Flow & Metabolism*. 1998;18(8):911-20. - 배제사유: 8
2379. Vollmer J, Fritz M, Dormoy A, Weltzien HU, Moulon C. Dominance of the BV17 element in nickel-specific human T cell receptors relates to severity of contact sensitivity. *European Journal of Immunology*. 1997;27(8):1865-74. - 배제사유: 8
2380. Yang JT. Prediction of protein secondary structure from amino acid sequence. *Journal of Protein Chemistry*. 1996;15(2):185-91. - 배제사유: 8
2381. Harsi CM, Rolim DP, Gomes SA, Gilio AE, Stewien KE, Baldacci ER, et al. Adenovirus genome types isolated from stools of children with gastroenteritis in Sao Paulo, Brazil. *Journal of Medical Virology*. 1995;45(2):127-34. - 배제사유: 8
2382. Druzhinin S, Syrtsova LA, Uzenskaja AM, Likhtenstein GI. The photoreduction of nitrogenase. *Biochemical Journal*. 1993;290(Pt 2):627-31. - 배제사유: 8
2383. Morris B, Richardson K, Eddy P, Zhan XC, Haley A, Gardner R. Mutagenesis of the AC3 open

- reading frame of African cassava mosaic virus DNA A reduces DNA B replication and ameliorates disease symptoms. *Journal of General Virology*. 1991;72(Pt 6):1205-13. - 배제사유: 8
2384. Sasaki T, Furihata K, Shimazu A, Seto H, Iwata M, Watanabe T, et al. A novel macrolide antibiotic, notonesomycin A. *Journal of Antibiotics*. 1986;39(4):502-9. - 배제사유: 8
2385. Ong KT, Villemagne VL, Bahar-Fuchs A, Lamb F, Langdon N, Catafau A, et al. Abeta imaging with 18F-florbetaben in prodromal Alzheimer's disease: a prospective outcome study. *Journal of neurology, neurosurgery and psychiatry*. 2015;86(4 // 509166 (NHMRC) *Alzheimer's Association* // (CSIRO) *Alzheimer's Association* // (NHMRC) *Alzheimer's Association* // *Alzheimer's Association*):431-6. - 배제사유: 8
2386. Bischof GN, Bartenstein P, Barthel H, van Berckel BNM, Dore V, van Eimeren T, et al. Towards a Universal Readout for Fluorine-18 Labelled Amyloid Tracers: the CAPTAINS Study. *Journal of nuclear medicine*. 2021. - 배제사유: 8
2387. Frisoni GB, Barkhof F, Farrar G, Raffa N, Gismondi R, Schmidt ME, et al. The AMYPAD-DX controlled trial on the diagnostic value of amyloid PET. *Alzheimer's & dementia*. 2017;13(7):P1523-. - 배제사유: 8
2388. Eucr FI. A Principal, Open-Label, Single Center Study to Validate the Detection of Cerebral Cortical Amyloid with Flutemetamol (18F) Injection in Subjects Previously Biopsied - GE-067-010 Retrospective Biopsy. <https://trialsearchwhooint/Trial2.aspx?TrialID=EUCTR2010-018714-73-FI>. 2010. - 배제사유: 8
2389. Sur C, Kost J, Scott D, Adamczuk K, Fox NC, Cummings JL, et al. BACE inhibition causes rapid, regional, and non-progressive volume reduction in Alzheimer's disease brain. *Brain*. 2020;143:3816-26. - 배제사유: 8
2390. CN-02250746 - 배제사유: 8
2391. Martínez G, Vernooij RWM, Fuentes Padilla P, Zamora J, Flicker L, Bonfill Cosp X. 18F PET with florbetaben for the early diagnosis of Alzheimer's disease dementia and other dementias in people with mild cognitive impairment (MCI). *Cochrane Database of Systematic Reviews*. 2017(11). - 배제사유: 8
2392. Jeong HJ, Lee H, Lee S-Y, Seo S, Park KH, Lee Y-B, et al. [18F] THK5351 PET imaging in patients with mild cognitive impairment. *Journal of clinical neurology (Seoul, Korea)*. 2020;16(2):202. - 배제사유: 8
2393. 이효영, 임인철, 송민재, 신성규. Usefulness of 18F-Florbetaben in Alzheimer's Disease Diagnosis. *한국방사선학회 논문지*. 2016;10(5):306-12 - 배제사유: 8
2394. 류찬주. LIST mode를 이용한 ¹⁸F-Flutemetamol 의 최적 영상획득 시간에 관한 연구. *한국방사선학회논문지*. 2021;15(6):891-7 - 배제사유: 8
2395. Kang K, Yoon U, Hong J, Jeong SY, Ko P-W, Lee S-W, et al. Amyloid Deposits and Idiopathic Normal-Pressure Hydrocephalus: An ¹⁸F-Florbetaben Study. *European neurology*. 2018;79(3):192-9 - 배제사유: 8
2396. 조예니. 18F-Florbetaben을 이용한 대조군과 기억성 경도인지장애 및 알츠하이머병 환자군의 아밀로이드 침착 패턴 양상 : 복셀 기반 영상분석. *노인정신의학*. 2016;20(2):75-9 - 배제사유: 8
2397. 권형진, 최진욱, 이형진, 우재룡, 김유경. 18F-Florbetaben 주사 시 Activity 손실과 통증 감소를 위한 방법. *핵의학기술 = The Korean journal of nuclear medicine technology*. 2016;20(2):42-5 - 배제사유: 8
2398. Gucht AVD, de Langavant LC, Belissant O, Rabu C, Cottureau A-S, Evangelista E, et al. Brain ¹⁸F-FDG, ¹⁸F-Florbetaben PET/CT, ¹²³I-FP-CIT SPECT and Cardiac ¹²³I-MIBG Imaging for Diagnosis of a "Cerebral Type" of Lewy Body Disease. *핵의학 분자영상*. 2016;50(3):258-60 - 배제사유: 8

2399. 박종연, 김진형, 오수미. F-18 플로르베타벤 뇌 양전자방출단층촬영, 양전자방출전산화단층촬영. 신의료기술평가 보고서. 2015;1(21):1-197 - 배제사유: 8
2400. Kim MH, Lee J, Kim HN, Shin IJ, Lee K, Kim YS, et al. Longitudinal Observation of Early-Onset Alzheimer's Disease Dementia with Positive CSF Biomarkers/Negative Amyloid- β Positron-Emission Tomography. *Journal of the Korean Neurological Association*. 2021;39(3):214-8. - 배제사유: 8
2401. Choi J-W, Wang S-M, Um Y-H, Na H-R, Kim N-Y, Lim H-K, et al. Association of Sub-Threshold Amyloid Retention With Neuropsychological Performance in Cognitively Normal Older Adults Without the APOE ϵ 4 Allele. *Journal of Korean Geriatric Psychiatry*. 2021;25(2):76-82. - 배제사유: 8
2402. Um YH, Wang S-M, Kim N-Y, Kang DW, Na H-R, Lee CU, et al. Effects of moderate intensity exercise on the cortical thickness and subcortical volumes of preclinical Alzheimer's disease patients: A pilot study. *Psychiatry Investigation*. 2020;17(6):613. - 배제사유: 8
2403. Kim HJ, Lim TS, Lee SM, Kim T-S, Kim Y, An Y-S, et al. Cerebrospinal fluid levels of β -amyloid 40 and β -amyloid 42 are proportionately decreased in amyloid positron-emission tomography negative idiopathic normal-pressure hydrocephalus patients. *Journal of Clinical Neurology*. 2019;15(3):353-9. - 배제사유: 8
2404. Kim J-Y, Suh HY, Ryoo HG, Oh D, Choi H, Paeng JC, et al. Amyloid PET quantification via end-to-end training of a deep learning. *Nuclear Medicine and Molecular Imaging*. 2019;53(5):340-8. - 배제사유: 8
2405. Hong YJ, Park KW, Kang D-Y, Lee J-H. Prediction of Alzheimer's pathological changes in subjective cognitive decline using the self-report questionnaire and neuroimaging biomarkers. *Dementia and Neurocognitive Disorders*. 2019;18(1):19-29. - 배제사유: 8
2406. Kim JY, Lim JH, Jeong YJ, Kang D-Y, Park KW. The effect of clinical characteristics and subtypes on amyloid positivity in patients with amnesic mild cognitive impairment. *Dementia and Neurocognitive Disorders*. 2019;18(4):130-7. - 배제사유: 8
2407. Kim H-G, Kong E-J, Cheon E-J, Kim H-W, Koo B-H. Association between cerebral amyloid deposition and clinical factors including cognitive function in geriatric depression: pilot study using amyloid positron emission tomography. *Clinical Psychopharmacology and Neuroscience*. 2016;14(4):378. - 배제사유: 8
2408. Cho Y, UM Y-H, KIM T-W, SEO H-J, JEONG J-H, HONG S-C, et al. A voxel wise analysis of cerebral beta amyloid retention in healthy controls and subjects with amnesic mild cognitive impairment and Alzheimer's Disease. *Journal of Korean Geriatric Psychiatry*. 2016;75-9. - 배제사유: 8
2409. Jprn U. 18F flutemetamol amyloid-beta PET imaging compared with 11CPIB across the spectrum of Alzheimer's disease. <https://trialssearchwhooint/Trial2.aspx?TrialID=JPRN-UMIN000019573>. 2015. - 배제사유: 9
2410. Euctr DE. Safety and efficacy of PET imaging with BAY 94-9172 (ZK 6013443). <https://trialssearchwhooint/Trial2.aspx?TrialID=EUCTR2009-012569-79-DE>. 2009. - 배제사유: 9
2411. Euctr DE. An open-label, non-randomized, multi-center study to optimize image assessment and evaluate the efficacy and safety of BAY 94-9172 (ZK 6013443) positron emission tomography (PET) for detection/exclusion of cerebral beta-amyloid in patients with probable Alzheimer's disease compared to healthy volunteers - Safety and efficacy of positron emission tomography imaging with BAY 94-9172 (ZK 6013443). <https://trialssearchwhooint/Trial2.aspx?TrialID=EUCTR2007-002256-42-DE>. 2008. - 배제사유: 9
2412. Muller EG, Stokke C, Stokmo HL, Edwin TH, Knapskog AB, Revheim ME. Evaluation of semi-quantitative measures of ¹⁸F-Flutemetamol PET for the clinical diagnosis of Alzheimer's disease. *Quantitative Imaging in Medicine and Surgery*. 2022;12(1):493-509. - 배제사유: 10

2413. Jeong SH, Kim HR, Kim J, Kim H, Hong N, Jung JH, et al. Association of Dipeptidyl Peptidase-4 Inhibitor Use and Amyloid Burden in Patients With Diabetes and AD-Related Cognitive Impairment. *Neurology*. 2021;97(11):e1110-e22. - 배제사유: 10
2414. Li S, Daamen M, Scheef L, Gaertner FC, Buchert R, Buchmann M, et al. Abnormal Regional and Global Connectivity Measures in Subjective Cognitive Decline Depending on Cerebral Amyloid Status. *Journal of Alzheimer's disease : JAD*. 2021;79(2):493-509. - 배제사유: 10
2415. Collij LE, Salvado G, Shekari M, Lopes Alves I, Reimand J, Wink AM, et al. Visual assessment of [¹⁸F]flutemetamol PET images can detect early amyloid pathology and grade its extent. *European Journal of Nuclear Medicine and Molecular Imaging*. 2021;48(7):2169-82. - 배제사유: 10
2416. Mila-Aloma M, Shekari M, Salvado G, Gispert JD, Arenaza-Urquijo EM, Operto G, et al. Cognitively unimpaired individuals with a low burden of Abeta pathology have a distinct CSF biomarker profile. *Alzheimer's Research and Therapy*. 2021;13(1) (no pagination)(134). - 배제사유: 10
2417. Otani T, Otsuka H, Matsushita K, Otomi Y, Kunikane Y, Azane S, et al. Effect of different examination conditions on image quality and quantitative value of amyloid positron emission tomography using ¹⁸F-flutemetamol. *Annals of Nuclear Medicine*. 2021;35(9):1004-14. - 배제사유: 10
2418. Grau-Rivera O, Navalpotro-Gomez I, Sanchez-Benavides G, Suarez-Calvet M, Mila-Aloma M, Arenaza-Urquijo EM, et al. Association of weight change with cerebrospinal fluid biomarkers and amyloid positron emission tomography in preclinical Alzheimer's disease. *Alzheimer's Research and Therapy*. 2021;13(1) (no pagination)(46). - 배제사유: 10
2419. Giovacchini G, Giovannini E, Borso E, Lazzeri P, Duce V, Ferrando O, et al. Impact of tracer retention levels on visual analysis of cerebral [¹⁸F]-florbetaben pet images. *Current Radiopharmaceuticals*. 2021;14(1):70-7. - 배제사유: 10
2420. Matsuda H, Ito K, Shimosegawa E, Okazawa H, Mishina M, Mizumura S, et al. Quantitative Evaluation of ¹⁸F-Flutemetamol PET in Patients With Cognitive Impairment and Suspected Alzheimer's Disease: A Multicenter Study. *Frontiers in Neurology*. 2020;11 (no pagination)(578753). - 배제사유: 10
2421. Heeman F, Yaqub M, Hendriks J, Bader I, Barkhof F, Gispert JD, et al. Parametric imaging of dual-time window [¹⁸F]flutemetamol and [¹⁸F]florbetaben studies. *NeuroImage*. 2021;234 (no pagination)(117953). - 배제사유: 10
2422. Reimand J, Boon BDC, Collij LE, Teunissen CE, Rozemuller AJM, van Berckel BNM, et al. Amyloid-beta PET and CSF in an autopsy-confirmed cohort. *Annals of Clinical and Translational Neurology*. 2020;7(11):2150-60. - 배제사유: 10
2423. Guo T, Korman D, La Joie R, Shaw LM, Trojanowski JQ, Jagust WJ, et al. Normalization of CSF pTau measurement by Abeta₄₀ improves its performance as a biomarker of Alzheimer's disease. *Alzheimer's Research and Therapy*. 2020;12(1) (no pagination)(97). - 배제사유: 10
2424. Funaki K, Nakajima S, Noda Y, Wake T, Ito D, Yamagata B, et al. Can we predict amyloid deposition by objective cognition and regional cerebral blood flow in patients with subjective cognitive decline? *Psychogeriatrics*. 2019;19(4):325-32 - 배제사유: 10
2425. Chincarini A, Peira E, Morbelli S, Pardini M, Bauckneht M, Arbizu J, et al. Semi-quantification and grading of amyloid PET: A project of the European Alzheimer's Disease Consortium (EADC). *NeuroImage: Clinical*. 2019;23 (no pagination)(101846). - 배제사유: 10
2426. Salvado G, Molinuevo JL, Brugulat-Serrat A, Falcon C, Grau-Rivera O, Suarez-Calvet M, et al. Centiloid cut-off values for optimal agreement between PET and CSF core AD biomarkers. *Alzheimer's Research and Therapy*. 2019;11(1) (no pagination)(27). - 배제사유: 10

2427. Tahmi M, Bou-Zeid W, Razlighi QR. A fully automatic technique for precise localization and quantification of amyloid- β PET scans. *Journal of Nuclear Medicine*. 2019;60(12):1771-9. - 배제사유: 10
2428. Manca C, Rivasseau Jonveaux T, Roch V, Marie PY, Karcher G, Lamiral Z, et al. Amyloid PETs are commonly negative in suspected Alzheimer's disease with an increase in CSF phosphorylated-tau protein concentration but an Abeta42 concentration in the very high range: a prospective study. *Journal of Neurology*. 2019;266(7):1685-92. - 배제사유: 10
2429. Park JE, Choi KY, Kim BC, Choi SM, Song MK, Lee JJ, et al. Cerebrospinal Fluid Biomarkers for the Diagnosis of Prodromal Alzheimer's Disease in Amnesic Mild Cognitive Impairment. *Dementia and Geriatric Cognitive Disorders Extra*. 2019;9(1):100-13. - 배제사유: 10
2430. Collij LE, Konijnenberg E, Reimand J, Kate MT, den Braber A, Alves IL, et al. Assessing amyloid pathology in cognitively normal subjects using ^{18}F -flutemetamol PET: Comparing visual reads and quantitative methods. *Journal of Nuclear Medicine*. 2019;60(4):541-7. - 배제사유: 10
2431. Manca C, Hopes L, Kearney-Schwartz A, Roch V, Karcher G, Baumann C, et al. Assessment of ^{18}F -Florbetaben Amyloid PET Imaging in Patients with Suspected Alzheimer's Disease and Isolated Increase in Cerebrospinal Fluid Tau Proteins. *Journal of Alzheimer's Disease*. 2019;68(3):1061-9. - 배제사유: 10
2432. Westwood S, Baird AL, Hye A, Ashton NJ, Nevado-Holgado AJ, Anand SN, et al. Plasma Protein Biomarkers for the Prediction of CSF Amyloid and Tau and ^{18}F -Flutemetamol PET Scan Result. *Frontiers in Aging Neuroscience*. 2018;10 (no pagination)(409) - 배제사유: 10
2433. Janelidze S, Pannee J, Mikulskis A, Chiao P, Zetterberg H, Blennow K, et al. Concordance Between Different Amyloid Immunoassays and Visual Amyloid Positron Emission Tomographic Assessment. *JAMA neurology*. 2017;74(12):1492-501. - 배제사유: 10
2434. Cecchin D, Barthel H, Poggiali D, Cagnin A, Tiepolt S, Zucchetta P, et al. A new integrated dual time-point amyloid PET/MRI data analysis method. *European Journal of Nuclear Medicine and Molecular Imaging*. 2017;44(12):2060-72. - 배제사유: 10
2435. Janelidze S, Zetterberg H, Mattsson N, Palmqvist S, Vanderstichele H, Lindberg O, et al. CSF Abeta42/Abeta40 and Abeta42/Abeta38 ratios: Better diagnostic markers of Alzheimer disease. *Annals of Clinical and Translational Neurology*. 2016;3(3):154-65. - 배제사유: 10
2436. Seibyl J, Catafau AM, Barthel H, Ishii K, Rowe CC, Leverenz JB, et al. Impact of training method on the robustness of the visual assessment of ^{18}F -florbetaben PET scans: Results from a phase-3 study. *Journal of Nuclear Medicine*. 2016;57(6):900-6. - 배제사유: 10
2437. Pannee J, Portelius E, Minthon L, Gobom J, Andreasson U, Zetterberg H, et al. Reference measurement procedure for CSF amyloid beta (Abeta) $_{1-42}$ and the CSF Abeta $_{1-42}$ /Abeta $_{1-40}$ ratio - a cross-validation study against amyloid PET. *Journal of Neurochemistry*. 2016;139(4):651-8. - 배제사유: 10
2438. Palmqvist S, Zetterberg H, Mattsson N, Johansson P, Minthon L, Blennow K, et al. Detailed comparison of amyloid PET and CSF biomarkers for identifying early Alzheimer disease. *Neurology*. 2015;85(14):1240-9. - 배제사유: 10
2439. Palmqvist S, Zetterberg H, Mattsson N, Minthon L, Blennow K, Ohlsson M, et al. Diagnostic comparison of regional amyloid pet and different CSF biomarker assays for identifying early Alzheimer's disease. *Alzheimer's and Dementia*. 2015;1):P140. - 배제사유: 10
2440. Duff K, Foster NL, Dennett K, Hammers DB, Zollinger LV, Christian PE, et al. Amyloid deposition and cognition in older adults: The effects of premorbid intellect. *Archives of Clinical Neuropsychology*. 2013;28(7):665-71. - 배제사유: 10
2441. Zhang H, Hui ES, Cao P, Mak HKF. Relationship between Amyloid-beta Deposition and the Coupling between Structural and Functional Brain Networks in Patients with Mild Cognitive

Impairment and Alzheimer's Disease. Brain Sciences. 2021;11(11):19. - 배제사유: 10