

별첨 2

배제문헌

문헌배제사유

1. 사전에 정의한 연구대상자에 대한 연구가 아닌 문헌
2. 사전에 정의한 중재법에 대해 연구가 아닌 문헌
3. 사전에 정의한 연구결과가 하나 이상 보고되지 않은 문헌
4. 사전에 정의한 연구설계가 아닌 연구
5. 동물실험 또는 전임상시험
6. 원저가 아닌 연구(종설, letter, comment 등)
7. 한국어나 영어로 출판되지 않은 문헌
8. 초록만 발표된 연구
9. 중복된 문헌 연구
10. 비교자가 적절하지 않은 연구
11. 중재가 복합적인 연구
12. 원문 확보 불가 연구
13. 신장암 중재접근이 명확히 제시되지 않은 연구
14. 폐암 중재접근이 경피적 방법(경피적 냉동제거술)인 연구

연번	서지정보	배제사유
1	Abarzua-Cabezas FGS, E.De La Cruz, R.Spiess, P. E.Haddock, P.Sexton, W. J. Oncological and functional outcomes of salvage renal surgery following failed primary intervention for renal cell carcinoma. International Braz J Urol. 2015;41(1):147-54.	4
2	Abd El Hafez SAMEB, M. K.Ali, R. E.E. L. Hadidy TaAbd, Allah M. S. Argon plasma coagulation versus cryotherapy in alleviation of endobronchial obstruction via fiberoptic bronchoscope. Egyptian Journal of Chest Diseases and Tuberculosis. 2017;66(1):181-6.	2
3	Abdel-Aaty HB, R.El-Mahallawy, I.El-Helbawy, R.Hussein, S.Abdel-Tawab, A. Cryotherapy and electrocautery in the management of malignant endobronchial neoplasms. Egyptian Journal of Chest Diseases and Tuberculosis. 2019;68(2):184-91.	2
4	Abouassaly RY, S.Finelli, A.Kulkarni, G. S.Alibhai, S. M. H. What is the best treatment strategy for incidentally detected small renal masses? A decision analysis. BJU International. 2011;108(8 B):E223-E31.	11
5	Ahmad IK, G.Ismail, M.Birrell, F.Asterling, S.McCartney, E.Greene, D.Davies, J.Leung, H. Y. Prostate gland lengths and iceball dimensions predict micturition functional outcome following salvage prostate cryotherapy in men with radiation recurrent prostate cancer. PLoS ONE [Electronic Resource]. 2013;8(8):e69243.	4
6	Aizer AAG, X.Chen, M. H.Choueiri, T. K.Martin, N. E.Efstathiou, J. A.Hyatt, A. S.Graham, P. L.Trinh, Q. D.Hu, J. C.Nguyen, P. L. Cost implications and complications of overtreatment of low-risk prostate cancer in the United States. JNCCN Journal of the National Comprehensive Cancer Network. 2015;13(1):61-8.	1
7	Al Ekish SN, M.Maddox, M.Pareek, G. The role of cryosurgery of the prostate for nonsurgical candidates. Journal of the Society of Laparoendoscopic Surgeons.	4

	2013;17(3):423-8.	
8	Aladag Kurt SY, C.Ozhan Oktar, S.Erbas, G.Sozen, S.Oner, A. Y. The effectiveness of RENAL nephrometry score in ablated renal tumors via radiofrequency ablation or cryoablation. Turkish Journal of Medical Sciences. 2019;49(3):761-8.	13
9	Allaf MEV, I. M.Bhayani, S. B.Inagaki, T.Kavoussi, L. R.Solomon, S. B. Pain control requirements for percutaneous ablation of renal tumors: cryoablation versus radiofrequency ablation--initial observations. Radiology. 2005;237(1):366-70.	1
10	Almdalal TS, P.Harmenberg, U.Hellstrom, M.Lindskog, M.Lindblad, P.Lundstam, S.Ljungberg, B. Clinical T1a Renal Cell Carcinoma, Not Always a Harmless Disease--A National Register Study. European Urology Open Science. 2022;39:22-8.	11
11	Altunrende FA, R.Hillyer, S.Yang, B.Laydner, H.White, M. A.Khanna, R.Isac, W.Spana, G.Stein, R. J.Haber, G. P.O'Malley, C. M.Remer, E. M.Kaouk, J. H. Image guided percutaneous probe ablation for renal tumors in 65 solitary kidneys: functional and oncological outcomes. Journal of Urology. 2011;186(1):35-41.	1
12	Aminsharifi AJ, G.Tsivian, E.Tsivian, M.Elshafei, A.Polascik, T. J. Salvage Prostate Cryoablation for the Management of Local Recurrence After Primary Cryotherapy: A Retrospective Analysis of Functional and Intermediate-Term Oncological Outcomes Associated With a Second Therapeutic Freeze. Clinical Genitourinary Cancer. 2019;17(4):e831-e6.	4
13	Aminsharifi AP, T. J.Tsivian, M.Schulman, A.Tsivian, E.Tay, K. J.Elshafei, A.Jones, J. S. Does Any Racial Disparity Exist in Oncologic Outcomes After Primary Cryotherapy for Prostate Cancer? A Matched-pair Comparative Analysis of the Cryo On-Line Data Registry. Clinical Genitourinary Cancer. 2018;16(5):e1073-e6.	4
14	Anakievski DY, K.Georgiev, M. Laparoscopic cryoablation of renal tumors: Initial experience. Journal of IMAB - Annual Proceeding (Scientific Papers). 2019;25(2):2505-10.	4
15	Anastasiadis AGS, R.Salomon, L.Ghafar, M. A.Stisser, B. C.Shabsigh, R.Katz, A. E. Comparison of health-related quality of life and prostate-associated symptoms after primary and salvage cryotherapy for prostate cancer. Journal of Cancer Research & Clinical Oncology. 2003;129(12):676-82.	4
16	Andrews JRA, T.Schmit, G.Lohse, C. M.Kurup, A. N.Weisbrod, A.Callstrom, M. R.Cheville, J. C.Boorjian, S. A.Leibovich, B. C.Thompson, R. H. Oncologic Outcomes Following Partial Nephrectomy and Percutaneous Ablation for cT1 Renal Masses. European Urology. 2019;76(2):244-51.	1
17	Anonymous. Prostate cryosurgery. Clinical Privilege White Paper. 2000(84):1-8.	12
18	Arnold IDCS, G.Smith, J. C.Wahjudi, I. N.Heldt, J. P.Richards, G. D.Agarwal, G.Brisbane, W. G.Farley, D. V.Baldwin, D. D. Comparing radiation exposure between ablative therapies for small renal masses. Journal of Endourology. 2013;27(12):1435-9.	3
19	Asimakopoulos GB, J.Evans, J.Maiwand, M. O. Cryosurgery for malignant endobronchial tumors: analysis of outcome. Chest. 2005;127(6):2007-14.	2
20	Atwell TDC, R. E.Schmit, G. D.Carr, C. M.Boorjian, S. A.Curry, T. B.Thompson, R. H.Kurup, A. N.Weisbrod, A. J.Chow, G. K.Leibovich, B. C.Callstrom, M. R.Patterson, D. E. Complications following 573 percutaneous renal radiofrequency and cryoablation procedures. Journal of Vascular & Interventional Radiology. 2012;23(1):48-54.	1
21	Atwell TDS, G. D.Boorjian, S. A.Mandrekar, J.Kurup, A. N.Weisbrod, A. J.Chow, G. K.Leibovich, B. C.Callstrom, M. R.Patterson, D. E.Lohse, C. M.Thompson, R. H. Percutaneous ablation of renal masses measuring 3.0 cm and smaller: comparative local control and complications after radiofrequency ablation and cryoablation. AJR American Journal of Roentgenology. 2013;200(2):461-6.	1
22	Atrousseau PAB, E.Cazzato, R. L.Auloge, P.Mayer, T.Weiss, J.Koch, G.Caudrelier, J.De Marini, P.Gangi, A.Garnon, J. Percutaneous image-guided cryoablation with temporary balloon occlusion of the renal artery for the treatment of central renal tumors. Diagnostic and Interventional Imaging. 2022;04:04.	4
23	Badwan KM, K.Venkatesh, R.Figenshau, R. S.Brown, D.Chen, C.Bhayani, S. B. Comparison of laparoscopic and percutaneous cryoablation of renal tumors: a cost analysis. Journal of Endourology. 2008;22(6):1275-7.	10
24	Bahn DKL, F.Badalament, R.Kumar, A.Greski, J.Chernick, M. Targeted cryoablation of the prostate: 7-year outcomes in the primary treatment of prostate cancer. Urology. 2002;60(2 Suppl 1):3-11.	4
25	Baine MJS, R.Neilsen, B. K.Oupicky, D.Smith, L. M.Verma, V.Lin, C. Stereotactic Body Radiation Therapy Versus Nonradiotherapeutic Ablative Procedures (Laser/Cryoablation and Electrocautery) for Early-Stage Non-Small Cell Lung Cancer. Journal of the National Comprehensive Cancer Network. 2019;17(5):450-8.	11
26	Bakavicius AS-S, R.Muttin, F.Sivaraman, A.Dell'Oglio, P.Barret, E.Rozet, F.Mombet, A.Prapotnich, D.Cathala, N.Cathelineau, X. Comprehensive Evaluation of Focal Therapy Complications in Prostate Cancer: A Standardized Methodology. Journal of Endourology. 2019;33(7):509-15.	1

27	Ball AJG, B.Fabrizio, M. D.Davis, J. W.Given, R. W.Lynch, D. F.Shaves.,Schellhammer, P. F. Prospective longitudinal comparative study of early health-related quality-of-life outcomes in patients undergoing surgical treatment for localized prostate cancer: a short-term evaluation of five approaches from a single institution. <i>Journal of Endourology</i> . 2006;20(10):723-31.	1
28	Bandi GH, S.Moon, T.Lee, F. T.Nakada, S. Y. Comparison of postoperative pain, convalescence, and patient satisfaction after laparoscopic and percutaneous ablation of small renal masses. <i>Journal of Endourology</i> . 2008;22(5):963-7.	1
29	Bandi GW, C. C.Hedican, S. P.Moon, T. D.Lee, F. T., Jr.Nakada, S. Y. Cryoablation of small renal masses: assessment of the outcome at one institution. <i>BJU International</i> . 2007;100(4):798-801.	10
30	Bang HJL, P. J.Currier, B. P.Goodrich, D. J.Aoun, H. D.Klein, L. C.Kuo, J. C.Heilbrun, L. K.Gadgeel, S.Goodman, A. C. Percutaneous cryoablation of metastatic lesions from non-small-cell lung carcinoma: initial survival, local control, and cost observations. <i>Journal of Vascular & Interventional Radiology</i> . 2012;23(6):761-9.	14
31	Bang HJL, P. J.Goodrich, D. J.Currier, B. P.Aoun, H. D.Heilbrun, L. K.Vaishampayan, U.Adam, B.Goodman, A. C. Percutaneous cryoablation of metastatic renal cell carcinoma for local tumor control: feasibility, outcomes, and estimated cost-effectiveness for palliation. <i>Journal of Vascular & Interventional Radiology</i> . 2012;23(6):770-7.	1
32	Barat MC, L.Mongiat-Artus, P.Jolibois, Z.Quero, L.Hennequin, C.Desgrandchamps, F.de Kerviler, E. Salvage cryoablation for local recurrence of prostatic cancer after curative therapy. <i>Diagnostic and Interventional Imaging</i> . 2019;100(11):679-87.	4
33	Barqawi ABRP, R.Crawford, E. D.Al-Musawi, M.MacDermott, T.O'Donell, C.Kendl, R. M. Boosting immune response with GM-CSF optimizes primary cryotherapy outcomes in the treatment of prostate cancer: a prospective randomized clinical trial. <i>Prostate Cancer & Prostatic Diseases</i> . 2021;24(3):750-7.	3
34	Barret EA, Y.Sanchez-Salas, R.Galiano, M.Cosset, J. M.Validire, P.Macek, P.Durand, M.Prapotnich, D.Rozet, F.Cathelineau, X. Morbidity of focal therapy in the treatment of localized prostate cancer. <i>European Urology</i> . 2013;63(4):618-22.	1
35	Bauman GD, K.Chin, J.Nair, S.Iaboni, A.Crook, J.Klotz, L.Dearnaley, D.Horwitz, E.O'Callaghan, C. Cryosurgery Versus Primary Androgen Deprivation Therapy for Locally Recurrent Prostate Cancer After Primary Radiotherapy: A Propensity-Matched Survival Analysis. <i>Cureus</i> . 2020;12(5):e7983.	1
36	Beksac ATC, D.Abou Zeinab, M.Ferguson, E.Kaviani, A.Schwen, Z. R.Kaouk, J. H. Long term comparative outcomes of partial nephrectomy and cryoablation in patients with solitary kidneys: a single-center analysis. <i>Minerva Urology and Nephrology</i> . 2022;27:27.	13
37	Benoit RMC, J. K.Miller, R. J., Jr. Comparison of the hospital costs for radical prostatectomy and cryosurgical ablation of the prostate. <i>Urology</i> . 1998;52(5):820-4.	1
38	Bertolo RG, J.Armanyous, S.Agudelo, J.Lioudis, M.Kaouk, J. Perioperative, oncological and functional outcomes after robotic partial nephrectomy vs. cryoablation in the elderly: A propensity score matched analysis. <i>Urologic Oncology</i> . 2019;37(4):294.e9-.e15.	13
39	Bertucci GC, R. L.Barthelemy, P.Dalili, D.Lang, H.Garnon, J.Gangi, A. Percutaneous Image-Guided Cryoablation of Post-Surgical Renal Cancer Recurrences in the Renal Fossa: A Single-Center Retrospective Analysis. <i>Cardiovascular & Interventional Radiology</i> . 2022;45(4):527-9.	6
40	Bhagavatula SKT, K.Shyn, P. B.Levesque, V. M.Chang, S. L.Silverman, S. G. Percutaneous CT- and MRI-guided Cryoablation of cT1 Renal Cell Carcinoma: Intermediate- to Long-term Outcomes in 307 Patients. <i>Radiology</i> . 2020;296(3):687-95.	10
41	Bhan SNP, S. E.Shayegan, B.Voss, M. D.Goeree, R. A.You, J. J. Active surveillance, radiofrequency ablation, or cryoablation for the nonsurgical management of a small renal mass: a cost-utility analysis. <i>Annals of Surgical Oncology</i> . 2013;20(11):3675-84.	1
42	Bhindi BM, R. J.Haddad, M. M.Boorjian, S. A.Leibovich, B. C.Atwell, T. D.Weisbrod, A. J.Schmit, G. D.Thompson, R. H. Outcomes After Cryoablation Versus Partial Nephrectomy for Sporadic Renal Tumors in a Solitary Kidney: A Propensity Score Analysis. <i>European Urology</i> . 2018;73(2):254-9.	1
43	Bianchi LC, F.Piazza, P.Ercolino, A.Mottaran, A.Recenti, D.Serra, C.Gaudio, C.Cappelli, A.Modestino, F.Golfieri, R.Bertaccini, A.Marcelli, E.Porreca, A.Celia, A.Schiavina, R. Percutaneous ablation or minimally invasive partial nephrectomy for cT1a renal masses? A propensity score-matched analysis. <i>International Journal of Urology</i> . 2022;29(3):222-8.	1
44	Bianchi LMB, F.Chessa, F.Barbaresi, U.Casablanca, C.Piazza, P.Mottaran, A.Droghetti, M.Roveroni, C.Balestrazzi, E.Gentile, G.Gaudio, C.Bertaccini, A.Marcelli, E.Porreca, A.D. E. Concilio B.Serra, C.Celia, A.Brunocilla, E.Schiavina, R. Percutaneous tumor ablation versus partial nephrectomy for small renal mass: the impact of histologic variant and tumor size. <i>Minerva Urology and Nephrology</i> .	1

	2021;73(5):581-90.	
45	Bonichon FdB, T.Berdelou, A.Leboulleux, S.Giraudet, A. L.Cuinet, M.Drui, D.Liberge, R.Kelly, A.Tenenbaum, F.Legmann, P.Do Cao, C.Leenhardt, L.Toubeau, M.Godbert, Y.Palussiere, J. Percutaneous thermal ablation of lung metastases from thyroid carcinomas. A retrospective multicenter study of 107 nodules. On behalf of the TUTHYREF network. <i>Endocrine</i> . 2021;72(3):798-808.	11
46	Borges RCT-B, R. R.Glina, S.Macek, P.Mombet, A.Sanchez-Salas, R.Cathelineau, X. Impact of Focal Versus Whole Gland Ablation for Prostate Cancer on Sexual Function and Urinary Continence. <i>Journal of Urology</i> . 2021;205(1):129-36.	11
47	Bossier RS, F.Territo, A.Vanacore, D.Martinez, C.Regis, F.Gallioli, A.Mercade, A.Mosquera, L.Aumatell, J.Balana, J.Carlderon, J.Huguet, J.Gaya, J. M.Palou, J.Breda, A. Whole and hemi-gland cryoablation for primary localized prostate cancer: Short and medium-term oncological and functional outcomes. <i>Actas Urologicas Espanolas</i> . 2020;44(3):172-8.	12
48	Bourgouin PPW, M. M.Mercaldo, N. D.Murphy, M. C.Lepplermann, K. S.Levesque, V. M.Muniappan, A.Silverman, S. G.Shepard, J. O.Shyn, P. B.Fintelmann, F. J. Comparison of Percutaneous Image-Guided Microwave Ablation and Cryoablation for Sarcoma Lung Metastases: A 10-Year Experience. <i>AJR American Journal of Roentgenology</i> . 2022;218(3):494-504.	14
49	Boyd KAJ, R. J.Paul, J.Birrell, F.Briggs, A. H.Leung, H. Y. Decision analytic cost-effectiveness model to compare prostate cryotherapy to androgen deprivation therapy for treatment of radiation recurrent prostate cancer. <i>BMJ Open</i> . 2015;5(10):e007925.	1
50	Brassell SAR, K. R.Parker, P. M.Chen, Y.Farrell, J. S.Cullen, J.McLeod, D. G. Prostate cancer in men 70 years old or older, indolent or aggressive: Clinicopathological analysis and outcomes. <i>Journal of Urology</i> . 2011;185(1):132-7.	2
51	Campbell MTM, S. F.Tam, A. L.Sheth, R. A.Ahrar, K.Tidwell, R. S.Rao, P.Karam, J. A.Wood, C. G.Tannir, N. M.Jonasch, E.Gao, J.Zurita, A. J.Shah, A. Y.Jindal, S.Duan, F.Basu, S.Chen, H.Espejo, A. B.Allison, J. P.Yadav, S. S.Sharma, P. Pilot study of Tremelimumab with and without cryoablation in patients with metastatic renal cell carcinoma. <i>Nature communications</i> . 2021;12(1):6375.	10
52	Caputo PAZ, H.Ramirez, D.Andrade, H. S.Akca, O.Gao, T.Kaouk, J. H. Cryoablation versus Partial Nephrectomy for Clinical T1b Renal Tumors: A Matched Group Comparative Analysis. <i>European Urology</i> . 2017;71(1):111-7.	13
53	Cazzato RLDM, P.Leonard-Lorant, I.Dalili, D.Koch, G.Autrusseau, P. A.Mayer, T.Weiss, J.Auloge, P.Garnon, J.Gangi, A. Percutaneous thermal ablation of sacral metastases: Assessment of pain relief and local tumor control. <i>Diagnostic and Interventional Imaging</i> . 2021;102(6):355-61.	1
54	Celia AP, C.Silvestri, T.Gidaro, G. B.Iannello, F.Lanati, E. P.D'Ausilio, A. Percutaneous cryoablation vs SoC in small kidney cancers: the Italian experience. <i>Minerva urologica e nefrologica = The Italian journal of urology and nephrology</i> . 2020;19.	12
55	Celia AP, C.Silvestri, T.Gidaro, G. B.Iannello, F.Lanati, E. P.D'Ausilio, A. Percutaneous cryoablation vs. open partial nephrectomy in small kidney cancers: the Italian experience. <i>Minerva Urology and Nephrology</i> . 2021;73(2):178-86.	1
56	Chan VWL, J.Smith, J.Jagdev, S.Ralph, C.Vasudev, N.Bhattarai, S.Lewington, A.Kimuli, M.Cartledge, J.Wah, T. M. Multimodal image-guided ablation on management of renal cancer in Von-Hippel-Lindau syndrome patients from 2004 to 2021 at a specialist centre: A longitudinal observational study. <i>European Journal of Surgical Oncology</i> . 2022;48(3):672-9.	11
57	Chan VWO, F. H.Cartledge, J.Gregory, W.Kimuli, M.Vasudev, N. S.Ralph, C.Jagdev, S.Bhattarai, S.Smith, J.Lenton, J.Wah, T. M. Long-term outcomes of image-guided ablation and laparoscopic partial nephrectomy for T1 renal cell carcinoma. <i>European Radiology</i> . 2022;32(9):5811-20.	1
58	Chang SLC, L. E.Harshman, L. C.Garber, A. M.Chung, B. I. Cost-effectiveness analysis of nephron sparing options for the management of small renal masses. <i>Journal of Urology</i> . 2011;185(5):1591-7.	11
59	Chehab MF, J. A.Handel, J.Vartanian, S.Krishnan, A.Wong, C. Y.Korman, H.Seifman, B.Ciaci, J. Percutaneous Cryoablation vs Partial Nephrectomy: Cost Comparison of T1a Tumors. <i>Journal of Endourology</i> . 2016;30(2):170-6.	1
60	Chen CHP, Y. S. Adjuvant androgen-deprivation therapy following prostate total cryoablation in high-risk localized prostate cancer patients - Open-labeled randomized clinical trial. <i>Cryobiology</i> . 2018;82:88-92.	4
61	Chen CHP, Y. S. Proactive rectal warming during total-gland prostate cryoablation. <i>Cryobiology</i> . 2014;68(3):431-5.	10
62	Chen JXG, T. J.Malkowicz, S. B.Soulen, M. C.Wein, A. J.Clark, T. W.Nadolski, G. J.Stavropoulos, S. W. Complication and Readmission Rates following Same-Day Discharge after Percutaneous Renal Tumor Ablation. <i>Journal of Vascular & Interventional Radiology</i> . 2016;27(1):80-6.	1
63	Chen RNN, A. C.Gill, I. S. Laparoscopic cryoablation of renal masses. <i>Urologic</i>	4

	Clinics of North America. 2000;27(4):813-20.	
64	Chiang PHL, Y. Y. Comparisons of oncological and functional outcomes among radical retropubic prostatectomy, high dose rate brachytherapy, cryoablation and high-intensity focused ultrasound for localized prostate cancer. Springerplus. 2016;5(1):1905.	1
65	Chin JLA-Z, A. A.Autran-Gomez, A. M.Williams, A. K.Bauman, G. Extended followup oncologic outcome of randomized trial between cryoablation and external beam therapy for locally advanced prostate cancer (T2c-T3b). Journal of Urology. 2012;188(4):1170-5.	1
66	Chin JLN, C. K.Touma, N. J.Pus, N. J.Hardie, R.Abdelhady, M.Rodrigues, G.Radwan, J.Venkatesan, V.Moussa, M.Downey, D. B.Bauman, G. Randomized trial comparing cryoablation and external beam radiotherapy for T2C-T3B prostate cancer. Prostate Cancer & Prostatic Diseases. 2008;11(1):40-5.	1
67	Chinenov DVR, L. M.Shpot, E. V.Enikeev, D. V.Chernov, Y. N.Taratkin, M. S.Korolev, D. O. Comparative results of cryoablation and laparoscopic radical prostatectomy in the treatment of localized prostate cancer. Urologia (Treviso). 2018;85(2):68-72.	1
68	Choe YHK, S. R.Lee, K. S.Lee, K. Y.Park, S. J.Jin, G. Y.Lee, Y. C. The use of PTC and RFA as treatment alternatives with low procedural morbidity in non-small cell lung cancer. European Journal of Cancer. 2009;45(10):1773-9.	14
69	Choueiri TKS, F. A.Hevelone, N. D.Nguyen, P. L.Lipsitz, S. R.Williams, S. B.Silverman, S. G.Hu, J. C. Thermal ablation vs surgery for localized kidney cancer: a Surveillance, Epidemiology, and End Results (SEER) database analysis. Urology. 2011;78(1):93-8.	11
70	Cohen JKR, G. M.Miller, R. J., Jr.Merlotti, L. Cryosurgical ablation of the prostate: treatment alternative for localized prostate cancer. Cancer Treatment & Research. 1996;88:167-86.	12
71	Cornelis FB, X.Andre, M.Oyen, R.Bouffard-Vercelli, J.Blandino, A.Auriol, J.Correas, J. M.Pluinage, A.Freeman, S.Solomon, S. B.Grenier, N. De novo renal tumors arising in kidney transplants: midterm outcome after percutaneous thermal ablation. Radiology. 2011;260(3):900-7.	1
72	Danzig MRG, R. A.Chang, P.Wagner, A. A.Pierorazio, P. M.Allaf, M. E.McKiernan, J. M. Active Surveillance is Superior to Radical Nephrectomy and Equivalent to Partial Nephrectomy for Preserving Renal Function in Patients with Small Renal Masses: Results from the DISSRM Registry. Journal of Urology. 2015;194(4):903-9.	13
73	Das SKH, Y. Y.Li, B.Yu, X. X.Xiao, R. H.Yang, H. F. Comparing cryoablation and microwave ablation for the treatment of patients with stage IIIB/IV non-small cell lung cancer. Oncology Letters. 2020;19(1):1031-41.	14
74	De Baere TT, L.Delpla, A.Roux, C.Varin, E.Kobe, A.Yevich, S.Deschamps, F. Thermal ablation in the management of oligometastatic colorectal cancer. International Journal of Hyperthermia. 2022;39(1):627-32.	1
75	de Castro Abreu ALB, D.Leslie, S.Shoji, S.Silverman, P.Desai, M. M.Gill, I. S.Ukimura, O. Salvage focal and salvage total cryoablation for locally recurrent prostate cancer after primary radiation therapy. BJU International. 2013;112(3):298-307.	10
76	de Cerqueira MAL, W. W.Sanches, B. C.Monti, C. R.Reis, L. O. Burden of focal cryoablation versus brachytherapy versus active surveillance in the treatment of very low-risk prostate cancer: a preliminary head-to-head comprehensive assessment. European Journal of Cancer Care. 2015;24(6):929-37.	1
77	De Cobelli FP, M.Panzeri, M.Colombo, M.Steidler, S.Ambrosi, A.Cao, R.Gusmini, S.Marra, P.Capitanio, U.Bertini, R.Venturini, M.Losa, A.Gaboardi, F.Montorsi, F.Cardone, G. Percutaneous Microwave Ablation Versus Cryoablation in the Treatment of T1a Renal Tumors. Cardiovascular & Interventional Radiology. 2020;43(1):76-83.	1
78	De La Taille AB, M. C.Bagiella, E.Burchardt, M.Shabsigh, A.Olsson, C. A.Katz, A. E. Cryoablation for clinically localized prostate cancer using an argon-based system: complication rates and biochemical recurrence. BJU International. 2000;85(3):281-6.	4
79	Debruyne FMB, J. B.Kirkels, W. J. Cryosurgery of prostatic carcinoma. Acta Urologica Belgica. 1984;52(3):450-5.	6
80	Derweesh IHM, J. B.Diblasio, C. J.Giem, A.Rewcastle, J. C.Wake, R. W.Patterson, A. L.Gold, R. Single center comparison of laparoscopic cryoablation and CT-guided percutaneous cryoablation for renal tumors. Journal of Endourology. 2008;22(11):2461-7.	10
81	Desai MMA, M.Gill, I. S. Laparoscopic partial nephrectomy versus laparoscopic cryoablation for the small renal tumor. Urology. 2005;66(5 Suppl):23-8.	1
82	Dominguez AB, J. A.Munoz-Rodriguez, J.Abascal-Junquera, J. M.Hannaoui, N.Banus, J. M. Retroperitoneal and transperitoneal laparoscopic cryotherapy for small renal masses. Actas Urologicas Espanolas. 2015;39(9):582-7.	7
83	Donnelly BJS, J. C.Brasher, P. M.Ernst, S. D.Rewcastle, J. C.Lau, H.Robinson,	1

	J.Trpkov, K. A randomized trial of external beam radiotherapy versus cryoablation in patients with localized prostate cancer. <i>Cancer</i> . 2010;116(2):323-30.	
84	Duus LAJ, T.Rasmussen, B. S.Bojsen, J. A.Pedersen, A. L.Anthonsen, A.Lund, L.Pedersen, M.Graumann, O. Safety, efficacy, and mid-term oncological outcomes of computed tomography-guided cryoablation of T1 renal cancer. <i>Acta Radiologica</i> . 2022;2841851221081825.	4
85	El Hayek ORA, W., Jr.Reggio, E.Pompeo, A. C.Arap, S.Lucon, A. M.Srougi, M. Prostate cryoablation: prospective analysis comparing high- and low-risk prostate cancer outcomes. <i>Urologia Internationalis</i> . 2008;81(2):186-90.	4
86	Elkjaer MCB, M. Oncological outcome after primary prostate cryoablation compared with radical prostatectomy: a single-centre experience. <i>Scandinavian Journal of Urology</i> . 2014;48(1):27-33.	1
87	Elliott SPM, J. W.Chi, T.Doyle, S. M.Master, V. A. Management of severe urethral complications of prostate cancer therapy. <i>Journal of Urology</i> . 2006;176(6 Pt 1):2508-13.	1
88	Elliott SPM, M. V.Elkin, E. P.McAninch, J. W.Duchane, J.Carroll, P. R.Ca, Psure Investigators. Incidence of urethral stricture after primary treatment for prostate cancer: data From CaPSURE. <i>Journal of Urology</i> . 2007;178(2):529-34; discussion 34.	1
89	Emara AMK, S. S.Hindley, R. G.Barber, N. J. Robot-assisted partial nephrectomy vs laparoscopic cryoablation for the small renal mass: redefining the minimally invasive 'gold standard'. <i>BJU International</i> . 2014;113(1):92-9.	1
90	Enikeev DT, M.Amosov, A.Rivas, J. G.Podoinitsin, A.Potoldykova, N.Karageziyan, M.Glybochko, P.Barret, E. Whole-gland ablation therapy versus active surveillance for low-risk prostate cancer: a prospective study. <i>Central European Journal of Urology</i> . 2020;73(2):127-33.	1
91	Erdeljan PD, M.Wignall, G.Kozak, R.Pautler, S. E. Thermal ablation of small renal masses: intermediate outcomes from a Canadian center. <i>Canadian Journal of Urology</i> . 2011;18(5):5903-7.	4
92	Erie AJM, J. M.Welch, B. T.Kurup, A. N.Weisbrod, A. J.Atwell, T. D.Schmit, G. D.Kwon, E. D.Callstrom, M. R. Retrospective Review of Percutaneous Image-Guided Ablation of Oligometastatic Prostate Cancer: A Single-Institution Experience. <i>Journal of Vascular & Interventional Radiology</i> . 2017;28(7):987-92.	11
93	Fang YFH, M. H.Wang, T. Y.Lin, H. C.Yu, C. T.Chou, C. L.Lin, S. M.Kuo, C. H.Chung, F. T. Removal of endobronchial malignant mass by cryotherapy improved performance status to receive chemotherapy. <i>TheScientificWorldJournal</i> . 2014;2014:369739.	2
94	Fazio LMD, D.Nguan, C. Y.Karnik, V.Al-Omar, M.Kwan, K.Izawa, J. I.Chin, J. L.Luke, P. P. Intraoperative laparoscopic renal ultrasonography: use in advanced laparoscopic renal surgery. <i>Urology</i> . 2006;68(4):723-7.	4
95	Feng JG, D.Xiongwen, W. The clinical efficacy of argon-helium knife cryoablation combined with nivolumab in the treatment of advanced non-small cell lung cancer. <i>Cryobiology</i> . 2021;102:92-6.	10
96	Finley DSB, S.Box, G.Chu, W.Deane, L.Vajgrt, D. J.McDougall, E. M.Clayman, R. V. Percutaneous and laparoscopic cryoablation of small renal masses. <i>Journal of Urology</i> . 2008;180(2):492-8; discussion 8.	10
97	Fossati NL, A.Gadda, G. M.Sjoberg, D. D.Mistretta, F. A.Dell'Oglio, P.Lista, G.Carenzi, C.Lughezzani, G.Lazzeri, M.Montorsi, F.Vickers, A. J.Guazzoni, G.Buffi, N. M. Minimally Invasive Partial Nephrectomy Versus Laparoscopic Cryoablation for Patients Newly Diagnosed with a Single Small Renal Mass. <i>European Urology Focus</i> . 2015;1(1):66-72.	1
98	Foyil KVA, C. D.Ferguson, G. G.Weld, K. J.Figenshau, R. S.Venkatesh, R.Yan, Y.Clayman, R. V.Landman, J. Longterm changes in creatinine clearance after laparoscopic renal surgery. <i>Journal of the American College of Surgeons</i> . 2008;206(3):511-5.	1
99	Fraisse GC, L.Peyronnet, B.Khene, Z. E.Mandoorah, Q.Soorojebally, Y.Bourgi, A.De La Taille, A.Roupret, M.De Kerviler, E.Desgrandchamps, F.Bensalah, K.Masson-Lecomte, A. Peri-operative and local control outcomes of robot-assisted partial nephrectomy vs percutaneous cryoablation for renal masses: comparison after matching on radiological stage and renal score. <i>BJU International</i> . 2019;123(4):632-8.	1
100	Friedlander DFG, X.Prasad, S. M.Lipsitz, S. R.Nguyen, P. L.Trinh, Q. D.Sun, M.Hu, J. C. Population-based comparative effectiveness of salvage radical prostatectomy vs cryotherapy. <i>Urology</i> . 2014;83(3):653-7.	1
101	Gaillard VT, T.Garmon, J.Cazzato, R. L.Dalili, D.Gangi, A.Lang, H. Repeat ablative therapy in hereditary or multifocal renal cancer: Functional and oncological outcomes. <i>Urologic Oncology</i> . 2020;38(10):797.e15-.e20.	11
102	Gao LL, Q.Jiang, M.Liu, C.Song, Z.Bao, X.Shen, Y.Liu, G.Hu, K. Combined therapy of percutaneous cryoablation and traditional Chinese medicine can be a promising strategy for elderly or advanced lung cancer patients based on a retrospective	4

	clinical study. <i>Cryobiology</i> . 2014;69(1):174-7.	
103	Garcia RGK, M.Falsarella, P. M.Malheiros, D. T.Fukumoto, H.Lemos, G. C.Teich, V.Salvalaggio, P. R. Percutaneous Cryoablation versus Robot-Assisted Partial Nephrectomy of Renal T1A Tumors: a Single-Center Retrospective Cost-Effectiveness Analysis. <i>Cardiovascular & Interventional Radiology</i> . 2021;44(6):892-900.	1
104	Garcia-Barreras SS-S, R.Sivaraman, A.Barret, E.Secin, F.Nunes-Silva, I.Linares-Espinos, E.Rozet, F.Galiano, M.Cathelineau, X. Comparative Analysis of Partial Gland Ablation and Radical Prostatectomy to Treat Low and Intermediate Risk Prostate Cancer: Oncologic and Functional Outcomes. <i>Journal of Urology</i> . 2018;199(1):140-6.	1
105	Georgiades CS. Image-guided Cryoablation for Sporadic Renal Cell Carcinoma: Is It Time to Revisit the Standard of Care for Small Renal Tumors? <i>Radiology</i> . 2018;289(2):562-3.	6
106	Gervais DA. Cryoablation versus radiofrequency ablation for renal tumor ablation: time to reassess? <i>Journal of Vascular & Interventional Radiology</i> . 2013;24(8):1135-8.	6
107	Gestaut MMC, W.Vyas, S.Patel, B. J.Hasan, S. A.MunozMaldonado, Y.Deb, N.Swanson, G. Low-Dose-Rate Brachytherapy Versus Cryotherapy in Low- and Intermediate-Risk Prostate Cancer. <i>International Journal of Radiation Oncology, Biology, Physics</i> . 2017;98(1):101-7.	1
108	Ghani KRM, D. C. Variation in prostate cancer care. <i>JAMA - Journal of the American Medical Association</i> . 2015;313(20):2066-7.	6
109	Gill ISA, A. R.Emberton, M.Coleman, J. A.Coeytaux, E.Scherz, A.Scardino, P. T. Randomized Trial of Partial Gland Ablation with Vascular Targeted Phototherapy versus Active Surveillance for Low Risk Prostate Cancer: Extended Followup and Analyses of Effectiveness. <i>Journal of Urology</i> . 2018;200(4):786-93.	2
110	Giraud NB, X.Vuong, N. S.Gaston, R.Cazeau, A. L.Catena, V.Palussiere, J.Roubaud, G.Sargos, P. Single-Center Experience of Focal Thermo-Ablative Therapy After Pelvic Radiotherapy for In-Field Prostate Cancer Oligo-Recurrence. <i>Frontiers in Oncology</i> . 2021;11:709779.	11
111	Gould RS. Total cryosurgery of the prostate versus standard cryosurgery versus radical prostatectomy: comparison of early results and the role of transurethral resection in cryosurgery. <i>Journal of Urology</i> . 1999;162(5):1653-7.	1
112	Goyal J, AbhinavGeorgiades, Christos S.Rodriguez, Ronald. Renal Function and Oncologic Outcomes after Cryoablation or Partial Nephrectomy for Tumors in Solitary Kidneys. <i>Korean J Urol</i> . 2011;52(6):384-9.	9
113	Goyal JS, A.Georgiades, C. S.Rodriguez, R. Renal function and oncologic outcomes after cryoablation or partial nephrectomy for tumors in solitary kidneys. <i>Korean Journal of Urology</i> . 2011;52(6):384-9.	13
114	Goyal JV, P.Sidana, A.Georgiades, C. S.Rodriguez, R. Single-center comparative oncologic outcomes of surgical and percutaneous cryoablation for treatment of renal tumors. <i>Journal of Endourology</i> . 2012;26(11):1413-9.	10
115	Grant SRL, X.Hess, K. R.Smith, G. L.Matin, S. F.Wood, C. G.Nguyen, Q.Frank, S. J.Anscher, M. S.Smith, B. D.Karam, J. A.Tang, C. Stereotactic Body Radiation Therapy for the Definitive Treatment of Early Stage Kidney Cancer: A Survival Comparison With Surgery, Tumor Ablation, and Observation. <i>Advances in radiation oncology</i> . 2020;5(3):495-502.	11
116	Gregg JRB, L. D.Choi, H.Lozano, M.McRae, S. E.Venkatesan, A. M.Davis, J. W.Nogueras-Gonzalez, G. M.Pisters, L. L.Ward, J. F. Prospective trial of regional (hockey-stick) prostate cryoablation: oncologic and quality of life outcomes. <i>World Journal of Urology</i> . 2021;39(9):3259-64.	4
117	Grossfeld GDS, D. M.Flanders, S. C.Henning, J. M.Schonfeld, W.Warolin, K.Carroll, P. R. Use of second treatment following definitive local therapy for prostate cancer: data from the caPSURE database. <i>Journal of Urology</i> . 1998;160(4):1398-404.	1
118	Grossgold EG, R.Ruckle, H.Jones, J. S. Does neoadjuvant androgen deprivation therapy before primary whole gland cryoablation of the prostate affect the outcome? <i>Urology</i> . 2014;83(2):379-83.	4
119	Gu CYW, J. J.Zhang, H. L.Shi, G. H.Ye, D. W. Survival in Metastatic Renal Cell Carcinoma Patients Treated With Sunitinib With or Without Cryoablation. <i>Frontiers in Oncology</i> . 2021;11:762547.	10
120	Gu XYJ, Z.Fang, W. Cryoablation combined with molecular target therapy improves the curative effect in patients with advanced non-small cell lung cancer. <i>Journal of International Medical Research</i> . 2011;39(5):1736-43.	14
121	Guazzoni GN, L.Lazzeri, M.Cestari, A.Volpe, A.Kirkali, Z. Open to debate. The motion: Cryotherapy is an efficient alternative for kidney cancer. <i>European Urology</i> . 2010;57(1):168-70.	6
122	Guidry RM, V.Li, Y.El Khudari, H.Bready, E. R.Huang, J.Caridi, T. M.Gunn, A. J.	1

	External Validation of the Percutaneous Renal Ablation Complexity Scoring System in Patients Undergoing Percutaneous Cryoablation or Microwave Ablation of Renal Tumors. <i>Journal of Vascular & Interventional Radiology</i> . 2022;20:20.	
123	Guillotreau JH, G. P.Autorino, R.Miocinovic, R.Hillyer, S.Hernandez, A.Laydner, H.Yakoubi, R.Isac, W.Long, J. A.Stein, R. J.Kaouk, J. H. Robotic partial nephrectomy versus laparoscopic cryoablation for the small renal mass. <i>European Urology</i> . 2012;61(5):899-904.	1
124	Gul ZGG, J. J.Welch, C.Fischman, A.Palese, M. A.Badani, K. K.Mehrazin, R. Focal Ablative Therapy for Renal Cell Carcinoma in Transplant Allograft Kidneys. <i>Urology</i> . 2019;125:118-22.	4
125	Guleryuz KD, A.Codas, R.Coffin, G.Hubert, J.Lechevallier, E.Tillou, X.Badet, L.Barrou, B.Bessedé, T.Blanchet, P.Boutin, J. M.Branchereau, J.Culty, T.Delaporte, V.Gaudez, F.Gigante, M.Karam, G.Kleinclauss, F.Neuzeit, Y.Sallusto, F.Salomon, L.Terrier, N.Thuret, R.Timsit, M. O.Verhoest, G. A national study of kidney graft tumor treatments: Toward ablative therapy. <i>Surgery (United States)</i> . 2016;160(1):237-44.	11
126	Gunn AJM, B. J.Poundstone, M. M.Gordetsky, J. B.Underwood, E. S.Rais-Bahrami, S. Transarterial embolization of renal cell carcinoma as an adjunctive therapy prior to cryoablation: a propensity score matching analysis. <i>Diagnostic & Interventional Radiology</i> . 2018;24(6):357-63.	10
127	Guo XXL, S. J.Wang, M.Hou, H. M.Wang, X.Zhang, Z. P.Liu, M.Wang, J. Y. Comparing the Oncological Outcomes of Cryoablation vs. Radical Prostatectomy in Low-Intermediate Risk Localized Prostate Cancer. <i>Frontiers in Oncology</i> . 2020;10:1489.	1
128	Haber GPL, M. C.Crouzet, S.Kamoi, K.Gill, I. S. Tumour in solitary kidney: laparoscopic partial nephrectomy vs laparoscopic cryoablation. <i>BJU International</i> . 2012;109(1):118-24.	1
129	Haddad MMS, G. D.Kurup, A. N.Schmitz, J. J.Boorjian, S. A.Geske, J.Thompson, R. H.Callstrom, M. R.Atwell, T. D. Percutaneous Cryoablation of Solitary, Sporadic Renal Cell Carcinoma: Outcome Analysis Based on Clear-Cell versus Papillary Subtypes. <i>Journal of Vascular & Interventional Radiology</i> . 2018;29(8):1122-6.	4
130	Ham BK, Sung GuChoi, HoonKo, Young HwiKang, Seok HoCheon, Jun. The Impact of Renal Tumor Size on the Efficacy of Laparoscopic Renal Cryoablation. <i>Korean J Urol</i> . 2010;51(3):171-7.	4
131	Haramis GG, J. A.Mues, A. C.Korets, R.Rosales, J. C.Okhunov, Z.Badani, K. K.Gupta, M.Landman, J. Retrospective comparison of laparoscopic partial nephrectomy versus laparoscopic renal cryoablation for small (<3.5 cm) cortical renal masses. <i>Journal of Laparoendoscopic & Advanced Surgical Techniques Part A</i> . 2012;22(2):152-7.	1
132	Hartman JBB, N.Corn, D. J.Cooney, M. M.Haaga, J.Ponsky, L.Abouassaly, R.Paspulati, A.Prologo, J. D. Incidence of hypercoagulable events after image-guided percutaneous cryoablation of renal tumors: a single-center experience. <i>Journal of Vascular & Interventional Radiology</i> . 2014;25(5):776-9.	1
133	Hasegawa TY, T.Gobara, H.Miyazaki, M.Takaki, H.Sato, Y.Inaba, Y.Yamakado, K. Radiofrequency ablation versus cryoablation for T1b renal cell carcinoma: a multi-center study. <i>Japanese Journal of Radiology</i> . 2018;36(9):551-8.	1
134	Hasegawa TY, T.Gobara, H.Miyazaki, M.Yamakado, K. Clinical Outcomes of Radiofrequency Ablation and Cryoablation for cT1b Renal Cell Carcinoma: Multi-Center Study. <i>Annals of Oncology</i> . 2017;28(Supplement 9):ix94.	8
135	Hegarty NJG, I. S.Desai, M. M.Remer, E. M.O'Malley, C. M.Kaouk, J. H. Probe-ablative nephron-sparing surgery: cryoablation versus radiofrequency ablation. <i>Urology</i> . 2006;68(1 Suppl):7-13.	1
136	Hinshaw JLS, A. M.Nakada, S. Y.Hedican, S. P.Winter, T. C., 3rdLee, F. T., Jr. Comparison of percutaneous and laparoscopic cryoablation for the treatment of solid renal masses. <i>AJR American Journal of Roentgenology</i> . 2008;191(4):1159-68.	10
137	Holmes JAW, A. Z.Hoffman, K. E.Hendrix, L. H.Rosenman, J. G.Carpenter, W. R.Godley, P. A.Chen, R. C. Is primary prostate cancer treatment influenced by likelihood of extraprostatic disease? A surveillance, epidemiology and end results patterns of care study. <i>International Journal of Radiation Oncology Biology Physics</i> . 2012;84(1):88-94.	11
138	Hruby GR, K.Venkatesh, R.Yan, Y.Landman, J. Comparison of laparoscopic partial nephrectomy and laparoscopic cryoablation for renal hilar tumors. <i>Urology</i> . 2006;67(1):50-4.	1
139	Hu KWL, Q. W.Zuo, M. H.Sun, T.Jiang, M. Clinical observation on the combined treatment of 57 cases of non-small cell lung cancer using argon-helium cryosurgery and Chinese herbal medicine. <i>Chinese Journal of Integrative Medicine</i> . 2007;13(3):224-7.	4
140	Iberty CTM, N.Palese, M. A. A review of focal therapy techniques in prostate cancer: clinical results for high-intensity focused ultrasound and focal cryoablation. <i>Reviews in Urology</i> . 2011;13(4):e196-202.	6
141	Ito KS, S.Seguchi, K.Shinchi, Y.Masunaga, A.Tasaki, S.Kuroda, K.Sato, A.Asakuma,	2

	J.Horiguchi, A.Shinmoto, H.Kaji, T.Asano, T. Clinical outcomes of percutaneous radiofrequency ablation for small renal cancer. <i>Oncology Letters</i> . 2017;14(1):918-24.	
142	Jarosek SLV, B. A.Chu, H.Elliott, S. P. Propensity-weighted long-term risk of urinary adverse events after prostate cancer surgery, radiation, or both. <i>European Urology</i> . 2015;67(2):273-80.	1
143	Jimenez JAZ, Z.Zhao, J.Abouassaly, R.Fergany, A.Gong, M.Kaouk, J.Krishnamurthi, V.Stein, R.Stephenson, A.Campbell, S. C. Surgical Salvage of Thermal Ablation Failures for Renal Cell Carcinoma. <i>Journal of Urology</i> . 2016;195(3):594-600.	2
144	Jin KQ, S.Zheng, X.Li, Y.Zhang, S.Li, J.Liao, X.Tu, X.Yang, L.Weil, Q. Cryotherapy shows no inferiority compared with radical Prostatectomy for low-risk and intermediate-risk localized Prostate Cancer: a real-world study from the SEER database. <i>Journal of Cancer</i> . 2020;11(19):5738-45.	1
145	Johnson DBN, S. Y. Laparoscopic cryoablation for renal-cell cancer. <i>Journal of Endourology</i> . 2000;14(10):873-8; discussion 8-9.	6
146	Johnson DBS, S. B.Su, L. M.Matsumoto, E. D.Kavoussi, L. R.Nakada, S. Y.Moon, T. D.Shingleton, W. B.Cadeddu, J. A. Defining the complications of cryoablation and radio frequency ablation of small renal tumors: a multi-institutional review. <i>Journal of Urology</i> . 2004;172(3):874-7.	13
147	Junker TD, L.Rasmussen, B. S. B.Azawi, N.Lund, L.Norgaard, B.Gerke, O.Graumann, O. Partial Nephrectomy versus Percutaneous Cryoablation of Small Renal Cell Carcinomas: A Comparison of Complications in a Prospective Multicenter Cohort Study. <i>Journal of Vascular & Interventional Radiology</i> . 2022;13:13.	1
148	Karam JAW, C. G.Compton, Z. R.Rao, P.Vikram, R.Ahrar, K.Matin, S. F. Salvage surgery after energy ablation for renal masses. <i>BJU International</i> . 2015;115(1):74-80.	4
149	Khoder WYS, S.Stief, C. G.Becker, A. J.Waidelich, R. Results of a prospective study comparing the clinical efficacy of cryoablation of renal cell cancer followed by immediate partial nephrectomy. <i>European Journal of Surgical Oncology</i> . 2014;40(1):96-102.	10
150	Kim EHT, Y. S.Saad, N. E.Bhayani, S. B.Figenshau, R. S. Comparison of laparoscopic and percutaneous cryoablation for treatment of renal masses. <i>Urology</i> . 2014;83(5):1081-7.	10
151	Kim FJW, P. N.Seprt, D. E.Gustafson, D.Silva, R. D.Molina, W. R. Ethnic minorities (African American and Hispanic) males prefer prostate cryoablation as aggressive treatment of localized prostate cancer. <i>Canadian Journal of Urology</i> . 2014;21(3):7305-11.	3
152	Kiriluk KJS, S. A.Steinberg, G. D.Shalhav, A. L.Lifshitz, D. A. Laparoscopic partial nephrectomy versus laparoscopic ablative therapy: a comparison of surgical and functional outcomes in a matched control study. <i>Journal of Endourology</i> . 2011;25(12):1867-72.	11
153	Kitley WS, J.Sundaram, C.Bahler, C. D. Treatment Trends and Long-Term Survival Associated with Cryotherapy and Partial Nephrectomy for Small Renal Masses in the National Cancer Database Using Propensity Score Matching. <i>Journal of Endourology</i> . 2019;33(5):408-14.	13
154	Kizilgoz DA, Z.Yilmaz, A.Ozturk, A.Segmen, F. Comparison of two new techniques for the management of malignant central airway obstruction: argon plasma coagulation with mechanical tumor resection versus cryorecanalization. <i>Surgical Endoscopy</i> . 2018;32(4):1879-84.	2
155	Klatte TM, J.Heinz-Peer, G.Waldert, M.Weibl, P.Klingler, H. C.Remzi, M. Perioperative, oncologic, and functional outcomes of laparoscopic renal cryoablation and open partial nephrectomy: a matched pair analysis. <i>Journal of Endourology</i> . 2011;25(6):991-7.	1
156	Klatte TS, S. F.Remzi, M. Systematic review and meta-analysis of perioperative and oncologic outcomes of laparoscopic cryoablation versus laparoscopic partial nephrectomy for the treatment of small renal tumors. <i>Journal of Urology</i> . 2014;191(5):1209-17.	6
157	Klotz L. Active surveillance and focal therapy for low-intermediate risk prostate cancer. <i>Translational Andrology and Urology</i> . 2015;4(3):342-54.	6
158	Ko YH, Hong SeokMoon, Du GeonLee, Jeong GuKim, Je JongYoon, Duck KiKang, Seok HoCheon, Jun. A Matched-cohort Comparison of Laparoscopic Renal Cryoablation using Ultra-thin Cryoprobes with Open Partial Nephrectomy for the Treatment of Small Renal Cell Carcinoma. <i>Cancer Res Treat</i> . 2008;40(4):184-9.	9
159	Ko YHK, S. H.Park, Y. J.Park, H. S.Moon du, G.Lee, J. G.Yoon, D. K.Kim, J. J.Cheon, J. The biochemical efficacy of primary cryoablation combined with prolonged total androgen suppression compared with radiotherapy on high-risk prostate cancer: a 3-year pilot study. <i>Asian Journal of Andrology</i> . 2010;12(6):827-34.	1
160	Ko YHP, H. S.Moon du, G.Lee, J. G.Kim, J. J.Yoon, D. K.Kang, S. H.Cheon, J. A matched-cohort comparison of laparoscopic renal cryoablation using ultra-thin cryoprobes with open partial nephrectomy for the treatment of small renal cell	1

	carcinoma. <i>Cancer Research & Treatment</i> . 2008;40(4):184-9.	
161	Koebe SDC, N. E.Caoili, E. M.Triche, B. L.Dreyfuss, L. D.Allen, G. O.Brace, C. L.Davenport, M. S.Abel, E. J.Wells, S. A. Contrast-enhanced CT immediately following percutaneous microwave ablation of cT1a renal cell carcinoma: Optimizing cancer outcomes. <i>Abdominal Radiology</i> . 2022;47(8):2674-80.	1
162	Kokabi NX, M.Duszak, R.Howard, D. H.Camacho, J. C.Kim, H. S. Sociodemographic disparities in treatment and survival of small localized renal cell carcinoma: Surgical resection versus thermal ablation. <i>Journal of Comparative Effectiveness Research</i> . 2016;5(5):441-52.	11
163	Kong FHQ, L. D. Clinical observation on therapeutic effect of combining percutaneous targeted argon-helium cryoablation in treating NSCLC by chemotherapy. <i>Chinese journal of cancer prevention and treatment</i> . 2011;18(14):1125-6+30.	7
164	Kowalczyk KJH, A. C.Choueiri, T. K.Hevelone, N. D.Lipsitz, S. R.Trinh, Q. D.Shih, Y. C. T.Hu, J. C. Use of surveillance imaging following treatment of small renal masses. <i>Journal of Urology</i> . 2013;190(5):1680-5.	11
165	Kumar AK, S.Katiyar, V. K.Telles, S. Dual phase lag bio-heat transfer during cryosurgery of lung cancer: Comparison of three heat transfer models. <i>Journal of Thermal Biology</i> . 2017;69:228-37.	5
166	Kwan KGM, E. D. Radiofrequency ablation and cryoablation of renal tumours. <i>Current Oncology</i> . 2007;14(1):34-8.	6
167	Lallas CDS, K.Zhang, M.Schaeffer, D.Calvaresi, A. E.Gomella, L.Brown, D.Shaw, C.Trabulsi, E. J. Clinical Influences in the Multidisciplinary Management of Small Renal Masses at a Tertiary Referral Center. <i>Urology Practice</i> . 2016;3(6):468-74.	13
168	Laviana AAI, A. M.Veruttipong, D.Tan, H. J.Burke, M. A.Niedzwiecki, D. R.Kupelian, P. A.King, C. R.Steinberg, M. L.Kundavaram, C. R.Kamrava, M.Kaplan, A. L.Moriarity, A. K.Hsu, W.Margolis, D. J.Hu, J. C.Saigal, C. S. Utilizing time-driven activity-based costing to understand the short- and long-term costs of treating localized, low-risk prostate cancer. <i>Cancer</i> . 2016;122(3):447-55.	1
169	Laviana AAK, C. R.Tan, H. J.Burke, M. A.Niedzwiecki, D.Lee, R. K.Hu, J. C. Determining the True Costs of Treating Small Renal Masses Using Time Driven, Activity Based Costing. <i>Urology Practice</i> . 2016;3(3):180-6.	13
170	Le Pivert PJM, D. R.Haddad, R. S.Renard, M.Aller, A.Titus, K.Doulat, J. Percutaneous tumor ablation: microencapsulated echo-guided interstitial chemotherapy combined with cryosurgery increases necrosis in prostate cancer. <i>Technology in Cancer Research & Treatment</i> . 2009;8(3):207-16.	4
171	Lee FB, D. K.McHugh, T. A.Kumar, A. A.Badalament, R. A. Cryosurgery of prostate cancer. Use of adjuvant hormonal therapy and temperature monitoring--A one year follow-up. <i>Anticancer Research</i> . 1997;17(3A):1511-5.	4
172	Leppelmann KSL, V. M.Bunck, A. C.Cahalane, A. M.Lanuti, M.Silverman, S. G.Shyn, P. B.Fintelmann, F. J. Outcomes Following Percutaneous Microwave and Cryoablation of Lung Metastases from Adenoid Cystic Carcinoma of the Head and Neck: A Bi-Institutional Retrospective Cohort Study. <i>Annals of Surgical Oncology</i> . 2021;28(11):5829-39.	14
173	Li HWL, Y. J.Yan, G. W.Bhetuwal, A.Zhuo, L. H.Yao, H. C.Zhang, J.Zou, X. X.Hu, P. X.Yang, H. F.Du, Y. Microwave ablation vs. cryoablation for treatment of primary and metastatic pulmonary malignant tumors. <i>Molecular & Clinical Oncology</i> . 2022;16(3):62.	14
174	Li LYL, Z.Yang, M.Gao, X.Xia, T. L.Ding, T. Comparison of penile size and erectile function after high-intensity focused ultrasound and targeted cryoablation for localized prostate cancer: a prospective pilot study. <i>Journal of Sexual Medicine</i> . 2010;7(9):3135-42.	1
175	Li LYY, M.Gao, X.Zhang, H. B.Li, J. F.Xu, W. F.Lin, Z.Zhou, X. L. Prospective comparison of five mediators of the systemic response after high-intensity focused ultrasound and targeted cryoablation for localized prostate cancer. <i>BJU International</i> . 2009;104(8):1063-7.	1
176	Li YG, Z.Liu, C. F.Xing, W. G.Si, T. G.Liu, F.Guo, X. Y.Xing, J. Z. Effect of transcatheter renal arterial embolization combined with cryoablation on regulatory CD4+CD25+ T lymphocytes in the peripheral blood of patients with advanced renal carcinoma. <i>Cryobiology</i> . 2012;65(1):56-9.	10
177	Liang LL, G.Xie, S.Sun, G.Zhang, M.Sun, F.Peng, A. Choice of treatment for stage IA non-small cell lung cancer patients ineligible for surgery: Ablation or stereotactic body radiotherapy? <i>Journal of Cancer</i> . 2020;11(6):1634-40.	11
178	Liao XQ, S.Wang, W.Zheng, X.Jin, K.Zhang, S.Bao, Y.Yang, L.Weil, Q. Partial nephrectomy vs cryoablation for T1a renal cell carcinoma: A comparison of survival benefit stratified by tumour size. <i>Cancer Epidemiology</i> . 2019;59:221-6.	13
179	Lin ML, S. Z.Wang, X. H.Liang, Y. Q.Zhang, M. J.Niu, L. Z.Chen, J. B.Li, H. B.Xu, K. C. Clinical efficacy of percutaneous cryoablation combined with allogenic NK cell immunotherapy for advanced non-small cell lung cancer. <i>Immunologic Research</i> . 2017;65(4):880-7.	10

180	Lin MX, K.Liang, S.Wang, X.Liang, Y.Zhang, M.Chen, J.Niu, L. Prospective study of percutaneous cryoablation combined with allogenic NK cell immunotherapy for advanced renal cell cancer. <i>Immunology Letters</i> . 2017;184:98-104.	10
181	Lin YCT, B.Frota, R.Aron, M.Haber, G. P.Kamoi, K.Koenig, P.Gill, I. S. Laparoscopic partial nephrectomy versus laparoscopic cryoablation for multiple ipsilateral renal tumors. <i>European Urology</i> . 2008;53(6):1210-6.	1
182	Linares Espinos ES-S, R.Sivaraman, A.Perez-Reggeti, J. I.Barret, E.Rozet, F.Galiano, M.Prapotnich, D.Cathelineau, X. Minimally Invasive Salvage Prostatectomy After Primary Radiation or Ablation Treatment. <i>Urology</i> . 2016;94:111-6.	2
183	Link REP, S.Gupta, A.Jarrett, T. W.Solomon, S. B.Kavoussi, L. R. Cost analysis of open, laparoscopic, and percutaneous treatment options for nephron-sparing surgery. <i>Journal of Endourology</i> . 2006;20(10):782-9.	1
184	Liu CC, F.Xing, W.Si, T.Yu, H.Yang, X.Guo, Z. Efficacy of cryoablation combined with sorafenib for the treatment of advanced renal cell carcinoma. <i>International Journal of Hyperthermia</i> . 2019;36(1):220-8.	10
185	Liu HYK, C. H.Wang, H. J.Chen, C. H.Luo, H. L.Chen, Y. T.Cheng, Y. T.Chiang, P. H. Comparison of Robot-Assisted Laparoscopic Partial Nephrectomy with Laparoscopic Cryoablation in the Treatment of Localised Renal Tumours: A Propensity Score-Matched Comparison of Long-Term Outcomes. <i>Diagnostics</i> . 2021;11(5):23.	1
186	Liu HYS, S. H.Hsu, L. N.Chiang, P. H. Comparisons of percutaneous versus retroperitoneoscopic cryoablation for renal masses. <i>International Urology & Nephrology</i> . 2018;50(8):1407-15.	10
187	Liu YYC, P. H. Comparisons of Oncological and Functional Outcomes Between Primary Whole-Gland Cryoablation and High-Intensity Focused Ultrasound for Localized Prostate Cancer. <i>Annals of Surgical Oncology</i> . 2016;23(1):328-34.	1
188	Ljungberg BG, E.Christensen, S.Lundstam, S. Practice patterns for the surgical treatment of T1 renal cell carcinoma: A nationwide population-based register study. <i>Scandinavian Journal of Urology</i> . 2014;48(5):445-52.	11
189	Loening SH, C.Bonney, W.Lubaroff, D.Fallon, B.Narayana, A.Gerber, W.Culp, D. Perineal cryosurgery of prostate cancer. <i>Urology</i> . 1981;17(4 Suppl):12-4.	6
190	Loloi JS, W. B.Nakada, S. Y.Zagoria, R. J.Landman, J.Lee, B. R.Matin, S. F.Ahrar, K.Levelliee, R. J.Cadeddu, J. A.Raman, J. D. Management of Residual or Recurrent Disease Following Thermal Ablation of Renal Cortical Tumors. <i>Journal Of Kidney Cancer And VHL</i> . 2020;7(2):1-5.	1
191	Long JAB, J. C.Bigot, P.Lanchon, C.Paparel, P.Rioux-Leclercq, N.Albiges, L.Bodin, T.Nouhaud, F. X.Boissier, R.Gimel, P.Mejean, A.Masson-Lecomte, A.Grenier, N.Cornelis, F.Grassano, Y.Comat, V.Le Clerc, Q. C.Rigaud, J.Salomon, L.Descotes, J. L.Sengel, C.Roupret, M.Verhoest, G.Ouzaid, I.Arnoux, V.Bensalah, K.French association of Urology Cancerology, Comitee. Partial nephrectomy versus ablative therapy for the treatment of renal tumors in an imperative setting. <i>World Journal of Urology</i> . 2017;35(4):649-56.	11
192	Lucignani GR, M.Ierardi, A. M.Piasentin, A.De Lorenzis, E.Trombetta, C.Liguori, G.Bertolotto, M.Carrafiello, G.Montanari, E.Boeri, L. Percutaneous Microwave Ablation is Comparable to Cryoablation for the Treatment of T1a Renal Masses: Results From a Cross-Sectional Study. <i>Clinical Genitourinary Cancer</i> . 2022;16:16.	1
193	Lu-Yao GLA, P. C.Moore, D. F.Lin, Y.DiPaola, R. S.Yao, S. L. Fifteen-year Outcomes Following Conservative Management Among Men Aged 65 Years or Older with Localized Prostate Cancer. <i>European Urology</i> . 2015;68(5):805-11.	11
194	Ma YW, A. N.Waqar, S. N.Morgenszttern, D.Madaelil, T. P.Tomasian, A.Jennings, J. W. Percutaneous Image-Guided Ablation in the Treatment of Osseous Metastases from Non-small Cell Lung Cancer. <i>Cardiovascular & Interventional Radiology</i> . 2018;41(5):726-33.	1
195	Malcolm JBB, T. T.Williams, M. B.Logan, J. E.Given, R. W.Lance, R. S.Barone, B.Shaves, S.Vingan, H.Fabrizio, M. D. Single center experience with percutaneous and laparoscopic cryoablation of small renal masses. <i>Journal of Endourology</i> . 2009;23(6):907-11.	10
196	Malcolm JBF, M. D.Barone, B. B.Given, R. W.Lance, R. S.Lynch, D. F.Davis, J. W.Shaves, M. E.Schellhammer, P. F. Quality of life after open or robotic prostatectomy, cryoablation or brachytherapy for localized prostate cancer. <i>Journal of Urology</i> . 2010;183(5):1822-8.	1
197	Marasso AB, V.Gai, R.Gallo, E.Massaglia, G. M.Onoscuri, M.Cardaci, S. B. Radiofrequency resection of bronchial tumours in combination with cryotherapy: evaluation of a new technique. <i>Thorax</i> . 1998;53(2):106-9.	11
198	Marra GS, T.Oreggia, D.Tourinho-Barbosa, R.Moschini, M.Filippini, C.van Melick, H. H. E.van den Bergh, R. C. N.Gontero, P.Cathala, N.Macek, P.Sanchez-Salas, R.Cathelineau, X. Long-term Outcomes of Focal Cryotherapy for Low- to Intermediate-risk Prostate Cancer: Results and Matched Pair Analysis with Active Surveillance. <i>European Urology Focus</i> . 2022;8(3):701-9.	1
199	Martini AT, F.Barod, R.Rocco, B.Capitanio, U.Briganti, A.Montorsi, F.Mottrie,	11

	A.Challacombe, B.Lagerveld, B. W.Bensalah, K.Abaza, R.Badani, K. K.Mehrazin, R.Buscarini, M.Larcher, A.Okhawere, K.Martinez, O. E.Khene, Z. E.Sonpreet, R.Campaign, N.De Groote, R.Dell'Oglio, P.Grivas, N.Goonewardene, S.Hemal, A.Rivas, J. G. Salvage Robot-assisted Renal Surgery for Local Recurrence After Surgical Resection or Renal Mass Ablation: Classification, Techniques, and Clinical Outcomes. <i>European Urology</i> . 2021;80(6):730-7.	
200	Mason RJA, T. D.Lohse, C.Bhindi, B.Weisbrod, A.Boorjian, S. A.Leibovich, B. C.Schmit, G. D.Thompson, R. H. Renal functional outcomes in patients undergoing percutaneous cryoablation or partial nephrectomy for a solitary renal mass. <i>BJU International</i> . 2017;120(4):544-9.	1
201	Mason RJA, T.Lohse, C.Bhindi, B.Schmit, G.Schmitz, J.Leibovich, B. C.Boorjian, S. A.Thompson, R. H. Synchronous nephron-sparing approaches for bilateral renal masses: peri-operative and renal functional outcomes. <i>BJU International</i> . 2018;122(2):243-8.	1
202	Matin SFA, K.Cadeddu, J. A.Gervais, D. A.McGovern, F. J.Zagoria, R. J.Uzzo, R. G.Haaga, J.Resnick, M. I.Kaouk, J.Gill, I. S. Residual and recurrent disease following renal energy ablation therapy: a multi-institutional study. <i>Journal of Urology</i> . 2006;176(5):1973-7.	13
203	Matsui YH, T.Gobara, H.Iguchi, T.Fujiwara, H.Kawabata, T.Yamauchi, T.Yamaguchi, T.Kanazawa, S. Radiation Exposure of Interventional Radiologists During Computed Tomography Fluoroscopy-Guided Renal Cryoablation and Lung Radiofrequency Ablation: Direct Measurement in a Clinical Setting. <i>Cardiovascular & Interventional Radiology</i> . 2016;39(6):894-901.	10
204	McCarthy ALS, R. Z.Gillespie, K.Vick, J. Cryotherapy for docetaxel-induced hand and nail toxicity: Randomised control trial. <i>Supportive Care in Cancer</i> . 2014;22(5):1375-83.	5
205	McEachen JCL, S.Atwell, T. D.Tollefson, M. K.Friese, J. L.Wang, Z.Murad, M. H.Schmit, G. D. Percutaneous Renal Tumor Ablation: Radiation Exposure During Cryoablation and Radiofrequency Ablation. <i>Cardiovascular & Interventional Radiology</i> . 2016;39(2):233-8.	3
206	McElroy KMR, C. J.Welch, B. T.Takahashi, E. A.Frimpong, R. G.Atwell, T. D.Fleming, C. J.Thompson, S. M. Long-term renal function outcomes after renal cryoablation complicated by major hemorrhage requiring selective transarterial embolization. <i>Abdominal Radiology</i> . 2021;46(10):4898-907.	4
207	Mendez MHP, N. M.Pow-Sang, J.Jones, J. S.Polascik, T. J. Comparison of Outcomes Between Preoperatively Potent Men Treated with Focal Versus Whole Gland Cryotherapy in a Matched Population. <i>Journal of Endourology</i> . 2015;29(10):1193-8.	10
208	Millan BB, R. H.Bhindi, B.Mallick, R.Tanguay, S.Finelli, A.Lavallee, L. T.Pouliot, F.Rendon, R.So, A. I.Dean, L.Lattouf, J. B.Basappa, N. S.Kapoor, A. A Comparison of Percutaneous Ablation Therapy to Partial Nephrectomy for cT1a Renal Cancers: Results from the Canadian Kidney Cancer Information System. <i>Journal of Urology</i> . 2022;208(4):804-12.	11
209	Miller AJK, A. N.Schmit, G. D.Weisbrod, A. J.Boorjian, S. A.Thompson, R. H.Lohse, C. M.Kor, D. J.Callstrom, M. R.Atwell, T. D. Percutaneous Clinical T1a Renal Mass Ablation in the Octogenarian and Nonagenarian: Oncologic Outcomes and Morbidity. <i>Journal of Endourology</i> . 2015;29(6):671-6.	1
210	Miller BLMG, L.Van Roo, J. R.Ziemlewicz, T. J.Best, S. L.Wells, S. A.Lubner, M. G.Hinshaw, J. L.Lee, F. T.Nakada, S. Y.Huang, W.Abel, E. J. Comparative Analysis of Surgery, Thermal Ablation, and Active Surveillance for Renal Oncocytic Neoplasms. <i>Urology</i> . 2018;112:92-7.	11
211	Miller CR, S. J.Davaro, F.May, A.Siddiqui, S.Hamilton, Z. A. Trends in the treatment of clinical T1 renal cell carcinoma for octogenarians: Analysis of the National Cancer Database. <i>Journal of Geriatric Oncology</i> . 2019;10(2):285-91.	11
212	Miller JMJ, P.Wachsman, A.Van Allan, R. J.Friedman, M. L. The role of embolization in reducing the complications of cryoablation in renal cell carcinoma. <i>Clinical Radiology</i> . 2014;69(10):1045-9.	10
213	Minana BR-A, A.Gomez-Veiga, F.Hernandez, C.Suarez, J. F.Fernandez-Gomez, J. M.Unda, M.Burgos, J.Alcaraz, A.Rodriguez, P.Moreno, C.Pedrosa, E.Coazar, J. M.Grupo Español de Cancer de Prostata. Treatment trends for clinically localised prostate cancer. National population analysis: GESCAP group. <i>Actas Urologicas Espanolas</i> . 2016;40(4):209-16.	7
214	Moblely WCL, S. A.Narayana, A. S. Combination perineal cryosurgery and external radiation therapy for adenocarcinoma of prostate. <i>Urology</i> . 1984;24(1):11-4.	4
215	Moghissi KB, M. G.Sambrook, R. J.Stephens, R. J.Hopwood, P.Girling, D. J.reatment of endotracheal or endobronchial obstruction by non-small cell lung cancer: Lack of patients in an MRC randomized trial leaves key questions unanswered. <i>Clinical Oncology</i> . 1999;11(3):179-83.	2
216	Monaco AS, J.Akerman, M.Joshi, P.Corcoran, A.Katz, A. E. Effect of Prostate Volume and Minimum Tumor Temperature on Four-Year Quality-of-Life Following	1

	Focal Cryoablation Compared with Active Surveillance in Men with Prostate Cancer. <i>Journal of Endourology</i> . 2022;15:15.	
217	Monaco AS, J.Okpara, C.Lischalk, J. W.Haas, J.Corcoran, A.Katz, A. Comparative results of focal-cryoablation and stereotactic body radiotherapy in the treatment of unilateral, low-to-intermediate-risk prostate cancer. <i>International Urology & Nephrology</i> . 2022;54(10):2529-35.	1
218	Morkos JPR, K. A.Zhou, A.Kolarich, A. R.Frangakis, C.Rodriguez, R.Georgiades, C. S. Percutaneous Cryoablation for Stage 1 Renal Cell Carcinoma: Outcomes from a 10-year Prospective Study and Comparison with Matched Cohorts from the National Cancer Database. <i>Radiology</i> . 2020;296(2):452-9.	1
219	Mouraviev VN, I.Robertson, C.Albala, D.Walther, P.Polascik, T. J. Comparative financial analysis of minimally invasive surgery to open surgery for small renal tumours \leq 3.5 cm: a single institutional experience. <i>European Urology</i> . 2007;51(3):715-20; discussion 20-1.	1
220	Mouraviev VN, I.Sun, L.Robertson, C. N.Walther, P.Albala, D.Moul, J. W.Polascik, T. J. Financial comparative analysis of minimally invasive surgery to open surgery for localized prostate cancer: a single-institution experience. <i>Urology</i> . 2007;69(2):311-4.	1
221	Mues ACK, R.Graversen, J. A.Badani, K. K.Bird, V. G.Best, S. L.Cadeddu, J. A.Clayman, R. V.McDougall, E.Barwari, K.Laguna, P.De La Rosette, J.Kavoussi, L.Okhunov, Z.Munver, R.Patel, S. R.Nakada, S.Tsivian, M.Polascik, T. J.Shalhav, A.Bruce Shingleton, W.Johnson, E. K.Stuart Wolf, J.Landman, J. Clinical, pathologic, and functional outcomes after nephron-sparing surgery in patients with a solitary kidney: A multicenter experience. <i>Journal of Endourology</i> . 2012;26(10):1361-6.	11
222	Mues ACO, Z.Haramis, G.D'Agostino, H.Shingleton, B. W.Landman, J. Comparison of percutaneous and laparoscopic renal cryoablation for small (\leq 3.0 cm) renal masses. <i>Journal of Endourology</i> . 2010;24(7):1097-100.	10
223	Mustafa MD, S.Ward, J. F.Pisters, L. The feasibility and safety of repeat cryosurgical ablation of localized prostate cancer. <i>World Journal of Surgical Oncology</i> . 2015;13:340.	4
224	Nair SMP, M.Kurver, P.Lavi, A.Verhoeff, J. J. C.van der Voort van Zyp, J. R. N.van Son, M. J.Chin, J. L. Long-term outcomes of two ablation techniques for treatment of radio-recurrent prostate cancer. <i>Prostate Cancer & Prostatic Diseases</i> . 2021;24(1):186-92.	1
225	Nair SMW, A.Lavi, A.Rodrigues, G.Chin, J. Does adding local salvage ablation therapy provide survival advantage for patients with locally recurrent prostate cancer following radiotherapy? Whole gland salvage ablation post-radiation failure in prostate cancer. <i>Canadian Urological Association Journal</i> . 2020;15(4).	9
226	Nair SMW, A.Lavi, A.Rodrigues, G.Chin, J. L. Does adding local salvage ablation therapy provide survival advantage for patients with locally recurrent prostate cancer following radiotherapy? Whole gland salvage ablation post-radiation failure in prostate cancer. <i>Canadian Urological Association Journal</i> . 2021;15(4):123-9.	1
227	Nassiri NR, S.Kuppermann, D.Brisbane, W. G.Gonzalez, S.Kwan, L.Felker, E.Wallner, C.Marks, L. S. Partial Gland Ablation of Prostate Cancer: Effects of Repeat Treatment. <i>Urology</i> . 2022;28:28.	11
228	Neves JBC, D.Grant, L.Walkden, M.Bandula, S.Patki, P.Barod, R.Mumtaz, F.Aitchison, M.Pizzo, E.Ranieri, V.Williams, N.Wildgoose, W.Gurusamy, K.Emberton, M.Bex, A.Tran, M. G. B. Protocol for a feasibility study of a cohort embedded randomised controlled trial comparing NE phron S paring T treatment (NEST) for small renal masses. <i>BMJ Open</i> . 2019;9(6) (no pagination)(e030965).	3
229	Nguyen CTL, B. R.Kaouk, J. H.Hegarty, N.Gill, I. S.Novick, A. C.Campbell, S. C.urgical salvage of renal cell carcinoma recurrence after thermal ablative therapy. <i>Journal of Urology</i> . 2008;180(1):104-9; discussion 9.	13
230	Nisbet AAR, J. M.Tran, V. Q.Williams, S. G.Chien, G. W. Decision tree for laparoscopic partial nephrectomy versus laparoscopic renal cryoablation for small renal masses. <i>Journal of Endourology</i> . 2009;23(3):431-7.	1
231	Niu LC, J.Yao, F.Zhou, L.Zhang, C.Wen, W.Bi, X.Hu, Y.Piao, X.Jiang, F.Zeng, J.Liu, W.Li, J.He, L.Mu, F.Zuo, J.Xu, K. Percutaneous cryoablation for stage IV lung cancer: a retrospective analysis. <i>Cryobiology</i> . 2013;67(2):151-5.	14
232	O'Donoghue EPM, L. A.Flocks, R. H.Culp, D. A.Bonney, W. W. Cryosurgery for carcinoma of prostate. <i>Urology</i> . 1975;05(3):308-16.	4
233	Okhunov ZJ, S.Ordon, M.George, A. K.Lusch, A.del Junco, M.Nguyentat, M.Lobko,, I.Kavoussi, L.Landman, J. Comparison of outcomes in patients undergoing percutaneous renal cryoablation with sedation vs general anesthesia. <i>Urology</i> . 2015;85(1):130-4.	10
234	O'Malley RLB, A. D.Kanofsky, J. A.Phillips, C. K.Stifelman, M.Taneja, S. S. A matched-cohort comparison of laparoscopic cryoablation and laparoscopic partial nephrectomy for treating renal masses. <i>BJU International</i> . 2007;99(2):395-8.	1
235	Onol FFB, S.Moschovas, M.Rogers, T.Ganapathi, H.Roof, S.Rocco, B.Patel, V. Comparison of outcomes of salvage robot-assisted laparoscopic prostatectomy for post-primary radiation vs focal therapy. <i>BJU International</i> . 2020;125(1):103-11.	11

236	Palumbo CC, S. J.Mazzone, E.Mistretta, F. A.Knipper, S.Pecoraro, A.Tian, Z.Shariat, S. F.Saad, F.Simeone, C.Briganti, A.Kapoor, A.Antonelli, A.Karakiewicz, P. I. Impact of Tumor Size on Cancer-Specific Mortality Rate After Local Tumor Ablation in T1a Renal-Cell Carcinoma. <i>Journal of Endourology</i> . 2019;33(7):606-13.	13
237	Panumatrassamee KK, J. H.Autorino, R.Lenis, A. T.Laydner, H.Isac, W.Long, J. A.Eyraud, R.Kassab, A.Khalifeh, A.Hillyer, S.Rizkala, E.Haber, G. P.Stein, R. J. Cryoablation versus minimally invasive partial nephrectomy for small renal masses in the solitary kidney: impact of approach on functional outcomes. <i>Journal of Urology</i> . 2013;189(3):818-22.	13
238	Patel VL, W. S.Dhangana, R.Medsinge, A. Percutaneous ablation of renal tumors versus surgical ablation and partial nephrectomy: Medicare trends and reimbursement cost comparison from 2010 to 2018. <i>Abdominal Radiology</i> . 2022;47(2):885-90.	1
239	Pecoraro AP, C.Knipper, S.Mistretta, F. A.Tian, Z.Shariat, S. F.Saad, F.Briganti, A.Fiori, C.Porpiglia, F.Karakiewicz, P. I. Cryoablation Predisposes to Higher Cancer Specific Mortality Relative to Partial Nephrectomy in Patients with Nonmetastatic pT1b Kidney Cancer. <i>Journal of Urology</i> . 2019;202(6):1120-6.	13
240	Permpongkosol SB, H. S.Romero, F. R.Solomon, S. B.Kavoussi, L. R. Trends in the operative management of renal tumors over a 14-year period. <i>BJU International</i> . 2006;98(4):751-5.	3
241	Peters MM, M. R.van der Poel, H. G.Vergunst, H.de Jong, I. J.Vijverberg, P. L.Battermann, J. J.Horenblas, S.van Vulpen, M. Patterns of outcome and toxicity after salvage prostatectomy, salvage cryosurgery and salvage brachytherapy for prostate cancer recurrences after radiation therapy: a multi-center experience and literature review. <i>World Journal of Urology</i> . 2013;31(2):403-9.	1
242	Pirasteh AS, L.Boncher, N.Passalacqua, M.Rosenblum, D.Prologo, J. D. Cryoablation vs. radiofrequency ablation for small renal masses. <i>Academic Radiology</i> . 2011;18(1):97-100.	1
243	Pisters LLL, D.Blute, M.Zincke, H.Sebo, T. J.Slezak, J. M.Izawa, J.Ward, J. F.Scott, S. M.Madsen, L.Spiess, P. E.Leibovich, B. C. Locally recurrent prostate cancer after initial radiation therapy: a comparison of salvage radical prostatectomy versus cryotherapy. <i>Journal of Urology</i> . 2009;182(2):517-25; discussion 25-7.	1
244	Pisters LLP, P.Scott, S. M.Greene, G. F.von Eschenbach, A. C. Patient selection for salvage cryotherapy for locally recurrent prostate cancer after radiation therapy. <i>Journal of Clinical Oncology</i> . 1999;17(8):2514-20.	4
245	Pitman MS, E. Y.Hruby, G. W.Truesdale, M. D.Cheetham, P. J.Saad, S.Katz, A. E. Comparison of biochemical failure definitions for predicting local cancer recurrence following cryoablation of the prostate. <i>Prostate</i> . 2012;72(16):1802-8.	3
246	Porter MPA, C. A.Loening, S. A.See, W. A. Disease-free and overall survival after cryosurgical monotherapy for clinical stages B and C carcinoma of the prostate: a 20-year followup. <i>Journal of Urology</i> . 1997;158(4):1466-9.	4
247	Psutka SPG, R.Jewett, M. A. S.Fadaak, K.Finelli, A.Legere, L.Morgan, T. M.Pierorazio, P. M.Allaf, M. E.Herrin, J.Lohse, C. M.Houston Thompson, R.Boorjian, S. A.Atwell, T. D.Schmit, G. D.Costello, B. A.Shah, N. D.Leibovich, B. C. A Clinical Decision Aid to Support Personalized Treatment Selection for Patients with Clinical T1 Renal Masses: Results from a Multi-institutional Competing-risks Analysis. <i>European Urology</i> . 2022;81(6):576-85.	11
248	Qiu MJT, H.Pang, C.Yang, Z. J.Li, C. Q.Xu, L. The curative effects of LPN combined LCA in treating with middle and advanced renal cancer. <i>European Review for Medical & Pharmacological Sciences</i> . 2016;20(4):584-8.	10
249	Ranjan PS, G.Bansal, R.Gupta, A. High intensity focused ultrasound vs. cryotherapy as primary treatment for prostate cancer. <i>Indian Journal of Urology</i> . 2008;24(1):16-21.	6
250	Reddy DS, T. T.Dudderidge, T.McCracken, S.Arya, M.Dobbs, C.Emberton, M.Fiorentino, F.Day, E.Prevoist, A. T.Staffurth, J.Sydes, M.Winkler, M.Ahmed, H. U. Comparative Healthcare Research Outcomes of Novel Surgery in prostate cancer (IP4-CHRONOS): A prospective, multi-centre therapeutic phase II parallel Randomised Control Trial. <i>Contemporary Clinical Trials</i> . 2020;93:105999.	11
251	Rembeye GC, J. M.Jantzen, R.Audenet, F.Dariane, C.Delavaud, C.Mejean, A.Timsit, M. O. Percutaneous Ablation Versus Robotic Partial Nephrectomy in the Treatment of cT1b Renal Tumors: Oncologic and Functional Outcomes of a Propensity Score-weighted Analysis. <i>Clinical Genitourinary Cancer</i> . 2020;18(2):138-47.	1
252	Roberts CBJ, T. L.Shao, Y. H.Kabadi, S.Moore, D. F.Lu-Yao, G. L. Treatment profile and complications associated with cryotherapy for localized prostate cancer: a population-based study. <i>Prostate Cancer & Prostatic Diseases</i> . 2011;14(4):313-9.	3
253	Roberts WWB, S. B.Allaf, M. E.Chan, T. Y.Kavoussi, L. R.Jarrett, T. W. Pathological stage does not alter the prognosis for renal lesions determined to be stage T1 by computerized tomography. <i>Journal of Urology</i> . 2005;173(3):713-5.	2
254	Robinson JWD, B. J.Siever, J. E.Saliken, J. C.Ernst, S. D.Rewcastle, J. C.Trpkov, K.Lau, H.Scott, C.Thomas, B. A randomized trial of external beam radiotherapy	1

	versus cryoablation in patients with localized prostate cancer: quality of life outcomes. <i>Cancer</i> . 2009;115(20):4695–704.	
255	Rodriguez Faba OS, F.Grange, P.Kooiman, G.Bakavicius, A.De la Torre, P.Palou, J. Kidney cancer focal cryoablation trend: does location or approach matter? <i>World Journal of Urology</i> . 2016;34(7):917–23.	10
256	Roehrborn CGA, P.Stokes, M. E.Black, L.Benedict, A. First-year costs of treating prostate cancer: Estimates from SEER–Medicare data. <i>Prostate Cancer and Prostatic Diseases</i> . 2009;12(4):355–60.	4
257	Rogalla C. Cryosurgical ablation of the prostate—a minimally invasive treatment for cancer. <i>Minimally Invasive Surgical Nursing</i> . 1995;9(1):33–9.	12
258	Rossi JC, R. L.de Marini, P.Auloge, P.Autrusseau, P. A.Dalili, D.Tricard, T.Poussot, B.Garnon, J.Lang, H.Gangi, A. Safety and Oncologic Outcomes of Percutaneous Cryoablation of Renal Cell Carcinoma Recurrences in the Ipsilateral Kidney Following Partial Nephrectomy. <i>Cardiovascular & Interventional Radiology</i> . 2022;45(5):656–64.	4
259	Rusinek MS, M.Rozanski, W.Jakobczyk, B.Markowski, M.Lipinski, M.Wilkosz, J. Comparison of the Results of Therapy of cT1 Renal Carcinoma with Nephron-Sparing Surgery (NSS) vs. Percutaneous Thermal Ablation (TA). <i>Journal of Personalized Medicine</i> . 2022;12(3):18.	2
260	Sack BSL, P.Guralnick, M. L.Jacobsohn, K. M.O'Connor, R. C. Cystectomy and Urinary Diversion for the Management of a Devastated Lower Urinary Tract Following Prostatic Cryotherapy and/or Radiotherapy. <i>WMJ</i> . 2016;115(2):70–3.	11
261	Salji MJ, R.Paul, J.Birrell, F.Dixon–Hughes, J.Hutchison, C.Johansen, T. E.Greene, D.Parr, N.Leung, H. Y.Cryotherapy in Prostate Cancer study, team. Feasibility study of a randomised controlled trial to compare (deferred) androgen deprivation therapy and cryotherapy in men with localised radiation-recurrent prostate cancer. <i>British Journal of Cancer</i> . 2014;111(3):424–9.	1
262	Sandbergen LS, A. S.de la Rosette, J. J.Laguna, M. P. Health-related quality of life in localized renal masses: A matter of sparing nephrons or minimizing the incision? <i>Urologic Oncology</i> . 2020;38(2):43.e1–.e11.	13
263	Schmit CHC, M. R.Boorjian, S. A.Johnson, M. P.Atwell, T. D.Kurup, A. N.Schultz, G. R.Thompson, R. H.Schmit, G. D. A Comparison of Bleeding Complications in Patients Undergoing Percutaneous Renal Cryoablation Using Cryoprobes with and without Heat-Based Track Ablation. <i>Journal of Vascular & Interventional Radiology</i> . 2018;29(6):874–9.	10
264	Schmit GDT, R. H.Boorjian, S. A.McDonald, R. J.Kurup, A. N.Weisbrod, A. J.Kor, D. J.Callstrom, M. R.Atwell, T. D. Percutaneous renal cryoablation in obese and morbidly obese patients. <i>Urology</i> . 2013;82(3):636–41.	4
265	Schmit GDT, R. H.Kurup, A. N.Weisbrod, A. J.Boorjian, S. A.Carter, R. E.Geske, J. R.Callstrom, M. R.Atwell, T. D. Usefulness of R.E.N.A.L. nephrometry scoring system for predicting outcomes and complications of percutaneous ablation of 751 renal tumors. <i>Journal of Urology</i> . 2013;189(1):30–5.	1
266	Schwartz BFR, J. C.Powell, T.Whelan, C.Manny, T., Jr.Vestal, J. C. Cryoablation of small peripheral renal masses: a retrospective analysis. <i>Urology</i> . 2006;68(1 Suppl):14–8.	4
267	Shah SY, H. N.Cobran, E. K. An economic evaluation of conservative management and cryotherapy in patients with localized prostate cancer. <i>Journal of Pharmaceutical Health Services Research</i> . 2018;9(4):309–18.	1
268	Shah SY, H. N.Cobran, E. K. Comparative Effectiveness of Conservative Management Compared to Cryotherapy in Localized Prostate Cancer Patients. <i>American Journal of Mens Health</i> . 2018;12(5):1681–91.	1
269	Shah TTK, V.Jameson, C.Freeman, A.Emberton, M.Ahmed, H. U. Histological outcomes after focal high-intensity focused ultrasound and cryotherapy. <i>World Journal of Urology</i> . 2015;33(7):955–64.	6
270	Shah TTR, D.Peters, M.Ball, D.Kim, N. H.Gomez, E. G.Miah, S.Evans, D. E.Guillaumier, S.van Rossum, P. S. N.Van Son, M. J.Hosking–Jervis, F.Dudderidge, T.Hindley, R.Emara, A.McCracken, S.Greene, D.Nigam, R.McCartan, N.Valerio, M.Minhas, S.Afzal, N.Lewi, H.Ogden, C.Persad, R.Virdi, J.Moore, C. M.Arya, M.Emberton, M.Ahmed, H. U.Winkler, M. Focal therapy compared to radical prostatectomy for non-metastatic prostate cancer: a propensity score-matched study. <i>Prostate Cancer & Prostatic Diseases</i> . 2021;24(2):567–74.	11
271	Shen YS, T.Li, Q. W.Jiang, M.Liu, C. B.Meng, F. Z.Hu, K. W. Survival effect of 44 cases of elderly patients with advanced NSCLC: a “Green Therapeutic” mode combined with both percutaneous cryoablation and TCM herbal formula SHEN Yang. <i>Global traditional chinese medicine [huan qiu zhong yi yao]</i> . 2016;9(1):29–33.	12
272	Sheng MG, S.Liu, C. Circulating tumor cells in patients undergoing androgen deprivation therapy with versus without cryosurgery for metastatic prostate cancer: a retrospective analysis. <i>World Journal of Surgical Oncology</i> . 2021;19(1):345.	1
273	Sheng MW, L.Liu, C.Liu, C. Is cryosurgery a feasible local therapy for bone metastatic prostate cancer? <i>Singapore Medical Journal</i> . 2018;59(11):584–9.	1

274	Sheng MXW, L. L.Liu, C. M.Liu, C. X.Chen, S. S. Cytoreductive cryosurgery in patients with bone metastatic prostate cancer: A retrospective analysis. <i>Kaohsiung Journal of Medical Sciences</i> . 2017;33(12):609–15.	1
275	Shi LH, Y.Liu, C.Qian, X.Wang, Z. Local ablation vs partial nephrectomy in T1N0M0 renal cell carcinoma: An inverse probability of treatment weighting analysis. <i>Cancer Medicine</i> . 2020;9(21):7988–8003.	11
276	Si TG, Z.Hao, X. Combined cryoablation and GM-CSF treatment for metastatic hormone refractory prostate cancer. <i>Journal of Immunotherapy</i> . 2009;32(1):86–91.	4
277	Si TG, Z.Yang, X.Zhang, W.Xing, W. The oncologic results of cryoablation in prostate cancer patients with bone metastases. <i>International Journal of Hyperthermia</i> . 2018;34(7):1044–8.	1
278	Sidana AA, P.Feng, Z.Georgiades, C. S.Trock, B. J.Rodriguez, R. Complications of renal cryoablation: a single center experience. <i>Journal of Urology</i> . 2010;184(1):42–7.	10
279	Siddiqui KMB, M.Williams, A.Alzahrani, A.Chin, J. L. Comparative morbidity of ablative energy-based salvage treatments for radio-recurrent prostate cancer. <i>Canadian Urological Association Journal</i> . 2015;9(9–10):325–9.	1
280	Sisul DML, M. A.Palazzi, K. L.Briles, K.Mehrazin, R.Gold, R. E.Masterson, J. H.Mirheydar, H. S.Jabaji, R.Stroup, S. P.L'Esperance, J. O.Wake, R. W.Rivera-Sanfeliz, G.Derweesh, I. H. RENAL nephrometry score is associated with complications after renal cryoablation: a multicenter analysis. <i>Urology</i> . 2013;81(4):775–80.	4
281	Smith DSC, G. F.Schneider, K.Krygiel, J.Yan, Y.Catalona, W. J. Quality-of-life outcomes for men with prostate carcinoma detected by screening. <i>Cancer</i> . 2000;88(6):1454–63.	1
282	Song SY, Q.Gu, C.Yu, G.Hua, B.Gu, X.Wang, L.Wang, Z.Shi, G.Xu, B. Long-term outcomes of cryoablation for biopsy-proven T1 stage renal cell carcinoma. <i>World Journal of Surgical Oncology</i> . 2022;20(1):284.	10
283	Soomro NL, J.Stocken, D. D.Shen, J.Hynes, A. M.Ainsworth, H. F.Breen, D.Oades, G.Rix, D.Aitchison, M. Surveillance versus ablation for incidentally diagnosed small renal tumours: The SURAB feasibility RCT. <i>Health Technology Assessment</i> . 2017;21(81):1–68.	6
284	Sorce GH, B.Hohenhorst, L.Panunzio, A.Tappero, S.Tian, Z.Kokorovic, A.Larcher, A.Capitano, U.Tilki, D.Terrone, C.Chun, F. K. H.Antonelli, A.Saad, F.Shariat, S. F.Montorsi, F.Briganti, A.Karakiewicz, P. I. Cancer-specific Mortality in T1a Renal Cell Carcinoma Treated with Local Tumor Destruction Versus Partial Nephrectomy. <i>European Urology Focus</i> . 2022;30:30.	11
285	Stabile AS-S, R.Tourinho-Barbosa, R.Macek, P.Pellegrino, F.Gandaglia, G.Moschini, M.Cathala, N.Mombet, A.Montorsi, F.Briganti, A.Cathelineau, X. Association between Lesion Location and Oncologic Outcomes after Focal Therapy for Localized Prostate Cancer Using Either High Intensity Focused Ultrasound or Cryotherapy. <i>Journal of Urology</i> . 2021;206(3):638–45.	1
286	Steinberg APK, M.Abreu, S. C.Ramani, A. P.Ng, C.Desai, M. M.Kaouk, J. H.Gill, I. S. Laparoscopic nephron-sparing surgery for two or more ipsilateral renal tumors. <i>Urology</i> . 2004;64(2):255–8.	10
287	Strom KHD, I.Stroup, S. P.Malcolm, J. B.L'Esperance, J.Wake, R. W.Gold, R.Fabrizio, M.Palazzi-Churas, K.Gu, X.Wong, C. Second prize: Recurrence rates after percutaneous and laparoscopic renal cryoablation of small renal masses: does the approach make a difference? <i>Journal of Endourology</i> . 2011;25(3):371–5.	10
288	Sun MZ, T.Fang, X.Wang, D.Pang, H.Chen, Y.Hu, K. A multicenter randomized controlled trial to assess the efficacy of cancer green therapy in treatment of stage IIIb/IV non-small cell lung cancer. <i>Medicine</i> . 2020;99(33):e21626.	3
289	Takafuji MF, M.Nakatsuka, A.Kodama, H.Yamanaka, T.Sugino, Y.Matsushita, N.Kanda, H.Hirokawa, Y.Sakuma, H. Computed tomography-guided biopsy for small renal masses before or immediately after tumor ablation: factors affecting diagnostic yield. <i>Japanese Journal of Radiology</i> . 2021;39(3):283–92.	3
290	Tan WPE, A.Aminsharifi, A.Khalifa, A. O.Polascik, T. J. Salvage Focal Cryotherapy Offers Similar Short-term Oncologic Control and Improved Urinary Function Compared With Salvage Whole Gland Cryotherapy for Radiation-resistant or Recurrent Prostate Cancer. <i>Clinical Genitourinary Cancer</i> . 2020;18(3):e260–e5.	10
291	Tanagho YSB, S. B.Kim, E. H.Figenshau, R. S. Renal cryoablation versus robot-assisted partial nephrectomy: Washington University long-term experience. <i>Journal of Endourology</i> . 2013;27(12):1477–86.	13
292	Tavora FE, J. I. High-grade prostatic intraepithelial neoplasialike ductal adenocarcinoma of the prostate: a clinicopathologic study of 28 cases. <i>American Journal of Surgical Pathology</i> . 2008;32(7):1060–7.	4
293	Tay KJP, T. J.Elshafei, A.Tsvian, E.Jones, J. S. Propensity Score-Matched Comparison of Partial to Whole-Gland Cryotherapy for Intermediate-Risk Prostate Cancer: An Analysis of the Cryo On-Line Data Registry Data. <i>Journal of Endourology</i> . 2017;31(6):564–71.	10

294	Thompson RHA, T.Schmit, G.Lohse, C. M.Kurup, A. N.Weisbrod, A.Psutka, S. P.Stewart, S. B.Callstrom, M. R.Cheville, J. C.Boorjian, S. A.Leibovich, B. C. Comparison of partial nephrectomy and percutaneous ablation for cT1 renal masses. <i>European Urology</i> . 2015;67(2):252–9.	1
295	Tomasian AM, T. P.Wallace, A. N.Wiesner, E.Jennings, J. W. Percutaneous thermal ablation alone or in combination with cementoplasty for renal cell carcinoma osseous metastases: Pain palliation and local tumour control. <i>Journal of Medical Imaging and Radiation Oncology</i> . 2020;64(1):96–103.	11
296	Tourinho-Barbosa RRS-S, R.Claros, O. R.Collura-Merlier, S.Bakavicius, A.Carneiro, A.Stabile, A.Moschini, M.Cathala, N.Tobias-Machado, M.Cathelineau, X. Focal Therapy for Localized Prostate Cancer with Either High Intensity Focused Ultrasound or Cryoablation: A Single Institution Experience. <i>Journal of Urology</i> . 2020;203(2):320–30.	1
297	Tracy CRK, P.Gupta, A.Gahan, J. C.Theckumpampil, N. P.Elsamra, S. E.Okunov, Z.Sun, S.Lall, C.Lobko, I.Landman, J.Cadeddu, J. A.Kavoussi, L. R. Radiation Exposure During Percutaneous Ablation of Small Renal Masses: A Multi-Institutional Multimodality Analysis. <i>Journal of Endourology</i> . 2015;29(11):1314–20.	1
298	Tran HF, R.Rapoport, D. Transperineal approach to complex rectourinary fistulae. <i>Canadian Urological Association Journal</i> . 2015;9(11–12):E916–20.	1
299	Trogdon JGF, A. D.Basak, R.Carpenter, W. R.Chen, R. C. Total Medicare Costs Associated with Diagnosis and Treatment of Prostate Cancer in Elderly Men. <i>JAMA Oncology</i> . 2019;5(1):60–6.	11
300	Truesdale CMS, M. C.Clark, T. W.Mondschein, J. I.Weherenberg-Klee, E.Malkowicz, S. B.Wein, A. J.Guzzo, T. J.Stavropoulos, S. W. Percutaneous computed tomography-guided renal mass radiofrequency ablation versus cryoablation: doses of sedation medication used. <i>Journal of Vascular & Interventional Radiology</i> . 2013;24(3):347–50.	1
301	Tsai HKDA, A. V.Sadetsky, N.Chen, M. H.Carroll, P. R. Androgen deprivation therapy for localized prostate cancer and the risk of cardiovascular mortality. <i>Journal of the National Cancer Institute</i> . 2007;99(20):1516–24.	11
302	Tsivian MC, V. H.Kim, C. Y.Zilberman, D. E.Mouraviev, V.Nelson, R. C.Albala, D. M.Polascik, T. J. Complications of laparoscopic and percutaneous renal cryoablation in a single tertiary referral center. <i>European Urology</i> . 2010;58(1):142–7.	10
303	Turna BK, J. H.Frota, R.Stein, R. J.Kamoi, K.Gill, I. S.Novick, A. C. Minimally invasive nephron sparing management for renal tumors in solitary kidneys. <i>Journal of Urology</i> . 2009;182(5):2150–7.	13
304	Uemura TK, T.Nagahara, A.Kawashima, A.Hatano, K.Ujike, T.Ono, Y.Higashihara, H.Fujita, K.Fukuhara, S.Kiuchi, H.Imamura, R.Tomiyama, N.Nonomura, N.Uemura, M. Therapeutic and Clinical Outcomes of Robot-assisted Partial Nephrectomy Versus Cryoablation for T1 Renal Cell Carcinoma. <i>In Vivo</i> . 2021;35(3):1573–9.	1
305	Uhlig AH, O.Strauss, A.Lotz, J.Trojan, L.Muller-Wille, R.Uhlig, J. Treatment for Localized T1a Clear Cell Renal Cell Carcinoma: Survival Benefit for Cryosurgery and Thermal Ablation Compared to Deferred Therapy. <i>Cardiovascular & Interventional Radiology</i> . 2018;41(2):277–83.	13
306	Uhlig AU, J.Trojan, L.Kim, H. S. Stereotactic Body Radiotherapy for Stage I Renal Cell Carcinoma: National Treatment Trends and Outcomes Compared to Partial Nephrectomy and Thermal Ablation. <i>Journal of Vascular & Interventional Radiology</i> . 2020;31(4):564–71.	13
307	Uhlig JC, M. D.Blasberg, J. D.Boffa, D. J.Chiang, A.Gettinger, S. N.Kim, H. S. Comparison of Survival Rates After a Combination of Local Treatment and Systemic Therapy vs Systemic Therapy Alone for Treatment of Stage IV Non-Small Cell Lung Cancer. <i>JAMA Network Open</i> . 2019;2(8):e199702.	11
308	Uhlig JK, N.King, M.Kim, H. S. Ablation versus resection for stage 1A renal cell carcinoma: National variation in clinical management and selected outcomes. <i>Radiology</i> . 2018;288(3):889–97.	13
309	Umari PR, M.Billia, M.Stacul, F.Bertolotto, M.Cova, M. A.Bondonno, G.Perri, D.Liguori, G.Volpe, A.Trombetta, C. Oncological outcomes of active surveillance and percutaneous cryoablation of small renal masses are similar at intermediate term follow-up. <i>Minerva Urology and Nephrology</i> . 2022;74(3):321–8.	1
310	van den Bos WM, B. G.de Bruin, D. M.de Castro Abreu, A. L.Chaussy, C.Coleman, J. A.Finelli, A.Gill, I. S.Gross, M. E.Jenniskens, S. F.Kahmann, F.Laguna-Pes, M. P.Rastinehad, A. R.Simmons, L. A.Sulser, T.Villers, A.Ward, J. F.de la Rosette, J. J. Salvage ablative therapy in prostate cancer: international multidisciplinary consensus on trial design. <i>Urologic Oncology</i> . 2015;33(11):495.e1–7.	3
311	van Son MJ, M.Reddy, D.Shah, T. T.Hosking-Jervis, F.Robinson, S.Lagendijk, J. J. W.Mangar, S.Dudderidge, T.McCracken, S.Hindley, R. G.Emara, A.Nigam, R.Persad, R.Virdi, J.Lewi, H.Moore, C.Orczyk, C.Emberton, M.Arya, M.Ahmed, H. U.van der Voort van Zyp, J. R. N.Winkler, M.Falconer, A. Conventional radical versus focal treatment for localised prostate cancer: a propensity score weighted comparison of 6-year tumour control. <i>Prostate Cancer & Prostatic Diseases</i> . 2021;24(4):1120–8.	11

312	Venturini MC, M.Marra, P.Masala, S.Pereira, P. L.Carrafiello, G. CIRSE Standards of Practice on Thermal Ablation of Primary and Secondary Lung Tumours. CardioVascular and Interventional Radiology. 2020;43(5):667-83.	6
313	Vergnon JMS, T.Alamartine, E.Barthelemy, J. C.Fournel, P.Emonot, A. Initial combined cryotherapy and irradiation for unresectable non-small cell lung cancer. Preliminary results. Chest. 1992;102(5):1436-40.	4
314	Vora AA, V.Singh, P.Patel, R.Rivas, R.Nething, J.Muruve, N. Single-institution comparative study on the outcomes of salvage cryotherapy versus salvage robotic prostatectomy for radio-resistant prostate cancer. Prostate International. 2016;4(1):7-10.	1
315	Wang NY, Y.Deng, M.Zhao, D.Jiang, L.Chen, D.Wu, Z.Wang, Y.Li, Z.Yang, Z.Li, J.Zhou, F.Li, Y. Prostate cryoablation combined with androgen deprivation therapy for newly diagnosed metastatic prostate cancer: a propensity score-based study. Prostate Cancer & Prostatic Diseases. 2021;24(3):837-44.	1
316	Wang ZW, W.Wu, G. Clinical efficacy of argon plasma coagulation combined with cryotherapy for central airway stenosis caused by lung cancer. Journal Of Cardiothoracic Surgery. 2019;14(1):155.	2
317	Wehrenberg-Klee EC, T. W.Malkowicz, S. B.Soulen, M. C.Wein, A. J.Mondschein, J. I.Van Arsdalen, K.Guzzo, T. J.Stavropoulos, S. W. Impact on renal function of percutaneous thermal ablation of renal masses in patients with preexisting chronic kidney disease. Journal of Vascular & Interventional Radiology. 2012;23(1):41-5.	1
318	Weight CJF, A. F.Gunn, P. W.Lane, B. R.Novick, A. C. The Impact of Minimally Invasive Techniques on Open Partial Nephrectomy: A 10-Year Single Institutional Experience. Journal of Urology. 2008;180(1):84-8.	2
319	Weight CJK, J. H.Hegarty, N. J.Remer, E. M.O'Malley, C. M.Lane, B. R.Gill, I. S.Novick, A. C. Correlation of radiographic imaging and histopathology following cryoablation and radio frequency ablation for renal tumors. Journal of Urology. 2008;179(4):1277-81; discussion 81-3.	1
320	Weinberg ACW, S. L.Wen, T.Deibert, C. M.Korets, R.Badani, K. K. Utilization and perioperative complications of laparoscopic cryoablation vs. robotic partial nephrectomy for localized renal tumors. International Braz J Urol. 2015;41(3):473-85.	1
321	Werneburg GTK, M.Halpern, D. M.Salcedo, J. M.Chen, C.LeSueur, A.Kosinski, K. E.Schiff, J. T.Corcoran, A. T.Katz, A. E. Effects of Focal vs Total Cryotherapy and Minimum Tumor Temperature on Patient-reported Quality of Life Compared With Active Surveillance in Patients With Prostate Cancer. Urology. 2018;113:110-8.	1
322	Werneburg GTK, M.Halpern, D. M.Salcedo, J. M.Kosinski, K. E.Haas, J. A.Schiff, J. T.Corcoran, A. T.Katz, A. E. Patient-reported quality of life progression in men with prostate cancer following primary cryotherapy, cyberknife, or active holistic surveillance. Prostate Cancer & Prostatic Diseases. 2018;21(3):355-63.	1
323	Whalen MJP, J. S.Lascano, D.Ahlborn, D.Matulay, J. T.McKiernan, J. M.Benson, M. C.Wenske, S. Oncologic Outcomes of Definitive Treatments for Low- and Intermediate-Risk Prostate Cancer After a Period of Active Surveillance. Clinical Genitourinary Cancer. 2018;16(2):e425-e35.	1
324	White WMG, R. K.Kaouk, J. H. Single-port laparoscopic retroperitoneal surgery: initial operative experience and comparative outcomes. Urology. 2009;73(6):1279-82.	10
325	White WMS, N.Waters, W. B.Carroll, P. R.Litwin, M. S. Quality of life in men with locally advanced adenocarcinoma of the prostate: an exploratory analysis using data from the CaPSURE database. Journal of Urology. 2008;180(6):2409-13; discussion 14.	1
326	Whitson JMH, C. R.Meng, M. V. Population-based comparative effectiveness of nephron-sparing surgery vs ablation for small renal masses. BJU International. 2012;110(10):1438-43; discussion 43.	11
327	Williams SBL, Y.Nguyen, P. L.Gu, X.Lipsitz, S. R.Yu, H. Y.Kowalczyk, K. J.Hu, J. C. Comparative effectiveness of cryotherapy vs brachytherapy for localised prostate cancer. BJU International. 2012;110(2 Pt 2):E92-8.	1
328	Woldu SLT, G. R.Okhunov, Z.Ghandour, R.Rothberg, M. B.RoyChoudhury, A.Kim, H. H.Bozoghlian, M.Newhouse, J. H.Helmy, M. A.Badani, K. K.Landman, J.Cadeddu, J. A.McKiernan, J. M. Comparison of Renal Parenchymal Volume Preservation Between Partial Nephrectomy, Cryoablation, and Radiofrequency Ablation Using 3D Volume Measurements. Journal of Endourology. 2015;29(8):948-55.	1
329	Woodson BF, R.Stewart, C.Mandava, S.Wang, L.Lee, B. R. Bilateral synchronous sporadic renal masses: Intermediate functional and oncological outcomes at a single institution. International Urology and Nephrology. 2013;45(3):619-25.	4
330	Wrobel MMC, A. M.Pachamanova, D.Leppelmann, K. S.Silverman, S. G.Sharma, A.Shyn, P. B.Mercaldo, N. D.Fintelmann, F. J. Comparison of expected imaging findings following percutaneous microwave and cryoablation of pulmonary tumors: ablation zones and thoracic lymph nodes. European Radiology. 2022;15:15.	3
331	Wu JC, J.Bai, H. X.Su, C.Zhang, P. J.Karakousis, G.Reddy, S.Hunt, S.Soulen, M. C.Stavropoulos, S. W.Zhang, Z. A Comparison of Cryoablation with Heat-Based	13

	Thermal Ablation for Treatment of Clinical T1a Renal Cell Carcinoma: A National Cancer Database Study. <i>Journal of Vascular & Interventional Radiology</i> . 2019;30(7):1027-33.e3.	
332	Wulfing C. Organ-preserving procedures for the treatment of renal cell carcinoma: Operative techniques, ablative therapies and "active surveillance". <i>Klinikarzt</i> . 2017;46(9):424-8.	7
333	Xie LQ, H.Cao, F.Shen, L.Chen, S.Wu, Y.Huang, T.Song, Z.Fan, W. Comparison between surgery and thermal ablation for adrenal metastases: a retrospective study. <i>International Journal of Hyperthermia</i> . 2021;38(1):1541-7.	11
334	Xu KCN, L. Z.Hu, Y. Z.He, W. B.He, Y. S.Li, Y. F.Zuo, J. S. A pilot study on combination of cryosurgery and ¹²⁵ Iodine seed implantation for treatment of locally advanced pancreatic cancer. <i>World Journal of Gastroenterology</i> . 2008;14(10):1603-11.	1
335	Xu KCN, L. Z.Hu, Y. Z.He, W. B.He, Y. S.Zuo, J. S. Cryosurgery with combination of ¹²⁵ Iodine seed implantation for the treatment of locally advanced pancreatic cancer. <i>Journal of Digestive Diseases</i> . 2008;9(1):32-40.	1
336	Yan SY, W.Zhu, C. M.Yan, P. M.Wang, Z. C. Comparison among cryoablation, radiofrequency ablation, and partial nephrectomy for renal cell carcinomas sized smaller than 2 cm or sized 2-4 cm: A population-based study. <i>Medicine</i> . 2019;98(21):e15610.	13
337	Yan TDC, G.Zhao, J.Chan, D.Morris, D. L. Lung metastases after liver resection or cryotherapy for hepatic metastasis from colorectal cancer--there is a difference! <i>HPB</i> . 2006;8(2):124-31.	2
338	Yanagisawa TM, J.Shimizu, K.Fukuokaya, W.Urabe, F.Mori, K.Sasaki, H.Kimura, T.Miki, K.Egawa, S. Functional and oncological outcome of percutaneous cryoablation versus laparoscopic partial nephrectomy for clinical T1 renal tumors: A propensity score-matched analysis. <i>Urologic Oncology</i> . 2020;38(12):938.e1-e7.	1
339	Yang HL, M.Mei, T. Survival benefit of thermal ablation combined with chemotherapy for the treatment of stage IV nonsmall cell lung cancer: a propensity-matched analysis. <i>International Journal of Hyperthermia</i> . 2022;39(1):348-57.	11
340	Yang WA, Y.Li, Q.Liu, C.Zhu, B.Huang, Q.Zhao, M.Yang, F.Feng, H.Hu, K. Co-ablation versus cryoablation for the treatment of stage III-IV non-small cell lung cancer: A prospective, noninferiority, randomized, controlled trial (RCT). <i>Thoracic Cancer</i> . 2021;12(4):475-83.	10
341	Yang XG, Y.Guo, Z.Si, T.Xing, W.Yu, W.Wang, Y. Cryoablation inhibition of distant untreated tumors (abscopal effect) is immune mediated. <i>Oncotarget</i> . 2019;10(41):4180-91.	5
342	Yuan QML, T. H.Jin, K.Qiu, S.Zhou, X. H.Jin, D.Li, J. K.Yang, L.Weil, Q. The comparison of survival between active surveillance or watchful waiting and focal therapy for low-risk prostate cancer: a real-world study from the SEER database. <i>Asian Journal of Andrology</i> . 2022;24(3):305-10.	1
343	Yuan ZL, B.Hu, C.Li, Z.Zheng, J.Li, W. Clinical outcomes of percutaneous thermal ablation for pulmonary metastases from hepatocellular carcinoma: a retrospective study. <i>International Journal of Hyperthermia</i> . 2020;37(1):651-9.	14
344	Yuanying YL, N.Feng, M.Xiaohua, W.Jiaying, Z.Fei, Y.Feng, J.Lihua, H.Jibing, C.Jialiang, L.Kecheng, X. Therapeutic outcomes of combining cryotherapy, chemotherapy and DC-CIK immunotherapy in the treatment of metastatic non-small cell lung cancer. <i>Cryobiology</i> . 2013;67(2):235-40.	14
345	Zargar HS, D.Khalifeh, A.Remer, E. M.O'Malley, C.Akca, O.Autorino, R.Kaouk, J. H. Laparoscopic vs percutaneous cryoablation for the small renal mass: 15-year experience at a single center. <i>Urology</i> . 2015;85(4):850-5.	10
346	Zemlyak AM, W. H.Bilfinger, T. V. Comparison of Survival after Sublobar Resections and Ablative Therapies for Stage I Non-Small Cell Lung Cancer. <i>Journal of the American College of Surgeons</i> . 2010;211(1):68-72.	14
347	Zhou WA, R. S. Thermal Ablation of T1c Renal Cell Carcinoma: A Comparative Assessment of Technical Performance, Procedural Outcome, and Safety of Microwave Ablation, Radiofrequency Ablation, and Cryoablation. <i>Journal of Vascular & Interventional Radiology</i> . 2018;29(7):943-51.	1
348	Zhou WH, S. E.McCarthy, C.Uppot, R. N.Arellano, R. S. Radiofrequency Ablation, Cryoablation, and Microwave Ablation for T1a Renal Cell Carcinoma: A Comparative Evaluation of Therapeutic and Renal Function Outcomes. <i>Journal of Vascular & Interventional Radiology</i> . 2019;30(7):1035-42.	1
349	Zhou WU, R. N.Feldman, A. S.Arellano, R. S. Percutaneous Image-Guided Thermal Ablation for Multifocal Renal Cell Carcinoma: 10-Year Experience at a Single Center. <i>AJR American Journal of Roentgenology</i> . 2017;209(4):733-9.	11
350	Zoganas LB, G.Androniadi, V.Maiwand, M.Charalabopoulos, A.Charalabopoulos, K. Palliative care and quality of life in lung cancer patients. <i>Experimental Oncology</i> . 2003;25(2):143-5.	2

351	Zoganas LB, G.Maiwand, M.Charalabopoulos, A.Andronadi, V.Batistatou, A.Vergoulas, G.Charalabopoulos, K. Quality of life survey and palliative care in lung cancer patients. Hippokratia. 2006;10(4):163-6.	10
352	김명기 천, 김형진. 음경보형물을 삽입한 전립선암 환자에서 3세대 냉동수술. Investigative and Clinical Urology. 2007;48(9):994-6.	4