

| Record# | 서지정보 | 선택/배제 | 배제사유 |
|---------|--|-------|------|
| 1 | Dunk MML, J.Liu, S.Casanova, R.Chen, J. C.Espeland, M. A.Hayden, K. M.Manson, J. E.Rapp, S. R.Shadyab, A. H.Snetselaar, L. G.Van Horn, L.Wild, R.Driscoll, I. Associations of dietary cholesterol and fat, blood lipids, and risk for dementia in older women vary by APOE genotype. <i>Alzheimer's & Dementia</i> . 2023;12:12 | 0 | 9 |
| 6 | Cai YF, X.Zhao, L.Liu, W.Luo, Y.Lau, A. Y. L.Au, L. W. C.Shi, L.Lam, B. Y. K.Ko, H.Mok, V. C. T. Comparing machine learning-derived MRI-based and blood-based neurodegeneration biomarkers in predicting syndromal conversion in early AD. <i>Alzheimer's & Dementia</i> . 2023;23:23 | 0 | 9 |
| 16 | den Hoedt SD-L, K. Y.de Vries, H. E.Rozemuller, A. J. M.Scheltens, P.Walter, J.Sijbrands, E. J. G.Martinez-Martinez, P.Verhoeven, A. J. M.Teunissen, C. E.Mulder, M. T. Sphingolipids in Cerebrospinal Fluid and Plasma Lipoproteins of APOE4 Homozygotes and Non-APOE4 Carriers with Mild Cognitive Impairment versus Subjective Cognitive Decline. <i>JAD Reports</i> . 2023;7: 339-54. | 0 | 9 |
| 22 | Singh VM, V. N.Thakur, M. K. Identification of Plasma Proteomic Biomarkers in Patients with Mild Cognitive Impairment. <i>Indian Journal of Clinical Biochemistry</i> . 2023;38: 33-41. | 0 | 2 |
| 23 | Korthauer LED, C.Molina, D.Wanjiku, J.Daiello, L. A.Drake, J. D.Grill, J. D.Ott, B. R. Pilot study of an Alzheimer's disease risk assessment program in a primary care setting. <i>Alzheimer's & Dementia : Diagnosis, Assessment & Disease Monitoring</i> . 2021;13: e12157. | 0 | 2 |
| 30 | Tao QA, T. F. A.DeCarli, C.Auerbach, S. H.Devine, S.Stein, T. D.Zhang, X.Massaro, J.Au, R.Qiu, W. Q. Association of Chronic Low-grade Inflammation With Risk of Alzheimer Disease in ApoE4 Carriers. <i>JAMA Network Open</i> . 2018;1: e183597. | 0 | 2 |
| 31 | Giannisis AA-G, A.Carlsson, H.Howell, J. C.Hu, W. T.Kultima, K.Nielsen, H. M. Plasma apolipoprotein E levels, isoform composition, and dimer profile in relation to plasma lipids in racially diverse patients with Alzheimer's disease and mild cognitive impairment. <i>Alzheimer's Research & Therapy</i> . 2023;15:119 | 0 | 9 |
| 47 | Snellman AE, L. L.Ashton, N. J.Karikari, T. K.Lanero-Rodriguez, J.Pietila, E.Koivumaki, M.Helin, S.Karrasch, M.Zetterberg, H.Blennow, K.Rinne, J. O. Head-to-head comparison of plasma p-tau181, p-tau231 and glial fibrillary acidic protein in clinically unimpaired elderly with three levels of APOE4-related risk for Alzheimer's disease. <i>Neurobiology of Disease</i> . 2023;183:106175 | 0 | 9 |
| 58 | Lawler PEB, J. G.Schindler, S. E.Hodge, C. R.Iglesias, N. J.Krishnan, V.Coulton, J. B.Li, Y.Holtzman, D. M.Bateman, R. J. Apolipoprotein E O-glycosylation is associated with amyloid plaques and APOE genotype. <i>Analytical Biochemistry</i> . 2023;672:115156 | 0 | 9 |
| 69 | Nakamura TK, T.Ueda, T.Shimomura, S.Hoshino, M.Itoh, K.Ihara, K.Nakaji, S.Takatama, M.Ikeda, Y.Shoji, M. Plasma ApoE4 Levels Are Lower than ApoE2 and ApoE3 Levels, and Not Associated with Plasma Abeta40/42 Ratio as a Biomarker of Amyloid-beta Amyloidosis in Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> . 2023;93: 333-48. | 0 | 9 |
| 75 | Snellman AE, L. L.Tuisku, J.Koivumaki, M.Ashton, N. J.Lanero-Rodriguez, J.Karikari, T. K.Helin, S.Bucci, M.Loyttyniemi, E.Parkkola, R.Karrasch, M.Scholl, M.Zetterberg, H.Blennow, K.Rinne, J. O. APOE epsilon4 gene dose effect on imaging and blood biomarkers of neuroinflammation and beta-amyloid in cognitively unimpaired elderly. <i>Alzheimer's Research & Therapy</i> . 2023;15:71 | 0 | 9 |
| 84 | Supiyev AK, R.Wang, Y.Koch, E.Hagg, S.Kauppi, K. Independent role of Alzheimer's disease genetics and C-reactive protein on cognitive ability in aging. <i>Neurobiology of Aging</i> . 2023;126: 103-12. | 0 | 9 |
| 88 | Cai YF, P.Zhang, X. Association of plasma phosphor-tau181 with Abeta levels may vary by APOE epsilon4 status and sex among non-demented old adults. <i>Neuroscience Letters</i> . 2023;802:137161 | 0 | 9 |
| 91 | Lee AKWC, M. K.Thompson, L. I.Popescu, D.Arthur, E.Correia, S.Salloway, S. P.Alber, J. The Effects of Subjective Cognitive Decline on APOE Genotype Disclosure in the Butler Hospital Alzheimer's Prevention Registry. <i>Jpad</i> . 2023;10: 152-61. | 0 | 9 |

| | | | |
|-----|--|---|---|
| 94 | Poceviciute DR, B.Schultz, N.Nunez-Diaz, C.Janelidze, S.The Netherlands Brain, BankOlofsson, A.Hansson, O.Wennstrom, M. Plasma IAPP-Autoantibody Levels in Alzheimer's Disease Patients Are Affected by APOE4 Status. <i>International Journal of Molecular Sciences</i> . 2023;24:14 | 0 | 2 |
| 97 | Stevenson-Hoare JH, A.Leonenko, G.Fathalla, D.Bellou, E.Luckcuck, L.Marshall, R.Sims, R.Morgan, B. P.Hardy, J.de Strooper, B.Williams, J.Zetterberg, H.Escott-Price, V. Plasma biomarkers and genetics in the diagnosis and prediction of Alzheimer's disease. <i>Brain</i> . 2023;146: 690-9. | 0 | 2 |
| 116 | Bonk SK, K.Ameling, S.Garvert, L.Volzke, H.Nauck, M.Volker, U.Grabe, H. J.Van der Auwera, S. APOE epsilon4 in Depression-Associated Memory Impairment-Evidence from Genetic and MicroRNA Analyses. <i>Biomedicines</i> . 2022;10:30 | 0 | 9 |
| 135 | Wei SG, L.Jiang, Y.Shang, S.Chen, C.Dang, L.Wang, J.Huo, K.Wang, J.Qu, Q. The Apolipoprotein E epsilon4 Allele-Dependent Relationship Between Serum Lipid Levels and Cognitive Function: A Population-Based Cross-sectional Study. <i>Frontiers in aging neuroscience</i> . 2020;12:44 | 0 | 9 |
| 153 | Poceviciute DN-D, C.Roth, B.Janelidze, S.Giannisis, A.Hansson, O.Wennstrom, M. Increased plasma and brain immunoglobulin A in Alzheimer's disease is lost in apolipoprotein E epsilon4 carriers. <i>Alzheimer's Research & Therapy</i> . 2022;14:117 | 0 | 2 |
| 154 | Giannisis AA-G, A.Carlsson, H.Patra, K.Twohig, D.Sando, S. B.Lauridsen, C.Berge, G.Grontvedt, G. R.Brathen, G.White, L. R.Kultima, K.Nielsen, H. M. Plasma apolipoprotein E levels in longitudinally followed patients with mild cognitive impairment and Alzheimer's disease. <i>Alzheimer's Research & Therapy</i> . 2022;14:115 | 0 | 9 |
| 172 | Csaban DI, A.Renata, T. B.Balicza, P.Pentelenyi, K.Molnar, V.Gezei, A.Grosz, Z.Gal, A.Kovacs, T.Klivenyi, P.Molnar, M. J. Genetic landscape of early-onset dementia in Hungary. <i>Neurological Sciences</i> . 2022;43: 5289-300. | 0 | 2 |
| 192 | Wang TW, X.Yao, Y.Zhao, C.Yang, C.Han, Y.Cai, Y. Association of plasma apolipoproteins and levels of inflammation-related factors with different stages of Alzheimer's disease: a cross-sectional study. <i>BMJ Open</i> . 2022;12: e054347. | 0 | 9 |
| 206 | Abdi SA, A. A.AIghunaim, N. N. A.Almutairi, R. M.Ataya, F. S.Ansari, M. G. A.Hussain, S. D.Masoud, M.Alamro, A.Almutairi, O. T.AI-Daghri, N. M.Muayqil, T. A. Association of Alzheimer's Disease with Genetic Variants of Apolipoprotein E, Clusterin, TNF-alpha, and IL-6 Among Elderly Saudis. <i>Current Pharmaceutical Biotechnology</i> . 2022;23: 1893-902. | 0 | 2 |
| 214 | Gonzalez-Dominguez RC-E, P.Lefevre-Arbogast, S.Low, D. Y.Du Preez, A.Ruigrok, S. R.Lee, H.Helmer, C.Pallas, M.Urpi-Sarda, M.Sanchez-Pla, A.Korosi, A.Lucassen, P. J.Aigner, L.Manach, C.Thuret, S.Samieri, C.Andres-Lacueva, C. Apolipoprotein E and sex modulate fatty acid metabolism in a prospective observational study of cognitive decline. <i>Alzheimer's Research & Therapy</i> . 2022;14:1 | 0 | 2 |
| 234 | Cruz-Sanabria FB-V, K.Estrada, K.Mancera, O.Vega, E.Guerrero, E.Ortega-Rojas, J.Mahecha Maria, F.Romero, A.Montanes, P.Celeita, V.Arboleda, H.Pardo, R. Analysis of cognitive performance and polymorphisms of SORL1, PVRL2, CR1, TOMM40, APOE, PICALM, GWAS_14q, CLU, and BIN1 in patients with mild cognitive impairment and cognitively healthy controls. <i>Neurologia</i> . 2021;36: 681-91. | 0 | 2 |
| 238 | Stanitsa EE, A.Beratis, I.Kontaxopoulou, D.Fragkiadaki, S.Papastefanopoulou, V.Pavlou, D.Papantoniou, P.Kroupis, C.Papatriantafyllou, J.Stefanis, L.Yannis, G.Papageorgiou, S. G. Effect of Apolipoprotein E4 on the Driving Behavior of Patients with Amnesic Mild Cognitive Impairment or Mild Alzheimer's Disease Dementia. <i>Journal of Alzheimer's Disease</i> . 2021;84: 1005-14. | 0 | 9 |
| 241 | Handy AL, J.Green, R.Xu, J.Aarsland, D.Velayudhan, L.Hye, A.Dobson, R.Proitsi, P. Assessing Genetic Overlap and Causality Between Blood Plasma Proteins and Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> . 2021;83: 1825-39. | 0 | 2 |
| 252 | Babic Leko MJ, J.Nikolac Perkovic, M.Spanic, E.Sekovanic, A.Orct, T.Lukinovic Skudar, V.Bacic Baronica, K.Kidemet-Piskac, S.Vogrinc, Z.Pivac, N.Borovecki, F.Hof, P. R.Simic, G. The Association of Essential Metals with APOE Genotype in Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> . 2021;82: 661-72. | 0 | 2 |

| | | | |
|-----|--|---|---|
| 271 | Pavarini GH, L.Lorimer, J.Singh, I. Young people's moral attitudes and motivations towards direct-to-consumer genetic testing for inherited risk of Alzheimer disease. <i>European Journal of Medical Genetics</i> . 2021;64:104180 | 0 | 2 |
| 282 | Keshavan AP, J.Karikari, T. K.Rodriguez, J. L.Ashton, N. J.Nicholas, J. M.Cash, D. M.Coath, W.Lane, C. A.Parker, T. D.Lu, K.Buchanan, S. M.Keuss, S. E.James, S. N.Murray-Smith, H.Wong, A.Barnes, A.Dickson, J. C.Heslegrave, A.Portelius, E.Richards, M.Fox, N. C.Zetterberg, H.Blennow, K.Schott, J. M. Population-based blood screening for preclinical Alzheimer's disease in a British birth cohort at age 70. <i>Brain</i> . 2021;144: 434- | 0 | 2 |
| 286 | Arias JJT, A. M.Douglas, M. P.Phillips, K. A. Private payer coverage policies for ApoE-e4 genetic testing. <i>Genetics in Medicine</i> . 2021;23: 614-20. | 0 | 8 |
| 297 | Ryan MMC, C. G.Witbracht, M.Hoang, D.Gillen, D. L.Grill, J. D. Using Direct-to-Consumer Genetic Testing Results to Accelerate Alzheimer Disease Clinical Trial Recruitment. <i>Alzheimer Disease & Associated Disorders</i> . 2021;35: 141-7. | 0 | 2 |
| 310 | Duarte-Guterman PA, A. Y.Inkster, A. M.Barha, C. K.Galea, L. A. M. Inflammation in Alzheimer's Disease: Do Sex and APOE Matter? <i>Journal of Alzheimer's Disease</i> . 2020;78: 627-41. | 0 | 9 |
| 311 | Ahmad SO, A.Kohler, I.Frolich, L.de Rojas, I.Gil, S.Boada, M.Hernandez, I.Hausner, L.Bakker, M. H. M.Cabrera-Socorro, A.Amin, N.Ramirez, A.Ruiz, A.Hankemeier, T.Van Duijn, C. M. Association of lysophosphatidic acids with cerebrospinal fluid biomarkers and progression to Alzheimer's disease. <i>Alzheimer's Research & Therapy</i> . 2020;12:124 | 0 | 2 |
| 317 | Sato N. The Emerging Role of the Apolipoproteins APOE and APOJ in the Interaction Between Diabetes and Alzheimer Disease. <i>Journal of Clinical Endocrinology & Metabolism</i> . 2020;105:1 | 0 | 3 |
| 320 | Rasmussen KLT-H, A.Nordestgaard, B. G.Frikke-Schmidt, R. APOE and dementia - resequencing and genotyping in 105,597 individuals. <i>Alzheimer's & Dementia</i> . 2020;16: 1624-37. | 0 | 9 |
| 331 | Hu YM, C.Go, S.Yassine, H. N.Nedelkov, D. Simple and Fast Assay for Apolipoprotein E Phenotyping and Glycotyping: Discovering Isoform-Specific Glycosylation in Plasma and Cerebrospinal Fluid. <i>Journal of Alzheimer's Disease</i> . 2020;76: 883-93. | 0 | 9 |
| 335 | Ahmad SM, M. D. C.Hansson, O.Demirkan, A.Agustin, R.Saez, M. E.Giagtzoglou, N.Cabrera-Socorro, A.Bakker, M. H. M.Ramirez, A.Hankemeier, T.Stomrud, E.Mattsson-Carlsson, N.Scheltens, P.van der Flier, W. M.Ikram, M. A.Malarstig, A.Teunissen, C. E.Amin, N.van Duijn, C. M. CDH6 and HAGH protein levels in plasma associate with Alzheimer's disease in APOE epsilon4 carriers. <i>Scientific Reports</i> . 2020;10:8233 | 0 | 2 |
| 339 | Song JM, M. R.Greenberg, J. S. Apolipoprotein e4 Allele and Subjective Cognitive Functioning in Parents of Adults With Disabilities. <i>Journals of Gerontology Series B-Psychological Sciences & Social Sciences</i> . 2020;75: e189-e97. | 0 | 1 |
| 340 | Bernath MMB, S.Nho, K.Barupal, D. K.Fiehn, O.Baillie, R.Risacher, S. L.Arnold, M.Jacobson, T.Trojanowski, J. Q.Shaw, L. M.Weiner, M. W.Doraiswamy, P. M.Kaddurah-Daouk, R.Saykin, A. J. Serum triglycerides in Alzheimer disease: Relation to neuroimaging and CSF biomarkers. <i>Neurology</i> . 2020;94: e2088-e98. | 0 | 2 |
| 348 | Arnold MN, K.Kueider-Paisley, A.Massaró, T.Huynh, K.Brauner, B.MahmoudianDehkordi, S.Louie, G.Moseley, M. A.Thompson, J. W.John-Williams, L. S.Tenenbaum, J. D.Blach, C.Chang, R.Brinton, R. D.Baillie, R.Han, X.Trojanowski, J. Q.Shaw, L. M.Martins, R.Weiner, M. W.Trushina, E.Toledo, J. B.Meikle, P. J.Bennett, D. A.Krumsiek, J.Doraiswamy, P. M.Saykin, A. J.Kaddurah-Daouk, R.Kastenmuller, G. Sex and APOE epsilon4 | 0 | 9 |
| 374 | Stocker HN, A.Perna, L.Mollers, T.Rujescu, D.Hartmann, A.Holleczeck, B.Schottker, B.Gerwert, K.Brenner, H. Prediction of Alzheimer's disease diagnosis within 14 years through Abeta misfolding in blood plasma compared to APOE4 status, and other risk factors. <i>Alzheimer's & Dementia</i> . 2020;16: 283-91. | 0 | 1 |

| | | | |
|-----|---|---|---|
| 377 | Sebastiani PM, S.Morris, M.Gurinovich, A.Toshiko, T.Andersen, S. L.Sweigart, B.Ferrucci, L.Jennings, L. L.Glass, D. J.Perls, T. T. A serum protein signature of APOE genotypes in centenarians. <i>Aging Cell</i> . 2019;18: e13023. | 0 | 9 |
| 393 | Patra KG, A.Edlund, A. K.Sando, S. B.Lauridsen, C.Berge, G.Grontvedt, G. R.Brathen, G.White, L. R.Nielsen, H. M. Plasma Apolipoprotein E Monomer and Dimer Profile and Relevance to Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> . 2019;71: 1217-31. | 0 | 9 |
| 401 | Fang YD, N.Xing, L.Duo, Y.Zheng, L. Evaluation of hippocampal volume and serum brain-derived neurotrophic factor as potential diagnostic markers of conversion from amnesic mild cognitive impairment to Alzheimer disease: A STROBE-compliant article. <i>Medicine</i> . 2019;98: e16604. | 0 | 9 |
| 405 | Rasmussen KLT-H, A.Nordestgaard, B. G.Frikke-Schmidt, R. Plasma levels of apolipoprotein E, APOE genotype, and all-cause and cause-specific mortality in 105 949 individuals from a white general population cohort. <i>European Heart Journal</i> . 2019;40: 2813-24. | 0 | 9 |
| 417 | D'Cunha NMG, E. N.Boyd, L.Veysey, M.Sturm, J.O'Brien, B.Lucock, M.McKune, A. J.Mellor, D. D.Roach, P. D.Naumovski, N. Relationship Between B-Vitamin Biomarkers and Dietary Intake with Apolipoprotein E 4 in Alzheimer's Disease. <i>Journal of Nutrition in Gerontology & Geriatrics</i> . 2019;38: 173-95. | 0 | 2 |
| 422 | Mancera-Paez OE-O, K.Mahecha, M. F.Cruz, F.Bonilla-Vargas, K.Sandoval, N.Guerrero, E.Salcedo-Tacuma, D.Melgarejo, J. D.Vega, E.Ortega-Rojas, J.Roman, G. C.Pardo-Turriago, R.Arboleda, H. Differential Methylation in APOE (Chr19; Exon Four; from 44,909,188 to 44,909,373/hg38) and Increased Apolipoprotein E Plasma Levels in Subjects with Mild Cognitive Impairment. <i>International Journal of Molecular Sciences</i> . | 0 | 9 |
| 430 | Escott-Price VM, A.Huentelman, M.Shoai, M.Hardy, J. Polygenic Risk Score Analysis of Alzheimer's Disease in Cases without APOE4 or APOE2 Alleles. <i>Jpad</i> . 2019;6: 16-9. | 0 | 9 |
| 436 | Albani DM, M.Ferrari, C.Fusco, F.Boeri, L.Raimondi, I.Jovicich, J.Babiloni, C.Soricelli, A.Lizio, R.Galluzzi, S.Cavaliere, L.Didic, M.Schonknecht, P.Molinuevo, J. L.Nobili, F.Parnetti, L.Payoux, P.Bocchio, L.Salvatore, M.Rossini, P. M.Tsolaki, M.Visser, P. J.Richardson, J. C.Wiltfang, J.Bordet, R.Blin, O.Forloni, G.Frisoni, G. B. Plasma Abeta42 as a Biomarker of Prodromal Alzheimer's Disease Progression in Patients with Amnesic | 0 | 2 |
| 462 | Alvarez XAA, I.Aleixandre, M.Linares, C.Muresanu, D.Winter, S.Moessler, H. Severity-Related Increase and Cognitive Correlates of Serum VEGF Levels in Alzheimer's Disease ApoE4 Carriers. <i>Journal of Alzheimer's Disease</i> . 2018;63: 1003-13. | 0 | 2 |
| 469 | Zallen DT. "Well, good luck with that": reactions to learning of increased genetic risk for Alzheimer disease. <i>Genetics in Medicine</i> . 2018;20: 1462-7. | 0 | 2 |
| 479 | Solomon AT, H.Ngandu, T.Peltonen, M.Levalahti, E.Helisalmi, S.Antikainen, R.Backman, L.Hanninen, T.Jula, A.Laatikainen, T.Lehtisalo, J.Lindstrom, J.Paajanen, T.Pajala, S.Stigsdotter-Neely, A.Strandberg, T.Tuomilehto, J.Soininen, H.Kivipelto, M. Effect of the Apolipoprotein E Genotype on Cognitive Change During a Multidomain Lifestyle Intervention: A Subgroup Analysis of a Randomized Clinical Trial. <i>JAMA Neurology</i> . | 0 | 2 |
| 482 | Rasmussen KLT-H, A.Nordestgaard, B. G.Frikke-Schmidt, R. Plasma apolipoprotein E levels and risk of dementia: A Mendelian randomization study of 106,562 individuals. <i>Alzheimer's & Dementia</i> . 2018;14: 71-80. | 0 | 1 |
| 483 | Christensen KDU, W. R.Roberts, J. S.Linnenbringer, E.Whitehouse, P. J.Royal, C. D. M.Obisesan, T. O.Cupples, L. A.Butson, M. B.Fasaye, G. A.Hiraki, S.Chen, C. A.Siebert, U.Cook-Deegan, R.Green, R. C. A randomized controlled trial of disclosing genetic risk information for Alzheimer disease via telephone. <i>Genetics in Medicine</i> . 2018;20: 132-41. | 0 | 2 |
| 499 | Paraskevaiddi MM, C. L. M.Lima, K. M. G.Snowden, J. S.Saxon, J. A.Richardson, A. M. T.Jones, M.Mann, D. M. A.Allsop, D.Martin-Hirsch, P. L.Martin, F. L. Differential diagnosis of Alzheimer's disease using spectrochemical analysis of blood. <i>Proceedings of the National Academy of Sciences of the United States of America</i> . 2017;114: E7929-E38. | 0 | 2 |

| | | | |
|-----|--|---|---|
| 507 | Johansson PA, E. G.Bjerke, M.Wallin, A.Johansson, J. O.Andreasson, U.Blennow, K.Zetterberg, H.Svensson, J. Reduced Cerebrospinal Fluid Concentration of Apolipoprotein A-I in Patients with Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> . 2017;59: 1017-26. | 0 | 9 |
| 510 | Talwar PG, S.Sinha, J.Chandna, P.Agarwal, R.Kushwaha, S.Kukreti, R. Multifactorial Analysis of a Biomarker Pool for Alzheimer Disease Risk in a North Indian Population. <i>Dementia & Geriatric Cognitive Disorders</i> . 2017;44: 25-34. | 0 | 2 |
| 512 | Chen THC, M. C.Lai, C. L.Wu, S. J.Hsu, C. L.Yang, Y. H. Factors affecting therapeutic response to Rivastigmine in Alzheimer's disease patients in Taiwan. <i>Kaohsiung Journal of Medical Sciences</i> . 2017;33: 277-83. | 0 | 2 |
| 526 | Abdullah LE, J. E.Emmerich, T.Crynen, G.Shackleton, B.Keegan, A. P.Luis, C.Tai, L.LaDu, M. J.Mullan, M.Crawford, F.Bachmeier, C. APOE epsilon4 specific imbalance of arachidonic acid and docosahexaenoic acid in serum phospholipids identifies individuals with preclinical Mild Cognitive Impairment/Alzheimer's Disease. <i>Aging</i> . 2017;9: 964-85. | 0 | 2 |
| 538 | Su FS, H.Ye, Q.Xie, C.Yuan, B.Zhang, Z.Bai, F. Integration of Multilocus Genetic Risk into the Default Mode Network Longitudinal Trajectory during the Alzheimer's Disease Process. <i>Journal of Alzheimer's Disease</i> . 2017;56: 491-507. | 0 | 2 |
| 540 | McDermott KLM, G. P.Andrews, S. J.Anstey, K. J.Dixon, R. A. Memory Resilience to Alzheimer's Genetic Risk: Sex Effects in Predictor Profiles. <i>Journals of Gerontology Series B-Psychological Sciences & Social Sciences</i> . 2017;72: 937-46. | 0 | 2 |
| 541 | Guan YR, D. L.Erby, L. H.Wolff, J. L.Gitlin, L. N.Roberts, J. S.Green, R. C.Christensen, K. D. Disclosing genetic risk of Alzheimer's disease to cognitively impaired patients and visit companions: Findings from the REVEAL Study. <i>Patient Education & Counseling</i> . 2017;100: 927-35. | 0 | 9 |
| 547 | Allard JSN, O.Johnson, S. P.Ngwa, J. S.Bond, V.Pinder, D.Gillum, R. F.Fungwe, T. V.Kwagyan, J.Obisesan, T. O. APOEepsilon4 impacts up-regulation of brain-derived neurotrophic factor after a six-month stretch and aerobic exercise intervention in mild cognitively impaired elderly African Americans: A pilot study. <i>Experimental Gerontology</i> . 2017;87: 129-36. | 0 | 2 |
| 550 | Ekstract MH, G. I.Kim, K. Y.Willis, S. M.Zallen, D. T. Evaluation of a Web-based decision aid for people considering the APOE genetic test for Alzheimer risk. <i>Genetics in Medicine</i> . 2017;19: 676-82. | 0 | 2 |
| 565 | Koch MD, S. T.Fitzpatrick, A. L.Furtado, J. D.Lopez, O. L.Kuller, L. H.Mackey, R. H.Hughes, T. M.Mukamal, K. J.Jensen, M. K. Apolipoproteins and Alzheimer's pathophysiology. <i>Alzheimer's & Dementia : Diagnosis, Assessment & Disease Monitoring</i> . 2018;10: 545-53. | 0 | 9 |
| 585 | Chen YCH, C. J.Jung, C. C.Hu, H. H.Chen, J. H.Lee, W. C.Chiou, J. M.Chen, T. F.Sun, Y.Wen, L. L.Yip, P. K.Chu, Y. M.Chen, C. J.Yang, H. I. Performance Metrics for Selecting Single Nucleotide Polymorphisms in Late-onset Alzheimer's Disease. <i>Scientific Reports</i> . 2016;6:36155 | 0 | 9 |
| 586 | Baker-Nigh ATM, K. G.Bollinger, J. G.Ovod, V.Kasten, T.Franklin, E. E.Liao, F.Jiang, H.Holtzman, D.Cairns, N. J.Morris, J. C.Bateman, R. J. Human Central Nervous System (CNS) ApoE Isoforms Are Increased by Age, Differentially Altered by Amyloidosis, and Relative Amounts Reversed in the CNS Compared with Plasma. <i>Journal of Biological Chemistry</i> . 2016;291: 27204-18. | 0 | 9 |
| 601 | Chouraki VR, C.Maury, F.Bis, J. C.Bellenguez, C.Yu, L.Jakobsdottir, J.Mukherjee, S.Adams, H. H.Choi, S. H.Larson, E. B.Fitzpatrick, A.Uitterlinden, A. G.de Jager, P. L.Hofman, A.Gudnason, V.Vardarajan, B.Ibrahim-Verbaas, C.van der Lee, S. J.Lopez, O.Dartigues, J. F.Berr, C.Amouyel, P.Bennett, D. A.van Duijn, C.DeStefano, A. L.Launer, L. J.Ikram, M. A.Crane, P. K.Lambert, J. C.Mayeux, R.Seshadri, S. Evaluation of a Genetic Risk | 0 | 2 |
| 614 | Panpalli Ates MK, Y.Guntekin, S.Ergun, M. A. Analysis of genetics and risk factors of Alzheimer's Disease. <i>Neuroscience</i> . 2016;325: 124-31. | 0 | 9 |

| | | | |
|-----|---|---|---|
| 619 | Wolters FJK, P. J.Hofman, A.van Duijn, C. M.Ikram, M. A. Serum apolipoprotein E is associated with long-term risk of Alzheimer's disease: The Rotterdam Study. <i>Neuroscience Letters</i> . 2016;617: 139-42. | 0 | 3 |
| 635 | Perna LM, U.Rujescu, D.Kliegel, M.Brenner, H. Apolipoprotein E e4 and Cognitive Function: A Modifiable Association Results from Two Independent Cohort Studies. <i>Dementia & Geriatric Cognitive Disorders</i> . 2016;41: 35-45. | 0 | 9 |
| 646 | de Oliveira FFP, G. A.Chen, E. S.Smith, M. C.Bertolucci, P. H. Risk factors for cognitive and functional change in one year in patients with Alzheimer's disease dementia from Sao Paulo, Brazil. <i>Journal of the Neurological Sciences</i> . 2015;359: 127-32. | 0 | 2 |
| 654 | Schmidt CG, N.Schmitz, M.Thom, T.Kramer, K.Friede, T.Zerr, I. Baseline CSF/Serum-Ratio of Apolipoprotein E and Rate of Differential Decline in Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> . 2015;48: 189-96. | 0 | 9 |
| 687 | Teng EC, N.Hwang, K. S.Thompson, P. M.Gyls, K. H.Cole, G. M.Jack, C. R., Jr.Shaw, L. M.Trojanowski, J. Q.Soaes, H. D.Weiner, M. W.Apostolova, L. G. Low plasma ApoE levels are associated with smaller hippocampal size in the Alzheimer's disease neuroimaging initiative cohort. <i>Dementia & Geriatric Cognitive Disorders</i> . 2015;39: 154-66. | 0 | 9 |
| 689 | Green RCC, K. D.Cupples, L. A.Relkin, N. R.Whitehouse, P. J.Royal, C. D.Obisesan, T. O.Cook-Deegan, R.Linnenbringer, E.Butson, M. B.Fasaye, G. A.Levinson, E.Roberts, J. S. A randomized noninferiority trial of condensed protocols for genetic risk disclosure of Alzheimer's disease. <i>Alzheimer's & Dementia</i> . 2015;11: 1222-30. | 0 | 2 |
| 690 | Rasmussen KLT-H, A.Nordestgaard, B. G.Frikke-Schmidt, R. Plasma levels of apolipoprotein E and risk of dementia in the general population. <i>Annals of Neurology</i> . 2015;77: 301-11. | 0 | 1 |
| 699 | Schmidt CG, N.Peter, C.Gherib, K.Lange, K.Friede, T.Zerr, I. Cerebrospinal fluid apolipoprotein E concentration and progression of Alzheimer's disease. <i>Journal of Alzheimer's Disease</i> . 2015;43: 1229-36. | 0 | 2 |
| 718 | Alvarez AA, M.Linares, C.Masliah, E.Moessler, H. Apathy and APOE4 are associated with reduced BDNF levels in Alzheimer's disease. <i>Journal of Alzheimer's Disease</i> . 2014;42: 1347-55. | 0 | 2 |
| 724 | Alam RT, M.Mansoori, N.Parveen, S.Luthra, K.Lakshmy, R.Sharma, S.Arulselvi, S.Mukhopadhyay, A. K. Synergistic epistasis of paraoxonase 1 (rs662 and rs85460) and apolipoprotein E4 genes in pathogenesis of Alzheimer's disease and vascular dementia. <i>American Journal of Alzheimer's Disease & Other Dementias</i> . 2014;29: 769-76. | 0 | 2 |
| 743 | Martinez-Morillo EH, O.Atagi, Y.Bu, G.Minthon, L.Diamandis, E. P.Nielsen, H. M. Total apolipoprotein E levels and specific isoform composition in cerebrospinal fluid and plasma from Alzheimer's disease patients and controls. <i>Acta Neuropathologica</i> . 2014;127: 633-43. | 0 | 9 |
| 744 | Talwar PS, Y.Grover, S.Gupta, M.Agarwal, R.Kushwaha, S.Kukreti, R. Genomic convergence and network analysis approach to identify candidate genes in Alzheimer's disease. <i>BMC Genomics</i> . 2014;15:199 | 0 | 2 |
| 768 | Schmidt CB, H.Zerr, I. Cerebrospinal fluid apolipoprotein E concentration and severity of cognitive impairment in patients with newly diagnosed Alzheimer's disease. <i>American Journal of Alzheimer's Disease & Other Dementias</i> . 2014;29: 54-60. | 0 | 2 |
| 787 | Llano DAD, V.Simon, A. J. Evaluation of plasma proteomic data for Alzheimer disease state classification and for the prediction of progression from mild cognitive impairment to Alzheimer disease. <i>Alzheimer Disease & Associated Disorders</i> . 2013;27: 233-43. | 0 | 2 |

| | | | |
|-----|---|---|---|
| 788 | Tsang RSS, P. S.Reppermund, S.Kochan, N. A.Kang, K.Crawford, J.Wen, W.Draper, B.Trollor, J. N.Slavin, M. J.Mather, K. A.Assareh, A.Seeher, K. M.Brodaty, H. Sydney Memory and Ageing Study: an epidemiological cohort study of brain ageing and dementia. <i>International Review of Psychiatry</i> . 2013;25: 711-25. | 0 | 2 |
| 807 | Chico LS, C.Lo Gerfo, A.Rocchi, A.Petrozzi, L.Carlesi, C.Volpi, L.Tognoni, G.Siciliano, G.Bonuccelli, U. Oxidative stress and APO E polymorphisms in Alzheimer's disease and in mild cognitive impairment. <i>Free Radical Research</i> . 2013;47: 569-76. | 0 | 9 |
| 813 | Yasuno FA, T. Effect of plasma lipids and APOE genotype on cognitive decline. <i>Dialogues in Clinical Neuroscience</i> . 2013;15: 120-6. | 0 | 9 |
| 815 | Reitz CJ, G.Naj, A.Rajbhandary, R.Vardarajan, B. N.Wang, L. S.Valladares, O.Lin, C. F.Larson, E. B.Graff-Radford, N. R.Evans, D.De Jager, P. L.Crane, P. K.Buxbaum, J. D.Murrell, J. R.Raj, T.Ertekin-Taner, N.Logue, M.Baldwin, C. T.Green, R. C.Barnes, L. L.Cantwell, L. B.Fallin, M. D.Go, R. C.Griffith, P.Obisesan, T. O.Manly, J. J.Lunetta, K. L.Kamboh, M. I.Lopez, O. L.Bennett, D. A.Hendrie, H.Hall, K. S.Goate, A. M.Byrd, G. S.Kukull, W. | 0 | 2 |
| 821 | Brainerd CJR, V. F.Petersen, R. C.Smith, G. E.Kenney, A. E.Gross, C. J.Taub, E. S.Plassman, B. L.Fisher, G. G. The apolipoprotein E genotype predicts longitudinal transitions to mild cognitive impairment but not to Alzheimer's dementia: findings from a nationally representative study. <i>Neuropsychology</i> . 2013;27: 86-94. | 0 | 9 |
| 825 | Zito GP, R.Panetta, V.Ventriglia, M.Salustri, C.Siotto, M. C.Moffa, F.Altamura, C.Vernieri, F.Lupoi, D.Cassetta, E.Rossini, P. M.Squitti, R. Antioxidant status and APOE genotype as susceptibility factors for neurodegeneration in Alzheimer's disease and vascular dementia. <i>Rejuvenation Research</i> . 2013;16: 51-6. | 0 | 2 |
| 836 | Badia MCL, A.Giraldo, E.Dasi, F.Olaso, G.Alonso, M. D.Vina, J. Lymphocytes from young healthy persons carrying the ApoE4 allele overexpress stress-related proteins involved in the pathophysiology of Alzheimer's disease. <i>Journal of Alzheimer's Disease</i> . 2013;33: 77-83. | 0 | 9 |
| 849 | Gupta VBW, A. C.Burnham, S.Hone, E.Pedrini, S.Laws, S. M.Lim, W. L.Rembach, A.Rainey-Smith, S.Ames, D.Cobiac, L.Macaulay, S. L.Masters, C. L.Rowe, C. C.Bush, A. I.Martins, R. N. Follow-up plasma apolipoprotein E levels in the Australian Imaging, Biomarkers and Lifestyle Flagship Study of Ageing (AIBL) cohort. <i>Alzheimer's Research & Therapy</i> . 2015;7:16 | 0 | 9 |
| 851 | Turana YR, T. A.Purba, J. S.Amir, N.Ahmad, S. A.Machfoed, M. H.Handayani, Y. S.Asmarinah, Waspadji, S. Enhancing Diagnostic Accuracy of aMCI in the Elderly: Combination of Olfactory Test, Pupillary Response Test, BDNF Plasma Level, and APOE Genotype. <i>International journal of Alzheimer's disease</i> . 2014;2014:912586 | 0 | 9 |
| 855 | Son SJL, K. S.Lee, Y.Baek, J. H.Choi, S. H.Na, D. L.Seo, S. W.Oh, B. H.Hong, C. H. Association between white matter hyperintensity severity and cognitive impairment according to the presence of the apolipoprotein E (APOE) epsilon4 allele in the elderly: retrospective analysis of data from the CREDOS study. <i>Journal of Clinical Psychiatry</i> . 2012;73: 1555-62. | 0 | 9 |
| 866 | Simon RG, M.Fonbonne, C.Salvador, A.Clement, Y.Lanteri, P.Amouyel, P.Lambert, J. C.Lemoine, J. Total ApoE and ApoE4 isoform assays in an Alzheimer's disease case-control study by targeted mass spectrometry (n=669): a pilot assay for methionine-containing proteotypic peptides. <i>Molecular & Cellular Proteomics</i> . 2012;11: 1389-403. | 0 | 9 |
| 870 | Nichols LMM, J. C.Mattay, V. S.Kohn, P.Emery, M.Sambataro, F.Kolachana, B.Elvevag, B.Kippenhan, S.Weinberger, D. R.Berman, K. F. Interactive effect of apolipoprotein e genotype and age on hippocampal activation during memory processing in healthy adults. <i>Archives of General Psychiatry</i> . 2012;69: 804-13. | 0 | 9 |
| 883 | Song FP, A.Crawford, J.Kochan, N. A.Wen, W.Cameron, B.Lux, O.Brodaty, H.Mather, K.Smythe, G. A.Sachdev, P. S. Plasma apolipoprotein levels are associated with cognitive status and decline in a community cohort of older individuals. <i>PLoS ONE [Electronic Resource]</i> . 2012;7: e34078. | 0 | 9 |
| 886 | Ringman JME, D.Geschwind, D. H.Welsh, B. T.Gylys, K. H.Lee, C.Cummings, J. L.Cole, G. M. Plasma signaling proteins in persons at genetic risk for Alzheimer disease: influence of APOE genotype. <i>Archives of Neurology</i> . 2012;69: 757-64. | 0 | 9 |

| | | | |
|------|---|---|---|
| 895 | Johnstone DM, E. A.Berretta, R.Moscato, P. Multivariate protein signatures of pre-clinical Alzheimer's disease in the Alzheimer's disease neuroimaging initiative (ADNI) plasma proteome dataset. PLoS ONE [Electronic Resource]. 2012;7: e34341. | 0 | 2 |
| 897 | Xing YQ, W.Li, F.Jia, X. F.Jia, J. Apolipoprotein E epsilon4 status modifies the effects of sex hormones on neuropsychiatric symptoms of Alzheimer's disease. Dementia & Geriatric Cognitive Disorders. 2012;33: 35-42. | 0 | 2 |
| 901 | Yasuno FT, S.Sasaki, M.Ikejima, C.Yamashita, F.Kodama, C.Hidaka, S.Mizukami, K.Asada, T. Effect of plasma lipids, hypertension and APOE genotype on cognitive decline. Neurobiology of Aging. 2012;33: 2633-40. | 0 | 9 |
| 915 | Bi XHZ, H. LZhang, Z. X.Zhang, J. W. PEMT G523A (V175M) is associated with sporadic Alzheimer's disease in a Chinese population. Journal of Molecular Neuroscience. 2012;46: 505-8. | 0 | 2 |
| 918 | van den Kommer TND, M. G.Comijs, H. C.Lutjohann, D.Lips, P.Jonker, C.Deeg, D. J. The role of extracerebral cholesterol homeostasis and ApoE e4 in cognitive decline. Neurobiology of Aging. 2012;33: 622.e17-28. | 0 | 9 |
| 923 | Davidson JEL, A.Amos, L.Stirnadel-Farrant, H. A.Mooser, V.Sollberger, M.Regeniter, A.Monsch, A. U.Irizarry, M. C. Plasma lipoprotein-associated phospholipase A2 activity in Alzheimer's disease, amnesic mild cognitive impairment, and cognitively healthy elderly subjects: a cross-sectional study. Alzheimer's Research & Therapy. 2012;4:51 | 0 | 2 |
| 941 | Kopits IMC, C.Roberts, J. S.Uhlmann, W.Green, R. C. Willingness to pay for genetic testing for Alzheimer's disease: a measure of personal utility. Genetic Testing & Molecular Biomarkers. 2011;15: 871-5. | 0 | 2 |
| 942 | Brainerd CJR, V. F.Petersen, R. C.Smith, G. E.Taub, E. S. Is the apolipoprotein e genotype a biomarker for mild cognitive impairment? Findings from a nationally representative study. Neuropsychology. 2011;25: 679-89. | 0 | 9 |
| 960 | Gupta VBL, S. M.Villemagne, V. L.Ames, D.Bush, A. I.Ellis, K. A.Lui, J. K.Masters, C.Rowe, C. C.Szoeke, C.Taddei, K.Martins, R. N. Plasma apolipoprotein E and Alzheimer disease risk: the AIBL study of aging. Neurology. 2011;76: 1091-8. | 0 | 9 |
| 965 | Blasko IK, G.Jungwirth, S.Wichart, I.Weissgram, S.Jellinger, K.Tragl, K. H.Fischer, P. Prospective study on association between plasma amyloid beta-42 and atherosclerotic risk factors. Journal of Neural Transmission. 2011;118: 663-72. | 0 | 2 |
| 970 | Christensen KDR, J. S.Uhlmann, W. R.Green, R. C. Changes to perceptions of the pros and cons of genetic susceptibility testing after APOE genotyping for Alzheimer disease risk. Genetics in Medicine. 2011;13: 409-14. | 0 | 9 |
| 981 | Weiner MFH, L. S.Rossetti, H.Womack, K. B.Rosenberg, R. N.Gong, Y. H.Qu, B. X. The relationship of cardiovascular risk factors to Alzheimer disease in Choctaw Indians. American Journal of Geriatric Psychiatry. 2011;19: 423-9. | 0 | 2 |
| 992 | Mansoori NT, M.Alam, R.Luthra, K.Ramakrishnan, L.Parveen, S.Mukhopadhyay, A. K. IL-6-174 G/C and ApoE gene polymorphisms in Alzheimer's and vascular dementia patients attending the cognitive disorder clinic of the All India Institute of Medical Sciences, New Delhi. Dementia & Geriatric Cognitive Disorders. 2010;30: 461-8. | 0 | 9 |
| 1003 | Bennet AMR, C. A.Gatz, M.Blennow, K.Pedersen, N. L.Prince, J. A. Pleiotropy in the presence of allelic heterogeneity: alternative genetic models for the influence of APOE on serum LDL, CSF amyloid-beta42, and dementia. Journal of Alzheimer's Disease. 2010;22: 129-34. | 0 | 2 |

| | | | |
|------|---|---|---|
| 1010 | Donix MB, A. C.Suthana, N. A.Siddarth, P.Ekstrom, A. D.Krupa, A. K.Jones, M.Martin-Harris, L.Ercoli, L. M.Miller, K. J.Small, G. W.Bookheimer, S. Y. Family history of Alzheimer's disease and hippocampal structure in healthy people. <i>American Journal of Psychiatry</i> . 2010;167: 1399-406. | 0 | 9 |
| 1031 | Skeehan KH, C.Cook-Deegan, R. Impact of gene patents and licensing practices on access to genetic testing for Alzheimer disease. <i>Genetics in Medicine</i> . 2010;12: S71-82. | 0 | 8 |
| 1056 | Thambisetty MB-H, L.An, Y.Kraut, M. A.Resnick, S. M. APOE epsilon4 genotype and longitudinal changes in cerebral blood flow in normal aging. <i>Archives of Neurology</i> . 2010;67: 93-8. | 0 | 9 |
| 1058 | Taylor DH, Jr.Cook-Deegan, R. M.Hiraki, S.Roberts, J. S.Blazer, D. G.Green, R. C. Genetic testing for Alzheimer's and long-term care insurance. <i>Health Affairs</i> . 2010;29: 102-8. | 0 | 9 |
| 1062 | Bjorkman MPS, A. J.Tilvis, R. S. Does elevated parathyroid hormone concentration predict cognitive decline in older people? <i>Aging-Clinical & Experimental Research</i> . 2010;22: 164-9. | 0 | 2 |
| 1068 | Chen CHM, T.Elston, R.Kariuki, M. M.Hall, K.Unverzagt, F.Hendrie, H.Gatere, S.Kioy, P.Patel, N. B.Friedland, R. P.Kalaria, R. N. A comparative study to screen dementia and APOE genotypes in an ageing East African population. <i>Neurobiology of Aging</i> . 2010;31: 732-40. | 0 | 2 |
| 1071 | Bennett DADJ, P. L.Leurgans, S. E.Schneider, J. A. Neuropathologic intermediate phenotypes enhance association to Alzheimer susceptibility alleles. <i>Neurology</i> . 2009;72: 1495-503. | 0 | 5 |
| 1073 | Ashida SK, L. M.Roberts, J. S.Chen, C. A.Hiraki, S.Green, R. C. Disclosing the disclosure: factors associated with communicating the results of genetic susceptibility testing for Alzheimer's disease. <i>Journal of Health Communication</i> . 2009;14: 768-84. | 0 | 9 |
| 1080 | van Vliet PW, R. G.Eikelenboom, P.Comijs, H. C.Frolich, M.Bakker, E.van der Flier, W.van Exel, E. Parental history of Alzheimer disease associated with lower plasma apolipoprotein E levels. <i>Neurology</i> . 2009;73: 681-7. | 0 | 2 |
| 1085 | Godin OT, C.Maillard, P.Alperovitch, A.Mazoyer, B.Dufouil, C. Apolipoprotein E genotype is related to progression of white matter lesion load. <i>Stroke</i> . 2009;40: 3186-90. | 0 | 9 |
| 1099 | Knopman DSR, R. O.Geda, Y. E.Boeve, B. F.Pankratz, V. S.Cha, R. H.Tangalos, E. G.Ivnik, R. J.Petersen, R. C. Association of prior stroke with cognitive function and cognitive impairment: a population-based study. <i>Archives of Neurology</i> . 2009;66: 614-9. | 0 | 9 |
| 1108 | Drzezga AG, T.Henriksen, G.Muhlau, M.Perneczky, R.Miederer, I.Praus, C.Sorg, C.Wohlschlager, A.Riemenschneider, M.Wester, H. J.Foerstl, H.Schwaiger, M.Kurz, A. Effect of APOE genotype on amyloid plaque load and gray matter volume in Alzheimer disease. <i>Neurology</i> . 2009;72: 1487-94. | 0 | 5 |
| 1109 | van der Vlies AEK, E. L.Pijnenburg, Y. A.Twisk, J. W.Scheltens, P.van der Flier, W. M. Most rapid cognitive decline in APOE epsilon4 negative Alzheimer's disease with early onset. <i>Psychological Medicine</i> . 2009;39: 1907-11. | 0 | 9 |
| 1133 | Ng TPN, M.Feng, L.Kua, E. H.Yap, K. B. Albumin, apolipoprotein E-epsilon4 and cognitive decline in community-dwelling Chinese older adults. <i>Journal of the American Geriatrics Society</i> . 2009;57: 101-6. | 0 | 9 |

| | | | |
|------|--|---|---|
| 1141 | Bi XHZ, H. L.Zhang, Z. X.Zhang, J. W. Association of RFC1 A80G and MTHFR C677T polymorphisms with Alzheimer's disease. <i>Neurobiology of Aging</i> . 2009;30: 1601-7. | 0 | 2 |
| 1142 | Colacicco AMS, V.D'Introno, A.Capurso, C.Kehoe, P. G.Seripa, D.Pilotto, A.Santamato, A.Capurso, A.Panza, F. Alpha-2-macroglobulin gene, oxidized low-density lipoprotein receptor-1 locus, and sporadic Alzheimer's disease. <i>Neurobiology of Aging</i> . 2009;30: 1518-20. | 0 | 2 |
| 1148 | Styczynska MS, J. B.Religa, D.Chodakowska-Zebrowska, M.Pfeffer, A.Gabryelewicz, T.Czapski, G. A.Kobrys, M.Karciauskas, G.Barcikowska, M. Association between genetic and environmental factors and the risk of Alzheimer's disease. <i>Folia Neuropathologica</i> . 2008;46: 249-54. | 0 | 9 |
| 1157 | Akuffo ELD, J. B.Fox, S. M.Gloger, I. S.Hosford, D.Kinsey, E. E.Jones, N. A.Nock, C. M.Roses, A. D.Saunders, A. M.Skehel, J. M.Smith, M. A.Cutler, P. The discovery and early validation of novel plasma biomarkers in mild-to-moderate Alzheimer's disease patients responding to treatment with rosiglitazone. <i>Biomarkers</i> . 2008;13: 618-36. | 0 | 2 |
| 1192 | Christensen KDR, J. S.Royal, C. D.Fasaye, G. A.Obisesan, T.Cupples, L. A.Whitehouse, P. J.Butson, M. B.Linnenbringer, E.Relkin, N. R.Farrer, L.Cook-Deegan, R.Green, R. C. Incorporating ethnicity into genetic risk assessment for Alzheimer disease: the REVEAL study experience. <i>Genetics in Medicine</i> . 2008;10: 207-14. | 0 | 2 |
| 1196 | Bian JTZ, H. L.Zhang, Z. X.Bi, X. H.Zhang, J. W. Association of NAD(P)H:quinone oxidoreductase 1 polymorphism and Alzheimer's disease in Chinese. <i>Journal of Molecular Neuroscience</i> . 2008;34: 235-40. | 0 | 2 |
| 1198 | Schultz MRL, M. J.Franz, C. E.Grant, M. D.Boake, C.Jacobson, K. C.Xian, H.Schellenberg, G. D.Eisen, S. A.Kremen, W. S. Apolipoprotein E genotype and memory in the sixth decade of life. <i>Neurology</i> . 2008;70: 1771-7. | 0 | 9 |
| 1225 | Cagnin AZ, A.Zarantonello, G.Vianello, D.Marchiori, M.Mercurio, D.Micciche, F.Ermani, M.Leon, A.Battistin, L. Serum lipoprotein profile and APOE genotype in Alzheimer's disease. <i>Journal of Neural Transmission</i> . 2007; Supplementum.: 175-9. | 0 | 9 |
| 1226 | Packard CJW, R. G.Stott, D. J.Caslake, M. J.Murray, H. M.Shepherd, J.Blauw, G. J.Murphy, M. B.Bollen, E. L.Buckley, B. M.Cobbe, S. M.Ford, I.Gaw, A.Hyland, M.Jukema, J. W.Kamper, A. M.Macfarlane, P. W.Jolles, J.Perry, I. J.Sweeney, B. J.Twomey, C. Association between apolipoprotein E4 and cognitive decline in elderly adults. <i>Journal of the American Geriatrics Society</i> . 2007;55: 1777-85. | 0 | 1 |
| 1245 | van der Vlies AEP, Y. A.Koene, T.Klein, M.Kok, A.Scheltens, P.van der Flier, W. M. Cognitive impairment in Alzheimer's disease is modified by APOE genotype. <i>Dementia & Geriatric Cognitive Disorders</i> . 2007;24: 98-103. | 0 | 9 |
| 1247 | Corbo RMG, G.Ulizzi, L.Monini, P.Broggio, E.Rosano, A.Scacchi, R. Combined effect of apolipoprotein e genotype and past fertility on age at onset of Alzheimer's disease in women. <i>Dementia & Geriatric Cognitive Disorders</i> . 2007;24: 82-5. | 0 | 2 |
| 1254 | Alexander DMW, L. M.Gatt, J. M.Dobson-Stone, C.Kuan, S. A.Todd, E. G.Schofield, P. R.Cooper, N. J.Gordon, E. The contribution of apolipoprotein E alleles on cognitive performance and dynamic neural activity over six decades. <i>Biological Psychology</i> . 2007;75: 229-38. | 0 | 9 |
| 1322 | Persson JL, J.Larsson, A.Ingvar, M.Cruts, M.Van Broeckhoven, C.Adolfsson, R.Nilsson, L. G.Nyberg, L. Altered brain white matter integrity in healthy carriers of the APOE epsilon4 allele: a risk for AD? <i>Neurology</i> . 2006;66: 1029-33. | 0 | 9 |
| 1351 | Martins CAO, A.de Jager, C. A.Williams, J. H. APOE alleles predict the rate of cognitive decline in Alzheimer disease: a nonlinear model. <i>Neurology</i> . 2005;65: 1888-93. | 0 | 9 |

| | | | |
|------|--|---|---|
| 1365 | Juhasz AP, A.Janka, Z.Rimanoczy, A.Palotas, M.Bodi, N.Boda, K.Zana, M.Vincze, G.Kalman, J. ApoE -491A/T promoter polymorphism is not an independent risk factor, but associated with the epsilon4 allele in Hungarian Alzheimer's dementia population. <i>Neurochemical Research</i> . 2005;30: 591-6. | 0 | 9 |
| 1376 | Bosco PG-R, R. M.Anello, G.Spada, R. S.Romano, A.Caraci, F.Ferri, R.Gueant, J. L. Allele epsilon 4 of APOE is a stronger predictor of Alzheimer risk in Sicily than in continental South Italy. <i>Neuroscience Letters</i> . 2005;388: 168-72. | 0 | 8 |
| 1390 | Sun YS, J.Zhang, S.Tang, M.Han, H.Guo, Y.Ma, C.Liu, X.Li, T. The APOC3 SstI polymorphism is weakly associated with sporadic Alzheimer's disease in a Chinese population. <i>Neuroscience Letters</i> . 2005;380: 219-22. | 0 | 9 |
| 1420 | Scarmeas NH, C.Anderson, K. E.Hilton, J.Devanand, D. P.Pelton, G. H.Tabert, M. H.Flynn, J.Park, A.Ciappa, A.Tycko, B.Stern, Y. Altered PET functional brain responses in cognitively intact elderly persons at risk for Alzheimer disease (carriers of the epsilon4 allele). <i>American Journal of Geriatric Psychiatry</i> . 2004;12: 596-605. | 0 | 2 |
| 1422 | Ballard CGM, C. M.Rao, H.O'Brien, J. T.Barber, R.Stephens, S.Rowan, E.Gibson, A.Kalaria, R. N.Kenny, R. A. APOE epsilon4 and cognitive decline in older stroke patients with early cognitive impairment. <i>Neurology</i> . 2004;63: 1399-402. | 0 | 1 |
| 1474 | Emanuele EP, E.Tomaiolo, C.Feudatari, E.Bernardi, L.Binetti, G.Maletta, R.D'Angelo, A.Montagna, L.Bruni, A. C.Geroldi, D. Apolipoprotein(a) null phenotype is related to a delayed age at onset of Alzheimer's disease. <i>Neuroscience Letters</i> . 2004;357: 45-8. | 0 | 8 |
| 1568 | Kim DHP, M. E.Levy, R. M.MacFall, J. R.Steffens, D. C. APOE genotype and hippocampal volume change in geriatric depression. <i>Biological Psychiatry</i> . 2002;51: 426-9. | 0 | 1 |
| 1570 | Harwood DGB, W. W.Ownby, R. L.Mullan, M.Duara, R. Apolipoprotein E polymorphism and cognitive impairment in a bi-ethnic community-dwelling elderly sample. <i>Alzheimer Disease & Associated Disorders</i> . 2002;16: 8-14. | 0 | 9 |
| 1588 | Peila RW, L. R.Petrovich, H.Masaki, K.Ross, G. W.Havlik, R. J.Launer, L. J. Joint effect of the APOE gene and midlife systolic blood pressure on late-life cognitive impairment: the Honolulu-Asia aging study. <i>Stroke</i> . 2001;32: 2882-9. | 0 | 9 |
| 1602 | Molero AEP-R, G.Maestre, G. E. Modulation by age and gender of risk for Alzheimer's disease and vascular dementia associated with the apolipoprotein E-epsilon4 allele in Latin Americans: findings from the Maracaibo Aging Study. <i>Neuroscience Letters</i> . 2001;307: 5-8. | 0 | 8 |
| 1614 | Czyzewski KL, M. M.Pfeffer, A.Barcikowska, M. Lipid metabolism parameters in patients with Alzheimer's disease and their first degree relatives. <i>Acta Neurobiologiae Experimentalis</i> . 2001;61: 21-6. | 0 | 7 |
| 1660 | de-Andrade FML, M.Callegari-Jacques, S. M.Gastaldo, G.Hutz, M. H. Association of apolipoprotein E polymorphism with plasma lipids and Alzheimer's disease in a Southern Brazilian population. <i>Brazilian Journal of Medical & Biological Research</i> . 2000;33: 529-37. | 0 | 9 |
| 1673 | Abyad Aal, R. Apolipoprotein E genotyping for Alzheimer's disease: ethical concerns and implications for clinical practice. <i>Journal Medical Libanais - Lebanese Medical Journal</i> . 1999;47: 291-4. | 0 | 8 |
| 1679 | Tsuang DL, E. B.Bowen, J.McCormick, W.Teri, L.Noehlin, D.Leverenz, J. B.Peskind, E. R.Lim, A.Raskind, M. A.Thompson, M. L.Mirra, S. S.Gearing, M.Schellenberg, G. D.Kukull, W. The utility of apolipoprotein E genotyping in the diagnosis of Alzheimer disease in a community-based case series. <i>Archives of Neurology</i> . 1999;56: 1489-95. | 0 | 8 |

| | | | |
|------|--|---|---|
| 1690 | Chen LB, L.Ng, H. K.Chan, L. Y.Sastre, I.Artiga, M. J.Valdivieso, F.Bullido, M. J.Chiu, H. F.Pang, C. P. Apolipoprotein E promoter and alpha2-macroglobulin polymorphisms are not genetically associated with Chinese late onset Alzheimer's disease. <i>Neuroscience Letters</i> . 1999;269: 173-7. | 0 | 3 |
| 1770 | Martin ESM, S. E.Edelsohn, L.Borgaonkar, D. S. Studies in a large family with late-onset Alzheimer disease (LOAD). <i>Alzheimer Disease & Associated Disorders</i> . 1997;11: 163-70. | 0 | 2 |
| 1823 | Lehtimaki TP, T.Mehta, P. D.Wisniewski, H. M.Frey, H.Nikkari, T. Apolipoprotein E (apoE) polymorphism and its influence on ApoE concentrations in the cerebrospinal fluid in Finnish patients with Alzheimer's disease. <i>Human Genetics</i> . 1995;95: 39-42. | 0 | 9 |
| 1833 | St Clair DR, M.Slorach, E.Norrman, J.Yates, C.Carothers, A. Apolipoprotein E epsilon 4 allele is a risk factor for familial and sporadic presenile Alzheimer's disease in both homozygote and heterozygote carriers. <i>Journal of Medical Genetics</i> . 1995;32: 642-4. | 0 | 5 |
| 1834 | Czech CF, H.Hentschel, F.Monning, U.Besthorn, C.Geiger-Kabisch, C.Sattel, H.Masters, C.Beyreuther, K. Apolipoprotein E-4 gene dose in clinically diagnosed Alzheimer's disease: prevalence, plasma cholesterol levels and cerebrovascular change. <i>European Archives of Psychiatry & Clinical Neuroscience</i> . 1994;243: 291-2. | 0 | 9 |
| 1859 | Snellman AE, L. L.Tuisku, J.Koivumaki, M.Ashton, N. J.Lanero-Rodriguez, J.Karikari, T. K.Helin, S.Bucci, M.Loyttyniemi, E.Parkkola, R.Karrasch, M.Scholl, M.Zetterberg, H.Blennow, K.Rinne, J. O. APOE epsilon4 gene dose effect on imaging and blood biomarkers of glial reactivity and beta-amyloid pathology. <i>bioRxiv</i> . 2022;20:. | 0 | 7 |
| 1864 | Compton HS, M. L.Bull, C.Korologou-Linden, R.Ben-Shlomo, Y.Bell, J. A.Anderson, E. L. Effects of genetic liability to Alzheimer's disease on circulating metabolites across the life course. <i>medRxiv</i> . 2022;25:. | 0 | 7 |
| 1896 | Khedher MRBH, M.Laurin, D.Ramassamy, C. Apolipoprotein e4-driven effects on inflammatory and neurotrophic factors in peripheral extracellular vesicles from cognitively impaired, no dementia participants who converted to alzheimer's disease. <i>Alzheimer's and Dementia: Translational Research and Clinical Interventions</i> . 2021; 7(1) (no pagination):. | 0 | 9 |
| 1916 | Silvaieh SK, T.Wurm, R.Parvizi, T.Berger-Sieczkowski, E.Goeschl, S.Hotzy, C.Wagner, M.Berutti, R.Sammler, E.Stogmann, E.Zimprich, A. Comprehensive genetic screening of early-onset dementia patients in an Austrian cohort-suggesting new disease-contributing genes. <i>Human Genomics</i> . 2023; 17(1) (no pagination):. | 0 | 2 |
| 1927 | Caillaud MM, S.Hudon, C.Mellah, S.Belleville, S. Hippocampal Volume and Episodic Associative Memory Identify Memory Risk in Subjective Cognitive Decline Individuals in the CIMA-Q Cohort, Regardless of Cognitive Reserve Level and APOE4 Status. <i>Journal of Alzheimer's disease : JAD</i> . 2023;23:. | 0 | 9 |
| 1967 | Sun YC, C.Yu, Y.Zhang, H.Tan, X.Zhang, J.Qi, L.Lu, Y.Wang, N. Replacement of leisure-time sedentary behavior with various physical activities and the risk of dementia incidence and mortality: A prospective cohort study. <i>Journal of Sport and Health Science</i> . 2023; 12(3):. 287-94. | 0 | 2 |
| 2009 | Shang LD, L.Huang, X.Wang, T.Mao, C.Li, J.Wang, J.Liu, C.Gao, J. Association of APOE epsilon4/epsilon4 with fluid biomarkers in patients from the PUMCH dementia cohort. <i>Frontiers in Aging Neuroscience</i> . 2023; 15 (no pagination):. | 0 | 9 |
| 2017 | Nasab ASN, F.Paeizi, Z.Khani, L.Banaei, S.Sadeghi, M.Shafeghat, M.Shafie, M.Mayeli, M. A Comprehensive Investigation of the Potential Role of Lipoproteins and Metabolite Profile as Biomarkers of Alzheimer's Disease Compared to the Known CSF Biomarkers. <i>International Journal of Alzheimer's Disease</i> . 2023; 2023 (no pagination):. | 0 | 2 |
| 2034 | Alty JEB, A. D.Stuart, K. E.Roccati, E.Collins, J. M.King, A. E.Summers, M. J.Vickers, J. C. Sex-Specific Protective Effects of Cognitive Reserve on Age-Related Cognitive Decline: A 5-Year Prospective Cohort Study. <i>Neurology</i> . 2023; 100(2):. E211-E9. | 0 | 2 |

| | | | |
|------|---|---|---|
| 2103 | Savignac CV, S.Badhwar, A.Saltoun, K.Shafiqhi, K.Zajner, C.Sharma, V.Gagliano Taliun, S. A.Farhan, S.Poirier, J.Bzdok, D. APOE alleles are associated with sex-specific structural differences in brain regions affected in Alzheimer's disease and related dementia. PLoS Biology. 2022; 20(12) (no pagination).. | 0 | 9 |
| 2232 | Bracher-Smith ML, G.Baker, E.Crawford, K.Graham, A. C.Salih, D. A.Howell, B. W.Hardy, J.Escott-Price, V. Whole genome analysis in APOE4 homozygotes identifies the DAB1-RELN pathway in Alzheimer's disease pathogenesis. Neurobiology of Aging. 2022;119: 67-76. | 0 | 9 |
| 2274 | Stites SDV, N. M.Blacker, D.Rumbaugh, M.Parker, M. W. Patients asking about APOE gene test results? Here's what to tell them. Journal of Family Practice. 2022; 71(4):. E1-E7. | 0 | 8 |
| 2291 | Pedrini SC, P.Nakamura, A.Tegg, M.Hone, E.Rainey-Smith, S. R.Rowe, C. C.Dore, V.Villemagne, V. L.Ames, D.Kaneko, N.Gardener, S. L.Taddei, K.Fernando, B.Martins, I.Bharadwaj, P.Sohrabi, H. R.Masters, C. L.Brown, B.Martins, R. N. The Association Between Alzheimer's Disease-Related Markers and Physical Activity in Cognitively Normal Older Adults. Frontiers in Aging Neuroscience. 2022; 14 (no pagination).. | 0 | 2 |
| 2297 | Dunk MMD, I. Total Cholesterol and APOE-Related Risk for Alzheimer's Disease in the Alzheimer's Disease Neuroimaging Initiative. Journal of Alzheimer's Disease. 2022; 85(4):. 1519-28. | 0 | 9 |
| 2318 | Shi DX, S.Li, A.Wang, Q.Guo, H.Han, Y.Xu, H.Gan, W. B.Zhang, L.Guo, T. APOE-epsilon4 modulates the association among plasma Aβ ₄₂ /Aβ ₄₀ , vascular diseases, neurodegeneration and cognitive decline in non-demented elderly adults. Translational Psychiatry. 2022; 12(1) (no pagination).. | 0 | 9 |
| 2326 | Savola SK, K.Raunio, A.Kero, M.Makela, M.Parn, K.Palta, P.Tanskanen, M.Tuimala, J.Polvikoski, T.Tienari, P. J.Paetau, A.Myllykangas, L. Primary age-related tauopathy in a Finnish population-based study of the oldest old (Vantaa 85+). Neuropathology and Applied Neurobiology. 2022; 48(3) (no pagination).. | 0 | 2 |
| 2344 | Belloy MEE, S. J.Le Guen, Y.Damotte, V.Ahmad, S.Ikram, M. A.Ramirez, A.Tsolaki, A. C.Rossi, G.Jansen, I. E.de Rojas, I.Parveen, K.Sleegers, K.Ingelsson, M.Hiltunen, M.Amin, N.Andreassen, O.Sanchez-Juan, P.Kehoe, P.Amouyel, P.Sims, R.Frikke-Schmidt, R.van der Flier, W. M.Lambert, J. C.He, Z.Han, S. S.Napolioni, V.Greicius, M. D. Challenges at the APOE locus: a robust quality control approach for accurate APOE | 0 | 2 |
| 2388 | Fockler JK, W.Ashford, M. T.Flenniken, D.Hwang, J.Truran, D.Mackin, R. S.Jin, C.O'Hara, R.Hallmayer, J. F.Yesavage, J. A.Weiner, M. W.Nosheny, R. L. Brain health registry GenePool study: A novel approach to online genetics research. Alzheimer's and Dementia: Translational Research and Clinical Interventions. 2021; 7(1) (no pagination).. | 0 | 2 |
| 2408 | Oz OY, G.Bora, E.Cankaya, T.Ataman, E.Ercal, D.Ulgenalp, A. Effects of APOE, ACE, PICALM, and CYP2D6 Gene Variants on Alzheimer's Disease. Current Psychiatry Research and Reviews. 2021; 17(2):. 127-36. | 0 | 1 |
| 2414 | Ben Khedher MRH, M.Laurin, D.Ramassamy, C. Effect of APOE epsilon4 allele on levels of apolipoproteins E, J, and D, and redox signature in circulating extracellular vesicles from cognitively impaired with no dementia participants converted to Alzheimer's disease. Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring. 2021; 13(1) (no pagination).. | 0 | 9 |
| 2446 | Smith JAK, M.Zhao, W.Yu, M.Mitchell, C.Faul, J. D. Genetic effects and gene-by-education interactions on episodic memory performance and decline in an aging population. Social Science and Medicine. 2021; 271 (no pagination).. | 0 | 1 |
| 2556 | Granot-Hershkovitz ET, W.Kurniansyah, N.Daviglus, M.Isasi, C. R.Kaplan, R.Lamar, M.Perreira, K. M.Wassertheil-Smoller, S.Stickel, A.Thyagarajan, B.Zeng, D.Fornage, M.DeCarli, C. S.Gonzalez, H. M.Sofer, T. APOE alleles' association with cognitive function differs across Hispanic/Latino groups and genetic ancestry in the study of Latinos-investigation of neurocognitive aging (HCHS/SOL). Alzheimer's and Dementia. | 0 | 9 |
| 2580 | Alavez-Rubio JSM-R, N.Escobedo-de-la-Pena, J.Garrido-Acosta, O.Juarez-Cedillo, T. Relationship Between Genetic Variants of ACAT1 and APOE with the Susceptibility to Dementia (SADEM Study). Molecular Neurobiology. 2021; 58(3):. 905-12. | 0 | 2 |

| | | | |
|------|--|---|---|
| 2634 | Li WX, Y.Yu, T.Wu, W.Wang, K.Wu, S.Qing, Z.Zhang, X.Li, M.Liu, R.Yin, Z.Zhang, B. APOE epsilon4 allele modified the correlation between deep grey matter volume and cognitive performance in non-demented elders. Chinese Journal of Academic Radiology. 2020; 3(3):. 152-61. | 0 | 9 |
| 2743 | Scassellati CC, M.Maj, C.Geroldi, C.Zanetti, O.Gennarelli, M.Bonvicini, C. Behavioral and psychological symptoms of dementia (Bpsd): Clinical characterization and genetic correlates in an italian alzheimer's disease cohort. Journal of Personalized Medicine. 2020; 10(3):. 1-16. | 0 | 9 |
| 2773 | Therriault JB, A. L.Pascoal, T. A.Mathotaarachchi, S.Chamoun, M.Savard, M.Thomas, E.Kang, M. S.Lussier, F.Tissot, C.Parsons, M.Qureshi, M. N. I.Vitali, P.Massarweh, G.Soucy, J. P.Rej, S.Saha-Chaudhuri, P.Gauthier, S.Rosa-Neto, P. Association of Apolipoprotein e 4 with Medial Temporal Tau Independent of Amyloid-beta. JAMA Neurology. 2020; 77(4):. 470-9. | 0 | 9 |
| 2775 | Alpinar-Sencan ZL, L.Schickanz, S. Planning later life with dementia: comparing family caregivers' perspectives on biomarkers with laypersons' attitudes towards genetic testing of dementia prediction. New Genetics and Society. 2020; 39(1):. 52-79. | 0 | 2 |
| 2809 | Sierksma AL, A.Mancuso, R.Fattorelli, N.Thrupp, N.Salta, E.Zoco, J.Blum, D.Buee, L.De Strooper, B.Fiers, M. Novel Alzheimer risk genes determine the microglia response to amyloid-beta but not to TAU pathology. EMBO Molecular Medicine. 2020; 12(3) (no pagination):. | 0 | 5 |
| 2841 | Li WQ, Q.Sun, L.Li, X.Xiao, S. Short-term adverse effects of the apolipoprotein E epsilon4 allele over language function and executive function in healthy older adults. Neuropsychiatric Disease and Treatment. 2019;15: 1855-61. | 0 | 9 |
| 2857 | Hsu MD, M.Crusio, W. E.Delprato, A. Sex differences in gene expression patterns associated with the APOE4 allele. F1000Research. 2019; 8 (no pagination):. | 0 | 9 |
| 2897 | Szoeke CG, A. M.Gorelik, A.Dennerstein, L.Caeyenberghs, K.Simpson, S.Hill, E.Campbell, S. Apolipoprotein E4 Mediates the Association between Midlife Dyslipidemia and Cerebral Amyloid in Aging Women. Journal of Alzheimer's Disease. 2019; 68(1):. 105-14. | 0 | 2 |
| 2899 | Escott-Price VB, E.Shoai, M.Leonenko, G.Myers, A. J.Huentelman, M.Hardy, J. Genetic analysis suggests high misassignment rates in clinical Alzheimer's cases and controls. Neurobiology of Aging. 2019;77: 178-82. | 0 | 2 |
| 2925 | Langlois CMB, A.Wood, E. M.Roberts, J. S.Kim, S. Y. H.Riviere, M. E.Liu, F.Reiman, E. M.Tariot, P. N.Karlawish, J.Langbaum, J. B. Alzheimer's Prevention Initiative Generation Program: Development of an APOE genetic counseling and disclosure process in the context of clinical trials. Alzheimer's and Dementia: Translational Research and Clinical Interventions. 2019;5: 705-16. | 0 | 9 |
| 2950 | Ma YJ, G. R.Zhang, X.Chung, J.Naj, A. C.Chen, Y.Bellenguez, C.Hamilton-Nelson, K.Martin, E. R.Kunkle, B. W.Bis, J. C.Debette, S.Destefano, A. L.Fornage, M.Nicolas, G.Van Duijn, C.Bennett, D. A.De Jager, P. L.Mayeux, R.Haines, J. L.Pericak-Vance, M. A.Seshadri, S.Lambert, J. C.Schellenberg, G. D.Lunetta, K. L.Farrer, L. A. Analysis of Whole-Exome Sequencing Data for Alzheimer Disease Stratified by APOE Genotype. | 0 | 9 |
| 2989 | Shamieh SEC, C.Kassir, R.Visvikis-Siest, S.Bissar-Tadmouri, N. APOE genotypes in Lebanon: Distribution and association with hypercholesterolemia and Alzheimer's disease. Personalized Medicine. 2019; 16(1):. 15-23. | 0 | 9 |
| 3140 | Brookes KJM, G.Williams, K.Chaudhury, S.Madhan, G.Patel, T.Turley, C.Guetta-Baranes, T.Bras, J.Guerreiro, R.Hardy, J.Francis, P. T.Morgan, K. Genotyping of the Alzheimer's Disease Genome-Wide Association Study Index Single Nucleotide Polymorphisms in the Brains for Dementia Research Cohort. Journal of Alzheimer's Disease. 2018; 64(2):. 355-62. | 0 | 2 |
| 3160 | Liu JZ, W.Ware, E. B.Turner, S. T.Mosley, T. H.Smith, J. A. DNA methylation in the APOE genomic region is associated with cognitive function in African Americans. BMC Medical Genomics. 2018; 11(1) (no pagination):. | 0 | 2 |

| | | | |
|------|---|---|---|
| 3192 | Todd MS, L.Vasunilashorn, S. M.Notterman, D.Ullman, M. T.Goldman, N. Apolipoprotein E, cognitive function, and cognitive decline among older Taiwanese adults. <i>PLoS ONE</i> . 2018; 13(10) (no pagination):. | 0 | 9 |
| 3224 | Kitzlerova EF, Z.Lelkova, P.Jirak, R.Zverova, M.Hroudova, J.Manukyan, A.Martasek, P.Raboch, J. Interactions among polymorphisms of susceptibility loci for Alzheimer's disease or depressive disorder. <i>Medical Science Monitor</i> . 2018;24: 2599-619. | 0 | 9 |
| 3229 | Moon SWL, B.Choi, Y. C. Changes in the hippocampal volume and shape in early-onset mild cognitive impairment. <i>Psychiatry Investigation</i> . 2018; 15(5): 531-7. | 0 | 9 |
| 3344 | Cristia-Lara LS-P, S.Urrutia-Ambler, N.Garrudo-Guirado, A.Posada-Garcia, A.Galan-Garcia, L.Verde-Corvo, L.Rodriguez-Morera, M.Dorestes-Brown, M.Bobes-Leon, M. A.Rodriguez-Tanty, C.Sablon-Carrazana, M.Manrique-Suarez, V. Association of antineuronal antibody levels with cognitive impairment in older Cuban adults. <i>MEDICC Review</i> . 2017; 19(2-3): 32-9. | 0 | 9 |
| 3349 | Muenchhoff JS, F.Poljak, A.Crawford, J. D.Mather, K. A.Kochan, N. A.Yang, Z.Trollor, J. N.Reppermund, S.Maston, K.Theobald, A.Kirchner-Adelhardt, S.Kwok, J. B.Richmond, R. L.McEvoy, M.Attia, J.Schofield, P. W.Brodaty, H.Sachdev, P. S. Plasma apolipoproteins and physical and cognitive health in very old individuals. <i>Neurobiology of Aging</i> . 2017;55: 49-60. | 0 | 9 |
| 3376 | Bates KAS, H. R.Rainey-Smith, S. R.Weinborn, M.Bucks, R. S.Rodrigues, M.Beilby, J.Howard, M.Taddei, K.Martins, G.Paton, A.Shah, T.Dhaliwal, S. S.Foster, J. K.Martins, I. J.Lautenschlager, N. T.Mastaglia, F. L.Gandy, S. E.Martins, R. N. Serum high-density lipoprotein is associated with better cognitive function in a cross-sectional study of aging women. <i>International Journal of Neuroscience</i> . 2017; 127(3): 243-52. | 0 | 2 |
| 3438 | Nielsen HMC, K.Lee, W.Chen, Y.Bauer, R. J.Reiman, E.Caselli, R.Bu, G. Peripheral apoE isoform levels in cognitively normal APOE epsilon3/epsilon4 individuals are associated with regional gray matter volume and cerebral glucose metabolism. <i>Alzheimer's Research and Therapy</i> . 2017; 9(1): 1-10. | 0 | 9 |
| 3540 | Nishimura AN, H.Tanaka, S.Yoshida, M.Maruyama, Y.Aritomi, Y.Saunders, A. M.Burns, D. K.Lutz, M. W.Runyan, G.Lai, E.Budur, K.Roses, A. D. Characterization of APOE and TOMM40 allele frequencies in the Japanese population. <i>Alzheimer's and Dementia: Translational Research and Clinical Interventions</i> . 2017; 3(4): 524-30. | 0 | 9 |
| 3541 | Tateno AS, T.Kim, W. C.Koeda, M.Kumita, S.Suzuki, H.Okubo, Y. Effect of apolipoprotein E phenotype on the association of plasma amyloid beta and amyloid positron emission tomography imaging in Japan. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> . 2017;9: 51-6. | 0 | 2 |
| 3632 | De Luca VO, M. D.Gaudenzi, S.Caltagirone, C.Spalletta, G. Inverse effect of the APOE epsilon4 allele in late- and early-onset Alzheimer's disease. <i>European Archives of Psychiatry and Clinical Neuroscience</i> . 2016; 266(7): 599-606. | 0 | 2 |
| 3638 | Villarreal AEG, S.O'Bryant, S. E.Edwards, M.Lopez, L.Montalvan, A.Britton, G. B. Characterization of Alzheimer's Disease and Mild Cognitive Impairment in Older Adults in Panama. <i>Journal of Alzheimer's Disease</i> . 2016; 54(3): 897-901. | 0 | 3 |
| 3660 | Allred NDR, L. M.Hardy, J. C.Hsu, F. C.Divers, J.Xu, J.Smith, S. C.Hugenschmidt, C. E.Wagner, B. C.Whitlow, C. T.Sink, K. M.Maldjian, J. A.Williamson, J. D.Bowden, D. W.Freedman, B. I. APOE genotypes associate with cognitive performance but not cerebral structure: Diabetes heart study MIND. <i>Diabetes Care</i> . 2016; 39(12): 2225-31. | 0 | 9 |
| 3672 | McKenna FK, B. B.Killiany, R.for the Alzheimer's Disease Neuroimaging, Initiative. Comparison of ApoE-related brain connectivity differences in early MCI and normal aging populations: an fMRI study. <i>Brain Imaging and Behavior</i> . 2016; 10(4): 970-83. | 0 | 9 |
| 3723 | de Bem CMBEP, J. C.Borba, E. M.Chaves, M. L. F.de Andrade, F. M.Fiegenbaum, M.Camozzato, A. The synergistic risk effect of apolipoprotein epsilon4 and DNA (cytosine-5-)-methyltransferase 3 beta (DNMT3B) haplotype for Alzheimer's disease. <i>Molecular Biology Reports</i> . 2016; 43(7): 653-8. | 0 | 9 |

| | | | |
|------|---|---|---|
| 3725 | Christensen KDR, J. S.Whitehouse, P. J.Royal, C. D. M.Obisesan, T. O.Cupples, L. A.Vernarelli, J. A.Bhatt, D. L.Linnenbringer, E.Butson, M. B.Fasaye, G. A.Uhlmann, W. R.Hiraki, S.Wang, N.Cook-Deegan, R.Green, R. C. Disclosing pleiotropic effects during genetic risk assessment for Alzheimer disease. <i>Annals of Internal Medicine</i> . 2016; 164(3):. 155-63. | 0 | 1 |
| 3764 | Stage ED, T.Risacher, S. L.Goukasian, N.Do, T. M.West, J. D.Wilhalme, H.Nho, K.Phillips, M.Elashoff, D.Saykin, A. J.Apostolova, L. G. The effect of the top 20 Alzheimer disease risk genes on gray-matter density and FDG PET brain metabolism. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> . 2016;5: 53-66. | 0 | 9 |
| 3783 | Christensen KDR, J. S.Zikmund-Fisher, B. J.Kardia, S. L. R.McBride, C. M.Linnenbringer, E.Green, R. C. Associations between self-referral and health behavior responses to genetic risk information. <i>Genome Medicine</i> . 2015; 7(1) (no pagination):. | 0 | 9 |
| 3805 | Braga ILSS, P. N.Furuya, T. K.Santos, L. C.Pires, B. C.Mazzotti, D. R.Bertolucci, P. H.Cendoroglo, M. S.Smith, M. C. Effect of APOE and CHRNA7 genotypes on the cognitive response to cholinesterase inhibitor treatment at different stages of Alzheimer's disease. <i>American Journal of Alzheimer's Disease and other Dementias</i> . 2015; 30(2):. 139-44. | 0 | 9 |
| 3872 | Alcolea DM-L, P.Sanchez-Juan, P.Olazaran, J.Antunez, C.Izagirre, A.Ecay-Torres, M.Estanga, A.Clerigue, M.Guisasola, M. C.Sanchez Ruiz, D.Marin Munoz, J.Calero, M.Blesa, R.Clarimon, J.Carmona-Iragui, M.Morenas-Rodriguez, E.Rodriguez-Rodriguez, E.Vazquez Higuera, J. L.Forteza, J.Lleo, A. Amyloid precursor protein metabolism and inflammation markers in preclinical Alzheimer disease. <i>Neurology</i> . 2015; 85(7):. | 0 | 2 |
| 3882 | Rezeli MZ, H.Blennow, K.Brinkmalm, A.Laurell, T.Hansson, O.Marko-Varga, G. Quantification of total apolipoprotein E and its specific isoforms in cerebrospinal fluid and blood in Alzheimer's disease and other neurodegenerative diseases. <i>EuPA Open Proteomics</i> . 2015;8: 137-43. | 0 | 9 |
| 3883 | Agarwal RT, P.Kushwaha, S. S.Tripathi, C. B.Kukreti, R. Effect of apolipoprotein e (APO E) polymorphism on leptin in Alzheimer's disease. <i>Annals of Indian Academy of Neurology</i> . 2015; 18(3):. 320-6. | 0 | 2 |
| 3890 | Jeong HS, S.Kim, S. K.Park, K. J.Choi, N. C.Kwon, O. Y.Lim, B.Kang, H. Age, hypertension, and genetic polymorphisms and their relative associations with white matter hyperintensities in Korean patients with Alzheimer's disease. <i>Neurology Asia</i> . 2015; 20(1):. 35-41. | 0 | 9 |
| 3964 | Schmidt CG, N.Peter, C.Gherib, K.Lange, K.Friede, T.Zerr, I. Cerebrospinal fluid Apolipoprotein e concentration and progression of Alzheimer's disease. <i>Journal of Alzheimer's Disease</i> . 2014; 43(4):. 1229-36. | 0 | 2 |
| 3992 | Quintas JLS, V. C.Henriques, A. D.Machado-Silva, W.Toledo, J. O.Cordova, C.Moraes, C. F.Camargos, E. F.Nobrega, O. T. Lack of association between apolipoprotein E genotypes and cognitive performance in the non-demented elderly. <i>Psychogeriatrics</i> . 2014; 14(1):. 11-6. | 0 | 9 |
| 4036 | Barekatain MZ, F.Askarpour, H.Maracy, M. R.Hashemi-Jazi, M.Aghaye-Ghazvini, M. R. Coronary artery disease and plasma apolipoprotein E4 in mild cognitive impairment. <i>ARYA Atherosclerosis</i> . 2014;10:. | 0 | 9 |
| 4041 | Achouri-Rassas AHF, S.Mrabet Khiari, H.Bibi, A.Siala, H.Mrabet, A.Messaoud, T. Association between alzheimer disease and the -491T allele of regulatory region polymorphism of apolipoprotein e in a Tunisian population. <i>Neurochemical Research</i> . 2014; 39(2):. 244-7. | 0 | 9 |
| 4042 | Ungar LA, A.Greicius, M. D. Apolipoprotein E, gender, and Alzheimer's disease: An overlooked, but potent and promising interaction. <i>Brain Imaging and Behavior</i> . 2014; 8(2):. 262-73. | 0 | 8 |
| 4084 | Ebbert MTWR, P. G.Wilson, A. R.Sharp, A. R.Bailey, M.Norton, M. C.Tschanz, J. T.Munger, R. G.Corcoran, C. D.Kauwe, J. S. K. Population-based analysis of Alzheimer's disease risk alleles implicates genetic interactions. <i>Biological Psychiatry</i> . 2014; 75(9):. 732-7. | 0 | 2 |

| | | | |
|------|---|---|---|
| 4088 | Shen LT, P. M.Potkin, S. G.Bertram, L.Farrer, L. A.Foroud, T. M.Green, R. C.Hu, X.Huentelman, M. J.Kim, S.Kauwe, J. S. K.Li, Q.Liu, E.Macciardi, F.Moore, J. H.Munsie, L.Nho, K.Ramanan, V. K.Risacher, S. L.Stone, D. J.Swaminathan, S.Toga, A. W.Weiner, M. W.Saykin, A. J. Genetic analysis of quantitative phenotypes in AD and MCI: Imaging, cognition and biomarkers. <i>Brain Imaging and Behavior</i> . 2014; 8(2):. 183-207. | 0 | 2 |
| 4167 | Dube JBJ, C. T.Robinson, J. F.Lindsay, J.Hachinski, V.Hegele, R. A. Genetic determinants of 'cognitive impairment, no dementia'. <i>Journal of Alzheimer's Disease</i> . 2013; 33(3):. 831-40. | 0 | 9 |
| 4212 | Thambisetty MA, Y.Tanaka, T. Alzheimer's disease risk genes and the age-at-onset phenotype. <i>Neurobiology of Aging</i> . 2013; 34(11):. e1-2696. | 0 | 9 |
| 4237 | Lojkowska WW, G.Bednarska-Makaruk, M.Wehr, H.Sienkiewicz-Jarosz, H.Graban, A.Bochynska, A.Wisniewska, A.Gugala, M.Slawinska, K.Sawicka, B.Poniatowska, R.Ryglewicz, D. Correlations between cerebellar and brain volumes, cognitive impairments, ApoE levels, and APOE genotypes in patients with AD and MCI. <i>Current Alzheimer Research</i> . 2013; 10(9):. 964-72. | 0 | 9 |
| 4254 | Chen HFH, C. Q.You, C.Wang, Z. R.Si-qing, H. Polymorphism of CLOCK Gene rs 4580704 C>G Is Associated with Susceptibility of Alzheimer's Disease in a Chinese Population. <i>Archives of Medical Research</i> . 2013; 44(3):. 203-7. | 0 | 9 |
| 4357 | Shi HB, O.Medway, C.Carrasquillo, M.Proitsi, P.Powell, J.Lovestone, S.Goate, A.Youngkin, S.Morgan, K.Passmore, P.Craig, D.Johnston, J.McGuinness, B.Todd, S.Heun, R.Kolsch, H.Kehoe, P. G.Hooper, N. M.Vardy, E. R. L. C.Mann, D. M.Brown, K.Kalsheker, N.Smith, A. D.Wilcock, G.Warden, D.Holmes, C. Genetic variants influencing human aging from late-onset Alzheimer's disease (LOAD) genome-wide association studies | 0 | 2 |
| 4390 | Goldknopf ILP, H. R.Sabbagh, M. Apolipoprotein E4 serum concentration for increased sensitivity and specificity of diagnosis of drug treated Alzheimer's disease patients vs. drug treated Parkinson's disease patients vs. age-matched normal controls. <i>Current Alzheimer Research</i> . 2012; 9(10):. 1149-67. | 0 | 9 |
| 4442 | Soares HDP, W. Z.Pickering, E.Kuhn, M.Immermann, F. W.Shera, D. M.Ferm, M.Dean, R. A.Simon, A. J.Swenson, F.Siuciak, J. A.Kaplow, J.Thambisetty, M.Zagouras, P.Koroshetz, W. J.Wan, H. I.Trojanowski, J. Q.Shaw, L. M. Plasma biomarkers associated with the apolipoprotein E genotype and alzheimer disease. <i>Archives of Neurology</i> . 2012; 69(10):. 1310-7. | 0 | 9 |
| 4453 | Yasuno FT, S.Sasaki, M.Hidaka, S.Ikejima, C.Yamashita, F.Kodama, C.Mizukami, K.Michikawa, M.Asada, T. Association between cognitive function and plasma lipids of the elderly after controlling for apolipoprotein e genotype. <i>American Journal of Geriatric Psychiatry</i> . 2012; 20(7):. 574-83. | 0 | 9 |
| 4520 | Roberts JSC, C. A.Uhlmann, W. R.Green, R. C. Effectiveness of a condensed protocol for disclosing APOE genotype and providing risk education for Alzheimer disease. <i>Genetics in Medicine</i> . 2012; 14(8):. 742-8. | 0 | 9 |
| 4541 | Brown BH, M. H.Karlamangla, A.Seeman, T.Kado, D. Do the effects of APOE- E4 on cognitive function and decline depend upon vitamin status? Macarthur studies of successful aging. <i>Journal of Nutrition, Health and Aging</i> . 2011; 15(3):. 196-201. | 0 | 9 |
| 4546 | Lescai FC, A. M.Codemo, A.Pirazzini, C.D'Agostino, G.Ruaro, C.Ghidoni, R.Benussi, L.Galimberti, D.Esposito, F.Marchegiani, F.Cardelli, M.Olivieri, F.Nacmias, B.Sorbi, S.Tagliavini, F.Albani, D.Boneschi, F. M.Binetti, G.Santoro, A.Forloni, G.Scarpini, E.Crepaldi, G.Gabelli, C.Franceschi, C. An APOE haplotype associated with decreased 4 expression increases the risk of late onset alzheimer's disease. <i>Journal of Alzheimer's Disease</i> . | 0 | 9 |
| 4551 | Wilson RSB, S.Lee, J. H.Leurgans, S. E.Foroud, T. M.Sweet, R. A.Graff-Radford, N.Bird, T. D.Mayeux, R.Bennett, D. A. Heritability of different forms of memory in the late onset alzheimer's disease family study. <i>Journal of Alzheimer's Disease</i> . 2011; 23(2):. 249-55. | 0 | 2 |
| 4656 | Combarros OR-R, E.Mateo, I.Vazquez-Higuera, J. L.Infante, J.Berciano, J.Sanchez-Juan, P. APOE dependent-association of PPAR-gamma genetic variants with Alzheimer's disease risk. <i>Neurobiology of Aging</i> . 2011; 32(3):. e1-547. | 0 | 2 |

| | | | |
|------|--|---|---|
| 4694 | Cervantes SS, L.Vidal-Taboada, J. M.Lamet, I.Bullido, M. J.Frank-Garcia, A.Coria, F.Lleo, A.Clarimon, J.Lorenzo, E.Alonso, E.Sanchez-Juan, P.Rodriguez-Rodriguez, E.Combarros, O.Rosich, M.Vilella, E.Pastor, P. Genetic variation in APOE cluster region and Alzheimer's disease risk. <i>Neurobiology of Aging</i> . 2011; 32(11):. e7-2107. | 0 | 2 |
| 4703 | Schipper HM. Presymptomatic apolipoprotein e genotyping for Alzheimer's disease risk assessment and prevention. <i>Alzheimer's and Dementia</i> . 2011; 7(4):. e118-e23. | 0 | 8 |
| 4870 | Stone DJM, C.Suver, C.Schadt, E. E.Potter, W. Z. ApoE genotyping as a progression-rate biomarker in phase II disease-modification trials for Alzheimer's disease. <i>Pharmacogenomics Journal</i> . 2010; 10(3):. 161-4. | 0 | 8 |
| 4999 | Xue SJ, L.Jia, J. Association between somatostatin gene polymorphisms and sporadic Alzheimer's disease in Chinese population. <i>Neuroscience Letters</i> . 2009; 465(2):. 181-3. | 0 | 2 |
| 5016 | Seripa DP, F.Franceschi, M.D'Onofrio, G.Solfrizzi, V.Dallapiccola, B.Pilotto, A. Non-apolipoprotein E and apolipoprotein E genetics of sporadic Alzheimer's disease. <i>Ageing Research Reviews</i> . 2009; 8(3):. 214-36. | 0 | 8 |
| 5030 | Tractenberg REA, P. S.Hancock, G. R.William Rebeck, G. No cross-sectional influence of APOE epsilon4 dose on clinical tests in Alzheimer's disease. <i>Neurobiology of Aging</i> . 2009; 30(8):. 1327-8. | 0 | 3 |
| 5048 | Knopman DSM, T. H.Catellier, D. J.Coker, L. H. Fourteen-year longitudinal study of vascular risk factors, APOE genotype, and cognition: The ARIC MRI Study. <i>Alzheimer's and Dementia</i> . 2009; 5(3):. 207-14. | 0 | 9 |
| 5056 | Bizzarro AS, D.Acciarri, A.Matera, M. G.Pilotto, A.Tiziano, F. D.Brahe, C.Masullo, C. The complex interaction between APOE promoter and AD: An Italian case-control study. <i>European Journal of Human Genetics</i> . 2009; 17(7):. 938-45. | 0 | 2 |
| 5059 | Hiraki SC, C. A.Roberts, J. S.Cupples, L. A.Green, R. C. Perceptions of familial risk in those seeking a genetic risk assessment for Alzheimer's disease. <i>Journal of Genetic Counseling</i> . 2009; 18(2):. 130-6. | 0 | 1 |
| 5071 | Silbert BSE, L. A.Scott, D. A.Cowie, T. F. The Apolipoprotein E 4 Allele is not Associated With Cognitive Dysfunction in Cardiac Surgery. <i>Annals of Thoracic Surgery</i> . 2008; 86(3):. 841-7. | 0 | 1 |
| 5104 | Blom ESH, P.Arepalli, S.Adighibe, O.Hamshire, M. L.Gatz, M.Pedersen, N. L.Bergem, A. L. M.Owen, M. J.Hollingworth, P.Goate, A.Williams, J.Lannfelt, L.Hardy, J.Wavrant-De Vrieze, F.Glaser, A. Does APOE explain the linkage of Alzheimer's disease to chromosome 19q13? <i>American Journal of Medical Genetics, Part B: Neuropsychiatric Genetics</i> . 2008; 147(6):. 778-83. | 0 | 9 |
| 5105 | Davidson YG, L.Pritchard, A.Hardicre, J.Wren, J.Stopford, C.Julien, C.Thompson, J.Payton, A.Pickering-Brown, S. M.Pendleton, N.Horan, M. A.Burns, A.Purandare, N.Lendon, C. L.Neary, D.Snowden, J. S.Mann, D. M. A. Apolipoprotein E epsilon4 allele frequency and age at onset of Alzheimer's disease. <i>Dementia and Geriatric Cognitive Disorders</i> . 2007; 23(1):. 60-6. | 0 | 9 |
| 5115 | Cosentino SS, N.Helzner, E.Glymour, M. M.Brandt, J.Albert, M.Blackler, D.Stern, Y. APOE epsilon 4 allele predicts faster cognitive decline in mild Alzheimer disease. <i>Neurology</i> . 2008; 70(19 Pt 2):. 1842-9. | 0 | 9 |
| 5153 | Elias MFR, M. A.Budge, M. M.Elias, P. K.Dore, G. A.Brennan, S. L.Johnston, C.Nagy, Z. Homocysteine and cognitive performance: Modification by the ApoE genotype. <i>Neuroscience Letters</i> . 2008; 430(1):. 64-9. | 0 | 9 |

| | | | |
|------|--|---|---|
| 5170 | Persson JL, J.Larsson, A.Ingvar, M.Sleegers, K.Van Broeckhoven, C.Adolfsson, R.Nilsson, L. G.Nyberg, L. Altered deactivation in individuals with genetic risk for Alzheimer's disease. <i>Neuropsychologia</i> . 2008; 46(6):. 1679-87. | 0 | 2 |
| 5196 | Hatzifilippou EB, T.Traka, M.Koutsouraki, E.Costa, V.Baloyannis, S. J. Apolipoprotein E phenotype in demented patients in Greek population. <i>International Journal of Neuroscience</i> . 2008; 118(1):. 163-72. | 0 | 9 |
| 5244 | Gomez-Tortosa EB, M. S.Baron, M.Sainz, M. J.Manzano, S.Payno, M.Ros, R.Almaraz, C.Gomez-Garre, P.Jimenez-Escrig, A. Variability of age at onset in siblings with familial Alzheimer disease. <i>Archives of Neurology</i> . 2007; 64(12):. 1743-8. | 0 | 2 |
| 5247 | Sobow TF, M.Liberski, P. P.Kloszewska, I. Plasma Abeta peptides and apolipoprotein E in sporadic Alzheimer's disease and mild cognitive impairment. <i>Archives of Psychiatry and Psychotherapy</i> . 2007; 9(1-2):. 35-42. | 0 | 2 |
| 5251 | Aybek HE, F.Aslan, D.Sahiner, T. Determination of malondialdehyde, reduced glutathione levels and APOE4 allele frequency in late-onset Alzheimer's disease in Denizli, Turkey. <i>Clinical Biochemistry</i> . 2007; 40(3-4):. 172-6. | 0 | 9 |
| 5276 | Coon KDM, A. J.Craig, D. W.Webster, J. A.Pearson, J. V.Lince, D. H.Zismann, V. L.Beach, T. G.Leung, D.Bryden, L.Halperin, R. F.Marlowe, L.Kaleem, M.Walker, D. G.Ravid, R.Heward, C. B.Rogers, J.Papassotiropoulos, A.Reiman, E. M.Hardy, J.Stephan, D. A. A high-density whole-genome association study reveals that APOE is the major susceptibility gene for sporadic late-onset Alzheimer's disease. | 0 | 5 |
| 5303 | Seeman TEH, M. H.Bretsky, P.Crimmins, E.Launer, L.Guralnik, J. M. Education and APOE-e4 in longitudinal cognitive decline: MacArthur Studies of Successful Aging. <i>Journals of Gerontology - Series B Psychological Sciences and Social Sciences</i> . 2005; 60(2):. P74-P83. | 0 | 9 |
| 5356 | Hu PB, P.Crimmins, E. M.Guralnik, J. M.Reuben, D. B.Seeman, T. E. Association between serum beta-carotene levels and decline of cognitive function in high-functioning older persons with or without apolipoprotein E 4 alleles: MacArthur studies of successful aging. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> . 2006; 61(6):. 616-20. | 0 | 9 |
| 5357 | Corbo RMG, G.Ruggeri, M.Scacchi, R. Association of estrogen receptor alpha (ESR1) PvuII and XbaI polymorphisms with sporadic Alzheimer's disease and their effect on apolipoprotein E concentrations. <i>Dementia and Geriatric Cognitive Disorders</i> . 2006; 22(1):. 67-72. | 0 | 2 |
| 5381 | Chiappelli MB, B.Archetti, S.Calabrese, E.Corsi, M. M.Franceschi, M.Padovani, A.Licastro, F. VEGF gene and phenotype relation with Alzheimer's disease and mild cognitive impairment. <i>Rejuvenation Research</i> . 2006; 9(4):. 485-93. | 0 | 2 |
| 5404 | Gooding HCL, E. L.Burack, J.Roberts, J. S.Green, R. C.Biesecker, B. B. Genetic susceptibility testing for Alzheimer disease: Motivation to obtain information and control as precursors to coping with increased risk. <i>Patient Education and Counseling</i> . 2006; 64(1-3):. 259-67. | 0 | 9 |
| 5405 | Kapur SS, S.Kapoor, M.Bala, K. ApoE genotypes: Risk factor for Alzheimer's Disease. <i>Journal, Indian Academy of Clinical Medicine</i> . 2006; 7(2):. 118-22. | 0 | 9 |
| 5413 | Raygani AVR, Z.Kharazi, H.Tavilani, H.Pourmotabbed, T. Association between apolipoprotein E polymorphism and serum lipid and apolipoprotein levels with Alzheimer's disease. <i>Neuroscience Letters</i> . 2006; 408(1):. 68-72. | 0 | 3 |
| 5435 | Bian JTZ, J. W.Zhang, Z. X.Zhao, H. L. Association analysis of brain-derived neurotrophic factor (BDNF) gene 196 A/G polymorphism with Alzheimer's disease (AD) in mainland Chinese. <i>Neuroscience Letters</i> . 2005; 387(1):. 11-6. | 0 | 9 |

| | | | |
|------|--|---|---|
| 5482 | Asita De Silva HG, S. B.Johnston, C.Warden, D.Smith, A. D. Medial temporal lobe atrophy, apolipoprotein genotype, and plasma homocysteine in Sri Lankan patients with Alzheimer's disease. <i>Experimental Aging Research</i> . 2005; 31(3):. 345-54. | 0 | 9 |
| 5493 | Souza DRSDG, M. R.Hotta, J.Tajara, E. H.Brandao, A. C.Pinheiro Junior, S.Tognola, W. A.Dos Santos, J. E. Association of apolipoprotein E polymorphism in late-onset Alzheimer's disease and vascular dementia in Brazilians. <i>Brazilian Journal of Medical and Biological Research</i> . 2003; 36(7):. 919-23. | 0 | 3 |
| 5497 | Tilvis RSK-V, M. H.Jolkkonen, J.Valvanne, J.Pitkala, K. H.Strandberg, T. E. Predictors of Cognitive Decline and Mortality of Aged People over a 10-Year Period. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> . 2004; 59(3):. 268-74. | 0 | 2 |
| 5499 | Baron MJ-E, A.Orensanz, L.Simon, J.Perez-Tur, J. Apolipoprotein E Pittsburgh variant is not associated with the risk of late-onset Alzheimer's disease in a Spanish population. <i>American Journal of Medical Genetics - Neuropsychiatric Genetics</i> . 2003; 120 B(1):. 121-4. | 0 | 3 |
| 5505 | Folin MB, S.Conconi, M. T.Di Liddo, R.De Carlo, E.Parnigotto, P. P.Nussdorfer, G. G. Apolipoprotein E as vascular risk factor in neurodegenerative dementia. <i>International journal of molecular medicine</i> . 2004; 14(4):. 609-13. | 0 | 9 |
| 5512 | Fukumoto HI, M.Garevik, N.Wahlund, L. O.Nukina, N.Yaguchi, Y.Shibata, M.Hyman, B. T.Rebeck, G. W.Irizarry, M. C. APOE epsilon3/epsilon4 heterozygotes have an elevated proportion of apolipoprotein E4 in cerebrospinal fluid relative to plasma, independent of Alzheimer's disease diagnosis. <i>Experimental Neurology</i> . 2003; 183(1):. 249-53. | 0 | 3 |
| 5531 | Baxter LCC, R. J.Johnson, S. C.Reiman, E.Osborne, D. Apolipoprotein E epsilon4 affects new learning in cognitively normal individuals at risk for Alzheimer's disease. <i>Neurobiology of Aging</i> . 2003; 24(7):. 947-52. | 0 | 9 |
| 5545 | Roberts JSB, M.Brown, T. M.Cupples, L. A.Farrer, L. A.LaRusse, S. A.Post, S. G.Quaid, K. A.Ravdin, L. D.Relkin, N. R.Sadovnick, A. D.Whitehouse, P. J.Woodard, J. L.Green, R. C. Who seeks genetic susceptibility testing for Alzheimer's disease? Findings from a multisite, randomized clinical trial. <i>Genetics in Medicine</i> . 2004; 6(4):. 197-203. | 0 | 2 |
| 5547 | Cupples LAF, L. A.Sadovnick, A. D.Relkin, N.Whitehouse, P.Green, R. C. Estimating risk curves for first-degree relatives of patients with Alzheimer's disease: The REVEAL study. <i>Genetics in Medicine</i> . 2004; 6(4):. 192-6. | 0 | 2 |
| 5587 | Evans RMH, S.Perkins, A.Lahiri, D. K.Poirier, J.Farlow, M. R. Cholesterol and APOE genotype interact to influence Alzheimer disease progression. <i>Neurology</i> . 2004; 62(10):. 1869-71. | 0 | 9 |
| 5612 | Lee JHF, A.Stern, Y.Tycko, B.Mayeux, R. Genetic influences on memory performance in familial Alzheimer disease. <i>Neurology</i> . 2004; 62(3):. 414-21. | 0 | 2 |
| 5616 | Luo BC, Z.Zhang, Y.Pan, X.Li, X.Chen, F. Apolipoprotein E genotype in patients with Alzheimer's disease. <i>Chinese Medical Journal</i> . 2003; 116(8):. 1220-2. | 0 | 2 |
| 5626 | Panza FS, V.Colacicco, A. M.Basile, A. M.D'Introno, A.Capurso, C.Sabba, M.Capurso, S.Capurso, A. Apolipoprotein E (APOE) polymorphism influences serum APOE levels in Alzheimer's disease patients and centenarians. <i>NeuroReport</i> . 2003; 14(4):. 605-8. | 0 | 9 |
| 5639 | Cohen RMP, T. A.Bokde, A. L. W.Carson, R. E.Herscovitch, P.Kiesewetter, D. O.Eckelman, W. C.Sunderland, T. Higher in vivo muscarinic-2 receptor distribution volumes in aging subjects with an apolipoprotein E-epsilon4 allele. <i>Synapse</i> . 2003; 49(3):. 150-6. | 0 | 5 |

| | | | |
|------|---|---|---|
| 5641 | Lai CLT, C. T.Lin, S. R.Lin, R. T.Yang, Y. H.Liu, C. K. Apolipoprotein E in Taiwan Chinese patients with dementia. <i>Dementia and Geriatric Cognitive Disorders</i> . 2003; 16(4): 208-11. | 0 | 9 |
| 5647 | Religa DS, M.Peplonska, B.Gabryelewicz, T.Pfeffer, A.Chodakowska, M.Luczywek, E.Wasiak, B.Stepien, K.Golebiowski, M.Winblad, B.Barcikowska, M. Homocysteine, apolipoproteine E and methylenetetrahydrofolate reductase in Alzheimer's disease and mild cognitive impairment. <i>Dementia and Geriatric Cognitive Disorders</i> . 2003; 16(2): 64-70. | 0 | 2 |
| 5665 | Clarimon JB, J.Calafell, F.Boada, M.Tarraga, L.Comas, D. Joint analysis of candidate genes related to Alzheimer's disease in a Spanish population. <i>Psychiatric Genetics</i> . 2003; 13(2): 85-90. | 0 | 2 |
| 5667 | Scacchi RG, G.Ferrari, G.Corbo, R. M. Screening of two mutations at exon 3 of the apolipoprotein E gene (sites 28 and 42) in a sample of patients with sporadic late-onset Alzheimer's disease. <i>Neurobiology of Aging</i> . 2003; 24(2): 339-43. | 0 | 9 |
| 5690 | Evans RME, C. L.Gao, S.Sahota, A.Hall, K. S.Farlow, M. R.Hendrie, H. C. Serum cholesterol, APOE genotype, and the risk of Alzheimer's disease: A population-based study of African Americans. <i>Neurology</i> . 2000; 54(1): 240-2. | 0 | 2 |
| 5692 | Prince ML, S.Cervilla, J.Joels, S.Powell, J.Russ, C.Mann, A. The association between APOE and dementia does not seem to be mediated by vascular factors. <i>Neurology</i> . 2000; 54(2): 397-402. | 0 | 1 |
| 5729 | Laws SMC, R. M.Taddei, K.Martins, G.Paton, A.Hallmayer, J.Almeida, O. P.Groth, D. M.Gandy, S. E.Forstl, H.Martins, R. N. APOE-epsilon4 and APOE-491A polymorphisms in individuals with subjective memory loss. <i>Molecular Psychiatry</i> . 2002; 7(7): 768-75. | 0 | 9 |
| 5730 | Dupuy AMB, S.Ritchie, K.Mas, E.Descomps, B.Cristol, J. P.Touchon, J. Discrepancies between apolipoprotein E phenotyping and genotyping in the elderly. <i>Clinical Chemistry and Laboratory Medicine</i> . 2001; 39(5): 405-13. | 0 | 9 |
| 5732 | Kivipelto MH, E. L.Laakso, M. P.Hanninen, T.Hallikainen, M.Alhainen, K.Iivonen, S.Mannermaa, A.Tuomilehto, J.Nissinen, A.Soininen, H. Apolipoprotein E epsilon4 allele, elevated midlife total cholesterol level, and high midlife systolic blood pressure are independent risk factors for late-life Alzheimer disease. <i>Annals of Internal Medicine</i> . 2002; 137(3): 149-55. | 0 | 1 |
| 5739 | Kim KWY, J. C.Jhoo, J. H.Lee, D. Y.Lee, K. U.Lee, J. H.Woo, J. I. Apolipoprotein E epsilon4 allele is not associated with the cognitive impairment in community-dwelling normal elderly individuals. <i>International Journal of Geriatric Psychiatry</i> . 2002; 17(7): 635-40. | 0 | 9 |
| 5771 | Romas SNS, V.Williamson, J.Ciappa, A.Lee, J. H.Rondon, H. Z.Estevez, P.Lantigua, R.Medrano, M.Torres, M.Stern, Y.Tycko, B.Mayeux, R. Familial Alzheimer disease among Caribbean Hispanics: A reexamination of its association with APOE. <i>Archives of Neurology</i> . 2002; 59(1): 87-91. | 0 | 9 |
| 5786 | Bowirrat AF, R. P.Farrer, L.Baldwin, C.Korczyk, A. Genetic and environmental risk factors for Alzheimer's disease in Israeli Arabs. <i>Journal of Molecular Neuroscience</i> . 2002; 19(1-2): 239-45. | 0 | 2 |
| 5803 | Arai YH, N.Nakazawa, S.Yamamura, K.Shimizu, K. I.Takayama, M.Ebihara, Y.Osono, Y.Homma, S. Lipoprotein metabolism in Japanese centenarians: Effects of apolipoprotein E polymorphism and nutritional status. <i>Journal of the American Geriatrics Society</i> . 2001; 49(11): 1434-41. | 0 | 1 |
| 5804 | Dupuy AMM, E.Ritchie, K.Descomps, B.Badiou, S.Cristol, J. P.Touchon, J. The relationship between apolipoprotein E4 and lipid metabolism is impaired in Alzheimer's disease. <i>Gerontology</i> . 2001; 47(4): 213-8. | 0 | 9 |

| | | | |
|------|--|---|---|
| 5819 | Carrieri GB, M.De Luca, M.Rose, G.Varcasia, O.Bruni, A.Maletta, R.Nacmias, B.Sorbi, S.Corsonello, F.Feraco, E.Andreev, K. F.Yashin, A. I.Franceschi, C.De Benedictis, G. Mitochondrial DNA haplogroups and APOE4 allele are non-independent variables in sporadic Alzheimer's disease. <i>Human Genetics</i> . 2001; 108(3):. 194-8. | 0 | 2 |
| 5846 | Bhojak TJD, S. T.Ganguli, M.Kamboh, M. I. Genetic polymorphisms in the cathepsin D and interleukin-6 genes and the risk of Alzheimer's disease. <i>Neuroscience Letters</i> . 2000; 288(1):. 21-4. | 0 | 2 |
| 5858 | Wehr HP, T.Puzynski, S.Bednarska-Makaruk, M.Bisko, M.Kotapka-Minc, S.Rodo, M.Wolkowska, M. Apolipoprotein e genotype and lipid and lipoprotein levels in dementia. <i>Dementia and Geriatric Cognitive Disorders</i> . 2000; 11(2):. 70-3. | 0 | 9 |
| 5859 | Martin ERG, J. R.Lai, E. H.Riley, J.Rogala, A. R.Slotterbeck, B. D.Sipe, C. A.Grubber, J. M.Warren, L. L.Conneally, P. M.Saunders, A. M.Schmechel, D. E.Purvis, I.Pericak-Vance, M. A.Roses, A. D.Vance, J. M. Analysis of association at single nucleotide polymorphisms in the APOE region. <i>Genomics</i> . 2000; 63(1):. 7-12. | 0 | 2 |
| 5865 | Mooser VH, N.Miklossy, J.Marcovina, S. M.Nicod, P.Amouyel, P. Interactions between apolipoprotein E and apolipoprotein(a) in patients with late-onset Alzheimer disease. <i>Annals of Internal Medicine</i> . 2000; 132(7):. 533-7. | 0 | 2 |
| 5890 | Post SGW, P. J.Binstock, R. H.Bird, T. D.Eckert, S. K.Farrer, L. A.Fleck, L. M.Gaines, A. D.Juengst, E. T.Karlinsky, H.Miles, S.Murray, T. H.Quaid, K. A.Relkin, N. R.Roses, A. D.St. George-Hyslop, P. H.Sachs, G. A.Steinbock, B.Truschke, E. F.Zinn, A. B. The clinical introduction of genetic testing for Alzheimer disease: An ethical perspective. <i>Jama</i> . 1997; 277(10):. 832-6. | 0 | 8 |
| 5963 | Gonzalez CM, T.Cacho, J.Brenas, M. T.Arroyo, T.Garcia-Berrocal, B.Navajo, J. A.Gonzalez-Buitrago, J. M. Serum zinc, copper, insulin and lipids in Alzheimer's disease epsilon 4 apolipoprotein E allele carriers. <i>European Journal of Clinical Investigation</i> . 1999; 29(7):. 637-42. | 0 | 9 |
| 5985 | Scacchi RG, G.Ruggeri, M.Martini, M. C.Ferrari, G.Silvestri, M.Schiavon, R.Corbo, R. M. Plasma levels of apolipoprotein E and genetic markers in elderly patients with Alzheimer's disease. <i>Neuroscience Letters</i> . 1999; 259(1):. 33-6. | 0 | 9 |
| 5992 | Giunta SG, L.Franceschi, C. Apo E genotyping in Alzheimer disease (AD): Multidimensional counseling by the geriatric assessment unit (GAU) to properly address scientific and bioethical issues emerging from molecular gerontology to geriatric practice. <i>Archives of Gerontology and Geriatrics</i> . 1998; 27(1):. 49-56. | 0 | 9 |
| 5995 | Blacker DW, M. A.Laird, N. M.Rodes, L.Horvath, S. M.Go, R. C. P.Perry, R.Watson Jr, B.Bassett, S. S.McInnis, M. G.Albert, M. S.Hyman, B. T.Tanzi, R. E. Alpha-2 macroglobulin is genetically associated with Alzheimer disease. <i>Nature Genetics</i> . 1998; 19(4):. 357-60. | 0 | 3 |
| 6012 | Lalowski MMC, K.Pfeffer, A.Barcikowska, M.Kwieceński, H. ApoE polymorphism in Polish patients with Alzheimer's disease. <i>Acta Neurobiologiae Experimentalis</i> . 1998; 58(1):. 65-8. | 0 | 3 |
| 6021 | Slooter AJCDK, P.Hofman, A.Cruts, M.Breteler, M. M. B.Van Broeckhoven, C.Havekes, L. M.Van Duijn, C. M. Serum apolipoprotein e level is not increased in Alzheimer's disease: The Rotterdam study. <i>Neuroscience Letters</i> . 1998; 248(1):. 21-4. | 0 | 3 |
| 6028 | Skoog IW, A.Fredman, P.Hesse, C.Aevansson, O.Karlsson, I.Gottfries, C. G.Blennow, K. A population study on blood-brain barrier function in 85-year-olds: Relation to Alzheimer's disease and vascular dementia. <i>Neurology</i> . 1998; 50(4):. 966-71. | 0 | 2 |
| 6053 | Olichney JMS, M. N.Hofstetter, C. R.Galasko, D.Grundman, M.Katzman, R.Thal, L. J. The impact of apolipoprotein E4 on cause of death in Alzheimer's disease. <i>Neurology</i> . 1997; 49(1):. 76-81. | 0 | 9 |

| | | | |
|------|---|---|----|
| 6064 | Taddei KC, R.Gandy, S. E.Martins, R. N. Increased plasma apolipoprotein E (apoE) levels in Alzheimer's disease. <i>Neuroscience Letters</i> . 1997; 223(1): 29-32. | 0 | 3 |
| 6065 | Blacker DH, J. L.Rodes, L.Terwedow, H.Go, R. C. P.Harrell, L. E.Perry, R. T.Bassett, S. S.Chase, G.Meyers, D.Albert, M. S.Tanzi, R. ApoE-4 and age at onset of Alzheimer's disease: The NIMH genetics initiative. <i>Neurology</i> . 1997; 48(1): 139-47. | 0 | 2 |
| 6069 | Yaffe KC, J.Sands, L.Browner, W. Apolipoprotein E phenotype and cognitive decline in a prospective study of elderly community women. <i>Archives of Neurology</i> . 1997; 54(9): 1110-4. | 0 | 9 |
| 6086 | Corder EHL, L.Viitanen, M.Corder, L. S.Manton, K. G.Winblad, B.Bosun, H. Apolipoprotein E genotype determines survival in the oldest old (85 years or older) who have good cognition. <i>Archives of Neurology</i> . 1996; 53(5): 418-22. | 0 | 9 |
| 6115 | Levy-Lahad EL, A.Wijsman, E. M.Bird, T. D.Schellenberg, G. D. Apolipoprotein E genotypes and age of onset in early-onset familial Alzheimer's disease. <i>Annals of Neurology</i> . 1995; 38(4): 678-80. | 0 | 3 |
| 6129 | Yoshizawa TY-K, K.Komatsuzaki, Y.Arinami, T.Oguni, E.Mizusawa, H.Shoji, S.Hamaguchi, H. Dose-dependent association of apolipoprotein E allele epsilon4 with late- onset, sporadic Alzheimer's disease. <i>Annals of Neurology</i> . 1994; 36(4): 656-9. | 0 | 3 |
| 6244 | Montejo Carrasco PPC, D.Delgado Losada, M. L.Montejo Rubio, C.Montenegro, Pentilde;a, M. Genetic Predictors of Change in Episodic Verbal Memory by Cognitive Intervention: ACT, PICALM, BDNF, NRG1, APOE Genes and Their Interactions in Situations of Cognitive Demand. <i>Journal of integrative neuroscience</i> . 2022; Vol.21.: 99p. | 0 | 9 |
| 6245 | . REVEAL III: risk Evaluation and Education for Alzheimer's Disease. . 2007;.. | 0 | 10 |
| 6274 | Marteau TMR, S.LaRusse, S.Green, R. C. Predictive genetic testing for Alzheimer's disease: impact upon risk perception. <i>Risk analysis</i> . 2005; Vol.25.: 397-404p. | 0 | 7 |
| 6282 | . Risk Evaluation and Education for Alzheimer's Disease (REVEAL) IV. . 2011;.. | 0 | 10 |
| 6299 | Buerger KT, S. J.Zinkowski, R.Sunderland, T.Andreasen, N.Blennow, K.Ewers, M.DeBernardis, J.Shen, Y.Kerkman, D.Du, Y.Hampel, H. Increased levels of CSF phosphorylated tau in apolipoprotein E epsilon4 carriers with mild cognitive impairment. <i>Neuroscience letters</i> . 2005; Vol.391.: 48-50p. | 0 | 3 |
| 6327 | . Risk Evaluation and Education for Alzheimer's Disease. . 2007;.. | 0 | 10 |
| 6341 | Lane RF, H. H.Meyer, J.He, Y.Ferris, S. H.Nordberg, A.Darreh-Shori, T.Soininen, H.Pirttil,auml, T.Farlow, M. R.Sfikas, N.Ballard, C.Greig, N. H. Synergistic effect of apolipoprotein E epsilon4 and butyrylcholinesterase K-variant on progression from mild cognitive impairment to Alzheimer's disease. <i>Pharmacogenetics and genomics</i> . 2008; Vol.18.: 289-98p. | 0 | 9 |
| 6351 | Yun WB, Lee Y-M, Park J-M, Lee B-D, Moon E, Suh H, et al. The Association of APOE e4 Genotype With Cognition, Brain Volume, Glucose Metabolism, and Amyloid Deposition in AD. <i>J Korean Geriatr Psychiatry</i> . 2023;27: 30-6. | 0 | 9 |

| | | | |
|------|---|---|---|
| 6357 | Yoo SY, Han A, Park S, Lee J-Y. Incidence and Cognitive Decline of Alzheimer's Disease and Other Dementia by Apolipoprotein ε4 Allele Presence: A Community-Based Cohort Study in Korean Elderly. <i>Psychiatry Investig.</i> 2022;19: 190-6. | 0 | 9 |
| 6359 | Mun YS, Park HK, Kim J, Yeom J, Kim GH, Chun MY, et al. Association Between Body Mass Index and Cognitive Function in Mild Cognitive Impairment Regardless of APOE ε4 Status. <i>Dement Neurocogn Disord.</i> 2022;21: 30-41. | 0 | 2 |
| 6361 | Joo SH, Lee CU. Cerebral Amyloid Positivity Prediction Models Using Clinical Data in Subjects With Mild Cognitive Impairment and Dementia. <i>Psychiatry Investig.</i> 2021;18: 864-70. | 0 | 2 |
| 6363 | Moon SW, Yoo DY. Structural Changes in the Hippocampal Subfields in Early-Onset Mild Cognitive Impairment. <i>J Korean Soc Biol Ther Psychiatry.</i> 2021;27: 67-73. | 0 | 2 |
| 6380 | Seo EH, Kim SH, Park SH, Kang SH, Choo ILH, Choo ILH. Independent and Interactive Influences of the APOE Genotype and Beta-Amyloid Burden on Cognitive Function in Mild Cognitive Impairment. <i>J Korean Med Sci.</i> 2016;31: 286-95. | 0 | 9 |
| 6389 | Kang MS, Moon SW. A Prospective Study on an Association between Apolipoprotein E epsilon4 and Cognitive Change in Community-Dwelling Elders with Alzheimer's Disease. <i>Korean J Biol Psychiatry.</i> 2013;20: 104-10. | 0 | 9 |
| 6393 | Kim TH, Moon SW. The Influence of Apolipoprotein E epsilon4 and Lipid Profile on Cognitive Function in Community-Dwelling Elders with Mild Cognitive Impairment. <i>Korean J Psychopharmacol.</i> 2011;22: 49-56. | 0 | 2 |
| 6397 | Kim SK, Hwang TY, Lee KS, Kang PS, Cho HS, Bae YK. Apolipoprotein E Polymorphism and Cognitive Function Change of the Elderly in a Rural Area, Korea. <i>J Prev Med Public Health.</i> 2009;42: 261-6. | 0 | 9 |
| 6402 | Moon SW, Seo JS, Nam BW, Choi JY, Lee CH, Park KU, et al. An Association Between Apolipoprotein E epsilon4 and Cognitive Function in Community-Dwelling Elders with Questionable Dementia. <i>Korean J Biol Psychiatry.</i> 2008;15: 5-13. | 0 | 9 |
| 6404 | Oh H, Shin E, Kim H, Lim Y, Park M, Kim K, et al. Apo E4 Genotype as the Alzheimer Indicator in Korean Senior Subjects Aged 50 to 64 Years Old. <i>Korean J Nutr.</i> 2007;40: 593-600. | 0 | 9 |
| 6407 | Ahn K, Kim E, Kwon YA, Kim DK, Lee JE, Jo SA. No association of prion protein gene polymorphisms with Alzheimer's disease in Korean population. <i>Exp Mol Med.</i> 2006;38: 727-31. | 0 | 2 |
| 6411 | Park JH, Park IS, Park SW. Clinical Review of Dementia Inpatients in Geriatric Hospital: Focused on the Change in Cognitive Function According to the Vascular Risk Factors. <i>J Korean Geriatr Soc.</i> 2005;9: 146-56. | 0 | 2 |
| 6415 | Jang SH, Song MH, Park MH, Park MK, Park KW, Shin C, et al. Cerebral White Matter Lesions and Apolipoprotein E polymorphism. <i>J Korean Geriatr Soc.</i> 2003;7: 351-8. | 0 | 2 |
| 6420 | Son EJ, Kim JM, Kim YS, Kim BC, Kim MK, Cho KH. Relationships of Apolipoprotein E Genotypes with Vascular Risk Factors in Patients with Alzheimer's Disease. <i>J Korean Neurol Assoc.</i> 2003;21: 41-5. | 0 | 9 |

| | | | |
|------|---|---|---|
| 6424 | Kim YD, Lee CH, Eum KC, Kim DH, Yoon KS. Apolipoprotein epsilon4 and Cognitive Function, Daily Living Ability and Behavioral Symptoms of Dementia. J Korean Geriatr Psychiatry. 2002;6: 49-56. | 0 | 7 |
| 6426 | Kim JM, Son EJ, Shin SM, Oh BJ, Ha HW. Apolipoprotein E, Cholesterol, and Cognitive Decline in Patients with Alzheimer's disease. J Korean Neurol Assoc. 2002;20: 124-8. | 0 | 9 |
| 6427 | Kim JW, Chey JY, Shin MY. Genetic and Neuropsychological Factor Analysis on the Cognitive Function of the Elderly Population: APOE Genotype and Age Effect Analysis. Korean J Clin Pathol. 2002;22: 63-6. | 0 | 9 |
| 6433 | Park YM, Jeon YM, Kwon GC, Koo SH, Park JW. Analysis of Apolipoprotein E Genotypes in Several Demential diseases. Korean J Clin Pathol. 1999;19: 642-6. | 0 | 9 |
| 6434 | Shin ES, Yoon SR, Choi SK, Kim SY. The Study of Synergy between the BchE-k Variant and the ApoE Gene in the Alzheimer Dementia of the Korean Population. J Genet Med. 1999;3: 29-32. | 0 | 9 |
| 6437 | Oh MJ, Chung EK, Shin YM, Lee KO, Park YS. The apolipoprotein E genotyping using the PCR-RFLP was useful to linkage analysis of Alzheimer's disease families. Exp Mol Med. 1997;29: 161-4. | 0 | 9 |
| 6438 | Lee YS, Na DL, Kim JW. Association of Apolipoprotein E Genotypes with Late-onset Alzheimer's Disease in Korea. J Korean Neurol Assoc. 1996;14: 538-42. | 0 | 9 |
| 6440 | 윤원배, 이영민, 박제민, 이병대, 문은수, 서화규, et al. 알츠하이머병에서 APOE ε4 유전형과 인지기능, 뇌 부피, 당 대사량 그리고 뇌 아밀로이드 침착과의 연관성. 노인정신의학. 2023;27: 30-6. | 0 | 7 |
| 6442 | 최인혁, 왕성민, 엄유현, 임현국, 이창욱, 강동우. APOE ε4 보인자의 지방 관련 체성분 수치 증가에 따른 휴지기 신경망 간 기능적 연결성 감소: 아밀로이드 베타 단백질 침착 기억성 경도인지장애 환자를 대상으로. 노인정신의학. 2022;26: 76-83. | 0 | 9 |
| 6445 | 문석우, 유도연. 조기발병 경도인지장애에서 해마 부분체의 구조적 변화. 생물치료정신의학. 2021;27: 67-73. | 0 | 7 |
| 6450 | 천영재, 주수현. 임상적 지표를 이용한 대뇌 아밀로이드 단백 추적 여부 예측모델 개발. 생물정신의학. 2020;27: 94-100. | 0 | 2 |
| 6455 | 김지현, 김연하, 김희진. 뇌영상기법과 ApoE 유전자형 분석을 통한 경도인지저하환자에서 치매 전환으로의 구조학적, 유전학적 변이 연구. 고령자치매작업치료학회지. 2019;13: 1-7. | 0 | 9 |
| 6462 | 이상준:Lee Sang-Jun AU김KT-H허HL최CS-E이LB-J김KG-M이LJ-G김. 기억성 경도인지장애 및 알츠하이머 치매 환자에서 해마, 편도체, 뇌돌보, 내후각 피질과 혈중 지질, 호모시스테인, 엽산 농도와의 연관성. 생물정신의학. 2015;22: 223-32. | 0 | 7 |
| 6464 | 강민성, 문석우. 일 지역 알츠하이머병 노인에서 Apolipoprotein E ε4와 인지변화의 연관에 대한 전향적 연구. 생물정신의학. 2013;20: 104-10. | 0 | 7 |

| | | | |
|------|---|---|---|
| 6468 | 김태호, 서정석, 김동욱, 문석우. 지역사회 경도인지장애 노인군에서 Apolipoprotein E ε4와 지질농도가 인지 기능에 미치는 영향. 대한정신약물학회지. 2011;22: 49-56. | 0 | 7 |
| 6469 | 김희영, 정은혜, 김재승, 이수나, 이재홍. Detection of Prodromal Alzheimer's Disease in Patients with Depression and Mild Cognitive Impairment Using 11C-PIB PET: Preliminary Study. Dementia and Neurocognitive Disorders. 2011;10: 117-24. | 0 | 2 |
| 6470 | 이정재, 박준혁, 이석범, 허윤석, 김태희, 윤종철, et al. Choline Acetyltransferase 유전자 다형성이 경도인지 손상 발현에 미치는 영향. 생물정신의학. 2010;17: 218-25. | 0 | 9 |
| 6471 | 권오대, 최소영, 박재한, 윤창효, 권혁환, 신임희. 지역사회 거주 노인에서 인지기능과 아포지질단백질 E 유전자형의 연관성: 고령군 운수면 지역 조사. 대한신경과학회지. 2009;27: 362-8. | 0 | 9 |
| 6475 | 이승환, 박건우. 치매관련 유전자 검사의 임상적 고찰. 노인병. 2008;12: 5-10. | 0 | 8 |
| 6479 | 홍창형, 정해관, 김은아, 이강수, 김경란, 차경렬, et al. 노인에서 ApoE 유전자형이 영양 위험도와 인지기능에 미치는 영향. 노인병. 2006;10: 177-85. | 0 | 2 |
| 6480 | 박준혁/Park J박박PISPSK. 일 치매요양병원 입원 환자의 임상적 고찰: 혈관성 위험 요소에 따른 인지기능의 변화를 중심으로. 노인병. 2005;9: 146-56. | 0 | 7 |
| 6481 | 김종원/Jong Won Kim AU최신JYCMYSK. 노인 인지 기능에 기여하는 유전적, 신경심리학적 요인 분석 : APOE유전형과 연령의 상호작용 분석. 대한임상병리학회지. 2002;22: 63-6. | 0 | 7 |
| 6496 | 전소연, 변민수, 이다현, 이준호, 최영민, 김현정, et al. 알츠하이머병 치매에서 대뇌 아밀로이드 축적 여부에 따른 임상적 특성의 차이. 노인정신의학. 2016;20: 68-74. | 0 | 2 |
| 6511 | 김경란, 오병훈, 이준영, 김은아, 정해관, 이동우, et al. 노인인구에서 ApoE 유전자형에 따른 머리둘레와 인지 기능간의 연관성. 신경정신의학. 2007;46: 254-61. | 0 | 2 |
| 6517 | 공은숙, 박상호, 신동진, 허영란, 한오순, 허남연. 아포지단백 E 유전자형 검사를 통한 치매 고위험군의 유형별 분포: 건강한 농촌지역주민을 대상으로. 한국노년학연구. 2004;13: 5-22. | 0 | 9 |
| 6521 | 김동홍/Dong Hong Kim AU김이엄김윤김YDKCHLKUESKKSVDHK. 알츠하이머형 치매와 혈관성 치매환자에서의 ALDH2와 APOE 유전자의 다형성에 관한 연구. 생물치료정신의학. 2002;8: 254-60. | 0 | 9 |
| 6522 | 박윤미/Yun Mi Park AU전권구박YMJGCKSHKJWPK. 여러 치매성 질환에서의 아포지단백 E의 유전형 분석. 대한임상병리학회지. 1999;19: 642-6. | 0 | 9 |
| 6525 | 이용석, 김종원, 나덕렬. 한국인에서의 지연발현형 알츠하이머병과 아포지단백 E 유전자형과의 상관관계. 대한신경과학회지. 1996;14: 538-42. | 0 | 7 |

| | | | |
|------|---|---|---|
| 6528 | 김상규, 조희순, 강복수, 황선휘, 이경수, 배영경. 일개 농촌지역 노인의 아포지단백 E 다형성과 인지기능 변화. 예방의학회지. 2009;42: 261-6. | 0 | 7 |
| 6530 | 김재민, 김성완, 신일선, 윤진상, 양수진, 신희영, et al. 노인의 인지감퇴에 미치는 아포지단백 E4와 교육수준의 상호작용. 생물정신의학. 2008;15: 29-34. | 0 | 9 |
| 6532 | 김재민/Jae Min Kim AU손신오하EJSSMSBJOHWHK. 알츠하이머병 환자에서 아포지단백 E, 콜레스테롤, 그리고 인지 감퇴. 대한신경과학회지. 2002;20: 124-8. | 0 | 7 |
| 6533 | 김영돈/Kim Y이엄김윤LCHEKCKDHYKK. 아포지단백(Apolipoprotein) ε 4 유전자형과 치매환자의 인지기능, 일상생활기능 및 행동증상. 노인정신의학. 2002;6: 49-56. | 0 | 9 |
| 6545 | 이미경, 김상국, 박애자, 한병상. INNO-LiPO strip을 이용한 혈관성치매환자에서 아포지단백 E의 유전형 분석. 대한임상병리학회지. 1996;16: 164-70. | 0 | 1 |
| 6546 | 송정환, 김진규. 한국인 알츠하이머병 및 혈관성 치매환자에서의 아포지단백 Eε4 대립유전자 빈도. 한국지질학회지. 1996;6: 95-100. | 0 | 9 |
| 6558 | Shin M-H, Kweon S-S, Choi J-S, Lee Y-H, Nam H-S, Park K-S, et al. The effect of an APOE polymorphism on cognitive function depends on age. Journal of neurology: Zeitschrift für Neurologie. 2014;261: 66-72. | 0 | 9 |
| 6583 | Uttam K, Goo-Rak K. Classification of Alzheimer Disease by Combining Hippocampus Volume and Cortical Thickness from sMRI, Plus APoE ε4 and CSF Biomarkers. IEIE Transactions on Smart Processing & Computing. 2021;10: 1-9. | 0 | 2 |
| 6597 | 김성균, 정현, 박성희, 서정환, 고명환. 뇌졸중 환자에서 아포지단백 E의 유전자형에 따른 인지기능의 예후. 全北醫大論文集. 2008;32: 27-35. | 0 | 1 |
| 6603 | 문석우, 서정석, 남범우, 최진영, 이창훈, 박경운, et al. 일 지역사회거주 치매의심 노인에서 Apolipoprotein E ε4와 인지기능 간의 연관성. 생물정신의학. 2008;15: 5-13. | 0 | 7 |
| 6863 | 손의주, 김재민, 김요식, 김병채, 김명규, 조기현. 알츠하이머병 환자에서 아포지단백E 유전자형과 혈관성 위험인자와의 관계. 대한신경과학회지. 2003;21: 41-5. | 0 | 7 |
| 6865 | 방오영, 광용태. 알츠하이머병의 진단 및 감별진단에서의 아포지단백 E 유전자형검사의 적용. 대한신경과학회지. 2000;18: 568-74. | 0 | 7 |
| 6868 | 이강욱, 신재공, 박선원, 장기현, 우종인. 알츠하이머병 환자의 뇌 자기공명영상에 나타난 백질 고강도와 아포지단백 E ε4 대립유전자 간의 연관성에 관한 연구. 精神病理學. 2000;9: 114-22. | 0 | 9 |
| 6883 | 신은심, 정호진, 장미선, 윤송로, 임용빈, 이기철, et al. 한국인 집단에서 알츠하이머 치매의 임상적 진단을 위한 ApoE 유전자와 BchE-k 변이형과의 상승관계에 관한 연구. 대한임상검사과학회지(KJCLS). 1999;31: 267-77. | 0 | 7 |

| | | | |
|------|--|---|---|
| 6895 | Kim J, x, Min, Stewart R, Kim S, x, et al. Synergistic associations of depression and apolipoprotein E genotype with incidence of dementia. INTERNATIONAL JOURNAL OF GERIATRIC PSYCHIATRY. 2011;26: 893-8. | 0 | 9 |
| 6911 | 김광재, 노동희, 한승협, 차윤준, 감경윤. 알츠하이머 치매노인의 Apolipoprotein E 유전형에 따른 우울과 기억력의 상관관계. 한국산학기술학회논문지. 2020;21:477-86. | 0 | 9 |