

별첨 2. 변실금에서의 천수신경조절술 배제문헌 목록

<원문검토 단계의 문헌배제사유>

1. 인간대상 연구가 아닌 경우(동물 또는 전임상연구)
2. 원저가 아닌 연구(종설, letter, comment 등)
3. 한국어 또는 영어로 출판되지 않은 문헌
4. 회색문헌(초록만 발표된 연구, 학위논문, 기관보고서 등 동료심사를 거치지 않은 경우)
5. 중복출판된 문헌(대상자가 중복되고, 보고된 결과지표도 동일한 연구)
6. 변실금 환자를 대상으로 하지 않은 연구
7. 천수신경조절술을 시행하지 않은 연구
8. 사전에 정의한 연구유형(비교연구)가 아닌 연구
9. 사전에 정의한 의료결과를 포함하지 않은 연구
10. 원문확보 불가
11. 증례보고
12. 사전에 정의한 비교시술이 아닌 경우(보존적요법, 미등재기술 등)

연번	서지정보	배제사유
1	de MiguelValencia MJC, J. M.SanchezIriso, E.OteizaMartinez, F.AlberdiBanez I.AlvarezLopez, A.OrtizHurtado, H.de MiguelVelasco, M. J. Long-term cost-effectiveness analysis of sacral neuromodulation in the treatment of severe faecal incontinence. <i>Colorectal Disease</i> . 2023;25(9):1821-31.	9
2	Chughtai BC, J. Q.Thomas, D.Sun, T.Ghomrawi, H.Sedrakyan, A. Real World Performance of Sacral Neuromodulation and OnabotulinumtoxinA for Overactive Bladder: Focus on Safety and Cost. <i>Journal of Urology</i> . 2020;203(1):179-84.	6
3	Kapriniotis KJ, J.Tolia, B.Pakzad, M.Gresty, H.Stephens, R.Malde, S.Sahai, A.Greenwell T.Ockrim, J. Does response to percutaneous tibial nerve stimulation predict similar outcome to sacral nerve stimulation? <i>Neurourology and Urodynamics</i> . 2022;41(5):1172-	9
4	Harji DF, B.Boissieras, L.Berger, A.Capdepont, M.Zerbib, F.Rullier, E.Denost, Q. A novel bowel rehabilitation programme after total mesorectal excision for rectal cancer: the BOREAL pilot study. <i>Colorectal Disease</i> . 2021;23(10):2619-26.	9
5	Elterman DE, M.De Ridder, D.McCrery, R.Pakzad, M.Kaufman, M. R.Shah, S.Margolis, E.Bukkapatnam, R.Johnson, G.Zirpel, L.Stolen, K.Champs, M.Goudelocke, C. A prospective, multicenter, international study to explore the effect of three different amplitude settings in female subjects with urinary urge incontinence receiving interstim therapy. <i>Neurourology and Urodynamics</i> . 2021;40(3):920-8	12
6	Du CB, W. T.Siegal, A. R.Huang, Z.Nguyen, A.Cheung, A.Mehraban-Far, S.Anderson, R.Jacob, S.Kim, J. A retrospective longitudinal evaluation of new overactive bladder patients in an FPMRS urologist practice: Are patients following up and utilizing third-line therapies? <i>Neurourology and Urodynamics</i> . 2021;40(1):391-6	9

연번	서지정보	배제사유
7	Mege DM, G.Trilling, B.Lehur, P. A.Wyart, V.Bridoux, V.Damon, H.Lambrescak, E.Faucheron, J. L.Sielezneff, I.Mion, F.Etienney, I.Leroi, A. M.Siproudhis, L.Brochard, C. Efficacy and safety of sacral nerve modulation for faecal incontinence after pelvic radiotherapy. <i>Radiotherapy and Oncology</i> . 2020;146:167-71.	12
8	Meng LT, Z.Zhang, W.Zhang, Y.Wang, J.Liao, L.Ling, Q.Zhang, P.Wei, Z.Zhong, T.Xu Z.Wen, W.Li, J.Luo, D. Influence of patient sex on the effectiveness of sacral neuromodulation: A cohort study from China. <i>International Journal of Surgery</i> . 2020;84:13-7.	12
9	Jiang JP, D.Traore, E. J.Hammett, J.Filson, C. P. Contemporary Patterns of Third-line Treatments for Privately Insured Individuals With Overactive Bladder in the United States. <i>Urology</i> . 2020;142:87-93.	9
10	Elmer-Lyon CGS, J. A.Takacs, E. B.Ten Eyck, P. P.Bradley, C. S. Urinary tract infection and drug-resistant urinary tract infection after intradetrusor onabotulinumtoxinA injection versus sacral neuromodulation. <i>International Urogynecology Journal</i> . 2020;31(5):871-9	6
11	Zhang PT, X.Chen, G.Li, Y.Zhang, Y.Xu, Z.Wei, Z.Zhang, W.Ma, L.Shi, B.Liao, L.Wang, J Remotely programmed sacral neuromodulation for the treatment of patients with refractory overactive bladder: a prospective randomized controlled trial evaluating the safety and efficacy of a novel sacral neuromodulation device. <i>World journal of urology</i> . 2019;37(11):2481-92	6
12	Komesu YMA, C. L.Richter, H. E.Erickson, S. W.Ackenbom, M. F.Andy, U. U.Sung, V. W.Albo, M.Gregory, W. T.Paraiso, M. F.Wallace, D.Varner, R. E.Wilson, T. S.Lloyd, L. K.Markland, A. D.Holley, R. L.Ballard, A. C.Ellington, D. R.Goode, P. S.Rardin, C. R.Hampton, B. S.Korbly, N. B.Wohlrab, K. J.Carberry, C. L.Lukacz, E.Nager, C.Menefee, S. A.Tan-Kim, J.Luber, K. M.Diwadkar, G. B.Dyer, K. Y.Nguyen, J. N.Jakus-Walman, S.Gill, B.Barber, M.Vasavada, S.Walters, M.Unger, C.Ridgeway, B.Kawasaki, A.Siddiqui, N. Y.Visco, A. G.Weidner, A. C.Edwards, S. R.Denman, M. A.Sajadi, K.Rogers, R.Dunivan, G.Jeppson, P.Cichowski, S.Arya, L. A.Smith, A. L.Bonidie, M.Chermansky, C.Moalli, P.Shepherd, J.Sutkin, G.Zyczynski, H. Refractory urgency urinary incontinence treatment in women: impact of age on outcomes and complications. <i>American Journal of Hounsome NR, C. Cost-effectiveness of sacral nerve stimulation and percutaneous tibia nerve stimulation for faecal incontinence. Therapeutic Advances in Gastroenterology</i> .	8
13	Yehoshua AM, B. P.Vasavada, S. P.Sand, P. K. Comparing direct medical costs of onabotulinumtoxina with other common overactive bladder interventions. <i>American Journal of Pharmacy Benefits</i> . 2018;10(1):11-7.	9
14	t Hoen LAG, J.Scheepe, J. R.Blok, B. F. M. Intermittent sacral neuromodulation for idiopathic urgency urinary incontinence in women. <i>Neurourology and Urodynamics</i> . 2017;36(2):385-9.	6
15	Fontaine CLR, I.Pakzad, M.Hamid, R.Ockrim, J. L.Greenwell, T. J. Patient treatment preferences for symptomatic refractory urodynamic idiopathic detrusor overactivity. <i>Urology Annals</i> . 2017;9(3):249-52.	6
16	Beusterien KK, M. J.Bridges, J. F. P.Amos, K.Williams, M. J.Vasavada, S. Use of best-worst scaling to assess patient perceptions of treatments for refractory overactive bladder. <i>Neurourology and Urodynamics</i> . 2016;35(8):1028-33.	9
17	Madbouly KMH, A. M. Temporary sacral nerve stimulation in patients with fecal incontinence owing to rectal hyposensitivity: A prospective, double-blind study. <i>Surgery (United States)</i> . 2015;157(1):56-63.	8

연번	서지정보	배제사유
19	Bernstein MAP, C. H.Becker, A.Magar, R. Three-year cost-effectiveness model for non-animal stabilized hyaluronic acid and dextranomer copolymer compared with sacral nerve stimulation after conservative therapy for the management of fecal incontinence. <i>Clinical Therapeutics.</i> 2014;36(6):890-905.e3	9
20	de Azevedo RVO, E. A.Vasconcelos, M. M.de Castro, B. A.Pereira, F. R.Duarte, N. F.de Jesus, P. M.Vaz, G. T.Lima, E. M. Impact of an interdisciplinary approach in children and adolescents with lower urinary tract dysfunction (LUTD). <i>Jornal brasileiro de nefrologia : 'orgao oficial de Sociedades Brasileira e Latino-Americana de Nefrologia.</i> 2014;36(4):451-9	9
21	Lombardi GM, S.Celso, M.Ierardi, A.Nelli, F.Del Corso, F.Del Popolo, G. A retrospective study on female urological surgeries over the 10 years following spinal cord lesion. <i>Spinal Cord.</i> 2013;51(9):688-93.	9
22	Denzinger SN, A.Weingart, P.Bürger, M.Wieland, W. F.Rossler, W.Otto, W. Does sacral neuromodulation lead to relevant reduction in the need for intermittent catheterization? a single-center experience on patients with chronic urinary retention. <i>Neuromodulation.</i> 2012;15(6):586-91	8
23	van Wunnik BPWV, R. G. J.van Asselt, A. D. I.Baeten, C. G. M. I. Cost-effectiveness analysis of sacral neuromodulation for faecal incontinence in the Netherlands. <i>Colorectal Disease.</i> 2012;14(12):e807-e14.	9
24	Wong MTCM, G.Wyart, V.Lehur, P. A. Does the magnetic anal sphincter device compare favourably with sacral nerve stimulation in the management of faecal incontinence? <i>Colorectal Disease.</i> 2012;14(6):e323-e9.	12
25	Boyle DJM, J.Gooneratne, M. L.Grimmer, K.Allison, M. E.Chan, C. L. H.Williams, N. S. Efficacy of sacral nerve stimulation for the treatment of fecal incontinence. <i>Diseases of the Colon and Rectum.</i> 2011;54(10):1271-8.	8
26	Leong RWD, S. G. G.Joore, M. A.Van Kerrebroeck, P. E. V. Cost-effectiveness analysis of sacral neuromodulation and botulinum toxin A treatment for patients with idiopathic overactive bladder. <i>BJU International.</i> 2011;108(4):558-64	6
27	Dudding TCP, D.Vaizey, C. J.Kamm, M. A. Comparison of clinical outcome between open and percutaneous lead insertion for permanent sacral nerve neurostimulation for the treatment of fecal incontinence. <i>Diseases of the Colon and Rectum.</i> 2009;52(3):463-8	12
28	Meurette GLT, M.Regenet, N.Robert-Yap, J.Lehur, P. A. Value of sacral nerve stimulator in the treatment of severe faecal incontinence: A comparison to the artificial bowel sphincter. <i>Colorectal Disease.</i> 2009;11(6):631-5	12
29	Chun KMY, H. A short-term analysis of parameters affecting the outcome of sacral neuromodulation. [Korean]. <i>Korean Journal of Urology.</i> 2009;50(2):135-9.	12
30	White WMM, lii J. D.Doggweiler, R.Dobmeyer-Dittrich, C.Klein, F. A. Incidence and Predictors of Complications With Sacral Neuromodulation. <i>Urology.</i> 2009;73(4):731-5	8
31	Tjandra JJC, M. K. Y.Yeh, C. H.Murray-Green, C. Sacral nerve stimulation is more effective than optimal medical therapy for severe fecal incontinence: A randomized, controlled study. <i>Diseases of the Colon and Rectum.</i> 2008;51(5):494-502	12
32	Melenhorst JK, S. M.Uludag, O.Van Gemert, W. G.Baeten, C. G. Is a morphologically intact anal sphincter necessary for success with sacral nerve modulation in patients with faecal incontinence? <i>Colorectal Disease.</i> 2008;10(3):257-62	12
33	Chung JWH, D. H.Lee, K. S. Efficacy and safety of sacral neuromodulation (Interstim) for the treatment of refractory overactive bladder symptoms and chronic pelvic pain. [Korean]. <i>Korean Journal of Urology.</i> 2007;48(7):701-5.	8

연번	서지정보	배제사유
34	Leroy AMP, Y. Lehur, P. A. Mion, F. Barth, X. Rullier, E. Bresler, L. Portier, G. Michot, F. Gourcerol, G. Parc, R. Lamy, P. Bruley Des Varannes, S. Pimont, S. Meurette, G. Damon, H. Zerbib, F. Lazorthes, F. Faucheron, J. L. Sielezneff, I. Slim, K. Tarrerias, A. L. Valleur, P. Efficacy of sacral nerve stimulation for fecal incontinence: Results of a multicenter double-blind crossover study. <i>Annals of Surgery</i> . 2005;242(5):662-9.	12
35	Creasey GHG, J. H. Korsten, M. Betz, R. Anderson, R. Walter, J. An implantable neuroprosthesis for restoring bladder and bowel control to patients with spinal cord injuries: A multicenter trial. <i>Archives of Physical Medicine and Rehabilitation</i> . 2001;82(11):1512-9.	7
36	Jonas UF, C. J. Chancellor, M. B. Elhilali, M. M. Fall, M. Gajewski, J. B. Grunewald, V. Hassouna, M. M. Hombergh, U. V. D. Janknegt, R. Van Kerrebroeck, P. E. V. Lycklama, A. Nijeholt A. A. B. Siegel, S. W. Schmidt, R. A. Efficacy of sacral nerve stimulation for urinary retention: Results 18 months after implantation. <i>Journal of Urology</i> . 2001;165(1):15-9.	6
37	Hassouna MMS, S. W. Lycklama, A. Nyeholt A. A. B. Elhilali, M. M. Van Kerrebroeck, P. E. V. Das, A. K. Gajewski, J. B. Janknegt, R. A. Rivas, D. A. Dijkema, H. Milam, D. F. Oleson, K. A. Schmidt, R. A. Sacral neuromodulation in the treatment of urgency-frequency symptoms: A multicenter study on efficacy and safety. <i>Journal of Urology</i> . 2000;163(6):1849-54.	6
38	Weil EHJR-C, J. L. Eerdmans, P. H. A. Janknegt, R. A. Bemelmans, B. L. H. Van Kerrebroeck Ph, E. V. Sacral root neuromodulation in the treatment of refractory urinary urge incontinence: A prospective randomized clinical trial. <i>European Urology</i> . 2000;37(2):161-71.	6
39	Schmidt RAJ, U. Oleson, K. A. Janknegt, R. A. Hassouna, M. M. Siegel, S. W. Van Kerrebroeck, P. E. V. Sacral nerve stimulation for treatment of refractory urinary urge incontinence. <i>Journal of Urology</i> . 1999;162(2):352-7.	6
40	Zanollo AS, M. Intravesical and sacral neuromodulation in chronic urinary retention in women. <i>Acta Urologica Italica</i> . 1998;12(4):209-11.	8
41	Walter JST, P. C. Wheeler, J. S. Effects of bladder volume on detrusor contractility during sacral nerve stimulation. <i>Neurourology and Urodynamics</i> . 1991;10(1):61-9	1
42	Aboseif SRK, D. H. Rieder, J. M. Rhee, E. Y. Menefee, S. A. Kaswick, J. R. Ree, M. H. Sacral neuromodulation: cost considerations and clinical benefits. <i>Urology</i> . 2007;70(6):1069-73; discussion 73-4.	8
43	Adile BS, P. Gugliotta, G. Consiglio, P. Manzone, M. Adile, G. Saitta, S. Perino, A. Calagna, G. Efficacy and acceptance of the sacral neuromodulation in the treatment of female lower urinary tract dysfunctions. <i>Minerva Ginecol</i> . 2018;70(2):236-8.	2
44	Al Asari SM, G. Mantoo, S. Kubis, C. Wyart, V. Lehur, P. A. Percutaneous tibial nerve stimulation vs sacral nerve stimulation for faecal incontinence: a comparative case-matched study. <i>Colorectal Disease</i> . 2014;16(11):O393-9.	12
45	Altomare DFG, I. Giuratrabocchetta, S. Digennaro, R. The effects of sacral nerve stimulation on continence are temporarily maintained after turning the stimulator off. <i>Colorectal Disease</i> . 2013;15(12):e741-8.	8
46	Amundsen CLK, Y. M. Chermansky, C. Gregory, W. T. Myers, D. L. Honeycutt, E. F. Vasavada, S. P. Nguyen, J. N. Wilson, T. S. Harvie, H. S. Wallace, D. Two-Year Outcomes of Sacral Neuromodulation Versus OnabotulinumtoxinA for Refractory Urgency Urinary Incontinence: A Randomized Trial. <i>European Urology</i> . 2018;74(1):66-73.	6
47	Andy UUA, C. L. Honeycutt, E. Markland, A. D. Dunivan, G. Dyer, K. Y. Korbly, N. B. Bradley, M. Vasavada, S. Mazloomdoost, D. Thomas, S. Sacral neuromodulation versus onabotulinumtoxinA for refractory urgency urinary incontinence: impact on fecal incontinence symptoms and sexual function. <i>Am J Obstet Gynecol</i> . 2019;221(5):513.e1-e15.	6

연번	서지정보	배제사유
48	Arlandis SC, D.Errando, C.Fernandez, E.Jimenez, M.Gonzalez, P.Crespo, C.Staeuble F.Rodriguez, J. M.Brosa, M. Cost-effectiveness of sacral neuromodulation compared to botulinum neurotoxin a or continued medical management in refractory overactive bladder. <i>Value in Health.</i> 2011;14(2):219-28	6
49	Atkin GKS, A.Vaizey, C. J. Patient characteristics and treatment outcome in functional anorectal pain. <i>Dis Colon Rectum.</i> 2011;54(7):870-5.	9
50	Autiero SWH, N.Betts, C. D.Ockrim, J. L. The cost-effectiveness of sacral nerve stimulation (SNS) for the treatment of idiopathic medically refractory overactive bladder (wet) in the UK. <i>BJU International.</i> 2015;116(6):945-54.	6
51	Balchandra PR, L. Women's perspective: intra-detrusor botox versus sacral neuromodulation for overactive bladder symptoms after unsuccessful anticholinergic treatment. <i>International Urogynecology Journal.</i> 2014;25(8):1059-64	9
52	Baron MVS, P. E.Koepf, J.Urbanetto, J. S.Santamaria, A. F. M.Dos Santos, M. P.de Mello Pinto, M. V.Brandenburg, C.Reinheimer, I. C.Carvalho, S.Wagner, M. B.Miliou, T.Poli-de-Figueiredo, C. E.Pinheiro da Costa, B. E. Efficacy and safety of neuromuscular electrical stimulation in the prevention of pressure injuries in critically ill patients: a randomized controlled trial. <i>Annals of Intensive Care.</i> 2022;12(1):53	7
53	Bertapelle MPV, M.Popolo, G. D.Mencarini, M.Ostardo, E.Spinelli, M.Giannantoni A'D'Ausilio, A. Sacral neuromodulation and Botulinum toxin A for refractory idiopathic overactive bladder: a cost-utility analysis in the perspective of Italian Healthcare System. <i>World Journal of Urology.</i> 2015;33(8):1109-17.	6
54	Brosa MM-D, A.Navarro-Luna, A.Rodriguez, J. M.Serrano, D.Gisbert, R.Dziekan, K.Segu, J. L. Cost-effectiveness analysis of sacral neuromodulation (SNM) with Interstim for fecal incontinence patients in Spain. <i>Curr Med Res Opin.</i> 2008;24(3):907-18	9
55	Cardarelli SDE, C.Cerruto, M. A.Curti, P.Ostardo, E.Signorello, D.Pastorello, M.Caleffi, G.Molon, A.Artibani, W. Efficacy of sacral neuromodulation on urological diseases: a multicentric research project. <i>Urologia.</i> 2012;79(2):90-6	8
56	Chen ZL, J.Ma, Q.Pikov, V.Li, M.Wang, L.Liu, Y.Ni, M. Anti-Inflammatory Effects of Two-Week Sacral Nerve Stimulation Therapy in Patients With Ulcerative Colitis. <i>Neuromodulation.</i> 2024;27(2):360-71.	7
57	Choi HG, R.Moeschler, S. M.Bendel, M. A.McCormick, Z. L.Teramoto, M.Rosenow, J. M.Kielb, S.Avram, M. J.Walega, D. R. Factors Associated With Implantable Pulse Generator Site Pain: A Multicenter Cross-Sectional Study. <i>Neuromodulation.</i> 2021;24(8):1351-6.	8
58	Chughtai BT, D.Sun, T.Sedrakyan, A. Failures of Sacral Neuromodulation for Incontinence. <i>JAMA Surg.</i> 2018;153(5):493-4.	4
59	Daikh AR, F.Lombardo, D.Thuillier, C.Bedouch, P.Faucheron, J. L. Retrospective study of sacral neuromodulator implantations in a French hospital center: Lifespan and hospital costs assessment. <i>International Journal of Colorectal Disease.</i> 2023;38(1):273	12
60	Damgaard MT, F. G.Sorensen, M.Fuglsang, S.Madsen, J. L. The influence of sacral nerve stimulation on gastrointestinal motor function in patients with fecal incontinence. <i>Neurogastroenterol Motil.</i> 2011;23(6):556-e207	9
61	de Miguel Valencia MJML, A.Perez Sola, M. A.Sanchez Iriso, E.Cabases Hita, J. M.Alberdi Ibanez, I.Ciga Lozano, M. A.de Miguel Velasco, M. Economic burden of long-term treatment of severe fecal incontinence. <i>Cirugia Espanola.</i> 2022;100(7):422-30	9
62	Doherty SV, A.Duffell, L.Hamid, R.Knight, S. A Urodynamic Comparison of Neural Targets for Transcutaneous Electrical Stimulation to Acutely Suppress Detrusor Contractions Following Spinal Cord Injury. <i>Frontiers in Neuroscience.</i> 2019;13:1360	12

연번	서지정보	배제사유
63	Fassov JL, L.Laurberg, S.Krogh, K. Sacral nerve modulation for irritable bowel syndrome A randomized, double-blinded, placebo-controlled crossover study. <i>Neurogastroenterol Motil.</i> 2019;31(6):e13570.	8
64	Fassov JL, L.Worsoe, J.Buntzen, S.Laurberg, S.Krogh, K. A randomised, controlled study of small intestinal motility in patients treated with sacral nerve stimulation for irritable bowel syndrome. <i>BMC Gastroenterology.</i> 2014;14:111.	9
65	Ganio ER, C.Masìn, A.Luc, A. R.Doglietto, G. B.Dodi, G.Ripetti, V.Arullani, A.Frascio, M.BertiRiboli, E.Landolfi, V.DelGenio, A.Altomare, D. F.Memeo, V.Bertapelle, P.Carone, R.Spinelli, M.Zanollo, A.Spreafico, L.Giardiello, G.de Seta, F. Neuromodulation for fecal incontinence: outcome in 16 patients with definitive implant. The initial Italian Sacral Neurostimulation Group (GINS) experience. <i>Dis Colon Rectum.</i> 2001;44(7):965-70.	8
66	Guys JMH, M.Planche, D.Torre, M.Louis-Borrione, C.Braud, J. Sacral neuromodulation for neurogenic bladder dysfunction in children. <i>Journal of Urology.</i> 2004;172(4 Pt 2):1673-6.	6
67	Hetzer FHB, A.Hahnloser, D.Lohlein, F.Clavien, P. A.Demartines, N. Outcome and cost analysis of sacral nerve stimulation for faecal incontinence. <i>British Journal of Surgery.</i> 2006;93(11):1411-7.	9
68	Hong KDdS, G.Wexner, S. D. What is the best option for failed sphincter repair? <i>Colorectal Disease.</i> 2014;16(4):298-303.	9
69	Hotouras AM, J.Allison, M.Curry, A.Williams, N. S.Knowles, C. H.Chan, C. L. Prospective clinical audit of two neuromodulatory treatments for fecal incontinence: sacral nerve stimulation (SNS) and percutaneous tibial nerve stimulation (PTNS). <i>Surgery Today.</i> 2014;44(11):2124-30.	12
70	Hotouras AM, J.Thin, N. N.Allison, M.Horrocks, E.Williams, N. S.Knowles, C. H.Chan, C. L. Outcome of sacral nerve stimulation for fecal incontinence in patients refractory to percutaneous tibial nerve stimulation. <i>Dis Colon Rectum.</i> 2013;56(7):915-20	9
71	Indinnimeo MR, C.Moschella, C. M.Fiore, A.Brosa, M.Giardina, S. Sacral neuromodulation for the treatment of fecal incontinence: analysis of cost-effectiveness. <i>Dis Colon Rectum.</i> 2010;53(12):1661-9.	9
72	Jayne DGW, A. E.Corrigan, N.Croft, J.Pullan, A.Napp, V.Kelly, R.Meads, D.Vargas-Palacios, A.Martin, A.Hulme, C.Brown, S. R.Nugent, K.Lodge, J.Protheroe, D.Maslekar, S.Clarke, A.Nisar, P.Brown, J. M. Sacral nerve stimulation versus the magnetic sphincter augmentation device for adult faecal incontinence: the SaFaRI RCT. <i>Health Technol Assess.</i> 2021;25(18):1-96	8
73	Kahlke VT, H.Peleikis, H. G.Jongen, J. Sacral nerve modulation for fecal incontinence results of a prospective single-center randomized crossover study. <i>Dis Colon Rectum.</i> 2015;58(2):235-40.	6
74	Kantartzis KLS, J. P. Cost-effectiveness of test phase implantation strategies for InterStim R sacral neuromodulation. <i>Female Pelvic Medicine & Reconstructive Surgery.</i> 2013;19(6):322-7.	7
75	Karabay ID, A.Arslan, M. D.Dost, G.Ozgirgin, N. Effects of functional electrical stimulation on trunk control in children with diplegic cerebral palsy. <i>Disabil Rehabil.</i> 2012;34(11):965-70.	8
76	Kenefick NJE, A.Nicholls, R. J.Kamm, M. A. Effect of sacral nerve stimulation on autonomic nerve function. <i>British Journal of Surgery.</i> 2003;90(10):1256-60	12
77	Koch SMM, J.Uludag, O.Deutekom, M.Stoker, J.van Gemert, W. G.Baeten, C. G. Sacral nerve modulation and other treatments in patients with faecal incontinence after unsuccessful pelvic floor rehabilitation: a prospective study. <i>Colorectal Disease.</i> 2010;12(4):334-41.	6

연번	서지정보	배제사유
78	Kraus SRS, A.Szabo, S. M.Qian, C.Rogula, B.Hairston, J. Treatment patterns and costs among patients with OAB treated with combination oral therapy, sacral nerve stimulation, percutaneous tibial nerve stimulation, or onabotulinumtoxinA in the United States. <i>Neurourol Urodyn</i> . 2020;39(8):2206-22.	9
79	Leong RWD, S. G.Nieman, F. H.de Bie, R. A.van Kerrebroeck, P. E. PNE versus 1st stage tined lead procedure: a direct comparison to select the most sensitive test method to identify patients suitable for sacral neuromodulation therapy. <i>Neurourol Urodyn</i> . 2011;30(7):1249-52.	6
80	Leroy AML, X.Dervaux, B.Chartier-Kastler, E.Mauroy, B.Normand, L. L.Grise, P.Faucheron, J. L.Parc, Y.Lehur, P. A.Mion, F.Damon, H.Barth, X.Leriche, A.Saussine, C.Guy, L.Haab, F.Bresler, L.Sarramon, J. P.Bensadoun, H.Rullier, E.Slim, K.Sieleznoff, I.Mourey, E.Ballanger, P.Michot, F. Outcome and cost analysis of sacral nerve modulation for treating urinary and/or fecal incontinence. <i>Annals of Surgery</i> . 2011;253(4):720-32.	6
81	Liao LZ, Z.Chen, G.Xu, Z.Huang, B.Chong, T.Chen, Q.Wei, Z.Shen, B.Chen, Z.Ling, Q.Weng Z.Jiang, H.Shi, B.Li, Y.Wang, Y. Sacral Neuromodulation Using a Novel Device with a Six-contact-point Electrode for the Treatment of Patients with Refractory Overactive Bladder: A Multicenter, Randomized, Single-blind, Parallel-control Clinical Trial. <i>European Urology Focus</i> . 2022;8(6):1823-30.	9
82	Lin AYV, C.Paskaranandavadiel, N.Seo, S.Du, P.Dinning, P.Bissett, I. P.O'Grady, G. Faeca incontinence is associated with an impaired rectosigmoid brake and improved by sacral neuromodulation. <i>Colorectal Disease</i> . 2022;24(12):1556-66	6
83	Lombardi GM, S.Celso, M.Ierardi, A.Nelli, F.Del Corso, F.Del Popolo, G. Intravesica electrostimulation versus sacral neuromodulation for incomplete spinal cord patients suffering from neurogenic non-obstructive urinary retention. <i>Spinal Cord</i> . 2013;51(7):571-8.	9
84	Marinello FF, D.Planellas, P.Adell Trape, M.Gil, J. M.Kreisler, E.Pellino, G.Espin-Basany, E Sacral Neuromodulation in Patients With Low Anterior Resection Syndrome: The SANLARS Randomized Clinical Trial. <i>Dis Colon Rectum</i> . 2024;67(3):435-47.	8
85	Markland CM, D.Chou, S.Bradley, W. Sacral nerve root stimulation: a clinical test of detrusor innervation. <i>Journal of Urology</i> . 1972;107(5):772-6	8
86	Martin SOC, A. D.Selvakumar, D.Baraza, W.Faulkner, G.Mullins, D.Kiff, E. S.Telford, K J.Sharma, A. The Long-term Outcomes of Sacral Neuromodulation for Fecal Incontinence: A Single-Center Experience. <i>Dis Colon Rectum</i> . 2024;67(1):129-37	6
87	Martinson MM, S.Black, E. Cost of neuromodulation therapies for overactive bladder percutaneous tibial nerve stimulation versus sacral nerve stimulation. <i>Journal of Urology</i> 2013;189(1):210-6.	1
88	Moreta-Martinez RR-P, I.Garcia-Sevilla, M.Garcia-Elcano, L.Pascau, J. Evaluation of optical tracking and augmented reality for needle navigation in sacral nerve stimulation. <i>Comput Methods Programs Biomed</i> . 2022;224:106991.	12
89	Moya PP, P.Arroyo, A.Pena, E.Benavides, J.Calpena, R. Sacral nerve stimulation versus percutaneous posterior tibial nerve stimulation in the treatment of severe fecal incontinence in men. <i>Techniques in Coloproctology</i> . 2016;20(5):317-9	6
90	Murray BH, S. H.Gulyaev, D.Lister, J.Dmochowski, R.Gillard, K. K.Stanisic, S.Tung, A.Boer, R.Kaplan, S. Cost-effectiveness of overactive bladder treatments: from the US payer perspective. <i>Journal of Comparative Effectiveness Research</i> . 2019;8(1):61-71	6
91	Murray BM-T, J.Park, A. J.Nguyen, V. B.Tung, A.Gillard, P.Lalla, A.Nitti, V. W.Chermansky, C. J. Cost-effectiveness of overactive bladder treatments from a US commercial and payer perspective. <i>Journal of Comparative Effectiveness Research</i> . 2023;12(2):e220089	12

연번	서지정보	배제사유
92	Nikolavsky DK, K.Boura, J.Peters, K. Comparison of patients undergoing a two-stage sacral nerve stimulation procedure: is there a cost benefit for a single-stage procedure? <i>Int Urol Nephrol.</i> 2011;43(4):997-1002.	12
93	Noblett KLD, R. R.Vasavada, S. P.Garner, A. M.Liu, S.Pietzsch, J. B. Cost profiles and budget impact of rechargeable versus non-rechargeable sacral neuromodulation devices in the treatment of overactive bladder syndrome. <i>Neurourol Urodyn</i>	8
94	O'Connor AR, E.Molyneux, C.Vasant, D. H.Sharma, A.Faulkner, G.McLaughlin, J.Kiff, E.Telford, K. Percutaneous tibial nerve stimulation versus sacral nerve stimulation for the treatment of faecal incontinence. <i>Front.</i> 2024;11:1303119	6
95	Patel DNZ, H. H.Houman, J.Ackerman, A. L.Eilber, K. S.Anger, J. T. Comparative effectiveness of one versus two-stage sacral neurostimulation device placement. <i>Neurourol Urodyn.</i> 2019;38(2):734-9.	6
96	Pelling MH, J.Patil, D. Long-Term Cost Analysis of Third-Line Treatment Options for Overactive Bladder. <i>Urology Practice.</i> 2024;11(1):62-9.	12
97	Picciariello AR, M.Dibra, R.Trigiante, G.Tomasicchio, G.Lantone, G.De Fazio, M. Ageing with sacral nerve modulation for fecal incontinence: how many patients get benefit after more than 10 years? <i>Updates in Surgery.</i> 2022;74(1):185-91.	2
98	Powell CR. Conditional Electrical Stimulation in Animal and Human Models for Neurogenic Bladder: Working Toward a Neuroprosthesis. <i>Current Bladder Dysfunction Reports.</i> 2016;11(4):379-85.	7
99	Ratto CL, F.Parello, A.Donisi, L.Doglietto, G. B. Sacral nerve stimulation is a valid approach in fecal incontinence due to sphincter lesions when compared to sphincter repair. <i>Dis Colon Rectum.</i> 2010;53(3):264-72.	8
100	Reynolds WSK, C.Cohn, J.Kaufman, M.Wein, A.Dmochowski, R.Bruehl, S. Women Undergoing Third Line Overactive Bladder Treatment Demonstrate Elevated Thermal Temporal Summation. <i>Journal of Urology.</i> 2018;200(4):856-61.	9
101	Rice TCQ, Y.Rafferty, J. F.Paquette, I. M. Dynamic Article: Percutaneous Nerve Evaluation Versus Staged Sacral Nerve Stimulation for Fecal Incontinence. <i>Dis Colon Rectum.</i> 2016;59(10):962-7.	9
102	Richter HEA, C. L.Erickson, S. W.Jelovsek, J. E.Komesu, Y.Chermansky, C.Harvie, H. S.Albo, M.Myers, D.Gregory, W. T.Wallace, D. Characteristics Associated with Treatment Response and Satisfaction in Women Undergoing OnabotulinumtoxinA and Sacral Neuromodulation for Refractory Urgency Urinary Incontinence. <i>Journal of Urology.</i> 2017;198(4):890-6	12
103	Richter HEM, P.Amundsen, C. L.Malykhina, A. P.Wallace, D.Rogers, R.Myers, D.Paraiso, M.Albo, M.Shi, H.Nolen, T.Meikle, S.Word, R. A. Urinary Biomarkers in Women with Refractory Urgency Urinary Incontinence Randomized to Sacral Neuromodulation versus OnabotulinumtoxinA Compared to Controls. <i>Journal of Urology.</i> 2017;197(6):1487-95	6
104	Rodrigues FGC, S. A.Cracco, A. J.Sands, D. R.Zutshi, M.Gurland, B.Da Silva, G.Wexner, S. D. Faecal incontinence in patients with a sphincter defect: comparison of sphincteroplasty and sacral nerve stimulation. <i>Colorectal Disease.</i> 2017;19(5):456-61	6
105	Sharifiaghdas FM, M.Ahadi, B. Percutaneous nerve evaluation (PNE) for treatment of non-obstructive urinary retention: urodynamic changes, placebo effects, and response rates. <i>Urology Journal.</i> 2014;11(1):1301-7.	6
106	Siddiqui NYA, C. L.Visco, A. G.Myers, E. R.Wu, J. M. Cost-effectiveness of sacral neuromodulation versus intravesical botulinum A toxin for treatment of refractory urge incontinence. <i>Journal of Urology.</i> 2009;182(6):2799-804.	12

연번	서지정보	배제사유
107	Siegel SN, K.Mangel, J.Griebling, T. L.Sutherland, S. E.Bird, E. I.Comiter, C.Culkin D.Bennett, J.Zylstra, S.Berg, K. C.Kan, F.Irwin, C. P. Results of a prospective, randomized, multicenter study evaluating sacral neuromodulation with InterStim therapy compared to standard medical therapy at 6-months in subjects with mild symptoms of overactive bladder. <i>Neurourol Urodyn.</i> 2015;34(3):224-30	12
108	Singh REN, S. A.Trabuco, E. C.Klingele, C. J.Gebhart, J. B.Occhino, J. A. Comparison of Short Term Outcomes of Sacral Nerve Stimulation and Intradetrusor Injection of OnabotulinumtoxinA (Botox) in Women With Refractory Overactive Bladder. Female <i>Pelvic Medicine & Reconstructive Surgery.</i> 2015;21(6):369-73	12
109	Sterling MEH, S. M.Wein, A. J.Smith, A. L. A standardized surgical technique for removal of the Interstim tined lead. <i>Can J Urol.</i> 2016;23(5):8471-5	12
110	Sun AJH, C. R.Comiter, C. V.Elliott, C. S. To stage or not to stage?-A cost minimization analysis of sacral neuromodulation placement strategies. <i>Neurourol Urodyn.</i> 2019;38(6):1783-91.	9
111	Thin NNT, S. J.Bremner, S. A.Emmanuel, A. V.Hounsome, N.Williams, N. S.Knowles, C. H Randomized clinical trial of sacral versus percutaneous tibial nerve stimulation in patients with faecal incontinence. <i>British Journal of Surgery.</i> 2015;102(4):349-58	12
112	Tilborghs SVdB, S.Vaganee, D.De Win, G.De Wachter, S. A Supervised 3 Weeks Test Phase in Sacral Neuromodulation with a 1-Year Followup. <i>Journal of Urology.</i> 2021;205(1):206-12.	6
113	Tipsmark LSF, J.Lundby, L.Laurberg, S.Ehlers, L.Krogh, K. Cost-effectiveness analysis of sacral nerve stimulation as treatment for severe irritable bowel syndrome. <i>Colorectal Disease.</i> 2016;18(1):O30-6.	6
114	Varghese CW, C. I.O'Grady, G.Bissett, I. P. Costs and outcomes of sacral nerve stimulation for faecal incontinence in New Zealand: a 10-year observational study. <i>ANZ Journal of Surgery.</i> 2020;90(4):569-75.	8
115	Vriesman MHW, L.Park, C.Diefenbach, K. A.Levitt, M. A.Wood, R. J.Alpert, S. A.Benninga, M. A.Vaz, K.Yacob, D.Di Lorenzo, C.Lu, P. L. Comparison of antegrade continence enema treatment and sacral nerve stimulation for children with severe functional constipation and fecal incontinence. <i>Neurogastroenterol Motil.</i> 2020;32(8):e13809	9
116	Watanabe JHC, J. D.Ravelo, A.Chancellor, M. B.Kowalski, J.Sullivan, S. D. Cost analysis of interventions for antimuscarinic refractory patients with overactive bladder. <i>Urology.</i> 2010;76(4):835-40.	4
117	Wexner SDH, I.Edden, Y.Coller, J. A.Devroede, G.McCallum, R.Chan, M.Ayscue, J. M.Shobeiri, A. S.Margolin, D.England, M.Kaufman, H.Snape, W. J.Mutlu, E.Chua, H.Pettit, P.Nagle, D.Madoff, R. D.Lerew, D. R.Mellgren, A. Infection rates in a large investigational trial of sacral nerve stimulation for fecal incontinence. <i>Journal of Gastrointestinal Surgery.</i> 2010;14(7):1081-9	2
118	Wyndaele JJM, D.Van Dromme, S. Influence of sacral neuromodulation on electrosensation of the lower urinary tract. <i>Journal of Urology.</i> 2000;163(1):221-4	4
119	Rydningen MD, T.Wilsgaard, T.Rydning, A.Stedenfeldt, M.Lindsetmo, R. O.Kumle M.Norderval, S. A randomised trial of sacral neuromodulation versus perianal bulking injection of collagen in the treatment of faecal incontinence following obstetric anal sphincter injury. <i>Colorectal disease.</i> 2015;17(3):2015-09	6
120	CAN-Stim Compared to SNS in Treatment of Urinary Urgency Incontinence With Wireless Neuromodulation Technology. 2015	5
121	Richter HEA, C.Jelovsek, E.Erickson, S.Komesu, Y.Chermansky, C.Kadima, N.Myers, D.Harvie, H.Albo, M.Wallace, D. Demographic and clinical variables associated with treatment response in women undergoing onabotulinumtoxinA and sacral neuromodulation. <i>Journal of urology.</i> 2017;Vol 197(4):e1047p	6

연번	서지정보	배제사유
122	Hendrickson WKZ, C.Jelovsek, J. E.Nygaard, I. E.Presson, A. P. Longitudinal Fluctuations in Treatment Response After OnabotulinumToxinA and Sacral Neuromodulation for Refractory Urgency Incontinence. <i>Journal of urology.</i> 2024;Vol.211(1):134-43p	2
123	Marinello FGF, D.Planellas, P.Adell, M.Gil, J.Kreisler, E.Pellino, G.Espin-Basany, E. Sacral Neuromodulation in Patients With Low Anterior Resection Syndrome: the SANLARS Randomized Clinical Trial. <i>Diseases of the colon and rectum.</i> 2023	6
124	Amundsen CLR, H. E.Menefee, S. A.Komesu, Y. M.Arya, L. A.Gregory, W. T.Myers, D. L.Zyczynski, H. M.Vasavada, S.Nolen, T. L.Wallace, D.Meikle, S. F. OnabotulinumtoxinA vs Sacral Neuromodulation on Refractory Urgency Urinary Incontinence in Women: a Randomized Clinical Trial. <i>Jama.</i> 2016;Vol.316(13):1366-74p	4
125	Cyclic Versus Continuous Sacral Neuromodulation for LUTS. 2023.	6
126	Liechti MDvdL, S.Kn,uuml;pfer, S. C.Abt, D.Kiss, B.Leitner, L.Mordasini, L.Tornic J.Ouml;llner, J.Mehnert, U.Bachmann, L. M.Burkhard, F. C.Engeler, D. S.Pannek, J.Kessler, T. M. Sacral Neuromodulation for Neurogenic Lower Urinary Tract Dysfunction. <i>NEJM Evid.</i> 2022;Vol.1(11):1-11p.	4
127	Harvie HSA, C.Neuwahl, S. J.Honeycutt, A. A.Rogers, R. G.Sung, V. W.Lukacz, E.Ferrando, C. A.Ellington, D.Honeycutt, E.Thomas, S. M.Mazloomdoost, D. Cost-effectiveness of sacral neuromodulation vs. botox for refractory urgency urinary incontinence: results: from the rosetta trial. <i>Neurourology and urodynamics.</i> 2018;37:2018-08	6
128	Al-Azzawi ISA-H, H. T. A comparative study between sacral neuromodulation and intravesical botulinum toxin injection for patients with refractory overactive bladder. <i>Arab journal of urology.</i> 2020;Vol.18(2):88-93p.	4
129	Thin NT, S.Bremner, S.Hounsome, N.Alam, A.Emmanuel, A.Bannister, S.Scott, S. M.Williams, N.Allison, M.Vaizey, C. J.Thomas, G.Knowles, C. Prospective randomised mixed methods pilot trial of sacral and percutaneous tibial nerve stimulation for faecal incontinence. <i>Colorectal disease.</i> 2014;16(15):2014-09	10
130	Harvie HSA, C. L.Neuwahl, S. J.Honeycutt, A. A.Lukacz, E. S.Sung, V. W.Rogers, R. G.Ellington, D.Ferrando, C. A.Chermansky, C. J.Mazloomdoost, D.Thomas, S. Cost-Effectiveness of Sacral Neuromodulation versus OnabotulinumtoxinA for Refractory Urgency Urinary Incontinence: results of the ROSETTA Randomized Trial. <i>Journal of urology.</i> 2020;Vol.203(5):969-77p	6
131	Liechti MDvdl, S.Knupfer, S. C.Abt, D.Kiss, B.Leitner, L.Mordasini, L.Tornic, J.Wollner J.Mehnert, U.Bachmann, L. M.Burkhard, F. C.Engeler, D. S.Pannek, J.Kessler, T. M. Efficacy and safety of sacral neuromodulation for neurogenic lower urinary tract dysfunction: a randomised, sham-controlled, double-blind, multicentre clinical trial. <i>European urology.</i> 1054:81-2022-03	11
132	Knowles C. A Randomised Pilot and Feasibility Study of Sacral and Percutaneous Tibia Nerve Stimulation for Faecal Incontinence. <i>UK clinical research network.</i> 2012	4
133	Peters KMF, K. M.Bennett, R. C. A prospective, single-blind, randomized crossover trial of sacral vs pudendal nerve stimulation for interstitial cystitis. <i>BJU international.</i> 2007;Vol.100(4):835-9p.	6
134	Vaizey CJK, M. A.Roy, A. J.Nicholls, R. J. Double-blind crossover study of sacral nerve stimulation for fecal incontinence. <i>Diseases of the colon and rectum.</i> 2000;Vol.43(3):298-302p.	9
135	Harvie HA, C. L.Neuwahl, S.Honeycutt, A.Sung, V. W.Rogers, R. G.Lukacz, E. S.Ferrando, C. A.Ellington, D.Honeycutt, E.Thomas, S.Mazloomdoost, D. Cost-effectiveness of sacral neuromodulation vs. botox for refractory urgency urinary incontinence: results from the rosetta trial. <i>Female pelvic medicine & reconstructive surgery.</i> 2018;Vol.24(5):S3-S4p	6

연번	서지정보	배제사유
136	Haddad MB, R.Aubert, D.Ravasse, P.Lemelle, J.El Ghoneimi, A.Moscovici, J.Hameury, F.Baumstarck-Barrau, K.Hery, G.Guys, J. M. Sacral neuromodulation in children with urinary and fecal incontinence: a multicenter, open label, randomized, crossover study. <i>Journal of urology</i> . 2010;Vol.184(2):696-701p.	4
137	Patton VW, L.Arkwright, J. W.Lubowski, D. Z.Dinning, P. G. The effect of sacral nerve stimulation on distal colonic motility in patients with faecal incontinence. <i>British journal of surgery</i> . 2013;Vol.100(7):959-68p.	9
138	Peters KMF, K. M.Bennett, R. C. Sacral versus pudendal nerve stimulation for voiding dysfunction: a prospective, single-blinded, randomized, crossover trial. <i>Neurourology and urodynamics</i> . 2005;Vol.24(7):643-7p.	9
139	Leong R. Optimal Stimulation Rates in Sacral Neuromodulation Therapy. 2007	9
140	Siegel SK, K.Takacs, E.McNamara, R.Kan, F. Prospective Randomized Feasibility Study Assessing the Effect of Cyclic Sacral Neuromodulation on Urinary Urge Incontinence in Women. <i>Female pelvic medicine & reconstructive surgery</i> . 2018;Vol.24(4):267-71p	12
141	Fassov JLL, L.Laurberg, S.Buntzen, S.Krogh, K. A randomized, controlled, crossover study of sacral nerve stimulation for irritable bowel syndrome. <i>Annals of surgery</i> . 2014;Vol.260(1):31-6p.	8
142	Michelsen HBM, Y.Lundby, L.Krogh, K.Buntzen, S.Laurberg, S. Retention test in sacral nerve stimulation for fecal incontinence. <i>Diseases of the colon and rectum</i> . 2009;Vol.52(11):1864-8p.	12